Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-06	2.5E+05	3.7E+05	1.3E+05	1.8E+01	7.9E+01	3.0E+05	2.3E+12	.
Actinium (89)	Ac-224	2.18E+03	3.17E-04	3.69E-10	7.14E-11	1.44E-10	2.07E-10	1.0E-08 (S)	1.91E-05	2.9E+02	5.0E+02	1.2E+02	6.0E-04	7.7E-04	3.1E-01	3.0E+04	.
Actinium (89)	Ac-225	2.53E+01	2.74E-02	1.32E-08	2.44E-09	5.11E-09	7.34E-09	7.7E-07 (S)	1.11E-06	5.7E-01	7.9E+01	1.3E-01	8.0E-06	1.0E-05	8.8E-03	9.8E+00	.
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	1.32E-08	2.44E-09	5.11E-09	7.34E-09	7.7E-07 (S)	3.98E-06	5.6E-01	2.6E+01	1.3E-01	8.0E-06	1.0E-05	8.8E-03	9.8E+00	.
Actinium (89)	Ac-226	2.07E+02	3.35E-03	5.11E-09	7.76E-10	1.88E-09	2.77E-09	1.2E-07 (S)	1.23E-05	1.0E+01	7.3E+01	2.6E+00	5.2E-05	6.7E-05	2.4E-02	2.2E+02	.
Actinium (89)	Ac-227	3.18E-02	2.18E+01	7.84E-09	5.44E-09	5.43E-09	6.63E-09	4.0E-06 (S)	5.36E-09	1.4E-03	3.8E-01	2.6E-04	1.5E-06	2.0E-06	7.0E-03	1.8E-02	6.0E-01
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.33E-10	2.32E-11	5.09E-11	7.39E-11	1.3E-09 (S)	1.09E-04	2.7E+01	4.0E+01	1.4E+01	4.6E-03	6.0E-03	8.8E-01	3.9E+04	.
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.29E-05	7.4E+03	1.1E+04	3.8E+03	6.0E-01	2.6E+00	1.0E+04	7.9E+10	.
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.26E-05	3.4E+03	5.0E+03	1.8E+03	8.9E-01	3.9E+00	1.5E+04	3.1E+10	.
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.58E-04	3.5E+03	5.1E+03	1.8E+03	2.8E-01	1.2E+00	4.6E+03	3.8E+10	.
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.93E-05	7.6E+03	1.1E+04	3.9E+03	7.1E-01	3.1E+00	1.2E+04	7.8E+10	.
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.63E-04	1.3E+03	2.0E+03	6.9E+02	1.2E-01	5.2E-01	2.0E+03	3.2E+09	.
Silver (47)	Ag-101	3.28E+04	2.11E-05	3.40E-12	1.22E-12	1.61E-12	2.23E-12	6.4E-13 (S)	1.91E-04	5.2E+02	7.5E+02	2.7E+02	2.2E-01	9.0E-01	2.8E+01	9.0E+06	.
Silver (47)	Ag-102	2.82E+04	2.45E-05	4.09E-12	1.60E-12	2.01E-12	2.75E-12	7.4E-13 (S)	4.39E-04	1.9E+02	2.8E+02	1.0E+02	9.7E-02	4.1E-01	2.2E+01	6.2E+06	.
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.71E-04	5.2E+02	7.6E+02	2.7E+02	1.6E-01	7.1E-01	2.7E+03	1.3E+09	.
Silver (47)	Ag-103	5.54E+03	1.25E-04	6.57E-12	1.74E-12	2.83E-12	3.98E-12	1.6E-12 (S)	9.97E-05	1.7E+02	2.4E+02	8.6E+01	3.8E-01	1.3E+00	1.6E+01	8.7E+05	.
Silver (47)	Ag-104	5.26E+03	1.32E-04	9.84E-12	2.98E-12	4.50E-12	6.23E-12	1.8E-12 (S)	3.41E-04	4.6E+01	6.8E+01	2.4E+01	1.2E-01	4.9E-01	1.0E+01	5.2E+05	.
Silver (47)	Ag-104m	1.09E+04	6.37E-05	8.08E-12	2.62E-12	3.70E-12	5.15E-12	1.6E-12 (S)	2.30E-04	1.4E+02	2.1E+02	7.3E+01	1.8E-01	7.0E-01	1.2E+01	1.3E+06	.
Silver (47)	Ag-105	6.13E+00	1.13E-01	1.12E-10	2.61E-11	4.73E-11	6.65E-11	8.5E-11 (S)	5.68E-05	3.2E-01	4.7E-01	1.5E-01	6.6E-02	9.1E-02	9.5E-01	5.8E+01	.
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.13E-07	1.3E+06	2.0E+06	6.9E+05	3.6E+02	1.6E+03	5.9E+06	2.9E+12	.
Silver (47)	Ag-106	1.52E+04	4.56E-05	3.35E-12	1.18E-12	1.57E-12	2.18E-12	7.6E-13 (S)	8.20E-05	5.6E+02	8.1E+02	2.9E+02	4.8E-01	1.8E+00	2.9E+01	4.3E+06	.
Silver (47)	Ag-106m	3.05E+01	2.27E-02	2.94E-10	7.56E-11	1.29E-10	1.80E-10	9.5E-11 (S)	3.53E-04	2.6E-01	3.8E-01	1.3E-01	4.2E-02	7.2E-02	3.5E-01	1.1E+02	.
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.39E-06	1.9E+05	2.8E+05	1.0E+05	1.7E+01	7.4E+01	2.9E+05	4.4E+11	.
Silver (47)	Ag-108m	1.66E-03	4.18E+02	4.87E-10	1.36E-10	2.19E-10	3.01E-10	2.8E-09 (S)	1.93E-04	5.9E-04	9.2E-04	1.8E-04	2.2E-03	2.8E-03	1.5E-01	6.0E-02	2.2E+00
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	4.87E-10	1.36E-10	2.19E-10	3.01E-10	2.8E-09 (S)	1.94E-04	5.9E-04	9.2E-04	1.8E-04	2.2E-03	2.8E-03	1.5E-01	6.0E-02	.
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-07	8.1E+06	1.2E+07	4.2E+06	1.1E+02	4.8E+02	1.8E+06	9.6E+12	.
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.61E-06	5.8E+05	8.4E+05	3.0E+05	9.0E+00	3.9E+01	1.6E+05	1.4E+12	.
Silver (47)	Ag-110m	1.01E+00	6.84E-01	6.16E-10	1.63E-10	2.71E-10	3.76E-10	1.2E-09 (S)	3.53E-04	8.5E-03	1.3E-02	4.1E-03	4.9E-03	6.4E-03	1.6E-01	1.6E+00	9.0E+02
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	6.16E-10	1.63E-10	2.71E-10	3.76E-10	1.2E-09 (S)	3.53E-04	8.5E-03	1.3E-02	4.1E-03	4.9E-03	6.4E-03	1.6E-01	1.6E+00	.
Silver (47)	Ag-111	3.40E+01	2.04E-02	6.03E-10	9.08E-11	2.22E-10	3.25E-10	2.0E-10 (S)	2.97E-06	1.1E+01	5.0E+01	1.8E+00	3.1E-02	4.0E-02	2.0E-01	6.8E+01	.
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.69E-07	2.7E+06	4.0E+06	1.4E+06	9.8E+01	4.3E+02	1.6E+06	5.3E+12	.
Silver (47)	Ag-112	1.94E+03	3.57E-04	1.40E-10	2.43E-11	5.31E-11	7.72E-11	2.1E-11 (S)	9.18E-05	6.3E+01	9.3E+01	3.1E+01	1.8E-01	3.2E-01	8.5E-01	1.6E+04	.
Silver (47)	Ag-113	1.13E+03	6.13E-04	1.60E-10	2.54E-11	5.95E-11	8.71E-11	2.4E-11 (S)	8.65E-06	3.3E+02	5.7E+02	1.1E+02	2.4E-01	3.2E-01	7.5E-01	8.4E+03	.
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.42E-05	4.0E+04	5.8E+04	2.0E+04	1.7E+00	7.4E+00	2.8E+04	8.7E+10	.
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.66E-05	3.9E+05	5.7E+05	2.0E+05	1.2E+00	5.2E+00	2.0E+04	9.3E+11	.
Silver (47)	Ag-115	1.82E+04	3.81E-05	9.00E-12	2.45E-12	3.85E-12	5.45E-12	2.0E-12 (S)	6.41E-05	8.5E+02	1.2E+03	4.4E+02	5.5E-01	1.7E+00	1.2E+01	2.1E+06	.
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.96E-04	1.4E+03	2.0E+03	7.1E+02	1.5E-01	6.5E-01	2.5E+03	3.3E+09	.
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.80E-04	5.0E+03	7.2E+03	2.6E+03	2.4E-01	1.1E+00	4.0E+03	1.2E+10	.
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.91E-04	1.8E+03	2.7E+03	9.4E+02	1.5E-01	6.4E-01	2.4E+03	4.2E+09	.
Aluminum (13)	Al-26	9.67E-07	7.17E+05	1.19E-09	2.21E-10	4.67E-10	6.71E-10	7.9E-09 (S)	3.60E-04	3.1E-04	4.9E-04	1.0E-04	7.9E-04	1.0E-03	7.1E-02	1.1E-01	.
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.52E-04	1.9E+03	2.8E+03	1.0E+03	1.8E-01	7.7E-01	2.9E+03	1.9E+10	.
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.88E-04	8.9E+02	1.3E+03	4.6E+02	2.4E-01	1.0E+00	3.9E+03	8.4E+09	.
Americium (95)	Am-237	4.99E+03	1.39E-04	3.30E-12	8.68E-13	1.42E-12	2.00E-12	1.7E-12 (S)	3.66E-05	4.1E+02	6.0E+02	1.7E+02	8.0E-01	2.3E+00	3.2E+01	1.7E+04	.
Americium (95)	Am-238	3.72E+03	1.86E-04	5.85E-12	1.61E-12	2.58E-12	3.61E-12	3.1E-12 (S)	1.10E-04	1.0E+02	1.5E+02	4.6E+01	3.2E-01	1.0E+00	1.7E+01	7.1E+03	.
Americium (95)	Am-239	5.10E+02	1.36E-03	1.02E-10	1.67E-11	3.84E-11	5.61E-11	2.5E-11 (S)	1.89E-05	7.7E+01	1.2E+02	2.9E+00	2.2E-01	3.0E-01	1.2E+00	6.5E+01	.
Americium (95)	Am-240	1.20E+02	5.80E-03	1.79E-10	3.50E-11	7.14E-11	1.02E-10	4.2E-11 (S)	1.27E-04	2.8E+00	4.1E+00	3.1E-01	1.0E-01	1.7E-01	6.3E-01	8.2E+00	.
Americium (95)	Am-241	1.60E-03	4.32E+02	4.98E-09	2.46E-09	2.80E-09	3.61E-09	1.0E-06 (F)	7.48E-07	1.8E-03	1.7E-01	2.4E-06	6.1E-06	7.8E-06	1.2E-02	5.3E-05	6.4E-02
Americium (95)	Am-242	3.79E+02	1.83E-03	1.31E-10	2.05E-11	4.88E-11	7.14E-11	1.8E-09 (S)	9.40E-07	5.1E+02	1.8E+03	1.8E+00	3.4E-03	4.4E-03	9.2E-01	3.8E+01	.
Americium (95)	Am-242m	4.91E-03	1.41E+02	2.81E-09	1.98E-09	1.91E-09	2.36E-09	9.3E-07 (F)	2.05E-08	2.9E-03	7.4E-01	4.0E-06	6.7E-06	8.6E-06	1.9E-02	8.3E-05	.
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	2.94E-09	2.00E-09	1.96E-09	2.43E-09	9.3E-07 (F)	1.29E-06	2.7E-03	1.2E-01	3.9E-06	6.7E-06	8.6E-06	1.8E-02	8.1E-05	.
Americium (95)	Am-243	9.40E-05	7.37E+03	5.01E-09	2.44E-09	2.80E-09	3.62E-09	1.0E-06 (F)	2.64E-06	1.7E-03	6.0E-02	2.4E-06	6.2E-06	8.0E-06	1.2E-02	5.2E-05	6.3E-02
Americium (95)	Am-243+D	9.40E-05	7.37E+03	5.39E-09	2.50E-09	2.94E-09	3.83E-09	1.0E-06 (F)	1.80E-05	1.3E-03	9.6E-03	2.2E-06	6.2E-06	8.0E-06	1.2E-02	4.9E-05	6.3E-02
Americium (95)	Am-244	6.01E+02	1.15E-03	1.76E-10	2.98E-11	6.67E-11	9.70E-11	1.0E-10 (S)	9.66E-05	1.8E+01	2.7E+01	1.7E+00	5.3E-02	7.5E-02	6.7E-01	4.4E+01	.
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.06E-12	1.05E-12	1.41E-12	1.97E-12	3.6E-12 (S)	1.96E-06	2.1E+04	3.1E+04	2.0E+03	1.6E+00	2.2E+00	3.2E+01	4.9E+04	.
Americium (95)	Am-245	2.96E+03	2.34E-04	1.55E-11	2.96E-12	6.01E-12	8.71E-12	4.5E-12 (S)	2.81E-06	3.0E+03	4.6E+03	1.1E+02	1.2E+00	1.7E+00	7.5E+00	2.4E+03	.
Americium (95)	Am-246	9.34E+03	7.42E-05	8.24E-12	2.52E-12	3.67E-12	5.15E-12	4.2E-12 (S)	8.49E-05	3.3E+02	4.8E+02	1.3E+02	3.7E-01	1.0E+00	1.2E+01	1.3E+04	.
Americium (95)	Am-246m	1.46E+04	4.76E-05	3.77E-12	1.33E-12	1.78E-12	2.46E-12	1.1E-12 (S)	1.26E-04	3.5E+02	5.1E+02	1.6E+02	3.3E-01	1.2E+00	2.5E+01	4.0E+04	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Americium (95)	Am-247	1.58E+04	4.38E-05	3.05E-12	1.09E-12	1.43E-12	1.98E-12	1.3E-12 (S)	1.22E-05	3.9E+03	5.7E+03	1.2E+03	1.8E+00	4.1E+00	3.2E+01	5.5E+04	.
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.61E-08	8.3E+00	1.2E+01	2.8E+00	7.7E+02	3.3E+03	2.0E+07	.	.
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.73E-04	5.8E+01	8.4E+01	3.0E+01	2.6E-01	1.1E+00	4.3E+03	.	.
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.88E-08	8.9E+00	1.3E+01	3.4E+00	6.9E+02	3.0E+03	1.8E+07	.	.
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	7.79E-11	2.27E-11	3.41E-11	4.70E-11	3.4E-11 (G)	3.98E-05	3.7E-03	5.7E-03	1.4E-03	1.6E-01	2.3E-01	1.5E+00	.	.
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.10E-04	9.7E+02	1.4E+03	5.0E+02	2.1E-01	9.2E-01	3.5E+03	.	.
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.65E-04	3.5E+02	5.1E+02	1.8E+02	1.7E-01	7.3E-01	2.7E+03	.	.
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.83E-04	9.0E+02	1.3E+03	4.6E+02	9.0E-02	3.9E-01	1.5E+03	1.1E+06	.
Arsenic (33)	As-69	2.39E+04	2.90E-05	5.77E-12	2.00E-12	2.68E-12	3.72E-12	1.1E-12 (S)	1.37E-04	5.2E+02	7.6E+02	2.7E+02	2.9E-01	1.1E+00	1.7E+01	2.1E+03	.
Arsenic (33)	As-70	6.92E+03	1.00E-04	2.01E-11	6.00E-12	8.89E-12	1.24E-11	4.0E-12 (S)	5.52E-04	3.8E+01	5.5E+01	1.9E+01	7.5E-02	2.9E-01	5.1E+00	1.8E+02	.
Arsenic (33)	As-71	9.30E+01	7.45E-03	1.59E-10	2.92E-11	6.08E-11	8.78E-11	4.3E-11 (S)	6.50E-05	4.2E+00	6.3E+00	2.0E+00	1.2E-01	1.7E-01	7.4E-01	3.6E-01	.
Arsenic (33)	As-72	2.33E+02	2.97E-03	7.57E-10	1.24E-10	2.78E-10	4.06E-10	1.2E-10 (S)	2.20E-04	3.1E+00	4.6E+00	1.5E+00	4.0E-02	6.1E-02	1.6E-01	2.0E-01	.
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.15E-10	1.86E-11	4.24E-11	6.18E-11	1.4E-10 (S)	1.55E-07	5.9E+00	8.8E+01	1.2E+00	4.6E-02	5.9E-02	1.1E+00	1.7E-02	.
Arsenic (33)	As-74	1.42E+01	4.87E-02	4.73E-10	8.53E-11	1.80E-10	2.60E-10	2.6E-10 (S)	9.06E-05	4.4E-01	6.9E-01	2.1E-01	2.3E-02	3.0E-02	2.5E-01	1.8E-02	.
Arsenic (33)	As-76	2.35E+02	2.95E-03	7.16E-10	1.11E-10	2.59E-10	3.79E-10	1.2E-10 (S)	5.24E-05	1.2E+01	2.0E+01	4.8E+00	5.1E-02	6.8E-02	1.7E-01	2.1E-01	.
Arsenic (33)	As-77	1.56E+02	4.43E-03	1.86E-10	2.82E-11	6.68E-11	9.81E-11	5.1E-11 (S)	9.15E-07	1.5E+02	7.5E+02	3.5E+01	1.2E-01	1.6E-01	6.7E-01	5.5E-01	.
Arsenic (33)	As-78	4.02E+03	1.73E-04	3.98E-11	9.07E-12	1.59E-11	2.28E-11	7.2E-12 (S)	1.72E-04	7.0E+01	1.0E+02	3.6E+01	2.0E-01	5.5E-01	2.8E+00	5.9E+01	.
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.48E-06	2.7E+04	4.0E+04	1.4E+04	9.1E+00	4.0E+01	1.6E+05	3.3E+07	.
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.75E-04	4.3E+02	6.3E+02	2.2E+02	1.5E-01	6.7E-01	2.5E+03	2.6E+07	.
Astatine (85)	At-205	1.39E+04	4.98E-05	8.37E-12	2.84E-12	3.88E-12	5.29E-12	6.5E-11 (S)	1.39E-04	3.0E+02	4.4E+02	1.5E+02	7.3E-02	1.1E-01	1.2E+01	4.3E+04	.
Astatine (85)	At-206	1.19E+04	5.82E-05	9.56E-12	3.27E-12	4.46E-12	6.09E-12	2.2E-11 (S)	3.00E-04	1.2E+02	1.7E+02	6.1E+01	9.5E-02	2.3E-01	1.0E+01	3.2E+04	.
Astatine (85)	At-207	3.37E+03	2.05E-04	3.93E-11	1.22E-11	1.76E-11	2.41E-11	2.0E-10 (S)	2.55E-04	4.0E+01	5.8E+01	2.0E+01	2.6E-02	3.8E-02	2.6E+00	2.3E+03	.
Astatine (85)	At-208	3.72E+03	1.86E-04	1.35E-11	4.82E-12	6.44E-12	8.74E-12	5.3E-11 (S)	3.79E-04	3.0E+01	4.3E+01	1.5E+01	5.7E-02	1.1E-01	7.0E+00	6.9E+03	.
Astatine (85)	At-209	1.12E+03	6.18E-04	6.80E-11	2.10E-11	3.05E-11	4.17E-11	2.5E-10 (S)	2.75E-04	1.2E+01	1.8E+01	6.2E+00	2.1E-02	3.0E-02	1.5E+00	4.4E+02	.
Astatine (85)	At-210	7.49E+02	9.25E-04	1.65E-10	4.94E-11	7.30E-11	9.98E-11	9.8E-10 (S)	3.88E-04	5.8E+00	8.5E+00	2.9E+00	6.0E-03	8.0E-03	6.2E-01	1.2E+02	.
Astatine (85)	At-211	8.42E+02	8.24E-04	2.09E-09	6.02E-10	9.10E-10	1.25E-09	1.1E-08 (S)	2.00E-06	6.1E+01	1.8E+03	8.2E+00	5.8E-04	7.5E-04	5.0E-02	1.1E+01	.
Astatine (85)	At-211+D	8.42E+02	8.24E-04	2.09E-09	6.02E-10	9.10E-10	1.25E-09	1.1E-08 (S)	2.59E-06	6.0E+01	1.4E+03	8.2E+00	5.8E-04	7.5E-04	5.0E-02	1.1E+01	.
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.91E-08	3.4E+13	5.0E+13	1.8E+13	2.1E+03	9.2E+03	3.5E+07	2.0E+18	.
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.75E-07	1.3E+12	1.8E+12	6.4E+11	1.7E+02	7.5E+02	2.8E+06	5.4E+16	.
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.53E-08	8.0E+10	1.2E+11	4.1E+10	1.5E+03	6.6E+03	2.5E+07	4.5E+15	.
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.42E-10	6.6E+10	9.6E+10	3.4E+10	4.8E+04	2.1E+05	1.0E+09	4.0E+15	.
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.02E-05	5.9E+03	8.6E+03	3.0E+03	7.9E-01	3.5E+00	1.3E+04	3.4E+08	.
Gold (79)	Au-186	3.40E+04	2.04E-05	5.64E-12	1.78E-12	2.56E-12	3.57E-12	1.1E-12 (S)	1.80E-04	5.7E+02	8.3E+02	2.9E+02	2.2E-01	8.9E-01	1.8E+01	3.9E+05	.
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.35E-04	9.7E+02	1.4E+03	5.0E+02	3.2E-01	1.4E+00	5.3E+03	1.5E+08	.
Gold (79)	Au-190	8.51E+03	8.14E-05	5.93E-12	1.92E-12	2.75E-12	3.81E-12	1.2E-12 (S)	3.19E-04	8.0E+01	1.2E+02	4.1E+01	1.3E-01	5.5E-01	1.6E+01	9.1E+04	.
Gold (79)	Au-191	1.91E+03	3.63E-04	2.04E-11	4.10E-12	8.12E-12	1.16E-11	5.4E-12 (S)	6.31E-05	9.1E+01	1.3E+02	4.1E+01	4.1E-01	9.6E-01	5.5E+00	6.9E+03	.
Gold (79)	Au-192	1.23E+03	5.64E-04	4.07E-11	9.34E-12	1.70E-11	2.41E-11	6.7E-12 (S)	2.57E-04	1.4E+01	2.1E+01	6.9E+00	1.4E-01	4.6E-01	2.6E+00	2.1E+03	.
Gold (79)	Au-193	3.44E+02	2.01E-03	4.88E-11	8.26E-12	1.85E-11	2.69E-11	1.1E-11 (S)	1.26E-05	7.8E+01	1.2E+02	1.6E+01	4.7E-01	6.9E-01	2.4E+00	5.5E+02	.
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.95E-05	8.7E+05	1.3E+06	4.5E+05	1.9E+00	8.4E+00	3.1E+04	1.2E+11	.
Gold (79)	Au-194	1.60E+02	4.34E-03	1.06E-10	2.27E-11	4.35E-11	6.17E-11	2.1E-11 (S)	1.29E-04	3.7E+00	5.4E+00	1.4E+00	1.6E-01	3.1E-01	1.0E+00	1.1E+02	.
Gold (79)	Au-195	1.36E+00	5.10E-01	1.12E-10	1.80E-11	4.19E-11	6.11E-11	1.8E-10 (S)	3.69E-06	7.9E-01	1.6E+00	4.1E-02	3.5E-02	4.5E-02	1.1E+00	9.4E-01	.
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.98E-05	1.1E+05	1.6E+05	5.6E+04	1.9E+00	8.2E+00	3.1E+04	1.5E+10	.
Gold (79)	Au-196	4.09E+01	1.69E-02	1.04E-10	2.05E-11	4.15E-11	5.94E-11	3.5E-11 (S)	4.89E-05	2.4E+00	3.7E+00	6.7E-01	1.5E-01	2.2E-01	1.1E+00	2.9E+01	.
Gold (79)	Au-196m	6.32E+02	1.10E-03	1.63E-10	2.60E-11	6.07E-11	8.87E-11	4.8E-11 (S)	1.93E-05	8.9E+01	1.4E+02	1.1E+01	1.2E-01	1.6E-01	7.4E-01	3.1E+02	.
Gold (79)	Au-198	9.39E+01	7.38E-03	4.57E-10	7.18E-11	1.70E-10	2.48E-10	1.1E-10 (S)	4.58E-05	5.4E+00	9.0E+00	6.1E-01	5.4E-02	7.3E-02	2.6E-01	1.6E+01	.
Gold (79)	Au-198m	1.11E+02	6.22E-03	5.15E-10	8.25E-11	1.92E-10	2.81E-10	2.0E-10 (S)	4.73E-05	6.2E+00	1.0E+01	6.5E-01	3.0E-02	4.0E-02	2.3E-01	1.7E+01	.
Gold (79)	Au-199	8.06E+01	8.60E-03	2.06E-10	3.18E-11	7.63E-11	1.12E-10	8.7E-11 (S)	8.14E-06	2.2E+01	4.3E+01	1.3E+00	7.0E-02	9.2E-02	5.9E-01	3.1E+01	.
Gold (79)	Au-200	7.53E+03	9.21E-05	9.68E-12	2.65E-12	4.15E-12	5.87E-12	2.3E-12 (S)	3.53E-05	6.4E+02	9.3E+02	2.9E+02	8.4E-01	2.1E+00	1.1E+01	5.4E+04	.
Gold (79)	Au-200m	3.25E+02	2.13E-03	3.54E-10	6.30E-11	1.37E-10	1.97E-10	7.0E-11 (S)	2.30E-04	4.2E+00	6.2E+00	1.3E+00	5.9E-02	1.0E-01	3.3E-01	7.0E+01	.
Gold (79)	Au-201	1.40E+04	4.95E-05	2.51E-12	8.50E-13	1.15E-12	1.61E-12	8.7E-13 (S)	4.01E-06	1.0E+04	1.5E+04	4.1E+03	4.2E+00	7.6E+00	3.9E+01	3.6E+05	.
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.25E-05	1.0E+05	1.5E+05	5.2E+04	1.9E+00	8.3E+00	3.2E+04	1.6E+10	.
Barium (56)	Ba-124	3.31E+04	2.09E-05	6.17E-12	2.44E-12	3.02E-12	4.15E-12	1.1E-12 (S)	6.56E-05	1.5E+03	2.2E+03	7.7E+02	5.7E-01	2.0E+00	1.5E+01	7.7E+03	.
Barium (56)	Ba-126	3.64E+03	1.90E-04	5.75E-11	1.27E-11	2.30E-11	3.30E-11	9.7E-12 (S)	6.78E-05	1.6E+02	2.4E+02	7.4E+01	3.2E-01	6.3E-01	2.0E+00	1.1E+02	.
Barium (56)	Ba-127	2.87E+04	2.42E-05	2.63E-12	9.40E-13	1.24E-12	1.71E-12	5.5E-13 (S)	8.55E-05	1.0E+03	1.5E+03	5.2E+02	4.7E-01	1.9E+00	3.6E+01	1.6E+04	.
Barium (56)	Ba-128	1.04E+02	6.66E-03	1.16E-09	1.92E-10	4.24E-10	6.21E-10	2.1E-10 (S)	4.64E-06	2.0E+01	9.8E+01	9.5E-01	2.9E-02	3.8E-02	1.1E-01	1.7E-01	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Barium (56)	Ba-129	2.72E+03	2.55E-04	1.21E-11	2.60E-12	4.83E-12	6.92E-12	2.4E-12 (S)	3.76E-05	2.2E+02	3.2E+02	1.1E+02	7.8E-01	2.0E+00	9.3E+00	4.0E+02	.
Barium (56)	Ba-129m	2.81E+03	2.47E-04	1.39E-11	3.73E-12	6.02E-12	8.43E-12	2.8E-12 (S)	1.94E-04	4.3E+01	6.3E+01	2.2E+01	2.0E-01	7.2E-01	7.5E+00	3.3E+02	.
Barium (56)	Ba-131	2.20E+01	3.15E-02	1.38E-10	2.80E-11	5.48E-11	7.85E-11	8.8E-11 (S)	4.99E-05	1.3E+00	1.9E+00	4.8E-01	6.5E-02	8.9E-02	8.2E-01	2.8E-01	.
Barium (56)	Ba-131m	2.49E+04	2.78E-05	5.48E-13	1.89E-13	2.54E-13	3.53E-13	4.9E-13 (S)	4.51E-06	1.7E+04	2.4E+04	8.4E+03	4.2E+00	1.0E+01	1.8E+02	6.9E+04	.
Barium (56)	Ba-133	6.59E-02	1.05E+01	3.54E-10	1.19E-10	1.86E-10	2.56E-10	8.9E-10 (S)	3.88E-05	5.6E-03	9.2E-03	1.0E-03	6.9E-03	9.0E-03	2.1E-01	2.6E-04	.
Barium (56)	Ba-133m	1.56E+02	4.44E-03	2.44E-10	3.93E-11	8.82E-11	1.29E-10	6.1E-11 (S)	5.40E-06	6.1E+01	1.3E+02	6.1E+00	1.0E-01	1.3E-01	5.1E-01	1.2E+00	.
Barium (56)	Ba-135m	2.12E+02	3.28E-03	1.91E-10	3.09E-11	6.91E-11	1.01E-10	4.7E-11 (S)	4.58E-06	9.9E+01	2.0E+02	1.0E+01	1.3E-01	1.7E-01	6.5E-01	2.1E+00	.
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.26E-05	5.9E+03	8.6E+03	3.0E+03	5.9E-01	2.6E+00	9.7E+03	2.2E+07	.
Barium (56)	Ba-139	4.39E+03	1.58E-04	2.53E-11	5.63E-12	1.01E-11	1.45E-11	5.1E-12 (S)	4.70E-06	2.7E+03	4.1E+03	7.9E+02	1.1E+00	1.5E+00	4.5E+00	3.0E+02	.
Barium (56)	Ba-140	1.98E+01	3.49E-02	1.09E-09	1.85E-10	4.06E-10	5.92E-10	6.2E-10 (S)	2.05E-05	1.9E+00	4.2E+00	1.7E-01	9.9E-03	1.3E-02	1.1E-01	3.4E-02	.
Barium (56)	Ba-141	1.99E+04	3.48E-05	1.52E-11	3.48E-12	6.07E-12	8.71E-12	2.9E-12 (S)	1.14E-04	5.3E+02	7.7E+02	2.7E+02	3.2E-01	1.0E+00	7.4E+00	2.3E+03	.
Barium (56)	Ba-142	3.44E+04	2.02E-05	5.73E-12	1.53E-12	2.44E-12	3.45E-12	1.2E-12 (S)	1.31E-04	7.9E+02	1.1E+03	4.0E+02	3.1E-01	1.2E+00	1.8E+01	9.9E+03	.
Beryllium (4)	Be-10	4.59E-07	1.51E+06	5.12E-10	7.99E-11	1.90E-10	2.78E-10	2.5E-09 (S)	2.03E-08	2.3E-02	6.5E+00	2.8E-03	2.4E-03	3.1E-03	1.7E-01	1.7E-01	.
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.32E-12	1.38E-12	2.36E-12	3.28E-12	5.8E-12 (S)	5.81E-06	2.4E+00	3.6E+00	1.2E+00	9.3E-01	1.3E+00	1.9E+01	2.3E+03	.
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.14E-04	5.5E+02	8.0E+02	2.8E+02	2.0E-01	8.8E-01	3.3E+03	1.6E+09	.
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	1.00E-11	2.70E-12	4.36E-12	6.13E-12	2.2E-12 (S)	2.91E-04	1.0E+02	1.5E+02	5.3E+01	1.4E-01	5.4E-01	1.0E+01	1.3E+06	.
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	2.71E-11	6.17E-12	1.13E-11	1.60E-11	5.4E-12 (S)	2.23E-04	4.5E+01	6.6E+01	2.3E+01	1.7E-01	5.4E-01	4.0E+00	1.7E+05	.
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	1.86E-11	5.01E-12	8.16E-12	1.14E-11	3.5E-12 (S)	3.41E-04	3.1E+01	4.5E+01	1.6E+01	1.2E-01	4.4E-01	5.5E+00	2.4E+05	.
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	1.27E-10	2.73E-11	5.23E-11	7.42E-11	2.3E-11 (S)	3.13E-04	4.9E+00	7.2E+00	2.5E+00	9.2E-02	2.2E-01	8.6E-01	5.6E+03	.
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	1.36E-10	3.09E-11	5.72E-11	8.08E-11	2.4E-11 (S)	3.66E-04	4.4E+00	6.5E+00	2.3E+00	8.1E-02	2.0E-01	7.9E-01	5.3E+03	.
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	2.16E-10	4.90E-11	9.08E-11	1.28E-10	1.0E-10 (S)	2.22E-04	2.2E-01	3.3E-01	1.1E-01	4.7E-02	7.3E-02	5.0E-01	1.0E+02	.
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	5.15E-10	1.08E-10	2.11E-10	3.00E-10	1.7E-10 (S)	4.10E-04	2.9E-01	4.3E-01	1.5E-01	2.7E-02	4.2E-02	2.1E-01	1.1E+02	.
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.91E-10	7.56E-11	1.55E-10	2.23E-10	3.0E-09 (S)	1.91E-04	7.7E-04	1.2E-03	2.8E-04	2.1E-03	2.7E-03	2.1E-01	1.3E-01	1.2E+02
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.40E-10	5.99E-11	1.05E-10	1.46E-10	2.7E-09 (S)	3.85E-04	3.0E-04	4.6E-04	9.8E-05	2.3E-03	3.0E-03	2.9E-01	1.4E-01	.
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	6.49E-10	1.01E-10	2.41E-10	3.52E-10	1.2E-08 (S)	7.48E-08	1.7E+01	2.6E+03	3.6E+00	5.0E-04	6.5E-04	1.9E-01	1.2E+02	.
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	3.66E-09	7.90E-10	1.50E-09	2.10E-09	7.9E-07 (S)	2.77E-05	1.4E-03	6.3E-03	2.5E-04	7.9E-06	1.0E-05	2.0E-02	9.8E-03	.
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	3.66E-09	7.90E-10	1.50E-09	2.10E-09	7.9E-07 (S)	2.79E-05	1.4E-03	6.3E-03	2.5E-04	7.9E-06	1.0E-05	2.0E-02	9.8E-03	.
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.14E-06	1.0E+05	1.4E+05	5.1E+04	7.8E+00	3.4E+01	1.3E+05	2.7E+11	.
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	4.54E-11	1.20E-11	1.94E-11	2.73E-11	2.3E-09 (S)	1.34E-05	1.3E+03	2.0E+03	6.2E+02	2.7E-03	3.5E-03	2.3E+00	1.7E+05	.
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	4.54E-11	1.20E-11	1.94E-11	2.73E-11	2.3E-09 (S)	1.34E-05	1.3E+03	2.0E+03	6.2E+02	2.7E-03	3.5E-03	2.3E+00	1.7E+05	.
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.55E-07	1.1E+06	1.6E+06	5.8E+05	1.7E+02	7.3E+02	3.9E+06	2.5E+12	.
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	3.22E-11	8.57E-12	1.37E-11	1.94E-11	2.0E-09 (S)	1.47E-05	1.6E+03	2.4E+03	7.8E+02	3.1E-03	4.0E-03	3.3E+00	3.3E+05	.
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	3.22E-11	8.57E-12	1.37E-11	1.94E-11	2.0E-09 (S)	1.47E-05	1.6E+03	2.4E+03	7.8E+02	3.1E-03	4.0E-03	3.3E+00	3.3E+05	.
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	1.09E-11	3.98E-12	5.19E-12	7.17E-12	8.4E-10 (S)	1.98E-04	2.8E+02	4.0E+02	1.4E+02	7.2E-03	9.5E-03	8.7E+00	2.0E+06	.
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	1.09E-11	3.98E-12	5.19E-12	7.17E-12	8.4E-10 (S)	1.98E-04	2.8E+02	4.0E+02	1.4E+02	7.2E-03	9.5E-03	8.7E+00	2.0E+06	.
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.93E-05	4.9E+03	7.2E+03	2.5E+03	1.4E+00	6.1E+00	2.3E+04	1.4E+10	.
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.93E-05	4.9E+03	7.2E+03	2.5E+03	1.4E+00	6.1E+00	2.3E+04	1.4E+10	.
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.77E-05	5.8E+03	8.4E+03	3.0E+03	4.8E-01	2.1E+00	7.9E+03	1.6E+10	.
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.51E-10	3.95E-11	9.37E-11	1.37E-10	2.2E-10 (S)	1.92E-05	7.1E+00	1.2E+01	3.2E+00	2.8E-02	3.6E-02	4.8E-01	.	.
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	1.33E-10	2.58E-11	5.30E-11	7.59E-11	2.6E-11 (S)	1.03E-04	4.1E+00	6.0E+00	2.1E+00	1.5E-01	2.7E-01	8.5E-01	.	.
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	5.76E-09	3.04E-09	3.37E-09	4.34E-09	1.3E-06 (F)	1.26E-05	1.3E-03	1.4E-02	2.1E-04	4.8E-06	6.2E-06	1.0E-02	.	.
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.80E-10	2.76E-11	6.68E-11	9.78E-11	1.4E-09 (S)	5.02E-06	1.1E+02	2.2E+02	4.5E+01	4.4E-03	5.6E-03	6.7E-01	.	.
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	7.27E-11	1.62E-11	2.98E-11	4.22E-11	3.2E-09 (F)	1.27E-10	3.0E+00	1.7E+03	7.2E-01	1.9E-03	2.5E-03	1.5E+00	.	.
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.93E-11	7.53E-12	1.54E-11	2.22E-11	3.7E-11 (S)	1.16E-04	4.9E+01	7.2E+01	2.5E+01	1.2E-01	1.9E-01	2.9E+00	.	.
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	6.02E-12	1.53E-12	2.52E-12	3.59E-12	2.5E-12 (S)	6.50E-06	3.0E+03	4.4E+03	1.5E+03	1.6E+00	2.8E+00	1.8E+01	.	.
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.82E-04	2.2E+03	3.2E+03	1.1E+03	1.1E-01	5.0E-01	1.9E+03	7.5E+08	.
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.70E-04	1.9E+03	2.8E+03	9.8E+02	2.5E-01	1.1E+00	4.1E+03	6.2E+08	.
Bromine (35)	Br-74	1.43E+04	4.83E-05	7.97E-12	3.22E-12	3.96E-12	5.41E-12	1.8E-12 (S)	6.41E-04	6.7E+01	9.8E+01	3.4E+01	6.7E-02	2.8E-01	1.1E+01	2.3E+05	.
Bromine (35)	Br-74m	7.92E+03	8.75E-05	1.36E-11	5.37E-12	6.69E-12	9.13E-12	3.4E-12 (S)	5.52E-04	4.3E+01	6.3E+01	2.1E+01	7.6E-02	3.0E-01	6.7E+00	7.7E+04	.
Bromine (35)	Br-75	3.77E+03	1.84E-04	8.68E-12	3.27E-12	4.19E-12	5.72E-12	3.2E-12 (S)	1.39E-04	8.1E+01	1.2E+02	3.7E+01	2.6E-01	8.5E-01	1.1E+01	5.8E+04	.
Bromine (35)	Br-76	3.75E+02	1.85E-03	8.47E-11	2.69E-11	3.88E-11	5.28E-11	3.1E-11 (S)	3.72E-04	3.0E+00	4.4E+00	1.1E+00	7.4E-02	1.7E-01	1.2E+00	6.3E+02	.
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.42E-06	3.5E+07	5.1E+07	1.8E+07	1.8E+01	7.7E+01	2.8E+05	6.7E+12	.
Bromine (35)	Br-77	1.06E+02	6.51E-03	1.72E-11	6.06E-12	8.29E-12	1.11E-11	6.0E-12 (S)	3.63E-05	8.7E+00	1.3E+01	2.3E+00	5.4E-01	1.1E+00	5.5E+00	8.4E+02	.
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.04E-06	2.5E+05	3.6E+05	1.3E+05	2.8E+01	1.2E+02	4.5E+05	5.4E+10	.
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.23E-04	1.4E+03	2.0E+03	7.1E+02	3.4E-01	1.5E+00	5.6E+03	4.6E+08	.
Bromine (35)	Br-80	2.06E+04	3.36E-05	2.64E-12	1.05E-12	1.29E-12	1.77E-12	7.0E-13 (S)	9.44E-06	6.5E+03	9.6E+03	2.1E+03	3.0E+00	7.2E+00	3.5E+01	1.0E+06	.
Bromine (35)	Br-80m	1.37E+03	5.05E-04	1.71E-11	5.32E-12	7.64E-12	1.05E-11	9.4E-12 (S)	1.61E-07	6.5E+03	3.7E+04	6.5E+01	6.5E-01	8.5E-01	5.9E+00	1.2E+04	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Bromine (35)	Br-82	1.72E+02	4.03E-03	9.75E-11	3.38E-11	4.66E-11	6.26E-11	4.8E-11 (S)	3.35E-04	1.5E+00	2.3E+00	5.0E-01	6.5E-02	1.3E-01	9.7E-01	2.4E+02	.
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.72E-07	4.8E+05	7.0E+05	2.5E+05	1.1E+02	5.0E+02	1.9E+06	1.6E+11	.
Bromine (35)	Br-83	2.53E+03	2.74E-04	4.98E-12	1.73E-12	2.31E-12	3.18E-12	3.6E-12 (S)	8.62E-07	7.6E+03	1.3E+04	3.6E+02	1.7E+00	2.2E+00	2.0E+01	7.1E+04	.
Bromine (35)	Br-84	1.15E+04	6.05E-05	8.18E-12	3.22E-12	4.00E-12	5.48E-12	2.0E-12 (S)	2.49E-04	1.4E+02	2.0E+02	6.7E+01	1.7E-01	6.5E-01	1.1E+01	1.9E+05	.
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.60E-04	5.1E+02	7.4E+02	2.6E+02	1.2E-01	5.3E-01	2.0E+03	1.7E+08	.
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.15E-06	4.1E+04	6.0E+04	2.1E+04	4.7E+00	2.0E+01	7.9E+04	1.4E+10	.
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.10E-04	1.6E+04	2.4E+04	8.4E+03	2.0E-01	8.8E-01	3.3E+03	9.8E+07	.
Carbon (6)	C-11	1.79E+04	3.88E-05	2.22E-12	8.99E-13	1.10E-12	1.51E-12	7.9E-13 (S)	1.20E-04	4.9E+02	7.2E+02	4.9E-01	.	.	4.1E+01	1.9E+04	.
Carbon (6)	C-14	1.22E-04	5.70E+03	7.48E-11	3.72E-11	4.20E-11	5.40E-11	4.6E-10 (S)	2.12E-10	5.5E-03	4.1E+01	1.9E-08	.	.	2.3E-02	2.3E-05	2.0E+00
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.74E-11	1.03E-11	1.12E-11	1.38E-11	1.6E-11 (S)	0.00E+00	1.6E-01	1.6E+02	5.5E-03	3.9E-01	5.0E-01	2.1E+00	1.8E-02	.
Calcium (20)	Ca-45	1.55E+00	4.46E-01	1.55E-10	4.10E-11	6.67E-11	9.09E-11	3.5E-10 (S)	1.07E-09	9.9E-01	1.2E+03	5.2E-02	1.8E-02	2.3E-02	6.6E-01	2.2E-01	.
Calcium (20)	Ca-47	5.58E+01	1.24E-02	5.35E-10	1.05E-10	2.06E-10	2.96E-10	2.4E-10 (S)	1.40E-04	1.1E+00	1.7E+00	3.0E-01	2.4E-02	3.2E-02	2.2E-01	2.6E+00	.
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-04	2.7E+02	3.9E+02	1.4E+02	9.3E-02	4.1E-01	1.5E+03	1.4E+07	.
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.22E-04	2.5E+03	3.6E+03	1.3E+03	1.3E-01	5.9E-01	2.2E+03	1.9E+07	.
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.91E-05	2.0E+03	2.9E+03	1.0E+03	4.3E-01	1.9E+00	7.0E+03	1.4E+07	.
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.80E-04	5.4E+02	7.8E+02	2.8E+02	1.6E-01	6.9E-01	2.6E+03	4.0E+06	.
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	2.04E-11	4.49E-12	8.30E-12	1.19E-11	3.8E-12 (S)	2.53E-05	7.3E+02	1.1E+03	4.8E+01	8.0E-01	1.6E+00	5.4E+00	1.1E+03	.
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	6.62E-12	1.89E-12	2.93E-12	4.10E-12	1.4E-12 (S)	1.70E-04	1.2E+02	1.7E+02	4.4E+01	2.4E-01	9.4E-01	1.5E+01	3.1E+03	.
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	2.56E-11	4.05E-12	9.53E-12	1.39E-11	8.5E-12 (S)	8.80E-07	1.5E+03	4.6E+03	6.8E+00	7.2E-01	9.4E-01	4.7E+00	1.4E+02	.
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	2.90E-10	9.07E-11	1.35E-10	1.81E-10	5.9E-10 (S)	2.35E-07	1.3E-01	9.8E+00	3.1E-04	1.0E-02	1.4E-02	3.1E-01	5.3E-03	1.0E+01
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	2.00E-12	5.81E-13	8.83E-13	1.24E-12	1.2E-12 (S)	2.80E-05	8.1E+02	1.2E+03	2.5E+02	1.1E+00	3.1E+00	5.1E+01	1.2E+04	.
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	9.88E-10	5.86E-10	6.13E-10	7.79E-10	3.0E-09 (F)	1.95E-09	2.1E-03	2.7E+00	3.3E-06	2.1E-03	2.7E-03	3.3E-02	4.0E-05	.
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	1.32E-09	7.18E-10	7.84E-10	9.92E-10	3.6E-09 (F)	1.84E-08	2.9E-03	3.1E+00	5.9E-06	1.7E-03	2.2E-03	3.5E-02	7.4E-05	.
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	6.50E-10	1.00E-10	2.40E-10	3.52E-10	1.4E-10 (S)	2.26E-05	7.2E+00	2.2E+01	3.3E-02	4.3E-02	5.6E-02	1.9E-01	6.6E-01	.
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	1.20E-09	2.08E-10	4.59E-10	6.63E-10	7.9E-10 (S)	4.48E-06	3.3E-01	5.5E+00	8.7E-04	7.9E-03	1.0E-02	9.7E-02	1.7E-02	.
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	9.68E-11	1.68E-11	3.69E-11	5.35E-11	1.8E-11 (S)	1.40E-04	5.1E+01	7.6E+01	4.0E+00	1.6E-01	3.4E-01	1.2E+00	9.3E+01	.
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	8.35E-11	1.63E-11	3.30E-11	4.75E-11	1.8E-11 (S)	2.78E-04	1.9E+01	2.8E+01	2.8E+00	1.1E-01	2.7E-01	1.4E+00	7.7E+01	.
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	2.73E-11	7.22E-12	1.16E-11	1.64E-11	5.8E-12 (S)	8.52E-09	1.9E+04	3.7E+06	4.5E+01	1.1E+00	1.4E+00	3.9E+00	8.8E+02	.
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.22E-04	1.8E+03	2.7E+03	9.5E+02	2.0E-01	8.6E-01	3.3E+03	1.4E+07	.
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.12E-04	1.6E+03	2.3E+03	8.2E+02	1.4E-01	6.2E-01	2.3E+03	1.2E+07	.
Cerium (58)	Ce-130	1.59E+04	4.36E-05	8.42E-12	2.79E-12	3.89E-12	5.40E-12	1.9E-12 (S)	5.40E-05	8.9E+02	1.3E+03	4.5E+02	6.1E-01	1.8E+00	1.2E+01	5.8E+06	.
Cerium (58)	Ce-131	3.57E+04	1.94E-05	3.10E-12	1.08E-12	1.45E-12	2.01E-12	6.8E-13 (S)	1.99E-04	5.4E+02	7.9E+02	2.8E+02	2.1E-01	8.6E-01	3.1E+01	3.4E+07	.
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.28E-10	2.15E-11	4.87E-11	7.08E-11	1.8E-11 (S)	2.45E-05	2.0E+02	3.1E+02	9.8E+01	2.8E-01	4.2E-01	9.2E-01	5.0E+04	.
Cerium (58)	Ce-133	3.76E+03	1.85E-04	2.16E-11	4.44E-12	8.59E-12	1.23E-11	4.4E-12 (S)	5.65E-05	2.0E+02	2.9E+02	1.0E+02	4.7E-01	1.1E+00	5.2E+00	6.1E+05	.
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	5.54E-11	1.17E-11	2.26E-11	3.22E-11	9.3E-12 (S)	2.16E-04	1.7E+01	2.5E+01	8.8E+00	1.5E-01	4.3E-01	2.0E+00	7.7E+04	.
Cerium (58)	Ce-134	8.00E+01	8.66E-03	1.22E-09	1.88E-10	4.53E-10	6.63E-10	2.1E-10 (S)	3.69E-07	1.9E+01	9.0E+02	4.5E+00	2.9E-02	3.7E-02	9.9E-02	2.5E+02	.
Cerium (58)	Ce-135	3.43E+02	2.02E-03	6.74E-11	1.43E-11	2.77E-11	3.94E-11	1.2E-11 (S)	9.40E-05	1.1E+01	1.6E+01	5.5E+00	2.4E-01	5.1E-01	1.6E+00	1.7E+04	.
Cerium (58)	Ce-137	6.75E+02	1.03E-03	9.54E-12	1.62E-12	3.64E-12	5.29E-12	1.2E-12 (S)	1.51E-06	1.3E+03	2.0E+03	6.1E+02	4.1E+00	6.2E+00	1.2E+01	2.6E+05	.
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	2.59E-10	3.92E-11	9.55E-11	1.40E-10	5.8E-11 (S)	4.01E-06	8.1E+01	1.9E+02	2.8E+01	1.1E-01	1.4E-01	4.7E-01	2.6E+03	.
Cerium (58)	Ce-139	1.84E+00	3.77E-01	9.55E-11	1.65E-11	3.67E-11	5.32E-11	1.9E-10 (S)	1.22E-05	4.2E-01	6.6E-01	2.0E-01	3.3E-02	4.3E-02	1.2E+00	7.0E+01	.
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.40E-10	5.14E-11	1.26E-10	1.84E-10	3.7E-10 (S)	6.15E-06	2.5E+00	5.5E+00	8.8E-01	1.7E-02	2.2E-02	3.6E-01	8.6E+01	.
Cerium (58)	Ce-143	1.84E+02	3.77E-03	5.23E-10	7.99E-11	1.94E-10	2.83E-10	1.1E-10 (S)	2.91E-05	1.6E+01	2.8E+01	7.0E+00	5.4E-02	7.2E-02	2.3E-01	1.3E+03	.
Cerium (58)	Ce-144	8.88E-01	7.81E-01	2.59E-09	3.85E-10	9.52E-10	1.40E-09	4.9E-09 (S)	1.33E-06	1.0E-01	2.8E+00	2.3E-02	1.3E-03	1.6E-03	4.6E-02	1.3E+00	8.3E+02
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	2.59E-09	3.87E-10	9.54E-10	1.40E-09	4.9E-09 (S)	6.15E-06	8.5E-02	6.3E-01	2.2E-02	1.3E-03	1.6E-03	4.6E-02	1.3E+00	8.3E+02
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.63E-05	3.8E+03	5.5E+03	1.9E+03	4.4E-01	1.9E+00	7.2E+03	2.7E+10	.
Californium (98)	Cf-244	1.88E+04	3.69E-05	7.42E-12	2.44E-12	3.37E-12	4.71E-12	8.7E-10 (S)	1.64E-09	6.5E+05	4.3E+07	1.6E+05	7.1E-03	9.2E-03	1.3E+01	.	.
Californium (98)	Cf-246	1.70E+02	4.08E-03	1.55E-09	2.32E-10	5.69E-10	8.34E-10	4.5E-08 (S)	5.62E-09	3.4E+01	2.3E+04	8.1E+00	1.4E-04	1.8E-04	7.9E-02	.	.
Californium (98)	Cf-247	1.95E+03	3.55E-04	6.51E-12	1.20E-12	2.52E-12	3.65E-12	2.8E-12 (S)	6.78E-06	8.6E+02	1.3E+03	4.4E+02	1.5E+00	2.5E+00	1.8E+01	.	.
Californium (98)	Cf-248	7.57E-01	9.15E-01	2.90E-09	6.54E-10	1.20E-09	1.69E-09	6.9E-07 (S)	4.58E-08	7.5E-02	2.6E+01	1.8E-02	9.0E-06	1.2E-05	3.7E-02	.	.
Californium (98)	Cf-249	1.97E-03	3.51E+02	5.85E-09	3.09E-09	3.43E-09	4.41E-09	1.3E-06 (F)	3.60E-05	1.0E-03	4.9E-03	1.9E-04	4.7E-06	6.1E-06	1.0E-02	.	.
Californium (98)	Cf-250	5.30E-02	1.31E+01	4.46E-09	1.98E-09	2.41E-09	3.12E-09	1.0E-06 (S)	1.32E-06	3.7E-03	2.0E-01	7.6E-04	6.1E-06	7.9E-06	1.6E-02	.	.
Californium (98)	Cf-251	7.70E-04	9.00E+02	6.12E-09	3.15E-09	3.54E-09	4.56E-09	1.3E-06 (F)	9.78E-06	1.3E-03	1.7E-02	2.1E-04	4.7E-06	6.0E-06	9.8E-03	.	.
Californium (98)	Cf-252	2.62E-01	2.65E+00	8.13E-09	2.16E-09	3.60E-09	4.93E-09	1.2E-06 (S)	6.15E-05	5.2E-03	1.9E-02	1.6E-03	5.2E-06	6.7E-06	1.2E-02	.	.
Californium (98)	Cf-253	1.42E+01	4.88E-02	3.21E-10	5.69E-11	1.24E-10	1.78E-10	1.5E-07 (S)	1.06E-08	1.3E+01	3.2E+03	3.2E+00	4.3E-05	5.5E-05	3.6E-01	.	.
Californium (98)	Cf-254	4.18E+00	1.66E-01	1.46E-07	2.73E-08	5.76E-08	8.27E-08	4.1E-06 (S)	2.27E-03	3.3E-03	8.0E-03	1.2E-03	1.5E-06	1.9E-06	7.8E-04	.	.
Californium (98)	Cf-255	4.29E+03	1.62E-04	9.36E-12	1.82E-12	3.65E-12	5.27E-12	6.1E-10 (S)	1.88E-08	1.1E+05	1.1E+06	3.0E+04	1.0E-02	1.3E-02	1.2E+01	.	.
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.23E-04	3.5E+05	5.1E+05	1.8E+05	3.4E-01	1.5E+00	5.6E+03	1.0E+09	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	9.75E-12	3.86E-12	4.79E-12	6.55E-12	2.4E-12 (S)	2.87E-04	1.1E+02	1.7E+02	4.2E+01	1.4E-01	5.6E-01	9.4E+00	1.4E+03	.
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	1.96E-10	6.18E-11	8.91E-11	1.20E-10	2.7E-09 (S)	4.58E-08	4.5E-04	3.3E+00	1.6E-05	2.3E-03	2.9E-03	1.2E-02	6.1E-06	3.5E-01
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	1.08E-11	4.21E-12	5.25E-12	7.20E-12	2.7E-12 (S)	2.08E-04	1.3E+02	2.1E+02	4.3E+01	2.0E-01	7.1E-01	8.6E+00	1.1E+03	.
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	8.46E-12	3.27E-12	4.12E-12	5.63E-12	2.7E-12 (S)	1.93E-04	9.6E+01	1.5E+02	3.3E+01	2.1E-01	7.4E-01	1.1E+01	9.3E+02	.
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.90E-04	1.4E+03	2.0E+03	7.1E+02	7.5E-02	3.3E-01	1.2E+03	4.3E+06	.
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.68E-11	3.51E-12	6.79E-12	9.71E-12	1.7E-10 (S)	5.49E-06	1.3E+03	2.0E+03	3.5E+02	3.6E-02	4.6E-02	6.6E+00	1.8E+03	.
Curium (96)	Cm-239	2.09E+03	3.31E-04	3.23E-11	5.46E-12	1.23E-11	1.79E-11	7.2E-12 (S)	2.16E-05	2.9E+02	4.2E+02	1.0E+02	5.5E-01	9.5E-01	3.7E+00	8.3E+02	.
Curium (96)	Cm-240	9.37E+00	7.40E-02	2.50E-09	4.16E-10	9.44E-10	1.37E-09	3.1E-07 (S)	2.65E-09	1.1E+00	7.7E+02	1.8E-02	2.0E-05	2.5E-05	4.8E-02	4.9E-02	.
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.51E-10	5.93E-11	1.34E-10	1.94E-10	3.3E-09 (S)	5.24E-05	4.2E-01	6.4E-01	7.1E-02	1.9E-03	2.4E-03	3.3E-01	2.8E-01	.
Curium (96)	Cm-242	1.55E+00	4.46E-01	2.63E-09	5.06E-10	1.04E-09	1.48E-09	5.4E-07 (S)	2.12E-09	1.8E-01	1.0E+02	2.7E-03	1.1E-05	1.5E-05	4.3E-02	7.3E-03	.
Curium (96)	Cm-243	2.38E-02	2.91E+01	4.78E-09	2.13E-09	2.57E-09	3.34E-09	9.9E-07 (S)	1.14E-05	2.2E-03	2.0E-02	3.0E-05	6.2E-06	8.0E-06	1.4E-02	8.1E-05	8.5E-02
Curium (96)	Cm-244	3.83E-02	1.81E+01	4.22E-09	1.86E-09	2.26E-09	2.93E-09	9.6E-07 (S)	3.79E-09	3.5E-03	1.2E+00	4.3E-05	6.5E-06	8.3E-06	1.7E-02	1.1E-04	9.9E-02
Curium (96)	Cm-245	8.15E-05	8.50E+03	5.06E-09	2.48E-09	2.83E-09	3.66E-09	1.0E-06 (F)	7.42E-06	1.6E-03	2.3E-02	1.8E-05	6.0E-06	7.8E-06	1.2E-02	5.1E-05	.
Curium (96)	Cm-246	1.46E-04	4.76E+03	4.93E-09	2.46E-09	2.79E-09	3.59E-09	1.0E-06 (F)	4.86E-07	1.8E-03	2.3E-01	1.8E-05	6.0E-06	7.8E-06	1.2E-02	5.2E-05	.
Curium (96)	Cm-247	4.44E-08	1.56E+07	4.86E-09	2.32E-09	2.69E-09	3.49E-09	9.4E-07 (F)	3.53E-05	1.2E-03	4.9E-03	1.8E-05	6.6E-06	8.5E-06	1.3E-02	5.4E-05	.
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	4.89E-09	2.33E-09	2.70E-09	3.51E-09	9.4E-07 (F)	3.69E-05	1.2E-03	4.7E-03	1.8E-05	6.6E-06	8.5E-06	1.3E-02	5.4E-05	.
Curium (96)	Cm-248	1.99E-06	3.48E+05	2.29E-08	1.02E-08	1.23E-08	1.61E-08	3.9E-06 (F)	1.77E-04	2.5E-04	9.8E-04	3.9E-06	1.6E-06	2.1E-06	2.8E-03	1.2E-05	6.3E-02
Curium (96)	Cm-249	5.68E+03	1.22E-04	5.52E-12	1.33E-12	2.28E-12	3.25E-12	2.1E-12 (S)	2.30E-06	7.3E+03	1.1E+04	2.1E+03	2.5E+00	3.6E+00	2.0E+01	1.2E+04	.
Curium (96)	Cm-250	8.35E-05	8.30E+03	1.69E-07	7.20E-08	8.90E-08	1.17E-07	2.7E-05 (F)	1.80E-03	3.0E-05	9.7E-05	5.4E-07	2.3E-07	3.0E-07	3.9E-04	1.6E-06	.
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	1.69E-07	7.20E-08	8.91E-08	1.17E-07	2.7E-05 (F)	1.83E-03	2.9E-05	9.5E-05	5.4E-07	2.3E-07	3.0E-07	3.8E-04	1.6E-06	.
Curium (96)	Cm-251	2.17E+04	3.20E-05	3.75E-12	1.11E-12	1.65E-12	2.32E-12	1.4E-12 (S)	1.28E-05	5.1E+03	7.4E+03	2.4E+03	1.9E+00	4.1E+00	2.7E+01	6.5E+04	.
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.05E-04	1.5E+03	2.1E+03	7.5E+02	8.6E-02	3.8E-01	1.4E+03	4.4E+09	.
Cobalt (27)	Co-55	3.46E+02	2.00E-03	3.25E-10	6.45E-11	1.26E-10	1.81E-10	6.2E-11 (S)	2.50E-04	4.1E+00	6.1E+00	2.1E+00	6.3E-02	1.1E-01	3.6E-01	1.5E+03	.
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.56E-10	1.43E-10	2.72E-10	3.85E-10	6.8E-10 (S)	4.95E-04	2.0E-02	2.9E-02	9.8E-03	8.3E-03	1.1E-02	1.7E-01	6.7E+00	.
Cobalt (27)	Co-57	9.31E-01	7.44E-01	7.13E-11	1.32E-11	2.81E-11	4.03E-11	1.0E-10 (S)	9.59E-06	2.7E-01	4.2E-01	1.2E-01	6.0E-02	7.9E-02	1.6E+00	1.8E+01	1.2E+04
Cobalt (27)	Co-58	3.57E+00	1.94E-01	1.92E-10	4.22E-11	7.95E-11	1.12E-10	2.1E-10 (S)	1.21E-04	8.7E-02	1.3E-01	4.3E-02	2.7E-02	3.7E-02	5.7E-01	2.5E+01	.
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	9.00E-12	1.60E-12	3.37E-12	4.90E-12	2.2E-12 (S)	2.71E-11	2.2E+04	1.5E+07	3.8E+03	2.8E+00	3.6E+00	1.3E+01	1.1E+05	.
Cobalt (27)	Co-60	1.31E-01	5.27E+00	1.03E-09	1.98E-10	4.26E-10	6.03E-10	2.7E-09 (S)	3.35E-04	1.2E-03	1.8E-03	5.6E-04	2.2E-03	2.9E-03	9.6E-02	1.6E-01	1.7E+02
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.45E-13	5.61E-14	7.02E-14	9.68E-14	1.2E-13 (S)	4.83E-07	2.2E+05	3.2E+05	1.1E+05	3.2E+01	5.8E+01	6.4E+02	2.8E+08	.
Cobalt (27)	Co-61	3.68E+03	1.88E-04	1.67E-11	3.60E-12	6.62E-12	9.51E-12	4.2E-12 (S)	7.57E-06	1.4E+03	2.1E+03	7.0E+02	1.1E+00	1.7E+00	6.8E+00	3.1E+05	.
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.21E-04	3.3E+03	4.8E+03	1.7E+03	2.0E-01	8.7E-01	3.3E+03	1.0E+10	.
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	4.71E-12	1.82E-12	2.30E-12	3.16E-12	9.1E-13 (S)	3.66E-04	2.2E+02	3.1E+02	1.1E+02	1.2E-01	5.0E-01	1.9E+01	6.4E+06	.
Chromium (24)	Cr-48	2.82E+02	2.46E-03	4.65E-11	1.07E-11	1.96E-11	2.76E-11	1.9E-11 (S)	4.39E-05	1.9E+01	2.8E+01	9.6E+00	2.3E-01	3.7E-01	2.3E+00	3.4E+00	.
Chromium (24)	Cr-49	8.61E+03	8.05E-05	8.25E-12	2.47E-12	3.67E-12	5.14E-12	2.0E-12 (S)	1.20E-04	2.2E+02	3.2E+02	1.1E+02	3.1E-01	1.1E+00	1.2E+01	5.5E+02	.
Chromium (24)	Cr-51	9.13E+00	7.59E-02	1.27E-11	2.40E-12	5.00E-12	7.18E-12	4.5E-12 (S)	3.50E-06	7.6E+00	1.1E+01	3.7E+00	1.2E+00	1.7E+00	9.0E+00	4.3E-01	.
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.95E-07	3.9E+05	5.7E+05	2.0E+05	4.5E+01	2.0E+02	9.5E+05	5.1E+08	.
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.70E-06	3.9E+04	5.7E+04	2.0E+04	5.3E+00	2.3E+01	8.5E+04	2.7E+07	.
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.39E-04	3.0E+03	4.4E+03	1.6E+03	3.0E-01	1.3E+00	4.9E+03	1.8E+08	.
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.39E-04	3.9E+03	5.7E+03	2.0E+03	3.0E-01	1.3E+00	4.9E+03	2.3E+08	.
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.27E-04	1.5E+03	2.1E+03	7.5E+02	3.3E-01	1.4E+00	5.4E+03	8.9E+07	.
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.41E-04	1.5E+04	2.2E+04	7.8E+03	3.0E-01	1.3E+00	4.9E+03	9.3E+08	.
Cesium (55)	Cs-125	8.09E+03	8.56E-05	3.42E-12	1.34E-12	1.68E-12	2.29E-12	1.2E-12 (S)	8.90E-05	2.7E+02	4.0E+02	9.5E+01	4.3E-01	1.6E+00	2.7E+01	5.8E+04	.
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.38E-04	4.8E+03	7.1E+03	2.5E+03	3.0E-01	1.3E+00	5.0E+03	3.0E+08	.
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.67E-12	1.38E-12	1.80E-12	2.42E-12	3.0E-12 (S)	4.70E-05	6.2E+01	9.0E+01	1.6E+01	6.1E-01	1.6E+00	2.5E+01	6.5E+03	.
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-04	2.9E+03	4.2E+03	1.5E+03	4.0E-01	1.7E+00	6.6E+03	1.7E+08	.
Cesium (55)	Cs-129	1.89E+02	3.66E-03	1.03E-11	3.72E-12	4.98E-12	6.66E-12	7.0E-12 (S)	2.81E-05	2.0E+01	2.9E+01	1.9E+00	5.5E-01	9.6E-01	9.1E+00	4.6E+02	.
Cesium (55)	Cs-130	1.25E+04	5.56E-05	2.48E-12	9.83E-13	1.22E-12	1.66E-12	7.2E-13 (S)	5.84E-05	6.4E+02	9.4E+02	2.2E+02	6.6E-01	2.4E+00	3.7E+01	1.2E+05	.
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.02E-06	1.0E+05	1.5E+05	5.4E+04	8.4E+00	3.7E+01	1.3E+05	3.7E+09	.
Cesium (55)	Cs-131	2.61E+01	2.65E-02	1.05E-11	3.70E-12	5.03E-12	6.74E-12	5.0E-12 (S)	1.33E-07	3.0E+02	8.6E+02	3.2E-01	1.2E+00	1.6E+00	9.0E+00	6.2E+01	.
Cesium (55)	Cs-132	3.90E+01	1.78E-02	7.67E-11	3.24E-11	4.01E-11	5.25E-11	2.8E-11 (S)	8.49E-05	1.4E+00	2.0E+00	5.6E-02	1.6E-01	2.6E-01	1.1E+00	1.2E+01	.
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.55E-09	1.21E-09	1.14E-09	1.40E-09	1.9E-09 (S)	1.92E-04	4.6E-03	7.7E-03	2.0E-05	3.2E-03	4.2E-03	3.9E-02	3.5E-03	7.1E+00
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	2.28E-12	8.93E-13	1.12E-12	1.51E-12	4.8E-12 (S)	1.37E-06	4.5E+03	6.7E+03	1.1E+02	1.2E+00	1.6E+00	4.1E+01	2.2E+04	.
Cesium (55)	Cs-135	3.01E-07	2.30E+06	2.51E-10	1.70E-10	1.70E-10	2.11E-10	9.1E-10 (S)	1.58E-09	2.8E-02	8.7E+00	9.8E-06	6.8E-03	8.8E-03	2.0E-01	2.0E-03	9.2E+00
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	2.39E-12	9.92E-13	1.22E-12	1.65E-12	6.9E-13 (S)	2.01E-04	1.0E+02	1.5E+02	4.6E+01	2.1E-01	8.7E-01	3.7E+01	6.7E+04	.
Cesium (55)	Cs-136	1.92E+01	3.61E-02	4.30E-10	1.94E-10	2.33E-10	3.03E-10	2.8E-10 (S)	2.68E-04	2.1E-01	3.1E-01	5.0E-03	2.0E-02	2.8E-02	2.0E-01	1.0E+00	.
Cesium (55)	Cs-137	2.30E-02	3.02E+01	1.15E-09	8.59E-10	8.24E-10	1.01E-09	3.0E-09 (S)	1.49E-08	7.7E-03	2.1E+00	3.1E-06	2.0E-03	2.6E-03	4.5E-02	6.0E-04	2.7E+00
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	1.15E-09	8.59E-10	8.24E-10	1.01E-09	3.0E-09 (S)	6.85E-05	1.7E-03	3.4E-03	3.1E-06	2.0E-03	2.6E-03	4.5E-02	6.0E-04	2.7E+00

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Cesium (55)	Cs-138	1.09E+04	6.36E-05	9.13E-12	3.61E-12	4.48E-12	6.13E-12	2.5E-12 (S)	3.22E-04	1.0E+02	1.5E+02	3.9E+01	1.3E-01	5.0E-01	1.0E+01	2.9E+04	.
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.18E-05	7.3E+03	1.1E+04	3.7E+03	8.3E-01	3.6E+00	1.4E+04	4.5E+08	.
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.39E-05	2.7E+03	3.9E+03	1.4E+03	1.0E+00	4.4E+00	1.7E+04	1.7E+08	.
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.47E-04	4.2E+03	6.1E+03	2.1E+03	1.8E-01	7.8E-01	3.0E+03	2.7E+08	.
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.45E-04	2.3E+06	3.4E+06	1.2E+06	2.9E-01	1.3E+00	4.8E+03	7.4E+12	.
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.77E-04	4.6E+03	6.6E+03	2.3E+03	2.4E-01	1.0E+00	4.0E+03	1.5E+10	.
Copper (29)	Cu-60	1.54E+04	4.51E-05	7.99E-12	2.87E-12	3.79E-12	5.22E-12	1.6E-12 (S)	5.24E-04	8.8E+01	1.3E+02	4.5E+01	8.2E-02	3.4E-01	1.2E+01	2.5E+06	.
Copper (29)	Cu-61	1.82E+03	3.80E-04	3.15E-11	6.28E-12	1.21E-11	1.75E-11	6.3E-12 (S)	9.75E-05	5.6E+01	8.2E+01	2.8E+01	3.0E-01	7.6E-01	3.7E+00	9.3E+04	.
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E-04	9.5E+02	1.4E+03	4.9E+02	3.5E-01	1.5E+00	5.8E+03	3.0E+09	.
Copper (29)	Cu-64	4.78E+02	1.45E-03	4.77E-11	7.98E-12	1.75E-11	2.55E-11	1.2E-11 (S)	2.18E-05	6.4E+01	9.6E+01	3.0E+01	4.1E-01	6.2E-01	2.6E+00	1.7E+04	.
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.34E-05	1.6E+04	2.3E+04	8.2E+03	3.2E+00	1.4E+01	5.4E+04	5.3E+10	.
Copper (29)	Cu-67	9.82E+01	7.06E-03	1.39E-10	2.33E-11	5.09E-11	7.42E-11	6.2E-11 (S)	1.04E-05	2.5E+01	4.2E+01	8.1E+00	9.7E-02	1.3E-01	8.8E-01	1.2E+03	.
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.85E-05	5.6E+03	8.2E+03	2.9E+03	6.4E-01	2.8E+00	1.1E+04	1.9E+10	.
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.36E-05	4.0E+03	5.8E+03	2.0E+03	5.0E-01	2.2E+00	8.3E+03	3.6E+10	.
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.06E-04	1.3E+03	1.8E+03	6.5E+02	2.1E-01	9.1E-01	3.4E+03	1.2E+10	.
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.93E-05	5.2E+03	7.6E+03	2.7E+03	1.4E+00	5.9E+00	2.2E+04	4.4E+10	.
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	3.29E-12	9.30E-13	1.46E-12	2.04E-12	1.3E-11 (S)	1.71E-04	3.6E+02	5.2E+02	1.8E+02	1.7E-01	4.0E-01	3.1E+01	2.4E+07	.
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	3.74E-11	6.70E-12	1.45E-11	2.09E-11	6.7E-12 (S)	2.71E-05	2.8E+02	4.1E+02	1.4E+02	5.5E-01	9.9E-01	3.1E+00	3.1E+05	.
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	5.22E-11	1.03E-11	2.08E-11	2.98E-11	1.2E-11 (S)	9.94E-05	2.9E+01	4.2E+01	1.4E+01	2.3E-01	5.0E-01	2.2E+00	8.0E+04	.
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	1.72E-09	6.48E-10	8.64E-10	1.14E-09	3.5E-07 (S)	0.00E+00	5.6E-03	2.3E+00	4.7E-04	1.8E-05	2.3E-05	4.0E-02	5.9E-02	.
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	3.78E-11	7.99E-12	1.55E-11	2.20E-11	7.8E-12 (S)	7.70E-05	2.4E+01	3.5E+01	1.2E+01	3.2E-01	7.1E-01	2.9E+00	7.0E+04	.
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	1.47E-11	3.27E-12	6.12E-12	8.67E-12	2.4E-12 (S)	3.44E-05	6.5E+01	9.5E+01	3.3E+01	7.8E-01	2.0E+00	7.4E+00	2.1E+05	.
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	3.84E-11	6.56E-12	1.47E-11	2.14E-11	4.7E-11 (S)	8.71E-07	4.2E+00	8.8E+00	1.1E+00	1.3E-01	1.7E-01	3.0E+00	2.1E+02	.
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	2.92E-11	5.26E-12	1.12E-11	1.62E-11	6.1E-12 (S)	2.65E-06	2.7E+03	4.3E+03	1.1E+03	9.6E-01	1.3E+00	4.0E+00	4.1E+05	.
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.52E-06	5.7E+05	8.4E+05	3.0E+05	2.3E+01	1.0E+02	3.8E+05	4.3E+12	.
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	8.32E-10	1.23E-10	3.05E-10	4.48E-10	2.5E-10 (S)	1.75E-06	2.3E+01	1.8E+02	3.4E+00	2.5E-02	3.2E-02	1.5E-01	4.3E+02	.
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.06E-05	2.9E+03	4.2E+03	1.5E+03	6.8E-01	3.0E+00	1.1E+04	2.5E+10	.
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.29E-05	2.9E+03	4.3E+03	1.5E+03	9.3E-01	4.1E+00	1.5E+04	2.5E+10	.
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.20E-06	7.0E+04	1.0E+05	3.6E+04	7.4E+00	3.2E+01	1.2E+05	2.0E+11	.
Erbium (68)	Er-156	1.87E+04	3.71E-05	6.27E-12	1.56E-12	2.64E-12	3.74E-12	1.5E-12 (S)	2.41E-06	2.3E+04	3.4E+04	1.1E+04	3.0E+00	4.9E+00	1.7E+01	5.4E+06	.
Erbium (68)	Er-159	1.01E+04	6.85E-05	3.43E-12	1.06E-12	1.57E-12	2.17E-12	9.3E-13 (S)	1.17E-04	2.6E+02	3.8E+02	1.3E+02	3.4E-01	1.3E+00	2.9E+01	4.9E+06	.
Erbium (68)	Er-161	1.89E+03	3.66E-04	2.15E-11	4.62E-12	8.80E-12	1.25E-11	4.0E-12 (S)	1.20E-04	4.7E+01	6.9E+01	2.4E+01	2.9E-01	8.7E-01	5.1E+00	1.6E+05	.
Erbium (68)	Er-163	4.86E+03	1.43E-04	4.65E-13	1.21E-13	2.00E-13	2.82E-13	8.1E-14 (S)	9.85E-07	1.5E+04	2.2E+04	7.5E+03	1.4E+01	4.4E+01	2.3E+02	1.9E+07	.
Erbium (68)	Er-165	5.86E+02	1.18E-03	6.27E-12	1.14E-12	2.45E-12	3.53E-12	9.0E-13 (S)	8.27E-07	2.0E+03	3.1E+03	9.4E+02	5.1E+00	8.0E+00	1.8E+01	1.8E+05	.
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.84E-06	3.3E+06	4.8E+06	1.7E+06	4.0E+00	1.8E+01	6.6E+04	1.1E+13	.
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.86E-10	2.75E-11	6.83E-11	1.00E-10	1.2E-10 (S)	2.58E-09	4.5E+01	2.1E+04	1.0E+01	5.3E-02	6.8E-02	6.6E-01	3.0E+02	.
Erbium (68)	Er-171	8.08E+02	8.58E-04	1.46E-10	2.34E-11	5.44E-11	7.95E-11	2.7E-11 (S)	3.76E-05	6.2E+01	9.4E+01	3.1E+01	1.9E-01	2.8E-01	8.3E-01	1.1E+04	.
Erbium (68)	Er-172	1.23E+02	5.63E-03	4.47E-10	7.11E-11	1.67E-10	2.44E-10	1.4E-10 (S)	5.74E-05	6.0E+00	9.4E+00	2.8E+00	4.1E-02	5.5E-02	2.7E-01	5.6E+02	.
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.44E-05	8.1E+03	1.2E+04	4.2E+03	4.3E-01	1.9E+00	7.1E+03	3.0E+10	.
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	4.21E-12	1.04E-12	1.79E-12	2.53E-12	1.9E-11 (S)	4.35E-05	2.5E+02	3.6E+02	1.3E+02	2.4E-01	3.9E-01	2.5E+01	.	.
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.62E-10	2.82E-11	6.22E-11	9.01E-11	1.1E-10 (S)	1.35E-04	1.6E+01	2.3E+01	7.9E+00	4.8E-02	7.0E-02	7.2E-01	.	.
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	5.76E-12	1.44E-12	2.47E-12	3.47E-12	2.1E-11 (S)	6.63E-05	1.2E+02	1.8E+02	6.4E+01	2.1E-01	3.4E-01	1.8E+01	.	.
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	7.67E-11	1.21E-11	2.86E-11	4.18E-11	1.9E-10 (S)	6.72E-06	7.4E+01	1.2E+02	3.4E+01	3.2E-02	4.1E-02	1.6E+00	.	.
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.54E-09	3.87E-10	9.40E-10	1.38E-09	2.9E-07 (S)	3.38E-08	1.5E+00	6.7E+02	3.5E-01	2.2E-05	2.8E-05	4.8E-02	.	.
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	3.71E-09	7.65E-10	1.50E-09	2.12E-09	7.0E-07 (S)	2.21E-07	7.2E-02	1.3E+01	1.7E-02	8.9E-06	1.1E-05	3.0E-02	.	.
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	3.75E-09	7.73E-10	1.52E-09	2.14E-09	7.0E-07 (S)	1.16E-04	1.8E-02	3.5E-02	7.1E-03	8.9E-06	1.1E-05	2.9E-02	.	.
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	2.07E-09	3.12E-10	7.63E-10	1.12E-09	4.7E-08 (S)	5.71E-05	6.0E+00	1.2E+01	2.4E+00	1.3E-04	1.7E-04	5.9E-02	.	.
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	2.06E-09	3.25E-10	7.69E-10	1.12E-09	4.1E-07 (S)	9.31E-08	9.4E-01	2.1E+02	2.2E-01	1.5E-05	1.9E-05	5.8E-02	.	.
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	1.09E-09	2.24E-10	4.39E-10	6.28E-10	3.9E-09 (S)	1.87E-07	3.7E+03	3.0E+05	9.0E+02	1.6E-03	2.1E-03	1.0E-01	.	.
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.51E-04	1.9E+05	2.7E+05	9.6E+04	2.8E-01	1.2E+00	4.7E+03	7.4E+11	.
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.26E-04	2.1E+03	3.1E+03	1.1E+03	1.0E-01	4.4E-01	1.7E+03	8.4E+09	.
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.40E-04	3.0E+03	4.4E+03	1.6E+03	3.0E-01	1.3E+00	5.0E+03	1.2E+10	.
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E-04	4.8E+04	6.9E+04	2.4E+04	3.1E-01	1.4E+00	5.2E+03	1.9E+11	.
Europium (63)	Eu-145	4.27E+01	1.62E-02	1.55E-10	3.49E-11	6.52E-11	9.21E-11	4.7E-11 (S)	1.65E-04	7.7E-01	1.1E+00	3.9E-01	8.9E-02	1.5E-01	6.9E-01	5.0E+02	.
Europium (63)	Eu-146	5.49E+01	1.26E-02	2.77E-10	6.29E-11	1.17E-10	1.65E-10	6.9E-11 (S)	3.04E-04	5.4E-01	7.9E-01	2.7E-01	5.5E-02	9.8E-02	3.9E-01	3.6E+02	.
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.38E-10	2.59E-11	5.43E-11	7.80E-11	1.2E-10 (S)	5.21E-05	5.9E-01	8.8E-01	2.9E-01	4.9E-02	6.6E-02	8.3E-01	1.5E+02	.
Europium (63)	Eu-148	4.64E+00	1.49E-01	2.76E-10	6.58E-11	1.19E-10	1.66E-10	3.5E-10 (F)	2.73E-04	5.1E-02	7.5E-02	2.5E-02	1.6E-02	2.2E-02	3.8E-01	3.0E+01	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Europium (63)	Eu-149	2.72E+00	2.55E-01	6.28E-11	1.04E-11	2.38E-11	3.46E-11	4.7E-11 (S)	4.04E-06	1.8E+00	2.9E+00	7.1E-01	1.3E-01	1.7E-01	1.9E+00	8.6E+01	.
Europium (63)	Eu-150	1.88E-02	3.69E+01	2.48E-10	6.31E-11	1.09E-10	1.52E-10	7.3E-09 (F)	1.83E-04	7.9E-04	1.2E-03	2.9E-04	8.4E-04	1.1E-03	3.3E-01	2.7E-01	.
Europium (63)	Eu-150m	4.74E+02	1.46E-03	1.77E-10	2.68E-11	6.53E-11	9.57E-11	3.0E-11 (S)	5.55E-06	2.0E+02	3.7E+02	6.8E+01	2.0E-01	2.6E-01	6.9E-01	5.5E+03	.
Europium (63)	Eu-152	5.12E-02	1.35E+01	3.94E-10	7.75E-11	1.58E-10	2.25E-10	5.2E-09 (F)	1.46E-04	1.4E-03	2.1E-03	5.7E-04	1.2E-03	1.5E-03	2.4E-01	2.8E-01	2.4E+02
Europium (63)	Eu-152m	6.52E+02	1.06E-03	2.16E-10	3.37E-11	8.02E-11	1.17E-10	3.2E-11 (S)	3.63E-05	5.1E+01	7.9E+01	2.4E+01	1.7E-01	2.4E-01	5.6E-01	6.2E+03	.
Europium (63)	Eu-152n	3.79E+03	1.83E-04	2.89E-12	6.25E-13	1.16E-12	1.67E-12	8.0E-13 (S)	4.07E-06	2.8E+03	4.1E+03	1.4E+03	3.5E+00	7.3E+00	3.9E+01	2.5E+06	.
Europium (63)	Eu-154	8.06E-02	8.59E+00	6.86E-10	1.22E-10	2.66E-10	3.83E-10	5.6E-09 (F)	1.58E-04	1.7E-03	2.6E-03	7.3E-04	1.1E-03	1.4E-03	1.5E-01	2.3E-01	9.3E+01
Europium (63)	Eu-154m	7.92E+03	8.75E-05	1.13E-12	3.19E-13	4.91E-13	6.92E-13	3.0E-13 (S)	3.03E-06	7.8E+03	1.1E+04	4.0E+03	5.7E+00	1.5E+01	9.2E+01	1.2E+07	.
Europium (63)	Eu-155	1.46E-01	4.76E+00	1.40E-10	2.24E-11	5.24E-11	7.64E-11	5.2E-10 (S)	3.38E-06	9.4E-02	1.9E-01	3.0E-02	1.2E-02	1.5E-02	7.9E-01	2.0E+00	1.5E+03
Europium (63)	Eu-156	1.67E+01	4.16E-02	9.64E-10	1.54E-10	3.62E-10	5.28E-10	4.3E-10 (S)	1.66E-04	2.9E-01	4.4E-01	1.3E-01	1.4E-02	1.8E-02	1.2E-01	3.5E+01	.
Europium (63)	Eu-157	4.00E+02	1.73E-03	2.72E-10	4.22E-11	1.01E-10	1.48E-10	4.6E-11 (S)	2.98E-05	3.7E+01	5.9E+01	1.6E+01	1.2E-01	1.7E-01	4.4E-01	3.0E+03	.
Europium (63)	Eu-158	7.94E+03	8.73E-05	1.28E-11	3.68E-12	5.62E-12	7.90E-12	3.1E-12 (S)	1.69E-04	1.4E+02	2.1E+02	7.3E+01	2.3E-01	7.9E-01	8.0E+00	1.1E+06	.
Europium (63)	Eu-159	2.01E+04	3.44E-05	7.74E-12	1.99E-12	3.25E-12	4.62E-12	1.7E-12 (S)	3.13E-05	1.9E+03	2.8E+03	9.9E+02	9.4E-01	2.6E+00	1.4E+01	4.7E+06	.
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E-04	8.5E+03	1.2E+04	4.4E+03	3.5E-01	1.5E+00	5.7E+03	7.6E+09	.
Fluorine (9)	F-18	3.32E+03	2.09E-04	4.98E-12	2.06E-12	2.54E-12	3.38E-12	3.2E-12 (S)	1.16E-04	9.5E+01	1.4E+02	4.9E+01	3.0E-01	9.7E-01	1.8E+01	2.3E+05	.
Iron (26)	Fe-52	7.34E+02	9.45E-04	5.10E-10	8.89E-11	1.91E-10	2.78E-10	8.1E-11 (S)	8.30E-05	2.5E+01	3.9E+01	1.1E+01	6.6E-02	9.5E-02	2.4E-01	3.9E+03	.
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.39E-04	9.2E+02	1.3E+03	4.7E+02	3.0E-01	1.3E+00	4.9E+03	4.8E+09	.
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.04E-04	1.1E+03	1.6E+03	5.5E+02	1.1E-01	4.7E-01	1.8E+03	6.0E+09	.
Iron (26)	Fe-55	2.53E-01	2.74E+00	5.12E-11	1.39E-11	2.32E-11	3.13E-11	4.0E-11 (F)	1.29E-14	1.4E+00	7.3E+02	1.9E-01	1.6E-01	2.0E-01	1.9E+00	1.1E+01	1.2E+04
Iron (26)	Fe-59	5.68E+00	1.22E-01	5.16E-10	1.10E-10	2.13E-10	3.01E-10	4.0E-10 (S)	1.57E-04	1.1E-01	1.6E-01	5.0E-02	1.5E-02	2.0E-02	2.1E-01	2.7E+01	.
Iron (26)	Fe-60	4.62E-07	1.50E+06	9.40E-09	3.61E-09	5.06E-09	6.74E-09	1.0E-08 (F)	4.77E-10	9.6E-04	4.4E-01	8.9E-05	6.0E-04	7.7E-04	6.7E-03	5.9E-03	.
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.04E-08	3.81E-09	5.49E-09	7.34E-09	1.3E-08 (F)	3.35E-04	2.5E-04	5.2E-04	4.8E-05	4.7E-04	6.1E-04	6.2E-03	5.5E-03	.
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.84E-04	9.9E+02	1.4E+03	5.1E+02	2.4E-01	1.0E+00	3.9E+03	5.5E+09	.
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.00E-05	1.6E+04	2.3E+04	8.3E+03	7.0E-01	3.1E+00	1.2E+04	8.5E+10	.
Fermium (100)	Fm-251	1.15E+03	6.05E-04	2.77E-11	4.63E-12	1.05E-11	1.53E-11	1.8E-10 (S)	1.42E-05	2.4E+02	3.5E+02	1.2E+02	3.4E-02	4.5E-02	4.3E+00	.	.
Fermium (100)	Fm-252	2.39E+02	2.90E-03	1.34E-09	2.00E-10	4.92E-10	7.22E-10	3.5E-08 (S)	3.60E-08	5.5E+01	1.8E+04	1.3E+01	1.8E-04	2.3E-04	9.1E-02	.	.
Fermium (100)	Fm-253	8.43E+01	8.22E-03	5.05E-10	7.70E-11	1.87E-10	2.73E-10	4.1E-08 (S)	4.51E-06	2.7E+01	8.2E+01	8.6E+00	1.5E-04	1.9E-04	2.4E-01	.	.
Fermium (100)	Fm-254	1.87E+03	3.70E-04	1.59E-10	2.69E-11	6.02E-11	8.77E-11	5.9E-09 (S)	9.47E-07	2.2E+03	8.6E+03	6.6E+02	1.1E-03	1.4E-03	7.5E-01	.	.
Fermium (100)	Fm-255	3.02E+02	2.29E-03	1.21E-09	1.82E-10	4.46E-10	6.55E-10	2.7E-08 (S)	1.06E-07	7.6E+01	1.0E+04	1.8E+01	2.3E-04	3.0E-04	1.0E-01	.	.
Fermium (100)	Fm-256	2.31E+03	3.00E-04	6.29E-09	1.38E-09	2.58E-09	3.68E-09	2.4E-08 (S)	1.67E-03	4.0E+00	6.1E+00	2.0E+00	2.5E-04	3.3E-04	1.7E-02	.	.
Fermium (100)	Fm-257	2.52E+00	2.75E-01	3.36E-09	6.15E-10	1.31E-09	1.88E-09	7.6E-07 (S)	1.33E-05	1.6E-01	8.3E-01	4.5E-02	8.2E-06	1.0E-05	3.4E-02	.	.
Francium (87)	Fr-212	1.82E+04	3.81E-05	1.06E-10	3.39E-11	4.80E-11	6.53E-11	5.7E-10 (S)	1.42E-04	3.8E+02	5.6E+02	1.9E+02	1.1E-02	1.4E-02	9.4E-01	1.1E+05	.
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.91E-07	8.4E+09	1.2E+10	4.3E+09	1.0E+02	4.4E+02	1.7E+06	1.2E+16	.
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.15E-07	3.9E+06	5.7E+06	2.0E+06	4.7E+01	2.0E+02	7.5E+05	3.9E+12	.
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.89E-07	3.0E+06	4.4E+06	1.6E+06	3.7E+01	1.6E+02	5.9E+05	3.1E+12	.
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.83E-06	7.9E+04	1.1E+05	4.1E+04	1.3E+01	5.6E+01	2.1E+05	1.0E+11	.
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-06	7.8E+04	1.1E+05	4.0E+04	1.3E+01	5.6E+01	2.1E+05	1.0E+11	.
Francium (87)	Fr-222	2.57E+04	2.70E-05	8.61E-11	2.85E-11	3.93E-11	5.37E-11	1.6E-09 (S)	1.84E-05	4.0E+03	6.1E+03	1.8E+03	3.9E-03	5.1E-03	1.2E+00	1.9E+05	.
Francium (87)	Fr-223	1.66E+04	4.19E-05	4.57E-10	1.32E-10	1.99E-10	2.73E-10	1.1E-09 (S)	3.66E-06	5.5E+03	2.0E+04	1.2E+03	5.6E-03	7.3E-03	2.3E-01	2.5E+04	.
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.91E-05	4.8E+03	6.9E+03	2.4E+03	6.1E-01	2.7E+00	1.0E+04	7.2E+09	.
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-05	9.1E+03	1.3E+04	4.7E+03	8.1E-01	3.6E+00	1.3E+04	1.3E+10	.
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.54E-04	9.2E+02	1.3E+03	4.7E+02	9.6E-02	4.2E-01	1.6E+03	1.7E+09	.
Gallium (31)	Ga-65	2.40E+04	2.89E-05	3.48E-12	1.32E-12	1.68E-12	2.32E-12	8.0E-13 (S)	1.35E-04	5.3E+02	7.8E+02	2.7E+02	2.9E-01	1.2E+00	2.7E+01	5.0E+06	.
Gallium (31)	Ga-66	6.40E+02	1.08E-03	4.60E-10	7.63E-11	1.74E-10	2.53E-10	6.2E-11 (S)	3.44E-04	5.5E+00	8.1E+00	2.8E+00	5.6E-02	1.0E-01	2.6E-01	1.3E+03	.
Gallium (31)	Ga-67	7.76E+01	8.93E-03	7.50E-11	1.26E-11	2.86E-11	4.15E-11	2.9E-11 (S)	1.46E-05	1.5E+01	2.3E+01	7.4E+00	2.0E-01	2.7E-01	1.6E+00	9.5E+02	.
Gallium (31)	Ga-68	5.38E+03	1.29E-04	1.82E-11	4.46E-12	7.58E-12	1.08E-11	3.6E-12 (S)	1.13E-04	1.4E+02	2.1E+02	7.4E+01	3.1E-01	9.4E-01	5.9E+00	2.5E+05	.
Gallium (31)	Ga-70	1.72E+04	4.02E-05	3.00E-12	1.07E-12	1.40E-12	1.95E-12	8.3E-13 (S)	1.15E-06	4.4E+04	6.6E+04	2.2E+04	6.1E+00	9.0E+00	3.2E+01	4.3E+06	.
Gallium (31)	Ga-72	4.31E+02	1.61E-03	3.97E-10	6.95E-11	1.53E-10	2.21E-10	6.3E-11 (S)	3.66E-04	3.5E+00	5.2E+00	1.8E+00	5.4E-02	1.0E-01	2.9E-01	9.9E+02	.
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.00E-10	1.66E-11	3.77E-11	5.50E-11	1.8E-11 (S)	3.85E-05	9.5E+01	1.4E+02	4.8E+01	2.6E-01	4.1E-01	1.2E+00	1.2E+04	.
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.35E-04	3.1E+02	4.5E+02	1.6E+02	1.0E-01	4.4E-01	1.7E+03	5.9E+08	.
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.27E-04	7.4E+03	1.1E+04	3.8E+03	3.3E-01	1.5E+00	5.5E+03	2.9E+10	.
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.60E-04	2.3E+03	3.3E+03	1.2E+03	1.6E-01	7.1E-01	2.7E+03	9.0E+09	.
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.15E-04	2.1E+03	3.1E+03	1.1E+03	3.7E-01	1.6E+00	6.2E+03	8.5E+09	.
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	4.13E-12	1.44E-12	1.96E-12	2.70E-12	8.2E-13 (S)	3.31E-04	1.4E+02	2.1E+02	7.4E+01	1.3E-01	5.5E-01	2.3E+01	6.1E+06	.
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.30E-05	9.3E+03	1.4E+04	4.8E+03	5.1E-01	2.2E+00	8.5E+03	3.7E+10	.
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	3.48E-10	5.99E-11	1.34E-10	1.94E-10	6.9E-10 (S)	1.52E-05	8.4E-01	1.5E+00	3.4E-01	8.9E-03	1.2E-02	3.3E-01	3.0E+01	.
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	1.69E-10	3.53E-11	6.91E-11	9.83E-11	4.0E-11 (S)	1.67E-04	2.8E+00	4.2E+00	1.4E+00	9.6E-02	1.7E-01	6.5E-01	1.8E+03	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	2.12E-09	9.00E-10	1.13E-09	1.47E-09	4.1E-07 (S)	0.00E+00	4.9E-03	1.9E+00	7.3E-04	1.5E-05	1.9E-05	3.1E-02	2.3E-02	.
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	1.83E-10	3.30E-11	7.11E-11	1.03E-10	9.7E-11 (S)	5.52E-05	1.4E+00	2.2E+00	7.1E-01	5.9E-02	8.0E-02	6.3E-01	2.9E+02	.
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	1.88E-09	8.26E-10	1.02E-09	1.32E-09	3.3E-07 (S)	0.00E+00	4.8E-03	1.8E+00	6.8E-04	1.9E-05	2.4E-05	3.4E-02	2.2E-02	.
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	9.44E-11	1.51E-11	3.55E-11	5.17E-11	1.2E-10 (S)	3.82E-06	1.3E+00	2.3E+00	5.2E-01	5.2E-02	6.8E-02	1.3E+00	4.3E+01	.
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	1.48E-09	6.48E-10	8.02E-10	1.04E-09	2.5E-07 (F)	0.00E+00	6.2E-03	2.3E+00	8.7E-04	2.5E-05	3.3E-05	4.3E-02	2.8E-02	.
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	1.09E-10	1.80E-11	4.14E-11	6.01E-11	2.3E-10 (S)	4.35E-06	5.8E-01	1.1E+00	2.3E-01	2.7E-02	3.4E-02	1.1E+00	1.9E+01	1.1E+04
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	2.38E-10	3.59E-11	8.77E-11	1.29E-10	4.3E-11 (S)	5.14E-06	1.3E+02	2.8E+02	4.8E+01	1.4E-01	1.9E-01	5.1E-01	2.8E+03	.
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-05	2.8E+03	4.0E+03	1.4E+03	8.6E-01	3.8E+00	1.4E+04	1.0E+10	.
Germanium (32)	Ge-66	2.69E+03	2.58E-04	2.04E-11	6.88E-12	9.86E-12	1.31E-11	7.0E-12 (S)	7.64E-05	1.1E+02	1.5E+02	1.7E+01	3.3E-01	7.7E-01	4.6E+00	8.1E+03	.
Germanium (32)	Ge-67	1.93E+04	3.60E-05	5.37E-12	2.15E-12	2.65E-12	3.63E-12	1.2E-12 (S)	1.71E-04	3.4E+02	4.9E+02	1.4E+02	2.3E-01	9.2E-01	1.7E+01	2.1E+05	.
Germanium (32)	Ge-68	9.34E-01	7.42E-01	4.70E-10	9.38E-11	1.88E-10	2.66E-10	2.8E-09 (S)	1.10E-11	2.3E-01	4.0E+02	4.1E-04	2.2E-03	2.9E-03	2.3E-01	1.4E-01	.
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	4.88E-10	9.83E-11	1.96E-10	2.77E-10	2.8E-09 (S)	1.13E-04	2.2E-02	3.6E-02	3.9E-04	2.2E-03	2.9E-03	2.2E-01	1.4E-01	.
Germanium (32)	Ge-69	1.55E+02	4.46E-03	4.80E-11	1.36E-11	2.16E-11	2.95E-11	2.0E-11 (S)	1.20E-04	3.9E+00	5.7E+00	4.8E-01	1.7E-01	3.2E-01	2.1E+00	2.1E+02	.
Germanium (32)	Ge-71	2.21E+01	3.13E-02	4.43E-12	8.68E-13	1.76E-12	2.50E-12	1.5E-12 (S)	1.11E-11	5.9E+02	9.1E+05	1.0E+00	4.2E+00	5.4E+00	2.6E+01	3.7E+02	.
Germanium (32)	Ge-75	4.40E+03	1.57E-04	4.70E-12	1.88E-12	2.35E-12	3.15E-12	2.4E-12 (S)	3.82E-06	3.3E+03	5.0E+03	1.5E+02	2.0E+00	3.0E+00	1.9E+01	5.6E+04	.
Germanium (32)	Ge-77	5.37E+02	1.29E-03	7.18E-11	2.14E-11	3.30E-11	4.45E-11	3.3E-11 (S)	1.30E-04	1.2E+01	1.8E+01	1.2E+00	1.2E-01	2.0E-01	1.4E+00	4.8E+02	.
Germanium (32)	Ge-78	4.14E+03	1.67E-04	1.52E-11	6.26E-12	7.93E-12	1.03E-11	6.9E-12 (S)	2.98E-05	4.1E+02	6.1E+02	3.9E+01	5.3E-01	9.6E-01	5.7E+00	1.6E+04	.
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.43E-12	1.22E-12	1.37E-12	1.76E-12	2.3E-11 (S)	0.00E+00	8.6E-03	1.1E-02	5.7E-03	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.85E-05	7.8E+03	1.1E+04	4.0E+03	5.9E-01	2.6E+00	9.7E+03	1.1E+11	.
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.07E-05	4.8E+03	7.0E+03	2.5E+03	5.8E-01	2.5E+00	9.4E+03	6.9E+10	.
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	1.20E-10	2.35E-11	4.79E-11	6.85E-11	2.8E-11 (S)	4.39E-05	2.5E+01	3.8E+01	1.2E+01	1.8E-01	2.6E-01	9.4E-01	2.3E+04	.
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	3.54E-10	6.54E-11	1.39E-10	1.99E-10	2.3E-09 (S)	4.07E-06	1.4E-01	4.0E-01	3.1E-02	2.7E-03	3.5E-03	3.1E-01	7.5E+00	.
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	3.54E-10	6.54E-11	1.39E-10	1.99E-10	2.3E-09 (S)	4.07E-06	1.4E-01	4.0E-01	3.1E-02	2.7E-03	3.5E-03	3.1E-01	7.5E+00	.
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	7.18E-11	1.33E-11	2.82E-11	4.06E-11	1.7E-11 (S)	3.50E-05	2.2E+01	3.2E+01	1.0E+01	2.6E-01	4.2E-01	1.6E+00	2.7E+04	.
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.77E-09	1.63E-09	1.72E-09	2.16E-09	2.7E-07 (S)	0.00E+00	3.0E-03	9.6E-01	2.5E-04	2.3E-05	2.9E-05	2.0E-02	5.1E-02	.
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.33E-10	2.43E-11	5.20E-11	7.49E-11	1.4E-10 (S)	3.47E-05	3.0E-01	4.6E-01	1.4E-01	4.2E-02	5.6E-02	8.6E-01	2.0E+02	.
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	1.24E-11	3.65E-12	5.52E-12	7.72E-12	5.3E-12 (S)	2.36E-04	9.0E+01	1.3E+02	4.6E+01	1.4E-01	4.8E-01	8.2E+00	3.8E+06	.
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	7.73E-10	1.88E-10	3.31E-10	4.64E-10	8.8E-09 (F)	2.46E-04	6.0E-04	9.3E-04	2.1E-04	7.1E-04	9.1E-04	1.1E-01	3.6E-01	.
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.70E-10	8.07E-11	1.80E-10	2.61E-10	4.4E-10 (S)	9.44E-05	3.1E-01	4.7E-01	1.4E-01	1.4E-02	1.8E-02	2.5E-01	1.6E+02	.
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	4.94E-11	9.70E-12	1.96E-11	2.82E-11	1.2E-11 (S)	1.05E-04	3.1E+01	4.6E+01	1.6E+01	2.2E-01	4.7E-01	2.3E+00	1.6E+05	.
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	4.59E-10	7.45E-11	1.73E-10	2.52E-10	5.8E-10 (S)	5.78E-05	2.9E-01	4.5E-01	1.2E-01	1.1E-02	1.4E-02	2.6E-01	1.0E+02	.
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	2.58E-10	9.25E-11	1.28E-10	1.72E-10	8.9E-09 (F)	2.46E-05	4.2E-03	7.1E-03	1.0E-03	7.0E-04	9.0E-04	2.6E-01	6.6E-01	.
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	8.05E-10	1.88E-10	3.39E-10	4.77E-10	9.9E-09 (F)	1.87E-04	5.9E-04	9.3E-04	1.7E-04	6.3E-04	8.1E-04	9.8E-02	2.5E-01	.
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	7.62E-12	2.04E-12	3.29E-12	4.64E-12	3.4E-12 (S)	1.00E-04	1.8E+02	2.6E+02	9.1E+01	3.3E-01	1.0E+00	1.4E+01	5.3E+06	.
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	1.61E-11	3.56E-12	6.53E-12	9.35E-12	4.9E-12 (S)	9.21E-05	1.9E+02	2.7E+02	9.5E+01	3.4E-01	9.0E-01	6.9E+00	2.5E+06	.
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	2.08E-10	3.39E-11	7.82E-11	1.14E-10	4.0E-11 (S)	2.18E-05	1.9E+02	3.0E+02	7.6E+01	1.4E-01	2.0E-01	5.7E-01	5.5E+04	.
Mercury (80)	Hg-190	1.82E+04	3.81E-05	3.39E-12	9.98E-13	1.52E-12	2.12E-12	7.0E-12 (V)	1.43E-05	3.8E+03	5.6E+03	1.9E+03	6.3E-01	1.0E+00	3.0E+01	8.9E+07	.
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	1.12E-11	2.72E-12	4.74E-12	6.70E-12	2.9E-11 (V)	1.77E-04	1.2E+02	1.8E+02	6.2E+01	1.1E-01	2.2E-01	9.5E+00	1.1E+07	.
Mercury (80)	Hg-192	1.25E+03	5.54E-04	6.45E-11	1.29E-11	2.60E-11	3.71E-11	9.1E-11 (V)	2.36E-05	1.5E+02	2.3E+02	6.5E+01	6.6E-02	8.7E-02	1.7E+00	3.6E+05	.
Mercury (80)	Hg-193	1.60E+03	4.34E-04	3.13E-11	6.15E-12	1.24E-11	1.78E-11	7.9E-11 (V)	1.01E-04	4.7E+01	6.9E+01	2.4E+01	.	.	3.6E+00	9.5E+05	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	3.13E-11	6.15E-12	1.24E-11	1.78E-11	7.9E-11 (V)	1.02E-04	4.7E+01	6.9E+01	2.4E+01	6.6E-02	9.6E-02	3.6E+00	9.5E+05	.
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	1.40E-10	2.59E-11	5.48E-11	7.89E-11	2.7E-10 (V)	1.25E-04	1.2E+01	1.8E+01	5.7E+00	.	.	8.2E-01	6.9E+04	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	1.69E-10	5.41E-11	7.87E-11	1.08E-10	2.0E-09 (S)	9.75E-11	2.8E-02	3.0E+01	2.2E-03	.	.	3.3E-01	2.2E+00	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.75E-10	7.68E-11	1.22E-10	1.70E-10	2.0E-09 (S)	1.29E-04	8.7E-04	1.4E-03	2.5E-04	.	.	2.1E-01	1.4E+00	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	3.81E-11	6.48E-12	1.45E-11	2.11E-11	1.4E-10 (V)	1.94E-05	8.6E+01	1.3E+02	3.9E+01	.	.	3.1E+00	2.9E+05	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	2.40E-10	3.79E-11	8.97E-11	1.31E-10	7.3E-10 (V)	1.97E-05	1.8E+01	3.2E+01	5.4E+00	.	.	5.0E-01	1.2E+04	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	1.11E-10	1.73E-11	4.13E-11	6.03E-11	4.2E-10 (V)	3.28E-06	5.0E+01	1.2E+02	1.1E+01	.	.	1.1E+00	1.7E+04	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	2.23E-10	3.40E-11	8.24E-11	1.21E-10	5.3E-10 (V)	7.04E-06	6.6E+01	1.6E+02	1.4E+01	.	.	5.4E-01	2.3E+04	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	4.11E-12	1.19E-12	1.79E-12	2.53E-12	1.6E-11 (V)	1.54E-05	1.7E+03	2.4E+03	8.4E+02	.	.	2.5E+01	3.5E+07	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	2.20E-10	3.65E-11	8.34E-11	1.21E-10	6.6E-10 (V)	2.49E-05	5.5E-01	9.6E-01	1.8E-01	.	.	5.4E-01	4.8E+02	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.66E-07	3.2E+05	4.6E+05	1.6E+05	5.0E+01	2.2E+02	8.9E+05	1.0E+13	.
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.31E-05	1.0E+04	1.5E+04	5.3E+03	3.0E+00	1.3E+01	4.9E+04	3.6E+11	.
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.57E-04	1.1E+03	1.5E+03	5.5E+02	1.2E-01	5.4E-01	2.0E+03	4.2E+10	.
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.32E-04	3.7E+03	5.4E+03	1.9E+03	1.8E-01	8.0E-01	3.0E+03	2.1E+10	.
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E-04	4.5E+03	6.6E+03	2.3E+03	3.5E-01	1.5E+00	5.7E+03	2.5E+10	.
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E-04	9.7E+02	1.4E+03	5.0E+02	3.4E-01	1.5E+00	5.6E+03	5.3E+09	.
Holmium (67)	Ho-154	3.10E+04	2.24E-05	3.77E-12	1.47E-12	1.84E-12	2.53E-12	6.8E-13 (S)	2.29E-04	4.1E+02	5.9E+02	2.1E+02	1.8E-01	7.5E-01	2.4E+01	1.8E+07	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.87E-04	1.2E+03	1.8E+03	6.3E+02	1.5E-01	6.4E-01	2.4E+03	6.8E+09	.
Holmium (67)	Ho-155	7.59E+03	9.13E-05	7.16E-12	1.82E-12	3.06E-12	4.32E-12	1.7E-12 (S)	6.94E-05	3.3E+02	4.8E+02	1.7E+02	5.1E-01	1.7E+00	1.5E+01	2.7E+06	.
Holmium (67)	Ho-156	6.50E+03	1.07E-04	1.52E-11	4.22E-12	6.63E-12	9.32E-12	3.4E-12 (S)	2.63E-04	7.4E+01	1.1E+02	3.8E+01	1.5E-01	5.5E-01	6.8E+00	1.1E+06	.
Holmium (67)	Ho-157	2.89E+04	2.40E-05	9.80E-13	3.18E-13	4.54E-13	6.30E-13	2.3E-13 (S)	6.09E-05	1.4E+03	2.1E+03	7.3E+02	6.4E-01	2.6E+00	9.9E+01	6.9E+07	.
Holmium (67)	Ho-159	1.10E+04	6.29E-05	1.10E-12	3.70E-13	5.15E-13	7.12E-13	3.6E-13 (S)	3.38E-05	9.8E+02	1.4E+03	5.0E+02	1.0E+00	3.8E+00	8.7E+01	2.3E+07	.
Holmium (67)	Ho-160	1.42E+04	4.87E-05	2.18E-12	7.95E-13	1.06E-12	1.45E-12	6.1E-13 (S)	2.07E-04	2.1E+02	3.0E+02	1.1E+02	2.0E-01	8.4E-01	4.2E+01	1.5E+07	.
Holmium (67)	Ho-161	2.45E+03	2.83E-04	3.38E-12	6.59E-13	1.33E-12	1.92E-12	6.4E-13 (S)	1.46E-06	4.9E+03	7.3E+03	2.5E+03	5.6E+00	1.0E+01	3.4E+01	2.0E+06	.
Holmium (67)	Ho-162	2.43E+04	2.85E-05	3.24E-13	1.23E-13	1.57E-13	2.16E-13	1.6E-13 (S)	1.58E-05	4.6E+03	6.7E+03	2.4E+03	2.3E+00	8.9E+00	2.9E+02	1.7E+08	.
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	4.45E-12	1.18E-12	1.93E-12	2.71E-12	1.4E-12 (S)	6.50E-05	2.5E+02	3.7E+02	1.3E+02	5.6E-01	1.9E+00	2.3E+01	3.1E+06	.
Holmium (67)	Ho-163	1.52E-04	4.57E+03	1.28E-12	2.15E-13	4.89E-13	7.11E-13	3.2E-11 (F)	0.00E+00	9.0E+00	7.3E+03	1.3E+00	1.9E-01	2.5E-01	6.8E+01	6.3E+01	.
Holmium (67)	Ho-164	1.26E+04	5.52E-05	1.04E-12	3.39E-13	4.72E-13	6.58E-13	4.7E-13 (S)	7.48E-07	5.0E+04	7.4E+04	2.5E+04	8.4E+00	1.4E+01	9.6E+01	2.9E+07	.
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	2.71E-12	6.83E-13	1.13E-12	1.61E-12	1.0E-12 (S)	9.75E-07	2.9E+04	4.3E+04	1.4E+04	4.5E+00	7.1E+00	4.0E+01	9.2E+06	.
Holmium (67)	Ho-166	2.27E+02	3.06E-03	6.79E-10	1.01E-10	2.49E-10	3.66E-10	1.1E-10 (S)	3.25E-06	6.9E+01	3.0E+02	1.9E+01	5.7E-02	7.3E-02	1.8E-01	9.9E+02	.
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	5.40E-10	1.18E-10	2.24E-10	3.19E-10	2.1E-08 (F)	1.93E-04	5.9E-04	9.1E-04	1.9E-04	3.0E-04	3.9E-04	1.5E-01	1.4E-01	.
Holmium (67)	Ho-167	1.96E+03	3.54E-04	2.68E-11	4.92E-12	1.04E-11	1.50E-11	6.8E-12 (S)	3.91E-05	1.5E+02	2.2E+02	7.6E+01	4.8E-01	9.3E-01	4.3E+00	2.0E+05	.
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.09E-04	3.4E+03	4.9E+03	1.7E+03	3.9E-01	1.7E+00	6.5E+03	1.9E+10	.
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.38E-07	3.6E+06	5.2E+06	1.9E+06	1.2E+02	5.1E+02	1.8E+06	7.3E+12	.
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.10E-04	1.9E+03	2.8E+03	9.7E+02	2.0E-01	8.9E-01	3.3E+03	1.1E+10	.
Iodine (53)	I-118	2.66E+04	2.61E-05	3.49E-11	8.06E-12	1.36E-11	1.92E-11	1.6E-11 (V)	2.50E-04	3.2E+02	4.7E+02	1.6E+02	1.2E-01	3.0E-01	3.3E+00	4.6E+02	.
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.64E-04	2.8E+02	4.0E+02	1.4E+02	9.2E-02	4.0E-01	1.5E+03	3.4E+05	.
Iodine (53)	I-119	1.91E+04	3.63E-05	5.75E-12	1.72E-12	2.48E-12	3.44E-12	4.4E-12 (V)	1.04E-04	5.5E+02	8.0E+02	2.8E+02	3.1E-01	8.9E-01	1.8E+01	1.8E+03	.
Iodine (53)	I-120	4.46E+03	1.55E-04	5.07E-11	1.31E-11	2.07E-11	2.87E-11	2.6E-11 (V)	3.50E-04	3.8E+01	5.6E+01	2.0E+01	.	.	2.2E+00	5.1E+01	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	2.22E-11	6.84E-12	9.75E-12	1.34E-11	1.3E-11 (V)	4.45E-04	4.6E+01	6.8E+01	2.4E+01	.	.	4.6E+00	1.7E+02	.
Iodine (53)	I-121	2.86E+03	2.42E-04	1.30E-11	3.55E-12	5.53E-12	7.59E-12	7.3E-12 (V)	4.20E-05	2.0E+02	3.0E+02	1.0E+02	.	.	8.2E+00	1.2E+02	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.15E-04	2.6E+03	3.8E+03	1.4E+03	3.7E-01	1.6E+00	6.0E+03	3.2E+06	.
Iodine (53)	I-123	4.57E+02	1.51E-03	5.17E-11	1.04E-11	1.91E-11	2.71E-11	2.3E-11 (V)	1.39E-05	9.6E+01	1.4E+02	4.6E+01	.	.	2.4E+00	5.6E+00	.
Iodine (53)	I-124	6.06E+01	1.14E-02	3.04E-09	5.91E-10	1.12E-09	1.59E-09	1.2E-09 (V)	1.39E-04	1.1E+00	1.9E+00	4.2E-01	.	.	4.0E-02	1.3E-02	.
Iodine (53)	I-125	4.26E+00	1.63E-01	1.50E-09	4.61E-10	6.91E-10	9.34E-10	7.5E-10 (V)	1.97E-07	7.5E-01	7.5E+01	1.3E-01	.	.	6.5E-02	1.4E-03	.
Iodine (53)	I-126	1.96E+01	3.54E-02	6.17E-09	1.32E-09	2.38E-09	3.35E-09	2.6E-09 (V)	5.08E-05	5.3E-01	1.7E+00	1.3E-01	.	.	1.9E-02	1.9E-03	.
Iodine (53)	I-128	1.46E+04	4.75E-05	4.78E-12	1.65E-12	2.19E-12	3.01E-12	5.6E-12 (V)	8.02E-06	5.4E+03	8.0E+03	2.8E+03	.	.	2.1E+01	1.6E+03	.
Iodine (53)	I-129	4.41E-08	1.57E+07	7.50E-09	3.16E-09	4.08E-09	5.32E-09	4.4E-09 (V)	1.67E-07	1.2E-03	3.4E-01	1.3E-04	.	.	8.4E-03	1.7E-06	2.0E-04
Iodine (53)	I-130	4.91E+02	1.41E-03	4.43E-10	8.76E-11	1.63E-10	2.31E-10	1.9E-10 (V)	2.61E-04	5.6E+00	8.2E+00	2.8E+00	.	.	2.8E-01	7.1E-01	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.28E-05	9.7E+03	1.4E+04	5.0E+03	3.3E+00	1.4E+01	5.5E+04	1.2E+07	.
Iodine (53)	I-131	3.15E+01	2.20E-02	3.31E-09	6.55E-10	1.23E-09	1.75E-09	1.4E-09 (V)	4.32E-05	1.3E+00	3.2E+00	3.5E-01	.	.	3.7E-02	6.0E-03	.
Iodine (53)	I-132	2.65E+03	2.62E-04	5.70E-11	1.36E-11	2.26E-11	3.14E-11	3.1E-11 (V)	2.85E-04	2.8E+01	4.1E+01	1.4E+01	.	.	2.0E+00	2.7E+01	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.18E-11	3.55E-12	5.16E-12	7.06E-12	1.1E-11 (V)	4.01E-05	3.3E+02	4.8E+02	1.7E+02	.	.	8.8E+00	2.0E+02	.
Iodine (53)	I-133	2.92E+02	2.37E-03	1.11E-09	1.98E-10	3.93E-10	5.62E-10	4.4E-10 (V)	7.38E-05	1.0E+01	1.7E+01	4.3E+00	.	.	1.1E-01	1.7E-01	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.44E-11	4.50E-12	6.38E-12	8.76E-12	1.2E-11 (V)	3.31E-04	6.3E+01	9.2E+01	3.2E+01	.	.	7.1E+00	2.6E+02	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.88E-05	1.1E+04	1.5E+04	5.4E+03	1.4E+00	5.9E+00	2.2E+04	1.2E+07	.
Iodine (53)	I-135	9.24E+02	7.50E-04	2.11E-10	4.18E-11	7.77E-11	1.10E-10	9.3E-11 (V)	2.12E-04	1.3E+01	1.9E+01	6.6E+00	.	.	5.8E-01	2.8E+00	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.53E-04	3.1E+03	4.5E+03	1.6E+03	1.2E-01	5.3E-01	2.0E+03	9.1E+09	.
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.40E-04	9.0E+02	1.3E+03	4.6E+02	1.8E-01	7.7E-01	2.9E+03	2.6E+09	.
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.42E-04	4.0E+02	5.8E+02	2.1E+02	9.7E-02	4.2E-01	1.6E+03	1.2E+09	.
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.69E-04	5.7E+02	8.3E+02	2.9E+02	1.2E-01	5.1E-01	1.9E+03	1.7E+09	.
Indium (49)	In-107	1.12E+04	6.16E-05	6.66E-12	1.81E-12	2.88E-12	4.05E-12	1.6E-12 (S)	1.96E-04	1.7E+02	2.5E+02	8.6E+01	2.1E-01	8.0E-01	1.6E+01	2.2E+06	.
Indium (49)	In-108	6.28E+03	1.10E-04	1.20E-11	3.73E-12	5.51E-12	7.63E-12	2.2E-12 (S)	4.99E-04	3.8E+01	5.5E+01	1.9E+01	8.4E-02	3.4E-01	8.2E+00	6.4E+05	.
Indium (49)	In-108m	9.20E+03	7.53E-05	1.07E-11	3.36E-12	4.86E-12	6.78E-12	2.0E-12 (S)	3.76E-04	7.4E+01	1.1E+02	3.7E+01	1.1E-01	4.5E-01	9.3E+00	1.1E+06	.
Indium (49)	In-109	1.45E+03	4.79E-04	1.37E-11	3.12E-12	5.72E-12	8.11E-12	2.7E-12 (S)	7.54E-05	5.8E+01	8.4E+01	2.5E+01	4.5E-01	1.3E+00	7.9E+00	1.4E+05	.
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.42E-05	1.1E+04	1.6E+04	5.7E+03	5.8E-01	2.5E+00	9.5E+03	3.2E+10	.
Indium (49)	In-110	1.24E+03	5.59E-04	4.69E-11	1.24E-11	2.08E-11	2.89E-11	7.5E-12 (S)	3.88E-04	9.6E+00	1.4E+01	4.4E+00	9.8E-02	3.3E-01	2.2E+00	3.4E+04	.
Indium (49)	In-110m	5.27E+03	1.31E-04	1.81E-11	4.57E-12	7.64E-12	1.08E-11	3.4E-12 (S)	1.96E-04	8.1E+01	1.2E+02	3.8E+01	2.0E-01	6.8E-01	5.9E+00	3.9E+05	.
Indium (49)	In-111	9.02E+01	7.68E-03	8.83E-11	1.70E-11	3.51E-11	5.03E-11	2.3E-11 (S)	3.85E-05	6.9E+00	1.0E+01	1.2E+00	2.1E-01	3.2E-01	1.3E+00	1.4E+03	.
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.55E-05	2.6E+03	3.7E+03	1.3E+03	7.6E-01	3.3E+00	1.2E+04	7.4E+09	.
Indium (49)	In-112	2.43E+04	2.85E-05	9.85E-13	3.74E-13	4.75E-13	6.54E-13	3.3E-13 (S)	3.11E-05	2.4E+03	3.4E+03	1.2E+03	1.3E+00	4.7E+00	9.5E+01	2.9E+07	.
Indium (49)	In-112m	1.77E+04	3.91E-05	1.94E-12	6.31E-13	8.84E-13	1.23E-12	1.0E-12 (S)	1.87E-06	2.8E+04	4.2E+04	7.2E+03	4.4E+00	7.0E+00	5.1E+01	1.1E+07	.
Indium (49)	In-113m	3.66E+03	1.89E-04	6.41E-12	1.40E-12	2.59E-12	3.71E-12	1.5E-12 (S)	2.88E-05	3.8E+02	5.6E+02	1.6E+02	1.0E+00	2.8E+00	1.7E+01	7.9E+05	.
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.34E-07	1.4E+06	2.1E+06	7.4E+05	5.6E+01	2.5E+02	1.1E+06	4.2E+12	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Indium (49)	In-114m	5.11E+00	1.36E-01	1.81E-09	2.93E-10	6.78E-10	9.85E-10	1.4E-09 (S)	7.95E-06	5.9E-01	2.8E+00	5.0E-03	4.6E-03	5.9E-03	6.6E-02	4.2E+00	.
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.81E-09	2.93E-10	6.78E-10	9.85E-10	1.4E-09 (S)	8.55E-06	5.8E-01	2.6E+00	5.0E-03	4.6E-03	5.9E-03	6.6E-02	4.2E+00	.
Indium (49)	In-115	1.57E-15	4.41E+14	1.51E-09	8.66E-10	9.17E-10	1.17E-09	1.1E-08 (F)	7.42E-09	5.5E-03	1.7E+00	2.1E-05	5.6E-04	7.3E-04	3.8E-02	1.8E-02	.
Indium (49)	In-115m	1.35E+03	5.12E-04	3.19E-11	5.38E-12	1.21E-11	1.76E-11	6.3E-12 (S)	1.71E-05	2.3E+02	3.5E+02	4.6E+01	6.9E-01	1.1E+00	3.7E+00	6.3E+04	.
Indium (49)	In-116m	6.69E+03	1.04E-04	9.81E-12	2.92E-12	4.41E-12	6.14E-12	2.5E-12 (S)	3.31E-04	6.1E+01	8.8E+01	3.0E+01	1.3E-01	4.9E-01	1.0E+01	8.5E+05	.
Indium (49)	In-117	8.43E+03	8.22E-05	4.19E-12	1.26E-12	1.87E-12	2.62E-12	1.6E-12 (S)	7.86E-05	3.2E+02	4.7E+02	1.6E+02	4.6E-01	1.6E+00	2.4E+01	2.5E+06	.
Indium (49)	In-117m	3.13E+03	2.21E-04	3.09E-11	5.85E-12	1.20E-11	1.73E-11	6.7E-12 (S)	9.06E-06	1.0E+03	1.5E+03	1.3E+02	7.6E-01	1.1E+00	3.7E+00	1.5E+05	.
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-05	1.0E+06	1.5E+06	5.4E+05	3.5E+00	1.5E+01	5.9E+04	3.2E+12	.
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.63E-04	6.9E+02	1.0E+03	3.6E+02	1.2E-01	5.3E-01	2.0E+03	2.1E+09	.
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.56E-05	4.8E+03	7.0E+03	2.5E+03	4.5E-01	2.0E+00	7.4E+03	1.4E+10	.
Indium (49)	In-119m	2.02E+04	3.42E-05	4.26E-12	1.56E-12	2.02E-12	2.79E-12	9.5E-13 (S)	8.93E-06	6.8E+03	9.9E+03	2.3E+03	2.8E+00	6.0E+00	2.2E+01	5.7E+06	.
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.18E-04	2.4E+04	3.5E+04	1.2E+04	3.7E-01	1.6E+00	6.1E+03	7.2E+10	.
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.45E-06	3.8E+04	5.5E+04	2.0E+04	5.3E+00	2.3E+01	9.1E+04	1.1E+11	.
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.88E-04	3.9E+03	5.7E+03	2.0E+03	2.2E-01	9.7E-01	3.6E+03	7.4E+07	.
Iridium (77)	Ir-182	2.43E+04	2.85E-05	6.42E-12	2.04E-12	2.92E-12	4.07E-12	1.4E-12 (S)	1.66E-04	4.4E+02	6.4E+02	2.2E+02	2.4E-01	9.1E-01	1.5E+01	3.1E+04	.
Iridium (77)	Ir-183	6.28E+03	1.10E-04	1.08E-11	2.64E-12	4.58E-12	6.47E-12	2.7E-12 (S)	1.47E-04	1.3E+02	1.9E+02	6.5E+01	2.6E-01	8.8E-01	9.8E+00	5.1E+03	.
Iridium (77)	Ir-184	1.96E+03	3.53E-04	4.88E-11	1.02E-11	1.97E-11	2.82E-11	9.9E-12 (S)	2.41E-04	2.4E+01	3.6E+01	1.2E+01	1.4E-01	3.9E-01	2.3E+00	3.7E+02	.
Iridium (77)	Ir-185	4.22E+02	1.64E-03	1.09E-10	1.98E-11	4.26E-11	6.14E-11	2.3E-11 (S)	1.06E-04	1.2E+01	1.7E+01	5.3E+00	1.6E-01	2.9E-01	1.1E+00	3.7E+01	.
Iridium (77)	Ir-186	3.65E+02	1.90E-03	1.69E-10	3.27E-11	6.72E-11	9.64E-11	3.3E-11 (S)	2.03E-04	5.4E+00	7.9E+00	2.4E+00	9.8E-02	1.9E-01	6.7E-01	2.0E+01	.
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	1.66E-11	3.83E-12	6.92E-12	9.81E-12	3.5E-12 (S)	1.58E-04	6.0E+01	8.8E+01	3.0E+01	2.4E-01	7.8E-01	6.5E+00	1.7E+03	.
Iridium (77)	Ir-187	5.78E+02	1.20E-03	3.82E-11	6.94E-12	1.49E-11	2.14E-11	7.6E-12 (S)	3.47E-05	5.0E+01	7.3E+01	2.2E+01	4.8E-01	8.7E-01	3.0E+00	1.5E+02	.
Iridium (77)	Ir-188	1.46E+02	4.74E-03	1.85E-10	4.11E-11	7.72E-11	1.09E-10	4.1E-11 (S)	2.82E-04	1.5E+00	2.3E+00	7.2E-01	7.7E-02	1.5E-01	5.8E-01	7.1E+00	.
Iridium (77)	Ir-189	1.92E+01	3.62E-02	1.04E-10	1.65E-11	3.87E-11	5.65E-11	5.9E-11 (S)	4.32E-06	1.1E+01	1.9E+01	1.4E+00	1.0E-01	1.4E-01	1.2E+00	1.8E+00	.
Iridium (77)	Ir-190	2.15E+01	3.23E-02	2.89E-10	5.93E-11	1.17E-10	1.67E-10	1.4E-10 (S)	1.68E-04	3.8E-01	5.6E-01	1.5E-01	3.7E-02	5.4E-02	3.8E-01	6.9E-01	.
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	1.66E-12	3.53E-13	6.73E-13	9.60E-13	6.2E-13 (S)	1.92E-11	8.5E+05	4.1E+08	3.0E+04	1.0E+01	1.3E+01	6.7E+01	3.0E+04	.
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	2.85E-11	6.30E-12	1.18E-11	1.67E-11	6.2E-12 (S)	2.46E-06	2.1E+03	3.5E+03	4.1E+02	9.1E-01	1.3E+00	3.8E+00	6.3E+02	.
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.32E-06	3.1E+06	4.5E+06	1.6E+06	6.2E+00	2.7E+01	1.0E+05	3.7E+10	.
Iridium (77)	Ir-192	3.43E+00	2.02E-01	5.22E-10	8.93E-11	1.99E-10	2.89E-10	6.5E-10 (S)	9.15E-05	1.1E-01	1.6E-01	3.0E-02	9.3E-03	1.2E-02	2.2E-01	6.4E-02	.
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.83E-09	1.6E+08	2.3E+08	8.1E+07	6.4E+03	2.8E+04	1.0E+08	2.2E+12	.
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	3.72E-10	6.46E-11	1.42E-10	2.06E-10	4.3E-09 (S)	3.16E-08	2.9E-02	4.7E+00	6.8E-04	1.5E-03	1.9E-03	2.3E-01	7.6E-04	.
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.44E-10	2.13E-11	5.28E-11	7.75E-11	1.2E-10 (S)	1.25E-08	4.6E+01	7.1E+03	1.6E+00	5.1E-02	6.6E-02	8.5E-01	1.7E+00	.
Iridium (77)	Ir-194	3.15E+02	2.20E-03	6.34E-10	9.53E-11	2.33E-10	3.42E-10	9.2E-11 (S)	1.11E-05	5.3E+01	1.2E+02	4.4E+00	6.6E-02	8.6E-02	1.9E-01	5.0E+00	.
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	5.60E-10	1.19E-10	2.29E-10	3.25E-10	1.2E-09 (S)	2.73E-04	1.6E-02	2.4E-02	6.2E-03	5.1E-03	6.7E-03	1.9E-01	2.4E-02	.
Iridium (77)	Ir-195	2.43E+03	2.85E-04	2.81E-11	5.01E-12	1.07E-11	1.56E-11	6.5E-12 (S)	3.04E-06	2.2E+03	3.5E+03	4.9E+02	8.6E-01	1.2E+00	4.2E+00	8.5E+02	.
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	4.80E-11	8.24E-12	1.83E-11	2.65E-11	1.2E-11 (S)	4.01E-05	1.2E+02	1.7E+02	5.2E+01	3.4E-01	5.7E-01	2.5E+00	3.3E+02	.
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.89E-05	4.4E+04	6.4E+04	2.3E+04	1.5E+00	6.3E+00	2.4E+04	8.5E+08	.
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	2.05E-11	5.30E-12	8.81E-12	1.24E-11	5.7E-12 (S)	2.88E-04	4.5E+01	6.6E+01	2.3E+01	1.3E-01	4.4E-01	5.1E+00	1.8E+03	.
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.35E-04	3.3E+02	4.8E+02	1.7E+02	1.0E-01	4.4E-01	1.7E+03	2.7E+07	.
Potassium (19)	K-40	5.54E-10	1.25E+09	1.58E-09	4.07E-10	6.67E-10	9.24E-10	6.0E-09 (S)	2.16E-05	1.5E-03	8.1E-03	2.2E-06	1.0E-03	1.3E-03	3.1E-02	4.1E-04	2.5E-02
Potassium (19)	K-42	4.91E+02	1.41E-03	7.79E-11	2.27E-11	3.41E-11	4.70E-11	3.4E-11 (S)	3.98E-05	3.5E+01	5.4E+01	8.3E-01	1.6E-01	2.3E-01	1.3E+00	2.2E+02	.
Potassium (19)	K-43	2.72E+02	2.55E-03	4.57E-11	1.46E-11	2.10E-11	2.85E-11	2.9E-11 (S)	1.14E-04	7.1E+00	1.0E+01	6.5E-01	1.3E-01	2.3E-01	2.2E+00	2.0E+02	.
Potassium (19)	K-44	1.65E+04	4.21E-05	7.58E-12	3.03E-12	3.73E-12	5.11E-12	1.7E-12 (S)	3.35E-04	1.5E+02	2.2E+02	5.9E+01	1.3E-01	5.2E-01	1.2E+01	6.8E+04	.
Potassium (19)	K-45	2.11E+04	3.29E-05	4.41E-12	1.78E-12	2.18E-12	2.98E-12	1.0E-12 (S)	2.52E-04	2.5E+02	3.7E+02	1.1E+02	1.7E-01	6.9E-01	2.1E+01	1.5E+05	.
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.13E-04	1.5E+03	2.2E+03	7.8E+02	1.1E-01	4.7E-01	1.8E+03	1.3E+08	.
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E-04	8.0E+02	1.2E+03	4.1E+02	3.4E-01	1.5E+00	5.6E+03	.	.
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.49E-04	1.7E+03	2.5E+03	8.8E+02	2.8E-01	1.2E+00	4.5E+03	.	.
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.58E-05	2.7E+01	3.9E+01	1.4E+01	8.7E-01	3.8E+00	1.4E+04	.	.
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.58E-05	2.7E+01	3.9E+01	1.4E+01	8.7E-01	3.8E+00	1.4E+04	.	.
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.17E-04	1.3E+02	1.8E+02	6.5E+01	3.5E-01	1.5E+00	5.7E+03	.	.
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.89E-05	1.8E+01	2.6E+01	9.3E+00	1.4E+00	6.2E+00	2.4E+04	.	.
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.80E-08	1.3E+00	2.0E+00	4.4E-01	4.2E+02	1.9E+03	6.9E+06	.	.
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.24E-05	4.0E+05	5.9E+05	2.1E+05	2.9E+00	1.3E+01	4.7E+04	.	.
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.38E-10	3.0E+07	4.3E+07	1.5E+07	1.8E+04	8.0E+04	2.8E+08	.	.
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.87E-07	8.3E-01	1.2E+00	3.8E-01	1.3E+02	5.5E+02	2.2E+06	.	.
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.47E-05	2.8E+02	4.0E+02	1.4E+02	2.4E+00	1.0E+01	3.9E+04	.	.
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-04	1.3E+02	1.9E+02	6.8E+01	4.0E-01	1.8E+00	6.7E+03	.	.
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.75E-04	2.3E+01	3.4E+01	1.2E+01	1.6E-01	7.0E-01	2.7E+03	.	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.65E-04	1.3E+03	1.9E+03	6.8E+02	1.7E-01	7.2E-01	2.7E+03	.	.
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.50E-04	6.0E+02	8.8E+02	3.1E+02	1.2E-01	5.3E-01	2.0E+03	1.9E+10	.
Lanthanum (57)	La-129	3.14E+04	2.21E-05	3.22E-12	1.04E-12	1.47E-12	2.05E-12	6.4E-13 (S)	1.06E-04	8.9E+02	1.3E+03	4.6E+02	3.7E-01	1.5E+00	3.1E+01	1.3E+08	.
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.77E-04	4.6E+02	6.6E+02	2.3E+02	1.5E-01	6.7E-01	2.5E+03	1.5E+10	.
Lanthanum (57)	La-131	6.17E+03	1.12E-04	5.65E-12	1.50E-12	2.43E-12	3.43E-12	1.6E-12 (S)	7.35E-05	2.5E+02	3.7E+02	1.3E+02	4.9E-01	1.6E+00	1.9E+01	1.6E+07	.
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.33E-10	2.41E-11	5.14E-11	7.43E-11	1.9E-11 (S)	2.55E-04	1.5E+01	2.2E+01	7.6E+00	1.1E-01	2.7E-01	8.7E-01	1.5E+05	.
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.03E-11	2.03E-12	4.06E-12	5.84E-12	1.7E-12 (S)	7.67E-05	5.9E+02	8.6E+02	3.0E+02	4.7E-01	1.6E+00	1.1E+01	2.3E+07	.
Lanthanum (57)	La-133	1.55E+03	4.47E-04	9.67E-12	1.81E-12	3.77E-12	5.45E-12	1.6E-12 (S)	1.63E-05	2.9E+02	4.2E+02	1.5E+02	1.5E+00	3.5E+00	1.2E+01	2.5E+06	.
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-05	2.0E+03	2.9E+03	1.0E+03	4.9E-01	2.2E+00	8.1E+03	6.3E+10	.
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.01E-11	1.81E-12	3.94E-12	5.70E-12	1.4E-12 (S)	1.39E-06	6.3E+02	9.8E+02	3.0E+02	3.6E+00	5.3E+00	1.1E+01	4.9E+05	.
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.64E-05	2.4E+03	3.5E+03	1.2E+03	9.0E-01	3.9E+00	1.5E+04	7.5E+10	.
Lanthanum (57)	La-137	1.16E-05	6.00E+04	2.40E-11	4.56E-12	9.52E-12	1.37E-11	3.8E-10 (F)	1.86E-07	2.7E-01	9.4E-01	5.3E-02	1.6E-02	2.1E-02	3.5E+00	1.8E+01	.
Lanthanum (57)	La-138	6.79E-12	1.02E+11	2.20E-10	5.48E-11	9.58E-11	1.34E-10	8.2E-09 (F)	1.63E-04	7.0E-04	1.1E-03	2.3E-04	7.5E-04	9.7E-04	3.5E-01	1.9E+00	.
Lanthanum (57)	La-140	1.51E+02	4.60E-03	7.75E-10	1.30E-10	2.95E-10	4.29E-10	1.4E-10 (S)	3.10E-04	1.4E+00	2.1E+00	7.1E-01	3.5E-02	5.4E-02	1.5E-01	3.2E+03	.
Lanthanum (57)	La-141	1.55E+03	4.47E-04	1.41E-10	2.29E-11	5.26E-11	7.68E-11	2.2E-11 (S)	4.23E-06	8.3E+02	1.6E+03	3.3E+02	2.7E-01	3.6E-01	8.5E-01	1.8E+05	.
Lanthanum (57)	La-142	4.00E+03	1.73E-04	3.66E-11	8.36E-12	1.50E-11	2.14E-11	6.7E-12 (S)	3.35E-04	3.6E+01	5.2E+01	1.8E+01	1.2E-01	3.9E-01	3.0E+00	1.7E+06	.
Lanthanum (57)	La-143	2.57E+04	2.70E-05	7.98E-12	2.17E-12	3.42E-12	4.84E-12	1.6E-12 (S)	3.66E-05	2.1E+03	3.1E+03	1.1E+03	9.1E-01	2.5E+00	1.3E+01	4.7E+07	.
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	2.60E-12	8.67E-13	1.20E-12	1.67E-12	7.5E-13 (S)	1.32E-04	7.8E+02	1.1E+03	4.0E+02	3.1E-01	1.2E+00	3.7E+01	1.7E+08	.
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	8.28E-12	2.29E-12	3.63E-12	5.09E-12	2.5E-12 (S)	2.19E-04	9.7E+01	1.4E+02	5.0E+01	1.8E-01	6.8E-01	1.2E+01	1.2E+07	.
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	1.39E-10	2.94E-11	5.72E-11	8.13E-11	4.0E-11 (S)	1.65E-04	3.2E+00	4.7E+00	1.6E+00	9.7E-02	1.7E-01	7.9E-01	1.9E+04	.
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.17E-12	9.9E+10	1.4E+11	5.1E+10	1.0E+06	4.5E+06	1.6E+10	2.9E+17	.
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	2.33E-10	5.17E-11	9.72E-11	1.38E-10	5.5E-11 (S)	3.50E-04	1.1E+00	1.6E+00	5.5E-01	5.9E-02	1.1E-01	4.6E-01	7.7E+03	.
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	2.39E-10	4.24E-11	9.25E-11	1.34E-10	1.1E-10 (S)	7.26E-05	1.2E+00	1.9E+00	6.1E-01	5.4E-02	7.4E-02	4.9E-01	2.0E+03	.
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.17E-08	7.1E+07	1.0E+08	3.7E+07	1.7E+03	7.6E+03	2.7E+07	1.0E+15	.
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	3.79E-10	7.51E-11	1.52E-10	2.17E-10	1.6E-10 (S)	2.44E-04	4.6E-01	6.8E-01	2.3E-01	3.1E-02	4.6E-02	3.0E-01	1.5E+03	.
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.52E-11	1.2E+10	1.7E+10	6.1E+09	4.9E+05	2.2E+06	7.6E+09	9.9E+16	.
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	1.37E-10	2.32E-11	5.22E-11	7.57E-11	3.4E-10 (S)	1.21E-05	1.1E-01	1.8E-01	5.2E-02	1.8E-02	2.3E-02	8.4E-01	5.6E+01	.
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	1.12E-10	1.85E-11	4.23E-11	6.14E-11	4.1E-10 (S)	1.01E-05	5.6E-02	9.1E-02	2.6E-02	1.5E-02	2.0E-02	1.0E+00	2.8E+01	.
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	2.54E-10	3.87E-11	9.39E-11	1.38E-10	4.2E-10 (S)	2.48E-06	1.1E+00	3.1E+00	3.4E-01	1.5E-02	1.9E-02	4.7E-01	1.1E+02	.
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	6.72E-10	1.13E-10	2.55E-10	3.70E-10	4.8E-09 (F)	4.83E-05	2.1E-03	3.6E-03	6.1E-04	1.3E-03	1.7E-03	1.3E-01	6.6E-01	.
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	6.07E-11	9.98E-12	2.27E-11	3.32E-11	1.2E-11 (S)	7.61E-07	3.7E+03	9.6E+03	1.2E+03	5.0E-01	6.6E-01	2.0E+00	4.4E+05	.
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	2.59E-10	3.88E-11	9.53E-11	1.40E-10	1.3E-10 (S)	3.08E-06	2.0E+01	5.4E+01	6.8E+00	4.9E-02	6.4E-02	4.7E-01	2.4E+03	.
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	6.60E-10	1.11E-10	2.51E-10	3.65E-10	1.5E-09 (S)	9.81E-05	4.5E-02	7.0E-02	2.2E-02	4.0E-03	5.2E-03	1.8E-01	3.7E+01	.
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	4.99E-12	1.65E-12	2.27E-12	3.17E-12	1.4E-12 (S)	1.64E-05	2.3E+03	3.4E+03	1.2E+03	1.6E+00	3.8E+00	2.0E+01	3.4E+07	.
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	3.57E-12	1.27E-12	1.69E-12	2.34E-12	1.5E-12 (S)	1.09E-04	4.4E+02	6.3E+02	2.2E+02	3.3E-01	1.2E+00	2.7E+01	5.6E+07	.
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	8.55E-11	1.37E-11	3.19E-11	4.66E-11	1.4E-11 (S)	3.12E-06	1.0E+03	1.9E+03	4.1E+02	4.2E-01	5.5E-01	1.4E+00	2.5E+05	.
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.93E-04	9.9E+02	1.4E+03	5.1E+02	2.2E-01	9.7E-01	3.7E+03	3.1E+10	.
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.56E-05	4.8E+03	6.9E+03	2.5E+03	6.3E-01	2.7E+00	1.0E+04	1.4E+11	.
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.14E-04	1.0E+03	1.5E+03	5.2E+02	3.8E-01	1.7E+00	6.3E+03	2.5E+07	.
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	8.29E-10	1.40E-10	3.06E-10	4.45E-10	1.5E-10 (S)	1.77E-04	4.7E+00	7.2E+00	8.5E-01	3.6E-02	5.2E-02	1.5E-01	4.4E+00	.
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.00E-04	1.0E+03	1.5E+03	5.4E+02	7.3E-02	3.2E-01	1.2E+03	7.8E+09	.
Manganese (25)	Mn-51	7.88E+03	8.79E-05	1.30E-11	3.70E-12	5.66E-12	7.96E-12	2.7E-12 (S)	1.18E-04	2.0E+02	2.9E+02	1.0E+02	3.1E-01	1.0E+00	8.0E+00	2.0E+06	.
Manganese (25)	Mn-52	4.52E+01	1.53E-02	4.10E-10	9.72E-11	1.75E-10	2.45E-10	1.3E-10 (S)	4.51E-04	3.0E-01	4.4E-01	1.5E-01	3.3E-02	5.5E-02	2.6E-01	3.6E+02	.
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	7.20E-12	2.61E-12	3.42E-12	4.73E-12	1.4E-12 (S)	3.11E-04	1.7E+02	2.4E+02	8.6E+01	1.4E-01	5.5E-01	1.3E+01	7.1E+06	.
Manganese (25)	Mn-53	1.87E-07	3.70E+06	1.10E-11	1.87E-12	4.17E-12	6.01E-12	2.6E-11 (S)	0.00E+00	5.6E-01	8.5E+02	7.0E-02	2.4E-01	3.1E-01	6.4E+00	7.7E+00	.
Manganese (25)	Mn-54	8.10E-01	8.55E-01	1.33E-10	3.99E-11	6.15E-11	8.39E-11	3.3E-10 (S)	1.05E-04	2.3E-02	3.4E-02	1.1E-02	1.8E-02	2.4E-02	7.1E-01	1.8E+01	7.6E+03
Manganese (25)	Mn-56	2.35E+03	2.94E-04	7.10E-11	1.38E-11	2.78E-11	4.01E-11	1.2E-11 (S)	2.28E-04	3.1E+01	4.5E+01	1.6E+01	1.4E-01	3.7E-01	1.6E+00	1.2E+05	.
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.19E-05	6.5E+04	9.4E+04	3.3E+04	3.4E+00	1.5E+01	5.7E+04	4.5E+11	.
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.19E-04	3.2E+03	4.6E+03	1.6E+03	1.4E-01	6.0E-01	2.3E+03	2.4E+10	.
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	3.69E-12	1.48E-12	1.82E-12	2.50E-12	1.2E-12 (S)	1.92E-04	3.9E+02	5.7E+02	2.0E+02	2.2E-01	8.6E-01	2.5E+01	6.4E+05	.
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	5.74E-12	2.30E-12	2.81E-12	3.86E-12	1.2E-12 (S)	1.84E-06	4.6E+04	7.7E+04	2.0E+04	4.0E+00	6.1E+00	1.6E+01	5.4E+05	.
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.49E-04	3.5E+03	5.1E+03	1.8E+03	2.8E-01	1.2E+00	4.7E+03	8.5E+08	.
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.54E-11	1.34E-11	1.75E-11	2.33E-11	3.7E-11 (S)	9.31E-05	3.5E+01	5.1E+01	1.7E+01	1.2E-01	2.0E-01	2.6E+00	3.0E+03	.
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	5.20E-12	2.08E-12	2.55E-12	3.50E-12	1.1E-12 (S)	1.17E-04	6.0E+02	8.8E+02	3.1E+02	3.4E-01	1.3E+00	1.8E+01	4.4E+05	.
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.76E-04	5.8E+03	8.4E+03	3.0E+03	2.5E-01	1.1E+00	4.1E+03	1.4E+09	.
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.31E-10	8.44E-11	8.44E-11	1.05E-10	1.5E-10 (S)	5.74E-09	1.7E-02	1.2E+01	2.3E-03	4.1E-02	5.3E-02	2.5E-01	1.0E-02	.
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.79E-11	7.04E-12	9.01E-12	1.20E-11	1.3E-11 (S)	3.03E-04	8.8E+00	1.3E+01	4.5E+00	1.1E-01	3.1E-01	5.0E+00	4.7E+03	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	8.96E-11	3.19E-11	4.32E-11	5.70E-11	1.3E-10 (S)	1.78E-05	1.3E+01	2.3E+01	5.3E+00	4.7E-02	6.1E-02	1.1E+00	1.0E+02	.
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E-04	1.0E+03	1.5E+03	5.2E+02	3.5E-01	1.5E+00	5.7E+03	3.8E+06	.
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.04E-04	1.3E+04	1.9E+04	6.7E+03	6.1E-02	2.6E-01	9.9E+02	5.5E+07	.
Sodium (11)	Na-22	2.66E-01	2.60E+00	5.14E-10	2.02E-10	2.60E-10	3.41E-10	2.6E-09 (S)	2.79E-04	2.8E-03	4.2E-03	4.7E-04	2.3E-03	3.0E-03	1.7E-01	4.2E-03	1.0E+01
Sodium (11)	Na-24	4.06E+02	1.71E-03	6.82E-11	2.51E-11	3.32E-11	4.44E-11	3.3E-11 (S)	5.93E-04	2.1E+00	3.0E+00	9.4E-01	5.4E-02	1.4E-01	1.4E+00	5.2E+01	.
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.40E-04	2.1E+03	3.0E+03	1.1E+03	2.9E-01	1.3E+00	4.8E+03	1.8E+10	.
Niobium (41)	Nb-88	2.51E+04	2.76E-05	7.09E-12	2.72E-12	3.46E-12	4.75E-12	1.4E-12 (S)	5.27E-04	1.4E+02	2.1E+02	7.4E+01	8.0E-02	3.4E-01	1.3E+01	1.3E+07	.
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.21E-04	2.7E+02	3.9E+02	1.4E+02	8.3E-02	3.6E-01	1.4E+03	2.5E+09	.
Niobium (41)	Nb-89	2.99E+03	2.32E-04	7.00E-11	1.38E-11	2.75E-11	3.97E-11	1.1E-11 (S)	1.76E-04	5.1E+01	7.4E+01	2.6E+01	1.7E-01	4.2E-01	1.6E+00	1.9E+05	.
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	2.52E-11	6.23E-12	1.06E-11	1.50E-11	4.9E-12 (S)	1.55E-04	1.1E+02	1.6E+02	5.5E+01	2.2E-01	6.9E-01	4.2E+00	9.1E+05	.
Niobium (41)	Nb-90	4.16E+02	1.67E-03	3.90E-10	7.41E-11	1.54E-10	2.21E-10	6.5E-11 (S)	5.74E-04	2.2E+00	3.2E+00	1.1E+00	4.3E-02	9.0E-02	2.9E-01	4.7E+03	.
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.95E-11	2.99E-12	7.23E-12	1.06E-11	1.4E-10 (S)	1.93E-07	3.0E-01	9.2E-01	5.0E-02	4.6E-02	5.9E-02	4.5E+00	6.9E+00	.
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	1.97E-10	2.97E-11	7.26E-11	1.06E-10	3.9E-10 (S)	3.28E-06	2.4E+00	5.5E+00	7.0E-01	1.6E-02	2.0E-02	6.2E-01	1.0E+02	.
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.02E-10	5.38E-11	8.97E-11	1.24E-10	2.0E-09 (S)	1.87E-04	6.1E-04	9.4E-04	2.0E-04	3.0E-03	4.0E-03	3.7E-01	5.6E-01	.
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	1.06E-10	2.55E-11	4.57E-11	6.41E-11	3.9E-11 (S)	1.23E-04	6.0E-01	8.9E-01	3.0E-01	1.1E-01	1.8E-01	9.9E-01	9.6E+02	.
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	6.08E-11	9.31E-12	2.25E-11	3.29E-11	1.6E-10 (S)	1.03E-09	3.1E-01	1.4E+02	4.4E-02	3.8E-02	4.9E-02	1.6E+00	4.1E+00	.
Niobium (41)	Nb-94	3.41E-05	2.03E+04	5.24E-10	1.05E-10	2.10E-10	3.00E-10	3.6E-09 (S)	1.95E-04	5.8E-04	9.0E-04	1.8E-04	1.7E-03	2.2E-03	1.6E-01	2.4E-01	9.3E+00
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.62E-07	3.1E+05	4.5E+05	1.6E+05	7.5E+01	3.3E+02	1.2E+06	2.8E+12	.
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.64E-10	3.32E-11	6.63E-11	9.46E-11	1.7E-10 (S)	9.53E-05	2.2E-01	3.3E-01	1.1E-01	3.3E-02	4.5E-02	6.8E-01	1.9E+02	.
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	2.88E-10	4.36E-11	1.06E-10	1.56E-10	1.0E-10 (S)	6.44E-06	2.2E+01	4.8E+01	7.2E+00	6.1E-02	7.9E-02	4.2E-01	1.2E+03	.
Niobium (41)	Nb-96	2.60E+02	2.67E-03	3.46E-10	6.50E-11	1.36E-10	1.96E-10	6.6E-11 (S)	3.10E-04	2.5E+00	3.7E+00	1.3E+00	5.6E-02	1.0E-01	3.3E-01	3.4E+03	.
Niobium (41)	Nb-97	5.05E+03	1.37E-04	1.28E-11	3.08E-12	5.30E-12	7.55E-12	3.1E-12 (S)	8.14E-05	1.9E+02	2.7E+02	9.6E+01	4.2E-01	1.2E+00	8.5E+00	1.7E+06	.
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	1.62E-11	4.68E-12	7.17E-12	1.01E-11	3.4E-12 (S)	3.66E-04	5.8E+01	8.5E+01	3.0E+01	1.1E-01	4.3E-01	6.3E+00	1.7E+06	.
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-05	3.0E+05	4.4E+05	1.5E+05	2.2E+00	9.5E+00	3.6E+04	2.0E+12	.
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.06E-04	4.0E+03	5.8E+03	2.0E+03	4.1E-01	1.8E+00	6.9E+03	3.7E+10	.
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.71E-05	2.3E+03	3.3E+03	1.2E+03	6.9E-01	3.0E+00	1.1E+04	8.2E+09	.
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	6.44E-12	2.19E-12	3.00E-12	4.16E-12	1.4E-12 (S)	1.45E-04	6.1E+02	8.9E+02	3.1E+02	2.7E-01	1.0E+00	1.5E+01	7.5E+06	.
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	1.72E-11	4.45E-12	7.32E-12	1.03E-11	3.6E-12 (S)	2.64E-05	8.1E+02	1.2E+03	4.1E+02	7.9E-01	1.7E+00	6.2E+00	7.5E+05	.
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	9.55E-12	2.43E-12	4.05E-12	5.73E-12	1.9E-12 (S)	1.43E-04	2.0E+02	2.9E+02	1.0E+02	2.7E-01	1.0E+00	1.1E+01	1.8E+06	.
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	2.47E-10	4.03E-11	9.26E-11	1.35E-10	3.4E-11 (S)	1.85E-06	8.4E+02	2.8E+03	2.1E+02	1.8E-01	2.4E-01	4.8E-01	9.9E+03	.
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	3.25E-12	8.83E-13	1.40E-12	1.98E-12	6.7E-13 (S)	5.11E-05	7.2E+02	1.1E+03	3.7E+02	7.5E-01	2.8E+00	3.2E+01	6.7E+06	.
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	6.77E-11	1.36E-11	2.72E-11	3.89E-11	1.3E-11 (S)	1.95E-04	1.7E+01	2.5E+01	8.7E+00	1.5E-01	3.8E-01	1.7E+00	3.1E+04	.
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	9.04E-10	1.39E-10	3.36E-10	4.91E-10	1.6E-10 (S)	3.03E-07	2.5E+01	1.0E+03	4.5E+00	3.8E-02	4.9E-02	1.3E-01	1.7E+02	.
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	2.10E-12	4.43E-13	8.49E-13	1.22E-12	3.7E-13 (S)	6.25E-06	1.2E+03	1.7E+03	6.0E+02	4.5E+00	1.2E+01	5.3E+01	2.2E+06	.
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.0E+00 (0)	8.62E-05	1.2E+04	1.8E+04	6.3E+03	5.0E-01	2.2E+00	8.3E+03	4.9E+10	.
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	1.45E-09	7.05E-10	8.29E-10	1.06E-09	2.8E-07 (F)	0.00E+00	6.0E-03	2.1E+00	7.0E-04	2.2E-05	2.8E-05	4.2E-02	2.7E-02	.
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	5.11E-10	7.73E-11	1.89E-10	2.76E-10	2.5E-10 (S)	1.32E-05	3.8E+00	7.6E+00	1.3E+00	2.4E-02	3.1E-02	2.4E-01	9.2E+01	.
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	3.82E-11	6.91E-12	1.47E-11	2.13E-11	8.6E-12 (S)	3.91E-05	2.7E+02	3.9E+02	1.4E+02	4.2E-01	7.7E-01	3.1E+00	1.8E+05	.
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	4.53E-12	1.20E-12	1.93E-12	2.73E-12	1.0E-12 (S)	1.04E-04	8.5E+02	1.2E+03	4.4E+02	3.8E-01	1.4E+00	2.3E+01	1.2E+07	.
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	4.29E-12	1.64E-12	2.07E-12	2.85E-12	1.1E-12 (S)	1.74E-05	5.5E+03	8.1E+03	2.8E+03	1.6E+00	4.1E+00	2.2E+01	1.2E+07	.
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E-04	3.2E+04	4.6E+04	1.6E+04	3.5E-01	1.5E+00	5.7E+03	.	.
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.41E-05	5.1E+03	7.4E+03	2.6E+03	6.5E-01	2.8E+00	1.1E+04	.	.
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.75E-10	4.44E-11	7.66E-11	1.07E-10	1.1E-10 (V)	2.09E-04	5.9E-01	8.7E-01	3.0E-01	.	.	5.9E-01	1.8E+02	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	2.79E-10	5.36E-11	1.10E-10	1.58E-10	5.5E-11 (S)	2.56E-04	2.0E+00	2.9E+00	1.0E+00	.	.	4.1E-01	5.1E+02	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	1.83E-11	3.86E-12	7.34E-12	1.04E-11	6.5E-11 (V)	1.83E-09	5.6E-01	7.8E+01	7.3E-02	.	.	4.4E+00	1.2E+00	8.4E+01
Nickel (28)	Ni-63	6.92E-03	1.00E+02	4.61E-11	9.62E-12	1.84E-11	2.62E-11	1.6E-10 (V)	0.00E+00	2.5E-01	1.8E+02	3.3E-02	.	.	1.8E+00	5.6E-01	1.5E+01
Nickel (28)	Ni-65	2.41E+03	2.87E-04	4.84E-11	8.99E-12	1.87E-11	2.71E-11	1.9E-11 (V)	7.54E-05	9.6E+01	1.4E+02	4.9E+01	.	.	2.4E+00	4.2E+04	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	1.48E-09	2.22E-10	5.44E-10	7.98E-10	2.7E-10 (S)	9.53E-10	2.1E+01	1.9E+04	4.3E+00	.	.	8.2E-02	6.7E+01	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.08E-12	4.25E-13	5.36E-13	7.33E-13	1.4E-12 (S)	1.41E-04	5.3E+02	7.7E+02	2.6E+02	2.8E-01	1.1E+00	8.3E+01	2.1E+04	.
Neptunium (93)	Np-233	1.01E+04	6.89E-05	3.02E-13	9.96E-14	1.40E-13	1.95E-13	8.4E-14 (S)	6.15E-06	4.9E+03	7.2E+03	1.9E+03	4.6E+00	1.7E+01	3.2E+02	3.4E+04	.
Neptunium (93)	Np-234	5.75E+01	1.21E-02	1.84E-10	3.74E-11	7.45E-11	1.06E-10	4.4E-11 (S)	1.45E-04	1.2E+00	1.7E+00	6.6E-02	9.6E-02	1.6E-01	6.0E-01	3.6E-01	.
Neptunium (93)	Np-235	6.39E-01	1.09E+00	2.73E-11	4.14E-12	1.01E-11	1.48E-11	5.5E-11 (S)	3.82E-08	6.3E+00	7.2E+01	5.9E-03	1.1E-01	1.4E-01	4.3E+00	2.9E-02	.
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	2.73E-11	4.14E-12	1.01E-11	1.48E-11	5.5E-11 (S)	3.82E-08	6.3E+00	7.2E+01	5.9E-03	1.1E-01	1.4E-01	4.3E+00	2.9E-02	.
Neptunium (93)	Np-236	4.50E-06	1.54E+05	7.60E-10	2.60E-10	3.60E-10	4.93E-10	9.1E-08 (F)	1.05E-05	5.9E-03	1.7E-02	7.0E-06	6.8E-05	8.8E-05	9.4E-02	3.7E-05	.
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	8.20E-11	1.29E-11	3.05E-11	4.47E-11	3.5E-10 (S)	3.57E-06	1.9E+02	3.3E+02	8.2E-01	1.8E-02	2.3E-02	1.5E+00	4.1E+00	.
Neptunium (93)	Np-237	3.23E-07	2.14E+06	3.37E-09	1.27E-09	1.68E-09	2.24E-09	7.8E-07 (S)	1.40E-06	2.8E-03	1.1E-01	1.5E-06	8.0E-06	1.0E-05	2.0E-02	8.1E-06	6.0E-03
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	3.81E-09	1.34E-09	1.85E-09	2.48E-09	7.8E-07 (S)	2.31E-05	1.7E-03	7.5E-03	1.4E-06	8.0E-06	1.0E-05	1.8E-02	7.3E-06	6.0E-03

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Neptunium (93)	Np-238	1.19E+02	5.80E-03	3.76E-10	6.14E-11	1.41E-10	2.06E-10	1.4E-10 (S)	7.51E-05	4.6E+00	7.0E+00	7.7E-02	4.1E-02	5.6E-02	3.2E-01	4.0E-01	.
Neptunium (93)	Np-239	1.07E+02	6.46E-03	3.80E-10	5.91E-11	1.41E-10	2.06E-10	1.2E-10 (S)	1.54E-05	1.7E+01	3.1E+01	7.1E-02	5.0E-02	6.6E-02	3.2E-01	3.6E-01	.
Neptunium (93)	Np-240	5.88E+03	1.18E-04	1.22E-11	3.22E-12	5.21E-12	7.36E-12	4.6E-12 (S)	1.26E-04	1.4E+02	2.0E+02	4.4E+01	2.7E-01	8.0E-01	8.6E+00	5.3E+02	.
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.94E-05	3.8E+03	5.6E+03	2.0E+03	1.1E+00	4.7E+00	1.8E+04	9.4E+06	.
Neptunium (93)	Np-241	2.62E+04	2.64E-05	1.37E-12	5.31E-13	6.63E-13	9.15E-13	5.2E-13 (S)	3.10E-06	2.5E+04	3.7E+04	3.0E+03	5.6E+00	1.2E+01	6.8E+01	1.9E+04	.
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.57E-05	1.4E+04	2.0E+04	7.2E+03	1.2E+00	5.3E+00	2.0E+04	3.5E+07	.
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.11E-04	1.8E+03	2.6E+03	9.2E+02	3.8E-01	1.7E+00	6.3E+03	4.4E+06	.
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.54E-04	2.0E+03	3.0E+03	1.1E+03	9.6E-02	4.2E-01	1.6E+03	.	.
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E-04	5.0E+03	7.2E+03	2.6E+03	3.5E-01	1.5E+00	5.7E+03	.	.
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.22E-04	2.0E+04	3.0E+04	1.0E+04	3.5E-01	1.5E+00	5.8E+03	.	.
Osmium (76)	Os-180	1.69E+04	4.09E-05	2.15E-12	7.75E-13	1.03E-12	1.42E-12	7.2E-13 (S)	9.85E-06	5.2E+03	7.5E+03	2.6E+03	2.5E+00	6.4E+00	4.4E+01	8.7E+06	.
Osmium (76)	Os-181	3.47E+03	2.00E-04	2.38E-11	5.06E-12	9.69E-12	1.38E-11	5.1E-12 (S)	1.69E-04	6.2E+01	9.0E+01	3.2E+01	2.1E-01	6.5E-01	4.6E+00	1.9E+05	.
Osmium (76)	Os-182	2.75E+02	2.52E-03	1.84E-10	3.43E-11	7.24E-11	1.04E-10	4.1E-11 (S)	4.39E-05	1.8E+01	2.7E+01	8.8E+00	1.3E-01	1.9E-01	6.2E-01	2.0E+03	.
Osmium (76)	Os-183	4.67E+02	1.48E-03	7.14E-11	1.34E-11	2.81E-11	4.04E-11	1.8E-11 (S)	6.44E-05	2.2E+01	3.2E+01	1.1E+01	2.2E-01	3.8E-01	1.6E+00	8.7E+03	.
Osmium (76)	Os-183m	6.13E+02	1.13E-03	5.44E-11	1.15E-11	2.23E-11	3.17E-11	1.2E-11 (S)	1.27E-04	1.5E+01	2.1E+01	7.4E+00	2.0E-01	4.5E-01	2.0E+00	1.4E+04	.
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.19E-10	2.72E-11	5.02E-11	7.08E-11	1.6E-10 (S)	8.05E-05	9.9E-02	1.5E-01	5.0E-02	3.6E-02	4.9E-02	8.9E-01	2.8E+01	.
Osmium (76)	Os-186	3.47E-16	2.00E+15	4.46E-09	1.47E-09	2.12E-09	2.83E-09	3.2E-07 (S)	0.00E+00	2.0E-03	1.1E+00	3.1E-04	1.9E-05	2.5E-05	1.6E-02	7.1E-03	.
Osmium (76)	Os-189m	1.05E+03	6.62E-04	7.20E-12	1.13E-12	2.67E-12	3.91E-12	8.9E-13 (S)	1.60E-11	4.0E+04	3.3E+07	9.3E+03	7.0E+00	9.0E+00	1.7E+01	2.1E+05	.
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.83E-04	6.1E+02	8.8E+02	3.1E+02	2.3E-01	9.9E-01	3.7E+03	1.6E+09	.
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.71E-10	4.15E-11	1.00E-10	1.47E-10	2.0E-10 (S)	4.80E-06	6.4E+00	1.5E+01	2.2E+00	3.1E-02	4.0E-02	4.5E-01	8.6E+01	.
Osmium (76)	Os-191m	4.63E+02	1.50E-03	4.60E-11	6.96E-12	1.70E-11	2.49E-11	1.8E-11 (S)	2.23E-07	1.9E+03	9.1E+03	5.4E+02	3.5E-01	4.5E-01	2.6E+00	1.4E+04	.
Osmium (76)	Os-193	2.02E+02	3.44E-03	3.96E-10	5.94E-11	1.46E-10	2.14E-10	7.5E-11 (S)	6.66E-06	5.5E+01	1.3E+02	1.9E+01	8.1E-02	1.1E-01	3.1E-01	7.3E+02	.
Osmium (76)	Os-194	1.16E-01	6.00E+00	1.13E-09	1.80E-10	4.22E-10	6.15E-10	6.9E-09 (S)	4.17E-08	3.0E-02	8.7E+00	6.6E-03	9.0E-04	1.2E-03	9.5E-02	1.4E-01	.
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	1.76E-09	2.75E-10	6.55E-10	9.57E-10	7.0E-09 (S)	1.12E-05	1.2E-02	4.8E-02	3.4E-03	8.9E-04	1.1E-03	6.1E-02	8.7E-02	.
Osmium (76)	Os-196	1.04E+04	6.64E-05	1.32E-11	4.03E-12	5.86E-12	8.22E-12	3.4E-12 (S)	8.14E-06	3.8E+03	5.6E+03	1.9E+03	1.3E+00	2.1E+00	7.7E+00	9.4E+05	.
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E-04	3.6E+03	5.3E+03	1.9E+03	3.4E-01	1.5E+00	5.7E+03	1.9E+09	.
Phosphorus (15)	P-32	1.77E+01	3.91E-02	5.79E-10	1.44E-10	2.42E-10	3.32E-10	3.8E-10 (S)	2.55E-07	5.3E+00	3.2E+02	7.1E-04	1.7E-02	2.1E-02	1.9E-01	7.8E+00	.
Phosphorus (15)	P-33	9.98E+00	6.94E-02	6.47E-11	1.52E-11	2.64E-11	3.67E-11	1.7E-10 (S)	1.00E-09	2.7E+01	1.7E+04	3.6E-03	3.8E-02	4.8E-02	1.7E+00	4.0E+01	.
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	6.00E-11	1.75E-11	2.62E-11	3.69E-11	5.7E-09 (S)	1.13E-06	1.6E+04	3.7E+04	5.6E+03	1.1E-03	1.4E-03	1.7E+00	8.5E+05	.
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	2.44E-10	4.56E-11	9.58E-11	1.38E-10	6.5E-09 (S)	1.67E-04	4.9E+00	7.2E+00	2.5E+00	9.6E-04	1.2E-03	4.7E-01	6.7E+03	.
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	3.26E-11	5.48E-12	1.24E-11	1.80E-11	6.6E-10 (S)	3.91E-06	1.2E+02	1.9E+02	5.6E+01	9.5E-03	1.2E-02	3.6E+00	3.2E+04	.
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	2.55E-10	4.79E-11	1.00E-10	1.44E-10	6.2E-08 (S)	7.95E-05	5.3E-01	8.0E-01	2.6E-01	1.0E-04	1.3E-04	4.5E-01	3.4E+02	.
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	8.05E-09	4.17E-09	4.66E-09	6.10E-09	2.1E-06 (F)	3.44E-06	9.9E-04	4.5E-02	1.5E-04	3.0E-06	3.9E-06	7.3E-03	1.5E-02	3.0E+01
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	2.43E-10	4.30E-11	9.38E-11	1.36E-10	1.9E-10 (S)	1.16E-04	4.9E+00	7.3E+00	2.5E+00	3.0E-02	4.1E-02	4.8E-01	4.8E+03	.
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.45E-10	6.98E-11	1.66E-10	2.42E-10	4.1E-10 (S)	2.17E-05	1.1E+00	1.9E+00	4.6E-01	1.5E-02	1.9E-02	2.7E-01	1.3E+02	.
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	1.45E-10	2.61E-11	5.60E-11	8.11E-11	3.2E-11 (S)	1.79E-04	1.5E+01	2.2E+01	7.7E+00	1.1E-01	2.0E-01	8.0E-01	3.8E+04	.
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.45E-06	3.8E+05	5.6E+05	2.0E+05	1.7E+01	7.3E+01	2.9E+05	4.7E+12	.
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	2.67E-12	9.32E-13	1.24E-12	1.73E-12	8.6E-13 (S)	1.20E-07	2.9E+05	5.4E+05	1.2E+05	6.9E+00	9.2E+00	3.6E+01	2.8E+07	.
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.20E-04	1.0E+03	1.5E+03	5.2E+02	3.6E-01	1.6E+00	6.0E+03	1.3E+10	.
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.57E-05	1.7E+03	2.4E+03	8.6E+02	5.7E-01	2.5E+00	9.4E+03	2.0E+10	.
Lead (82)	Pb-194	3.04E+04	2.28E-05	2.20E-12	8.40E-13	1.07E-12	1.47E-12	6.1E-13 (S)	1.32E-04	6.9E+02	1.0E+03	3.6E+02	3.1E-01	1.3E+00	4.2E+01	5.0E+06	.
Lead (82)	Pb-195m	2.43E+04	2.85E-05	2.96E-12	1.09E-12	1.43E-12	1.96E-12	1.1E-12 (S)	1.95E-04	3.8E+02	5.5E+02	1.9E+02	2.1E-01	8.3E-01	3.1E+01	3.0E+06	.
Lead (82)	Pb-196	9.84E+03	7.04E-05	4.13E-12	1.34E-12	1.90E-12	2.63E-12	1.3E-12 (S)	5.05E-05	5.9E+02	8.5E+02	3.0E+02	6.6E-01	2.2E+00	2.4E+01	9.1E+05	.
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.95E-04	7.0E+02	1.0E+03	3.6E+02	2.2E-01	9.6E-01	3.6E+03	6.5E+08	.
Lead (82)	Pb-197m	8.47E+03	8.18E-05	6.57E-12	2.06E-12	2.99E-12	4.15E-12	2.7E-12 (S)	1.35E-04	1.9E+02	2.7E+02	9.7E+01	2.7E-01	9.2E-01	1.5E+01	5.0E+05	.
Lead (82)	Pb-198	2.53E+03	2.74E-04	1.61E-11	4.39E-12	7.04E-12	9.81E-12	4.2E-12 (S)	4.39E-05	1.7E+02	2.5E+02	8.8E+01	5.5E-01	1.3E+00	6.4E+00	6.3E+04	.
Lead (82)	Pb-199	4.05E+03	1.71E-04	7.32E-12	2.05E-12	3.22E-12	4.50E-12	1.9E-12 (S)	1.29E-04	9.4E+01	1.4E+02	4.8E+01	3.0E-01	1.1E+00	1.4E+01	2.2E+05	.
Lead (82)	Pb-200	2.82E+02	2.45E-03	1.06E-10	2.37E-11	4.29E-11	6.10E-11	3.5E-11 (S)	1.61E-05	4.9E+01	7.7E+01	2.3E+01	1.6E-01	2.2E-01	1.1E+00	1.2E+03	.
Lead (82)	Pb-201	6.51E+02	1.07E-03	3.92E-11	9.31E-12	1.62E-11	2.29E-11	1.1E-11 (S)	8.55E-05	2.3E+01	3.3E+01	1.2E+01	2.6E-01	5.5E-01	2.8E+00	7.1E+03	.
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.26E-05	2.5E+04	3.7E+04	1.3E+04	9.8E-01	4.3E+00	1.6E+04	2.3E+10	.
Lead (82)	Pb-202	1.32E-05	5.25E+04	1.66E-09	6.66E-10	9.12E-10	1.22E-09	3.7E-09 (S)	8.08E-11	5.1E-03	2.4E+00	6.0E-04	1.7E-03	2.1E-03	3.7E-02	5.6E-03	.
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	1.74E-09	6.94E-10	9.52E-10	1.27E-09	3.8E-09 (S)	4.89E-05	1.6E-03	3.6E-03	3.3E-04	1.6E-03	2.1E-03	3.5E-02	5.3E-03	.
Lead (82)	Pb-202m	1.72E+03	4.03E-04	3.01E-11	7.88E-12	1.29E-11	1.81E-11	7.2E-12 (S)	2.45E-04	2.1E+01	3.1E+01	1.1E+01	1.5E-01	4.5E-01	3.5E+00	2.3E+04	.
Lead (82)	Pb-203	1.17E+02	5.92E-03	7.03E-11	1.53E-11	2.81E-11	4.01E-11	2.3E-11 (S)	2.96E-05	1.2E+01	1.7E+01	5.7E+00	2.2E-01	3.3E-01	1.6E+00	7.3E+02	.
Lead (82)	Pb-204m	5.42E+03	1.28E-04	7.44E-12	2.38E-12	3.44E-12	4.76E-12	1.5E-12 (S)	2.58E-04	6.3E+01	9.2E+01	3.3E+01	1.6E-01	6.4E-01	1.3E+01	2.8E+05	.
Lead (82)	Pb-205	4.53E-08	1.53E+07	3.16E-11	1.30E-11	1.67E-11	2.17E-11	6.2E-11 (S)	8.17E-11	2.9E-01	1.2E+02	3.4E-02	1.0E-01	1.3E-01	2.0E+00	3.1E-01	.
Lead (82)	Pb-209	1.87E+03	3.71E-04	1.69E-11	3.30E-12	6.51E-12	9.42E-12	5.6E-12 (S)	1.45E-08	3.0E+04	6.1E+05	5.6E+03	1.1E+00	1.4E+00	6.9E+00	5.0E+04	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.64E-08	1.62E-08	2.39E-08	3.18E-08	4.3E-07 (S)	4.01E-08	2.9E-04	1.4E-01	4.0E-05	1.4E-05	1.9E-05	1.5E-03	3.4E-04	1.2E-02
Lead (82)	Pb-211	1.01E+04	6.87E-05	2.58E-11	7.10E-12	1.11E-11	1.57E-11	1.1E-09 (S)	7.86E-06	3.7E+03	5.6E+03	1.8E+03	5.7E-03	7.3E-03	4.1E+00	1.6E+05	.
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.71E-09	3.55E-10	6.80E-10	9.64E-10	1.7E-08 (S)	1.34E-05	5.5E+01	1.9E+02	1.4E+01	3.6E-04	4.6E-04	6.6E-02	1.5E+02	.
Lead (82)	Pb-214	1.36E+04	5.10E-05	2.14E-11	5.96E-12	9.31E-12	1.31E-11	1.1E-09 (S)	2.69E-05	1.5E+03	2.2E+03	7.6E+02	5.7E-03	7.4E-03	4.8E+00	2.6E+05	.
Palladium (46)	Pd-100	6.97E+01	9.95E-03	2.55E-10	5.12E-11	1.03E-10	1.47E-10	7.8E-11 (S)	5.46E-06	2.3E+01	5.6E+01	7.7E+00	7.8E-02	1.0E-01	4.4E-01	1.4E+02	.
Palladium (46)	Pd-101	7.17E+02	9.67E-04	2.79E-11	5.37E-12	1.11E-11	1.59E-11	5.1E-12 (S)	3.91E-05	5.5E+01	8.0E+01	2.8E+01	5.7E-01	1.2E+00	4.1E+00	1.4E+04	.
Palladium (46)	Pd-103	1.49E+01	4.66E-02	9.15E-11	1.37E-11	3.37E-11	4.94E-11	4.8E-11 (S)	3.06E-08	3.6E+01	2.0E+03	7.9E+00	1.3E-01	1.7E-01	1.3E+00	9.3E+01	.
Palladium (46)	Pd-107	1.07E-07	6.50E+06	1.91E-11	2.84E-12	7.00E-12	1.03E-11	4.7E-11 (S)	0.00E+00	4.5E-01	5.6E+02	6.4E-02	1.3E-01	1.7E-01	4.3E+00	7.7E-01	.
Palladium (46)	Pd-109	4.43E+02	1.56E-03	2.62E-10	3.94E-11	9.64E-11	1.41E-10	5.1E-11 (S)	3.44E-07	3.5E+02	5.6E+03	8.0E+01	1.2E-01	1.6E-01	4.7E-01	9.7E+02	.
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E-05	2.3E+04	3.3E+04	1.2E+04	3.5E+00	1.5E+01	5.7E+04	2.1E+10	.
Palladium (46)	Pd-111	1.56E+04	4.45E-05	6.05E-12	1.83E-12	2.68E-12	3.76E-12	1.8E-12 (S)	6.41E-06	7.2E+03	1.1E+04	3.6E+03	2.3E+00	3.9E+00	1.7E+01	1.2E+06	.
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.26E-09	1.89E-10	4.65E-10	6.82E-10	1.8E-10 (S)	5.11E-09	5.1E+01	4.9E+04	1.1E+01	3.4E-02	4.3E-02	9.6E-02	1.3E+02	.
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.69E-06	1.7E+05	2.5E+05	8.7E+04	1.3E+01	5.8E+01	2.2E+05	1.6E+11	.
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.74E-04	3.1E+03	4.5E+03	1.6E+03	2.4E-01	1.1E+00	4.0E+03	3.4E+09	.
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.07E-04	1.2E+03	1.7E+03	5.9E+02	1.4E-01	6.1E-01	2.3E+03	1.3E+09	.
Palladium (46)	Pd-98	2.06E+04	3.37E-05	6.77E-12	2.34E-12	3.16E-12	4.38E-12	1.5E-12 (S)	4.45E-05	1.4E+03	2.0E+03	7.1E+02	7.4E-01	2.3E+00	1.4E+01	1.4E+06	.
Palladium (46)	Pd-99	1.70E+04	4.07E-05	4.46E-12	1.43E-12	2.04E-12	2.84E-12	9.4E-13 (S)	1.57E-04	3.3E+02	4.8E+02	1.7E+02	2.6E-01	1.0E+00	2.2E+01	1.8E+06	.
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.31E-04	1.9E+03	2.7E+03	9.5E+02	1.3E-01	5.6E-01	2.1E+03	5.1E+09	.
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.07E-04	2.2E+03	3.2E+03	1.1E+03	2.0E-01	8.7E-01	3.3E+03	5.9E+09	.
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.12E-04	2.4E+03	3.4E+03	1.2E+03	3.7E-01	1.6E+00	6.2E+03	6.3E+09	.
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.28E-04	5.6E+04	8.1E+04	2.9E+04	3.3E-01	1.4E+00	5.5E+03	1.5E+11	.
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.76E-04	4.9E+02	7.1E+02	2.5E+02	1.1E-01	5.0E-01	1.9E+03	1.4E+09	.
Promethium (61)	Pm-141	1.74E+04	3.98E-05	3.73E-12	1.29E-12	1.74E-12	2.42E-12	7.5E-13 (S)	8.90E-05	5.9E+02	8.6E+02	3.0E+02	4.5E-01	1.7E+00	2.6E+01	5.3E+06	.
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.03E-04	1.6E+04	2.3E+04	8.1E+03	4.1E-01	1.8E+00	6.8E+03	4.3E+10	.
Promethium (61)	Pm-143	9.55E-01	7.26E-01	5.68E-11	1.24E-11	2.37E-11	3.35E-11	2.5E-10 (F)	3.60E-05	7.8E-02	1.2E-01	3.9E-02	2.5E-02	3.2E-02	1.9E+00	2.1E+01	.
Promethium (61)	Pm-144	6.97E-01	9.95E-01	2.10E-10	5.04E-11	9.04E-11	1.27E-10	1.5E-09 (F)	1.87E-04	1.1E-02	1.6E-02	5.6E-03	4.1E-03	5.3E-03	4.9E-01	4.0E+00	.
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.67E-11	6.50E-12	1.42E-11	2.05E-11	3.4E-10 (F)	4.26E-07	2.3E-01	6.4E-01	5.6E-02	1.8E-02	2.4E-02	2.6E+00	1.9E+00	.
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.79E-10	5.32E-11	1.11E-10	1.59E-10	2.8E-09 (F)	8.84E-05	4.3E-03	6.5E-03	2.0E-03	2.2E-03	2.9E-03	3.7E-01	5.6E-01	.
Promethium (61)	Pm-147	2.64E-01	2.62E+00	1.24E-10	1.87E-11	4.57E-11	6.70E-11	4.3E-10 (S)	8.71E-10	6.3E-01	4.0E+02	1.3E-01	1.4E-02	1.8E-02	9.3E-01	2.9E+00	1.8E+03
Promethium (61)	Pm-148	4.71E+01	1.47E-02	1.26E-09	1.92E-10	4.67E-10	6.84E-10	2.9E-10 (S)	7.57E-05	1.6E+00	2.7E+00	6.8E-01	2.1E-02	2.8E-02	9.6E-02	5.3E+01	.
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.45E-10	1.03E-10	2.16E-10	3.10E-10	5.7E-10 (S)	2.42E-04	7.4E-02	1.1E-01	3.7E-02	1.0E-02	1.4E-02	2.1E-01	1.5E+01	.
Promethium (61)	Pm-149	1.14E+02	6.06E-03	4.88E-10	7.26E-11	1.79E-10	2.63E-10	9.9E-11 (S)	1.38E-06	5.4E+01	3.6E+02	1.3E+01	6.3E-02	8.1E-02	2.5E-01	3.4E+02	.
Promethium (61)	Pm-150	2.27E+03	3.06E-04	7.54E-11	1.43E-11	2.94E-11	4.25E-11	1.2E-11 (S)	1.91E-04	3.6E+01	5.2E+01	1.8E+01	1.6E-01	3.9E-01	1.5E+00	4.1E+04	.
Promethium (61)	Pm-151	2.14E+02	3.24E-03	3.26E-10	5.08E-11	1.21E-10	1.77E-10	6.4E-11 (S)	3.53E-05	1.7E+01	2.6E+01	7.6E+00	9.0E-02	1.2E-01	3.7E-01	9.3E+02	.
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.69E-05	7.2E+03	1.0E+04	3.7E+03	1.2E+00	5.0E+00	1.9E+04	2.0E+10	.
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.89E-04	7.7E+02	1.1E+03	4.0E+02	2.2E-01	9.8E-01	3.7E+03	2.1E+09	.
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.96E-06	3.5E+04	5.1E+04	1.8E+04	5.4E+00	2.4E+01	8.8E+04	7.2E+10	.
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.44E-04	2.6E+03	3.8E+03	1.3E+03	1.8E-01	7.9E-01	3.0E+03	7.4E+09	.
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.32E-04	1.8E+03	2.6E+03	9.1E+02	1.9E-01	8.1E-01	3.1E+03	4.9E+09	.
Polonium (84)	Po-203	9.92E+03	6.98E-05	8.35E-12	2.37E-12	3.67E-12	5.11E-12	3.1E-12 (S)	2.05E-04	1.5E+02	2.1E+02	7.5E+01	1.9E-01	6.8E-01	1.2E+01	6.7E+05	.
Polonium (84)	Po-204	1.72E+03	4.03E-04	5.74E-11	1.35E-11	2.37E-11	3.34E-11	3.9E-11 (S)	1.34E-04	3.8E+01	5.6E+01	2.0E+01	1.0E-01	1.8E-01	1.9E+00	1.8E+04	.
Polonium (84)	Po-205	3.66E+03	1.89E-04	9.73E-12	2.91E-12	4.38E-12	6.06E-12	2.9E-12 (S)	1.99E-04	5.5E+01	8.0E+01	2.8E+01	2.0E-01	7.0E-01	1.0E+01	2.1E+05	.
Polonium (84)	Po-206	2.87E+01	2.41E-02	1.73E-09	6.52E-10	8.70E-10	1.14E-09	5.9E-09 (S)	1.41E-04	5.4E-01	8.9E-01	2.0E-01	1.0E-03	1.3E-03	5.2E-02	8.2E+00	.
Polonium (84)	Po-207	1.05E+03	6.62E-04	2.44E-11	6.09E-12	1.03E-11	1.44E-11	6.7E-12 (S)	1.58E-04	2.0E+01	2.9E+01	1.0E+01	2.1E-01	5.9E-01	4.4E+00	2.5E+04	.
Polonium (84)	Po-208	2.39E-01	2.90E+00	1.10E-07	4.86E-08	5.99E-08	7.60E-08	6.1E-07 (S)	2.41E-09	5.3E-04	2.0E-01	7.2E-05	1.0E-05	1.3E-05	7.3E-04	9.5E-04	.
Polonium (84)	Po-209	6.79E-03	1.02E+02	1.09E-07	4.83E-08	5.95E-08	7.54E-08	7.6E-07 (S)	7.16E-07	9.3E-05	3.2E-02	8.6E-06	8.2E-06	1.0E-05	6.0E-04	1.4E-04	.
Polonium (84)	Po-210	1.83E+00	3.79E-01	8.85E-08	3.88E-08	4.80E-08	6.09E-08	3.9E-07 (S)	1.22E-09	5.0E-03	1.9E+00	6.8E-04	1.6E-05	2.0E-05	9.5E-04	9.5E-03	.
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E-06	1.3E+08	1.8E+08	6.5E+07	4.2E+01	1.9E+02	7.0E+05	1.6E+14	.
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.14E-05	1.3E+05	1.9E+05	6.6E+04	3.9E+00	1.7E+01	6.5E+04	1.7E+11	.
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.67E-09	3.4E+15	4.9E+15	1.7E+15	9.2E+03	4.0E+04	1.5E+08	4.3E+21	.
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.04E-08	3.8E+13	5.6E+13	2.0E+13	4.2E+03	1.8E+04	6.9E+07	5.0E+19	.
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.02E-08	1.8E+12	2.7E+12	9.4E+11	2.0E+03	8.9E+03	3.3E+07	2.2E+18	.
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.92E-09	2.4E+11	3.4E+11	1.2E+11	2.3E+04	9.8E+04	3.7E+08	3.1E+17	.
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.85E-13	2.1E+12	3.1E+12	1.1E+12	3.8E+07	1.6E+08	1.1E+12	6.7E+17	.
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	7.02E-12	2.05E-12	3.10E-12	4.35E-12	1.2E-12 (S)	3.85E-04	2.6E+02	3.8E+02	1.3E+02	1.1E-01	4.5E-01	1.4E+01	8.1E+06	.
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	1.18E-11	3.40E-12	5.17E-12	7.27E-12	2.1E-12 (S)	2.93E-04	2.2E+02	3.2E+02	1.1E+02	1.4E-01	5.5E-01	8.7E+00	3.2E+06	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	5.52E-12	1.72E-12	2.50E-12	3.49E-12	1.2E-12 (S)	1.01E-04	4.5E+02	6.6E+02	2.3E+02	3.8E-01	1.4E+00	1.8E+01	4.6E+06	.
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	3.30E-12	1.28E-12	1.61E-12	2.22E-12	5.9E-13 (S)	2.70E-04	3.1E+02	4.5E+02	1.6E+02	1.6E-01	6.6E-01	2.8E+01	1.3E+07	.
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	7.75E-12	1.74E-12	3.16E-12	4.52E-12	1.4E-12 (S)	4.23E-05	3.4E+02	4.9E+02	1.7E+02	8.1E-01	2.4E+00	1.4E+01	1.1E+06	.
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.69E-05	7.8E+03	1.1E+04	4.0E+03	4.3E-01	1.9E+00	7.2E+03	3.0E+10	.
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	2.68E-11	6.54E-12	1.14E-11	1.61E-11	4.8E-12 (S)	3.07E-04	2.8E+01	4.1E+01	1.4E+01	1.3E-01	4.5E-01	3.9E+00	1.9E+05	.
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.05E-11	1.89E-12	4.05E-12	5.86E-12	1.9E-12 (S)	1.28E-05	3.2E+02	4.7E+02	1.6E+02	1.6E+00	3.2E+00	1.1E+01	2.6E+05	.
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.34E-05	5.1E+03	7.4E+03	2.6E+03	6.6E-01	2.9E+00	1.1E+04	2.0E+10	.
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	6.32E-10	9.48E-11	2.33E-10	3.41E-10	9.1E-11 (S)	8.46E-06	6.4E+01	1.6E+02	1.8E+01	6.7E-02	8.7E-02	1.9E-01	1.0E+03	.
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	8.13E-12	1.21E-12	2.99E-12	4.38E-12	1.2E-12 (S)	0.00E+00	8.9E+05	8.2E+08	1.6E+05	5.3E+00	6.8E+00	1.5E+01	6.3E+06	.
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	5.84E-10	8.65E-11	2.14E-10	3.15E-10	2.6E-10 (S)	4.42E-08	9.2E+00	1.5E+03	1.7E+00	2.4E-02	3.0E-02	2.1E-01	6.6E+01	.
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	4.61E-12	1.71E-12	2.19E-12	3.03E-12	9.7E-13 (S)	4.83E-06	1.3E+04	1.9E+04	6.5E+03	3.7E+00	6.8E+00	2.1E+01	7.4E+06	.
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.35E-07	4.6E+05	6.6E+05	2.3E+05	7.0E+01	3.1E+02	1.1E+06	9.4E+11	.
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	1.67E-10	2.61E-11	6.19E-11	9.07E-11	2.5E-11 (S)	2.56E-06	7.1E+02	1.7E+03	2.1E+02	2.4E-01	3.2E-01	7.2E-01	1.2E+04	.
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	8.01E-12	2.78E-12	3.73E-12	5.18E-12	1.6E-12 (S)	1.34E-04	3.4E+02	4.9E+02	1.7E+02	3.0E-01	1.1E+00	1.2E+01	3.1E+06	.
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	3.38E-12	1.20E-12	1.58E-12	2.19E-12	9.6E-13 (S)	5.52E-05	1.5E+03	2.2E+03	7.6E+02	6.7E-01	2.3E+00	2.9E+01	1.3E+07	.
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E-04	3.7E+03	5.4E+03	1.9E+03	3.3E-01	1.5E+00	5.5E+03	1.5E+10	.
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.12E-04	4.9E+03	7.1E+03	2.5E+03	3.7E-01	1.6E+00	6.1E+03	1.9E+10	.
Platinum (78)	Pt-184	2.11E+04	3.29E-05	6.11E-12	1.45E-12	2.55E-12	3.62E-12	1.7E-12 (S)	7.07E-05	9.0E+02	1.3E+03	4.6E+02	4.7E-01	1.6E+00	1.8E+01	2.3E+05	.
Platinum (78)	Pt-186	2.92E+03	2.37E-04	2.89E-11	6.05E-12	1.17E-11	1.67E-11	5.7E-12 (S)	7.70E-05	1.1E+02	1.7E+02	5.8E+01	3.6E-01	8.8E-01	3.8E+00	7.1E+03	.
Platinum (78)	Pt-187	2.58E+03	2.68E-04	2.39E-11	4.73E-12	9.48E-12	1.36E-11	5.8E-12 (S)	6.56E-05	1.2E+02	1.7E+02	6.0E+01	3.8E-01	9.0E-01	4.7E+00	7.7E+03	.
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.79E-10	5.10E-11	1.09E-10	1.57E-10	2.1E-10 (S)	1.66E-05	3.6E+00	6.5E+00	1.5E+00	2.9E-02	3.8E-02	4.1E-01	6.4E+00	.
Platinum (78)	Pt-189	5.58E+02	1.24E-03	6.80E-11	1.21E-11	2.63E-11	3.80E-11	1.7E-11 (S)	5.05E-05	3.3E+01	4.8E+01	1.6E+01	2.5E-01	4.1E-01	1.7E+00	6.0E+02	.
Platinum (78)	Pt-190	1.07E-12	6.50E+11	1.94E-09	4.60E-10	8.14E-10	1.14E-09	4.1E-07 (S)	0.00E+00	4.1E-03	3.1E+00	6.3E-04	1.5E-05	2.0E-05	3.7E-02	9.1E-04	.
Platinum (78)	Pt-191	9.03E+01	7.68E-03	1.39E-10	2.36E-11	5.30E-11	7.70E-11	4.1E-11 (S)	2.62E-05	9.7E+00	1.5E+01	4.6E+00	1.4E-01	1.9E-01	8.5E-01	4.8E+01	.
Platinum (78)	Pt-193	1.39E-02	5.00E+01	1.78E-11	2.64E-12	6.54E-12	9.59E-12	5.3E-11 (S)	5.18E-11	5.8E-01	6.1E+02	9.7E-02	1.2E-01	1.5E-01	4.9E+00	1.4E-01	.
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	2.25E-10	3.35E-11	8.26E-11	1.21E-10	1.0E-10 (S)	4.48E-07	5.1E+01	5.7E+02	1.3E+01	6.0E-02	7.8E-02	5.4E-01	2.0E+01	.
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	3.06E-10	4.63E-11	1.13E-10	1.66E-10	1.3E-10 (S)	3.44E-06	2.5E+01	8.0E+01	7.8E+00	4.9E-02	6.4E-02	4.0E-01	1.6E+01	.
Platinum (78)	Pt-197	3.05E+02	2.27E-03	2.05E-10	3.09E-11	7.56E-11	1.11E-10	4.7E-11 (S)	1.55E-06	2.1E+02	8.6E+02	6.2E+01	1.3E-01	1.7E-01	5.9E-01	1.1E+02	.
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	2.85E-11	4.91E-12	1.08E-11	1.57E-11	7.4E-12 (S)	6.44E-06	1.7E+03	2.6E+03	8.1E+02	7.2E-01	1.0E+00	4.2E+00	1.0E+04	.
Platinum (78)	Pt-199	1.18E+04	5.86E-05	5.64E-12	1.55E-12	2.43E-12	3.43E-12	1.9E-12 (S)	2.32E-05	1.5E+03	2.2E+03	7.8E+02	1.2E+00	2.8E+00	1.9E+01	1.4E+05	.
Platinum (78)	Pt-200	4.86E+02	1.43E-03	5.54E-10	8.36E-11	2.04E-10	3.00E-10	9.0E-11 (S)	4.26E-06	1.2E+02	5.0E+02	3.7E+01	6.8E-02	8.8E-02	2.2E-01	6.7E+01	.
Platinum (78)	Pt-202	1.38E+02	5.02E-03	2.15E-09	3.20E-10	7.89E-10	1.16E-09	3.4E-10 (S)	2.40E-07	1.4E+01	2.4E+03	3.4E+00	1.8E-02	2.3E-02	5.7E-02	4.9E+00	.
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	2.15E-09	3.20E-10	7.89E-10	1.16E-09	3.4E-10 (S)	2.27E-05	8.1E+00	2.7E+01	2.5E+00	1.8E-02	2.3E-02	5.7E-02	4.9E+00	.
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.83E-11	5.33E-12	8.00E-12	1.13E-11	1.7E-09 (S)	4.04E-06	7.7E+03	1.2E+04	4.7E+00	3.6E-03	4.7E-03	5.6E+00	8.2E+03	.
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	5.88E-11	9.89E-12	2.23E-11	3.25E-11	2.2E-09 (S)	4.39E-06	4.2E+02	6.9E+02	1.0E-01	2.9E-03	3.7E-03	2.0E+00	1.9E+02	.
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	2.64E-13	9.28E-14	1.25E-13	1.73E-13	7.4E-14 (S)	6.44E-06	6.7E+03	9.8E+03	3.7E+02	4.5E+00	1.7E+01	3.6E+02	7.0E+05	.
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	4.01E-09	1.53E-09	2.04E-09	2.71E-09	8.0E-07 (S)	3.09E-09	1.5E-02	5.8E+00	4.4E-07	7.8E-06	1.0E-05	2.1E-02	7.0E-04	.
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.60E-11	7.56E-12	1.74E-11	2.53E-11	4.0E-11 (S)	3.09E-06	4.8E+00	7.9E+00	1.1E-03	1.5E-01	2.0E-01	2.6E+00	1.9E+00	.
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	6.07E-09	3.15E-09	3.55E-09	4.58E-09	1.4E-06 (F)	1.87E-09	1.6E-03	5.2E-01	3.1E-08	4.4E-06	5.7E-06	1.0E-02	5.7E-05	8.6E-02
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	6.16E-09	3.27E-09	3.65E-09	4.71E-09	1.5E-06 (F)	5.65E-09	1.4E-03	4.5E-01	2.6E-08	4.1E-06	5.3E-06	9.5E-03	4.9E-05	7.8E-02
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	6.16E-09	3.27E-09	3.65E-09	4.71E-09	1.5E-06 (F)	5.65E-09	1.4E-03	4.5E-01	2.6E-08	4.1E-06	5.3E-06	9.5E-03	4.9E-05	.
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	6.17E-09	3.27E-09	3.65E-09	4.71E-09	1.5E-06 (F)	1.93E-09	1.4E-03	4.6E-01	2.6E-08	4.1E-06	5.3E-06	9.5E-03	4.9E-05	7.8E-02
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	7.35E-11	4.68E-11	4.77E-11	6.17E-11	2.3E-08 (F)	1.10E-10	1.8E-01	5.4E+01	4.5E-06	2.7E-04	3.4E-04	8.1E-01	7.4E-03	2.4E-01
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	5.86E-09	3.11E-09	3.47E-09	4.48E-09	1.4E-06 (F)	1.18E-08	1.4E-03	4.7E-01	2.8E-08	4.4E-06	5.6E-06	9.9E-03	5.2E-05	7.8E-02
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	3.43E-11	5.59E-12	1.28E-11	1.87E-11	8.6E-12 (S)	1.49E-06	2.0E+03	3.6E+03	3.2E-01	7.0E-01	9.2E-01	3.5E+00	5.8E+02	.
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	6.98E-09	3.27E-09	3.88E-09	5.08E-09	1.4E-06 (F)	2.67E-06	1.2E-03	5.7E-02	2.4E-08	4.4E-06	5.7E-06	8.8E-03	4.6E-05	7.8E-02
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	7.48E-09	3.35E-09	4.07E-09	5.35E-09	1.4E-06 (F)	4.26E-05	8.3E-04	4.1E-03	2.3E-08	4.4E-06	5.7E-06	8.4E-03	4.4E-05	7.8E-02
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	3.10E-10	4.87E-11	1.15E-10	1.69E-10	5.8E-11 (S)	4.67E-05	3.5E+01	5.4E+01	1.7E-02	9.6E-02	1.3E-01	3.9E-01	3.0E+01	.
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	1.24E-09	1.99E-10	4.66E-10	6.80E-10	5.1E-10 (S)	1.10E-05	3.0E+00	9.2E+00	1.7E-04	1.2E-02	1.6E-02	9.6E-02	3.0E-01	.
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.78E-05	3.7E+08	5.4E+08	1.9E+08	2.2E+00	9.5E+00	3.6E+04	2.4E+12	.
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.78E-05	3.7E+08	5.4E+08	1.9E+08	2.2E+00	9.5E+00	3.6E+04	2.4E+12	.
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.40E-07	6.8E+09	9.9E+09	3.5E+09	7.7E+01	3.3E+02	1.3E+06	4.8E+13	.
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-06	8.2E+05	1.2E+06	4.2E+05	1.1E+01	4.9E+01	1.8E+05	4.4E+09	.
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.87E-06	8.2E+05	1.2E+06	4.2E+05	1.1E+01	4.9E+01	1.8E+05	4.4E+09	.
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.00E-06	1.7E+06	2.5E+06	8.9E+05	4.0E+01	1.7E+02	6.5E+05	1.2E+10	.
Radium (88)	Ra-223	2.21E+01	3.13E-02	1.62E-08	3.33E-09	6.44E-09	9.15E-09	7.9E-07 (S)	1.23E-05	3.6E-01	7.6E+00	1.1E-02	7.9E-06	1.0E-05	7.0E-03	4.8E-03	.
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	1.62E-08	3.33E-09	6.44E-09	9.15E-09	7.9E-07 (S)	1.87E-05	3.5E-01	5.1E+00	1.1E-02	7.9E-06	1.0E-05	7.0E-03	4.8E-03	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Radium (88)	Ra-224	6.91E+01	1.00E-02	1.15E-08	2.29E-09	4.51E-09	6.44E-09	3.1E-07 (S)	1.06E-06	1.7E+00	2.3E+02	4.9E-02	2.0E-05	2.6E-05	4.0E-05	8.7E-05	.
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	1.15E-08	2.29E-09	4.51E-09	6.44E-09	3.1E-07 (S)	1.13E-06	1.7E+00	2.2E+02	4.9E-02	2.0E-05	2.6E-05	1.0E-02	2.2E-02	.
Radium (88)	Ra-225	1.70E+01	4.08E-02	6.55E-09	2.01E-09	3.09E-09	4.15E-09	7.1E-07 (S)	1.65E-07	6.5E-01	1.9E+02	1.9E-02	8.8E-06	1.1E-05	1.5E-02	7.8E-03	.
Radium (88)	Ra-226	4.33E-04	1.60E+03	1.83E-08	7.96E-09	1.04E-08	1.39E-08	7.6E-07 (S)	6.75E-07	4.4E-04	1.1E-01	8.2E-06	8.2E-06	1.1E-05	1.6E-05	2.0E-08	6.0E-03
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	1.83E-08	7.97E-09	1.04E-08	1.39E-08	7.6E-07 (S)	2.26E-04	2.4E-04	7.8E-04	7.9E-06	8.1E-06	1.0E-05	1.6E-05	2.0E-08	6.0E-03
Radium (88)	Ra-227	8.63E+03	8.03E-05	6.33E-12	2.04E-12	2.89E-12	4.01E-12	1.7E-11 (S)	1.51E-05	1.7E+03	2.5E+03	8.1E+02	3.3E-01	4.6E-01	1.6E+01	4.2E+03	.
Radium (88)	Ra-228	1.21E-01	5.75E+00	5.35E-08	1.81E-08	2.80E-08	3.85E-08	1.2E-06 (S)	9.28E-10	5.2E-04	2.8E-01	1.4E-05	5.3E-06	6.8E-06	1.5E-03	5.8E-06	2.0E-02
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	5.36E-08	1.81E-08	2.81E-08	3.86E-08	1.2E-06 (S)	1.09E-04	4.5E-04	5.0E-03	1.4E-05	5.3E-06	6.8E-06	1.5E-03	5.7E-06	2.0E-02
Radium (88)	Ra-230	3.92E+03	1.77E-04	4.07E-11	8.76E-12	1.61E-11	2.31E-11	9.5E-12 (S)	7.32E-06	1.5E+03	2.3E+03	4.0E+02	5.8E-01	8.1E-01	2.8E+00	3.4E+02	.
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.84E-04	1.6E+03	2.3E+03	8.1E+02	2.3E-01	9.9E-01	3.7E+03	2.0E+09	.
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	6.59E-12	2.67E-12	3.27E-12	4.47E-12	1.3E-12 (S)	5.65E-04	1.1E+02	1.6E+02	5.6E+01	7.6E-02	3.2E-01	1.4E+01	1.5E+06	.
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.13E-04	4.6E+02	6.7E+02	2.4E+02	1.0E-01	4.6E-01	1.7E+03	6.0E+08	.
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	4.59E-12	1.84E-12	2.26E-12	3.10E-12	1.3E-12 (S)	1.70E-04	2.8E+02	4.1E+02	1.4E+02	2.3E-01	9.1E-01	2.0E+01	1.7E+06	.
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.44E-04	1.4E+04	2.0E+04	7.1E+03	2.9E-01	1.3E+00	4.8E+03	1.7E+10	.
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	6.60E-12	2.39E-12	3.16E-12	4.28E-12	4.3E-12 (S)	5.93E-05	6.7E+01	9.8E+01	3.0E+01	4.7E-01	1.2E+00	1.4E+01	1.0E+05	.
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.10E-12	4.03E-13	5.26E-13	7.16E-13	1.1E-12 (S)	2.66E-06	1.3E+04	2.0E+04	4.5E+03	4.2E+00	6.8E+00	8.6E+01	5.6E+06	.
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.33E-04	6.5E+03	9.4E+03	3.3E+03	3.2E-01	1.4E+00	5.2E+03	8.2E+09	.
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	1.96E-11	7.69E-12	9.83E-12	1.31E-11	6.8E-12 (S)	3.69E-04	7.6E+00	1.1E+01	3.7E+00	1.0E-01	3.6E-01	4.6E+00	2.4E+04	.
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	2.90E-10	1.12E-10	1.45E-10	1.91E-10	1.4E-10 (S)	5.74E-05	1.2E-01	2.2E-01	1.0E-02	4.2E-02	5.6E-02	3.1E-01	4.9E+00	.
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	5.03E-10	1.78E-10	2.41E-10	3.21E-10	2.8E-10 (S)	1.12E-04	1.7E-01	3.0E-01	1.6E-02	2.1E-02	2.8E-02	1.9E-01	7.9E+00	.
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	7.98E-13	3.15E-13	3.95E-13	5.36E-13	4.0E-13 (S)	4.13E-05	1.3E+03	1.9E+03	6.6E+02	9.0E-01	3.5E+00	1.1E+02	1.1E+07	.
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	6.06E-10	1.77E-10	2.67E-10	3.63E-10	4.5E-10 (S)	1.24E-05	1.1E+00	4.8E+00	2.9E-02	1.4E-02	1.8E-02	1.7E-01	1.3E+01	.
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.53E-05	1.6E+04	2.4E+04	8.5E+03	6.5E-01	2.8E+00	1.1E+04	2.1E+10	.
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	3.31E-10	9.60E-11	1.45E-10	1.98E-10	1.2E-09 (S)	2.74E-09	8.2E-03	1.3E+01	9.9E-05	5.1E-03	6.6E-03	1.3E-01	2.8E-02	.
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	7.75E-12	3.08E-12	3.79E-12	5.20E-12	1.5E-12 (S)	9.21E-05	6.7E+02	9.7E+02	3.1E+02	4.3E-01	1.5E+00	1.2E+01	1.3E+06	.
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	4.20E-12	1.69E-12	2.08E-12	2.84E-12	1.1E-12 (S)	3.06E-04	2.4E+02	3.4E+02	1.2E+02	1.4E-01	5.8E-01	2.2E+01	2.8E+06	.
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.00E-04	1.4E+03	2.0E+03	7.1E+02	1.5E-01	6.4E-01	2.4E+03	1.8E+09	.
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.54E-04	5.6E+02	8.2E+02	2.9E+02	9.6E-02	4.2E-01	1.6E+03	7.4E+08	.
Rhenium (75)	Re-178	2.76E+04	2.51E-05	2.72E-12	1.05E-12	1.32E-12	1.81E-12	7.1E-13 (S)	2.22E-04	3.7E+02	5.5E+02	1.9E+02	1.9E-01	7.9E-01	3.4E+01	1.9E+05	.
Rhenium (75)	Re-179	1.87E+04	3.71E-05	1.58E-12	5.67E-13	7.51E-13	1.03E-12	5.0E-13 (S)	1.29E-04	4.4E+02	6.4E+02	2.2E+02	3.2E-01	1.3E+00	6.0E+01	2.2E+05	.
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-04	3.1E+03	4.5E+03	1.6E+03	2.9E-01	1.3E+00	4.8E+03	1.4E+08	.
Rhenium (75)	Re-181	3.05E+02	2.27E-03	9.56E-11	2.17E-11	3.84E-11	5.44E-11	2.3E-11 (S)	8.96E-05	1.0E+01	1.5E+01	5.0E+00	1.7E-01	3.0E-01	1.2E+00	7.2E+01	.
Rhenium (75)	Re-182	9.49E+01	7.31E-03	3.14E-10	7.44E-11	1.29E-10	1.82E-10	1.3E-10 (S)	2.12E-04	1.3E+00	2.0E+00	6.4E-01	4.0E-02	6.0E-02	3.5E-01	6.6E+00	.
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	5.91E-11	1.47E-11	2.46E-11	3.45E-11	1.6E-11 (S)	1.51E-04	9.5E+00	1.4E+01	4.8E+00	1.6E-01	3.5E-01	1.8E+00	1.8E+02	.
Rhenium (75)	Re-183	3.61E+00	1.92E-01	2.26E-10	4.90E-11	9.01E-11	1.28E-10	3.4E-10 (S)	9.59E-06	8.0E-01	1.6E+00	2.6E-01	1.8E-02	2.4E-02	5.0E-01	3.6E-01	.
Rhenium (75)	Re-184	6.66E+00	1.04E-01	1.99E-10	5.26E-11	8.57E-11	1.19E-10	2.2E-10 (S)	1.06E-04	1.8E-01	2.7E-01	8.8E-02	2.6E-02	3.5E-02	5.3E-01	7.0E-01	.
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	3.27E-10	7.53E-11	1.33E-10	1.89E-10	9.6E-10 (S)	4.01E-05	9.8E-02	1.6E-01	4.0E-02	6.4E-03	8.3E-03	3.3E-01	1.0E-01	.
Rhenium (75)	Re-186	6.80E+01	1.02E-02	3.81E-10	7.44E-11	1.46E-10	2.10E-10	1.2E-10 (S)	1.48E-06	2.5E+01	2.0E+02	5.1E+00	5.2E-02	6.8E-02	3.1E-01	4.2E+00	.
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.98E-10	1.09E-10	1.99E-10	2.84E-10	4.4E-09 (S)	4.89E-07	1.2E-02	3.5E-01	1.5E-03	1.4E-03	1.8E-03	1.4E-01	1.1E-03	.
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	8.79E-10	1.83E-10	3.45E-10	4.94E-10	4.5E-09 (S)	1.97E-06	6.6E-03	8.8E-02	8.2E-04	1.4E-03	1.8E-03	8.0E-02	6.2E-04	.
Rhenium (75)	Re-187	1.68E-11	4.12E+10	1.15E-12	2.40E-13	4.51E-13	6.47E-13	3.0E-12 (S)	0.00E+00	5.7E+00	6.7E+03	6.5E-01	2.1E+00	2.7E+00	6.1E+01	4.7E-01	.
Rhenium (75)	Re-188	3.57E+02	1.94E-03	3.51E-10	6.82E-11	1.33E-10	1.91E-10	6.1E-11 (S)	6.82E-06	8.4E+01	2.3E+02	2.3E+01	9.9E-02	1.3E-01	3.4E-01	2.4E+01	.
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	6.95E-12	1.42E-12	2.67E-12	3.83E-12	1.4E-12 (S)	3.09E-06	1.8E+04	2.8E+04	8.8E+03	2.7E+00	4.8E+00	1.7E+01	6.6E+04	.
Rhenium (75)	Re-189	2.50E+02	2.77E-03	1.93E-10	3.77E-11	7.34E-11	1.06E-10	4.6E-11 (S)	5.52E-06	8.5E+01	2.0E+02	2.5E+01	1.3E-01	1.7E-01	6.1E-01	3.1E+01	.
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.58E-04	2.2E+03	3.3E+03	1.2E+03	2.6E-01	1.2E+00	4.3E+03	1.0E+08	.
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	7.37E-11	1.69E-11	2.92E-11	4.15E-11	1.6E-11 (S)	1.06E-04	5.3E+01	7.8E+01	2.7E+01	1.9E-01	3.9E-01	1.5E+00	5.9E+02	.
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	1.55E-10	3.59E-11	6.55E-11	9.23E-11	2.6E-11 (S)	3.69E-04	2.4E+00	3.5E+00	1.2E+00	8.0E-02	1.9E-01	6.9E-01	2.2E+01	.
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.05E-06	4.7E+04	6.9E+04	2.4E+04	7.9E+00	3.4E+01	1.3E+05	1.1E+09	.
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	1.29E-10	3.22E-11	5.54E-11	7.73E-11	4.6E-10 (S)	2.57E-05	2.3E-02	3.6E-02	7.5E-03	1.3E-02	1.7E-02	7.6E-01	1.8E-02	.
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	6.20E-11	1.21E-11	2.47E-11	3.54E-11	1.9E-11 (S)	3.01E-05	5.7E+00	8.5E+00	2.4E+00	2.6E-01	3.9E-01	1.8E+00	1.2E+01	.
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	4.31E-10	7.84E-11	1.67E-10	2.41E-10	7.0E-10 (S)	5.93E-05	5.7E-02	9.0E-02	1.6E-02	8.7E-03	1.1E-02	2.7E-01	3.5E-02	.
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	4.63E-10	1.51E-10	2.20E-10	2.98E-10	1.8E-09 (S)	2.64E-04	2.1E-03	3.1E-03	8.6E-04	3.4E-03	4.4E-03	1.9E-01	3.9E-03	.
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	6.04E-13	1.51E-13	2.52E-13	3.58E-13	2.5E-13 (S)	2.34E-09	2.1E+06	1.2E+07	1.2E+05	2.5E+01	3.2E+01	1.8E+02	1.3E+05	.
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.05E-06	7.6E+05	1.1E+06	3.9E+05	1.9E+01	8.4E+01	3.4E+05	1.9E+10	.
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.04E-06	2.4E+05	3.6E+05	1.3E+05	1.9E+01	8.3E+01	3.0E+05	2.7E+09	.
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	1.71E-10	2.61E-11	6.32E-11	9.26E-11	4.3E-11 (S)	8.46E-06	5.0E+01	8.9E+01	8.9E+00	1.4E-01	1.8E-01	7.1E-01	1.3E+01	.
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.63E-05	8.4E+04	1.2E+05	4.3E+04	1.6E+00	7.0E+00	2.7E+04	2.2E+09	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	3.66E-11	8.57E-12	1.53E-11	2.16E-11	7.5E-12 (S)	3.60E-04	2.3E+01	3.4E+01	1.2E+01	1.0E-01	3.5E-01	2.9E+00	8.9E+02	.
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	2.39E-12	8.54E-13	1.12E-12	1.56E-12	7.8E-13 (S)	3.47E-05	1.5E+03	2.1E+03	7.4E+02	1.0E+00	3.4E+00	4.0E+01	7.4E+04	.
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.94E-05	9.9E+04	1.4E+05	5.1E+04	1.1E+00	4.6E+00	1.8E+04	2.5E+09	.
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.28E-05	2.5E+04	3.6E+04	1.3E+04	1.2E+00	5.2E+00	2.0E+04	5.9E+08	.
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.95E-04	1.9E+03	2.7E+03	9.7E+02	8.8E-02	3.9E-01	1.5E+03	4.9E+07	.
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.31E-04	6.6E+02	9.6E+02	3.4E+02	1.3E-01	5.7E-01	2.2E+03	1.7E+07	.
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.17E-04	4.8E+03	7.0E+03	2.5E+03	3.7E-01	1.6E+00	6.1E+03	1.2E+08	.
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.95E-04	2.2E+02	3.3E+02	1.1E+02	8.7E-02	3.8E-01	1.4E+03	5.8E+06	.
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-04	4.4E+03	6.4E+03	2.3E+03	2.6E-01	1.1E+00	4.3E+03	1.1E+08	.
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	5.78E-12	1.89E-12	2.66E-12	3.69E-12	1.2E-12 (S)	1.77E-04	2.0E+02	2.9E+02	1.0E+02	2.3E-01	9.0E-01	1.7E+01	2.2E+04	.
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	7.15E-12	2.15E-12	3.23E-12	4.50E-12	1.4E-12 (S)	2.97E-04	8.0E+01	1.2E+02	4.1E+01	1.4E-01	5.8E-01	1.4E+01	1.2E+04	.
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.23E-04	5.7E+02	8.2E+02	2.9E+02	1.9E-01	8.3E-01	3.2E+03	1.4E+07	.
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.81E-10	3.40E-11	7.12E-11	1.02E-10	1.3E-10 (S)	6.25E-05	7.3E-01	1.1E+00	2.8E-01	4.5E-02	6.1E-02	6.3E-01	1.1E+00	.
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	1.60E-11	3.58E-12	6.65E-12	9.43E-12	2.8E-12 (S)	7.67E-05	5.1E+01	7.4E+01	2.5E+01	4.4E-01	1.3E+00	6.8E+00	9.6E+02	.
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.16E-04	1.0E+03	1.5E+03	5.3E+02	3.6E-01	1.6E+00	5.9E+03	1.2E+06	.
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.46E-04	2.6E+02	3.8E+02	1.4E+02	2.9E-01	1.3E+00	4.8E+03	3.2E+05	.
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.07E-06	1.1E+03	1.6E+03	5.5E+02	5.9E+00	2.6E+01	9.7E+04	1.3E+06	.
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.35E-04	5.3E+00	7.7E+00	2.7E+00	1.8E-01	8.0E-01	3.0E+03	6.5E+03	.
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.17E-08	1.1E+06	1.6E+06	5.7E+05	1.0E+03	4.5E+03	1.7E+07	1.3E+09	.
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.15E-08	2.1E+10	3.0E+10	1.1E+10	4.7E+02	2.0E+03	7.7E+06	2.5E+13	.
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.34E-06	2.6E+06	3.8E+06	1.3E+06	6.2E+00	2.7E+01	1.0E+05	2.9E+09	.
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.37E-06	2.6E+06	3.8E+06	1.3E+06	6.2E+00	2.7E+01	1.0E+05	2.9E+09	.
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.48E-08	1.6E+07	2.3E+07	8.1E+06	5.6E+02	2.5E+03	9.3E+06	1.9E+10	.
Radon (86)	Rn-222	6.62E+01	1.05E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.60E-10	4.58E-08	4.3E+03	6.3E+03	2.2E+03	7.2E-03	9.3E-03	1.4E-02	5.0E-03	1.0E+02
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.60E-10	4.58E-08	4.3E+03	6.3E+03	2.2E+03	7.2E-03	9.3E-03	1.4E-02	5.0E-03	1.0E+02
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.01E-05	1.1E+03	1.6E+03	5.8E+02	1.0E+00	4.5E+00	1.7E+04	1.3E+06	.
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.55E-10	4.56E-11	9.85E-11	1.42E-10	2.8E-10 (S)	5.81E-05	3.2E-01	4.9E-01	1.4E-01	.	.	4.6E-01	2.1E+01	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	1.02E-10	1.73E-11	3.87E-11	5.63E-11	2.7E-11 (V)	9.03E-05	4.5E+01	6.6E+01	2.2E+01	.	.	1.2E+00	1.1E+04	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	3.02E-09	4.98E-10	1.14E-09	1.65E-09	6.1E-09 (S)	0.00E+00	6.8E-02	5.4E+01	7.4E-03	.	.	3.9E-02	1.8E-01	1.4E+02
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	3.02E-09	4.98E-10	1.14E-09	1.65E-09	6.1E-09 (S)	2.63E-05	3.6E-02	1.1E-01	6.3E-03	1.0E-03	1.3E-03	3.9E-02	1.8E-01	1.4E+02
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.39E-05	6.7E+03	9.7E+03	3.4E+03	9.7E-01	4.2E+00	1.6E+04	1.1E+10	.
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.55E-06	4.3E+04	6.3E+04	2.2E+04	6.1E+00	2.7E+01	1.0E+05	5.6E+10	.
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.46E-04	1.2E+03	1.8E+03	6.3E+02	1.7E-01	7.4E-01	2.8E+03	1.9E+09	.
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	2.07E-11	4.41E-12	8.34E-12	1.19E-11	6.0E-12 (V)	6.03E-05	3.5E+02	5.1E+02	1.8E+02	.	.	5.4E+00	2.7E+05	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	1.20E-11	3.07E-12	5.18E-12	7.27E-12	3.9E-12 (V)	1.54E-04	7.2E+01	1.0E+02	3.7E+01	2.4E-01	7.6E-01	8.7E+00	2.3E+05	.
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	4.27E-11	8.52E-12	1.72E-11	2.45E-11	1.5E-11 (V)	2.34E-05	1.1E+01	1.6E+01	5.3E+00	.	.	2.6E+00	1.6E+03	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	3.18E-11	8.82E-12	1.39E-11	1.89E-11	1.8E-10 (S)	2.36E-10	7.8E+00	1.1E+04	2.2E-02	.	.	3.2E+00	1.9E+00	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.39E-04	4.9E+02	7.2E+02	2.5E+02	1.0E-01	4.4E-01	1.7E+03	2.4E+07	.
Sulphur (16)	S-38	2.14E+03	3.24E-04	5.01E-11	2.02E-11	2.62E-11	3.40E-11	3.3E-11 (S)	2.42E-04	2.6E+01	3.9E+01	5.5E+00	9.3E-02	1.9E-01	1.7E+00	7.4E+02	.
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.75E-04	5.0E+03	7.3E+03	2.6E+03	2.4E-01	1.0E+00	3.9E+03	1.8E+09	.
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.50E-04	1.1E+03	1.6E+03	5.6E+02	2.8E-01	1.2E+00	4.6E+03	4.1E+08	.
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.47E-04	9.0E+02	1.3E+03	4.7E+02	1.2E-01	5.4E-01	2.1E+03	3.5E+08	.
Antimony (51)	Sb-115	1.13E+04	6.11E-05	2.97E-12	9.89E-13	1.38E-12	1.91E-12	6.6E-13 (S)	1.04E-04	3.3E+02	4.8E+02	1.7E+02	3.9E-01	1.5E+00	3.3E+01	6.0E+05	.
Antimony (51)	Sb-116	2.31E+04	3.01E-05	3.13E-12	1.19E-12	1.53E-12	2.10E-12	6.0E-13 (S)	2.99E-04	2.3E+02	3.4E+02	1.2E+02	1.4E-01	6.1E-01	2.9E+01	1.1E+06	.
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	1.01E-11	3.11E-12	4.63E-12	6.42E-12	2.4E-12 (S)	3.94E-04	4.6E+01	6.7E+01	2.4E+01	1.1E-01	4.2E-01	9.7E+00	9.5E+04	.
Antimony (51)	Sb-117	2.17E+03	3.20E-04	4.46E-12	9.60E-13	1.81E-12	2.59E-12	1.2E-12 (S)	1.58E-05	4.1E+02	6.0E+02	2.1E+02	1.6E+00	4.0E+00	2.5E+01	8.7E+04	.
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.53E-05	3.2E+03	4.6E+03	1.6E+03	4.4E-01	1.9E+00	7.3E+03	1.2E+09	.
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	4.35E-11	1.11E-11	1.89E-11	2.65E-11	7.4E-12 (S)	3.31E-04	1.1E+01	1.6E+01	5.6E+00	1.1E-01	3.7E-01	2.4E+00	4.7E+03	.
Antimony (51)	Sb-119	1.59E+02	4.36E-03	3.51E-11	5.50E-12	1.31E-11	1.91E-11	5.0E-12 (S)	6.94E-08	1.2E+03	9.9E+03	1.5E+02	1.2E+00	1.6E+00	3.4E+00	8.8E+02	.
Antimony (51)	Sb-120	2.29E+04	3.02E-05	1.39E-12	5.24E-13	6.70E-13	9.23E-13	3.2E-13 (S)	5.24E-05	1.3E+03	1.9E+03	6.8E+02	7.7E-01	3.1E+00	6.7E+01	2.5E+06	.
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	2.81E-10	6.62E-11	1.19E-10	1.68E-10	9.6E-11 (S)	3.10E-04	4.2E-01	6.2E-01	2.1E-01	4.4E-02	7.3E-02	3.8E-01	2.7E+01	.
Antimony (51)	Sb-122	9.29E+01	7.46E-03	7.74E-10	1.20E-10	2.87E-10	4.19E-10	1.6E-10 (S)	5.36E-05	4.6E+00	7.6E+00	1.6E+00	3.7E-02	5.0E-02	1.6E-01	2.3E+01	.
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.07E-06	1.3E+05	1.8E+05	6.5E+04	9.7E+00	4.2E+01	1.5E+05	2.1E+10	.
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.96E-10	1.63E-10	3.47E-10	5.00E-10	8.6E-10 (S)	2.45E-04	5.0E-02	7.5E-02	2.3E-02	6.9E-03	9.2E-03	1.3E-01	8.8E-01	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.30E-05	1.3E+04	1.9E+04	6.9E+03	8.0E-01	3.5E+00	1.3E+04	5.0E+09	.
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	1.15E-12	3.88E-13	5.33E-13	7.39E-13	4.0E-13 (S)	2.60E-12	4.1E+06	1.8E+09	4.5E+05	1.6E+01	2.0E+01	8.5E+01	2.5E+06	.
Antimony (51)	Sb-125	2.51E-01	2.76E+00	2.90E-10	6.51E-11	1.20E-10	1.68E-10	1.1E-09 (S)	4.95E-05	1.4E-02	2.2E-02	6.1E-03	5.7E-03	7.3E-03	3.6E-01	1.5E-01	1.2E+02
Antimony (51)	Sb-126	2.05E+01	3.38E-02	8.71E-10	1.63E-10	3.42E-10	4.91E-10	3.8E-10 (S)	3.38E-04	1.8E-01	2.7E-01	8.4E-02	1.4E-02	2.0E-02	1.3E-01	4.4E+00	.
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	3.99E-12	1.45E-12	1.90E-12	2.63E-12	9.3E-13 (S)	1.87E-04	3.1E+02	4.4E+02	1.6E+02	2.2E-01	8.9E-01	2.4E+01	7.3E+05	.
Antimony (51)	Sb-127	6.57E+01	1.05E-02	7.32E-10	1.16E-10	2.73E-10	3.98E-10	2.2E-10 (S)	8.36E-05	2.2E+00	3.4E+00	8.7E-01	2.6E-02	3.5E-02	1.6E-01	1.7E+01	.
Antimony (51)	Sb-128	6.74E+02	1.03E-03	2.60E-10	4.86E-11	1.02E-10	1.47E-10	4.4E-11 (S)	3.82E-04	5.3E+00	7.7E+00	2.6E+00	6.3E-02	1.3E-01	4.4E-01	4.8E+02	.
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	3.23E-12	1.24E-12	1.57E-12	2.16E-12	6.2E-13 (S)	2.34E-04	4.5E+02	6.6E+02	2.3E+02	1.8E-01	7.5E-01	2.9E+01	1.6E+06	.
Antimony (51)	Sb-129	1.38E+03	5.02E-04	1.58E-10	2.68E-11	5.99E-11	8.72E-11	2.8E-11 (S)	1.88E-04	2.2E+01	3.2E+01	1.1E+01	1.1E-01	2.2E-01	7.5E-01	1.7E+03	.
Antimony (51)	Sb-130	9.22E+03	7.52E-05	1.24E-11	3.94E-12	5.68E-12	7.89E-12	2.8E-12 (S)	4.07E-04	6.8E+01	9.9E+01	3.5E+01	1.0E-01	4.0E-01	7.9E+00	1.2E+05	.
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.44E-04	5.1E+02	7.4E+02	2.6E+02	1.3E-01	5.5E-01	2.1E+03	1.9E+08	.
Antimony (51)	Sb-131	1.58E+04	4.38E-05	1.74E-11	4.48E-12	7.19E-12	1.01E-11	2.7E-12 (M)	2.74E-04	1.7E+02	2.5E+02	8.9E+01	1.5E-01	5.6E-01	6.3E+00	1.6E+05	.
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.72E-04	1.2E+03	1.7E+03	6.1E+02	1.2E-01	5.1E-01	2.0E+03	4.6E+08	.
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.46E-04	1.9E+03	2.8E+03	1.0E+03	8.0E-02	3.5E-01	1.3E+03	2.5E+10	.
Scandium (21)	Sc-43	1.56E+03	4.44E-04	6.99E-11	1.27E-11	2.70E-11	3.91E-11	1.2E-11 (S)	1.16E-04	4.0E+01	5.9E+01	2.1E+01	2.1E-01	4.7E-01	1.7E+00	1.4E+05	.
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.09E-10	2.05E-11	4.27E-11	6.17E-11	1.8E-11 (S)	2.69E-04	1.7E+01	2.5E+01	8.7E+00	1.1E-01	2.8E-01	1.1E+00	8.8E+04	.
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	9.87E-10	1.63E-10	3.74E-10	5.44E-10	1.9E-10 (S)	3.02E-05	7.8E+00	1.5E+01	2.9E+00	3.2E-02	4.2E-02	1.2E-01	6.8E+02	.
Scandium (21)	Sc-46	3.02E+00	2.30E-01	4.17E-10	8.30E-11	1.68E-10	2.39E-10	6.7E-10 (S)	2.60E-04	3.4E-02	5.1E-02	1.7E-02	8.8E-03	1.2E-02	2.7E-01	4.4E+01	.
Scandium (21)	Sc-47	7.55E+01	9.18E-03	2.55E-10	3.89E-11	9.43E-11	1.38E-10	8.3E-11 (S)	9.81E-06	1.8E+01	3.4E+01	7.2E+00	7.4E-02	9.6E-02	4.8E-01	2.0E+03	.
Scandium (21)	Sc-48	1.39E+02	4.99E-03	4.86E-10	9.55E-11	1.94E-10	2.78E-10	1.1E-10 (S)	4.42E-04	9.4E-01	1.4E+00	4.7E-01	3.7E-02	6.4E-02	2.3E-01	1.8E+03	.
Scandium (21)	Sc-49	6.37E+03	1.09E-04	1.32E-11	3.28E-12	5.48E-12	7.80E-12	2.9E-12 (S)	5.14E-07	2.9E+04	5.4E+04	1.1E+04	2.1E+00	2.8E+00	8.2E+00	2.9E+06	.
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.29E-04	1.5E+03	2.2E+03	7.7E+02	1.0E-01	4.5E-01	1.7E+03	2.0E+10	.
Selenium (34)	Se-70	8.86E+03	7.82E-05	1.61E-11	4.53E-12	6.96E-12	9.74E-12	4.6E-12 (S)	8.08E-05	3.3E+02	4.8E+02	1.3E+02	3.7E-01	9.8E-01	6.5E+00	3.0E+05	.
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.95E-04	1.2E+03	1.7E+03	6.1E+02	2.2E-01	9.4E-01	3.6E+03	1.4E+09	.
Selenium (34)	Se-72	3.01E+01	2.30E-02	9.86E-10	3.00E-10	4.47E-10	6.06E-10	4.2E-10 (S)	5.21E-07	5.8E+00	2.4E+02	3.0E-02	1.5E-02	1.9E-02	1.0E-01	1.6E+01	.
Selenium (34)	Se-73	8.49E+02	8.16E-04	5.39E-11	1.22E-11	2.16E-11	3.07E-11	2.3E-11 (S)	1.23E-04	2.1E+01	3.0E+01	6.5E+00	1.5E-01	2.8E-01	2.1E+00	9.2E+03	.
Selenium (34)	Se-73m	9.15E+03	7.57E-05	5.41E-12	1.37E-12	2.25E-12	3.17E-12	2.1E-12 (S)	3.07E-05	8.9E+02	1.3E+03	3.6E+02	9.3E-01	2.3E+00	2.0E+01	9.5E+05	.
Selenium (34)	Se-75	2.11E+00	3.28E-01	4.28E-10	1.67E-10	2.17E-10	2.87E-10	1.3E-10 (S)	3.85E-05	1.4E-01	2.4E-01	4.2E-03	4.5E-02	5.9E-02	2.1E-01	2.3E+00	.
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.83E-06	4.8E+05	7.0E+05	2.5E+05	4.4E+00	1.9E+01	7.2E+04	4.7E+11	.
Selenium (34)	Se-79	2.35E-06	2.95E+05	3.89E-10	1.36E-10	1.87E-10	2.48E-10	5.0E-10 (S)	2.46E-10	1.9E-02	1.2E+01	6.0E-05	1.2E-02	1.6E-02	1.7E-01	3.3E-02	.
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.96E-07	4.7E+05	6.8E+05	2.4E+05	4.6E+01	2.0E+02	7.4E+05	3.6E+11	.
Selenium (34)	Se-81	1.97E+04	3.51E-05	2.43E-12	9.03E-13	1.15E-12	1.59E-12	7.0E-13 (S)	1.13E-06	5.1E+04	7.7E+04	5.8E+03	7.0E+00	1.1E+01	3.9E+01	4.0E+06	.
Selenium (34)	Se-81m	6.36E+03	1.09E-04	8.56E-12	2.19E-12	3.53E-12	5.01E-12	3.9E-12 (S)	9.66E-07	1.8E+04	2.9E+04	7.0E+02	1.5E+00	2.0E+00	1.3E+01	4.2E+05	.
Selenium (34)	Se-83	1.63E+04	4.24E-05	5.96E-12	1.93E-12	2.71E-12	3.76E-12	1.9E-12 (S)	3.41E-04	1.4E+02	2.1E+02	7.2E+01	1.2E-01	4.9E-01	1.7E+01	1.4E+06	.
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.31E-04	7.2E+03	1.0E+04	3.7E+03	3.3E-01	1.5E+00	5.5E+03	9.0E+09	.
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.80E-05	7.4E+03	1.1E+04	3.8E+03	8.5E-01	3.7E+00	1.4E+04	8.6E+09	.
Silicon (14)	Si-31	2.32E+03	2.99E-04	4.60E-11	8.03E-12	1.75E-11	2.54E-11	8.2E-12 (S)	2.99E-07	8.8E+03	3.4E+04	2.6E+03	7.5E-01	9.7E-01	2.6E+00	2.0E+04	.
Silicon (14)	Si-32	5.25E-03	1.32E+02	2.56E-10	4.18E-11	9.61E-11	1.40E-10	7.8E-09 (S)	7.13E-10	4.6E-02	3.5E+01	7.3E-03	7.9E-04	1.0E-03	3.4E-01	4.8E-02	.
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.35E-10	1.86E-10	3.38E-10	4.72E-10	8.2E-09 (S)	2.55E-07	1.3E-02	7.5E-01	2.1E-03	7.6E-04	9.7E-04	9.9E-02	1.4E-02	.
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.75E-04	2.4E+03	3.6E+03	1.3E+03	2.4E-01	1.1E+00	4.0E+03	1.4E+10	.
Samarium (62)	Sm-140	2.46E+04	2.82E-05	1.11E-11	3.58E-12	5.03E-12	7.02E-12	2.0E-12 (S)	6.66E-05	1.1E+03	1.6E+03	5.7E+02	5.2E-01	1.6E+00	9.0E+00	5.3E+06	.
Samarium (62)	Sm-141	3.57E+04	1.94E-05	4.01E-12	1.44E-12	1.90E-12	2.63E-12	7.8E-13 (S)	1.73E-04	6.2E+02	9.0E+02	3.2E+02	2.4E-01	9.7E-01	2.4E+01	2.0E+07	.
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	7.99E-12	2.54E-12	3.63E-12	5.06E-12	1.7E-12 (S)	2.40E-04	2.0E+02	2.9E+02	1.0E+02	1.7E-01	6.6E-01	1.2E+01	4.8E+06	.
Samarium (62)	Sm-142	5.02E+03	1.38E-04	3.46E-11	8.03E-12	1.42E-11	2.02E-11	6.0E-12 (S)	1.00E-05	1.5E+03	2.2E+03	7.1E+02	8.2E-01	1.2E+00	3.2E+00	3.9E+05	.
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.15E-05	2.0E+03	3.0E+03	1.0E+03	6.8E-01	3.0E+00	1.1E+04	1.1E+10	.
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.49E-05	1.2E+04	1.7E+04	6.0E+03	5.1E-01	2.2E+00	8.4E+03	6.7E+10	.
Samarium (62)	Sm-145	7.44E-01	9.32E-01	8.13E-11	1.35E-11	3.09E-11	4.49E-11	1.6E-10 (F)	1.01E-06	1.2E+00	3.2E+00	4.0E-01	3.9E-02	5.1E-02	1.4E+00	2.6E+01	.
Samarium (62)	Sm-146	6.73E-09	1.03E+08	1.93E-09	9.36E-10	1.10E-09	1.41E-09	3.7E-07 (F)	0.00E+00	4.5E-03	1.6E+00	6.5E-04	1.7E-05	2.1E-05	3.1E-02	2.9E-02	.
Samarium (62)	Sm-147	6.54E-12	1.06E+11	1.76E-09	8.56E-10	1.01E-09	1.29E-09	3.4E-07 (F)	0.00E+00	5.0E-03	1.8E+00	7.1E-04	1.8E-05	2.3E-05	3.4E-02	3.2E-02	1.4E+01
Samarium (62)	Sm-148	9.90E-17	7.00E+15	1.51E-09	7.36E-10	8.65E-10	1.11E-09	2.9E-07 (F)	0.00E+00	5.8E-03	2.1E+00	8.2E-04	2.1E-05	2.7E-05	4.0E-02	3.7E-02	.
Samarium (62)	Sm-151	7.70E-03	9.00E+01	4.05E-11	6.41E-12	1.51E-11	2.20E-11	2.5E-10 (F)	1.04E-11	3.2E-01	2.7E+02	4.9E-02	2.5E-02	3.2E-02	2.2E+00	2.3E+00	1.0E+03
Samarium (62)	Sm-153	1.31E+02	5.31E-03	3.51E-10	5.28E-11	1.29E-10	1.90E-10	8.6E-11 (S)	3.00E-06	6.1E+01	1.9E+02	1.8E+01	7.2E-02	9.3E-02	3.5E-01	1.1E+03	.
Samarium (62)	Sm-155	1.63E+04	4.24E-05	2.90E-12	1.03E-12	1.36E-12	1.88E-12	9.1E-13 (S)	7.57E-06	6.5E+03	9.4E+03	3.3E+03	2.5E+00	5.8E+00	3.3E+01	1.3E+07	.
Samarium (62)	Sm-156	6.46E+02	1.07E-03	1.10E-10	1.73E-11	4.11E-11	6.01E-11	2.9E-11 (S)	9.78E-06	1.8E+02	2.9E+02	8.1E+01	2.0E-01	2.7E-01	1.1E+00	1.7E+04	.
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.67E-05	2.9E+03	4.3E+03	1.5E+03	8.6E-01	3.8E+00	1.4E+04	1.5E+10	.
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.43E-04	4.0E+03	5.8E+03	2.0E+03	2.9E-01	1.3E+00	4.8E+03	3.8E+10	.
Tin (50)	Sn-108	3.54E+04	1.96E-05	3.22E-12	9.62E-13	1.44E-12	2.01E-12	6.4E-13 (S)	7.54E-05	1.4E+03	2.1E+03	7.2E+02	5.1E-01	2.0E+00	3.1E+01	4.6E+07	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Tin (50)	Sn-109	2.02E+04	3.42E-05	2.85E-12	9.26E-13	1.33E-12	1.84E-12	5.0E-13 (S)	2.95E-04	2.1E+02	3.0E+02	1.1E+02	1.5E-01	6.3E-01	3.4E+01	2.8E+07	.
Tin (50)	Sn-110	1.48E+03	4.69E-04	1.38E-10	2.34E-11	5.24E-11	7.61E-11	2.0E-11 (S)	2.94E-05	1.4E+02	2.2E+02	4.8E+01	2.6E-01	3.8E-01	8.6E-01	5.3E+04	.
Tin (50)	Sn-111	1.03E+04	6.72E-05	3.11E-12	8.92E-13	1.37E-12	1.92E-12	7.5E-13 (S)	5.96E-05	5.2E+02	7.6E+02	2.7E+02	6.6E-01	2.4E+00	3.3E+01	1.4E+07	.
Tin (50)	Sn-113	2.20E+00	3.15E-01	3.17E-10	5.11E-11	1.19E-10	1.74E-10	4.0E-10 (S)	6.15E-07	9.0E-01	1.6E+01	8.0E-02	1.6E-02	2.0E-02	3.7E-01	3.4E+01	.
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.52E-13	1.16E-13	1.61E-13	2.24E-13	3.2E-13 (S)	6.06E-08	7.4E+05	1.2E+06	2.3E+05	1.8E+01	2.4E+01	2.8E+02	2.0E+08	.
Tin (50)	Sn-117m	1.84E+01	3.77E-02	3.20E-10	4.97E-11	1.19E-10	1.74E-10	2.8E-10 (S)	1.27E-05	2.9E+00	6.3E+00	5.2E-01	2.2E-02	2.9E-02	3.8E-01	2.9E+02	.
Tin (50)	Sn-119m	8.63E-01	8.03E-01	1.65E-10	2.52E-11	6.09E-11	8.91E-11	3.3E-10 (S)	4.23E-08	7.5E-01	8.4E+01	6.2E-02	1.9E-02	2.4E-02	7.1E-01	2.6E+01	.
Tin (50)	Sn-121	2.25E+02	3.09E-03	1.11E-10	1.67E-11	4.09E-11	6.01E-11	3.0E-11 (S)	3.60E-09	2.9E+02	1.9E+05	2.4E+01	2.1E-01	2.7E-01	1.1E+00	1.0E+04	.
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.71E-10	2.72E-11	6.38E-11	9.30E-11	1.2E-09 (S)	2.41E-08	3.9E-02	7.8E+00	2.3E-03	5.3E-03	6.8E-03	4.3E-01	8.5E-01	.
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	2.57E-10	4.02E-11	9.55E-11	1.40E-10	1.2E-09 (S)	2.69E-08	2.6E-02	6.8E+00	1.5E-03	5.2E-03	6.7E-03	2.9E-01	5.6E-01	.
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.03E-09	1.54E-10	3.80E-10	5.56E-10	1.3E-09 (S)	1.05E-06	2.6E-01	8.0E+00	2.2E-02	4.9E-03	6.3E-03	1.2E-01	9.5E+00	.
Tin (50)	Sn-123m	9.09E+03	7.62E-05	4.94E-12	1.45E-12	2.17E-12	3.05E-12	1.6E-12 (S)	1.26E-05	2.2E+03	3.2E+03	1.1E+03	1.6E+00	3.5E+00	2.1E+01	7.9E+06	.
Tin (50)	Sn-125	2.62E+01	2.64E-02	1.46E-09	2.21E-10	5.39E-10	7.90E-10	4.2E-10 (S)	4.42E-05	1.1E+00	2.6E+00	1.7E-01	1.5E-02	1.9E-02	8.3E-02	9.1E+01	.
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.91E-05	2.9E+03	4.3E+03	1.5E+03	1.0E+00	4.5E+00	1.7E+04	2.7E+10	.
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.81E-09	3.18E-10	6.97E-10	1.01E-09	1.1E-08 (S)	2.69E-06	2.8E-03	6.4E-02	1.6E-04	5.4E-04	7.0E-04	3.6E-02	5.8E-02	.
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.94E-09	3.42E-10	7.47E-10	1.08E-09	1.2E-08 (S)	2.37E-04	4.1E-04	7.4E-04	7.8E-05	5.4E-04	7.0E-04	3.4E-02	5.4E-02	.
Tin (50)	Sn-127	2.89E+03	2.40E-04	5.59E-11	1.10E-11	2.21E-11	3.17E-11	1.3E-11 (S)	2.50E-04	3.5E+01	5.1E+01	1.7E+01	1.3E-01	3.5E-01	2.0E+00	2.4E+05	.
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.97E-05	3.8E+03	5.5E+03	2.0E+03	6.1E-01	2.6E+00	1.0E+04	3.7E+10	.
Tin (50)	Sn-128	6.17E+03	1.12E-04	2.88E-11	7.07E-12	1.21E-11	1.71E-11	6.6E-12 (S)	6.44E-05	2.9E+02	4.2E+02	1.4E+02	3.8E-01	8.4E-01	3.7E+00	9.6E+05	.
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.28E-04	3.8E+03	5.6E+03	2.0E+03	3.4E-01	1.5E+00	5.6E+03	3.8E+10	.
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.08E-04	2.7E+03	4.0E+03	1.4E+03	3.8E-01	1.7E+00	6.3E+03	2.6E+10	.
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.12E-04	5.8E+03	8.4E+03	3.0E+03	3.8E-01	1.7E+00	6.3E+03	5.7E+10	.
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.37E-04	3.5E+03	5.2E+03	1.8E+03	3.0E-01	1.3E+00	5.0E+03	2.5E+07	.
Strontium (38)	Sr-80	3.43E+03	2.02E-04	8.36E-11	1.88E-11	3.37E-11	4.82E-11	1.5E-11 (S)	5.05E-05	2.0E+02	3.0E+02	8.3E+01	2.8E-01	4.6E-01	1.3E+00	1.4E+02	.
Strontium (38)	Sr-81	1.63E+04	4.24E-05	8.54E-12	2.71E-12	3.86E-12	5.38E-12	1.9E-12 (S)	1.62E-04	3.0E+02	4.4E+02	1.5E+02	2.4E-01	8.8E-01	1.2E+01	5.9E+03	.
Strontium (38)	Sr-82	9.97E+00	6.95E-02	2.21E-09	4.26E-10	8.50E-10	1.22E-09	1.2E-09 (S)	1.29E-09	1.0E+00	9.1E+02	4.6E-02	5.1E-03	6.6E-03	5.3E-02	1.6E-02	.
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	2.21E-09	4.26E-10	8.50E-10	1.22E-09	1.2E-09 (S)	1.33E-04	1.8E-01	3.3E-01	3.3E-02	5.1E-03	6.6E-03	5.3E-02	1.6E-02	.
Strontium (38)	Sr-83	1.87E+02	3.70E-03	1.62E-10	3.25E-11	6.32E-11	9.07E-11	4.0E-11 (S)	9.97E-05	5.5E+00	8.2E+00	2.3E+00	1.1E-01	1.8E-01	7.1E-01	4.2E+00	.
Strontium (38)	Sr-85	3.90E+00	1.78E-01	1.24E-10	3.77E-11	6.00E-11	8.24E-11	8.6E-11 (S)	5.81E-05	2.0E-01	2.9E-01	7.5E-02	6.6E-02	9.1E-02	7.5E-01	9.1E-02	.
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	9.51E-13	3.02E-13	4.41E-13	6.10E-13	2.5E-13 (S)	2.20E-05	7.4E+02	1.1E+03	3.8E+02	1.6E+00	6.1E+00	1.0E+02	1.7E+04	.
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	7.05E-12	1.65E-12	2.90E-12	4.12E-12	1.7E-12 (S)	3.60E-05	1.8E+02	2.6E+02	9.0E+01	8.7E-01	2.5E+00	1.6E+01	1.0E+03	.
Strontium (38)	Sr-89	5.01E+00	1.38E-01	9.00E-10	1.76E-10	3.47E-10	4.97E-10	8.2E-10 (S)	1.96E-07	1.2E+00	1.0E+02	5.7E-02	7.6E-03	9.8E-03	1.3E-01	2.0E-02	.
Strontium (38)	Sr-90	2.41E-02	2.88E+01	2.33E-09	1.39E-09	1.51E-09	1.86E-09	1.2E-08 (S)	1.31E-08	3.4E-03	1.4E+00	1.2E-04	5.4E-04	7.0E-04	2.3E-02	3.8E-05	1.3E-02
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	3.66E-09	1.59E-09	2.00E-09	2.57E-09	1.2E-08 (S)	5.27E-07	2.5E-03	3.3E-01	8.6E-05	5.3E-04	6.8E-04	1.7E-02	2.8E-05	1.3E-02
Strontium (38)	Sr-91	6.30E+02	1.10E-03	2.33E-10	4.30E-11	8.84E-11	1.28E-10	5.3E-11 (S)	9.03E-05	2.0E+01	3.1E+01	7.8E+00	9.5E-02	1.4E-01	5.1E-01	1.0E+01	.
Strontium (38)	Sr-92	2.28E+03	3.04E-04	1.58E-10	2.84E-11	5.97E-11	8.67E-11	3.0E-11 (S)	1.81E-04	3.8E+01	5.5E+01	1.7E+01	1.1E-01	2.1E-01	7.5E-01	5.4E+01	.
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.94E-04	5.0E+02	7.3E+02	2.6E+02	1.5E-01	6.4E-01	2.4E+03	3.7E+06	.
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.94E-04	4.5E+03	6.5E+03	2.3E+03	2.3E-01	9.9E-01	3.8E+03	3.4E+07	.
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-04	1.3E+03	1.9E+03	6.6E+02	3.3E-01	1.4E+00	5.5E+03	6.0E+09	.
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	7.37E-12	2.35E-12	3.36E-12	4.68E-12	2.0E-12 (S)	2.10E-04	1.4E+02	2.1E+02	7.3E+01	1.9E-01	7.2E-01	1.3E+01	2.7E+06	.
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	3.26E-11	6.21E-12	1.28E-11	1.84E-11	7.4E-12 (S)	6.56E-05	8.8E+01	1.3E+02	4.5E+01	3.6E-01	7.7E-01	3.5E+00	1.4E+05	.
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	1.28E-11	3.20E-12	5.37E-12	7.61E-12	3.3E-12 (S)	1.17E-04	1.4E+02	2.0E+02	7.0E+01	3.0E-01	9.5E-01	8.4E+00	9.1E+05	.
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	6.44E-11	1.33E-11	2.62E-11	3.73E-11	1.3E-11 (S)	1.36E-04	1.3E+01	1.9E+01	6.5E+00	1.9E-01	4.2E-01	1.7E+00	2.0E+04	.
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	7.76E-11	1.72E-11	3.23E-11	4.57E-11	1.6E-11 (S)	2.99E-04	7.5E+00	1.1E+01	3.9E+00	1.1E-01	2.8E-01	1.4E+00	2.1E+04	.
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	4.27E-11	7.08E-12	1.62E-11	2.35E-11	1.2E-11 (S)	3.28E-06	8.7E+01	1.4E+02	3.8E+01	4.8E-01	6.4E-01	2.8E+00	6.0E+03	.
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-05	1.1E+04	1.6E+04	5.8E+03	3.4E+00	1.5E+01	5.6E+04	4.4E+10	.
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	1.92E-11	4.39E-12	7.96E-12	1.13E-11	5.5E-12 (S)	1.17E-04	6.6E+01	9.6E+01	3.4E+01	2.5E-01	7.2E-01	5.7E+00	3.0E+05	.
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	2.31E-11	3.85E-12	8.77E-12	1.27E-11	4.8E-11 (S)	7.57E-07	1.2E+00	2.2E+00	4.3E-01	1.3E-01	1.7E-01	4.9E+00	3.8E+01	.
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	2.25E-11	3.63E-12	8.44E-12	1.23E-11	5.2E-12 (S)	1.64E-06	1.2E+03	2.0E+03	5.1E+02	1.1E+00	1.5E+00	5.3E+00	8.0E+04	.
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	5.47E-10	9.52E-11	2.11E-10	3.05E-10	1.0E-09 (S)	1.63E-04	4.0E-02	5.9E-02	1.9E-02	6.1E-03	7.9E-03	2.1E-01	9.5E+00	.
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	1.20E-12	4.42E-13	5.72E-13	7.90E-13	9.7E-13 (S)	2.10E-05	3.3E+03	4.8E+03	1.7E+03	1.3E+00	3.7E+00	7.9E+01	3.7E+07	.
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	6.23E-10	9.55E-11	2.31E-10	3.38E-10	2.5E-10 (S)	2.55E-05	4.7E+00	8.5E+00	1.8E+00	2.5E-02	3.2E-02	1.9E-01	2.0E+02	.
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	2.48E-10	4.23E-11	9.44E-11	1.37E-10	4.6E-11 (S)	1.85E-04	1.1E+01	1.7E+01	5.6E+00	8.4E-02	1.5E-01	4.8E-01	6.7E+03	.
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	1.02E-11	2.72E-12	4.33E-12	6.14E-12	3.3E-12 (S)	1.33E-05	1.6E+03	2.4E+03	8.4E+02	1.1E+00	2.0E+00	1.0E+01	1.6E+06	.
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	3.16E-12	1.25E-12	1.55E-12	2.13E-12	7.4E-13 (S)	1.66E-04	6.3E+02	9.2E+02	3.2E+02	2.4E-01	9.9E-01	2.9E+01	2.0E+07	.
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-04	5.9E+03	8.6E+03	3.0E+03	9.0E-02	3.9E-01	1.5E+03	2.2E+11	.
Terbium (65)	Tb-147	3.70E+03	1.87E-04	2.69E-11	6.39E-12	1.13E-11	1.60E-11	5.3E-12 (S)	2.79E-04	4.0E+01	5.8E+01	2.0E+01	1.4E-01	4.7E-01	4.0E+00	2.3E+06	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.54E-04	2.3E+03	3.4E+03	1.2E+03	1.7E-01	7.5E-01	2.8E+03	8.6E+10	.
Terbium (65)	Tb-148	6.07E+03	1.14E-04	2.03E-11	5.43E-12	8.72E-12	1.23E-11	4.2E-12 (S)	3.04E-04	6.0E+01	8.7E+01	3.1E+01	1.3E-01	4.7E-01	5.2E+00	4.9E+06	.
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.85E-04	1.3E+03	1.9E+03	6.7E+02	1.1E-01	4.9E-01	1.8E+03	4.7E+10	.
Terbium (65)	Tb-149	1.47E+03	4.70E-04	5.24E-11	1.04E-11	2.09E-11	2.99E-11	4.1E-10 (S)	1.70E-04	2.6E+01	3.8E+01	1.3E+01	1.4E-02	1.9E-02	2.2E+00	5.0E+05	.
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.67E-04	1.6E+03	2.3E+03	8.1E+02	2.6E-01	1.1E+00	4.2E+03	5.8E+10	.
Terbium (65)	Tb-150	1.74E+03	3.97E-04	5.64E-11	1.19E-11	2.28E-11	3.26E-11	8.6E-12 (S)	3.25E-04	1.6E+01	2.4E+01	8.3E+00	1.1E-01	3.6E-01	2.0E+00	5.4E+05	.
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.99E-04	6.3E+02	9.2E+02	3.2E+02	1.4E-01	6.2E-01	2.3E+03	2.3E+10	.
Terbium (65)	Tb-151	3.45E+02	2.01E-03	1.05E-10	2.07E-11	4.22E-11	6.04E-11	2.3E-11 (S)	1.12E-04	9.2E+00	1.4E+01	4.7E+00	1.5E-01	2.8E-01	1.1E+00	5.7E+04	.
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.92E-06	3.3E+05	4.8E+05	1.7E+05	5.0E+00	2.2E+01	8.2E+04	1.1E+13	.
Terbium (65)	Tb-152	3.47E+02	2.00E-03	2.43E-10	4.31E-11	9.41E-11	1.36E-10	3.6E-11 (S)	1.90E-04	5.4E+00	8.0E+00	2.7E+00	9.8E-02	1.8E-01	4.8E-01	2.6E+04	.
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.24E-05	3.2E+03	4.6E+03	1.6E+03	4.9E-01	2.1E+00	8.0E+03	1.1E+11	.
Terbium (65)	Tb-153	1.08E+02	6.41E-03	9.75E-11	1.75E-11	3.79E-11	5.47E-11	2.6E-11 (S)	3.22E-05	9.8E+00	1.5E+01	4.8E+00	2.0E-01	2.9E-01	1.2E+00	2.0E+04	.
Terbium (65)	Tb-154	2.82E+02	2.45E-03	1.56E-10	3.40E-11	6.46E-11	9.16E-11	3.0E-11 (S)	3.10E-04	2.7E+00	4.0E+00	1.4E+00	8.4E-02	1.9E-01	7.0E-01	3.1E+04	.
Terbium (65)	Tb-155	4.75E+01	1.46E-02	9.74E-11	1.67E-11	3.73E-11	5.41E-11	3.4E-11 (S)	1.16E-05	1.1E+01	1.8E+01	5.2E+00	1.7E-01	2.3E-01	1.2E+00	8.9E+03	.
Terbium (65)	Tb-156	4.73E+01	1.47E-02	3.10E-10	6.42E-11	1.26E-10	1.80E-10	1.2E-10 (S)	2.41E-04	5.8E-01	8.6E-01	2.9E-01	4.1E-02	6.3E-02	3.6E-01	2.6E+03	.
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	5.05E-11	9.53E-12	2.00E-11	2.87E-11	2.2E-11 (S)	8.58E-07	5.4E+02	1.3E+03	1.8E+02	2.8E-01	3.6E-01	2.2E+00	8.7E+04	.
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	3.01E-11	5.26E-12	1.16E-11	1.68E-11	1.2E-11 (S)	1.13E-07	8.3E+03	4.4E+04	2.0E+03	5.3E-01	6.8E-01	3.9E+00	6.9E+05	.
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.49E-11	2.45E-12	5.63E-12	8.19E-12	1.0E-10 (F)	8.11E-08	5.7E-01	2.4E+00	1.0E-01	6.2E-02	8.0E-02	6.1E+00	4.1E+01	.
Terbium (65)	Tb-158	3.85E-03	1.80E+02	3.26E-10	6.33E-11	1.30E-10	1.86E-10	4.7E-09 (F)	9.72E-05	1.2E-03	1.9E-03	4.0E-04	1.3E-03	1.7E-03	2.6E-01	1.6E+00	.
Terbium (65)	Tb-160	3.50E+00	1.98E-01	6.23E-10	1.05E-10	2.37E-10	3.44E-10	8.2E-10 (S)	1.42E-04	7.1E-02	1.1E-01	3.4E-02	7.4E-03	9.7E-03	1.9E-01	1.0E+02	.
Terbium (65)	Tb-161	3.66E+01	1.89E-02	3.61E-10	5.41E-11	1.33E-10	1.95E-10	1.6E-10 (S)	9.47E-07	2.5E+01	1.7E+02	5.8E+00	4.0E-02	5.2E-02	3.4E-01	1.9E+03	.
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.33E-04	1.1E+03	1.6E+03	5.6E+02	3.2E-01	1.4E+00	5.2E+03	3.9E+10	.
Terbium (65)	Tb-163	1.87E+04	3.71E-05	2.19E-12	8.05E-13	1.05E-12	1.44E-12	7.6E-13 (S)	9.03E-05	6.2E+02	9.1E+02	3.2E+02	4.3E-01	1.7E+00	4.3E+01	1.2E+08	.
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.10E-04	1.2E+03	1.7E+03	6.1E+02	1.4E-01	6.1E-01	2.3E+03	4.4E+10	.
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.11E-04	4.7E+03	6.8E+03	2.4E+03	3.9E-01	1.7E+00	6.5E+03	1.8E+11	.
Technetium (43)	Tc-101	2.57E+04	2.70E-05	1.70E-12	6.48E-13	8.20E-13	1.13E-12	5.1E-13 (S)	3.72E-05	2.1E+03	3.0E+03	1.1E+03	9.8E-01	3.6E+00	5.5E+01	7.3E+03	.
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E-05	9.9E+05	1.4E+06	5.1E+05	3.4E+00	1.5E+01	5.8E+04	1.3E+09	.
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.28E-04	7.7E+02	1.1E+03	3.9E+02	1.3E-01	5.8E-01	2.2E+03	9.6E+05	.
Technetium (43)	Tc-104	1.99E+04	3.48E-05	8.01E-12	2.95E-12	3.81E-12	5.26E-12	1.5E-12 (S)	3.02E-04	2.0E+02	2.9E+02	1.0E+02	1.4E-01	5.6E-01	1.2E+01	1.2E+03	.
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.81E-05	1.5E+03	2.1E+03	7.6E+02	4.3E-01	1.9E+00	7.1E+03	1.8E+06	.
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.31E-04	1.1E+03	1.5E+03	5.4E+02	1.3E-01	5.7E-01	2.2E+03	1.3E+06	.
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.73E-04	1.9E+03	2.8E+03	9.9E+02	2.4E-01	1.1E+00	4.0E+03	2.3E+06	.
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.86E-04	5.3E+02	7.7E+02	2.7E+02	8.8E-02	3.9E-01	1.5E+03	6.5E+05	.
Technetium (43)	Tc-93	2.21E+03	3.14E-04	1.31E-11	3.59E-12	5.73E-12	7.99E-12	2.6E-12 (S)	2.10E-04	3.1E+01	4.6E+01	1.6E+01	1.9E-01	7.1E-01	7.9E+00	9.0E+01	.
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	5.37E-12	1.53E-12	2.36E-12	3.29E-12	1.1E-12 (S)	1.30E-04	1.9E+02	2.8E+02	9.9E+01	3.2E-01	1.2E+00	1.9E+01	8.3E+02	.
Technetium (43)	Tc-94	1.24E+03	5.57E-04	3.93E-11	1.06E-11	1.70E-11	2.38E-11	7.8E-12 (S)	3.31E-04	1.1E+01	1.6E+01	5.7E+00	1.1E-01	3.6E-01	2.7E+00	1.7E+01	.
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	1.49E-11	4.24E-12	6.47E-12	9.09E-12	2.8E-12 (S)	2.48E-04	8.5E+01	1.2E+02	4.3E+01	1.6E-01	6.0E-01	7.0E+00	2.5E+02	.
Technetium (43)	Tc-95	3.04E+02	2.28E-03	3.60E-11	9.48E-12	1.56E-11	2.17E-11	7.4E-12 (S)	9.81E-05	9.1E+00	1.4E+01	4.5E+00	2.9E-01	6.9E-01	2.9E+00	4.6E+00	.
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.13E-10	3.00E-11	4.93E-11	6.87E-11	1.3E-10 (S)	8.08E-05	1.4E-01	2.2E-01	6.6E-02	4.5E-02	6.2E-02	9.0E-01	1.9E-02	.
Technetium (43)	Tc-96	5.91E+01	1.17E-02	2.06E-10	5.81E-11	9.23E-11	1.27E-10	5.7E-11 (S)	3.14E-04	5.5E-01	8.2E-01	2.7E-01	6.1E-02	1.1E-01	4.9E-01	1.5E-01	.
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	2.18E-12	6.08E-13	9.64E-13	1.34E-12	5.8E-13 (S)	5.33E-06	3.9E+03	5.8E+03	1.9E+03	4.6E+00	1.0E+01	4.7E+01	1.7E+03	.
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.90E-11	3.64E-12	7.33E-12	1.06E-11	1.3E-10 (S)	7.73E-09	1.1E-01	2.2E+01	1.5E-02	4.8E-02	6.2E-02	2.1E+00	4.2E-04	.
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	1.70E-10	3.08E-11	6.43E-11	9.33E-11	3.9E-10 (S)	2.79E-08	9.5E-01	3.9E+02	1.9E-01	1.6E-02	2.0E-02	6.8E-01	9.9E-03	.
Technetium (43)	Tc-98	1.65E-07	4.20E+06	4.38E-10	9.98E-11	1.79E-10	2.54E-10	3.2E-09 (S)	1.74E-04	5.8E-04	1.0E-03	1.6E-04	1.9E-03	2.5E-03	8.8E-02	1.8E-05	.
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.96E-10	3.58E-11	7.44E-11	1.08E-10	1.0E-09 (S)	2.24E-09	1.1E-02	2.8E+01	1.5E-03	6.0E-03	7.8E-03	2.1E-01	4.1E-05	1.8E-01
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	5.37E-12	1.18E-12	2.15E-12	3.06E-12	1.6E-12 (S)	1.07E-05	2.8E+02	4.1E+02	1.4E+02	1.7E+00	3.6E+00	2.1E+01	1.1E+02	.
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-04	2.3E+03	3.3E+03	1.2E+03	1.5E-01	6.6E-01	2.5E+03	6.7E+09	.
Tellurium (52)	Te-114	2.40E+04	2.89E-05	6.75E-12	2.53E-12	3.26E-12	4.48E-12	2.3E-12 (V)	1.63E-04	4.4E+02	6.5E+02	2.3E+02	2.4E-01	8.7E-01	1.4E+01	4.1E+06	.
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.86E-04	6.6E+02	9.6E+02	3.4E+02	1.5E-01	6.6E-01	2.5E+03	2.0E+09	.
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.38E-04	4.8E+02	7.1E+02	2.5E+02	1.3E-01	5.6E-01	2.1E+03	1.4E+09	.
Tellurium (52)	Te-116	2.44E+03	2.84E-04	5.34E-11	1.08E-11	2.11E-11	3.03E-11	1.1E-11 (S)	7.98E-06	8.4E+02	1.3E+03	3.5E+02	.	.	2.1E+00	6.5E+04	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	9.17E-12	2.49E-12	3.98E-12	5.58E-12	2.0E-12 (V)	2.00E-04	8.8E+01	1.3E+02	4.5E+01	2.0E-01	7.7E-01	1.1E+01	8.3E+05	.
Tellurium (52)	Te-118	4.22E+01	1.64E-02	1.30E-09	2.09E-10	4.77E-10	6.95E-10	3.4E-10 (S)	7.35E-08	7.6E+00	1.9E+03	1.0E+00	1.8E-02	2.4E-02	9.4E-02	5.0E+01	.
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	1.30E-09	2.09E-10	4.77E-10	6.95E-10	3.4E-10 (S)	9.53E-05	1.1E+00	1.9E+00	4.1E-01	1.8E-02	2.3E-02	9.4E-02	5.0E+01	.
Tellurium (52)	Te-119	3.78E+02	1.83E-03	4.46E-11	9.84E-12	1.83E-11	2.59E-11	8.7E-12 (S)	9.31E-05	1.2E+01	1.8E+01	6.1E+00	2.8E-01	6.3E-01	2.5E+00	1.2E+04	.
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	1.59E-10	3.94E-11	6.81E-11	9.51E-11	5.4E-11 (V)	1.91E-04	8.4E-01	1.2E+00	4.2E-01	7.6E-02	1.3E-01	6.6E-01	4.5E+02	.
Tellurium (52)	Te-121	1.32E+01	5.25E-02	9.13E-11	2.56E-11	4.08E-11	5.61E-11	5.3E-11 (V)	6.66E-05	5.8E-01	8.7E-01	2.8E-01	.	.	1.1E+00	1.8E+02	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	3.67E-10	1.23E-10	1.75E-10	2.32E-10	5.6E-10 (S)	2.12E-05	1.8E-01	3.4E-01	5.9E-02	.	.	2.6E-01	5.3E+00	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	4.29E-11	3.05E-11	2.93E-11	3.56E-11	8.3E-11 (V)	1.27E-10	1.4E-01	5.1E+01	1.2E-02	.	.	1.1E+00	5.4E-01	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	2.61E-10	6.63E-11	1.11E-10	1.52E-10	4.8E-10 (S)	1.21E-05	4.1E-01	7.7E-01	1.3E-01	.	.	4.0E-01	1.1E+01	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	2.30E-10	4.60E-11	9.00E-11	1.27E-10	3.9E-10 (S)	1.87E-07	4.1E+00	1.0E+02	5.7E-01	.	.	5.0E-01	2.7E+01	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	7.58E-11	1.15E-11	2.73E-11	4.02E-11	1.8E-11 (S)	5.68E-07	1.3E+03	5.0E+03	2.3E+02	.	.	1.6E+00	1.3E+04	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	5.77E-10	1.29E-10	2.34E-10	3.24E-10	9.4E-10 (S)	7.23E-08	8.9E-01	1.2E+02	1.2E-01	.	.	1.9E-01	5.6E+00	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	1.13E-11	2.67E-12	4.62E-12	6.60E-12	3.1E-12 (V)	6.94E-06	2.2E+03	3.3E+03	1.1E+03	.	.	9.7E+00	6.4E+05	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	1.10E-09	1.94E-10	4.14E-10	5.94E-10	8.1E-10 (S)	3.76E-06	1.3E+00	8.7E+00	2.0E-01	.	.	1.1E-01	1.0E+01	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	1.46E-11	3.54E-12	5.85E-12	8.23E-12	6.6E-12 (V)	4.80E-05	9.1E+02	1.3E+03	4.6E+02	.	.	7.7E+00	1.4E+06	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	5.79E-10	1.06E-10	2.19E-10	3.14E-10	2.6E-10 (V)	1.82E-04	3.2E+00	4.9E+00	1.5E+00	.	.	2.1E-01	5.2E+02	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	1.22E-09	2.21E-10	4.58E-10	6.57E-10	5.7E-10 (V)	2.11E-05	6.4E+00	1.6E+01	1.5E+00	.	.	9.8E-02	9.7E+01	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	1.35E-11	2.94E-12	5.14E-12	7.28E-12	5.8E-12 (V)	1.54E-04	5.7E+02	8.3E+02	2.9E+02	.	.	8.8E+00	3.2E+06	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	5.76E-11	1.15E-11	2.15E-11	3.06E-11	2.3E-11 (V)	2.37E-04	8.3E+01	1.2E+02	4.2E+01	.	.	2.1E+00	1.7E+05	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	1.77E-11	4.69E-12	7.46E-12	1.04E-11	8.0E-12 (V)	1.01E-04	2.6E+02	3.8E+02	1.3E+02	.	.	6.1E+00	6.6E+05	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.99E-06	2.2E+07	3.2E+07	1.1E+07	5.9E+00	2.6E+01	9.5E+04	1.8E+12	.
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.17E-06	2.9E+07	4.2E+07	1.5E+07	1.7E+01	7.2E+01	2.7E+05	2.9E+12	.
Thorium (90)	Th-226	1.19E+04	5.82E-05	3.94E-11	1.28E-11	1.78E-11	2.50E-11	4.2E-09 (S)	6.37E-07	3.3E+04	8.2E+04	8.5E+03	1.5E-03	1.9E-03	2.5E+00	1.6E+04	.
Thorium (90)	Th-227	1.35E+01	5.12E-02	3.48E-09	5.57E-10	1.30E-09	1.90E-09	9.5E-07 (S)	1.20E-05	8.8E-01	4.9E+00	1.6E-01	6.6E-06	8.5E-06	3.4E-02	2.5E-01	.
Thorium (90)	Th-228	3.63E-01	1.91E+00	6.57E-09	1.73E-09	2.91E-09	4.00E-09	3.6E-06 (S)	1.52E-07	1.5E-02	4.0E+00	2.3E-03	1.7E-06	2.2E-06	1.5E-02	2.9E-03	2.9E+00
Thorium (90)	Th-229	9.44E-05	7.34E+03	1.04E-08	5.32E-09	6.04E-09	7.85E-09	4.7E-06 (S)	6.06E-06	7.8E-04	2.6E-02	7.9E-05	1.3E-06	1.7E-06	5.7E-03	1.2E-04	3.0E-01
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	1.69E-08	7.33E-09	9.13E-09	1.20E-08	5.4E-06 (S)	6.22E-06	5.2E-04	2.5E-02	5.2E-05	1.1E-06	1.5E-06	3.7E-03	7.6E-05	3.0E-01
Thorium (90)	Th-230	9.19E-06	7.54E+04	4.49E-09	2.09E-09	2.47E-09	3.22E-09	9.2E-07 (F)	2.28E-08	2.0E-03	6.6E-01	2.0E-04	6.7E-06	8.7E-06	1.4E-02	2.8E-04	3.0E-01
Thorium (90)	Th-231	2.38E+02	2.91E-03	1.61E-10	2.45E-11	5.93E-11	8.69E-11	4.1E-11 (S)	6.72E-07	3.2E+02	1.5E+03	6.1E+01	1.5E-01	2.0E-01	7.6E-01	9.5E+01	.
Thorium (90)	Th-232	4.93E-11	1.41E+10	4.97E-09	2.29E-09	2.73E-09	3.60E-09	1.2E-06 (S)	9.69E-09	1.8E-03	6.3E-01	1.7E-04	5.3E-06	6.8E-06	1.3E-02	2.5E-04	3.0E-01
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	5.86E-08	2.04E-08	3.08E-08	4.22E-08	2.4E-06 (S)	1.09E-04	1.3E-04	1.6E-03	1.4E-05	2.6E-06	3.4E-06	1.1E-03	2.2E-05	.
Thorium (90)	Th-233	1.63E+04	4.24E-05	2.34E-12	7.85E-13	1.07E-12	1.50E-12	1.0E-12 (S)	3.88E-06	1.3E+04	1.8E+04	6.4E+03	3.8E+00	6.7E+00	4.2E+01	3.6E+05	.
Thorium (90)	Th-234	1.05E+01	6.60E-02	1.69E-09	2.57E-10	6.24E-10	9.17E-10	8.3E-10 (S)	4.80E-07	1.8E+00	9.1E+01	2.8E-01	7.5E-03	9.6E-03	7.2E-02	4.0E-01	.
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	1.69E-09	2.57E-10	6.24E-10	9.17E-10	8.3E-10 (S)	2.93E-06	1.6E+00	1.6E+01	2.7E-01	7.5E-03	9.6E-03	7.2E-02	4.0E-01	.
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.69E-06	2.3E+04	3.4E+04	1.2E+04	6.2E+00	2.7E+01	1.0E+05	2.8E+09	.
Thorium (90)	Th-236	9.71E+03	7.13E-05	1.21E-11	3.50E-12	5.28E-12	7.44E-12	3.5E-12 (S)	3.57E-06	7.9E+03	1.2E+04	3.7E+03	1.5E+00	2.2E+00	8.5E+00	4.4E+04	.
Titanium (22)	Ti-44	1.16E-02	6.00E+01	1.71E-09	3.63E-10	6.91E-10	9.81E-10	9.3E-09 (S)	6.69E-06	5.5E-03	3.0E-02	6.0E-04	6.7E-04	8.6E-04	5.0E-02	5.8E-02	.
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	1.82E-09	3.83E-10	7.34E-10	1.04E-09	9.3E-09 (S)	2.75E-04	4.6E-04	7.3E-04	1.4E-04	6.6E-04	8.6E-04	4.7E-02	5.5E-02	.
Titanium (22)	Ti-45	1.97E+03	3.52E-04	4.47E-11	8.44E-12	1.74E-11	2.52E-11	8.3E-12 (S)	1.03E-04	5.8E+01	8.4E+01	2.9E+01	2.6E-01	6.2E-01	2.6E+00	1.3E+05	.
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.23E-05	4.5E+03	6.5E+03	2.3E+03	9.6E-01	4.2E+00	1.6E+04	2.6E+10	.
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.02E-05	6.3E+04	9.2E+04	3.2E+04	3.1E+00	1.3E+01	5.0E+04	2.8E+11	.
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.54E-04	2.7E+03	4.0E+03	1.4E+03	2.7E-01	1.2E+00	4.5E+03	2.4E+10	.
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.95E-04	1.0E+03	1.5E+03	5.2E+02	1.4E-01	6.2E-01	2.4E+03	9.0E+09	.
Thallium (81)	Tl-194	1.10E+04	6.28E-05	4.32E-12	1.71E-12	2.12E-12	2.90E-12	1.0E-12 (S)	1.06E-04	3.1E+02	4.6E+02	1.6E+02	3.7E-01	1.4E+00	2.1E+01	9.2E+06	.
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	4.17E-12	1.71E-12	2.10E-12	2.85E-12	1.3E-12 (S)	2.99E-04	1.1E+02	1.6E+02	5.7E+01	1.4E-01	5.6E-01	2.1E+01	9.3E+06	.
Thallium (81)	Tl-195	5.23E+03	1.32E-04	3.24E-12	1.25E-12	1.60E-12	2.16E-12	1.4E-12 (S)	1.57E-04	1.0E+02	1.5E+02	5.1E+01	2.6E-01	9.9E-01	2.8E+01	5.8E+06	.
Thallium (81)	Tl-196	3.30E+03	2.10E-04	6.36E-12	2.50E-12	3.16E-12	4.27E-12	1.8E-12 (S)	2.41E-04	4.1E+01	6.0E+01	2.1E+01	1.7E-01	6.6E-01	1.4E+01	1.8E+06	.
Thallium (81)	Tl-197	2.14E+03	3.24E-04	3.73E-12	1.25E-12	1.74E-12	2.38E-12	2.8E-12 (S)	5.11E-05	1.3E+02	1.8E+02	6.4E+01	5.8E-01	1.6E+00	2.6E+01	2.2E+06	.
Thallium (81)	Tl-198	1.15E+03	6.05E-04	1.11E-11	4.35E-12	5.59E-12	7.47E-12	3.3E-12 (S)	2.62E-04	1.3E+01	1.9E+01	6.7E+00	1.5E-01	5.6E-01	8.1E+00	3.6E+05	.
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	7.15E-12	2.75E-12	3.53E-12	4.76E-12	3.7E-12 (S)	1.39E-04	7.0E+01	1.0E+02	3.6E+01	2.5E-01	8.1E-01	1.3E+01	1.6E+06	.
Thallium (81)	Tl-199	8.18E+02	8.47E-04	4.40E-12	1.49E-12	2.07E-12	2.81E-12	3.4E-12 (S)	2.34E-05	1.1E+02	1.5E+02	5.3E+01	8.4E-01	1.7E+00	2.2E+01	7.0E+05	.
Thallium (81)	Tl-200	2.33E+02	2.98E-03	3.42E-11	1.24E-11	1.67E-11	2.23E-11	1.1E-11 (S)	1.60E-04	4.3E+00	6.4E+00	2.2E+00	1.8E-01	4.4E-01	2.7E+00	2.5E+04	.
Thallium (81)	Tl-201	8.33E+01	8.32E-03	2.32E-11	6.16E-12	1.00E-11	1.38E-11	1.9E-11 (S)	5.08E-06	4.5E+01	7.2E+01	1.8E+01	3.1E-01	4.2E-01	4.5E+00	1.5E+04	.
Thallium (81)	Tl-202	2.07E+01	3.35E-02	8.55E-11	2.84E-11	4.03E-11	5.44E-11	3.7E-11 (S)	4.95E-05	1.2E+00	1.8E+00	5.6E-01	1.4E-01	2.0E-01	1.1E+00	9.1E+02	.
Thallium (81)	Tl-204	1.83E-01	3.78E+00	3.90E-10	8.52E-11	1.57E-10	2.22E-10	1.6E-09 (S)	8.08E-08	7.8E-02	9.0E+00	9.0E-03	3.8E-03	4.9E-03	2.6E-01	1.8E+00	2.2E+03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-07	1.6E+06	2.3E+06	8.1E+05	1.6E+02	6.9E+02	3.6E+06	1.2E+13	.
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.88E-04	1.0E+03	1.5E+03	5.2E+02	1.5E-01	6.3E-01	2.4E+03	9.1E+09	.
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.29E-07	5.4E+05	7.8E+05	2.8E+05	8.2E+01	3.6E+02	1.6E+06	4.6E+12	.
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.73E-04	7.6E+02	1.1E+03	3.9E+02	9.3E-02	4.1E-01	1.5E+03	7.1E+09	.
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.79E-04	1.8E+03	2.6E+03	9.4E+02	1.6E-01	6.8E-01	2.6E+03	1.7E+10	.
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.63E-04	2.3E+03	3.4E+03	1.2E+03	1.2E-01	5.2E-01	2.0E+03	2.2E+10	.
Thulium (69)	Tm-161	1.21E+04	5.75E-05	6.76E-12	1.82E-12	2.94E-12	4.13E-12	1.6E-12 (S)	1.57E-04	2.3E+02	3.4E+02	1.2E+02	2.5E-01	9.5E-01	1.5E+01	1.6E+06	.
Thulium (69)	Tm-162	1.68E+04	4.13E-05	4.24E-12	1.53E-12	2.02E-12	2.79E-12	9.7E-13 (S)	2.52E-04	2.0E+02	2.9E+02	1.0E+02	1.7E-01	6.9E-01	2.2E+01	3.2E+06	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Thulium (69)	Tm-163	3.35E+03	2.07E-04	1.05E-11	2.72E-12	4.56E-12	6.41E-12	2.4E-12 (S)	1.63E-04	6.2E+01	9.0E+01	3.2E+01	2.4E-01	8.5E-01	9.9E+00	2.8E+05	.
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.47E-05	5.8E+03	8.4E+03	3.0E+03	4.5E-01	2.0E+00	7.4E+03	1.2E+10	.
Thulium (69)	Tm-165	2.02E+02	3.43E-03	1.15E-10	2.12E-11	4.51E-11	6.50E-11	2.4E-11 (S)	5.96E-05	1.0E+01	1.5E+01	5.0E+00	1.9E-01	3.0E-01	1.0E+00	1.7E+03	.
Thulium (69)	Tm-166	7.88E+02	8.79E-04	7.14E-11	1.56E-11	2.95E-11	4.19E-11	1.5E-11 (S)	2.57E-04	9.2E+00	1.3E+01	4.7E+00	1.2E-01	3.2E-01	1.5E+00	1.0E+04	.
Thulium (69)	Tm-167	2.73E+01	2.53E-02	2.61E-10	4.05E-11	9.71E-11	1.42E-10	1.4E-10 (S)	1.09E-05	6.1E+00	1.1E+01	2.6E+00	4.4E-02	5.8E-02	4.6E-01	1.1E+02	.
Thulium (69)	Tm-168	2.72E+00	2.55E-01	3.04E-10	5.94E-11	1.21E-10	1.74E-10	5.0E-10 (S)	1.45E-04	5.5E-02	8.2E-02	2.8E-02	1.2E-02	1.6E-02	3.7E-01	8.6E+00	.
Thulium (69)	Tm-170	1.97E+00	3.52E-01	6.50E-10	9.65E-11	2.39E-10	3.50E-10	8.9E-10 (S)	2.16E-07	9.0E-01	3.8E+01	2.1E-01	7.0E-03	9.0E-03	1.9E-01	3.1E+00	.
Thulium (69)	Tm-171	3.61E-01	1.92E+00	5.11E-11	7.68E-12	1.88E-11	2.76E-11	1.2E-10 (S)	1.80E-08	2.1E+00	8.4E+01	5.0E-01	5.3E-02	6.8E-02	2.3E+00	7.1E+00	.
Thulium (69)	Tm-172	9.55E+01	7.26E-03	7.89E-10	1.21E-10	2.92E-10	4.28E-10	1.6E-10 (S)	6.31E-05	4.1E+00	6.6E+00	1.8E+00	3.6E-02	4.8E-02	1.5E-01	1.3E+02	.
Thulium (69)	Tm-173	7.37E+02	9.41E-04	1.21E-10	1.96E-11	4.55E-11	6.64E-11	2.2E-11 (S)	4.39E-05	4.9E+01	7.4E+01	2.5E+01	2.2E-01	3.4E-01	9.9E-01	6.2E+03	.
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.11E-04	9.6E+02	1.4E+03	5.0E+02	2.0E-01	8.6E-01	3.2E+03	1.9E+09	.
Thulium (69)	Tm-175	2.40E+04	2.89E-05	2.94E-12	9.96E-13	1.36E-12	1.89E-12	9.2E-13 (S)	1.33E-04	5.4E+02	7.9E+02	2.8E+02	3.1E-01	1.2E+00	3.3E+01	6.8E+06	.
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.56E-04	2.3E+03	3.4E+03	1.2E+03	1.7E-01	7.4E-01	2.8E+03	4.7E+09	.
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.05E-05	9.5E+04	1.4E+05	4.9E+04	3.3E+00	1.5E+01	5.4E+04	2.8E+08	.
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.09E-07	3.9E+05	5.7E+05	2.0E+05	1.0E+02	4.5E+02	1.7E+06	1.0E+09	.
Uranium (92)	U-230	1.22E+01	5.70E-02	1.43E-08	2.80E-09	5.65E-09	8.05E-09	1.5E-06 (S)	8.30E-08	2.5E-01	1.3E+02	1.0E-02	4.2E-06	5.4E-06	8.0E-03	1.5E-03	1.6E+11
Uranium (92)	U-231	6.02E+01	1.15E-02	1.54E-10	2.42E-11	5.74E-11	8.40E-11	5.7E-11 (S)	4.48E-06	3.0E+01	5.9E+01	3.9E+00	1.1E-01	1.4E-01	7.8E-01	7.3E-01	3.8E+12
Uranium (92)	U-232	1.01E-02	6.89E+01	1.45E-08	6.57E-09	7.85E-09	1.04E-08	2.5E-06 (S)	1.47E-08	6.9E-04	2.6E-01	2.0E-05	2.5E-06	3.2E-06	4.5E-03	3.1E-06	4.4E+05
Uranium (92)	U-233	4.35E-06	1.59E+05	4.06E-09	1.41E-09	1.94E-09	2.62E-09	7.7E-07 (S)	1.92E-08	2.4E-03	9.4E-01	6.4E-05	8.1E-06	1.0E-05	1.7E-02	1.0E-05	1.7E+02
Uranium (92)	U-234	2.82E-06	2.46E+05	4.01E-09	1.38E-09	1.91E-09	2.58E-09	7.5E-07 (S)	6.85E-09	2.4E-03	1.0E+00	6.5E-05	8.3E-06	1.1E-05	1.8E-02	1.1E-05	1.1E+02
Uranium (92)	U-235	9.84E-10	7.04E+08	3.99E-09	1.33E-09	1.88E-09	2.55E-09	6.8E-07 (S)	1.49E-05	1.9E-03	1.2E-02	6.5E-05	9.2E-06	1.2E-05	1.8E-02	1.1E-05	3.9E-02
Uranium (92)	U-235+D	9.84E-10	7.04E+08	4.15E-09	1.35E-09	1.94E-09	2.64E-09	6.8E-07 (S)	1.56E-05	1.8E-03	1.1E-02	6.2E-05	9.2E-06	1.2E-05	1.7E-02	1.0E-05	3.9E-02
Uranium (92)	U-235m	1.40E+04	4.95E-05	4.46E-16	1.53E-16	2.06E-16	2.87E-16	5.1E-17 (M)	0.00E+00	8.0E+09	3.7E+12	3.3E+08	1.2E+05	1.6E+05	2.2E+05	4.8E+07	.
Uranium (92)	U-236	2.96E-08	2.34E+07	3.77E-09	1.30E-09	1.80E-09	2.43E-09	6.9E-07 (S)	3.35E-09	2.6E-03	1.1E+00	6.9E-05	8.9E-06	1.2E-05	1.9E-02	1.1E-05	1.2E+00
Uranium (92)	U-237	3.75E+01	1.85E-02	3.62E-10	5.66E-11	1.35E-10	1.97E-10	2.0E-10 (S)	1.01E-05	8.2E+00	1.6E+01	1.1E+00	3.1E-02	4.0E-02	3.3E-01	1.9E-01	1.4E+12
Uranium (92)	U-238	1.55E-10	4.47E+09	3.63E-09	1.26E-09	1.73E-09	2.34E-09	6.4E-07 (S)	3.35E-09	2.7E-03	1.2E+00	7.2E-05	9.7E-06	1.3E-05	2.0E-02	1.2E-05	6.0E-03
Uranium (92)	U-238+D	1.55E-10	4.47E+09	5.32E-09	1.52E-09	2.35E-09	3.26E-09	6.4E-07 (S)	3.22E-06	1.8E-03	5.2E-02	5.2E-05	9.7E-06	1.2E-05	1.4E-02	8.5E-06	6.0E-03
Uranium (92)	U-239	1.55E+04	4.46E-05	4.84E-12	1.19E-12	2.01E-12	2.86E-12	1.7E-12 (S)	3.22E-06	1.4E+04	2.1E+04	6.2E+03	2.6E+00	4.3E+00	2.2E+01	5.4E+03	2.4E+17
Uranium (92)	U-240	4.31E+02	1.61E-03	5.04E-10	7.85E-11	1.87E-10	2.74E-10	8.4E-11 (S)	3.12E-07	2.4E+02	5.9E+03	1.1E+01	7.4E-02	9.6E-02	2.4E-01	1.6E+00	1.9E+14
Uranium (92)	U-242	2.17E+04	3.20E-05	4.91E-12	1.83E-12	2.34E-12	3.23E-12	1.4E-12 (S)	4.10E-06	1.6E+04	2.3E+04	6.9E+03	3.0E+00	5.0E+00	1.9E+01	6.5E+03	.
Vanadium (23)	V-47	1.12E+04	6.20E-05	7.43E-12	2.40E-12	3.38E-12	4.71E-12	1.7E-12 (S)	1.18E-04	2.9E+02	4.2E+02	1.5E+02	3.2E-01	1.2E+00	1.3E+01	1.2E+06	.
Vanadium (23)	V-48	1.58E+01	4.38E-02	5.54E-10	1.12E-10	2.24E-10	3.19E-10	2.8E-10 (S)	3.79E-04	1.2E-01	1.8E-01	6.1E-02	1.8E-02	2.7E-02	2.0E-01	2.5E+01	.
Vanadium (23)	V-49	7.67E-01	9.04E-01	8.88E-12	1.34E-12	3.27E-12	4.79E-12	7.6E-12 (S)	0.00E+00	2.7E+01	2.3E+04	3.6E+00	8.2E-01	1.1E+00	1.3E+01	8.1E+01	.
Vanadium (23)	V-50	4.62E-18	1.50E+17	3.19E-10	1.23E-10	1.60E-10	2.15E-10	2.6E-09 (F)	1.95E-04	6.3E-04	9.3E-04	1.5E-04	2.4E-03	3.1E-03	2.1E-01	6.9E-02	.
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.98E-04	1.5E+03	2.2E+03	7.6E+02	2.2E-01	9.8E-01	3.7E+03	2.8E+09	.
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.35E-04	5.0E+03	7.3E+03	2.6E+03	3.2E-01	1.4E+00	5.3E+03	9.4E+09	.
Tungsten (74)	W-177	2.76E+03	2.51E-04	1.25E-11	2.95E-12	5.21E-12	7.37E-12	3.2E-12 (S)	1.00E-04	8.3E+01	1.2E+02	4.0E+01	3.3E-01	1.0E+00	8.6E+00	9.3E+04	.
Tungsten (74)	W-178	1.17E+01	5.92E-02	9.83E-11	1.65E-11	3.71E-11	5.39E-11	8.4E-11 (S)	4.86E-07	8.0E+00	1.1E+02	3.7E-01	7.4E-02	9.6E-02	1.2E+00	5.5E+01	.
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	9.83E-11	1.65E-11	3.71E-11	5.39E-11	8.4E-11 (S)	1.10E-05	2.4E+00	4.7E+00	3.1E-01	7.3E-02	9.5E-02	1.2E+00	5.5E+01	.
Tungsten (74)	W-179	9.83E+03	7.05E-05	4.55E-13	1.42E-13	2.05E-13	2.87E-13	8.0E-14 (S)	1.59E-06	1.8E+04	2.7E+04	8.2E+03	1.0E+01	3.4E+01	2.2E+02	8.4E+06	.
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.28E-06	5.2E+04	7.6E+04	2.7E+04	8.5E+00	3.7E+01	1.4E+05	3.0E+10	.
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.19E-11	5.59E-12	1.22E-11	1.76E-11	3.1E-11 (S)	1.29E-06	2.4E+00	7.1E+00	1.9E-01	2.0E-01	2.6E-01	3.6E+00	2.9E+01	.
Tungsten (74)	W-185	3.37E+00	2.06E-01	2.16E-10	3.28E-11	7.92E-11	1.16E-10	3.7E-10 (S)	7.61E-09	1.2E+00	1.3E+03	5.0E-02	1.7E-02	2.2E-02	5.6E-01	7.3E+00	.
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.63E-06	4.2E+05	6.1E+05	2.2E+05	1.8E+01	7.9E+01	2.9E+05	2.6E+11	.
Tungsten (74)	W-187	2.56E+02	2.71E-03	2.53E-10	4.07E-11	9.42E-11	1.37E-10	5.3E-11 (S)	5.18E-05	1.2E+01	2.2E+01	2.3E+00	1.0E-01	1.5E-01	4.8E-01	4.8E+02	.
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.03E-09	1.56E-10	3.77E-10	5.52E-10	1.5E-09 (S)	1.90E-07	2.7E-01	7.7E+01	1.1E-02	4.1E-03	5.3E-03	1.2E-01	1.7E+00	.
Tungsten (74)	W-190	1.21E+04	5.71E-05	9.72E-12	3.18E-12	4.44E-12	6.19E-12	3.9E-12 (S)	9.75E-06	3.6E+03	5.5E+03	1.2E+03	1.0E+00	1.8E+00	1.0E+01	4.8E+05	.
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.23E-05	6.5E+02	9.4E+02	3.3E+02	9.6E-01	4.2E+00	1.6E+04	.	.
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.89E-04	1.4E+02	2.1E+02	7.4E+01	2.3E-01	9.9E-01	3.8E+03	.	.
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.95E-06	1.8E+02	2.7E+02	9.4E+01	7.4E+00	3.2E+01	1.2E+05	.	.
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.45E-05	1.2E+02	1.7E+02	6.1E+01	5.6E-01	2.4E+00	9.2E+03	.	.
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.53E-05	4.3E+01	6.2E+01	2.2E+01	1.5E+00	6.5E+00	2.4E+04	.	.
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.57E-05	8.1E-01	1.2E+00	4.2E-01	1.4E+00	6.3E+00	2.3E+04	.	.
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E-05	7.3E+04	1.1E+05	3.8E+04	2.5E+00	1.1E+01	4.0E+04	.	.
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.15E-06	7.5E+01	1.1E+02	3.8E+01	2.1E+01	9.0E+01	3.2E+05	.	.
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.91E-07	1.6E+02	2.4E+02	8.4E+01	5.6E+01	2.4E+02	8.8E+05	.	.
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.82E-06	8.0E+01	1.2E+02	4.1E+01	1.3E+01	5.6E+01	2.0E+05	.	.

Radionuclides		Slope Factors and Isotope-specific Information								Preliminary Remediation Goals (PRG)s						Protection of Ground Water (DAF = 1)	
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Soil Ingestion Slope Factor (risk/Bq)	Adult Soil Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Resident Soil (Bq/g)	Composite Worker Soil (Bq/g)	Farmer Soil (Bq/g)	Resident Air No Decay (Bq/m^3)	Composite Worker Air No Decay (Bq/m^3)	Resident Tapwater (Bq/L)	SSL Risk-based (Bq/g)	SSL MCL-based (Bq/g)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.65E-06	3.2E+05	4.6E+05	1.6E+05	2.2E+01	9.7E+01	3.6E+05	2.8E+12	.
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.50E-06	1.4E+02	2.0E+02	7.1E+01	1.4E+01	5.9E+01	2.2E+05	.	.
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.62E-05	7.6E+01	1.1E+02	3.9E+01	1.5E+00	6.4E+00	2.4E+04	.	.
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.99E-05	1.4E+03	2.1E+03	7.4E+02	8.4E-01	3.7E+00	1.4E+04	.	.
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.49E-05	1.2E+04	1.7E+04	5.9E+03	1.7E+00	7.4E+00	2.8E+04	.	.
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.51E-04	5.1E+02	7.5E+02	2.6E+02	2.9E-01	1.3E+00	4.8E+03	.	.
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.35E-04	6.9E+03	1.0E+04	3.6E+03	3.0E-01	1.3E+00	5.0E+03	1.9E+09	.
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.63E-04	9.5E+02	1.4E+03	4.9E+02	2.6E-01	1.1E+00	4.3E+03	2.7E+08	.
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.69E-05	4.0E+03	5.8E+03	2.0E+03	4.3E-01	1.9E+00	7.0E+03	1.1E+09	.
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	1.81E-11	5.65E-12	8.19E-12	1.14E-11	3.4E-12 (S)	5.05E-04	5.5E+01	8.0E+01	2.8E+01	8.2E-02	3.2E-01	5.5E+00	6.2E+04	.
Yttrium (39)	Y-85	2.27E+03	3.06E-04	5.10E-11	9.95E-12	2.01E-11	2.89E-11	8.6E-12 (S)	1.28E-04	5.3E+01	7.8E+01	2.7E+01	2.3E-01	5.6E-01	2.2E+00	6.2E+03	.
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.28E-10	2.24E-11	4.88E-11	7.08E-11	1.9E-11 (S)	1.68E-04	2.2E+01	3.3E+01	1.1E+01	1.4E-01	3.1E-01	9.2E-01	1.4E+03	.
Yttrium (39)	Y-86	4.12E+02	1.68E-03	2.66E-10	5.40E-11	1.07E-10	1.53E-10	4.2E-11 (S)	4.67E-04	2.6E+00	3.9E+00	1.3E+00	5.7E-02	1.3E-01	4.2E-01	2.1E+02	.
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	1.54E-11	3.15E-12	6.22E-12	8.88E-12	2.5E-12 (S)	2.25E-05	1.0E+03	1.5E+03	5.0E+02	1.0E+00	2.2E+00	7.2E+00	6.7E+04	.
Yttrium (39)	Y-87	7.61E+01	9.11E-03	1.77E-10	3.26E-11	6.94E-11	9.99E-11	4.0E-11 (S)	5.11E-05	4.3E+00	6.5E+00	1.9E+00	1.3E-01	1.9E-01	6.5E-01	6.0E+01	.
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	7.78E-11	1.36E-11	3.00E-11	4.34E-11	1.5E-11 (S)	3.44E-05	3.9E+01	5.8E+01	1.8E+01	3.0E-01	4.8E-01	1.5E+00	8.3E+02	.
Yttrium (39)	Y-88	2.37E+00	2.92E-01	2.60E-10	6.49E-11	1.14E-10	1.59E-10	5.5E-10 (F)	3.69E-04	1.9E-02	2.8E-02	9.5E-03	1.0E-02	1.4E-02	3.9E-01	1.1E+00	.
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.15E-04	3.7E+04	5.3E+04	1.9E+04	3.8E-01	1.7E+00	6.3E+03	1.1E+10	.
Yttrium (39)	Y-90	9.47E+01	7.32E-03	1.33E-09	1.97E-10	4.87E-10	7.15E-10	2.3E-10 (S)	5.14E-07	2.1E+01	7.7E+02	2.0E+00	2.7E-02	3.5E-02	9.2E-02	1.1E+01	.
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	7.53E-11	1.20E-11	2.82E-11	4.11E-11	1.3E-11 (S)	7.04E-05	8.1E+01	1.2E+02	3.9E+01	2.6E-01	4.9E-01	1.6E+00	3.7E+03	.
Yttrium (39)	Y-91	4.32E+00	1.60E-01	1.18E-09	1.75E-10	4.34E-10	6.37E-10	9.1E-10 (S)	6.15E-07	1.1E+00	3.0E+01	1.0E-01	6.8E-03	8.8E-03	1.0E-01	5.5E-01	.
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	2.20E-12	5.83E-13	9.52E-13	1.34E-12	8.2E-13 (S)	6.31E-05	3.5E+02	5.1E+02	1.8E+02	6.1E-01	2.3E+00	4.7E+01	4.2E+05	.
Yttrium (39)	Y-92	1.71E+03	4.04E-04	1.78E-10	2.97E-11	6.71E-11	9.79E-11	2.5E-11 (S)	3.41E-05	1.4E+02	2.2E+02	6.0E+01	2.1E-01	3.0E-01	6.7E-01	1.4E+03	.
Yttrium (39)	Y-93	5.96E+02	1.16E-03	5.30E-10	8.07E-11	1.96E-10	2.87E-10	7.2E-11 (S)	1.34E-05	9.7E+01	2.0E+02	2.1E+01	8.4E-02	1.1E-01	2.3E-01	1.7E+02	.
Yttrium (39)	Y-94	1.95E+04	3.56E-05	7.99E-12	2.93E-12	3.79E-12	5.24E-12	1.5E-12 (S)	1.03E-04	5.7E+02	8.3E+02	2.9E+02	3.9E-01	1.4E+00	1.2E+01	2.8E+05	.
Yttrium (39)	Y-95	3.54E+04	1.96E-05	3.74E-12	1.46E-12	1.82E-12	2.51E-12	7.4E-13 (S)	1.60E-04	6.7E+02	9.7E+02	3.4E+02	2.7E-01	1.1E+00	2.5E+01	1.1E+06	.
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	4.14E-12	1.29E-12	1.88E-12	2.62E-12	1.0E-12 (S)	2.18E-05	2.7E+03	3.9E+03	1.4E+03	1.3E+00	3.7E+00	2.4E+01	7.8E+06	.
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	2.11E-12	6.69E-13	9.66E-13	1.34E-12	4.5E-13 (S)	8.74E-05	1.1E+03	1.7E+03	5.8E+02	4.7E-01	1.9E+00	4.7E+01	2.6E+07	.
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	1.80E-11	4.18E-12	7.40E-12	1.06E-11	3.5E-12 (S)	2.44E-06	5.5E+03	8.6E+03	2.6E+03	1.5E+00	2.2E+00	6.1E+00	4.9E+05	.
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.25E-05	3.4E+03	5.0E+03	1.8E+03	1.2E+00	5.1E+00	1.9E+04	1.2E+10	.
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	2.89E-10	5.54E-11	1.15E-10	1.65E-10	7.7E-11 (S)	2.57E-06	5.8E+01	1.8E+02	1.8E+01	8.0E-02	1.0E-01	3.9E-01	7.1E+02	.
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	9.75E-13	2.91E-13	4.34E-13	6.08E-13	4.7E-13 (S)	1.69E-05	3.7E+03	5.4E+03	1.9E+03	1.5E+00	5.2E+00	1.0E+02	3.6E+07	.
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.36E-10	5.45E-11	1.27E-10	1.84E-10	3.4E-10 (S)	2.17E-05	9.5E-01	1.6E+00	4.2E-01	1.8E-02	2.4E-02	3.5E-01	4.7E+01	.
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	2.12E-10	3.18E-11	7.81E-11	1.15E-10	8.0E-11 (S)	4.10E-06	2.9E+01	6.4E+01	1.1E+01	7.7E-02	1.0E-01	5.7E-01	5.9E+02	.
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	2.47E-11	4.67E-12	9.59E-12	1.39E-11	6.5E-12 (S)	2.32E-05	4.1E+02	6.0E+02	2.1E+02	6.2E-01	1.1E+00	4.7E+00	2.5E+05	.
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	2.64E-11	5.09E-12	1.03E-11	1.49E-11	6.3E-12 (S)	4.23E-06	3.3E+03	5.1E+03	1.6E+03	8.9E-01	1.2E+00	4.4E+00	3.6E+05	.
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.16E-04	1.2E+03	1.7E+03	6.1E+02	3.6E-01	1.6E+00	6.0E+03	4.6E+09	.
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.81E-04	2.5E+03	3.7E+03	1.3E+03	2.3E-01	1.0E+00	3.8E+03	1.4E+10	.
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.93E-04	3.8E+03	5.6E+03	2.0E+03	2.2E-01	9.7E-01	3.7E+03	2.2E+10	.
Zinc (30)	Zn-62	6.61E+02	1.05E-03	3.66E-10	6.03E-11	1.33E-10	1.95E-10	7.9E-11 (S)	5.11E-05	2.6E+01	5.7E+01	4.1E+00	7.2E-02	9.9E-02	3.4E-01	5.5E+03	.
Zinc (30)	Zn-63	9.47E+03	7.32E-05	9.94E-12	3.08E-12	4.41E-12	6.18E-12	2.2E-12 (S)	1.31E-04	2.2E+02	3.2E+02	1.1E+02	2.9E-01	1.0E+00	1.0E+01	2.4E+06	.
Zinc (30)	Zn-65	1.04E+00	6.69E-01	6.15E-10	2.41E-10	3.14E-10	4.14E-10	2.0E-10 (F)	7.57E-05	2.4E-02	6.0E-02	3.3E-03	2.9E-02	3.9E-02	1.3E-01	3.4E+00	7.7E+03
Zinc (30)	Zn-69	6.46E+03	1.07E-04	4.67E-12	1.21E-12	1.93E-12	2.75E-12	1.8E-12 (S)	4.54E-08	5.0E+04	6.2E+05	3.6E+03	3.5E+00	4.5E+00	2.3E+01	3.7E+06	.
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	1.39E-10	2.25E-11	5.05E-11	7.39E-11	3.9E-11 (S)	4.77E-05	2.3E+01	4.1E+01	5.6E+00	1.4E-01	2.0E-01	8.9E-01	9.7E+03	.
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.91E-05	1.1E+04	1.7E+04	5.9E+03	1.1E+00	4.7E+00	1.8E+04	6.6E+10	.
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	6.86E-11	1.34E-11	2.63E-11	3.79E-11	1.6E-11 (S)	1.86E-04	2.4E+01	3.6E+01	1.1E+01	1.4E-01	3.3E-01	1.7E+00	6.5E+04	.
Zinc (30)	Zn-72	1.31E+02	5.31E-03	4.67E-10	9.11E-11	1.80E-10	2.58E-10	1.7E-10 (S)	1.26E-05	8.8E+00	4.5E+01	7.4E-01	3.7E-02	4.8E-02	2.5E-01	8.1E+02	.
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.77E-04	7.9E+02	1.1E+03	4.0E+02	2.4E-01	1.0E+00	3.9E+03	1.9E+09	.
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	2.59E-10	4.97E-11	1.03E-10	1.48E-10	4.4E-11 (S)	2.89E-05	3.5E+01	5.6E+01	1.6E+01	1.3E-01	1.8E-01	4.4E-01	1.7E+03	.
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	4.59E-11	9.28E-12	1.82E-11	2.62E-11	8.1E-12 (S)	1.11E-04	9.8E+01	1.4E+02	5.0E+01	2.5E-01	6.2E-01	2.5E+00	9.5E+04	.
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	9.53E-11	2.49E-11	4.19E-11	5.81E-11	3.6E-10 (S)	4.32E-05	2.1E-01	3.1E-01	1.0E-01	1.7E-02	2.2E-02	1.1E+00	3.5E+01	.
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	2.47E-10	4.64E-11	9.73E-11	1.40E-10	5.5E-11 (S)	1.45E-04	1.6E+00	2.3E+00	7.9E-01	8.2E-02	1.3E-01	4.6E-01	3.8E+02	.
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.76E-05	3.4E+03	4.9E+03	1.7E+03	5.5E-01	2.4E+00	9.1E+03	8.5E+09	.
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	5.36E-11	2.56E-11	2.93E-11	3.80E-11	4.0E-10 (F)	0.00E+00	1.7E-01	6.2E+01	2.4E-02	1.6E-02	2.0E-02	1.2E+00	4.8E-01	.
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	3.19E-10	5.90E-11	1.25E-10	1.80E-10	5.7E-10 (S)	9.09E-05	1.3E-01	1.9E-01	6.2E-02	1.1E-02	1.4E-02	3.6E-01	1.5E+01	.
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	9.08E-10	1.42E-10	3.38E-10	4.94E-10	1.4E-10 (S)	1.10E-04	1.2E+02	1.0E+05	2.6E+01	4.0E-02	5.6E-02	1.3E-01	5.1E+02	.

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.06E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	2.5E+05	.	2.5E+05	6.3E-10
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	1.91E-05	2.07E-10	3.69E-10	1.36E+09	1.00E-03	1.4E+05	4.6E+07	3.4E+02	1.8E+03	2.9E+02	5.7E-11
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.11E-06	7.34E-09	1.32E-08	1.36E+09	1.00E-03	4.4E+01	7.2E+03	6.8E+01	5.8E-01	5.7E-01	9.8E-12
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	3.98E-06	7.34E-09	1.32E-08	1.36E+09	1.00E-03	4.4E+01	7.2E+03	1.9E+01	5.8E-01	5.6E-01	9.6E-12
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.23E-05	2.77E-09	5.11E-09	1.36E+09	1.00E-03	9.4E+02	3.8E+05	5.1E+01	1.3E+01	1.0E+01	2.1E-11
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	5.36E-09	6.63E-09	7.84E-09	1.36E+09	1.00E-03	1.7E-01	3.1E+00	3.2E+01	1.4E-03	1.4E-03	2.0E-11
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.09E-04	7.39E-11	1.33E-10	1.36E+09	1.00E-03	1.7E+05	1.6E+08	2.7E+01	2.3E+03	2.7E+01	1.2E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	7.29E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	7.4E+03	.	7.4E+03	1.8E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.26E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.4E+03	.	3.4E+03	3.2E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.58E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.5E+03	.	3.5E+03	8.6E-12
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	7.6E+03	.	7.6E+03	2.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.63E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.3E+03	.	1.3E+03	1.6E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.91E-04	2.23E-12	3.40E-12	1.36E+09	4.00E-03	2.2E+08	1.1E+13	5.2E+02	2.5E+06	5.2E+02	3.1E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.39E-04	2.75E-12	4.09E-12	1.36E+09	4.00E-03	1.6E+08	8.4E+12	1.9E+02	1.7E+06	1.9E+02	1.4E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.71E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	5.2E+02	.	5.2E+02	2.2E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.97E-05	3.98E-12	6.57E-12	1.36E+09	4.00E-03	2.0E+07	7.7E+11	1.7E+02	2.3E+05	1.7E+02	6.0E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.41E-04	6.23E-12	9.84E-12	1.36E+09	4.00E-03	1.2E+07	6.5E+11	4.6E+01	1.4E+05	4.6E+01	1.8E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.30E-04	5.15E-12	8.08E-12	1.36E+09	4.00E-03	3.1E+07	1.5E+12	1.4E+02	3.5E+05	1.4E+02	2.6E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.68E-05	6.65E-11	1.12E-10	1.36E+09	4.00E-03	1.3E+03	1.6E+07	3.2E-01	1.5E+01	3.2E-01	1.1E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.13E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.3E+06	.	1.3E+06	5.4E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	8.20E-05	2.18E-12	3.35E-12	1.36E+09	4.00E-03	1.1E+08	4.4E+12	5.6E+02	1.2E+06	5.6E+02	7.5E-12
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.53E-04	1.80E-10	2.94E-10	1.36E+09	4.00E-03	2.4E+03	7.0E+07	2.6E-01	2.8E+01	2.6E-01	1.7E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.39E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.9E+05	.	1.9E+05	2.6E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.93E-04	3.01E-10	4.87E-10	1.36E+09	4.00E-03	1.9E+00	3.0E+03	6.1E-04	2.2E-02	5.9E-04	7.5E-11
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.94E-04	3.01E-10	4.87E-10	1.36E+09	4.00E-03	1.9E+00	3.0E+03	6.1E-04	2.2E-02	5.9E-04	7.5E-11
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	2.06E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	8.1E+06	.	8.1E+06	3.1E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.61E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	5.8E+05	.	5.8E+05	1.4E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	3.76E-10	6.16E-10	1.36E+09	4.00E-03	3.8E+01	1.8E+05	8.6E-03	4.5E-01	8.5E-03	1.8E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	3.76E-10	6.16E-10	1.36E+09	4.00E-03	3.8E+01	1.8E+05	8.6E-03	4.5E-01	8.5E-03	1.8E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	2.97E-06	3.25E-10	6.03E-10	1.36E+09	4.00E-03	1.3E+03	3.7E+07	3.4E+01	1.7E+01	1.1E+01	7.3E-11
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	3.69E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	2.7E+06	.	2.7E+06	1.8E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	9.18E-05	7.72E-11	1.40E-10	1.36E+09	4.00E-03	3.2E+05	2.0E+10	6.4E+01	4.2E+03	6.3E+01	7.0E-12
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.65E-06	8.71E-11	1.60E-10	1.36E+09	4.00E-03	1.6E+05	1.0E+10	3.9E+02	2.2E+03	3.3E+02	6.4E-11
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.42E-05	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	4.0E+04	.	4.0E+04	2.7E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.66E-05	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	3.9E+05	.	3.9E+05	1.8E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	6.41E-05	5.45E-12	9.00E-12	1.36E+09	4.00E-03	4.7E+07	2.0E+12	8.6E+02	5.6E+05	8.5E+02	1.0E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.96E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.4E+03	.	1.4E+03	2.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.80E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	5.0E+03	.	5.0E+03	3.8E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.91E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.8E+03	.	1.8E+03	2.0E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.60E-04	6.71E-10	1.19E-09	1.36E+09	4.00E-03	7.5E-01	1.1E+03	3.2E-04	9.6E-03	3.1E-04	1.6E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.52E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	1.9E+03	.	1.9E+03	6.5E-13
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.88E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	.	.	8.9E+02	.	8.9E+02	9.0E-13
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.66E-05	2.00E-12	3.30E-12	1.36E+09	1.91E-05	3.5E+07	6.4E+11	4.1E+02	4.2E+05	4.1E+02	3.8E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.10E-04	3.61E-12	5.85E-12	1.36E+09	1.91E-05	1.5E+07	2.7E+11	1.0E+02	1.7E+05	1.0E+02	1.3E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	1.89E-05	5.61E-11	1.02E-10	1.36E+09	1.91E-05	1.2E+05	4.4E+09	8.1E+01	1.5E+03	7.7E+01	7.0E-11
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.27E-04	1.02E-10	1.79E-10	1.36E+09	1.91E-05	1.5E+04	6.3E+08	2.8E+00	2.0E+02	2.8E+00	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	7.48E-07	3.61E-09	4.98E-09	1.36E+09	1.91E-05	1.8E-01	8.5E+00	1.6E-01	1.8E-03	1.8E-03	5.3E-10
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	9.40E-07	7.14E-11	1.31E-10	1.36E+09	1.91E-05	6.7E+04	4.6E+07	1.2E+03	9.0E+02	5.1E+02	6.3E-10
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	2.05E-08	2.36E-09	2.81E-09	1.36E+09	1.91E-05	3.4E-01	9.7E+00	6.0E+00	2.9E-03	2.9E-03	2.8E-10
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.29E-06	2.43E-09	2.94E-09	1.36E+09	1.91E-05	3.2E-01	9.7E+00	9.5E-02	2.9E-03	2.7E-03	2.6E-10
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	2.64E-06	3.62E-09	5.01E-09	1.36E+09	1.91E-05	1.8E-01	8.5E+00	4.4E-02	1.8E-03	1.7E-03	8.6E-09
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	1.80E-05	3.83E-09	5.39E-09	1.36E+09	1.91E-05	1.7E-01	8.5E+00	6.4E-03	1.7E-03	1.3E-03	6.7E-09
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.66E-05	9.70E-11	1.76E-10	1.36E+09	1.91E-05	7.9E+04	1.3E+09	1.9E+01	1.0E+03	1.8E+01	1.4E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.96E-06	1.97E-12	3.06E-12	1.36E+09	1.91E-05	1.1E+08	8.6E+11	2.1E+04	1.2E+06	2.1E+04	7.1E-10
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	2.81E-06	8.71E-12	1.55E-11	1.36E+09	1.91E-05	4.4E+06	1.4E+11	3.2E+03	5.8E+04	3.0E+03	4.8E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.49E-05	5.15E-12	8.24E-12	1.36E+09	1.91E-05	2.6E+07	4.9E+11	3.3E+02	3.1E+05	3.3E+02	1.7E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.26E-04	2.46E-12	3.77E-12	1.36E+09	1.91E-05	9.0E+07	2.8E+12	3.5E+02	1.0E+06	3.5E+02	1.1E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.22E-05	1.98E-12	3.05E-12	1.36E+09	1.91E-05	1.2E+08	2.6E+12	3.9E+03	1.4E+06	3.9E+03	1.2E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	1.61E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.3E+00	.	8.3E+00	2.4E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.73E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	5.8E+01	.	5.8E+01	1.4E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	1.88E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.9E+00	.	8.9E+00	3.4E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.98E-05	4.70E-11	7.79E-11	1.36E+09	0.00E+00	1.5E+01	3.3E+05	3.8E-03	1.8E-01	3.7E-03	1.4E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	2.10E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	9.7E+02	.	9.7E+02	1.2E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.65E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	3.5E+02	.	3.5E+02	9.7E-13
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.83E-04	0.00E+00	0.00E+00	1.36E+09	8.00E-02	.	.	9.0E+02	.	9.0E+02	8.2E-13
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.37E-04	3.72E-12	5.77E-12	1.36E+09	8.00E-02	9.6E+07	4.6E+12	5.2E+02	8.3E+05	5.2E+02	2.9E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.52E-04	1.24E-11	2.01E-11	1.36E+09	8.00E-02	8.0E+06	3.8E+11	3.8E+01	7.2E+04	3.8E+01	7.4E-13
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.50E-05	8.78E-11	1.59E-10	1.36E+09	8.00E-02	1.4E+04	4.7E+08	4.3E+00	1.4E+02	4.2E+00	6.2E-12
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.20E-04	4.06E-10	7.57E-10	1.36E+09	8.00E-02	7.2E+03	4.2E+08	3.2E+00	7.5E+01	3.1E+00	1.8E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	1.55E-07	6.18E-11	1.15E-10	1.36E+09	8.00E-02	6.4E+02	5.1E+06	6.1E+01	6.6E+00	5.9E+00	2.7E-10
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	9.06E-05	2.60E-10	4.73E-10	1.36E+09	8.00E-02	7.0E+02	1.2E+07	4.7E-01	7.1E+00	4.4E-01	4.5E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	5.24E-05	3.79E-10	7.16E-10	1.36E+09	8.00E-02	7.6E+03	4.5E+08	1.3E+01	8.0E+01	1.2E+01	7.2E-12
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.15E-07	9.81E-11	1.86E-10	1.36E+09	8.00E-02	2.0E+04	6.8E+08	5.1E+02	2.1E+02	1.5E+02	1.4E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.72E-04	2.28E-11	3.98E-11	1.36E+09	8.00E-02	2.3E+06	1.2E+11	7.0E+01	2.3E+04	7.0E+01	2.6E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.48E-06	0.00E+00	0.00E+00	1.36E+09	8.00E-02	.	.	2.7E+04	.	2.7E+04	1.0E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.75E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	4.3E+02	.	4.3E+02	4.3E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.39E-04	5.29E-12	8.37E-12	1.36E+09	2.00E-01	3.9E+07	4.7E+10	3.0E+02	2.5E+05	3.0E+02	8.6E-12
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	3.00E-04	6.09E-12	9.56E-12	1.36E+09	2.00E-01	2.9E+07	1.2E+11	1.2E+02	1.9E+05	1.2E+02	4.0E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.55E-04	2.41E-11	3.93E-11	1.36E+09	2.00E-01	2.0E+06	3.7E+09	4.0E+01	1.3E+04	4.0E+01	4.7E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.79E-04	8.74E-12	1.35E-11	1.36E+09	2.00E-01	6.4E+06	1.5E+10	3.0E+01	4.1E+04	3.0E+01	3.2E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.75E-04	4.17E-11	6.80E-11	1.36E+09	2.00E-01	3.8E+05	9.8E+08	1.2E+01	2.6E+03	1.2E+01	4.4E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.88E-04	9.98E-11	1.65E-10	1.36E+09	2.00E-01	1.1E+05	1.7E+08	5.8E+00	7.2E+02	5.8E+00	3.1E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	2.00E-06	1.25E-09	2.09E-09	1.36E+09	2.00E-01	9.3E+03	1.7E+07	1.3E+03	6.4E+01	6.1E+01	3.0E-11
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	2.59E-06	1.25E-09	2.09E-09	1.36E+09	2.00E-01	9.3E+03	1.7E+07	9.8E+02	6.4E+01	6.0E+01	2.9E-11
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.91E-08	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	3.4E+13	.	3.4E+13	6.6E-08
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	1.75E-07	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	1.3E+12	.	1.3E+12	7.2E-09
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.53E-08	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	8.0E+10	.	8.0E+10	5.0E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	7.42E-10	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	6.6E+10	.	6.6E+10	1.9E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.02E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	5.9E+03	.	5.9E+03	2.6E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.80E-04	3.57E-12	5.64E-12	1.36E+09	1.00E-01	1.4E+08	6.8E+12	5.7E+02	1.2E+06	5.7E+02	6.0E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.35E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	9.7E+02	.	9.7E+02	8.1E-12
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	3.19E-04	3.81E-12	5.93E-12	1.36E+09	1.00E-01	3.3E+07	1.6E+12	8.0E+01	2.7E+05	8.0E+01	3.5E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.31E-05	1.16E-11	2.04E-11	1.36E+09	1.00E-01	2.2E+06	7.8E+10	9.1E+01	2.0E+04	9.1E+01	1.8E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.57E-04	2.41E-11	4.07E-11	1.36E+09	1.00E-01	7.0E+05	4.0E+10	1.4E+01	6.2E+03	1.4E+01	4.4E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.26E-05	2.69E-11	4.88E-11	1.36E+09	1.00E-01	1.6E+05	6.9E+09	8.2E+01	1.6E+03	7.8E+01	8.5E-11
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	1.95E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	8.7E+05	.	8.7E+05	5.8E-11
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.29E-04	6.17E-11	1.06E-10	1.36E+09	1.00E-01	3.5E+04	1.7E+09	3.7E+00	3.2E+02	3.7E+00	8.7E-12
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	3.69E-06	6.11E-11	1.12E-10	1.36E+09	1.00E-01	2.8E+02	1.7E+06	1.1E+00	2.7E+00	7.9E-01	2.2E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	1.98E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.1E+05	.	1.1E+05	5.7E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	4.89E-05	5.94E-11	1.04E-10	1.36E+09	1.00E-01	9.1E+03	2.6E+08	2.5E+00	8.4E+01	2.4E+00	2.3E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	1.93E-05	8.87E-11	1.63E-10	1.36E+09	1.00E-01	9.0E+04	2.9E+09	9.9E+01	8.7E+02	8.9E+01	5.3E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.58E-05	2.48E-10	4.57E-10	1.36E+09	1.00E-01	4.8E+03	1.9E+08	6.2E+00	4.6E+01	5.4E+00	2.2E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	4.73E-05	2.81E-10	5.15E-10	1.36E+09	1.00E-01	5.0E+03	1.2E+08	7.1E+00	4.9E+01	6.2E+00	2.1E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	8.14E-06	1.12E-10	2.06E-10	1.36E+09	1.00E-01	9.1E+03	2.0E+08	3.0E+01	8.8E+01	2.2E+01	1.1E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.53E-05	5.87E-12	9.68E-12	1.36E+09	1.00E-01	1.8E+07	7.2E+11	6.4E+02	1.6E+05	6.4E+02	3.3E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.30E-04	1.97E-10	3.54E-10	1.36E+09	1.00E-01	2.1E+04	1.0E+09	4.2E+00	2.0E+02	4.2E+00	5.0E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	4.01E-06	1.61E-12	2.51E-12	1.36E+09	1.00E-01	1.3E+08	3.5E+12	1.1E+04	1.1E+06	1.0E+04	2.9E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.25E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.0E+05	.	1.0E+05	5.2E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.56E-05	4.15E-12	6.17E-12	1.36E+09	8.70E-04	1.2E+08	6.7E+12	1.5E+03	1.3E+06	1.5E+03	1.1E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.78E-05	3.30E-11	5.75E-11	1.36E+09	8.70E-04	1.5E+06	8.3E+10	1.6E+02	1.9E+04	1.6E+02	1.1E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.55E-05	1.71E-12	2.63E-12	1.36E+09	8.70E-04	2.5E+08	1.1E+13	1.0E+03	2.8E+06	1.0E+03	8.7E-12
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	4.64E-06	6.21E-10	1.16E-09	1.36E+09	8.70E-04	2.1E+03	1.1E+08	6.8E+01	2.8E+01	2.0E+01	4.7E-11
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.76E-05	6.92E-12	1.21E-11	1.36E+09	8.70E-04	5.2E+06	2.5E+11	2.2E+02	6.6E+04	2.2E+02	2.0E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.94E-04	8.43E-12	1.39E-11	1.36E+09	8.70E-04	4.7E+06	2.2E+11	4.4E+01	5.6E+04	4.3E+01	3.9E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	4.99E-05	7.85E-11	1.38E-10	1.36E+09	8.70E-04	3.7E+03	5.5E+07	1.3E+00	4.7E+01	1.3E+00	1.5E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	4.51E-06	3.53E-13	5.48E-13	1.36E+09	8.70E-04	1.1E+09	1.1E+13	1.7E+04	1.2E+07	1.7E+04	1.7E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	3.88E-05	2.56E-10	3.54E-10	1.36E+09	8.70E-04	5.3E+00	2.0E+04	6.2E-03	5.3E-02	5.6E-03	2.2E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.40E-06	1.29E-10	2.44E-10	1.36E+09	8.70E-04	1.5E+04	5.6E+08	8.7E+01	2.0E+02	6.1E+01	1.0E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	4.58E-06	1.01E-10	1.91E-10	1.36E+09	8.70E-04	2.6E+04	9.9E+08	1.4E+02	3.5E+02	9.9E+01	1.2E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	7.26E-05	0.00E+00	0.00E+00	1.36E+09	8.70E-04	.	.	5.9E+03	.	5.9E+03	1.1E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	4.70E-06	1.45E-11	2.53E-11	1.36E+09	8.70E-04	4.0E+06	1.9E+11	2.8E+03	5.1E+04	2.7E+03	1.6E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.05E-05	5.92E-10	1.09E-09	1.36E+09	8.70E-04	4.2E+02	7.0E+06	2.9E+00	5.7E+00	1.9E+00	2.6E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.14E-04	8.71E-12	1.52E-11	1.36E+09	8.70E-04	3.0E+07	1.5E+12	5.3E+02	3.9E+05	5.3E+02	7.2E-12
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.31E-04	3.45E-12	5.73E-12	1.36E+09	8.70E-04	1.4E+08	6.1E+12	7.9E+02	1.7E+06	7.9E+02	6.3E-12
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	2.03E-08	2.78E-10	5.12E-10	1.36E+09	4.00E-03	1.7E+00	3.3E+03	6.3E+00	2.3E-02	2.3E-02	9.6E-07
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.81E-06	3.28E-12	5.32E-12	1.36E+09	4.00E-03	2.1E+04	1.8E+08	2.5E+00	2.4E+02	2.4E+00	7.0E-12
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	2.14E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	5.5E+02	.	5.5E+02	5.4E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.91E-04	6.13E-12	1.00E-11	1.36E+09	1.00E-01	2.3E+07	9.8E+11	1.0E+02	2.0E+05	1.0E+02	4.0E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.23E-04	1.60E-11	2.71E-11	1.36E+09	1.00E-01	2.9E+06	1.4E+11	4.5E+01	2.6E+04	4.5E+01	5.2E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.41E-04	1.14E-11	1.86E-11	1.36E+09	1.00E-01	4.4E+06	2.2E+11	3.1E+01	3.8E+04	3.1E+01	3.5E-12
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	3.13E-04	7.42E-11	1.27E-10	1.36E+09	1.00E-01	9.4E+04	4.9E+09	5.0E+00	8.5E+02	4.9E+00	3.8E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.66E-04	8.08E-11	1.36E-10	1.36E+09	1.00E-01	9.2E+04	5.0E+09	4.4E+00	8.2E+02	4.4E+00	3.2E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.22E-04	1.28E-10	2.16E-10	1.36E+09	1.00E-01	1.8E+03	3.6E+07	2.2E-01	1.6E+01	2.2E-01	5.3E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	4.10E-04	3.00E-10	5.15E-10	1.36E+09	1.00E-01	1.8E+03	5.1E+07	3.0E-01	1.7E+01	2.9E-01	2.9E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.91E-04	2.23E-10	3.91E-10	1.36E+09	1.00E-01	3.0E+00	3.7E+03	7.9E-04	2.7E-02	7.7E-04	1.5E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.85E-04	1.46E-10	2.40E-10	1.36E+09	1.00E-01	3.7E+00	3.1E+03	3.0E-04	3.2E-02	3.0E-04	6.4E-08

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	7.48E-08	3.52E-10	6.49E-10	1.36E+09	1.00E-01	1.8E+03	9.0E+05	2.0E+03	1.8E+01	1.7E+01	1.4E-10
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.77E-05	2.10E-09	3.66E-09	1.36E+09	1.00E-01	2.4E-01	1.1E+01	4.2E-03	2.2E-03	1.4E-03	2.6E-06
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.79E-05	2.10E-09	3.66E-09	1.36E+09	1.00E-01	2.4E-01	1.1E+01	4.2E-03	2.2E-03	1.4E-03	2.6E-06
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.14E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.0E+05	.	1.0E+05	2.4E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	2.73E-11	4.54E-11	1.36E+09	1.00E-01	3.1E+06	5.8E+08	1.3E+03	2.7E+04	1.3E+03	8.8E-11
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	2.73E-11	4.54E-11	1.36E+09	1.00E-01	3.1E+06	5.8E+08	1.3E+03	2.7E+04	1.3E+03	8.8E-11
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	1.55E-07	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.1E+06	.	1.1E+06	8.9E-09
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	1.94E-11	3.22E-11	1.36E+09	1.00E-01	5.8E+06	8.8E+08	1.6E+03	5.0E+04	1.6E+03	8.2E-11
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	1.94E-11	3.22E-11	1.36E+09	1.00E-01	5.8E+06	8.8E+08	1.6E+03	5.0E+04	1.6E+03	8.2E-11
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	7.17E-12	1.09E-11	1.36E+09	1.00E-01	3.9E+07	4.8E+09	2.8E+02	3.1E+05	2.8E+02	6.3E-12
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	7.17E-12	1.09E-11	1.36E+09	1.00E-01	3.9E+07	4.8E+09	2.8E+02	3.1E+05	2.8E+02	6.3E-12
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	4.9E+03	.	4.9E+03	4.3E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	4.9E+03	.	4.9E+03	4.3E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.77E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	5.8E+03	.	5.8E+03	1.4E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	1.92E-05	1.37E-10	2.51E-10	1.36E+09	1.00E-03	4.7E+03	5.1E+07	8.0E+00	6.3E+01	7.1E+00	6.6E-11
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	1.03E-04	7.59E-11	1.33E-10	1.36E+09	1.00E-03	2.5E+04	1.2E+09	4.1E+00	3.1E+02	4.1E+00	1.4E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.26E-05	4.34E-09	5.76E-09	1.36E+09	1.00E-03	1.6E-01	6.5E+00	9.3E-03	1.5E-03	1.3E-03	1.2E-09
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.02E-06	9.78E-11	1.80E-10	1.36E+09	1.00E-03	3.3E+04	4.0E+07	1.5E+02	4.4E+02	1.1E+02	2.1E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	1.27E-10	4.22E-11	7.27E-11	1.36E+09	1.00E-03	2.4E+02	5.2E+04	1.8E+04	3.1E+00	3.0E+00	1.9E-09
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.16E-04	2.22E-11	3.93E-11	1.36E+09	1.00E-03	1.1E+06	1.1E+10	4.9E+01	1.4E+04	4.9E+01	1.3E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	6.50E-06	3.59E-12	6.02E-12	1.36E+09	1.00E-03	2.5E+07	5.8E+11	3.0E+03	3.1E+05	3.0E+03	2.2E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.82E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	2.2E+03	.	2.2E+03	1.1E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.70E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	1.9E+03	.	1.9E+03	2.5E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	6.41E-04	5.41E-12	7.97E-12	1.36E+09	4.00E-01	4.2E+07	1.8E+12	6.7E+01	1.8E+05	6.7E+01	6.7E-13
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.52E-04	9.13E-12	1.36E-11	1.36E+09	4.00E-01	1.4E+07	5.1E+11	4.3E+01	5.8E+04	4.3E+01	7.8E-13
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.39E-04	5.72E-12	8.68E-12	1.36E+09	4.00E-01	1.0E+07	2.6E+11	8.2E+01	4.4E+04	8.1E+01	3.1E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.72E-04	5.28E-11	8.47E-11	1.36E+09	4.00E-01	1.0E+05	2.7E+09	3.0E+00	4.7E+02	3.0E+00	1.2E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	1.42E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	3.5E+07	.	3.5E+07	3.1E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.63E-05	1.11E-11	1.72E-11	1.36E+09	4.00E-01	1.4E+05	3.9E+09	8.8E+00	6.4E+02	8.7E+00	1.2E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.04E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	2.5E+05	.	2.5E+05	4.3E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.23E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	1.4E+03	.	1.4E+03	3.7E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.44E-06	1.77E-12	2.64E-12	1.36E+09	4.00E-01	1.8E+08	6.4E+12	6.6E+03	7.8E+05	6.5E+03	4.9E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	1.61E-07	1.05E-11	1.71E-11	1.36E+09	4.00E-01	1.9E+06	3.2E+10	2.6E+04	8.7E+03	6.5E+03	7.3E-10
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.35E-04	6.26E-11	9.75E-11	1.36E+09	4.00E-01	4.1E+04	7.8E+08	1.5E+00	1.8E+02	1.5E+00	1.4E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.72E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	4.8E+05	.	4.8E+05	1.3E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.62E-07	3.18E-12	4.98E-12	1.36E+09	4.00E-01	1.2E+07	1.6E+11	8.8E+03	5.3E+04	7.6E+03	4.8E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.49E-04	5.48E-12	8.18E-12	1.36E+09	4.00E-01	3.3E+07	1.2E+12	1.4E+02	1.4E+05	1.4E+02	2.0E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.60E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	5.1E+02	.	5.1E+02	1.4E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	9.15E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-01	.	.	4.1E+04	.	4.1E+04	5.4E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	2.10E-04	0.00E+00	0.00E+00	1.36E+09	5.50E+00	.	.	1.6E+04	.	1.6E+04	2.8E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.20E-04	1.51E-12	2.22E-12	1.36E+09	5.50E+00	1.9E+08	4.9E+12	5.0E+02	9.0E+04	4.9E+02	5.9E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	2.12E-10	5.40E-11	7.48E-11	1.36E+09	5.50E+00	1.2E+01	1.8E+04	6.1E+02	5.5E-03	5.5E-03	1.2E-09
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	1.38E-11	1.74E-11	1.36E+09	5.00E-01	5.1E+01	5.3E+05	.	1.6E-01	1.6E-01	1.9E-06
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	1.07E-09	9.09E-11	1.55E-10	1.36E+09	5.00E-01	2.3E+02	9.8E+05	4.4E+03	9.9E-01	9.9E-01	5.5E-11
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.40E-04	2.96E-10	5.35E-10	1.36E+09	5.00E-01	2.4E+03	5.1E+07	1.2E+00	1.1E+01	1.1E+00	1.8E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.73E-04	0.00E+00	0.00E+00	1.36E+09	5.00E-01	.	.	2.7E+02	.	2.7E+02	6.0E-13

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	3.22E-04	0.00E+00	0.00E+00	1.36E+09	7.66E-01	.	.	2.5E+03	.	2.5E+03	1.8E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.91E-05	0.00E+00	0.00E+00	1.36E+09	7.66E-01	.	.	2.0E+03	.	2.0E+03	6.0E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.80E-04	0.00E+00	0.00E+00	1.36E+09	7.66E-01	.	.	5.4E+02	.	5.4E+02	2.2E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.53E-05	1.19E-11	2.04E-11	1.36E+09	7.66E-01	7.2E+06	3.7E+11	7.5E+02	2.3E+04	7.3E+02	2.3E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.70E-04	4.10E-12	6.62E-12	1.36E+09	7.66E-01	2.3E+07	1.1E+12	1.2E+02	6.9E+04	1.2E+02	3.6E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	8.80E-07	1.39E-11	2.56E-11	1.36E+09	7.66E-01	8.5E+05	2.4E+10	3.2E+03	2.9E+03	1.5E+03	3.4E-10
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	2.35E-07	1.81E-10	2.90E-10	1.36E+09	7.66E-01	4.4E+01	2.0E+05	7.0E+00	1.3E-01	1.3E-01	4.9E-11
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	2.80E-05	1.24E-12	2.00E-12	1.36E+09	7.66E-01	8.7E+07	1.4E+12	8.1E+02	2.6E+05	8.1E+02	2.3E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.95E-09	7.79E-10	9.88E-10	1.36E+09	7.66E-01	9.1E-01	2.8E+03	6.6E+01	2.1E-03	2.1E-03	5.2E+03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	1.84E-08	9.92E-10	1.32E-09	1.36E+09	7.66E-01	1.2E+00	4.2E+03	1.1E+01	3.0E-03	2.9E-03	1.3E-11
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.26E-05	3.52E-10	6.50E-10	1.36E+09	7.66E-01	4.1E+03	1.8E+08	1.5E+01	1.4E+01	7.2E+00	1.4E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.48E-06	6.63E-10	1.20E-09	1.36E+09	7.66E-01	1.1E+02	1.6E+06	3.8E+00	3.7E-01	3.3E-01	1.3E-11
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.40E-04	5.35E-11	9.68E-11	1.36E+09	7.66E-01	5.8E+05	3.0E+10	5.2E+01	2.0E+03	5.1E+01	4.7E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.78E-04	4.75E-11	8.35E-11	1.36E+09	7.66E-01	5.0E+05	2.2E+10	2.0E+01	1.6E+03	1.9E+01	2.4E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	8.52E-09	1.64E-11	2.73E-11	1.36E+09	7.66E-01	6.2E+06	2.7E+11	2.8E+06	1.9E+04	1.9E+04	5.9E-10
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.22E-04	0.00E+00	0.00E+00	1.36E+09	7.66E-01	.	.	1.8E+03	.	1.8E+03	3.1E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	3.12E-04	0.00E+00	0.00E+00	1.36E+09	7.66E-01	.	.	1.6E+03	.	1.6E+03	2.2E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.40E-05	5.40E-12	8.42E-12	1.36E+09	2.70E-03	4.4E+07	1.8E+12	8.9E+02	4.9E+05	8.9E+02	1.4E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.99E-04	2.01E-12	3.10E-12	1.36E+09	2.70E-03	2.7E+08	1.2E+13	5.4E+02	3.0E+06	5.4E+02	3.8E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.45E-05	7.08E-11	1.28E-10	1.36E+09	2.70E-03	3.1E+05	2.2E+10	2.1E+02	4.1E+03	2.0E+02	3.0E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.65E-05	1.23E-11	2.16E-11	1.36E+09	2.70E-03	4.0E+06	1.9E+11	2.0E+02	5.1E+04	2.0E+02	1.4E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.16E-04	3.22E-11	5.54E-11	1.36E+09	2.70E-03	5.2E+05	2.9E+10	1.7E+01	6.5E+03	1.7E+01	3.6E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	3.69E-07	6.63E-10	1.22E-09	1.36E+09	2.70E-03	1.5E+03	8.2E+07	6.5E+02	2.0E+01	1.9E+01	6.3E-11
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.40E-05	3.94E-11	6.74E-11	1.36E+09	2.70E-03	1.2E+05	6.5E+09	1.1E+01	1.5E+03	1.1E+01	8.3E-12
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	1.51E-06	5.29E-12	9.54E-12	1.36E+09	2.70E-03	1.6E+06	1.2E+11	1.3E+03	2.1E+04	1.3E+03	5.0E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.01E-06	1.40E-10	2.59E-10	1.36E+09	2.70E-03	1.6E+04	6.7E+08	1.3E+02	2.1E+02	8.1E+01	1.2E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.22E-05	5.32E-11	9.55E-11	1.36E+09	2.70E-03	4.5E+02	2.2E+06	4.5E-01	5.8E+00	4.2E-01	6.1E-11
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	6.15E-06	1.84E-10	3.40E-10	1.36E+09	2.70E-03	5.3E+02	4.7E+06	3.8E+00	7.1E+00	2.5E+00	8.7E-11
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.91E-05	2.83E-10	5.23E-10	1.36E+09	2.70E-03	8.2E+03	3.7E+08	1.9E+01	1.1E+02	1.6E+01	2.4E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.33E-06	1.40E-09	2.59E-09	1.36E+09	2.70E-03	8.0E+00	4.0E+04	2.0E+00	1.1E-01	1.0E-01	3.1E-11
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.15E-06	1.40E-09	2.59E-09	1.36E+09	2.70E-03	8.0E+00	4.0E+04	4.3E-01	1.1E-01	8.5E-02	2.7E-11
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.63E-05	0.00E+00	0.00E+00	1.36E+09	2.70E-03	.	.	3.8E+03	.	3.8E+03	8.8E-12
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	1.64E-09	4.71E-12	7.42E-12	1.36E+09	1.00E-03	5.9E+07	4.7E+09	3.4E+07	6.7E+05	6.5E+05	1.6E-08
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	5.62E-09	8.34E-10	1.55E-09	1.36E+09	1.00E-03	2.5E+03	8.3E+05	9.1E+04	3.4E+01	3.4E+01	9.5E-11
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	6.78E-06	3.65E-12	6.51E-12	1.36E+09	1.00E-03	7.0E+06	1.5E+11	8.7E+02	9.0E+04	8.6E+02	2.1E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.58E-08	1.69E-09	2.90E-09	1.36E+09	1.00E-03	6.1E+00	2.4E+02	5.0E+01	7.6E-02	7.5E-02	4.7E-11
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-05	4.41E-09	5.85E-09	1.36E+09	1.00E-03	1.6E-01	6.6E+00	3.3E-03	1.5E-03	1.0E-03	2.5E-10
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.32E-06	3.12E-09	4.46E-09	1.36E+09	1.00E-03	3.7E-01	1.5E+01	1.6E-01	3.8E-03	3.7E-03	3.4E-11
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	9.78E-06	4.56E-09	6.12E-09	1.36E+09	1.00E-03	1.5E-01	6.4E+00	1.2E-02	1.4E-03	1.3E-03	8.0E-10
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	6.15E-05	4.93E-09	8.13E-09	1.36E+09	1.00E-03	7.5E-01	4.8E+01	1.3E-02	9.0E-03	5.2E-03	9.8E-12
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	1.06E-08	1.78E-10	3.21E-10	1.36E+09	1.00E-03	1.0E+03	2.1E+04	4.0E+03	1.3E+01	1.3E+01	4.6E-10
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.27E-03	8.27E-08	1.46E-07	1.36E+09	1.00E-03	6.6E-01	2.2E+02	5.5E-03	8.5E-03	3.3E-03	3.9E-13
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	1.88E-08	5.27E-12	9.36E-12	1.36E+09	1.00E-03	1.1E+07	1.5E+09	7.6E+05	1.4E+05	1.1E+05	1.3E-08
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.23E-04	0.00E+00	0.00E+00	1.36E+09	3.13E+01	.	.	3.5E+05	.	3.5E+05	1.6E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.87E-04	6.55E-12	9.75E-12	1.36E+09	3.13E+01	2.7E+07	1.1E+12	1.2E+02	2.4E+03	1.1E+02	6.6E-13
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	4.58E-08	1.20E-10	1.96E-10	1.36E+09	3.13E+01	4.6E+00	3.1E+03	2.5E+00	4.5E-04	4.5E-04	1.4E-08

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	2.08E-04	7.20E-12	1.08E-11	1.36E+09	3.13E+01	2.1E+07	8.0E+11	1.4E+02	1.9E+03	1.3E+02	9.9E-13
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.93E-04	5.63E-12	8.46E-12	1.36E+09	3.13E+01	1.8E+07	5.3E+11	1.0E+02	1.6E+03	9.6E+01	1.1E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.90E-04	0.00E+00	0.00E+00	1.36E+09	3.13E+01	.	.	1.4E+03	.	1.4E+03	4.0E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	5.49E-06	9.71E-12	1.68E-11	1.36E+09	2.00E-05	3.5E+06	3.2E+09	1.4E+03	4.4E+04	1.3E+03	2.5E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.16E-05	1.79E-11	3.23E-11	1.36E+09	2.00E-05	1.5E+06	6.4E+10	2.9E+02	2.0E+04	2.9E+02	6.4E-11
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	2.65E-09	1.37E-09	2.50E-09	1.36E+09	2.00E-05	8.7E+01	6.5E+03	1.1E+04	1.2E+00	1.1E+00	5.7E-11
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.24E-05	1.94E-10	3.51E-10	1.36E+09	2.00E-05	5.1E+02	5.1E+05	4.4E-01	6.7E+00	4.2E-01	2.5E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	2.12E-09	1.48E-09	2.63E-09	1.36E+09	2.00E-05	1.4E+01	6.3E+02	2.2E+03	1.8E-01	1.8E-01	5.3E-11
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.14E-05	3.34E-09	4.78E-09	1.36E+09	2.00E-05	2.5E-01	1.1E+01	1.4E-02	2.6E-03	2.2E-03	4.3E-11
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	3.79E-09	2.93E-09	4.22E-09	1.36E+09	2.00E-05	3.3E-01	1.4E+01	4.8E+01	3.5E-03	3.5E-03	4.3E-11
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	7.42E-06	3.66E-09	5.06E-09	1.36E+09	2.00E-05	1.8E-01	8.2E+00	1.6E-02	1.8E-03	1.6E-03	9.2E-09
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.86E-07	3.59E-09	4.93E-09	1.36E+09	2.00E-05	1.8E-01	8.2E+00	2.4E-01	1.8E-03	1.8E-03	5.9E-09
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.53E-05	3.49E-09	4.86E-09	1.36E+09	2.00E-05	1.8E-01	9.0E+00	3.3E-03	1.9E-03	1.2E-03	1.3E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-05	3.51E-09	4.89E-09	1.36E+09	2.00E-05	1.8E-01	9.0E+00	3.1E-03	1.9E-03	1.2E-03	1.2E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.77E-04	1.61E-08	2.29E-08	1.36E+09	2.00E-05	3.9E-02	2.2E+00	6.5E-04	4.0E-04	2.5E-04	6.0E-08
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.30E-06	3.25E-12	5.52E-12	1.36E+09	2.00E-05	2.4E+07	5.9E+11	7.4E+03	3.0E+05	7.3E+03	6.2E-10
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.80E-03	1.17E-07	1.69E-07	1.36E+09	2.00E-05	5.3E-03	3.2E-01	6.4E-05	5.6E-05	3.0E-05	1.7E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.83E-03	1.17E-07	1.69E-07	1.36E+09	2.00E-05	5.3E-03	3.2E-01	6.3E-05	5.6E-05	2.9E-05	1.7E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.28E-05	2.32E-12	3.75E-12	1.36E+09	2.00E-05	1.3E+08	3.4E+12	5.1E+03	1.6E+06	5.1E+03	1.1E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	5.05E-04	0.00E+00	0.00E+00	1.36E+09	7.40E-03	.	.	1.5E+03	.	1.5E+03	6.2E-13
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.50E-04	1.81E-10	3.25E-10	1.36E+09	7.40E-03	2.5E+04	1.2E+09	4.2E+00	3.2E+02	4.1E+00	1.3E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.95E-04	3.85E-10	6.56E-10	1.36E+09	7.40E-03	1.2E+02	1.1E+06	2.0E-02	1.4E+00	2.0E-02	6.5E-13
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	9.59E-06	4.03E-11	7.13E-11	1.36E+09	7.40E-03	3.0E+02	2.0E+06	2.9E-01	3.8E+00	2.7E-01	3.2E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.21E-04	1.12E-10	1.92E-10	1.36E+09	7.40E-03	4.3E+02	3.7E+06	8.9E-02	5.3E+00	8.7E-02	2.7E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	2.71E-11	4.90E-12	9.00E-12	1.36E+09	7.40E-03	1.7E+06	6.6E+10	7.5E+07	2.3E+04	2.2E+04	3.7E-09
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.35E-04	6.03E-10	1.03E-09	1.36E+09	7.40E-03	3.1E+00	1.1E+04	1.2E-03	3.7E-02	1.2E-03	1.0E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.83E-07	9.68E-14	1.45E-13	1.36E+09	7.40E-03	5.6E+09	6.6E+13	2.2E+05	5.9E+07	2.2E+05	7.2E-10
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	7.57E-06	9.51E-12	1.67E-11	1.36E+09	7.40E-03	5.1E+06	1.9E+11	1.5E+03	6.4E+04	1.4E+03	4.6E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.21E-04	0.00E+00	0.00E+00	1.36E+09	7.40E-03	.	.	3.3E+03	.	3.3E+03	1.6E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.66E-04	3.16E-12	4.71E-12	1.36E+09	7.40E-03	1.3E+08	6.3E+12	2.2E+02	1.4E+06	2.2E+02	9.9E-13
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.39E-05	2.76E-11	4.65E-11	1.36E+09	1.74E-04	1.4E+05	3.2E+09	1.9E+01	1.7E+03	1.9E+01	6.3E-12
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.20E-04	5.14E-12	8.25E-12	1.36E+09	1.74E-04	2.4E+07	9.5E+11	2.2E+02	2.8E+05	2.2E+02	2.4E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-06	7.18E-12	1.27E-11	1.36E+09	1.74E-04	1.7E+04	4.4E+08	7.8E+00	2.2E+02	7.6E+00	8.2E-11
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	7.95E-07	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	3.9E+05	.	3.9E+05	4.0E-10
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	4.70E-06	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	3.9E+04	.	3.9E+04	7.0E-11
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	3.0E+03	.	3.0E+03	5.1E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	3.9E+03	.	3.9E+03	5.1E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.27E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	1.5E+03	.	1.5E+03	5.6E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.41E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	1.5E+04	.	1.5E+04	5.1E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.90E-05	2.29E-12	3.42E-12	1.36E+09	2.52E-02	5.5E+07	1.5E+12	2.7E+02	5.5E+05	2.7E+02	8.2E-12
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.38E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	4.8E+03	.	4.8E+03	5.3E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.70E-05	2.42E-12	3.67E-12	1.36E+09	2.52E-02	6.1E+06	7.1E+10	6.2E+01	6.2E+04	6.2E+01	1.6E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.05E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	2.9E+03	.	2.9E+03	7.1E-12
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.81E-05	6.66E-12	1.03E-11	1.36E+09	2.52E-02	4.3E+05	5.9E+09	2.0E+01	4.4E+03	2.0E+01	2.7E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.84E-05	1.66E-12	2.48E-12	1.36E+09	2.52E-02	1.2E+08	3.8E+12	6.4E+02	1.2E+06	6.4E+02	1.3E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	3.02E-06	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	1.0E+05	.	1.0E+05	2.5E-10

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	1.33E-07	6.74E-12	1.05E-11	1.36E+09	2.52E-02	5.8E+04	1.1E+09	5.9E+02	6.0E+02	3.0E+02	2.9E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	8.49E-05	5.25E-11	7.67E-11	1.36E+09	2.52E-02	1.2E+04	3.1E+08	1.4E+00	1.1E+02	1.4E+00	9.0E-12
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.92E-04	1.40E-09	1.55E-09	1.36E+09	2.52E-02	5.0E+00	3.9E+04	5.3E-03	3.7E-02	4.6E-03	3.6E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.37E-06	1.51E-12	2.28E-12	1.36E+09	2.52E-02	2.1E+07	9.5E+10	4.6E+03	2.1E+05	4.5E+03	5.6E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	1.58E-09	2.11E-10	2.51E-10	1.36E+09	2.52E-02	3.6E+00	9.3E+03	8.1E+01	2.8E-02	2.8E-02	2.4E-05
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	2.01E-04	1.65E-12	2.39E-12	1.36E+09	2.52E-02	6.7E+07	2.2E+12	1.0E+02	6.4E+05	1.0E+02	3.9E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.68E-04	3.03E-10	4.30E-10	1.36E+09	2.52E-02	1.0E+03	1.5E+07	2.2E-01	9.8E+00	2.1E-01	2.9E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	1.49E-08	1.01E-09	1.15E-09	1.36E+09	2.52E-02	1.0E+00	3.7E+03	1.0E+01	7.8E-03	7.7E-03	9.0E-11
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.85E-05	1.01E-09	1.15E-09	1.36E+09	2.52E-02	1.0E+00	3.7E+03	2.2E-03	7.8E-03	1.7E-03	2.0E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	3.22E-04	6.13E-12	9.13E-12	1.36E+09	2.52E-02	2.8E+07	9.5E+11	1.0E+02	2.7E+05	1.0E+02	2.5E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	5.18E-05	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	7.3E+03	.	7.3E+03	1.6E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	4.39E-05	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	2.7E+03	.	2.7E+03	1.9E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.47E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	.	.	4.2E+03	.	4.2E+03	3.3E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.45E-04	0.00E+00	0.00E+00	1.36E+09	5.00E-02	.	.	2.3E+06	.	2.3E+06	2.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.77E-04	0.00E+00	0.00E+00	1.36E+09	5.00E-02	.	.	4.6E+03	.	4.6E+03	1.9E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	5.24E-04	5.22E-12	7.99E-12	1.36E+09	5.00E-02	4.5E+07	2.1E+12	8.8E+01	4.2E+05	8.8E+01	6.7E-13
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.75E-05	1.75E-11	3.15E-11	1.36E+09	5.00E-02	1.3E+06	6.3E+10	5.6E+01	1.5E+04	5.6E+01	3.6E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	5.00E-02	.	.	9.5E+02	.	9.5E+02	3.0E-12
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.18E-05	2.55E-11	4.77E-11	1.36E+09	5.00E-02	2.3E+05	8.8E+09	6.6E+01	2.7E+03	6.4E+01	1.7E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.34E-05	0.00E+00	0.00E+00	1.36E+09	5.00E-02	.	.	1.6E+04	.	1.6E+04	2.9E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.04E-05	7.42E-11	1.39E-10	1.36E+09	5.00E-02	1.6E+04	3.5E+08	2.9E+01	1.9E+02	2.5E+01	3.3E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.85E-05	0.00E+00	0.00E+00	1.36E+09	5.00E-02	.	.	5.6E+03	.	5.6E+03	5.9E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	8.36E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	4.0E+03	.	4.0E+03	1.0E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	2.06E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.3E+03	.	1.3E+03	4.2E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.93E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	5.2E+03	.	5.2E+03	3.0E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.71E-04	2.04E-12	3.29E-12	1.36E+09	2.00E-03	1.4E+08	3.5E+11	3.6E+02	1.7E+06	3.6E+02	5.2E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.71E-05	2.09E-11	3.74E-11	1.36E+09	2.00E-03	1.6E+06	8.3E+10	2.8E+02	2.1E+04	2.8E+02	3.2E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.94E-05	2.98E-11	5.22E-11	1.36E+09	2.00E-03	4.2E+05	1.8E+10	2.9E+01	5.4E+03	2.9E+01	8.9E-12
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	1.14E-09	1.72E-09	1.36E+09	2.00E-03	5.2E-01	2.4E+01	.	5.7E-03	5.6E-03	7.3E-06
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.70E-05	2.20E-11	3.78E-11	1.36E+09	2.00E-03	3.8E+05	1.7E+10	2.4E+01	4.7E+03	2.4E+01	1.2E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.44E-05	8.67E-12	1.47E-11	1.36E+09	2.00E-03	1.2E+06	6.9E+10	6.5E+01	1.4E+04	6.5E+01	2.7E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	8.71E-07	2.14E-11	3.84E-11	1.36E+09	2.00E-03	1.1E+03	8.2E+06	6.1E+00	1.4E+01	4.2E+00	7.4E-10
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.65E-06	1.62E-11	2.92E-11	1.36E+09	2.00E-03	2.1E+06	9.4E+10	3.0E+03	2.7E+04	2.7E+03	3.3E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.52E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	5.7E+05	.	5.7E+05	6.3E-10
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	1.75E-06	4.48E-10	8.32E-10	1.36E+09	2.00E-03	2.1E+03	6.5E+07	1.3E+02	2.8E+01	2.3E+01	9.8E-11
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	6.06E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.9E+03	.	2.9E+03	1.6E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.9E+03	.	2.9E+03	2.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	4.20E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	7.0E+04	.	7.0E+04	2.1E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	2.41E-06	3.74E-12	6.27E-12	1.36E+09	2.00E-03	6.9E+07	2.8E+12	2.3E+04	8.4E+05	2.3E+04	3.7E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.17E-04	2.17E-12	3.43E-12	1.36E+09	2.00E-03	6.8E+07	2.4E+12	2.6E+02	7.8E+05	2.6E+02	7.9E-12
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.20E-04	1.25E-11	2.15E-11	1.36E+09	2.00E-03	2.0E+06	1.0E+11	4.7E+01	2.5E+04	4.7E+01	7.8E-12
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	9.85E-07	2.82E-13	4.65E-13	1.36E+09	2.00E-03	2.4E+08	1.3E+13	1.5E+04	2.9E+06	1.5E+04	9.6E-10
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	8.27E-07	3.53E-12	6.27E-12	1.36E+09	2.00E-03	2.2E+06	1.4E+11	2.1E+03	2.8E+04	2.0E+03	1.1E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	8.84E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.3E+06	.	3.3E+06	1.1E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	2.58E-09	1.00E-10	1.86E-10	1.36E+09	2.00E-03	3.4E+03	5.0E+07	3.1E+04	4.5E+01	4.5E+01	5.4E-10
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.76E-05	7.95E-11	1.46E-10	1.36E+09	2.00E-03	1.3E+05	6.6E+09	6.5E+01	1.7E+03	6.2E+01	2.6E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.74E-05	2.44E-10	4.47E-10	1.36E+09	2.00E-03	6.4E+03	1.9E+08	6.5E+00	8.5E+01	6.0E+00	1.6E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.44E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	8.1E+03	.	8.1E+03	1.1E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.35E-05	2.53E-12	4.21E-12	1.36E+09	1.00E-03	2.0E+07	4.2E+10	2.5E+02	2.4E+05	2.5E+02	3.3E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.35E-04	9.01E-11	1.62E-10	1.36E+09	1.00E-03	1.0E+05	1.4E+09	1.6E+01	1.3E+03	1.6E+01	1.1E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.63E-05	3.47E-12	5.76E-12	1.36E+09	1.00E-03	1.1E+07	2.9E+10	1.2E+02	1.3E+05	1.2E+02	2.2E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	6.72E-06	4.18E-11	7.67E-11	1.36E+09	1.00E-03	5.6E+04	2.1E+08	8.2E+01	7.4E+02	7.4E+01	2.0E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.38E-08	1.38E-09	2.54E-09	1.36E+09	1.00E-03	1.1E+02	9.5E+03	1.1E+03	1.5E+00	1.5E+00	5.9E-11
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	2.21E-07	2.12E-09	3.71E-09	1.36E+09	1.00E-03	5.7E+00	2.9E+02	1.2E+01	7.3E-02	7.2E-02	3.9E-11
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.16E-04	2.14E-09	3.75E-09	1.36E+09	1.00E-03	5.7E+00	2.9E+02	2.4E-02	7.2E-02	1.8E-02	9.6E-12
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.71E-05	1.12E-09	2.07E-09	1.36E+09	1.00E-03	1.7E+03	7.2E+05	8.1E+00	2.3E+01	6.0E+00	1.9E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.31E-08	1.12E-09	2.06E-09	1.36E+09	1.00E-03	7.2E+01	3.4E+03	2.1E+02	9.6E-01	9.4E-01	7.3E-11
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	1.87E-07	6.28E-10	1.09E-09	1.36E+09	1.00E-03	3.1E+05	8.1E+08	2.3E+05	3.9E+03	3.7E+03	1.3E-10
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.51E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.9E+05	.	1.9E+05	5.5E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.26E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.1E+03	.	2.1E+03	1.9E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.40E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.0E+03	.	3.0E+03	6.0E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.36E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	4.8E+04	.	4.8E+04	6.2E-12
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.65E-04	9.21E-11	1.55E-10	1.36E+09	2.00E-03	6.4E+03	2.0E+08	7.8E-01	7.8E+01	7.7E-01	5.1E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	3.04E-04	1.65E-10	2.77E-10	1.36E+09	2.00E-03	4.6E+03	1.8E+08	5.4E-01	5.6E+01	5.4E-01	2.8E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.21E-05	7.80E-11	1.38E-10	1.36E+09	2.00E-03	1.8E+03	2.0E+07	6.1E-01	2.3E+01	5.9E-01	1.6E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.73E-04	1.66E-10	2.76E-10	1.36E+09	2.00E-03	3.9E+02	2.9E+06	5.1E-02	4.7E+00	5.1E-02	3.1E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.04E-06	3.46E-11	6.28E-11	1.36E+09	2.00E-03	1.0E+03	1.3E+07	2.0E+00	1.3E+01	1.8E+00	1.9E-10
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.83E-04	1.52E-10	2.48E-10	1.36E+09	2.00E-03	4.6E+00	1.5E+03	8.0E-04	5.4E-02	7.9E-04	1.2E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.55E-06	9.57E-11	1.77E-10	1.36E+09	2.00E-03	6.2E+04	3.5E+09	2.6E+02	8.3E+02	2.0E+02	1.2E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.46E-04	2.25E-10	3.94E-10	1.36E+09	2.00E-03	4.1E+00	3.0E+03	1.4E-03	5.2E-02	1.4E-03	8.0E-12
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.63E-05	1.17E-10	2.16E-10	1.36E+09	2.00E-03	7.0E+04	4.5E+09	5.4E+01	9.4E+02	5.1E+01	2.3E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	4.07E-06	1.67E-12	2.89E-12	1.36E+09	2.00E-03	3.0E+07	1.0E+12	2.8E+03	3.8E+05	2.8E+03	2.2E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.58E-04	3.83E-10	6.86E-10	1.36E+09	2.00E-03	3.1E+00	3.6E+03	1.7E-03	4.0E-02	1.7E-03	6.2E-12
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	3.03E-06	6.92E-13	1.13E-12	1.36E+09	2.00E-03	1.6E+08	5.8E+12	7.9E+03	1.9E+06	7.8E+03	3.0E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	3.38E-06	7.64E-11	1.40E-10	1.36E+09	2.00E-03	2.5E+01	6.3E+04	1.3E-01	3.3E-01	9.4E-02	1.9E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.66E-04	5.28E-10	9.64E-10	1.36E+09	2.00E-03	4.0E+02	8.6E+06	3.0E-01	5.3E+00	2.9E-01	5.2E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	2.98E-05	1.48E-10	2.72E-10	1.36E+09	2.00E-03	3.4E+04	1.9E+09	4.0E+01	4.5E+02	3.7E+01	2.8E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.69E-04	7.90E-12	1.28E-11	1.36E+09	2.00E-03	1.4E+07	5.7E+11	1.4E+02	1.7E+05	1.4E+02	5.5E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.13E-05	4.62E-12	7.74E-12	1.36E+09	2.00E-03	6.0E+07	2.7E+12	1.9E+03	7.3E+05	1.9E+03	3.0E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-02	.	.	8.5E+03	.	8.5E+03	8.2E-13
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.16E-04	3.38E-12	4.98E-12	1.36E+09	2.00E-02	1.5E+07	2.3E+11	9.5E+01	1.5E+05	9.5E+01	1.0E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.30E-05	2.78E-10	5.10E-10	1.36E+09	1.74E-04	3.3E+04	2.0E+09	2.7E+01	4.5E+02	2.5E+01	3.4E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	9.2E+02	.	9.2E+02	2.2E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	4.04E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	1.1E+03	.	1.1E+03	7.7E-13
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.29E-14	3.13E-11	5.12E-11	1.36E+09	1.74E-04	1.1E+02	1.4E+06	5.9E+07	1.4E+00	1.4E+00	5.7E-10
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.57E-04	3.01E-10	5.16E-10	1.36E+09	1.74E-04	2.6E+02	3.1E+06	1.1E-01	3.2E+00	1.1E-01	2.1E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	4.77E-10	6.74E-09	9.40E-09	1.36E+09	1.74E-04	9.5E-02	8.1E+02	2.7E+02	9.7E-04	9.6E-04	2.4E-07
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.35E-04	7.34E-09	1.04E-08	1.36E+09	1.74E-04	8.6E-02	6.4E+02	3.5E-04	8.9E-04	2.5E-04	6.3E-08
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.84E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	9.9E+02	.	9.9E+02	1.9E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	6.00E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-04	.	.	1.6E+04	.	1.6E+04	6.0E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.42E-05	1.53E-11	2.77E-11	1.36E+09	2.00E-03	9.6E+05	1.4E+09	2.4E+02	1.3E+04	2.4E+02	1.0E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	3.60E-08	7.22E-10	1.34E-09	1.36E+09	2.00E-03	4.1E+03	1.5E+06	2.0E+04	5.6E+01	5.5E+01	1.1E-10

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	4.51E-06	2.73E-10	5.05E-10	1.36E+09	2.00E-03	3.9E+03	4.5E+05	5.6E+01	5.2E+01	2.7E+01	1.6E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	9.47E-07	8.77E-11	1.59E-10	1.36E+09	2.00E-03	2.7E+05	7.0E+07	6.0E+03	3.6E+03	2.2E+03	5.8E-10
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	1.06E-07	6.55E-10	1.21E-09	1.36E+09	2.00E-03	5.8E+03	2.5E+06	8.6E+03	7.8E+01	7.6E+01	1.2E-10
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.67E-03	3.68E-09	6.29E-09	1.36E+09	2.00E-03	8.5E+03	2.1E+07	4.2E+00	1.1E+02	4.0E+00	8.6E-13
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.33E-05	1.88E-09	3.36E-09	1.36E+09	2.00E-03	1.7E+01	7.3E+02	5.7E-01	2.3E-01	1.6E-01	3.2E-11
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.42E-04	6.53E-11	1.06E-10	1.36E+09	3.00E-02	4.0E+06	7.0E+09	3.9E+02	4.2E+04	3.8E+02	8.6E-12
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.91E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	8.4E+09	.	8.4E+09	3.3E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	6.15E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	3.9E+06	.	3.9E+06	2.1E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	7.89E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	3.0E+06	.	3.0E+06	1.6E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	2.83E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	7.9E+04	.	7.9E+04	4.6E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	2.86E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	7.8E+04	.	7.8E+04	4.5E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.84E-05	5.37E-11	8.61E-11	1.36E+09	3.00E-02	6.9E+06	3.6E+09	4.2E+03	7.3E+04	4.0E+03	6.7E-11
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	3.66E-06	2.73E-10	4.57E-10	1.36E+09	3.00E-02	8.4E+05	3.3E+09	1.4E+04	9.2E+03	5.5E+03	1.4E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.91E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	4.8E+03	.	4.8E+03	1.9E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.86E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	9.1E+03	.	9.1E+03	2.7E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.54E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	9.2E+02	.	9.2E+02	8.2E-13
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.35E-04	2.32E-12	3.48E-12	1.36E+09	3.00E-03	1.6E+08	6.6E+12	5.3E+02	1.7E+06	5.3E+02	2.8E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.44E-04	2.53E-10	4.60E-10	1.36E+09	3.00E-03	3.2E+04	2.3E+09	5.6E+00	4.2E+02	5.5E+00	1.1E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.46E-05	4.15E-11	7.50E-11	1.36E+09	3.00E-03	2.4E+04	5.9E+08	1.6E+01	3.1E+02	1.5E+01	2.5E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.13E-04	1.08E-11	1.82E-11	1.36E+09	3.00E-03	6.9E+06	3.3E+11	1.4E+02	8.3E+04	1.4E+02	3.5E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.15E-06	1.95E-12	3.00E-12	1.36E+09	3.00E-03	1.3E+08	4.6E+12	4.5E+04	1.5E+06	4.4E+04	3.5E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.66E-04	2.21E-10	3.97E-10	1.36E+09	3.00E-03	2.5E+04	1.5E+09	3.5E+00	3.3E+02	3.5E+00	1.1E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-05	5.50E-11	1.00E-10	1.36E+09	3.00E-03	2.9E+05	1.5E+10	9.8E+01	3.8E+03	9.5E+01	1.1E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	4.35E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	3.1E+02	.	3.1E+02	9.9E-13
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.27E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	7.4E+03	.	7.4E+03	6.5E-12
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.60E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.3E+03	.	2.3E+03	3.2E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.15E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.1E+03	.	2.1E+03	7.3E-12
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.31E-04	2.70E-12	4.13E-12	1.36E+09	2.00E-03	8.9E+07	4.2E+12	1.4E+02	9.9E+05	1.4E+02	2.6E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	8.30E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	9.3E+03	.	9.3E+03	1.0E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	1.52E-05	1.94E-10	3.48E-10	1.36E+09	2.00E-03	3.5E+02	1.7E+06	1.0E+00	4.5E+00	8.4E-01	4.5E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.67E-04	9.83E-11	1.69E-10	1.36E+09	2.00E-03	2.2E+04	8.8E+08	2.9E+00	2.7E+02	2.8E+00	5.1E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	1.47E-09	2.12E-09	1.36E+09	2.00E-03	4.7E-01	2.3E+01	.	5.0E-03	4.9E-03	1.5E-10
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.52E-05	1.03E-10	1.83E-10	1.36E+09	2.00E-03	3.5E+03	6.2E+07	1.5E+00	4.4E+01	1.4E+00	1.5E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	1.32E-09	1.88E-09	1.36E+09	2.00E-03	4.7E-01	2.6E+01	.	4.9E-03	4.8E-03	3.6E-06
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	3.82E-06	5.17E-11	9.44E-11	1.36E+09	2.00E-03	5.0E+02	3.8E+06	1.6E+00	6.6E+00	1.3E+00	1.9E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	1.04E-09	1.48E-09	1.36E+09	2.00E-03	6.0E-01	3.4E+01	.	6.2E-03	6.2E-03	2.8E+02
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	4.35E-06	6.01E-11	1.09E-10	1.36E+09	2.00E-03	2.2E+02	1.0E+06	7.3E-01	2.9E+00	5.8E-01	1.6E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.14E-06	1.29E-10	2.38E-10	1.36E+09	2.00E-03	3.2E+04	1.7E+09	1.9E+02	4.3E+02	1.3E+02	1.2E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.73E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.8E+03	.	2.8E+03	2.0E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.64E-05	1.31E-11	2.04E-11	1.36E+09	4.00E-01	3.1E+06	8.4E+10	1.1E+02	1.4E+04	1.1E+02	5.0E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.71E-04	3.63E-12	5.37E-12	1.36E+09	4.00E-01	8.3E+07	3.4E+12	3.4E+02	3.5E+05	3.4E+02	2.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.10E-11	2.66E-10	4.70E-10	1.36E+09	4.00E-01	4.6E+01	7.3E+04	2.6E+05	2.3E-01	2.3E-01	3.3E-11
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.13E-04	2.77E-10	4.88E-10	1.36E+09	4.00E-01	4.4E+01	7.3E+04	2.5E-02	2.2E-01	2.2E-02	3.2E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.20E-04	2.95E-11	4.80E-11	1.36E+09	4.00E-01	7.5E+04	1.7E+09	3.9E+00	3.5E+02	3.9E+00	3.3E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.11E-11	2.50E-12	4.43E-12	1.36E+09	4.00E-01	1.2E+05	3.3E+09	6.0E+06	5.9E+02	5.9E+02	3.7E-09
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	3.82E-06	3.15E-12	4.70E-12	1.36E+09	4.00E-01	2.2E+07	4.0E+11	3.5E+03	9.3E+04	3.3E+03	1.1E-10

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.30E-04	4.45E-11	7.18E-11	1.36E+09	4.00E-01	1.7E+05	3.5E+09	1.2E+01	8.1E+02	1.2E+01	3.4E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	2.98E-05	1.03E-11	1.52E-11	1.36E+09	4.00E-01	6.3E+06	1.3E+11	4.2E+02	2.7E+04	4.1E+02	1.5E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	1.76E-12	2.43E-12	1.70E+01	4.80E+00	7.0E+02	8.8E-03	.	3.6E-01	8.6E-03	8.9E-13
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.85E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	7.8E+03	.	7.8E+03	1.4E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	7.07E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	4.8E+03	.	4.8E+03	1.4E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.39E-05	6.85E-11	1.20E-10	1.36E+09	3.00E-03	7.3E+04	2.9E+09	2.6E+01	9.3E+02	2.5E+01	2.2E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	1.99E-10	3.54E-10	1.36E+09	3.00E-03	2.4E+01	3.5E+04	2.7E-01	3.1E-01	1.4E-01	1.3E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	1.99E-10	3.54E-10	1.36E+09	3.00E-03	2.4E+01	3.5E+04	2.7E-01	3.1E-01	1.4E-01	1.3E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	3.50E-05	4.06E-11	7.18E-11	1.36E+09	3.00E-03	8.3E+04	3.2E+09	2.2E+01	1.1E+03	2.2E+01	2.8E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	2.16E-09	2.77E-09	1.36E+09	3.00E-03	3.2E-01	3.1E+01	.	3.0E-03	3.0E-03	2.9E+03
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.47E-05	7.49E-11	1.33E-10	1.36E+09	3.00E-03	6.3E+02	5.6E+06	3.1E-01	8.1E+00	3.0E-01	2.8E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.36E-04	7.72E-12	1.24E-11	1.36E+09	3.00E-03	1.3E+07	2.9E+11	9.0E+01	1.5E+05	9.0E+01	4.4E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-04	4.64E-10	7.73E-10	1.36E+09	3.00E-03	1.5E+00	1.3E+03	6.2E-04	1.8E-02	6.0E-04	9.3E-12
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.44E-05	2.61E-10	4.70E-10	1.36E+09	3.00E-03	5.0E+02	5.0E+06	3.2E-01	6.5E+00	3.1E-01	1.1E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.05E-04	2.82E-11	4.94E-11	1.36E+09	3.00E-03	5.2E+05	2.0E+10	3.2E+01	6.6E+03	3.1E+01	1.0E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.78E-05	2.52E-10	4.59E-10	1.36E+09	3.00E-03	3.0E+02	2.3E+06	3.1E-01	4.0E+00	2.9E-01	1.7E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.46E-05	1.72E-10	2.58E-10	1.36E+09	3.00E-03	3.5E+00	9.5E+02	4.7E-03	3.7E-02	4.2E-03	1.9E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.87E-04	4.77E-10	8.05E-10	1.36E+09	3.00E-03	1.1E+00	8.5E+02	6.2E-04	1.4E-02	5.9E-04	2.7E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-04	4.64E-12	7.62E-12	1.36E+09	3.00E-03	1.8E+07	3.9E+11	1.8E+02	2.1E+05	1.8E+02	1.1E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	9.21E-05	9.35E-12	1.61E-11	1.36E+09	3.00E-03	8.2E+06	2.6E+11	1.9E+02	1.0E+05	1.9E+02	1.2E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.18E-05	1.14E-10	2.08E-10	1.36E+09	3.00E-03	1.6E+05	8.2E+09	2.0E+02	2.2E+03	1.9E+02	4.5E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.43E-05	2.12E-12	3.39E-12	1.36E+09	3.00E-01	1.2E+08	5.7E+11	3.8E+03	6.8E+05	3.8E+03	7.7E-11
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.77E-04	6.70E-12	1.12E-11	1.36E+09	3.00E-01	1.5E+07	5.4E+10	1.2E+02	8.4E+04	1.2E+02	6.3E-12
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.36E-05	3.71E-11	6.45E-11	1.36E+09	3.00E-01	4.5E+05	3.0E+09	1.6E+02	2.7E+03	1.5E+02	4.5E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	1.01E-04	1.78E-11	3.13E-11	1.36E+09	3.00E-01	1.2E+06	4.5E+09	4.7E+01	7.1E+03	4.7E+01	1.1E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	1.02E-04	1.78E-11	3.13E-11	1.36E+09	3.00E-01	1.2E+06	4.5E+09	4.7E+01	7.1E+03	4.7E+01	1.1E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.25E-04	7.89E-11	1.40E-10	1.36E+09	3.00E-01	8.5E+04	4.2E+08	1.2E+01	5.1E+02	1.2E+01	8.8E-12
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	9.75E-11	1.08E-10	1.69E-10	1.36E+09	3.00E-01	5.4E+00	4.3E+03	1.2E+03	2.9E-02	2.8E-02	6.8E-09
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.29E-04	1.70E-10	2.75E-10	1.36E+09	3.00E-01	3.3E+00	4.2E+03	9.1E-04	1.8E-02	8.7E-04	2.1E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	1.94E-05	2.11E-11	3.81E-11	1.36E+09	3.00E-01	3.5E+05	9.4E+08	8.9E+01	2.1E+03	8.6E+01	5.6E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	1.97E-05	1.31E-10	2.40E-10	1.36E+09	3.00E-01	1.4E+04	4.4E+07	2.2E+01	8.8E+01	1.8E+01	4.6E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	3.28E-06	6.03E-11	1.11E-10	1.36E+09	3.00E-01	2.0E+04	4.9E+07	8.6E+01	1.2E+02	5.0E+01	2.1E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	7.04E-06	1.21E-10	2.23E-10	1.36E+09	3.00E-01	2.7E+04	1.1E+08	1.1E+02	1.7E+02	6.6E+01	9.8E-11
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.54E-05	2.53E-12	4.11E-12	1.36E+09	3.00E-01	4.8E+07	1.2E+11	1.7E+03	2.7E+05	1.7E+03	7.5E-11
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.49E-05	1.21E-10	2.20E-10	1.36E+09	3.00E-01	5.7E+02	1.8E+06	6.6E-01	3.5E+00	5.5E-01	4.0E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	6.66E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	3.2E+05	.	3.2E+05	1.8E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.31E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	1.0E+04	.	1.0E+04	9.2E-11
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.57E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	1.1E+03	.	1.1E+03	3.4E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.32E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.7E+03	.	3.7E+03	3.8E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	4.5E+03	.	4.5E+03	7.4E-12
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	9.7E+02	.	9.7E+02	7.4E-12
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.29E-04	2.53E-12	3.77E-12	1.36E+09	2.00E-03	1.9E+08	1.0E+13	4.1E+02	2.1E+06	4.1E+02	3.9E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.87E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+03	.	1.2E+03	3.1E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.94E-05	4.32E-12	7.16E-12	1.36E+09	2.00E-03	2.5E+07	1.0E+12	3.3E+02	3.0E+05	3.3E+02	1.3E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.63E-04	9.32E-12	1.52E-11	1.36E+09	2.00E-03	9.9E+06	4.2E+11	7.4E+01	1.2E+05	7.4E+01	3.5E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.09E-05	6.30E-13	9.80E-13	1.36E+09	2.00E-03	6.8E+08	2.8E+13	1.4E+03	7.7E+06	1.4E+03	1.5E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.38E-05	7.12E-13	1.10E-12	1.36E+09	2.00E-03	2.3E+08	6.7E+12	9.8E+02	2.6E+06	9.8E+02	2.7E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	2.07E-04	1.45E-12	2.18E-12	1.36E+09	2.00E-03	1.5E+08	5.1E+12	2.1E+02	1.6E+06	2.1E+02	4.5E-12
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	1.46E-06	1.92E-12	3.38E-12	1.36E+09	2.00E-03	1.7E+07	8.4E+11	5.0E+03	2.1E+05	4.9E+03	6.3E-10
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.58E-05	2.16E-13	3.24E-13	1.36E+09	2.00E-03	1.7E+09	3.4E+13	4.6E+03	1.9E+07	4.6E+03	6.0E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.50E-05	2.71E-12	4.45E-12	1.36E+09	2.00E-03	2.8E+07	8.5E+11	2.5E+02	3.4E+05	2.5E+02	1.5E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	7.11E-13	1.28E-12	1.36E+09	2.00E-03	7.0E+02	2.6E+05	.	9.1E+00	9.0E+00	1.9E-05
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	7.48E-07	6.58E-13	1.04E-12	1.36E+09	2.00E-03	2.8E+08	5.8E+12	5.1E+04	3.2E+06	5.0E+04	1.3E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	9.75E-07	1.61E-12	2.71E-12	1.36E+09	2.00E-03	8.2E+07	2.1E+12	3.0E+04	1.0E+06	2.9E+04	9.5E-10
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.25E-06	3.66E-10	6.79E-10	1.36E+09	2.00E-03	7.7E+03	4.6E+08	2.1E+02	1.0E+02	6.9E+01	9.8E-11
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.93E-04	3.19E-10	5.40E-10	1.36E+09	2.00E-03	1.7E+00	4.1E+02	6.0E-04	2.0E-02	5.9E-04	3.3E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.91E-05	1.50E-11	2.68E-11	1.36E+09	2.00E-03	1.7E+06	6.3E+10	1.5E+02	2.2E+04	1.5E+02	2.5E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.09E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.4E+03	.	3.4E+03	9.0E-12
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	1.38E-07	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.6E+06	.	3.6E+06	7.1E-09
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	2.10E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.9E+03	.	1.9E+03	4.7E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.50E-04	1.92E-11	3.49E-11	1.36E+09	5.48E-04	1.8E+07	3.7E+11	3.2E+02	2.3E+05	3.2E+02	2.8E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.64E-04	0.00E+00	0.00E+00	1.36E+09	5.48E-04	.	.	2.8E+02	.	2.8E+02	1.5E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.04E-04	3.44E-12	5.75E-12	1.36E+09	5.48E-04	7.7E+07	9.6E+11	5.5E+02	9.4E+05	5.5E+02	6.6E-12
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.50E-04	2.87E-11	5.07E-11	1.36E+09	5.48E-04	2.0E+06	3.8E+10	3.8E+01	2.6E+04	3.8E+01	2.0E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.45E-04	1.34E-11	2.22E-11	1.36E+09	5.48E-04	7.2E+06	1.2E+11	4.6E+01	8.7E+04	4.6E+01	1.6E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.20E-05	7.59E-12	1.30E-11	1.36E+09	5.48E-04	5.1E+06	8.7E+10	2.1E+02	6.4E+04	2.0E+02	1.7E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.15E-04	0.00E+00	0.00E+00	1.36E+09	5.48E-04	.	.	2.6E+03	.	2.6E+03	6.2E-12
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.39E-05	2.71E-11	5.17E-11	1.36E+09	5.48E-04	2.1E+05	4.5E+09	9.9E+01	2.9E+03	9.6E+01	5.0E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.39E-04	1.59E-09	3.04E-09	1.36E+09	5.48E-04	4.6E+02	1.1E+07	1.3E+00	6.4E+00	1.1E+00	4.3E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	1.97E-07	9.34E-10	1.50E-09	1.36E+09	5.48E-04	6.6E+01	1.2E+06	6.5E+01	7.7E-01	7.5E-01	4.3E-11
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	5.08E-05	3.35E-09	6.17E-09	1.36E+09	5.48E-04	7.4E+01	1.6E+06	1.2E+00	9.9E-01	5.3E-01	6.6E-12
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	8.02E-06	3.01E-12	4.78E-12	1.36E+09	5.48E-04	7.1E+07	5.7E+11	5.5E+03	8.2E+05	5.4E+03	9.3E-11
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	1.67E-07	5.32E-09	7.50E-09	1.36E+09	5.48E-04	1.2E-01	1.9E+03	6.9E-01	1.2E-03	1.2E-03	6.8E-06
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.61E-04	2.31E-10	4.43E-10	1.36E+09	5.48E-04	2.6E+04	5.8E+08	5.7E+00	3.6E+02	5.6E+00	2.9E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.28E-05	0.00E+00	0.00E+00	1.36E+09	5.48E-04	.	.	9.7E+03	.	9.7E+03	5.9E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.32E-05	1.75E-09	3.31E-09	1.36E+09	5.48E-04	2.2E+02	5.1E+06	2.2E+00	3.0E+00	1.3E+00	1.0E-11
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.85E-04	3.14E-11	5.70E-11	1.36E+09	5.48E-04	1.1E+06	1.9E+10	2.8E+01	1.4E+04	2.8E+01	2.7E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	4.01E-05	7.06E-12	1.18E-11	1.36E+09	5.48E-04	8.6E+06	8.8E+10	3.3E+02	1.0E+05	3.3E+02	1.9E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.38E-05	5.62E-10	1.11E-09	1.36E+09	5.48E-04	6.1E+03	1.4E+08	1.2E+01	8.8E+01	1.0E+01	9.2E-12
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.31E-04	8.76E-12	1.44E-11	1.36E+09	5.48E-04	1.1E+07	1.3E+11	6.3E+01	1.3E+05	6.3E+01	2.4E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.88E-05	0.00E+00	0.00E+00	1.36E+09	5.48E-04	.	.	1.1E+04	.	1.1E+04	2.7E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	2.12E-04	1.10E-10	2.11E-10	1.36E+09	5.48E-04	1.0E+05	2.2E+09	1.3E+01	1.4E+03	1.3E+01	3.7E-12
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.53E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	3.1E+03	.	3.1E+03	1.7E-12
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.40E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	9.0E+02	.	9.0E+02	2.5E-12
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.42E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	4.0E+02	.	4.0E+02	1.4E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.69E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	5.7E+02	.	5.7E+02	1.7E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.96E-04	4.05E-12	6.66E-12	1.36E+09	3.00E-03	3.9E+07	1.5E+12	1.7E+02	4.6E+05	1.7E+02	3.2E-12
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.99E-04	7.63E-12	1.20E-11	1.36E+09	3.00E-03	1.2E+07	6.3E+11	3.8E+01	1.4E+05	3.8E+01	1.3E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.76E-04	6.78E-12	1.07E-11	1.36E+09	3.00E-03	2.0E+07	9.9E+11	7.4E+01	2.3E+05	7.4E+01	1.7E-12
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.54E-05	8.11E-12	1.37E-11	1.36E+09	3.00E-03	2.4E+06	1.2E+11	5.8E+01	3.0E+04	5.8E+01	8.4E-12
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	7.42E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	1.1E+04	.	1.1E+04	8.6E-12
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.88E-04	2.89E-11	4.69E-11	1.36E+09	3.00E-03	6.1E+05	3.6E+10	9.6E+00	7.2E+03	9.6E+00	1.7E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.96E-04	1.08E-11	1.81E-11	1.36E+09	3.00E-03	6.8E+06	3.5E+11	8.1E+01	8.2E+04	8.1E+01	3.3E-12
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	3.85E-05	5.03E-11	8.83E-11	1.36E+09	3.00E-03	2.4E+04	8.5E+08	7.0E+00	3.0E+02	6.9E+00	1.6E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.55E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	2.6E+03	.	2.6E+03	1.2E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	3.11E-05	6.54E-13	9.85E-13	1.36E+09	3.00E-03	5.7E+08	1.6E+13	2.4E+03	6.2E+06	2.4E+03	2.1E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	1.87E-06	1.23E-12	1.94E-12	1.36E+09	3.00E-03	2.1E+08	3.7E+12	2.9E+04	2.4E+06	2.8E+04	3.5E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.88E-05	3.71E-12	6.41E-12	1.36E+09	3.00E-03	1.3E+07	5.3E+11	3.8E+02	1.7E+05	3.8E+02	2.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	6.34E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	1.4E+06	.	1.4E+06	1.0E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	7.95E-06	9.85E-10	1.81E-09	1.36E+09	3.00E-03	6.6E+01	8.2E+05	1.9E+00	8.7E-01	5.9E-01	2.6E-11
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.55E-06	9.85E-10	1.81E-09	1.36E+09	3.00E-03	6.6E+01	8.2E+05	1.8E+00	8.7E-01	5.8E-01	2.5E-11
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	7.42E-09	1.17E-09	1.51E-09	1.36E+09	3.00E-03	5.9E-01	7.7E+02	1.7E+01	5.5E-03	5.5E-03	7.7E+02
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.71E-05	1.76E-11	3.19E-11	1.36E+09	3.00E-03	9.8E+05	4.7E+10	2.4E+02	1.3E+04	2.3E+02	3.9E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.31E-04	6.14E-12	9.81E-12	1.36E+09	3.00E-03	1.6E+07	5.8E+11	6.1E+01	1.8E+05	6.1E+01	2.0E-12
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.86E-05	2.62E-12	4.19E-12	1.36E+09	3.00E-03	4.7E+07	1.2E+12	3.2E+02	5.4E+05	3.2E+02	8.7E-12
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.06E-06	1.73E-11	3.09E-11	1.36E+09	3.00E-03	2.4E+06	1.0E+11	1.0E+03	3.0E+04	1.0E+03	7.3E-11
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.26E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	1.0E+06	.	1.0E+06	5.5E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.63E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	6.9E+02	.	6.9E+02	1.9E-12
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	9.56E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	4.8E+03	.	4.8E+03	7.3E-12
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.93E-06	2.79E-12	4.26E-12	1.36E+09	3.00E-03	1.1E+08	4.7E+12	6.8E+03	1.2E+06	6.8E+03	7.7E-11
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.18E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	2.4E+04	.	2.4E+04	6.0E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.45E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-03	.	.	3.8E+04	.	3.8E+04	9.5E-11
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.88E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	3.9E+03	.	3.9E+03	5.6E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.66E-04	4.07E-12	6.42E-12	1.36E+09	3.00E-02	8.8E+07	3.7E+12	4.4E+02	9.1E+05	4.4E+02	6.4E-12
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.47E-04	6.47E-12	1.08E-11	1.36E+09	3.00E-02	1.3E+07	5.0E+11	1.3E+02	1.5E+05	1.3E+02	7.3E-12
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.41E-04	2.82E-11	4.88E-11	1.36E+09	3.00E-02	9.3E+05	4.4E+10	2.5E+01	1.1E+04	2.4E+01	4.4E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.06E-04	6.14E-11	1.09E-10	1.36E+09	3.00E-02	9.0E+04	4.0E+09	1.2E+01	1.0E+03	1.2E+01	1.0E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	2.03E-04	9.64E-11	1.69E-10	1.36E+09	3.00E-02	5.0E+04	2.4E+09	5.4E+00	5.7E+02	5.4E+00	5.3E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.58E-04	9.81E-12	1.66E-11	1.36E+09	3.00E-02	4.4E+06	2.0E+11	6.0E+01	4.9E+04	6.0E+01	6.9E-12
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.47E-05	2.14E-11	3.82E-11	1.36E+09	3.00E-02	3.5E+05	1.7E+10	5.0E+01	4.1E+03	5.0E+01	3.1E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.82E-04	1.09E-10	1.85E-10	1.36E+09	3.00E-02	1.8E+04	7.9E+08	1.6E+00	2.0E+02	1.5E+00	3.9E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	4.32E-06	5.65E-11	1.04E-10	1.36E+09	3.00E-02	4.3E+03	7.2E+07	1.3E+01	5.2E+01	1.1E+01	2.0E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.68E-04	1.67E-10	2.89E-10	1.36E+09	3.00E-02	1.7E+03	3.3E+07	3.8E-01	2.0E+01	3.8E-01	6.5E-12
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.92E-11	9.60E-13	1.66E-12	1.36E+09	3.00E-02	7.6E+07	1.9E+12	8.5E+08	8.6E+05	8.5E+05	5.8E-08
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	2.46E-06	1.67E-11	2.85E-11	1.36E+09	3.00E-02	1.6E+06	7.0E+10	2.4E+03	1.8E+04	2.1E+03	4.0E-10
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	4.32E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	3.1E+06	.	3.1E+06	2.6E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.15E-05	2.89E-10	5.22E-10	1.36E+09	3.00E-02	1.5E+02	1.2E+06	1.1E-01	1.8E+00	1.1E-01	1.2E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	4.83E-09	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	1.6E+08	.	1.6E+08	2.3E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	3.16E-08	2.06E-10	3.72E-10	1.36E+09	3.00E-02	2.5E+00	2.1E+03	3.8E+00	2.9E-02	2.9E-02	3.7E-09
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	1.25E-08	7.75E-11	1.44E-10	1.36E+09	3.00E-02	3.9E+03	4.4E+07	5.8E+03	4.7E+01	4.6E+01	7.2E-10
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.11E-05	3.42E-10	6.34E-10	1.36E+09	3.00E-02	1.2E+04	7.5E+08	8.5E+01	1.4E+02	5.3E+01	6.3E-11
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.73E-04	3.25E-10	5.60E-10	1.36E+09	3.00E-02	6.1E+01	2.8E+05	1.6E-02	6.9E-01	1.6E-02	4.1E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	3.04E-06	1.56E-11	2.81E-11	1.36E+09	3.00E-02	2.0E+06	8.3E+10	2.4E+03	2.4E+04	2.2E+03	3.4E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.01E-05	2.65E-11	4.80E-11	1.36E+09	3.00E-02	7.7E+05	2.9E+10	1.2E+02	9.2E+03	1.2E+02	2.8E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.89E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	4.4E+04	.	4.4E+04	4.0E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.88E-04	1.24E-11	2.05E-11	1.36E+09	3.00E-02	4.9E+06	1.7E+11	4.5E+01	5.3E+04	4.5E+01	4.0E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	4.35E-04	0.00E+00	0.00E+00	1.36E+09	6.44E-01	.	.	3.3E+02	.	3.3E+02	5.1E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	2.16E-05	9.24E-10	1.58E-09	1.36E+09	6.44E-01	5.7E-01	1.4E+03	5.4E-03	2.0E-03	1.5E-03	2.1E-04

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.98E-05	4.70E-11	7.79E-11	1.36E+09	6.44E-01	1.5E+05	3.2E+09	3.7E+01	5.1E+02	3.5E+01	5.7E-12
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.14E-04	2.85E-11	4.57E-11	1.36E+09	6.44E-01	1.4E+05	2.0E+09	7.2E+00	4.7E+02	7.1E+00	2.2E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.35E-04	5.11E-12	7.58E-12	1.36E+09	6.44E-01	5.0E+07	2.2E+12	1.5E+02	1.6E+05	1.5E+02	7.7E-13
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.52E-04	2.98E-12	4.41E-12	1.36E+09	6.44E-01	1.1E+08	4.5E+12	2.5E+02	3.4E+05	2.5E+02	1.0E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	4.13E-04	0.00E+00	0.00E+00	1.36E+09	6.44E-01	.	.	1.5E+03	.	1.5E+03	6.5E-13
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.0E+02	.	8.0E+02	3.6E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.49E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.7E+03	.	1.7E+03	2.9E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.7E+01	.	2.7E+01	9.7E-12
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.7E+01	.	2.7E+01	9.7E-12
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.17E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.3E+02	.	1.3E+02	3.9E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.89E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.8E+01	.	1.8E+01	1.6E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	8.80E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.3E+00	.	1.3E+00	6.8E-05
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.24E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	4.0E+05	.	4.0E+05	3.8E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	3.38E-10	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	3.0E+07	.	3.0E+07	1.4E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	2.87E-07	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.3E-01	.	8.3E-01	2.1E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.47E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.8E+02	.	2.8E+02	3.4E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	1.08E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.3E+02	.	1.3E+02	4.7E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.75E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.3E+01	.	2.3E+01	1.9E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.65E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.3E+03	.	1.3E+03	2.0E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.50E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-05	.	.	6.0E+02	.	6.0E+02	2.1E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.06E-04	2.05E-12	3.22E-12	1.36E+09	1.74E-05	2.3E+08	1.1E+13	8.9E+02	2.6E+06	8.9E+02	7.1E-12
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.77E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-05	.	.	4.6E+02	.	4.6E+02	2.7E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.35E-05	3.43E-12	5.65E-12	1.36E+09	1.74E-05	2.5E+07	8.7E+11	2.5E+02	3.0E+05	2.5E+02	1.0E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.55E-04	7.43E-11	1.33E-10	1.36E+09	1.74E-05	2.2E+05	1.5E+10	1.5E+01	2.9E+03	1.5E+01	3.0E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.67E-05	5.84E-12	1.03E-11	1.36E+09	1.74E-05	3.4E+07	1.9E+12	5.9E+02	4.3E+05	5.9E+02	1.0E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.63E-05	5.45E-12	9.67E-12	1.36E+09	1.74E-05	3.7E+06	2.2E+11	2.9E+02	4.8E+04	2.9E+02	4.7E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.49E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-05	.	.	2.0E+03	.	2.0E+03	9.2E-12
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.39E-06	5.70E-12	1.01E-11	1.36E+09	1.74E-05	7.2E+05	4.8E+10	6.7E+02	9.3E+03	6.3E+02	5.3E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.64E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-05	.	.	2.4E+03	.	2.4E+03	1.7E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	1.86E-07	1.37E-11	2.40E-11	1.36E+09	1.74E-05	3.7E+01	2.2E+04	6.2E-01	4.8E-01	2.7E-01	6.2E-06
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.63E-04	1.34E-10	2.20E-10	1.36E+09	1.74E-05	4.1E+00	1.0E+03	7.1E-04	4.9E-02	7.0E-04	2.7E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	3.10E-04	4.29E-10	7.75E-10	1.36E+09	1.74E-05	4.5E+03	2.4E+08	1.5E+00	6.0E+01	1.4E+00	2.6E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	4.23E-06	7.68E-11	1.41E-10	1.36E+09	1.74E-05	2.5E+05	1.5E+10	1.1E+03	3.4E+03	8.3E+02	1.5E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.35E-04	2.14E-11	3.66E-11	1.36E+09	1.74E-05	2.5E+06	1.3E+11	3.6E+01	3.2E+04	3.6E+01	2.5E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.66E-05	4.84E-12	7.98E-12	1.36E+09	1.74E-05	7.5E+07	3.5E+12	2.1E+03	9.0E+05	2.1E+03	2.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.32E-04	1.67E-12	2.60E-12	1.36E+09	2.00E-03	3.0E+08	9.9E+12	7.8E+02	3.4E+06	7.8E+02	7.3E-12
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.19E-04	5.09E-12	8.28E-12	1.36E+09	2.00E-03	2.0E+07	6.1E+11	9.7E+01	2.3E+05	9.7E+01	4.5E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.65E-04	8.13E-11	1.39E-10	1.36E+09	2.00E-03	3.0E+04	9.8E+08	3.2E+00	3.7E+02	3.2E+00	5.9E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	4.17E-12	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	9.9E+10	.	9.9E+10	2.4E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.50E-04	1.38E-10	2.33E-10	1.36E+09	2.00E-03	1.3E+04	5.0E+08	1.1E+00	1.5E+02	1.1E+00	2.8E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.26E-05	1.34E-10	2.39E-10	1.36E+09	2.00E-03	3.0E+03	6.4E+07	1.3E+00	3.9E+01	1.2E+00	1.3E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	1.17E-08	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	7.1E+07	.	7.1E+07	8.5E-08
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.44E-04	2.17E-10	3.79E-10	1.36E+09	2.00E-03	2.3E+03	5.1E+07	4.7E-01	2.9E+01	4.6E-01	4.1E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	2.52E-11	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+10	.	1.2E+10	4.0E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.21E-05	7.57E-11	1.37E-10	1.36E+09	2.00E-03	8.6E+01	3.3E+05	1.3E-01	1.1E+00	1.1E-01	7.5E-11
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.01E-05	6.14E-11	1.12E-10	1.36E+09	2.00E-03	4.4E+01	1.1E+05	6.2E-02	5.8E-01	5.6E-02	9.1E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	2.48E-06	1.38E-10	2.54E-10	1.36E+09	2.00E-03	1.6E+02	9.2E+05	2.2E+00	2.2E+00	1.1E+00	2.0E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	4.83E-05	3.70E-10	6.72E-10	1.36E+09	2.00E-03	1.3E+00	1.8E+03	2.4E-03	1.7E-02	2.1E-03	4.0E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	7.61E-07	3.32E-11	6.07E-11	1.36E+09	2.00E-03	6.4E+05	3.0E+10	6.6E+03	8.5E+03	3.7E+03	7.5E-10
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.08E-06	1.40E-10	2.59E-10	1.36E+09	2.00E-03	3.4E+03	6.7E+07	3.7E+01	4.6E+01	2.0E+01	1.8E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	9.81E-05	3.65E-10	6.60E-10	1.36E+09	2.00E-03	5.5E+01	2.3E+05	4.8E-02	7.3E-01	4.5E-02	9.9E-12
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.64E-05	3.17E-12	4.99E-12	1.36E+09	2.00E-03	6.0E+07	2.0E+12	2.4E+03	6.8E+05	2.3E+03	6.3E-11
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.09E-04	2.34E-12	3.57E-12	1.36E+09	2.00E-03	1.0E+08	2.3E+12	4.4E+02	1.1E+06	4.4E+02	9.5E-12
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.12E-06	4.66E-11	8.55E-11	1.36E+09	2.00E-03	3.6E+05	2.0E+10	1.3E+03	4.8E+03	1.0E+03	2.6E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.93E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	9.9E+02	.	9.9E+02	5.4E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.56E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	4.8E+03	.	4.8E+03	1.6E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.14E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	1.0E+03	.	1.0E+03	1.4E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.77E-04	4.45E-10	8.29E-10	1.36E+09	3.00E-02	8.1E+03	4.4E+08	4.9E+00	9.9E+01	4.7E+00	8.8E-13
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	6.00E-04	0.00E+00	0.00E+00	1.36E+09	2.44E-01	.	.	1.0E+03	.	1.0E+03	4.9E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.18E-04	7.96E-12	1.30E-11	1.36E+09	2.44E-01	1.4E+07	6.3E+11	2.0E+02	8.7E+04	2.0E+02	2.5E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.51E-04	2.45E-10	4.10E-10	1.36E+09	2.44E-01	2.6E+03	7.9E+07	3.0E-01	1.6E+01	3.0E-01	6.6E-13
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	3.11E-04	4.73E-12	7.20E-12	1.36E+09	2.44E-01	5.6E+07	2.6E+12	1.7E+02	3.2E+05	1.7E+02	9.8E-13
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	6.01E-12	1.10E-11	1.36E+09	2.44E-01	8.1E+01	3.2E+05	.	5.6E-01	5.6E-01	3.1E-04
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	1.05E-04	8.39E-11	1.33E-10	1.36E+09	2.44E-01	1.4E+02	5.5E+05	2.3E-02	8.4E-01	2.3E-02	2.9E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.28E-04	4.01E-11	7.10E-11	1.36E+09	2.44E-01	7.7E+05	4.3E+10	3.1E+01	5.1E+03	3.1E+01	1.4E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.19E-05	0.00E+00	0.00E+00	1.36E+09	2.44E-01	.	.	6.5E+04	.	6.5E+04	2.8E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	3.19E-04	0.00E+00	0.00E+00	1.36E+09	2.44E-01	.	.	3.2E+03	.	3.2E+03	1.1E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.92E-04	2.50E-12	3.69E-12	1.36E+09	6.96E-01	1.6E+08	4.5E+12	3.9E+02	4.6E+05	3.9E+02	3.1E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	1.84E-06	3.86E-12	5.74E-12	1.36E+09	6.96E-01	1.3E+08	5.8E+12	5.3E+04	3.8E+05	4.6E+04	2.8E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.49E-04	0.00E+00	0.00E+00	1.36E+09	6.96E-01	.	.	3.5E+03	.	3.5E+03	3.5E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.31E-05	2.33E-11	3.54E-11	1.36E+09	6.96E-01	7.2E+05	6.5E+09	3.5E+01	2.2E+03	3.5E+01	5.6E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.17E-04	3.50E-12	5.20E-12	1.36E+09	6.96E-01	1.0E+08	4.9E+12	6.1E+02	3.1E+05	6.0E+02	4.5E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.76E-04	0.00E+00	0.00E+00	1.36E+09	6.96E-01	.	.	5.8E+03	.	5.8E+03	3.0E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	5.74E-09	1.05E-10	1.31E-10	1.36E+09	6.96E-01	6.8E+00	5.6E+04	2.0E+01	1.7E-02	1.7E-02	1.8E-08
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	3.03E-04	1.20E-11	1.79E-11	1.36E+09	6.96E-01	1.1E+06	1.5E+10	8.8E+00	3.4E+03	8.8E+00	1.8E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.78E-05	5.70E-11	8.96E-11	1.36E+09	6.96E-01	2.4E+04	1.6E+08	1.6E+01	7.4E+01	1.3E+01	2.7E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	7.50E+00	.	.	1.0E+03	.	1.0E+03	7.0E-13
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	7.04E-04	0.00E+00	0.00E+00	1.36E+09	7.50E+00	.	.	1.3E+04	.	1.3E+04	1.3E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.79E-04	3.41E-10	5.14E-10	1.36E+09	8.70E-03	1.2E+01	2.2E+04	2.9E-03	1.3E-01	2.8E-03	4.5E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.93E-04	4.44E-11	6.82E-11	1.36E+09	8.70E-03	1.4E+05	2.7E+09	2.1E+00	1.5E+03	2.1E+00	2.4E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.40E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	2.1E+03	.	2.1E+03	3.6E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	5.27E-04	4.75E-12	7.09E-12	1.36E+09	1.22E-02	8.2E+07	3.9E+12	1.4E+02	8.6E+05	1.4E+02	9.7E-13
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	5.21E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	2.7E+02	.	2.7E+02	9.9E-13
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.76E-04	3.97E-11	7.00E-11	1.36E+09	1.22E-02	9.9E+05	5.8E+10	5.1E+01	1.2E+04	5.1E+01	2.9E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.55E-04	1.50E-11	2.52E-11	1.36E+09	1.22E-02	5.1E+06	2.5E+11	1.1E+02	6.0E+04	1.1E+02	3.4E-12
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.74E-04	2.21E-10	3.90E-10	1.36E+09	1.22E-02	2.5E+04	1.4E+09	2.2E+00	3.0E+02	2.2E+00	9.1E-13
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	1.93E-07	1.06E-11	1.95E-11	1.36E+09	1.22E-02	4.6E+01	6.3E+04	6.1E-01	6.0E-01	3.0E-01	5.2E-08
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.28E-06	1.06E-10	1.97E-10	1.36E+09	1.22E-02	4.9E+02	2.3E+06	3.8E+00	6.3E+00	2.4E+00	1.0E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.87E-04	1.24E-10	2.02E-10	1.36E+09	1.22E-02	4.4E+00	4.2E+03	6.2E-04	5.0E-02	6.1E-04	5.5E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.23E-04	6.41E-11	1.06E-10	1.36E+09	1.22E-02	5.5E+03	1.4E+08	6.1E-01	6.3E+01	6.0E-01	4.3E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	1.03E-09	3.29E-11	6.08E-11	1.36E+09	1.22E-02	2.4E+01	8.6E+04	1.9E+02	3.1E-01	3.1E-01	1.3E-09
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.95E-04	3.00E-10	5.24E-10	1.36E+09	1.22E-02	1.7E+00	2.3E+03	5.9E-04	2.1E-02	5.8E-04	3.1E-09

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.62E-07	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	3.1E+05	.	3.1E+05	9.8E-10
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	9.53E-05	9.46E-11	1.64E-10	1.36E+09	1.22E-02	1.0E+03	9.2E+06	2.3E-01	1.2E+01	2.2E-01	5.7E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.44E-06	1.56E-10	2.88E-10	1.36E+09	1.22E-02	5.6E+03	1.5E+08	3.3E+01	7.3E+01	2.2E+01	5.9E-11
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	3.10E-04	1.96E-10	3.46E-10	1.36E+09	1.22E-02	1.7E+04	8.7E+08	2.5E+00	2.1E+02	2.5E+00	1.8E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	8.14E-05	7.55E-12	1.28E-11	1.36E+09	1.22E-02	9.2E+06	3.6E+11	1.9E+02	1.1E+05	1.9E+02	6.9E-12
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.66E-04	1.01E-11	1.62E-11	1.36E+09	1.22E-02	1.0E+07	4.6E+11	5.8E+01	1.1E+05	5.8E+01	1.6E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.46E-05	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	3.0E+05	.	3.0E+05	3.9E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	1.06E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	4.0E+03	.	4.0E+03	5.5E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.71E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.3E+03	.	2.3E+03	1.4E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.45E-04	4.16E-12	6.44E-12	1.36E+09	2.00E-03	1.1E+08	4.5E+12	6.1E+02	1.2E+06	6.1E+02	5.5E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.64E-05	1.03E-11	1.72E-11	1.36E+09	2.00E-03	9.7E+06	4.4E+11	8.2E+02	1.2E+05	8.1E+02	3.0E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.43E-04	5.73E-12	9.55E-12	1.36E+09	2.00E-03	2.3E+07	1.1E+12	2.0E+02	2.8E+05	2.0E+02	5.6E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	1.85E-06	1.35E-10	2.47E-10	1.36E+09	2.00E-03	1.1E+05	7.8E+09	2.0E+03	1.5E+03	8.4E+02	1.9E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	5.11E-05	1.98E-12	3.25E-12	1.36E+09	2.00E-03	8.8E+07	4.0E+12	7.2E+02	1.0E+06	7.2E+02	1.6E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.95E-04	3.89E-11	6.77E-11	1.36E+09	2.00E-03	3.8E+05	1.9E+10	1.7E+01	4.8E+03	1.7E+01	4.1E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	3.03E-07	4.91E-10	9.04E-10	1.36E+09	2.00E-03	1.9E+03	1.0E+08	7.5E+02	2.6E+01	2.5E+01	8.9E-11
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.25E-06	1.22E-12	2.10E-12	1.36E+09	2.00E-03	2.7E+07	1.5E+12	1.2E+03	3.4E+05	1.2E+03	1.3E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.62E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+04	.	1.2E+04	9.6E-12
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	1.06E-09	1.45E-09	1.36E+09	2.00E-03	6.1E-01	3.0E+01	.	6.1E-03	6.0E-03	5.6E+03
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.32E-05	2.76E-10	5.11E-10	1.36E+09	2.00E-03	1.0E+03	2.0E+07	5.3E+00	1.4E+01	3.8E+00	4.7E-11
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	3.91E-05	2.13E-11	3.82E-11	1.36E+09	2.00E-03	2.1E+06	9.0E+10	2.7E+02	2.8E+04	2.7E+02	2.2E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	1.04E-04	2.73E-12	4.53E-12	1.36E+09	2.00E-03	1.5E+08	6.2E+12	8.5E+02	1.8E+06	8.5E+02	8.5E-12
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.74E-05	2.85E-12	4.29E-12	1.36E+09	2.00E-03	1.7E+08	6.3E+12	5.5E+03	1.9E+06	5.5E+03	5.1E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	3.2E+04	.	3.2E+04	9.2E-13
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.41E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	5.1E+03	.	5.1E+03	2.2E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	2.09E-04	1.07E-10	1.75E-10	1.36E+09	2.35E-02	5.5E+03	8.0E+07	6.0E-01	6.0E+01	5.9E-01	1.5E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.56E-04	1.58E-10	2.79E-10	1.36E+09	2.35E-02	1.4E+04	6.8E+08	2.0E+00	1.7E+02	2.0E+00	1.3E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.83E-09	1.04E-11	1.83E-11	1.36E+09	2.35E-02	4.9E+01	1.3E+05	6.3E+01	5.7E-01	5.6E-01	9.4E-06
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	2.62E-11	4.61E-11	1.36E+09	2.35E-02	2.1E+01	5.8E+04	.	2.5E-01	2.5E-01	4.4E-09
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	7.54E-05	2.71E-11	4.84E-11	1.36E+09	2.35E-02	1.2E+06	2.8E+10	9.6E+01	1.4E+04	9.6E+01	5.0E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	9.53E-10	7.98E-10	1.48E-09	1.36E+09	2.35E-02	1.7E+03	9.1E+07	3.9E+05	2.2E+01	2.1E+01	2.5E-11
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.41E-04	7.33E-13	1.08E-12	1.36E+09	2.52E-03	5.3E+08	3.9E+12	5.3E+02	5.7E+06	5.3E+02	9.6E-12
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	6.15E-06	1.95E-13	3.02E-13	1.36E+09	2.52E-03	7.7E+08	2.6E+13	4.9E+03	8.7E+06	4.9E+03	2.2E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.45E-04	1.06E-10	1.84E-10	1.36E+09	2.52E-03	7.3E+03	2.9E+08	1.2E+00	9.1E+01	1.2E+00	9.3E-12
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	1.48E-11	2.73E-11	1.36E+09	2.52E-03	5.4E+02	2.5E+06	5.0E+01	7.2E+00	6.3E+00	4.5E-09
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	1.48E-11	2.73E-11	1.36E+09	2.52E-03	5.4E+02	2.5E+06	5.0E+01	7.2E+00	6.3E+00	4.5E-09
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.05E-05	4.93E-10	7.60E-10	1.36E+09	2.52E-03	1.2E+00	9.3E+01	1.1E-02	1.3E-02	5.9E-03	6.0E-07
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	3.57E-06	4.47E-11	8.20E-11	1.36E+09	2.52E-03	7.6E+04	1.7E+08	2.3E+02	1.0E+03	1.9E+02	3.1E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	1.40E-06	2.24E-09	3.37E-09	1.36E+09	2.52E-03	2.6E-01	1.1E+01	8.3E-02	2.9E-03	2.8E-03	3.9E-06
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.31E-05	2.48E-09	3.81E-09	1.36E+09	2.52E-03	2.3E-01	1.1E+01	5.0E-03	2.6E-03	1.7E-03	2.4E-06
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	7.51E-05	2.06E-10	3.76E-10	1.36E+09	2.52E-03	7.4E+03	1.9E+08	4.8E+00	9.7E+01	4.6E+00	1.8E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.54E-05	2.06E-10	3.80E-10	1.36E+09	2.52E-03	6.6E+03	1.9E+08	2.1E+01	8.7E+01	1.7E+01	7.3E-11
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.26E-04	7.36E-12	1.22E-11	1.36E+09	2.52E-03	1.1E+07	2.8E+11	1.4E+02	1.3E+05	1.4E+02	1.1E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.94E-05	0.00E+00	0.00E+00	1.36E+09	2.52E-03	.	.	3.8E+03	.	3.8E+03	3.6E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.10E-06	9.15E-13	1.37E-12	1.36E+09	2.52E-03	4.4E+08	1.1E+13	2.5E+04	4.8E+06	2.5E+04	4.5E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.57E-05	0.00E+00	0.00E+00	1.36E+09	2.52E-03	.	.	1.4E+04	.	1.4E+04	4.0E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.11E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-03	.	.	1.8E+03	.	1.8E+03	1.3E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.54E-04	0.00E+00	0.00E+00	1.36E+09	6.00E-01	.	.	2.0E+03	.	2.0E+03	1.8E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	6.00E-01	.	.	5.0E+03	.	5.0E+03	8.1E-13
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.22E-04	0.00E+00	0.00E+00	1.36E+09	6.00E-01	.	.	2.0E+04	.	2.0E+04	9.1E-13
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	9.85E-06	1.42E-12	2.15E-12	1.36E+09	3.00E-02	1.8E+08	5.1E+12	5.2E+03	1.8E+06	5.2E+03	1.1E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.69E-04	1.38E-11	2.38E-11	1.36E+09	3.00E-02	3.4E+06	1.5E+11	6.2E+01	3.8E+04	6.2E+01	6.3E-12
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.39E-05	1.04E-10	1.84E-10	1.36E+09	3.00E-02	3.5E+04	1.5E+09	1.9E+01	4.0E+02	1.8E+01	2.3E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.44E-05	4.04E-11	7.14E-11	1.36E+09	3.00E-02	1.5E+05	5.8E+09	2.2E+01	1.8E+03	2.2E+01	1.6E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.27E-04	3.17E-11	5.44E-11	1.36E+09	3.00E-02	2.6E+05	1.1E+10	1.5E+01	2.9E+03	1.5E+01	8.4E-12
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	8.05E-05	7.08E-11	1.19E-10	1.36E+09	3.00E-02	5.3E+02	3.7E+06	1.0E-01	5.8E+00	9.9E-02	1.3E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	2.83E-09	4.46E-09	1.36E+09	3.00E-02	2.0E-01	2.6E+01	.	2.1E-03	2.0E-03	2.1E+03
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.60E-11	3.91E-12	7.20E-12	1.36E+09	3.00E-02	3.4E+06	2.6E+11	2.0E+08	4.1E+04	4.0E+04	1.4E-08
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.83E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	6.1E+02	.	6.1E+02	6.1E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	4.80E-06	1.47E-10	2.71E-10	1.36E+09	3.00E-02	1.4E+03	1.8E+07	1.0E+01	1.7E+01	6.4E+00	1.4E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	2.23E-07	2.49E-11	4.60E-11	1.36E+09	3.00E-02	2.3E+05	5.7E+09	6.2E+03	2.8E+03	1.9E+03	1.5E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	6.66E-06	2.14E-10	3.96E-10	1.36E+09	3.00E-02	1.2E+04	5.9E+08	9.1E+01	1.4E+02	5.5E+01	1.0E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	4.17E-08	6.15E-10	1.13E-09	1.36E+09	3.00E-02	2.5E+00	3.9E+03	8.8E+00	3.0E-02	3.0E-02	9.6E-11
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.12E-05	9.57E-10	1.76E-09	1.36E+09	3.00E-02	1.6E+00	3.8E+03	3.3E-02	1.9E-02	1.2E-02	3.9E-11
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.14E-06	8.22E-12	1.32E-11	1.36E+09	3.00E-02	1.8E+07	6.8E+11	3.9E+03	1.9E+05	3.8E+03	1.4E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-01	.	.	3.6E+03	.	3.6E+03	1.4E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	2.55E-07	3.32E-10	5.79E-10	1.36E+09	1.74E-01	7.1E+02	1.0E+07	2.3E+02	5.4E+00	5.3E+00	1.8E-11
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	1.00E-09	3.67E-11	6.47E-11	1.36E+09	1.74E-01	3.6E+03	1.3E+07	3.3E+04	2.8E+01	2.7E+01	1.8E-10
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.13E-06	3.69E-11	6.00E-11	1.36E+09	1.00E-02	3.7E+06	3.7E+08	2.5E+04	4.2E+04	1.6E+04	7.3E-10
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.67E-04	1.38E-10	2.44E-10	1.36E+09	1.00E-02	2.6E+04	9.4E+06	5.0E+00	3.3E+02	4.9E+00	7.9E-12
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	3.91E-06	1.80E-11	3.26E-11	1.36E+09	1.00E-02	1.2E+05	5.7E+07	1.3E+02	1.5E+03	1.2E+02	3.1E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.95E-05	1.44E-10	2.55E-10	1.36E+09	1.00E-02	1.3E+03	5.2E+04	5.5E-01	1.6E+01	5.3E-01	1.6E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.44E-06	6.10E-09	8.05E-09	1.36E+09	1.00E-02	1.1E-01	4.1E+00	3.4E-02	1.0E-03	9.9E-04	2.1E-08
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.16E-04	1.36E-10	2.43E-10	1.36E+09	1.00E-02	1.8E+04	2.2E+08	5.0E+00	2.3E+02	4.9E+00	1.1E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.17E-05	2.42E-10	4.45E-10	1.36E+09	1.00E-02	4.9E+02	5.0E+06	1.3E+00	6.3E+00	1.1E+00	5.2E-11
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.79E-04	8.11E-11	1.45E-10	1.36E+09	1.00E-02	1.5E+05	6.1E+09	1.5E+01	1.8E+03	1.5E+01	7.6E-12
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.45E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-02	.	.	3.8E+05	.	3.8E+05	5.6E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.20E-07	1.73E-12	2.67E-12	1.36E+09	1.00E-02	1.3E+08	3.8E+12	3.7E+05	1.4E+06	2.9E+05	9.0E-09
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-02	.	.	1.0E+03	.	1.0E+03	1.2E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.57E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-02	.	.	1.7E+03	.	1.7E+03	1.8E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.32E-04	1.47E-12	2.20E-12	1.36E+09	9.57E-03	3.2E+08	1.1E+13	6.9E+02	3.4E+06	6.9E+02	8.6E-12
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.95E-04	1.96E-12	2.96E-12	1.36E+09	9.57E-03	1.9E+08	4.9E+12	3.8E+02	2.0E+06	3.8E+02	5.8E-12
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.05E-05	2.63E-12	4.13E-12	1.36E+09	9.57E-03	5.5E+07	1.7E+12	5.9E+02	6.1E+05	5.9E+02	2.3E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.95E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-03	.	.	7.0E+02	.	7.0E+02	5.9E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.35E-04	4.15E-12	6.57E-12	1.36E+09	9.57E-03	3.0E+07	7.0E+11	1.9E+02	3.3E+05	1.9E+02	8.5E-12
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.39E-05	9.81E-12	1.61E-11	1.36E+09	9.57E-03	3.6E+06	1.3E+11	1.7E+02	4.2E+04	1.7E+02	2.6E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.29E-04	4.50E-12	7.32E-12	1.36E+09	9.57E-03	1.3E+07	4.6E+11	9.4E+01	1.5E+05	9.4E+01	9.0E-12
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	1.61E-05	6.10E-11	1.06E-10	1.36E+09	9.57E-03	6.2E+04	1.8E+09	5.3E+01	7.6E+02	4.9E+01	6.8E-11
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.55E-05	2.29E-11	3.92E-11	1.36E+09	9.57E-03	3.9E+05	1.3E+10	2.3E+01	4.6E+03	2.3E+01	1.4E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.26E-05	0.00E+00	0.00E+00	1.36E+09	9.57E-03	.	.	2.5E+04	.	2.5E+04	2.8E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.08E-11	1.22E-09	1.66E-09	1.36E+09	9.57E-03	5.4E-01	2.3E+03	1.4E+03	5.2E-03	5.1E-03	1.5E-07
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.89E-05	1.27E-09	1.74E-09	1.36E+09	9.57E-03	5.1E-01	2.2E+03	2.4E-03	5.0E-03	1.6E-03	4.7E-08

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.45E-04	1.81E-11	3.01E-11	1.36E+09	9.57E-03	1.3E+06	5.2E+10	2.1E+01	1.6E+04	2.1E+01	4.8E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	2.96E-05	4.01E-11	7.03E-11	1.36E+09	9.57E-03	3.9E+04	1.1E+09	1.2E+01	4.8E+02	1.2E+01	3.9E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.58E-04	4.76E-12	7.44E-12	1.36E+09	9.57E-03	1.7E+07	8.2E+11	6.3E+01	1.9E+05	6.3E+01	4.6E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.17E-11	2.17E-11	3.16E-11	1.36E+09	9.57E-03	2.8E+01	1.4E+05	1.4E+03	2.9E-01	2.9E-01	2.5E-03
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	1.45E-08	9.42E-12	1.69E-11	1.36E+09	9.57E-03	2.6E+06	7.3E+10	4.3E+05	3.2E+04	3.0E+04	6.5E-09
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	4.01E-08	3.18E-08	4.64E-08	1.36E+09	9.57E-03	2.8E-02	2.9E+01	4.2E+00	2.9E-04	2.9E-04	3.7E-12
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.86E-06	1.57E-11	2.58E-11	1.36E+09	9.57E-03	9.1E+06	2.0E+09	3.9E+03	1.1E+05	3.7E+03	1.5E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.34E-05	9.64E-10	1.71E-09	1.36E+09	9.57E-03	7.7E+03	7.2E+06	1.3E+02	9.7E+01	5.5E+01	3.9E-11
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.69E-05	1.31E-11	2.14E-11	1.36E+09	9.57E-03	1.5E+07	2.8E+09	1.5E+03	1.7E+05	1.5E+03	4.6E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	5.46E-06	1.47E-10	2.55E-10	1.36E+09	1.00E-01	6.3E+03	2.0E+08	3.8E+01	5.8E+01	2.3E+01	6.4E-11
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.91E-05	1.59E-11	2.79E-11	1.36E+09	1.00E-01	6.0E+05	3.1E+10	5.5E+01	5.5E+03	5.5E+01	1.5E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	3.06E-08	4.94E-11	9.15E-11	1.36E+09	1.00E-01	3.8E+03	6.9E+07	1.5E+03	3.7E+01	3.6E+01	4.8E-10
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	1.03E-11	1.91E-11	1.36E+09	1.00E-01	4.7E+01	1.8E+05	.	4.6E-01	4.5E-01	8.8E-04
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	3.44E-07	1.41E-10	2.62E-10	1.36E+09	1.00E-01	3.9E+04	1.9E+09	3.9E+03	3.8E+02	3.5E+02	1.7E-10
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.02E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	2.3E+04	.	2.3E+04	6.3E-11
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.41E-06	3.76E-12	6.05E-12	1.36E+09	1.00E-01	6.0E+07	2.0E+12	7.3E+03	5.1E+05	7.2E+03	1.0E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	5.11E-09	6.82E-10	1.26E-09	1.36E+09	1.00E-01	5.3E+03	3.4E+08	1.7E+05	5.2E+01	5.1E+01	3.9E-11
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	2.69E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.7E+05	.	1.7E+05	2.5E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.74E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	3.1E+03	.	3.1E+03	3.2E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	3.07E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.2E+03	.	1.2E+03	1.8E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-05	4.38E-12	6.77E-12	1.36E+09	1.00E-01	7.1E+07	3.0E+12	1.4E+03	5.7E+05	1.4E+03	1.3E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.57E-04	2.84E-12	4.46E-12	1.36E+09	1.00E-01	8.9E+07	4.0E+12	3.3E+02	7.3E+05	3.3E+02	3.7E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	1.9E+03	.	1.9E+03	2.4E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.07E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	2.2E+03	.	2.2E+03	3.9E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	2.4E+03	.	2.4E+03	7.2E-12
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.28E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	5.6E+04	.	5.6E+04	6.4E-12
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.76E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	4.9E+02	.	4.9E+02	2.2E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.90E-05	2.42E-12	3.73E-12	1.36E+09	1.22E-02	1.1E+08	5.1E+12	5.9E+02	1.2E+06	5.9E+02	9.2E-12
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	1.03E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	1.6E+04	.	1.6E+04	8.1E-12
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.60E-05	3.35E-11	5.68E-11	1.36E+09	1.22E-02	3.9E+02	8.6E+05	8.0E-02	4.6E+00	7.8E-02	2.3E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.87E-04	1.27E-10	2.10E-10	1.36E+09	1.22E-02	7.7E+01	1.0E+05	1.1E-02	8.9E-01	1.1E-02	4.5E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	4.26E-07	2.05E-11	3.67E-11	1.36E+09	1.22E-02	3.9E+01	4.0E+04	4.3E-01	4.8E-01	2.3E-01	1.6E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.84E-05	1.59E-10	2.79E-10	1.36E+09	1.22E-02	1.1E+01	1.0E+04	4.4E-03	1.3E-01	4.3E-03	9.7E-12
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	8.71E-10	6.70E-11	1.24E-10	1.36E+09	1.22E-02	5.0E+01	1.3E+05	9.1E+02	6.4E-01	6.3E-01	6.8E-10
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	7.57E-05	6.84E-10	1.26E-09	1.36E+09	1.22E-02	8.7E+02	3.6E+07	1.9E+00	1.1E+01	1.6E+00	9.8E-12
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.42E-04	3.10E-10	5.45E-10	1.36E+09	1.22E-02	2.6E+02	2.4E+06	7.6E-02	3.2E+00	7.4E-02	3.5E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.38E-06	2.63E-10	4.88E-10	1.36E+09	1.22E-02	5.4E+03	2.5E+08	2.5E+02	7.0E+01	5.4E+01	1.4E-10
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.91E-04	4.25E-11	7.54E-11	1.36E+09	1.22E-02	7.0E+05	4.0E+10	3.6E+01	8.6E+03	3.6E+01	4.6E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.53E-05	1.77E-10	3.26E-10	1.36E+09	1.22E-02	1.5E+04	7.4E+08	1.8E+01	2.0E+02	1.7E+01	2.3E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.69E-05	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	7.2E+03	.	7.2E+03	2.4E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.89E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	7.7E+02	.	7.7E+02	4.7E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	5.96E-06	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	3.5E+04	.	3.5E+04	1.5E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.44E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	2.6E+03	.	2.6E+03	3.7E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.32E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	.	.	1.8E+03	.	1.8E+03	3.9E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	2.05E-04	5.11E-12	8.35E-12	1.36E+09	2.09E-04	2.8E+07	7.1E+11	1.5E+02	3.3E+05	1.5E+02	5.8E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.34E-04	3.34E-11	5.74E-11	1.36E+09	2.09E-04	7.0E+05	9.6E+09	3.9E+01	8.7E+03	3.8E+01	8.9E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.99E-04	6.06E-12	9.73E-12	1.36E+09	2.09E-04	8.7E+06	2.7E+11	5.5E+01	1.0E+05	5.5E+01	6.0E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.41E-04	1.14E-09	1.73E-09	1.36E+09	2.09E-04	3.9E+02	1.1E+06	6.1E-01	4.3E+00	5.4E-01	7.5E-12
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.58E-04	1.44E-11	2.44E-11	1.36E+09	2.09E-04	1.0E+06	3.4E+10	2.0E+01	1.2E+04	2.0E+01	7.6E-12
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.41E-09	7.60E-08	1.10E-07	1.36E+09	2.09E-04	5.1E-02	8.6E+01	3.0E+02	5.3E-04	5.3E-04	8.9E-13
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	7.16E-07	7.54E-08	1.09E-07	1.36E+09	2.09E-04	8.9E-03	1.2E+01	1.8E-01	9.4E-05	9.3E-05	5.6E-12
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.22E-09	6.09E-08	8.85E-08	1.36E+09	2.09E-04	4.8E-01	1.0E+03	4.5E+03	5.1E-03	5.0E-03	1.1E-12
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	1.02E-06	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	1.3E+08	.	1.3E+08	1.2E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.14E-05	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	1.3E+05	.	1.3E+05	1.1E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.67E-09	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	3.4E+15	.	3.4E+15	2.7E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	1.04E-08	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	3.8E+13	.	3.8E+13	1.2E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	2.02E-08	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	1.8E+12	.	1.8E+12	6.2E-08
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.92E-09	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	2.4E+11	.	2.4E+11	6.6E-07
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.85E-13	0.00E+00	0.00E+00	1.36E+09	2.09E-04	.	.	2.1E+12	.	2.1E+12	7.6E-03
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.85E-04	4.35E-12	7.02E-12	1.36E+09	1.74E-02	1.1E+08	6.0E+12	2.6E+02	1.2E+06	2.6E+02	2.0E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.93E-04	7.27E-12	1.18E-11	1.36E+09	1.74E-02	4.2E+07	2.2E+12	2.2E+02	4.7E+05	2.2E+02	2.7E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	1.01E-04	3.49E-12	5.52E-12	1.36E+09	1.74E-02	6.4E+07	2.8E+12	4.5E+02	6.9E+05	4.5E+02	7.8E-12
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.70E-04	2.22E-12	3.30E-12	1.36E+09	1.74E-02	2.0E+08	1.0E+13	3.1E+02	2.0E+06	3.1E+02	2.9E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.23E-05	4.52E-12	7.75E-12	1.36E+09	1.74E-02	1.4E+07	7.4E+11	3.4E+02	1.7E+05	3.4E+02	1.9E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.69E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-02	.	.	7.8E+03	.	7.8E+03	8.3E-12
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	3.07E-04	1.61E-11	2.68E-11	1.36E+09	1.74E-02	2.5E+06	1.3E+11	2.8E+01	2.8E+04	2.8E+01	2.6E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.28E-05	5.86E-12	1.05E-11	1.36E+09	1.74E-02	3.0E+06	1.6E+11	3.2E+02	3.7E+04	3.2E+02	6.3E-11
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.34E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-02	.	.	5.1E+03	.	5.1E+03	1.3E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	8.46E-06	3.41E-10	6.32E-10	1.36E+09	1.74E-02	1.2E+04	7.6E+08	1.1E+02	1.5E+02	6.4E+01	5.5E-11
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	4.38E-12	8.13E-12	1.36E+09	1.74E-02	7.1E+07	4.7E+12	.	9.0E+05	8.9E+05	9.9E-09
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	4.42E-08	3.15E-10	5.84E-10	1.36E+09	1.74E-02	7.4E+02	1.5E+07	1.3E+03	9.4E+00	9.2E+00	1.4E-10
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.83E-06	3.03E-12	4.61E-12	1.36E+09	1.74E-02	1.1E+08	4.8E+12	1.3E+04	1.1E+06	1.3E+04	1.7E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	3.35E-07	0.00E+00	0.00E+00	1.36E+09	1.74E-02	.	.	4.6E+05	.	4.6E+05	2.5E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.56E-06	9.07E-11	1.67E-10	1.36E+09	1.74E-02	1.4E+05	8.9E+09	1.2E+03	1.8E+03	7.1E+02	2.0E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.34E-04	5.18E-12	8.01E-12	1.36E+09	1.74E-02	4.4E+07	2.0E+12	3.4E+02	4.6E+05	3.4E+02	6.3E-12
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.52E-05	2.19E-12	3.38E-12	1.36E+09	1.74E-02	1.9E+08	6.2E+12	1.5E+03	2.0E+06	1.5E+03	1.6E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.30E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-02	.	.	3.7E+03	.	3.7E+03	6.7E-12
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-02	.	.	4.9E+03	.	4.9E+03	7.7E-12
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.07E-05	3.62E-12	6.11E-12	1.36E+09	1.00E-01	8.0E+07	2.8E+12	9.0E+02	7.1E+05	9.0E+02	1.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.70E-05	1.67E-11	2.89E-11	1.36E+09	1.00E-01	2.3E+06	1.1E+11	1.1E+02	2.1E+04	1.1E+02	1.4E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.56E-05	1.36E-11	2.39E-11	1.36E+09	1.00E-01	2.5E+06	9.7E+10	1.2E+02	2.3E+04	1.2E+02	1.7E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.66E-05	1.57E-10	2.79E-10	1.36E+09	1.00E-01	2.1E+03	2.6E+07	4.5E+00	1.9E+01	3.6E+00	5.3E-11
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.05E-05	3.80E-11	6.80E-11	1.36E+09	1.00E-01	1.9E+05	7.1E+09	3.3E+01	1.8E+03	3.3E+01	2.1E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	1.14E-09	1.94E-09	1.36E+09	1.00E-01	4.6E-01	2.1E+01	.	4.1E-03	4.1E-03	1.4E+00
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.62E-05	7.70E-11	1.39E-10	1.36E+09	1.00E-01	1.5E+04	4.8E+08	1.0E+01	1.4E+02	9.7E+00	4.0E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.18E-11	9.59E-12	1.78E-11	1.36E+09	1.00E-01	6.0E+01	1.9E+05	2.7E+03	5.8E-01	5.8E-01	1.6E-08
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	4.48E-07	1.21E-10	2.25E-10	1.36E+09	1.00E-01	6.0E+03	1.2E+08	3.9E+02	5.9E+01	5.1E+01	3.3E-10
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	3.44E-06	1.66E-10	3.06E-10	1.36E+09	1.00E-01	4.8E+03	1.1E+08	5.5E+01	4.6E+01	2.5E+01	1.5E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	1.55E-06	1.11E-10	2.05E-10	1.36E+09	1.00E-01	3.5E+04	1.4E+09	5.9E+02	3.4E+02	2.1E+02	2.7E-10
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	6.44E-06	1.57E-11	2.85E-11	1.36E+09	1.00E-01	3.1E+06	1.1E+11	1.8E+03	3.0E+04	1.7E+03	1.7E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.32E-05	3.43E-12	5.64E-12	1.36E+09	1.00E-01	4.9E+07	1.4E+12	1.5E+03	4.2E+05	1.5E+03	5.0E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	4.26E-06	3.00E-10	5.54E-10	1.36E+09	1.00E-01	2.0E+04	1.2E+09	3.4E+02	2.0E+02	1.2E+02	1.0E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	2.40E-07	1.16E-09	2.15E-09	1.36E+09	1.00E-01	1.5E+03	8.8E+07	1.9E+03	1.5E+01	1.4E+01	4.1E-11
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.27E-05	1.16E-09	2.15E-09	1.36E+09	1.00E-01	1.5E+03	8.8E+07	1.8E+01	1.5E+01	8.1E+00	2.3E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	4.04E-06	1.13E-11	1.83E-11	1.36E+09	8.27E-06	1.4E+07	1.4E+09	8.1E+03	1.6E+05	7.7E+03	3.2E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	4.39E-06	3.25E-11	5.88E-11	1.36E+09	8.27E-06	2.7E+05	7.0E+07	4.7E+02	3.6E+03	4.2E+02	2.7E-10
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	6.44E-06	1.73E-13	2.64E-13	1.36E+09	8.27E-06	1.3E+09	4.3E+13	6.7E+03	1.4E+07	6.7E+03	2.1E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	3.09E-09	2.71E-09	4.01E-09	1.36E+09	8.27E-06	1.4E+00	6.7E+01	2.4E+02	1.5E-02	1.5E-02	2.8E-11
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	3.09E-06	2.53E-11	4.60E-11	1.36E+09	8.27E-06	2.8E+03	3.0E+07	5.5E+00	3.7E+01	4.8E+00	3.9E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	1.87E-09	4.58E-09	6.07E-09	1.36E+09	8.27E-06	1.6E-01	6.6E+00	6.9E+01	1.6E-03	1.6E-03	9.1E-11
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	4.71E-09	6.16E-09	1.36E+09	8.27E-06	1.4E-01	5.6E+00	2.0E+01	1.4E-03	1.4E-03	2.2E-08
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	4.71E-09	6.16E-09	1.36E+09	8.27E-06	1.4E-01	5.6E+00	2.0E+01	1.4E-03	1.4E-03	2.2E-08
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	1.93E-09	4.71E-09	6.17E-09	1.36E+09	8.27E-06	1.4E-01	5.6E+00	6.0E+01	1.4E-03	1.4E-03	6.1E-09
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.10E-10	6.17E-11	7.35E-11	1.36E+09	8.27E-06	2.1E+01	6.3E+02	1.9E+03	1.9E-01	1.8E-01	1.8E-09
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.18E-08	4.48E-09	5.86E-09	1.36E+09	8.27E-06	1.5E-01	5.9E+00	9.8E+00	1.5E-03	1.4E-03	3.7E-07
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	1.49E-06	1.87E-11	3.43E-11	1.36E+09	8.27E-06	8.3E+05	3.1E+10	2.5E+03	1.1E+04	2.0E+03	7.8E-10
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.67E-06	5.08E-09	6.98E-09	1.36E+09	8.27E-06	1.3E-01	6.0E+00	4.3E-02	1.3E-03	1.2E-03	6.7E-05
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	4.26E-05	5.35E-09	7.48E-09	1.36E+09	8.27E-06	1.2E-01	6.0E+00	2.7E-03	1.2E-03	8.3E-04	4.6E-05
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.67E-05	1.69E-10	3.10E-10	1.36E+09	8.27E-06	4.3E+04	2.2E+09	3.7E+01	5.8E+02	3.5E+01	2.9E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.10E-05	6.80E-10	1.24E-09	1.36E+09	8.27E-06	4.4E+02	1.0E+07	6.4E+00	5.8E+00	3.0E+00	6.2E-11
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	3.7E+08	.	3.7E+08	7.2E-11
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	3.7E+08	.	3.7E+08	7.2E-11
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.40E-07	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	6.8E+09	.	6.8E+09	2.4E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	2.86E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	8.2E+05	.	8.2E+05	4.5E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	2.87E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	8.2E+05	.	8.2E+05	4.5E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.00E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	.	.	1.7E+06	.	1.7E+06	1.3E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.23E-05	9.15E-09	1.62E-08	1.36E+09	1.48E-02	3.2E+01	6.2E+03	5.4E+00	3.9E-01	3.6E-01	7.0E-12
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	1.87E-05	9.15E-09	1.62E-08	1.36E+09	1.48E-02	3.2E+01	6.2E+03	3.6E+00	3.9E-01	3.5E-01	6.8E-12
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.06E-06	6.44E-09	1.15E-08	1.36E+09	1.48E-02	1.4E+02	5.0E+04	2.0E+02	1.7E+00	1.7E+00	1.1E-11
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-06	6.44E-09	1.15E-08	1.36E+09	1.48E-02	1.4E+02	5.0E+04	1.8E+02	1.7E+00	1.7E+00	1.1E-11
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	1.65E-07	4.15E-09	6.55E-09	1.36E+09	1.48E-02	6.0E+01	5.3E+03	3.1E+02	6.6E-01	6.5E-01	1.7E-11
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	6.75E-07	1.39E-08	1.83E-08	1.36E+09	1.48E-02	4.9E-02	1.1E+01	1.7E-01	4.5E-04	4.4E-04	4.5E-10
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.26E-04	1.39E-08	1.83E-08	1.36E+09	1.48E-02	4.9E-02	1.1E+01	5.1E-04	4.5E-04	2.4E-04	2.4E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.51E-05	4.01E-12	6.33E-12	1.36E+09	1.48E-02	3.2E+07	1.1E+11	1.7E+03	3.5E+05	1.7E+03	8.7E-11
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	9.28E-10	3.85E-08	5.35E-08	1.36E+09	1.48E-02	5.5E-02	2.3E+01	4.1E+02	5.2E-04	5.2E-04	1.9E-12
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.09E-04	3.86E-08	5.36E-08	1.36E+09	1.48E-02	5.5E-02	2.3E+01	3.5E-03	5.2E-04	4.5E-04	1.7E-12
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	7.32E-06	2.31E-11	4.07E-11	1.36E+09	1.48E-02	2.2E+06	9.1E+10	1.6E+03	2.7E+04	1.5E+03	1.7E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.84E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	1.6E+03	.	1.6E+03	2.4E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.65E-04	4.47E-12	6.59E-12	1.36E+09	7.83E-01	7.3E+07	3.5E+12	1.1E+02	1.9E+05	1.1E+02	8.1E-13
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	4.13E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	4.6E+02	.	4.6E+02	1.1E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.70E-04	3.10E-12	4.59E-12	1.36E+09	7.83E-01	8.0E+07	2.7E+12	2.8E+02	2.2E+05	2.8E+02	2.7E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.44E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	1.4E+04	.	1.4E+04	3.3E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.93E-05	4.28E-12	6.60E-12	1.36E+09	7.83E-01	4.7E+06	6.8E+10	6.7E+01	1.3E+04	6.7E+01	7.9E-12
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.66E-06	7.16E-13	1.10E-12	1.36E+09	7.83E-01	2.5E+08	2.5E+12	1.4E+04	7.0E+05	1.3E+04	1.7E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.33E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	6.5E+03	.	6.5E+03	3.6E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.69E-04	1.31E-11	1.96E-11	1.36E+09	7.83E-01	1.1E+06	3.0E+10	7.6E+00	3.0E+03	7.6E+00	1.3E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.74E-05	1.91E-10	2.90E-10	1.36E+09	7.83E-01	2.3E+02	4.6E+06	1.5E-01	6.5E-01	1.2E-01	6.8E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.12E-04	3.21E-10	5.03E-10	1.36E+09	7.83E-01	3.6E+02	6.0E+06	2.1E-01	1.0E+00	1.7E-01	3.6E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.13E-05	5.36E-13	7.98E-13	1.36E+09	7.83E-01	5.2E+08	9.9E+12	1.3E+03	1.4E+06	1.3E+03	1.2E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.24E-05	3.63E-10	6.06E-10	1.36E+09	7.83E-01	5.2E+02	6.6E+06	3.3E+00	1.6E+00	1.1E+00	1.3E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.53E-05	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	1.6E+04	.	1.6E+04	7.7E-12
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	2.74E-09	1.98E-10	3.31E-10	1.36E+09	7.83E-01	2.7E+00	7.0E+03	4.7E+01	8.2E-03	8.2E-03	9.8E-02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	9.21E-05	5.20E-12	7.75E-12	1.36E+09	7.83E-01	6.1E+07	3.0E+12	6.7E+02	1.7E+05	6.7E+02	5.6E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	3.06E-04	2.84E-12	4.20E-12	1.36E+09	7.83E-01	1.3E+08	5.0E+12	2.4E+02	3.6E+05	2.4E+02	1.7E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	3.00E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	1.4E+03	.	1.4E+03	1.8E-12
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.54E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	.	.	5.6E+02	.	5.6E+02	1.2E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.22E-04	1.81E-12	2.72E-12	1.36E+09	2.00E-01	2.4E+08	8.6E+12	3.7E+02	1.5E+06	3.7E+02	4.7E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.29E-04	1.03E-12	1.58E-12	1.36E+09	2.00E-01	2.7E+08	8.1E+12	4.4E+02	1.7E+06	4.4E+02	8.1E-12
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.46E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	3.1E+03	.	3.1E+03	7.2E-12
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.96E-05	5.44E-11	9.56E-11	1.36E+09	2.00E-01	7.4E+04	3.0E+09	1.0E+01	5.4E+02	1.0E+01	1.2E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.12E-04	1.82E-10	3.14E-10	1.36E+09	2.00E-01	7.0E+03	1.7E+08	1.3E+00	5.0E+01	1.3E+00	4.9E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.51E-04	3.45E-11	5.91E-11	1.36E+09	2.00E-01	1.9E+05	6.4E+09	9.5E+00	1.3E+03	9.5E+00	7.0E-12
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	9.59E-06	1.28E-10	2.26E-10	1.36E+09	2.00E-01	3.7E+02	2.4E+06	1.1E+00	2.7E+00	8.0E-01	7.8E-11
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.06E-04	1.19E-10	1.99E-10	1.36E+09	2.00E-01	7.8E+02	6.5E+06	1.9E-01	5.4E+00	1.8E-01	9.8E-12
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.01E-05	1.89E-10	3.27E-10	1.36E+09	2.00E-01	1.1E+02	3.4E+05	1.1E-01	7.6E-01	9.8E-02	2.3E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	1.48E-06	2.10E-10	3.81E-10	1.36E+09	2.00E-01	4.1E+03	1.3E+08	1.4E+02	3.1E+01	2.5E+01	1.3E-10
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	4.89E-07	2.84E-10	4.98E-10	1.36E+09	2.00E-01	1.8E+00	1.9E+03	2.4E-01	1.3E-02	1.2E-02	1.3E-06
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	1.97E-06	4.94E-10	8.79E-10	1.36E+09	2.00E-01	1.0E+00	1.9E+03	5.9E-02	7.5E-03	6.6E-03	6.8E-07
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	6.47E-13	1.15E-12	1.36E+09	2.00E-01	7.8E+02	2.8E+06	.	5.7E+00	5.7E+00	1.2E+02
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	6.82E-06	1.91E-10	3.51E-10	1.36E+09	2.00E-01	2.4E+04	1.3E+09	1.6E+02	1.8E+02	8.4E+01	8.5E-11
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	3.09E-06	3.83E-12	6.95E-12	1.36E+09	2.00E-01	6.5E+07	3.0E+12	1.9E+04	4.9E+05	1.8E+04	3.4E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	5.52E-06	1.06E-10	1.93E-10	1.36E+09	2.00E-01	3.0E+04	1.2E+09	1.4E+02	2.3E+02	8.5E+01	1.2E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.58E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	2.2E+03	.	2.2E+03	7.0E-12
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.06E-04	4.15E-11	7.37E-11	1.36E+09	2.00E-01	6.0E+05	2.6E+10	5.4E+01	4.4E+03	5.3E+01	1.0E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.69E-04	9.23E-11	1.55E-10	1.36E+09	3.00E-02	4.4E+04	2.5E+09	2.4E+00	4.8E+02	2.4E+00	1.6E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.05E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	4.7E+04	.	4.7E+04	1.2E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.57E-05	7.73E-11	1.29E-10	1.36E+09	3.00E-02	3.8E+01	1.0E+05	2.5E-02	4.1E-01	2.3E-02	2.2E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.01E-05	3.54E-11	6.20E-11	1.36E+09	3.00E-02	2.2E+04	6.7E+08	5.8E+00	2.5E+02	5.7E+00	1.9E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.93E-05	2.41E-10	4.31E-10	1.36E+09	3.00E-02	6.6E+01	3.8E+05	6.2E-02	7.7E-01	5.7E-02	9.3E-12
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.64E-04	2.98E-10	4.63E-10	1.36E+09	3.00E-02	9.4E+00	2.3E+04	2.1E-03	9.5E-02	2.1E-03	2.2E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	2.34E-09	3.58E-13	6.04E-13	1.36E+09	3.00E-02	2.5E+08	5.8E+12	8.4E+06	2.8E+06	2.1E+06	6.3E-08
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.05E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	7.6E+05	.	7.6E+05	3.0E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	1.04E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	2.4E+05	.	2.4E+05	5.9E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.46E-06	9.26E-11	1.71E-10	1.36E+09	3.00E-02	2.3E+04	8.8E+08	6.1E+01	2.8E+02	5.0E+01	5.9E-11
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.63E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	8.4E+04	.	8.4E+04	2.4E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.60E-04	2.16E-11	3.66E-11	1.36E+09	3.00E-02	1.8E+06	8.2E+10	2.3E+01	2.0E+04	2.3E+01	1.7E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-05	1.56E-12	2.39E-12	1.36E+09	3.00E-02	1.6E+08	4.7E+12	1.5E+03	1.6E+06	1.5E+03	1.8E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.94E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	9.9E+04	.	9.9E+04	1.6E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.28E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	2.5E+04	.	2.5E+04	1.9E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.95E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	1.9E+03	.	1.9E+03	1.1E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	6.6E+02	.	6.6E+02	1.7E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.17E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	4.8E+03	.	4.8E+03	4.7E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.95E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	2.2E+02	.	2.2E+02	1.1E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.65E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	4.4E+03	.	4.4E+03	3.4E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.77E-04	3.69E-12	5.78E-12	1.36E+09	3.00E-02	4.8E+07	2.1E+12	2.0E+02	4.9E+05	2.0E+02	3.2E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.97E-04	4.50E-12	7.15E-12	1.36E+09	3.00E-02	2.6E+07	1.2E+12	8.0E+01	2.7E+05	8.0E+01	1.9E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.23E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	.	.	5.7E+02	.	5.7E+02	2.6E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.25E-05	1.02E-10	1.81E-10	1.36E+09	3.00E-02	2.0E+03	2.7E+07	7.6E-01	2.3E+01	7.3E-01	9.0E-12
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.67E-05	9.43E-12	1.60E-11	1.36E+09	3.00E-02	1.9E+06	1.0E+11	5.1E+01	2.1E+04	5.1E+01	7.5E-12
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.16E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.0E+03	.	1.0E+03	1.0E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.46E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.6E+02	.	2.6E+02	8.4E-12
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	7.07E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.1E+03	.	1.1E+03	1.7E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.35E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	5.3E+00	.	5.3E+00	5.2E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	4.17E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.1E+06	.	1.1E+06	3.0E-08
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	9.15E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.1E+10	.	2.1E+10	1.4E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.34E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.6E+06	.	2.6E+06	2.0E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.37E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	2.6E+06	.	2.6E+06	2.0E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.48E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.6E+07	.	1.6E+07	1.7E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	1.7E+07	4.4E+03	.	4.3E+03	2.8E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	1.7E+07	4.4E+03	.	4.3E+03	2.8E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	4.01E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.1E+03	.	1.1E+03	3.2E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.81E-05	1.42E-10	2.55E-10	1.36E+09	2.61E-03	5.9E+02	5.0E+06	3.3E-01	7.6E+00	3.2E-01	9.9E-12
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	9.03E-05	5.63E-11	1.02E-10	1.36E+09	2.61E-03	3.1E+05	1.1E+10	4.6E+01	4.1E+03	4.5E+01	6.7E-12
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	1.65E-09	3.02E-09	1.36E+09	2.61E-03	5.2E+00	2.5E+04	.	6.9E-02	6.8E-02	2.1E-11
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.63E-05	1.65E-09	3.02E-09	1.36E+09	2.61E-03	5.2E+00	2.5E+04	7.8E-02	6.9E-02	3.6E-02	1.1E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.39E-05	0.00E+00	0.00E+00	1.36E+09	2.61E-03	.	.	6.7E+03	.	6.7E+03	1.4E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	5.55E-06	0.00E+00	0.00E+00	1.36E+09	2.61E-03	.	.	4.3E+04	.	4.3E+04	1.1E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.46E-04	0.00E+00	0.00E+00	1.36E+09	2.61E-03	.	.	1.2E+03	.	1.2E+03	2.2E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	6.03E-05	1.19E-11	2.07E-11	1.36E+09	2.61E-03	7.9E+06	2.6E+11	3.5E+02	9.9E+04	3.5E+02	9.1E-12
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.54E-04	7.27E-12	1.20E-11	1.36E+09	2.61E-03	7.1E+06	2.1E+11	7.2E+01	8.5E+04	7.2E+01	3.6E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.34E-05	2.45E-11	4.27E-11	1.36E+09	2.61E-03	4.7E+04	1.3E+09	1.1E+01	6.0E+02	1.1E+01	2.4E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	2.36E-10	1.89E-11	3.18E-11	1.36E+09	6.00E-01	2.1E+03	3.6E+06	4.1E+04	7.8E+00	7.8E+00	1.8E-10
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	4.39E-04	0.00E+00	0.00E+00	1.36E+09	6.00E-01	.	.	4.9E+02	.	4.9E+02	4.9E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.42E-04	3.40E-11	5.01E-11	1.36E+09	6.00E-01	9.9E+05	1.4E+10	2.7E+01	3.2E+03	2.6E+01	9.1E-13
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.75E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	5.0E+03	.	5.0E+03	3.7E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.50E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	1.1E+03	.	1.1E+03	4.4E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.47E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	9.0E+02	.	9.0E+02	1.9E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	1.04E-04	1.91E-12	2.97E-12	1.36E+09	1.57E-03	8.9E+07	3.8E+12	3.3E+02	1.0E+06	3.3E+02	6.5E-12
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.99E-04	2.10E-12	3.13E-12	1.36E+09	1.57E-03	1.7E+08	8.4E+12	2.3E+02	1.8E+06	2.3E+02	2.3E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.94E-04	6.42E-12	1.01E-11	1.36E+09	1.57E-03	1.4E+07	5.5E+11	4.6E+01	1.6E+05	4.6E+01	1.7E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.58E-05	2.59E-12	4.46E-12	1.36E+09	1.57E-03	1.1E+07	4.0E+11	4.1E+02	1.4E+05	4.1E+02	4.3E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.53E-05	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	3.2E+03	.	3.2E+03	7.2E-12
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.31E-04	2.65E-11	4.35E-11	1.36E+09	1.57E-03	6.5E+05	3.6E+10	1.1E+01	7.7E+03	1.1E+01	2.1E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	6.94E-08	1.91E-11	3.51E-11	1.36E+09	1.57E-03	1.1E+05	7.0E+09	6.9E+03	1.4E+03	1.2E+03	1.7E-09
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.24E-05	9.23E-13	1.39E-12	1.36E+09	1.57E-03	3.8E+08	1.6E+13	1.3E+03	4.2E+06	1.3E+03	1.3E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	3.10E-04	1.68E-10	2.81E-10	1.36E+09	1.57E-03	3.6E+03	1.0E+08	4.3E-01	4.4E+01	4.2E-01	2.2E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.36E-05	4.19E-10	7.74E-10	1.36E+09	1.57E-03	2.8E+03	1.3E+08	5.2E+00	3.7E+01	4.6E+00	1.2E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	2.07E-06	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	1.3E+05	.	1.3E+05	3.4E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.45E-04	5.00E-10	8.96E-10	1.36E+09	1.57E-03	1.1E+02	1.1E+06	5.2E-02	1.4E+00	5.0E-02	2.9E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.30E-05	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	1.3E+04	.	1.3E+04	1.4E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	2.60E-12	7.39E-13	1.15E-12	1.36E+09	1.57E-03	3.6E+08	9.9E+12	2.1E+10	4.1E+06	4.1E+06	5.4E-08
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.95E-05	1.68E-10	2.90E-10	1.36E+09	1.57E-03	2.0E+01	5.1E+04	1.5E-02	2.5E-01	1.4E-02	1.4E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.38E-04	4.91E-10	8.71E-10	1.36E+09	1.57E-03	5.5E+02	1.2E+07	1.8E-01	7.0E+00	1.8E-01	2.1E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.87E-04	2.63E-12	3.99E-12	1.36E+09	1.57E-03	1.1E+08	4.5E+12	3.1E+02	1.2E+06	3.1E+02	3.9E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	8.36E-05	3.98E-10	7.32E-10	1.36E+09	1.57E-03	2.1E+03	6.5E+07	2.4E+00	2.8E+01	2.2E+00	8.2E-12
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.82E-04	1.47E-10	2.60E-10	1.36E+09	1.57E-03	6.0E+04	3.4E+09	5.3E+00	7.7E+02	5.3E+00	1.9E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.34E-04	2.16E-12	3.23E-12	1.36E+09	1.57E-03	2.5E+08	1.2E+13	4.5E+02	2.7E+06	4.5E+02	3.2E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.88E-04	8.72E-11	1.58E-10	1.36E+09	1.57E-03	2.0E+05	1.1E+10	2.2E+01	2.7E+03	2.2E+01	4.0E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	4.07E-04	7.89E-12	1.24E-11	1.36E+09	1.57E-03	1.7E+07	7.3E+11	6.8E+01	2.0E+05	6.8E+01	1.9E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.44E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	5.1E+02	.	5.1E+02	2.2E-12
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.74E-04	1.01E-11	1.74E-11	1.36E+09	1.57E-03	2.1E+07	1.3E+12	1.7E+02	2.6E+05	1.7E+02	2.8E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.72E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	.	.	1.2E+03	.	1.2E+03	2.1E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.46E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.9E+03	.	1.9E+03	4.5E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.16E-04	3.91E-11	6.99E-11	1.36E+09	2.00E-03	5.2E+05	2.8E+10	4.1E+01	6.7E+03	4.0E+01	2.2E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.69E-04	6.17E-11	1.09E-10	1.36E+09	2.00E-03	3.3E+05	1.9E+10	1.7E+01	4.2E+03	1.7E+01	9.5E-13
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.02E-05	5.44E-10	9.87E-10	1.36E+09	2.00E-03	2.4E+03	1.2E+08	1.0E+01	3.2E+01	7.8E+00	6.4E-12
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.60E-04	2.39E-10	4.17E-10	1.36E+09	2.00E-03	1.7E+02	9.9E+05	3.5E-02	2.1E+00	3.4E-02	1.0E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	9.81E-06	1.38E-10	2.55E-10	1.36E+09	2.00E-03	6.9E+03	2.0E+08	2.3E+01	9.2E+01	1.8E+01	2.2E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.42E-04	2.78E-10	4.86E-10	1.36E+09	2.00E-03	6.6E+03	2.9E+08	9.5E-01	8.4E+01	9.4E-01	6.3E-13
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	5.14E-07	7.80E-12	1.32E-11	1.36E+09	2.00E-03	1.1E+07	4.9E+11	3.7E+04	1.4E+05	2.9E+04	4.4E-10
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	4.29E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.5E+03	.	1.5E+03	6.8E-13
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	8.08E-05	9.74E-12	1.61E-11	1.36E+09	1.00E-01	1.3E+07	4.3E+11	3.3E+02	1.1E+05	3.3E+02	5.0E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.95E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	1.2E+03	.	1.2E+03	2.1E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	5.21E-07	6.06E-10	9.86E-10	1.36E+09	1.00E-01	7.1E+02	1.6E+07	1.7E+02	6.1E+00	5.8E+00	2.7E-11
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.23E-04	3.07E-11	5.39E-11	1.36E+09	1.00E-01	3.7E+05	8.1E+09	2.1E+01	3.4E+03	2.1E+01	3.4E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	3.07E-05	3.17E-12	5.41E-12	1.36E+09	1.00E-01	3.9E+07	9.7E+11	9.0E+02	3.5E+05	8.9E+02	1.4E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	3.85E-05	2.87E-10	4.28E-10	1.36E+09	1.00E-01	1.1E+02	3.5E+06	1.7E-01	9.0E-01	1.4E-01	9.6E-12
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	7.83E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	4.8E+05	.	4.8E+05	5.7E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	2.46E-10	2.48E-10	3.89E-10	1.36E+09	1.00E-01	2.3E+00	1.7E+04	5.2E+02	1.9E-02	1.9E-02	1.2E-06
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	5.96E-07	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	4.7E+05	.	4.7E+05	7.7E-10
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.13E-06	1.59E-12	2.43E-12	1.36E+09	1.00E-01	1.9E+08	6.2E+12	5.3E+04	1.5E+06	5.1E+04	4.0E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	9.66E-07	5.01E-12	8.56E-12	1.36E+09	1.00E-01	1.7E+07	3.6E+11	2.0E+04	1.6E+05	1.8E+04	4.3E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.41E-04	3.76E-12	5.96E-12	1.36E+09	1.00E-01	6.4E+07	1.9E+12	1.4E+02	5.3E+05	1.4E+02	1.4E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.31E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	7.2E+03	.	7.2E+03	3.7E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.80E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	.	.	7.4E+03	.	7.4E+03	1.0E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	2.99E-07	2.54E-11	4.60E-11	1.36E+09	2.00E-02	1.2E+06	6.2E+10	2.3E+04	1.4E+04	8.8E+03	2.3E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	7.13E-10	1.40E-10	2.56E-10	1.36E+09	2.00E-02	3.7E+00	1.2E+03	1.9E+02	4.6E-02	4.6E-02	5.4E-10
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	2.55E-07	4.72E-10	8.35E-10	1.36E+09	2.00E-02	1.1E+00	1.1E+03	5.4E-01	1.4E-02	1.3E-02	1.6E-10
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.75E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.4E+03	.	2.4E+03	4.7E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.66E-05	7.02E-12	1.11E-11	1.36E+09	2.00E-03	5.1E+07	2.7E+12	1.1E+03	5.9E+05	1.1E+03	1.2E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.73E-04	2.63E-12	4.01E-12	1.36E+09	2.00E-03	2.1E+08	1.0E+13	6.2E+02	2.3E+06	6.2E+02	4.8E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.40E-04	5.06E-12	7.99E-12	1.36E+09	2.00E-03	4.7E+07	2.1E+12	2.0E+02	5.4E+05	2.0E+02	3.4E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.00E-05	2.02E-11	3.46E-11	1.36E+09	2.00E-03	3.4E+06	1.9E+11	1.5E+03	4.2E+04	1.5E+03	8.0E-11
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	6.15E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.0E+03	.	2.0E+03	1.4E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	8.49E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+04	.	1.2E+04	9.8E-12
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	1.01E-06	4.49E-11	8.13E-11	1.36E+09	2.00E-03	2.1E+02	1.0E+06	2.2E+00	2.8E+00	1.2E+00	4.6E-10
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	1.41E-09	1.93E-09	1.36E+09	2.00E-03	4.6E-01	2.3E+01	.	4.6E-03	4.5E-03	1.9E-04
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	1.29E-09	1.76E-09	1.36E+09	2.00E-03	5.1E-01	2.5E+01	.	5.0E-03	5.0E-03	2.2E-01
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	1.11E-09	1.51E-09	1.36E+09	2.00E-03	6.0E-01	2.9E+01	.	5.9E-03	5.8E-03	1.7E+04
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	1.04E-11	2.20E-11	4.05E-11	1.36E+09	2.00E-03	2.4E+01	3.7E+04	1.2E+04	3.2E-01	3.2E-01	1.2E-08
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	3.00E-06	1.90E-10	3.51E-10	1.36E+09	2.00E-03	8.6E+03	3.3E+08	1.3E+02	1.2E+02	6.1E+01	1.4E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	7.57E-06	1.88E-12	2.90E-12	1.36E+09	2.00E-03	1.3E+08	3.9E+12	6.5E+03	1.5E+06	6.5E+03	1.2E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	9.78E-06	6.01E-11	1.10E-10	1.36E+09	2.00E-03	1.4E+05	4.9E+09	2.0E+02	1.8E+03	1.8E+02	8.4E-11
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.9E+03	.	2.9E+03	2.0E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.43E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	4.0E+03	.	4.0E+03	4.3E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.54E-05	2.01E-12	3.22E-12	1.36E+09	3.00E-01	2.5E+08	1.2E+13	1.4E+03	1.4E+06	1.4E+03	8.4E-12
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.95E-04	1.84E-12	2.85E-12	1.36E+09	3.00E-01	1.6E+08	8.8E+12	2.1E+02	8.7E+05	2.1E+02	2.2E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	2.94E-05	7.61E-11	1.38E-10	1.36E+09	3.00E-01	2.5E+05	1.7E+10	1.5E+02	1.5E+03	1.4E+02	2.0E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.96E-05	1.92E-12	3.11E-12	1.36E+09	3.00E-01	7.7E+07	3.0E+12	5.2E+02	4.2E+05	5.2E+02	1.1E-11
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	6.15E-07	1.74E-10	3.17E-10	1.36E+09	3.00E-01	1.6E+02	1.2E+06	1.1E+01	9.9E-01	9.0E-01	9.0E-11
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	6.06E-08	2.24E-13	3.52E-13	1.36E+09	3.00E-01	1.1E+09	1.2E+13	8.5E+05	6.0E+06	7.4E+05	9.5E-09
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.27E-05	1.74E-10	3.20E-10	1.36E+09	3.00E-01	1.3E+03	1.5E+07	4.4E+00	8.3E+00	2.9E+00	3.5E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	4.23E-08	8.91E-11	1.65E-10	1.36E+09	3.00E-01	1.2E+02	5.7E+05	6.1E+01	7.6E-01	7.5E-01	2.0E-10
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	3.60E-09	6.01E-11	1.11E-10	1.36E+09	3.00E-01	4.7E+04	1.6E+09	2.1E+05	2.9E+02	2.9E+02	3.0E-10
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	2.41E-08	9.30E-11	1.71E-10	1.36E+09	3.00E-01	6.4E+00	8.8E+03	5.9E+00	4.0E-02	3.9E-02	5.8E-10
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	2.69E-08	1.40E-10	2.57E-10	1.36E+09	3.00E-01	4.2E+00	8.7E+03	5.3E+00	2.6E-02	2.6E-02	3.9E-10
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.05E-06	5.56E-10	1.03E-09	1.36E+09	3.00E-01	4.4E+01	3.4E+05	5.6E+00	2.8E-01	2.6E-01	3.2E-11
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.26E-05	3.05E-12	4.94E-12	1.36E+09	3.00E-01	4.3E+07	1.2E+12	2.2E+03	2.3E+05	2.2E+03	5.7E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.42E-05	7.90E-10	1.46E-09	1.36E+09	3.00E-01	4.2E+02	1.4E+07	1.8E+00	2.6E+00	1.1E+00	9.8E-12
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	2.9E+03	.	2.9E+03	1.9E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	2.69E-06	1.01E-09	1.81E-09	1.36E+09	3.00E-01	4.9E-01	7.4E+02	4.3E-02	3.0E-03	2.8E-03	2.3E-07
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.37E-04	1.08E-09	1.94E-09	1.36E+09	3.00E-01	4.6E-01	7.3E+02	4.9E-04	2.8E-03	4.1E-04	3.4E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.50E-04	3.17E-11	5.59E-11	1.36E+09	3.00E-01	1.2E+06	5.1E+10	3.5E+01	7.2E+03	3.5E+01	3.0E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.97E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	3.8E+03	.	3.8E+03	1.1E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.44E-05	1.71E-11	2.88E-11	1.36E+09	3.00E-01	5.0E+06	2.0E+11	2.9E+02	2.8E+04	2.9E+02	1.1E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.28E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	3.8E+03	.	3.8E+03	5.9E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.08E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	2.7E+03	.	2.7E+03	7.1E-12
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	.	.	5.8E+03	.	5.8E+03	6.8E-12
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.37E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-02	.	.	3.5E+03	.	3.5E+03	3.4E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	5.05E-05	4.82E-11	8.36E-11	1.36E+09	9.57E-02	9.5E+05	5.0E+10	2.0E+02	8.8E+03	2.0E+02	9.0E-12
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.62E-04	5.38E-12	8.54E-12	1.36E+09	9.57E-02	4.4E+07	1.9E+12	3.0E+02	3.8E+05	3.0E+02	2.9E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	1.29E-09	1.22E-09	2.21E-09	1.36E+09	9.57E-02	1.0E+02	1.8E+06	2.3E+04	1.0E+00	1.0E+00	1.6E-11
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.33E-04	1.22E-09	2.21E-09	1.36E+09	9.57E-02	1.0E+02	1.8E+06	2.3E-01	1.0E+00	1.8E-01	2.9E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.97E-05	9.07E-11	1.62E-10	1.36E+09	9.57E-02	2.7E+04	1.0E+09	5.7E+00	2.6E+02	5.5E+00	4.8E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.81E-05	8.24E-11	1.24E-10	1.36E+09	9.57E-02	7.3E+02	1.0E+07	2.0E-01	5.9E+00	2.0E-01	8.3E-12
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.20E-05	6.10E-13	9.51E-13	1.36E+09	9.57E-02	1.3E+08	4.8E+12	7.4E+02	1.1E+06	7.4E+02	2.3E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.60E-05	4.12E-12	7.05E-12	1.36E+09	9.57E-02	7.1E+06	2.9E+11	1.8E+02	6.5E+04	1.8E+02	1.4E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	1.96E-07	4.97E-10	9.00E-10	1.36E+09	9.57E-02	1.3E+02	1.3E+06	7.7E+01	1.2E+00	1.2E+00	4.2E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	1.31E-08	1.86E-09	2.33E-09	1.36E+09	9.57E-02	5.2E-01	9.9E+02	1.3E+01	3.4E-03	3.4E-03	2.5E-11
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	5.27E-07	2.57E-09	3.66E-09	1.36E+09	9.57E-02	3.3E-01	9.7E+02	3.0E-01	2.5E-03	2.5E-03	1.8E-11
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	9.03E-05	1.28E-10	2.33E-10	1.36E+09	9.57E-02	6.3E+04	2.6E+09	2.1E+01	6.1E+02	2.0E+01	5.7E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.81E-04	8.67E-11	1.58E-10	1.36E+09	9.57E-02	3.4E+05	1.7E+10	3.8E+01	3.3E+03	3.8E+01	2.9E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.94E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-02	.	.	5.0E+02	.	5.0E+02	1.8E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.94E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-02	.	.	4.5E+03	.	4.5E+03	2.8E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.26E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.3E+03	.	1.3E+03	7.9E-12
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	2.10E-04	4.68E-12	7.37E-12	1.36E+09	2.00E-03	3.1E+07	1.1E+12	1.4E+02	3.6E+05	1.4E+02	4.8E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.56E-05	1.84E-11	3.26E-11	1.36E+09	2.00E-03	1.4E+06	5.7E+10	8.9E+01	1.8E+04	8.8E+01	1.5E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.17E-04	7.61E-12	1.28E-11	1.36E+09	2.00E-03	9.7E+06	3.5E+11	1.4E+02	1.2E+05	1.4E+02	8.7E-12
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.36E-04	3.73E-11	6.44E-11	1.36E+09	2.00E-03	2.1E+05	9.8E+09	1.3E+01	2.6E+03	1.3E+01	7.5E-12
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.99E-04	4.57E-11	7.76E-11	1.36E+09	2.00E-03	2.2E+05	1.0E+10	7.6E+00	2.8E+03	7.5E+00	3.4E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	3.28E-06	2.35E-11	4.27E-11	1.36E+09	2.00E-03	5.8E+04	1.9E+09	9.8E+01	7.7E+02	8.7E+01	2.8E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.05E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.1E+04	.	1.1E+04	9.9E-11
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.17E-04	1.13E-11	1.92E-11	1.36E+09	2.00E-03	3.1E+06	1.0E+11	6.6E+01	3.8E+04	6.6E+01	8.9E-12
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	7.57E-07	1.27E-11	2.31E-11	1.36E+09	2.00E-03	3.8E+02	1.7E+06	1.5E+00	5.0E+00	1.2E+00	1.1E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	1.64E-06	1.23E-11	2.25E-11	1.36E+09	2.00E-03	7.7E+05	3.2E+10	1.4E+03	1.0E+04	1.2E+03	5.6E-10
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.63E-04	3.05E-10	5.47E-10	1.36E+09	2.00E-03	9.4E+01	4.9E+05	4.1E-02	1.2E+00	4.0E-02	6.3E-12
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.10E-05	7.90E-13	1.20E-12	1.36E+09	2.00E-03	4.4E+08	5.2E+12	3.3E+03	4.9E+06	3.3E+03	5.1E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.55E-05	3.38E-10	6.23E-10	1.36E+09	2.00E-03	1.8E+03	4.4E+07	5.9E+00	2.5E+01	4.7E+00	3.4E-11
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.85E-04	1.37E-10	2.48E-10	1.36E+09	2.00E-03	6.5E+04	3.3E+09	1.1E+01	8.6E+02	1.1E+01	5.7E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.33E-05	6.14E-12	1.02E-11	1.36E+09	2.00E-03	1.7E+07	4.9E+11	1.7E+03	2.0E+05	1.6E+03	8.0E-11
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.66E-04	2.13E-12	3.16E-12	1.36E+09	2.00E-03	2.5E+08	1.0E+13	6.3E+02	2.7E+06	6.3E+02	6.6E-12
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.86E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	5.9E+03	.	5.9E+03	1.8E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.79E-04	1.60E-11	2.69E-11	1.36E+09	2.00E-03	3.2E+06	1.5E+11	4.0E+01	3.9E+04	4.0E+01	3.1E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.54E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.3E+03	.	2.3E+03	3.4E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	3.04E-04	1.23E-11	2.03E-11	1.36E+09	2.00E-03	6.9E+06	3.2E+11	6.0E+01	8.3E+04	6.0E+01	2.8E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.85E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.3E+03	.	1.3E+03	2.2E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.70E-04	2.99E-11	5.24E-11	1.36E+09	2.00E-03	6.5E+05	8.0E+08	2.6E+01	8.3E+03	2.6E+01	5.1E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.67E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.6E+03	.	1.6E+03	5.2E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.25E-04	3.26E-11	5.64E-11	1.36E+09	2.00E-03	7.2E+05	4.5E+10	1.6E+01	9.0E+03	1.6E+01	2.7E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.99E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	6.3E+02	.	6.3E+02	2.9E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.12E-04	6.04E-11	1.05E-10	1.36E+09	2.00E-03	7.6E+04	3.3E+09	9.3E+00	9.6E+02	9.2E+00	7.8E-12
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	7.92E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.3E+05	.	3.3E+05	1.1E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.90E-04	1.36E-10	2.43E-10	1.36E+09	2.00E-03	3.3E+04	2.1E+09	5.5E+00	4.3E+02	5.4E+00	4.6E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.2E+03	.	3.2E+03	1.1E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.22E-05	5.47E-11	9.75E-11	1.36E+09	2.00E-03	2.6E+04	9.2E+08	1.0E+01	3.3E+02	9.8E+00	2.7E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	3.10E-04	9.16E-11	1.56E-10	1.36E+09	2.00E-03	4.2E+04	2.1E+09	2.7E+00	5.2E+02	2.7E+00	2.9E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.16E-05	5.41E-11	9.74E-11	1.36E+09	2.00E-03	1.1E+04	3.1E+08	1.2E+01	1.5E+02	1.1E+01	7.2E-11
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.41E-04	1.80E-10	3.10E-10	1.36E+09	2.00E-03	3.5E+03	8.9E+07	5.9E-01	4.4E+01	5.8E-01	3.7E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	8.58E-07	2.87E-11	5.05E-11	1.36E+09	2.00E-03	1.1E+05	2.5E+09	8.7E+02	1.5E+03	5.4E+02	6.6E-10
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	1.13E-07	1.68E-11	3.01E-11	1.36E+09	2.00E-03	8.8E+05	2.1E+10	3.1E+04	1.1E+04	8.3E+03	2.2E-09
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	8.11E-08	8.19E-12	1.49E-11	1.36E+09	2.00E-03	6.8E+01	9.6E+04	1.6E+00	8.9E-01	5.7E-01	1.8E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.72E-05	1.86E-10	3.26E-10	1.36E+09	2.00E-03	2.9E+00	1.9E+03	1.3E-03	3.7E-02	1.2E-03	9.6E-11
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.42E-04	3.44E-10	6.23E-10	1.36E+09	2.00E-03	1.3E+02	9.4E+05	7.4E-02	1.7E+00	7.1E-02	6.3E-12
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	9.47E-07	1.95E-10	3.61E-10	1.36E+09	2.00E-03	2.4E+03	5.2E+07	1.2E+02	3.2E+01	2.5E+01	2.1E-10

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.33E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.1E+03	.	1.1E+03	7.1E-12
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	9.03E-05	1.44E-12	2.19E-12	1.36E+09	2.00E-03	2.0E+08	5.4E+12	6.2E+02	2.2E+06	6.2E+02	1.1E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	3.10E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+03	.	1.2E+03	3.1E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.11E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	4.7E+03	.	4.7E+03	8.6E-12
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.72E-05	1.13E-12	1.70E-12	1.36E+09	1.13E+00	3.5E+08	1.1E+13	2.1E+03	7.2E+05	2.1E+03	1.6E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.26E-05	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	9.9E+05	.	9.9E+05	4.7E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.28E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	7.7E+02	.	7.7E+02	1.8E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	3.02E-04	5.26E-12	8.01E-12	1.36E+09	1.13E+00	5.8E+07	2.9E+12	2.0E+02	1.2E+05	2.0E+02	2.0E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.81E-05	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	1.5E+03	.	1.5E+03	6.2E-12
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	1.1E+03	.	1.1E+03	1.6E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.73E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	1.9E+03	.	1.9E+03	3.1E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.86E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	.	.	5.3E+02	.	5.3E+02	1.1E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	2.10E-04	7.99E-12	1.31E-11	1.36E+09	1.13E+00	3.9E+06	1.9E+11	3.2E+01	8.8E+03	3.1E+01	2.6E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.30E-04	3.29E-12	5.37E-12	1.36E+09	1.13E+00	3.6E+07	1.6E+12	1.9E+02	8.1E+04	1.9E+02	4.2E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.31E-04	2.38E-11	3.93E-11	1.36E+09	1.13E+00	7.3E+05	3.5E+10	1.1E+01	1.7E+03	1.1E+01	1.6E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.48E-04	9.09E-12	1.49E-11	1.36E+09	1.13E+00	1.1E+07	5.4E+11	8.5E+01	2.4E+04	8.5E+01	2.2E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.81E-05	2.17E-11	3.60E-11	1.36E+09	1.13E+00	2.0E+05	9.0E+09	9.3E+00	4.4E+02	9.1E+00	5.5E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	8.08E-05	6.87E-11	1.13E-10	1.36E+09	1.13E+00	8.5E+02	7.3E+06	1.5E-01	1.9E+00	1.4E-01	6.4E-12
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	3.14E-04	1.27E-10	2.06E-10	1.36E+09	1.13E+00	6.7E+03	2.3E+08	5.7E-01	1.5E+01	5.5E-01	1.7E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	5.33E-06	1.34E-12	2.18E-12	1.36E+09	1.13E+00	7.5E+07	2.7E+12	4.0E+03	1.7E+05	3.9E+03	1.0E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	7.73E-09	1.06E-11	1.90E-11	1.36E+09	1.13E+00	4.7E+01	6.5E+04	1.5E+01	1.1E-01	1.1E-01	8.0E-05
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	2.79E-08	9.33E-11	1.70E-10	1.36E+09	1.13E+00	3.8E+02	1.6E+06	3.0E+02	9.5E-01	9.5E-01	6.4E-11
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.74E-04	2.54E-10	4.38E-10	1.36E+09	1.13E+00	2.0E+00	2.6E+03	6.6E-04	4.8E-03	5.8E-04	6.7E-07
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	2.24E-09	1.08E-10	1.96E-10	1.36E+09	1.13E+00	4.6E+00	8.2E+03	5.2E+01	1.1E-02	1.1E-02	6.6E-07
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.07E-05	3.06E-12	5.37E-12	1.36E+09	1.13E+00	4.4E+06	1.4E+11	2.8E+02	1.0E+04	2.8E+02	5.3E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.86E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	.	.	2.3E+03	.	2.3E+03	2.3E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.63E-04	4.48E-12	6.75E-12	1.36E+09	8.70E-02	8.2E+07	2.3E+12	4.4E+02	6.8E+05	4.4E+02	4.1E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.86E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	.	.	6.6E+02	.	6.6E+02	2.3E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.38E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	.	.	4.8E+02	.	4.8E+02	2.0E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	7.98E-06	3.03E-11	5.34E-11	1.36E+09	8.70E-02	1.1E+06	5.0E+10	9.2E+02	1.0E+04	8.4E+02	7.8E-11
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	2.00E-04	5.58E-12	9.17E-12	1.36E+09	8.70E-02	1.5E+07	6.4E+11	8.8E+01	1.3E+05	8.8E+01	3.4E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	7.35E-08	6.95E-10	1.30E-09	1.36E+09	8.70E-02	7.5E+02	2.7E+07	1.7E+03	7.7E+00	7.6E+00	4.1E-11
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.53E-05	6.95E-10	1.30E-09	1.36E+09	8.70E-02	7.5E+02	2.7E+07	1.3E+00	7.7E+00	1.1E+00	6.2E-12
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	9.31E-05	2.59E-11	4.46E-11	1.36E+09	8.70E-02	2.0E+05	9.5E+09	1.2E+01	1.9E+03	1.2E+01	7.4E-12
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.91E-04	9.51E-11	1.59E-10	1.36E+09	8.70E-02	7.9E+03	2.2E+08	8.5E-01	7.2E+01	8.4E-01	3.6E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.66E-05	5.61E-11	9.13E-11	1.36E+09	8.70E-02	3.4E+03	5.5E+07	6.0E-01	3.0E+01	5.8E-01	1.0E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.12E-05	2.32E-10	3.67E-10	1.36E+09	8.70E-02	1.0E+02	6.5E+05	2.3E-01	9.0E-01	1.8E-01	2.6E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	1.27E-10	3.56E-11	4.29E-11	1.36E+09	8.70E-02	2.1E+01	1.0E+05	9.1E+02	1.4E-01	1.4E-01	2.8E+04
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.21E-05	1.52E-10	2.61E-10	1.36E+09	8.70E-02	1.9E+02	9.7E+05	5.3E-01	1.8E+00	4.1E-01	4.6E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	1.87E-07	1.27E-10	2.30E-10	1.36E+09	8.70E-02	4.4E+02	2.5E+06	7.1E+01	4.4E+00	4.1E+00	2.3E-10
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.68E-07	4.02E-11	7.58E-11	1.36E+09	8.70E-02	2.0E+05	7.8E+09	3.4E+03	2.1E+03	1.3E+03	4.8E-10
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	7.23E-08	3.24E-10	5.77E-10	1.36E+09	8.70E-02	9.3E+01	5.4E+05	9.7E+01	9.1E-01	8.9E-01	9.5E-11
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.94E-06	6.60E-12	1.13E-11	1.36E+09	8.70E-02	1.1E+07	3.7E+11	2.3E+03	1.0E+05	2.2E+03	1.1E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.76E-06	5.94E-10	1.10E-09	1.36E+09	8.70E-02	1.6E+02	2.0E+06	6.0E+00	1.6E+00	1.3E+00	4.2E-11
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.80E-05	8.23E-12	1.46E-11	1.36E+09	8.70E-02	2.3E+07	4.8E+11	9.1E+02	2.2E+05	9.1E+02	1.6E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.82E-04	3.14E-10	5.79E-10	1.36E+09	8.70E-02	8.1E+03	1.7E+08	3.3E+00	8.2E+01	3.2E+00	4.0E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.11E-05	6.57E-10	1.22E-09	1.36E+09	8.70E-02	1.5E+03	3.1E+07	1.1E+01	1.5E+01	6.4E+00	2.1E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.54E-04	7.28E-12	1.35E-11	1.36E+09	8.70E-02	5.0E+07	1.1E+12	5.7E+02	5.1E+05	5.7E+02	5.0E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.37E-04	3.06E-11	5.76E-11	1.36E+09	8.70E-02	2.6E+06	6.3E+10	8.4E+01	2.7E+04	8.3E+01	3.3E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	1.01E-04	1.04E-11	1.77E-11	1.36E+09	8.70E-02	1.1E+07	2.4E+11	2.6E+02	1.1E+05	2.6E+02	7.8E-12
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	4.99E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	.	.	2.2E+07	.	2.2E+07	2.6E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.17E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	.	.	2.9E+07	.	2.9E+07	6.0E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	6.37E-07	2.50E-11	3.94E-11	1.36E+09	1.83E-03	7.0E+06	6.3E+08	5.6E+04	8.0E+04	3.3E+04	1.2E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.20E-05	1.90E-09	3.48E-09	1.36E+09	1.83E-03	9.0E+01	3.1E+03	3.4E+00	1.2E+00	8.8E-01	2.9E-11
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	1.52E-07	4.00E-09	6.57E-09	1.36E+09	1.83E-03	1.3E+00	2.2E+01	7.2E+00	1.5E-02	1.5E-02	1.8E-11
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	6.06E-06	7.85E-09	1.04E-08	1.36E+09	1.83E-03	8.6E-02	1.8E+00	1.9E-02	8.3E-04	7.8E-04	3.7E-09
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	6.22E-06	1.20E-08	1.69E-08	1.36E+09	1.83E-03	5.3E-02	1.6E+00	1.9E-02	5.4E-04	5.2E-04	2.4E-09
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	2.28E-08	3.22E-09	4.49E-09	1.36E+09	1.83E-03	2.0E-01	9.2E+00	5.1E+00	2.0E-03	2.0E-03	9.7E-08
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	6.72E-07	8.69E-11	1.61E-10	1.36E+09	1.83E-03	3.4E+04	1.3E+09	1.1E+03	4.6E+02	3.2E+02	6.0E-10
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	9.69E-09	3.60E-09	4.97E-09	1.36E+09	1.83E-03	1.8E-01	7.2E+00	1.2E+01	1.8E-03	1.8E-03	1.6E-02
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.09E-04	4.22E-08	5.86E-08	1.36E+09	1.83E-03	1.5E-02	3.6E+00	1.1E-03	1.5E-04	1.3E-04	1.2E-03
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.88E-06	1.50E-12	2.34E-12	1.36E+09	1.83E-03	1.6E+08	3.6E+12	1.3E+04	1.8E+06	1.3E+04	3.5E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	4.80E-07	9.17E-10	1.69E-09	1.36E+09	1.83E-03	1.4E+02	2.8E+06	6.6E+01	1.9E+00	1.8E+00	8.0E-11
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	2.93E-06	9.17E-10	1.69E-09	1.36E+09	1.83E-03	1.4E+02	2.8E+06	1.1E+01	1.9E+00	1.6E+00	7.0E-11
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.69E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	.	.	2.3E+04	.	2.3E+04	2.1E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.57E-06	7.44E-12	1.21E-11	1.36E+09	1.83E-03	1.9E+07	6.0E+11	8.2E+03	2.2E+05	7.9E+03	3.7E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	6.69E-06	9.81E-10	1.71E-09	1.36E+09	1.00E-03	6.0E-01	1.1E+03	2.0E-02	7.7E-03	5.5E-03	4.1E-11
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.75E-04	1.04E-09	1.82E-09	1.36E+09	1.00E-03	5.7E-01	1.0E+03	4.9E-04	7.2E-03	4.6E-04	3.4E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	1.03E-04	2.52E-11	4.47E-11	1.36E+09	1.00E-03	1.0E+06	5.2E+10	5.8E+01	1.3E+04	5.8E+01	2.6E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.23E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	4.5E+03	.	4.5E+03	7.0E-12
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.02E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	6.3E+04	.	6.3E+04	3.0E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.54E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	2.7E+03	.	2.7E+03	7.2E-12
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.95E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	1.0E+03	.	1.0E+03	3.8E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.06E-04	2.90E-12	4.32E-12	1.36E+09	2.00E-01	5.9E+07	2.4E+12	3.1E+02	3.6E+05	3.1E+02	1.1E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.99E-04	2.85E-12	4.17E-12	1.36E+09	2.00E-01	6.2E+07	1.8E+12	1.1E+02	3.7E+05	1.1E+02	3.8E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.57E-04	2.16E-12	3.24E-12	1.36E+09	2.00E-01	3.7E+07	8.4E+11	1.0E+02	2.3E+05	1.0E+02	7.2E-12
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.41E-04	4.27E-12	6.36E-12	1.36E+09	2.00E-01	1.2E+07	4.0E+11	4.1E+01	7.4E+04	4.1E+01	4.7E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.11E-05	2.38E-12	3.73E-12	1.36E+09	2.00E-01	1.3E+07	1.7E+11	1.3E+02	8.6E+04	1.3E+02	2.2E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.62E-04	7.47E-12	1.11E-11	1.36E+09	2.00E-01	2.4E+06	7.6E+10	1.3E+01	1.5E+04	1.3E+01	4.4E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.39E-04	4.76E-12	7.15E-12	1.36E+09	2.00E-01	1.1E+07	1.9E+11	7.0E+01	6.5E+04	7.0E+01	8.3E-12
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.34E-05	2.81E-12	4.40E-12	1.36E+09	2.00E-01	4.3E+06	5.3E+10	1.1E+02	2.8E+04	1.1E+02	5.0E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.60E-04	2.23E-11	3.42E-11	1.36E+09	2.00E-01	1.6E+05	4.6E+09	4.4E+00	1.0E+03	4.3E+00	7.3E-12
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	5.08E-06	1.38E-11	2.32E-11	1.36E+09	2.00E-01	8.3E+04	9.7E+08	4.9E+01	5.8E+02	4.5E+01	2.1E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	4.95E-05	5.44E-11	8.55E-11	1.36E+09	2.00E-01	5.6E+03	1.2E+08	1.3E+00	3.6E+01	1.2E+00	2.3E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	8.08E-08	2.22E-10	3.90E-10	1.36E+09	2.00E-01	1.1E+01	2.5E+04	6.9E+00	8.0E-02	7.8E-02	1.7E-10
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	1.65E-07	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	1.6E+06	.	1.6E+06	7.3E-09
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.88E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	1.0E+03	.	1.0E+03	4.2E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.29E-07	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	5.4E+05	.	5.4E+05	2.8E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.73E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	7.6E+02	.	7.6E+02	2.6E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.79E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	1.8E+03	.	1.8E+03	4.4E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.63E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-01	.	.	2.3E+03	.	2.3E+03	3.4E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.57E-04	4.13E-12	6.76E-12	1.36E+09	2.00E-03	4.1E+07	1.7E+12	2.3E+02	4.9E+05	2.3E+02	6.0E-12

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.52E-04	2.79E-12	4.24E-12	1.36E+09	2.00E-03	9.2E+07	3.8E+12	2.0E+02	1.0E+06	2.0E+02	3.8E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.63E-04	6.41E-12	1.05E-11	1.36E+09	2.00E-03	7.4E+06	3.1E+11	6.2E+01	8.8E+04	6.2E+01	5.8E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	9.47E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	5.8E+03	.	5.8E+03	1.0E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	5.96E-05	6.50E-11	1.15E-10	1.36E+09	2.00E-03	4.1E+04	1.9E+09	1.0E+01	5.2E+02	1.0E+01	1.6E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.57E-04	4.19E-11	7.14E-11	1.36E+09	2.00E-03	2.6E+05	1.2E+10	9.2E+00	3.2E+03	9.2E+00	3.8E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.09E-05	1.42E-10	2.61E-10	1.36E+09	2.00E-03	2.4E+03	4.3E+07	7.6E+00	3.2E+01	6.1E+00	7.2E-11
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.45E-04	1.74E-10	3.04E-10	1.36E+09	2.00E-03	2.1E+02	1.2E+06	5.7E-02	2.6E+00	5.5E-02	6.6E-12
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	2.16E-07	3.50E-10	6.50E-10	1.36E+09	2.00E-03	7.0E+01	4.9E+05	2.7E+01	9.4E-01	9.0E-01	1.5E-10
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	1.80E-08	2.76E-11	5.11E-11	1.36E+09	2.00E-03	1.6E+02	6.8E+05	6.0E+01	2.2E+00	2.1E+00	1.9E-09
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	6.31E-05	4.28E-10	7.89E-10	1.36E+09	2.00E-03	2.8E+03	1.3E+08	4.6E+00	3.8E+01	4.1E+00	1.4E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.39E-05	6.64E-11	1.21E-10	1.36E+09	2.00E-03	1.4E+05	7.4E+09	5.1E+01	1.9E+03	4.9E+01	2.2E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.11E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	9.6E+02	.	9.6E+02	4.8E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.33E-04	1.89E-12	2.94E-12	1.36E+09	2.00E-03	1.9E+08	5.7E+12	5.4E+02	2.1E+06	5.4E+02	7.7E-12
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.56E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	2.3E+03	.	2.3E+03	4.0E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.05E-05	0.00E+00	0.00E+00	1.36E+09	5.39E-03	.	.	9.5E+04	.	9.5E+04	1.3E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.09E-07	0.00E+00	0.00E+00	1.36E+09	5.39E-03	.	.	3.9E+05	.	3.9E+05	4.3E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	8.30E-08	8.05E-09	1.43E-08	1.36E+09	5.39E-03	2.0E+01	1.8E+03	4.4E+02	2.5E-01	2.5E-01	9.1E-12
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	4.48E-06	8.40E-11	1.54E-10	1.36E+09	5.39E-03	9.1E+03	2.3E+08	4.0E+01	1.2E+02	3.0E+01	2.2E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	1.47E-08	1.04E-08	1.45E-08	1.36E+09	5.39E-03	7.0E-02	3.8E+00	8.9E+00	7.0E-04	6.9E-04	3.1E-11
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	1.92E-08	2.62E-09	4.06E-09	1.36E+09	5.39E-03	2.2E-01	1.1E+01	6.0E+00	2.4E-03	2.4E-03	2.5E-07
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	6.85E-09	2.58E-09	4.01E-09	1.36E+09	5.39E-03	2.2E-01	1.1E+01	1.7E+01	2.5E-03	2.4E-03	3.9E-07
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.49E-05	2.55E-09	3.99E-09	1.36E+09	5.39E-03	2.2E-01	1.2E+01	7.8E-03	2.5E-03	1.9E-03	8.7E-04
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.56E-05	2.64E-09	4.15E-09	1.36E+09	5.39E-03	2.2E-01	1.2E+01	7.4E-03	2.4E-03	1.8E-03	8.4E-04
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	2.87E-16	4.46E-16	1.36E+09	5.39E-03	7.3E+11	6.1E+16	.	8.1E+09	8.0E+09	2.6E-04
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	3.35E-09	2.43E-09	3.77E-09	1.36E+09	5.39E-03	2.4E-01	1.2E+01	3.5E+01	2.6E-03	2.6E-03	4.0E-05
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.01E-05	1.97E-10	3.62E-10	1.36E+09	5.39E-03	2.4E+03	4.1E+07	1.1E+01	3.2E+01	8.2E+00	1.0E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	3.35E-09	2.34E-09	3.63E-09	1.36E+09	5.39E-03	2.5E-01	1.3E+01	3.5E+01	2.7E-03	2.7E-03	8.0E-03
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.22E-06	3.26E-09	5.32E-09	1.36E+09	5.39E-03	1.7E-01	1.3E+01	3.6E-02	2.0E-03	1.8E-03	5.5E-03
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	3.22E-06	2.86E-12	4.84E-12	1.36E+09	5.39E-03	7.4E+07	2.1E+12	1.5E+04	9.0E+05	1.4E+04	4.3E-10
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	3.12E-07	2.74E-10	5.04E-10	1.36E+09	5.39E-03	2.0E+04	1.1E+09	4.2E+03	2.6E+02	2.4E+02	2.6E-10
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.10E-06	3.23E-12	4.91E-12	1.36E+09	5.39E-03	1.0E+08	3.4E+12	1.6E+04	1.1E+06	1.6E+04	3.4E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.18E-04	4.71E-12	7.43E-12	1.36E+09	2.00E-03	3.5E+07	1.5E+12	2.9E+02	4.0E+05	2.9E+02	2.3E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.79E-04	3.19E-10	5.54E-10	1.36E+09	2.00E-03	6.6E+02	1.2E+07	1.3E-01	8.3E+00	1.2E-01	7.3E-13
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	4.79E-12	8.88E-12	1.36E+09	2.00E-03	2.0E+03	2.2E+07	.	2.7E+01	2.7E+01	3.3E-09
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.95E-04	2.15E-10	3.19E-10	1.36E+09	2.00E-03	3.0E+00	3.6E+03	6.4E-04	3.3E-02	6.3E-04	1.3E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.98E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.5E+03	.	1.5E+03	1.5E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.35E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	5.0E+03	.	5.0E+03	2.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-04	7.37E-12	1.25E-11	1.36E+09	8.00E-01	5.1E+06	1.9E+11	8.3E+01	1.6E+04	8.3E+01	1.0E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	4.86E-07	5.39E-11	9.83E-11	1.36E+09	8.00E-01	2.8E+03	3.1E+07	7.3E+01	9.0E+00	8.0E+00	2.4E-10
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.10E-05	5.39E-11	9.83E-11	1.36E+09	8.00E-01	2.8E+03	3.1E+07	3.2E+00	9.0E+00	2.4E+00	7.0E-11
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	1.59E-06	2.87E-13	4.55E-13	1.36E+09	8.00E-01	5.0E+08	2.7E+13	1.9E+04	1.4E+06	1.8E+04	6.5E-10
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	3.28E-06	0.00E+00	0.00E+00	1.36E+09	8.00E-01	.	.	5.2E+04	.	5.2E+04	3.2E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	1.29E-06	1.76E-11	3.19E-11	1.36E+09	8.00E-01	1.5E+03	1.5E+07	4.9E+00	4.9E+00	2.4E+00	4.1E-10
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	7.61E-09	1.16E-10	2.16E-10	1.36E+09	8.00E-01	3.6E+02	2.0E+06	1.3E+03	1.2E+00	1.2E+00	1.3E-10
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	1.63E-06	0.00E+00	0.00E+00	1.36E+09	8.00E-01	.	.	4.2E+05	.	4.2E+05	6.6E-10
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.18E-05	1.37E-10	2.53E-10	1.36E+09	8.00E-01	2.3E+04	1.1E+09	1.5E+01	7.8E+01	1.2E+01	1.8E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	1.90E-07	5.52E-10	1.03E-09	1.36E+09	8.00E-01	8.2E+01	5.3E+05	5.8E+01	2.7E-01	2.7E-01	2.7E-11
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	9.75E-06	6.19E-12	9.72E-12	1.36E+09	8.00E-01	2.9E+07	6.9E+11	3.7E+03	8.2E+04	3.6E+03	1.1E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.23E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	6.5E+02	.	6.5E+02	1.7E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.89E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.4E+02	.	1.4E+02	3.7E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	4.95E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.8E+02	.	1.8E+02	1.4E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.45E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.2E+02	.	1.2E+02	9.6E-12
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.53E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	4.3E+01	.	4.3E+01	2.9E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.57E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.1E-01	.	8.1E-01	2.9E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.30E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	7.3E+04	.	7.3E+04	5.7E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.15E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	7.5E+01	.	7.5E+01	6.6E-10
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	3.91E-07	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.6E+02	.	1.6E+02	2.0E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	1.82E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	8.0E+01	.	8.0E+01	4.3E-10
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.50E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.4E+02	.	1.4E+02	3.1E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.62E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	7.6E+01	.	7.6E+01	3.0E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.99E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.4E+03	.	1.4E+03	1.6E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.49E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	1.2E+04	.	1.2E+04	3.2E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.51E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	.	.	5.1E+02	.	5.1E+02	5.3E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.35E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	.	.	6.9E+03	.	6.9E+03	3.5E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.63E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	.	.	9.5E+02	.	9.5E+02	3.0E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.69E-05	0.00E+00	0.00E+00	1.36E+09	4.35E-04	.	.	4.0E+03	.	4.0E+03	5.0E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	5.05E-04	1.14E-11	1.81E-11	1.36E+09	4.35E-04	1.2E+07	5.9E+11	5.5E+01	1.4E+05	5.5E+01	9.7E-13
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.28E-04	2.89E-11	5.10E-11	1.36E+09	4.35E-04	1.0E+06	5.8E+10	5.3E+01	1.3E+04	5.3E+01	3.9E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.68E-04	7.08E-11	1.28E-10	1.36E+09	4.35E-04	2.3E+05	1.5E+10	2.2E+01	3.0E+03	2.2E+01	2.9E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.67E-04	1.53E-10	2.66E-10	1.36E+09	4.35E-04	3.6E+04	2.2E+09	2.7E+00	4.6E+02	2.6E+00	1.1E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.25E-05	8.88E-12	1.54E-11	1.36E+09	4.35E-04	1.1E+07	6.7E+11	1.0E+03	1.4E+05	1.0E+03	2.2E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	5.11E-05	9.99E-11	1.77E-10	1.36E+09	4.35E-04	1.0E+04	4.2E+08	4.5E+00	1.3E+02	4.3E+00	9.6E-12
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.44E-05	4.34E-11	7.78E-11	1.36E+09	4.35E-04	1.4E+05	6.6E+09	4.0E+01	1.8E+03	3.9E+01	1.4E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.69E-04	1.59E-10	2.60E-10	1.36E+09	4.35E-04	2.1E+02	9.4E+05	1.9E-02	2.5E+00	1.9E-02	1.4E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.15E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	.	.	3.7E+04	.	3.7E+04	4.5E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	5.14E-07	7.15E-10	1.33E-09	1.36E+09	4.35E-04	1.7E+03	9.2E+07	5.5E+02	2.2E+01	2.1E+01	3.9E-11
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-05	4.11E-11	7.53E-11	1.36E+09	4.35E-04	5.9E+05	3.2E+10	8.1E+01	7.8E+03	8.1E+01	7.4E-12
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.15E-07	6.37E-10	1.18E-09	1.36E+09	4.35E-04	8.5E+01	1.0E+06	2.1E+01	1.1E+00	1.1E+00	4.4E-11
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.31E-05	1.34E-12	2.20E-12	1.36E+09	4.35E-04	7.7E+07	2.0E+12	3.5E+02	9.2E+05	3.5E+02	8.4E-12
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.41E-05	9.79E-11	1.78E-10	1.36E+09	4.35E-04	2.2E+05	1.5E+10	1.5E+02	3.0E+03	1.4E+02	1.5E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.34E-05	2.87E-10	5.30E-10	1.36E+09	4.35E-04	2.6E+04	1.8E+09	1.3E+02	3.5E+02	9.7E+01	2.9E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	1.03E-04	5.24E-12	7.99E-12	1.36E+09	4.35E-04	5.7E+07	2.8E+12	5.7E+02	6.3E+05	5.7E+02	5.3E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.60E-04	2.51E-12	3.74E-12	1.36E+09	4.35E-04	2.2E+08	1.1E+13	6.7E+02	2.4E+06	6.7E+02	3.5E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.18E-05	2.62E-12	4.14E-12	1.36E+09	2.00E-03	1.1E+08	4.1E+12	2.7E+03	1.2E+06	2.7E+03	4.3E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.74E-05	1.34E-12	2.11E-12	1.36E+09	2.00E-03	3.6E+08	1.6E+13	1.1E+03	4.1E+06	1.1E+03	1.1E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	2.44E-06	1.06E-11	1.80E-11	1.36E+09	2.00E-03	6.2E+06	3.1E+11	5.9E+03	7.6E+04	5.5E+03	3.6E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.25E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	3.4E+03	.	3.4E+03	3.0E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	2.57E-06	1.65E-10	2.89E-10	1.36E+09	2.00E-03	8.6E+03	3.1E+08	1.3E+02	1.1E+02	5.8E+01	1.7E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	1.69E-05	6.08E-13	9.75E-13	1.36E+09	2.00E-03	5.0E+08	9.7E+12	3.7E+03	5.8E+06	3.7E+03	5.8E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.17E-05	1.84E-10	3.36E-10	1.36E+09	2.00E-03	5.5E+02	5.2E+06	1.1E+00	7.2E+00	9.5E-01	3.9E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.10E-06	1.15E-10	2.12E-10	1.36E+09	2.00E-03	6.6E+03	1.7E+08	4.4E+01	8.8E+01	2.9E+01	1.7E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.32E-05	1.39E-11	2.47E-11	1.36E+09	2.00E-03	3.0E+06	1.1E+11	4.1E+02	3.8E+04	4.1E+02	4.4E-11

Radionuclides		Slope Factors and Isotope-specific Information								Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	.	.	3.2E+05	.	3.2E+05	7.9E-10
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.23E-06	1.49E-11	2.64E-11	1.36E+09	2.00E-03	4.3E+06	1.7E+11	3.5E+03	5.6E+04	3.3E+03	2.3E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.16E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	.	.	1.2E+03	.	1.2E+03	9.0E-12
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.81E-04	0.00E+00	0.00E+00	1.36E+09	1.57E+00	.	.	2.5E+03	.	2.5E+03	1.9E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.93E-04	0.00E+00	0.00E+00	1.36E+09	1.57E+00	.	.	3.8E+03	.	3.8E+03	1.9E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	5.11E-05	1.95E-10	3.66E-10	1.36E+09	1.57E+00	4.2E+04	1.8E+09	3.9E+01	8.2E+01	2.6E+01	4.8E-12
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.31E-04	6.18E-12	9.94E-12	1.36E+09	1.57E+00	2.2E+07	9.5E+11	2.2E+02	3.7E+04	2.2E+02	2.8E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	7.57E-05	4.14E-10	6.15E-10	1.36E+09	1.57E+00	3.9E+01	1.1E+06	4.1E-02	6.0E-02	2.4E-02	3.0E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	4.54E-08	2.75E-12	4.67E-12	1.36E+09	1.57E+00	3.2E+07	8.1E+11	4.3E+05	5.7E+04	5.0E+04	1.0E-09
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.77E-05	7.39E-11	1.39E-10	1.36E+09	1.57E+00	7.4E+04	2.5E+09	2.8E+01	1.4E+02	2.3E+01	7.1E-12
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.91E-05	0.00E+00	0.00E+00	1.36E+09	1.57E+00	.	.	1.1E+04	.	1.1E+04	1.1E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.86E-04	3.79E-11	6.86E-11	1.36E+09	1.57E+00	5.2E+05	2.1E+10	2.5E+01	9.8E+02	2.4E+01	2.2E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.26E-05	2.58E-10	4.67E-10	1.36E+09	1.57E+00	6.5E+03	1.7E+08	3.1E+01	1.2E+01	8.8E+00	9.4E-12
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.77E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-04	.	.	7.9E+02	.	7.9E+02	2.8E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	2.89E-05	1.48E-10	2.59E-10	1.36E+09	8.70E-04	3.3E+04	1.8E+09	3.8E+01	4.2E+02	3.5E+01	1.6E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.11E-04	2.62E-11	4.59E-11	1.36E+09	8.70E-04	1.8E+06	9.7E+10	9.8E+01	2.3E+04	9.8E+01	4.6E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.32E-05	5.81E-11	9.53E-11	1.36E+09	8.70E-04	7.4E+02	1.8E+06	2.1E-01	8.8E+00	2.1E-01	1.2E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.45E-04	1.40E-10	2.47E-10	1.36E+09	8.70E-04	7.3E+03	3.1E+08	1.6E+00	9.3E+01	1.6E+00	3.5E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.76E-05	0.00E+00	0.00E+00	1.36E+09	8.70E-04	.	.	3.4E+03	.	3.4E+03	6.7E-12
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	0.00E+00	3.80E-11	5.36E-11	1.36E+09	8.70E-04	1.7E+01	2.1E+04	.	1.7E-01	1.7E-01	6.7E-05
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	9.09E-05	1.80E-10	3.19E-10	1.36E+09	8.70E-04	2.9E+02	1.5E+06	1.3E-01	3.7E+00	1.3E-01	5.9E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.10E-04	4.94E-10	9.08E-10	1.36E+09	8.70E-04	9.3E+03	5.8E+08	.	1.2E+02	1.2E+02	6.3E-11

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.22E-09	.	8.1E+07	8.1E+07	.	1.8E+01	1.8E+01
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	2.30E-08	3.4E+01	9.9E+04	3.4E+01	6.0E-04	1.7E+00	6.0E-04
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.39E-09	5.3E-03	1.9E+04	5.3E-03	8.0E-06	2.9E+01	8.0E-06
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	4.54E-09	5.3E-03	5.8E+03	5.3E-03	8.0E-06	8.8E+00	8.0E-06
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.38E-08	2.8E-01	1.6E+04	2.8E-01	5.2E-05	2.9E+00	5.2E-05
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	8.52E-12	2.3E-06	6.9E+03	2.3E-06	1.5E-06	4.7E+03	1.5E-06
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.02E-07	1.2E+02	1.0E+04	1.2E+02	4.7E-03	3.9E-01	4.6E-03
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	6.69E-08	.	2.8E+06	2.8E+06	.	6.0E-01	6.0E-01
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.51E-08	.	1.1E+06	1.1E+06	.	8.9E-01	8.9E-01
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.43E-07	.	1.3E+06	1.3E+06	.	2.8E-01	2.8E-01
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.68E-08	.	2.8E+06	2.8E+06	.	7.1E-01	7.1E-01
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.35E-07	.	5.1E+05	5.1E+05	.	1.2E-01	1.2E-01
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.81E-07	8.3E+06	1.9E+05	1.8E+05	9.8E+00	2.2E-01	2.2E-01
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.07E-07	6.2E+06	7.2E+04	7.1E+04	8.5E+00	9.9E-02	9.7E-02
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.48E-07	.	2.0E+05	2.0E+05	.	1.6E-01	1.6E-01
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.56E-08	5.7E+05	6.0E+04	5.5E+04	3.9E+00	4.2E-01	3.8E-01
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.16E-07	4.8E+05	1.7E+04	1.7E+04	3.5E+00	1.3E-01	1.2E-01
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.14E-07	1.1E+06	5.3E+04	5.0E+04	3.9E+00	1.9E-01	1.8E-01
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.59E-08	1.2E+01	1.1E+02	1.1E+01	7.3E-02	7.2E-01	6.6E-02
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.11E-10	.	4.7E+08	4.7E+08	.	3.6E+02	3.6E+02
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	7.86E-08	3.2E+06	2.0E+05	1.9E+05	8.2E+00	5.1E-01	4.8E-01
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.28E-07	5.2E+01	9.7E+01	3.4E+01	6.5E-02	1.2E-01	4.2E-02
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.37E-09	.	6.8E+07	6.8E+07	.	1.7E+01	1.7E+01
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.2E-03	2.2E-01	2.2E-03	2.2E-03	2.2E-01	2.2E-03
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.2E-03	2.2E-01	2.2E-03	2.2E-03	2.2E-01	2.2E-03
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	3.63E-10	.	1.6E+09	1.6E+09	.	1.1E+02	1.1E+02
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.45E-09	.	2.1E+08	2.1E+08	.	9.0E+00	9.0E+00
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.3E-01	3.2E+00	1.3E-01	5.0E-03	1.2E-01	4.9E-03
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.3E-01	3.2E+00	1.3E-01	5.0E-03	1.2E-01	4.9E-03
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	3.05E-09	2.7E+01	1.2E+04	2.7E+01	3.1E-02	1.3E+01	3.1E-02
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	4.10E-10	.	8.6E+08	8.6E+08	.	9.8E+01	9.8E+01
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	8.46E-08	1.5E+04	2.4E+04	9.2E+03	3.0E-01	4.7E-01	1.8E-01
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.55E-09	7.5E+03	1.4E+05	7.1E+03	2.6E-01	4.7E+00	2.4E-01
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.38E-08	.	1.4E+07	1.4E+07	.	1.7E+00	1.7E+00
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.38E-08	.	1.5E+08	1.5E+08	.	1.2E+00	1.2E+00
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	5.96E-08	1.5E+06	3.2E+05	2.6E+05	3.1E+00	6.7E-01	5.5E-01
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.70E-07	.	5.2E+05	5.2E+05	.	1.5E-01	1.5E-01
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.65E-07	.	1.9E+06	1.9E+06	.	2.4E-01	2.4E-01
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.73E-07	.	6.7E+05	6.7E+05	.	1.5E-01	1.5E-01
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.28E-07	7.9E-04	1.2E-01	7.9E-04	7.9E-04	1.2E-01	7.9E-04
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.26E-07	.	7.5E+05	7.5E+05	.	1.8E-01	1.8E-01
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.70E-07	.	3.4E+05	3.4E+05	.	2.4E-01	2.4E-01
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.88E-08	4.7E+05	1.3E+05	1.0E+05	3.6E+00	1.0E+00	8.0E-01
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.04E-07	2.0E+05	3.7E+04	3.1E+04	2.0E+00	3.9E-01	3.2E-01
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	2.30E-08	3.3E+03	2.3E+04	2.9E+03	2.5E-01	1.7E+00	2.2E-01
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.19E-07	4.7E+02	1.0E+03	3.2E+02	1.5E-01	3.4E-01	1.0E-01
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	1.57E-09	6.2E-06	2.6E+01	6.2E-06	6.1E-06	2.6E+01	6.1E-06
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	1.33E-09	3.4E+01	3.0E+05	3.4E+01	3.4E-03	3.0E+01	3.4E-03
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	4.35E-11	7.1E-06	9.8E+02	7.1E-06	6.7E-06	9.2E+02	6.7E-06
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.68E-09	7.1E-06	2.5E+01	7.1E-06	6.7E-06	2.4E+01	6.7E-06
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	4.61E-09	6.2E-06	8.7E+00	6.2E-06	6.2E-06	8.7E+00	6.2E-06
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	2.27E-08	6.2E-06	1.8E+00	6.2E-06	6.2E-06	1.8E+00	6.2E-06
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.09E-08	9.4E+02	6.9E+03	8.3E+02	6.0E-02	4.4E-01	5.3E-02
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.93E-09	6.3E+05	7.6E+06	5.8E+05	1.7E+00	2.1E+01	1.6E+00
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	3.28E-09	1.1E+05	9.4E+05	9.5E+04	1.4E+00	1.2E+01	1.2E+00
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.20E-08	3.6E+05	1.2E+05	8.9E+04	1.5E+00	4.9E-01	3.7E-01
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.16E-07	2.1E+06	1.3E+05	1.2E+05	5.5E+00	3.5E-01	3.3E-01
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.39E-08	1.9E+06	1.2E+06	7.4E+05	4.7E+00	2.9E+00	1.8E+00
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	5.24E-11	.	7.9E+02	7.9E+02	.	7.7E+02	7.7E+02
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.57E-07	.	2.2E+04	2.2E+04	.	2.6E-01	2.6E-01
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	5.84E-11	.	8.9E+02	8.9E+02	.	6.9E+02	6.9E+02
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.60E-08	2.4E-01	1.4E+00	2.1E-01	1.8E-01	1.1E+00	1.6E-01
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	1.91E-07	.	3.7E+05	3.7E+05	.	2.1E-01	2.1E-01
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.41E-07	.	1.3E+05	1.3E+05	.	1.7E-01	1.7E-01
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.45E-07	.	3.4E+05	3.4E+05	.	9.0E-02	9.0E-02
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.31E-07	3.4E+06	1.9E+05	1.8E+05	5.4E+00	3.1E-01	2.9E-01
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.08E-07	2.8E+05	1.4E+04	1.4E+04	1.6E+00	7.9E-02	7.5E-02
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.44E-08	3.5E+02	1.5E+03	2.8E+02	1.4E-01	6.2E-01	1.2E-01
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.07E-07	3.1E+02	1.2E+03	2.4E+02	5.1E-02	1.9E-01	4.0E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	3.57E-10	3.8E+00	9.2E+03	3.8E+00	4.6E-02	1.1E+02	4.6E-02
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	8.58E-08	8.8E+00	1.7E+02	8.4E+00	2.4E-02	4.7E-01	2.3E-02
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	4.92E-08	3.3E+02	5.0E+03	3.1E+02	5.4E-02	8.1E-01	5.1E-02
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.72E-10	5.0E+02	1.7E+05	5.0E+02	1.2E-01	4.1E+01	1.2E-01
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.58E-07	9.0E+04	2.6E+04	2.0E+04	8.6E-01	2.5E-01	2.0E-01
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.39E-09	.	9.6E+06	9.6E+06	.	9.1E+00	9.1E+00
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.63E-07	.	1.6E+05	1.6E+05	.	1.5E-01	1.5E-01
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.32E-07	3.5E+04	1.1E+05	2.6E+04	9.6E-02	3.0E-01	7.3E-02
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	2.85E-07	8.9E+04	4.4E+04	2.9E+04	2.9E-01	1.4E-01	9.5E-02
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.38E-07	2.7E+03	1.5E+04	2.3E+03	3.1E-02	1.7E-01	2.6E-02
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.57E-07	1.1E+04	1.1E+04	5.5E+03	1.2E-01	1.1E-01	5.7E-02
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.61E-07	7.2E+02	4.5E+03	6.2E+02	2.5E-02	1.5E-01	2.1E-02
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.57E-07	1.2E+02	2.2E+03	1.2E+02	6.3E-03	1.1E-01	6.0E-03
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	3.08E-09	1.3E+01	2.9E+05	1.3E+01	5.8E-04	1.3E+01	5.8E-04
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	3.63E-09	1.3E+01	2.4E+05	1.3E+01	5.8E-04	1.1E+01	5.8E-04
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.90E-11	.	1.2E+16	1.2E+16	.	2.1E+03	2.1E+03
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	2.32E-10	.	3.3E+14	3.3E+14	.	1.7E+02	1.7E+02
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.64E-11	.	2.7E+13	2.7E+13	.	1.5E+03	1.5E+03
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	8.33E-13	.	1.8E+13	1.8E+13	.	4.8E+04	4.8E+04
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.05E-08	.	2.0E+06	2.0E+06	.	7.9E-01	7.9E-01
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.73E-07	5.0E+06	2.1E+05	2.0E+05	5.6E+00	2.3E-01	2.2E-01
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.26E-07	.	3.6E+05	3.6E+05	.	3.2E-01	3.2E-01
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	2.95E-07	1.2E+06	3.0E+04	2.9E+04	5.4E+00	1.4E-01	1.3E-01
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.41E-08	5.7E+04	3.1E+04	2.0E+04	1.2E+00	6.3E-01	4.1E-01
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.37E-07	3.0E+04	5.4E+03	4.6E+03	9.2E-01	1.7E-01	1.4E-01
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.57E-08	5.1E+03	2.3E+04	4.2E+03	5.7E-01	2.6E+00	4.7E-01
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	2.09E-08	.	2.8E+08	2.8E+08	.	1.9E+00	1.9E+00
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.22E-07	1.3E+03	1.4E+03	6.5E+02	3.0E-01	3.3E-01	1.6E-01
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	6.44E-09	1.2E+00	2.2E+02	1.2E+00	3.5E-02	6.2E+00	3.5E-02
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	2.12E-08	.	3.5E+07	3.5E+07	.	1.9E+00	1.9E+00
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	5.08E-08	1.9E+02	8.4E+02	1.6E+02	1.8E-01	7.9E-01	1.5E-01
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	2.37E-08	2.1E+03	2.8E+04	2.0E+03	1.3E-01	1.7E+00	1.2E-01
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.51E-08	1.4E+02	2.2E+03	1.3E+02	5.8E-02	8.9E-01	5.4E-02
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	5.46E-08	9.0E+01	2.1E+03	8.6E+01	3.1E-02	7.3E-01	3.0E-02
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	9.75E-09	1.5E+02	8.6E+03	1.5E+02	7.2E-02	4.1E+00	7.0E-02
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.28E-08	5.3E+05	2.4E+05	1.6E+05	2.7E+00	1.2E+00	8.4E-01
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.23E-07	7.5E+02	1.5E+03	5.0E+02	8.9E-02	1.8E-01	5.9E-02
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	3.98E-09	2.6E+06	3.7E+06	1.5E+06	7.1E+00	1.0E+01	4.2E+00
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.10E-08	.	3.8E+07	3.8E+07	.	1.9E+00	1.9E+00
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.34E-08	4.9E+06	5.4E+05	4.9E+05	5.7E+00	6.3E-01	5.7E-01
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.47E-08	6.1E+04	5.9E+04	3.0E+04	6.4E-01	6.2E-01	3.2E-01
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.20E-08	8.4E+06	3.6E+05	3.5E+05	1.1E+01	4.9E-01	4.7E-01
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	5.18E-09	7.9E+01	2.1E+04	7.9E+01	2.9E-02	7.8E+00	2.9E-02
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.63E-08	1.8E+05	7.8E+04	5.5E+04	2.6E+00	1.1E+00	7.8E-01
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.83E-07	1.6E+05	1.6E+04	1.5E+04	2.3E+00	2.2E-01	2.0E-01
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	5.02E-08	4.0E+01	4.6E+02	3.7E+01	7.1E-02	8.0E-01	6.5E-02
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	6.41E-09	8.2E+06	4.1E+06	2.7E+06	1.3E+01	6.3E+00	4.2E+00
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	4.04E-08	1.5E-02	2.1E+00	1.4E-02	7.0E-03	9.9E-01	6.9E-03
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.93E-09	4.1E+02	2.7E+04	4.0E+02	1.0E-01	6.8E+00	1.0E-01
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	5.11E-09	7.3E+02	4.3E+04	7.1E+02	1.3E-01	7.8E+00	1.3E-01
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	6.82E-08	.	2.2E+06	2.2E+06	.	5.9E-01	5.9E-01
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	5.36E-09	1.4E+05	8.5E+05	1.2E+05	1.2E+00	7.5E+00	1.1E+00
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.00E-08	5.1E+00	1.0E+03	5.1E+00	1.0E-02	2.0E+00	9.9E-03
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.08E-07	1.1E+06	1.9E+05	1.6E+05	2.2E+00	3.7E-01	3.2E-01
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.22E-07	4.5E+06	2.9E+05	2.7E+05	5.0E+00	3.3E-01	3.1E-01
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	6.41E-11	2.4E-03	6.3E+02	2.4E-03	2.4E-03	6.3E+02	2.4E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.59E-09	1.3E+02	8.9E+02	1.1E+02	1.1E+00	7.2E+00	9.3E-01
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	1.99E-07	.	2.0E+05	2.0E+05	.	2.0E-01	2.0E-01
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.78E-07	7.2E+05	3.8E+04	3.6E+04	2.8E+00	1.4E-01	1.4E-01
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.07E-07	1.0E+05	1.7E+04	1.5E+04	1.2E+00	1.9E-01	1.7E-01
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.22E-07	1.6E+05	1.1E+04	1.1E+04	1.8E+00	1.2E-01	1.2E-01
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	2.88E-07	3.6E+03	1.9E+03	1.2E+03	2.7E-01	1.4E-01	9.2E-02
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.41E-07	3.7E+03	1.7E+03	1.1E+03	2.6E-01	1.2E-01	8.1E-02
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.04E-07	2.7E+01	8.5E+01	2.0E+01	6.2E-02	2.0E-01	4.7E-02
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	3.85E-07	3.8E+01	1.1E+02	2.8E+01	3.6E-02	1.0E-01	2.7E-02
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.79E-07	2.7E-03	2.9E-01	2.7E-03	2.1E-03	2.2E-01	2.1E-03
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.47E-07	2.3E-03	1.2E-01	2.3E-03	2.3E-03	1.2E-01	2.3E-03
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	1.43E-10	6.6E-01	3.7E+05	6.6E-01	5.0E-04	2.8E+02	5.0E-04
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.86E-08	7.9E-06	1.4E+00	7.9E-06	7.9E-06	1.4E+00	7.9E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.88E-08	7.9E-06	1.4E+00	7.9E-06	7.9E-06	1.4E+00	7.9E-06
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.18E-09	.	3.4E+07	3.4E+07	.	7.8E+00	7.8E+00
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	4.3E+02	5.0E+05	4.3E+02	2.7E-03	3.2E+00	2.7E-03
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	4.3E+02	5.0E+05	4.3E+02	2.7E-03	3.2E+00	2.7E-03
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	2.41E-10	.	2.2E+08	2.2E+08	.	1.7E+02	1.7E+02
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	6.5E+02	5.8E+05	6.4E+02	3.1E-03	2.8E+00	3.1E-03
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	6.5E+02	5.8E+05	6.4E+02	3.1E-03	2.8E+00	3.1E-03
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	3.5E+03	1.1E+05	3.4E+03	7.4E-03	2.2E-01	7.2E-03
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	3.5E+03	1.1E+05	3.4E+03	7.4E-03	2.2E-01	7.2E-03
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.88E-08	.	1.7E+06	1.7E+06	.	1.4E+00	1.4E+00
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.89E-08	.	1.7E+06	1.7E+06	.	1.4E+00	1.4E+00
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.43E-08	.	2.1E+06	2.1E+06	.	4.8E-01	4.8E-01
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	2.29E-08	3.8E+01	2.3E+03	3.7E+01	2.8E-02	1.8E+00	2.8E-02
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	9.69E-08	8.8E+02	1.5E+03	5.6E+02	2.4E-01	4.1E-01	1.5E-01
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.48E-08	4.8E-06	2.7E+00	4.8E-06	4.8E-06	2.7E+00	4.8E-06
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.49E-09	2.9E+01	4.9E+04	2.9E+01	4.4E-03	7.3E+00	4.4E-03
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	3.06E-13	3.9E-02	2.6E+06	3.9E-02	1.9E-03	1.3E+05	1.9E-03
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.06E-07	8.4E+03	1.9E+04	5.8E+03	1.7E-01	3.8E-01	1.2E-01
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	8.39E-09	4.2E+05	8.1E+05	2.8E+05	2.5E+00	4.8E+00	1.6E+00
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.53E-07	.	8.2E+05	8.2E+05	.	1.1E-01	1.1E-01
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.63E-07	.	6.9E+05	6.9E+05	.	2.5E-01	2.5E-01
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	5.87E-07	1.3E+06	2.5E+04	2.5E+04	3.5E+00	6.8E-02	6.7E-02
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.08E-07	3.8E+05	1.6E+04	1.6E+04	1.8E+00	7.9E-02	7.6E-02
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.35E-07	1.9E+05	2.9E+04	2.5E+04	1.9E+00	3.0E-01	2.6E-01
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.41E-07	2.0E+03	1.1E+03	7.2E+02	2.0E-01	1.2E-01	7.4E-02
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	2.27E-09	.	7.7E+09	7.7E+09	.	1.8E+01	1.8E+01
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.53E-08	2.9E+03	3.1E+03	1.5E+03	1.0E+00	1.1E+00	5.4E-01
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.44E-09	.	6.2E+07	6.2E+07	.	2.8E+01	2.8E+01
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.17E-07	.	5.0E+05	5.0E+05	.	3.4E-01	3.4E-01
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.03E-09	4.7E+06	2.4E+06	1.6E+06	8.8E+00	4.4E+00	3.0E+00
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	5.14E-10	2.4E+04	2.8E+06	2.3E+04	6.6E-01	7.8E+01	6.5E-01
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.09E-07	5.8E+02	5.8E+02	2.9E+02	1.3E-01	1.3E-01	6.5E-02
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.53E-10	.	1.8E+08	1.8E+08	.	1.1E+02	1.1E+02
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.80E-10	1.1E+05	3.0E+06	1.1E+05	1.7E+00	4.6E+01	1.7E+00
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.26E-07	9.1E+05	5.3E+04	5.0E+04	3.0E+00	1.8E-01	1.7E-01
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.31E-07	.	1.9E+05	1.9E+05	.	1.2E-01	1.2E-01
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	8.58E-09	.	1.5E+07	1.5E+07	.	4.7E+00	4.7E+00
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	1.99E-07	.	6.0E+06	6.0E+06	.	2.0E-01	2.0E-01
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.15E-07	.	.	.	.	.	.
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	1.16E-12	.	.	.	.	.	.
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	3.9E-01	.	3.9E-01	3.9E-01	.	3.9E-01
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	6.19E-12	7.2E-01	2.6E+05	7.2E-01	1.8E-02	6.5E+03	1.8E-02
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.28E-07	3.7E+01	4.6E+02	3.4E+01	2.6E-02	3.1E-01	2.4E-02
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.29E-07	.	1.0E+05	1.0E+05	.	9.3E-02	9.3E-02
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	2.97E-07	.	9.4E+05	9.4E+05	.	1.3E-01	1.3E-01
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.44E-08	.	7.3E+05	7.3E+05	.	4.3E-01	4.3E-01
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.56E-07	.	2.0E+05	2.0E+05	.	1.6E-01	1.6E-01
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.54E-08	2.7E+05	2.6E+05	1.3E+05	1.6E+00	1.6E+00	8.0E-01
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.57E-07	7.9E+05	4.4E+04	4.1E+04	4.6E+00	2.6E-01	2.4E-01
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	1.16E-09	1.8E+04	8.4E+05	1.7E+04	7.3E-01	3.5E+01	7.2E-01
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	4.99E-10	1.5E-01	1.1E+03	1.5E-01	1.0E-02	8.0E+01	1.0E-02
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	3.00E-08	1.0E+06	2.6E+05	2.1E+05	5.2E+00	1.3E+00	1.1E+00
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.02E-11	2.1E-03	3.9E+03	2.1E-03	2.1E-03	3.9E+03	2.1E-03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	4.73E-11	3.1E-03	1.5E+03	3.1E-03	1.7E-03	8.5E+02	1.7E-03
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.17E-08	1.3E+02	5.5E+03	1.3E+02	4.4E-02	1.8E+00	4.3E-02
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.20E-09	1.2E+00	1.4E+03	1.2E+00	7.9E-03	9.6E+00	7.9E-03
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.30E-07	2.2E+04	2.0E+04	1.0E+04	3.5E-01	3.1E-01	1.6E-01
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.53E-07	1.6E+04	7.4E+03	5.1E+03	3.5E-01	1.6E-01	1.1E-01
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	3.19E-11	2.0E+05	2.4E+08	2.0E+05	1.1E+00	1.3E+03	1.1E+00
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.03E-07	.	7.0E+05	7.0E+05	.	2.0E-01	2.0E-01
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	2.84E-07	.	6.1E+05	6.1E+05	.	1.4E-01	1.4E-01
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.36E-08	1.3E+06	3.1E+05	2.5E+05	3.2E+00	7.5E-01	6.1E-01
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.88E-07	8.5E+06	2.0E+05	1.9E+05	9.1E+00	2.1E-01	2.1E-01
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.71E-08	1.6E+04	6.7E+04	1.3E+04	3.5E-01	1.5E+00	2.8E-01
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.68E-08	1.4E+05	6.9E+04	4.6E+04	1.4E+00	7.1E-01	4.7E-01
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.02E-07	2.2E+04	6.4E+03	4.9E+03	6.7E-01	2.0E-01	1.5E-01
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	9.12E-10	6.0E+01	9.2E+04	6.0E+01	2.9E-02	4.4E+01	2.9E-02
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.09E-08	4.8E+03	3.9E+03	2.2E+03	5.4E-01	4.4E-01	2.4E-01
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	2.00E-09	9.1E+04	3.5E+05	7.2E+04	5.2E+00	2.0E+01	4.1E+00
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.54E-09	4.9E+02	4.0E+04	4.9E+02	1.1E-01	8.8E+00	1.1E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.47E-08	1.6E+00	1.3E+02	1.6E+00	3.3E-02	2.7E+00	3.3E-02
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	7.57E-09	3.4E+00	1.1E+03	3.4E+00	1.7E-02	5.3E+00	1.7E-02
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.94E-08	2.7E+02	6.5E+03	2.6E+02	5.6E-02	1.4E+00	5.4E-02
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.75E-09	2.9E-02	5.3E+02	2.9E-02	1.3E-03	2.3E+01	1.3E-03
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.31E-09	2.9E-02	1.5E+02	2.9E-02	1.3E-03	6.4E+00	1.3E-03
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.12E-08	.	1.4E+06	1.4E+06	.	4.4E-01	4.4E-01
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	8.52E-12	3.5E+03	2.3E+09	3.5E+03	7.1E-03	4.7E+03	7.1E-03
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	1.07E-11	6.1E-01	1.7E+07	6.1E-01	1.4E-04	3.8E+03	1.4E-04
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	8.77E-09	1.1E+05	2.3E+05	7.5E+04	2.2E+00	4.6E+00	1.5E+00
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.89E-11	1.8E-04	1.6E+04	1.8E-04	9.0E-06	8.2E+02	9.0E-06
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-08	4.9E-06	1.1E+00	4.9E-06	4.7E-06	1.1E+00	4.7E-06
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.22E-09	1.1E-05	6.0E+01	1.1E-05	6.1E-06	3.3E+01	6.1E-06
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	1.19E-08	4.7E-06	3.4E+00	4.7E-06	4.7E-06	3.4E+00	4.7E-06
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	5.65E-08	3.5E-05	4.8E+00	3.5E-05	5.2E-06	7.1E-01	5.2E-06
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	4.20E-11	1.6E-02	3.5E+05	1.6E-02	4.3E-05	9.6E+02	4.3E-05
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.09E-06	1.6E-04	2.1E+00	1.6E-04	1.5E-06	1.9E-02	1.5E-06
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	5.49E-11	1.1E+03	8.1E+07	1.1E+03	1.0E-02	7.3E+02	1.0E-02
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.18E-07	.	1.3E+08	1.3E+08	.	3.4E-01	3.4E-01
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.64E-07	7.8E+05	4.5E+04	4.3E+04	2.6E+00	1.5E-01	1.4E-01
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	9.34E-11	2.3E-03	4.3E+02	2.3E-03	2.3E-03	4.3E+02	2.3E-03
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	1.87E-07	5.9E+05	5.5E+04	5.0E+04	2.3E+00	2.1E-01	2.0E-01
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.77E-07	3.9E+05	3.9E+04	3.5E+04	2.3E+00	2.3E-01	2.1E-01
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.36E-07	.	5.2E+05	5.2E+05	.	7.5E-02	7.5E-02
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	7.45E-09	2.4E+03	3.5E+05	2.4E+03	3.6E-02	5.4E+00	3.6E-02
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.59E-08	4.7E+04	8.4E+04	3.0E+04	8.6E-01	1.5E+00	5.5E-01
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	9.34E-12	4.8E-03	1.0E+06	4.8E-03	2.0E-05	4.3E+03	2.0E-05
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.33E-08	3.8E-01	1.5E+02	3.8E-01	1.9E-03	7.5E-01	1.9E-03
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	7.95E-12	4.6E-04	2.0E+05	4.6E-04	1.1E-05	5.0E+03	1.1E-05
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.32E-08	8.4E-06	4.1E+00	8.4E-06	6.2E-06	3.0E+00	6.2E-06
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	8.52E-12	1.0E-05	7.4E+03	1.0E-05	6.5E-06	4.7E+03	6.5E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	9.78E-09	6.0E-06	4.1E+00	6.0E-06	6.0E-06	4.1E+00	6.0E-06
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.54E-10	6.0E-06	8.8E+01	6.0E-06	6.0E-06	8.8E+01	6.0E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.47E-08	6.6E-06	1.2E+00	6.6E-06	6.6E-06	1.2E+00	6.6E-06
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-08	6.6E-06	1.1E+00	6.6E-06	6.6E-06	1.1E+00	6.6E-06
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.63E-07	1.6E-06	2.5E-01	1.6E-06	1.6E-06	2.5E-01	1.6E-06
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.24E-09	4.3E+05	2.6E+06	3.7E+05	2.9E+00	1.8E+01	2.5E+00
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.65E-06	2.3E-07	2.4E-02	2.3E-07	2.3E-07	2.4E-02	2.3E-07
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.69E-06	2.3E-07	2.4E-02	2.3E-07	2.3E-07	2.4E-02	2.3E-07
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.25E-08	2.5E+06	1.8E+06	1.1E+06	4.5E+00	3.2E+00	1.9E+00
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	4.67E-07	.	5.5E+05	5.5E+05	.	8.6E-02	8.6E-02
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.33E-07	9.0E+02	1.6E+03	5.7E+02	1.0E-01	1.7E-01	6.3E-02
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.51E-07	7.8E-01	7.6E+00	7.1E-01	9.1E-03	8.9E-02	8.3E-03
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	1.23E-08	1.5E+00	7.9E+01	1.5E+00	6.1E-02	3.3E+00	6.0E-02
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.13E-07	2.7E+00	3.3E+01	2.5E+00	2.9E-02	3.6E-01	2.7E-02
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	1.20E-13	4.9E+04	5.8E+09	4.9E+04	2.8E+00	3.3E+05	2.8E+00
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.04E-07	8.1E-03	4.7E-01	7.9E-03	2.3E-03	1.3E-01	2.2E-03
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.86E-10	4.8E+07	7.5E+07	2.9E+07	5.4E+01	8.3E+01	3.2E+01
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	9.37E-09	1.4E+05	4.1E+05	1.1E+05	1.5E+00	4.3E+00	1.1E+00
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.00E-07	.	1.3E+06	1.3E+06	.	2.0E-01	2.0E-01
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.31E-07	4.7E+06	8.2E+04	8.1E+04	6.8E+00	1.2E-01	1.2E-01
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.70E-08	2.3E+03	6.2E+03	1.7E+03	3.2E-01	8.5E-01	2.3E-01
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.17E-07	7.0E+05	7.6E+04	6.9E+04	3.1E+00	3.4E-01	3.1E-01
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-09	3.3E+02	2.7E+03	2.9E+02	1.4E+00	1.1E+01	1.2E+00
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	8.87E-10	.	1.2E+08	1.2E+08	.	4.5E+01	4.5E+01
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	7.57E-09	.	8.4E+06	8.4E+06	.	5.3E+00	5.3E+00
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.34E-07	.	1.1E+06	1.1E+06	.	3.0E-01	3.0E-01
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.34E-07	.	1.4E+06	1.4E+06	.	3.0E-01	3.0E-01
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.22E-07	.	5.3E+05	5.3E+05	.	3.3E-01	3.3E-01
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.34E-07	.	5.5E+06	5.5E+06	.	3.0E-01	3.0E-01
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.49E-08	1.1E+06	9.9E+04	9.1E+04	5.2E+00	4.7E-01	4.3E-01
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.32E-07	.	1.8E+06	1.8E+06	.	3.0E-01	3.0E-01
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.64E-08	5.2E+04	2.2E+04	1.5E+04	2.1E+00	8.6E-01	6.1E-01
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.01E-07	.	1.0E+06	1.0E+06	.	4.0E-01	4.0E-01
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.82E-08	4.4E+03	7.0E+03	2.7E+03	8.8E-01	1.4E+00	5.5E-01
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.59E-08	2.8E+06	2.3E+05	2.1E+05	8.6E+00	7.2E-01	6.6E-01
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	4.77E-09	.	2.3E+07	2.3E+07	.	8.4E+00	8.4E+00
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	4.92E-10	8.4E+02	5.5E+04	8.2E+02	1.2E+00	8.1E+01	1.2E+00
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	7.98E-08	2.3E+02	5.1E+02	1.6E+02	2.2E-01	5.0E-01	1.6E-01
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.79E-07	2.9E-02	2.0E+00	2.8E-02	3.3E-03	2.2E-01	3.2E-03
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.89E-09	7.0E+04	1.2E+06	6.6E+04	1.3E+00	2.1E+01	1.2E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	8.80E-12	6.8E-03	4.6E+03	6.8E-03	6.8E-03	4.6E+03	6.8E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	1.86E-07	1.6E+06	3.9E+04	3.8E+04	9.0E+00	2.2E-01	2.1E-01
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.49E-07	1.1E+01	8.1E+01	9.8E+00	2.2E-02	1.6E-01	2.0E-02
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	4.39E-11	2.7E-03	1.2E+03	2.7E-03	2.0E-03	9.1E+02	2.0E-03
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.44E-08	2.7E-03	8.3E-01	2.7E-03	2.0E-03	6.2E-01	2.0E-03
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	2.93E-07	7.0E+05	3.9E+04	3.7E+04	2.5E+00	1.4E-01	1.3E-01
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	4.83E-08	.	2.7E+06	2.7E+06	.	8.3E-01	8.3E-01
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	3.98E-08	.	1.0E+06	1.0E+06	.	1.0E+00	1.0E+00
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.25E-07	.	1.6E+06	1.6E+06	.	1.8E-01	1.8E-01
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.37E-07	.	8.5E+08	8.5E+08	.	2.9E-01	2.9E-01
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.67E-07	.	1.7E+06	1.7E+06	.	2.4E-01	2.4E-01
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	4.80E-07	1.5E+06	3.3E+04	3.3E+04	3.9E+00	8.4E-02	8.2E-02
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.34E-08	4.7E+04	2.0E+04	1.4E+04	9.8E-01	4.3E-01	3.0E-01
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.15E-07	.	3.4E+05	3.4E+05	.	3.5E-01	3.5E-01
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.09E-08	6.5E+03	2.4E+04	5.1E+03	5.2E-01	1.9E+00	4.1E-01
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.24E-08	.	6.0E+06	6.0E+06	.	3.2E+00	3.2E+00
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.21E-08	2.5E+02	8.5E+03	2.5E+02	1.0E-01	3.3E+00	9.7E-02
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.31E-08	.	2.1E+06	2.1E+06	.	6.4E-01	6.4E-01
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	7.95E-08	.	1.4E+06	1.4E+06	.	5.0E-01	5.0E-01
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	1.92E-07	.	4.7E+05	4.7E+05	.	2.1E-01	2.1E-01
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.96E-08	.	1.8E+06	1.8E+06	.	1.4E+00	1.4E+00
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.60E-07	2.6E+05	1.3E+05	8.8E+04	4.9E-01	2.5E-01	1.7E-01
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.93E-08	6.1E+04	9.1E+04	3.7E+04	9.2E-01	1.4E+00	5.5E-01
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.66E-08	1.3E+04	1.0E+04	5.8E+03	5.4E-01	4.2E-01	2.3E-01
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	1.8E-05	.	1.8E-05	1.8E-05	.	1.8E-05
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.48E-08	1.3E+04	8.6E+03	5.1E+03	7.9E-01	5.4E-01	3.2E-01
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.60E-08	5.1E+04	2.2E+04	1.5E+04	2.6E+00	1.1E+00	7.8E-01
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	2.27E-09	6.0E+00	8.1E+02	6.0E+00	1.3E-01	1.8E+01	1.3E-01
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.87E-09	6.9E+04	9.4E+05	6.5E+04	1.0E+00	1.4E+01	9.6E-01
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.72E-09	.	1.8E+08	1.8E+08	.	2.3E+01	2.3E+01
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	3.00E-09	4.8E+01	2.6E+04	4.8E+01	2.5E-02	1.3E+01	2.5E-02
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	5.93E-08	.	1.0E+06	1.0E+06	.	6.8E-01	6.8E-01
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-08	.	1.0E+06	1.0E+06	.	9.3E-01	9.3E-01
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	5.40E-09	.	1.9E+07	1.9E+07	.	7.4E+00	7.4E+00
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	4.01E-09	2.1E+06	4.9E+06	1.5E+06	4.3E+00	1.0E+01	3.0E+00
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.10E-07	1.8E+06	9.6E+04	9.1E+04	6.7E+00	3.6E-01	3.4E-01
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.13E-07	7.7E+04	1.7E+04	1.4E+04	1.6E+00	3.5E-01	2.9E-01
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	2.25E-09	9.7E+06	2.2E+06	1.8E+06	7.7E+01	1.8E+01	1.4E+01
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	2.06E-09	1.1E+05	3.0E+05	7.8E+04	6.9E+00	1.9E+01	5.1E+00
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	9.91E-09	.	1.0E+09	1.0E+09	.	4.0E+00	4.0E+00
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	1.24E-11	3.7E+01	2.3E+06	3.7E+01	5.3E-02	3.2E+03	5.3E-02
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.98E-08	4.8E+03	2.1E+04	3.9E+03	2.3E-01	1.0E+00	1.9E-01
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.62E-08	1.4E+02	2.3E+03	1.3E+02	4.4E-02	7.1E-01	4.1E-02
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.31E-08	.	2.8E+06	2.8E+06	.	4.3E-01	4.3E-01
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.45E-08	3.1E+04	8.4E+04	2.3E+04	3.3E-01	9.0E-01	2.4E-01
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.32E-07	1.1E+03	5.6E+03	8.9E+02	5.8E-02	3.0E-01	4.8E-02
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.31E-08	2.2E+04	4.5E+04	1.5E+04	3.0E-01	6.4E-01	2.1E-01
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	8.77E-09	1.5E+02	2.2E+04	1.5E+02	3.2E-02	4.6E+00	3.2E-02
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.69E-11	7.0E-03	3.5E+05	7.0E-03	2.2E-05	1.1E+03	2.2E-05
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	3.41E-10	2.1E-04	2.8E+03	2.1E-04	8.9E-06	1.2E+02	8.9E-06
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.06E-07	2.1E-04	9.0E+00	2.1E-04	8.9E-06	3.8E-01	8.9E-06
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.36E-08	5.3E-01	3.0E+03	5.3E-01	1.3E-04	7.5E-01	1.3E-04
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.12E-11	2.5E-03	7.3E+04	2.5E-03	1.5E-05	4.4E+02	1.5E-05
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	2.92E-10	6.0E+02	5.1E+07	6.0E+02	1.6E-03	1.4E+02	1.6E-03
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.42E-07	.	6.8E+07	6.8E+07	.	2.8E-01	2.8E-01
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.01E-07	.	7.7E+05	7.7E+05	.	1.0E-01	1.0E-01
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.32E-07	.	1.1E+06	1.1E+06	.	3.0E-01	3.0E-01
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.28E-07	.	1.7E+07	1.7E+07	.	3.1E-01	3.1E-01
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.52E-07	1.5E+02	2.9E+02	9.8E+01	1.3E-01	2.6E-01	8.9E-02
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	2.81E-07	1.3E+02	2.0E+02	7.9E+01	9.0E-02	1.4E-01	5.5E-02
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.11E-08	1.4E+01	2.1E+02	1.3E+01	5.3E-02	7.8E-01	4.9E-02
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.56E-07	2.2E+00	1.9E+01	1.9E+00	1.8E-02	1.6E-01	1.6E-02
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.92E-09	9.4E+00	5.8E+02	9.2E+00	1.3E-01	8.1E+00	1.3E-01
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.75E-07	1.1E-03	2.9E-01	1.1E-03	8.5E-04	2.3E-01	8.4E-04
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.49E-09	2.6E+03	9.0E+04	2.5E+03	2.1E-01	7.3E+00	2.0E-01
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.37E-07	2.2E-03	5.3E-01	2.2E-03	1.2E-03	2.9E-01	1.2E-03
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.41E-08	3.3E+03	2.0E+04	2.8E+03	1.9E-01	1.2E+00	1.7E-01
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	6.34E-09	7.6E+05	6.2E+05	3.4E+05	7.7E+00	6.3E+00	3.5E+00
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.47E-07	2.7E-03	6.5E-01	2.7E-03	1.1E-03	2.7E-01	1.1E-03
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	5.11E-09	4.2E+06	1.6E+06	1.2E+06	2.1E+01	7.8E+00	5.7E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	5.21E-09	4.6E-02	3.0E+01	4.6E-02	1.2E-02	7.7E+00	1.2E-02
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.51E-07	6.3E+00	1.1E+02	6.0E+00	1.5E-02	2.7E-01	1.4E-02
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	3.05E-08	1.4E+03	1.4E+04	1.3E+03	1.4E-01	1.3E+00	1.2E-01
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.55E-07	4.2E+05	5.3E+04	4.7E+04	2.0E+00	2.6E-01	2.3E-01
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.19E-08	2.0E+06	6.6E+05	4.9E+05	3.7E+00	1.3E+00	9.4E-01
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.16E-07	.	3.1E+06	3.1E+06	.	3.5E-01	3.5E-01
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.11E-07	1.7E+05	3.1E+04	2.6E+04	2.0E+00	3.6E-01	3.0E-01
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.24E-08	1.5E+03	9.3E+03	1.3E+03	7.7E-02	4.9E-01	6.6E-02
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.34E-07	.	3.3E+05	3.3E+05	.	3.0E-01	3.0E-01
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	3.69E-07	.	4.1E+05	4.1E+05	.	1.1E-01	1.1E-01
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.65E-17	1.0E+00	1.6E+10	1.0E+00	1.6E-01	2.4E+09	1.6E-01
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.43E-07	2.3E+00	4.1E+01	2.2E+00	1.6E-02	2.8E-01	1.5E-02
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	2.88E-12	6.0E-04	1.4E+04	6.0E-04	6.0E-04	1.4E+04	6.0E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.04E-07	4.7E-04	1.3E-01	4.7E-04	4.7E-04	1.3E-01	4.7E-04
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.69E-07	.	3.8E+05	3.8E+05	.	2.4E-01	2.4E-01
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	5.74E-08	.	5.8E+06	5.8E+06	.	7.0E-01	7.0E-01
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.58E-08	1.0E+03	7.5E+04	1.0E+03	3.5E-02	2.5E+00	3.4E-02
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	4.10E-11	1.1E+00	6.1E+06	1.1E+00	1.8E-04	9.8E+02	1.8E-04
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	5.68E-09	3.3E-01	1.5E+04	3.3E-01	1.5E-04	7.1E+00	1.5E-04
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	8.80E-10	5.1E+01	2.2E+06	5.1E+01	1.1E-03	4.6E+01	1.1E-03
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	2.13E-10	1.8E+00	1.5E+06	1.8E+00	2.3E-04	1.9E+02	2.3E-04
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.54E-06	1.5E+01	1.6E+03	1.5E+01	2.6E-04	2.6E-02	2.5E-04
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.49E-08	5.3E-04	1.8E+02	5.3E-04	8.2E-06	2.7E+00	8.2E-06
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.33E-07	5.2E+03	1.4E+05	5.0E+03	1.1E-02	3.0E-01	1.1E-02
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.94E-10	.	2.9E+12	2.9E+12	.	1.0E+02	1.0E+02
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	8.55E-10	.	9.7E+08	9.7E+08	.	4.7E+01	4.7E+01
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	1.09E-09	.	7.7E+08	7.7E+08	.	3.7E+01	3.7E+01
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	3.11E-09	.	2.5E+07	2.5E+07	.	1.3E+01	1.3E+01
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	3.14E-09	.	2.5E+07	2.5E+07	.	1.3E+01	1.3E+01
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.96E-08	2.6E+03	1.4E+06	2.6E+03	4.0E-03	2.1E+00	3.9E-03
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	4.80E-09	2.4E+03	3.6E+06	2.4E+03	5.6E-03	8.4E+00	5.6E-03
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.53E-08	.	1.7E+06	1.7E+06	.	6.1E-01	6.1E-01
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.92E-08	.	3.1E+06	3.1E+06	.	8.1E-01	8.1E-01
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.17E-07	.	3.5E+05	3.5E+05	.	9.6E-02	9.6E-02
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.31E-07	4.8E+06	1.9E+05	1.8E+05	7.8E+00	3.1E-01	2.9E-01
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.16E-07	1.7E+03	2.1E+03	9.3E+02	1.0E-01	1.3E-01	5.6E-02
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.63E-08	4.3E+02	4.9E+03	4.0E+02	2.1E-01	2.5E+00	2.0E-01
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.08E-07	2.4E+05	5.2E+04	4.3E+04	1.7E+00	3.7E-01	3.1E-01
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.18E-09	3.3E+06	1.5E+07	2.7E+06	7.5E+00	3.4E+01	6.1E+00
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.35E-07	1.1E+03	1.3E+03	6.1E+02	9.9E-02	1.2E-01	5.4E-02
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-08	1.1E+04	3.4E+04	8.5E+03	3.5E-01	1.0E+00	2.6E-01
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	3.94E-07	.	1.2E+05	1.2E+05	.	1.0E-01	1.0E-01
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.20E-07	.	2.7E+06	2.7E+06	.	3.3E-01	3.3E-01
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.46E-07	.	8.4E+05	8.4E+05	.	1.6E-01	1.6E-01
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.07E-07	.	7.9E+05	7.9E+05	.	3.7E-01	3.7E-01
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.02E-07	3.1E+06	5.5E+04	5.4E+04	7.5E+00	1.3E-01	1.3E-01
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	7.79E-08	.	3.4E+06	3.4E+06	.	5.1E-01	5.1E-01
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	2.11E-08	1.2E+00	2.6E+02	1.2E+00	8.9E-03	1.9E+00	8.9E-03
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.59E-07	6.4E+02	1.0E+03	4.0E+02	1.6E-01	2.5E-01	9.6E-02
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	1.7E-05	.	1.7E-05	1.5E-05	.	1.5E-05
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.62E-08	4.5E+01	5.1E+02	4.2E+01	6.4E-02	7.1E-01	5.9E-02
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	1.9E-05	.	1.9E-05	1.9E-05	.	1.9E-05
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	5.18E-09	2.8E+00	4.1E+02	2.8E+00	5.3E-02	7.8E+00	5.2E-02
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	2.5E-05	.	2.5E-05	2.5E-05	.	2.5E-05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	7.35E-09	7.3E-01	1.5E+02	7.3E-01	2.7E-02	5.5E+00	2.7E-02
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.49E-09	1.2E+03	6.2E+04	1.2E+03	1.5E-01	7.3E+00	1.4E-01
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.64E-08	.	9.7E+05	9.7E+05	.	8.6E-01	8.6E-01
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.48E-08	6.2E+04	3.7E+04	2.3E+04	8.9E-01	5.4E-01	3.3E-01
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.64E-07	2.5E+06	1.2E+05	1.2E+05	5.0E+00	2.4E-01	2.3E-01
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.35E-13	5.4E-02	7.2E+06	5.4E-02	2.2E-03	3.0E+05	2.2E-03
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.08E-07	5.4E-02	9.0E+00	5.4E-02	2.2E-03	3.7E-01	2.2E-03
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.11E-07	1.3E+03	1.5E+03	6.8E+02	3.2E-01	3.6E-01	1.7E-01
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.37E-13	2.4E+03	1.7E+08	2.4E+03	4.2E+00	2.9E+05	4.2E+00
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	4.04E-09	2.9E+05	1.1E+06	2.3E+05	2.5E+00	9.9E+00	2.0E+00
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.25E-07	2.6E+03	4.5E+03	1.6E+03	1.9E-01	3.2E-01	1.2E-01
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	3.06E-08	9.6E+04	1.4E+05	5.7E+04	8.9E-01	1.3E+00	5.3E-01
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.82E-08	.	2.7E+06	2.7E+06	.	5.9E-01	5.9E-01
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	6.97E-08	.	1.7E+06	1.7E+06	.	5.8E-01	5.8E-01
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.58E-08	2.2E+03	8.6E+03	1.7E+03	2.2E-01	8.8E-01	1.8E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	2.6E-02	5.3E+01	2.6E-02	2.7E-03	5.5E+00	2.7E-03
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	2.6E-02	5.3E+01	2.6E-02	2.7E-03	5.5E+00	2.7E-03
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	4.01E-08	2.4E+03	6.7E+03	1.8E+03	3.6E-01	1.0E+00	2.6E-01
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	2.3E-05	.	2.3E-05	2.3E-05	.	2.3E-05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.66E-08	4.1E+00	1.0E+02	4.0E+00	4.4E-02	1.1E+00	4.2E-02
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.46E-07	2.2E+05	3.0E+04	2.6E+04	1.2E+00	1.6E-01	1.4E-01
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-07	9.3E-04	2.2E-01	9.3E-04	7.1E-04	1.6E-01	7.1E-04
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.81E-08	3.7E+00	1.1E+02	3.6E+00	1.4E-02	4.1E-01	1.4E-02
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.07E-07	1.5E+04	1.1E+04	6.2E+03	5.1E-01	3.7E-01	2.2E-01
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.81E-08	1.7E+00	1.1E+02	1.7E+00	1.1E-02	6.9E-01	1.1E-02
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.59E-08	7.0E-04	1.5E+00	7.0E-04	7.0E-04	1.5E+00	7.0E-04
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.78E-07	6.3E-04	2.3E-01	6.3E-04	6.3E-04	2.3E-01	6.3E-04
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-07	2.8E+05	6.2E+04	5.1E+04	1.8E+00	4.0E-01	3.3E-01
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	8.80E-08	1.9E+05	6.7E+04	5.0E+04	1.3E+00	4.6E-01	3.4E-01
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.42E-08	6.0E+03	6.3E+04	5.5E+03	1.6E-01	1.7E+00	1.4E-01
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.89E-08	4.2E+05	1.0E+06	3.0E+05	8.9E-01	2.1E+00	6.3E-01
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.70E-07	4.0E+04	4.4E+04	2.1E+04	2.1E-01	2.4E-01	1.1E-01
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.73E-08	2.2E+03	4.8E+04	2.1E+03	6.9E-02	1.5E+00	6.6E-02
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	9.66E-08	.	.	.	.	.	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	9.72E-08	3.3E+03	1.7E+04	2.8E+03	7.9E-02	4.1E-01	6.6E-02
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.18E-07	.	.	.	.	.	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	8.52E-13	.	.	.	.	.	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.22E-07	.	.	.	.	.	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	2.06E-08	.	.	.	.	.	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	2.09E-08	.	.	.	.	.	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	5.71E-09	.	.	.	.	.	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	9.09E-09	.	.	.	.	.	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.83E-08	.	.	.	.	.	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.59E-08	.	.	.	.	.	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	8.08E-10	.	9.0E+07	9.0E+07	.	5.0E+01	5.0E+01
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.34E-08	.	3.5E+06	3.5E+06	.	3.0E+00	3.0E+00
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.25E-07	.	4.0E+05	4.0E+05	.	1.2E-01	1.2E-01
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.18E-07	.	1.4E+06	1.4E+06	.	1.8E-01	1.8E-01
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.16E-07	.	1.6E+06	1.6E+06	.	3.5E-01	3.5E-01
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.18E-07	.	3.5E+05	3.5E+05	.	3.4E-01	3.4E-01
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.17E-07	7.3E+06	1.5E+05	1.5E+05	9.1E+00	1.8E-01	1.8E-01
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.76E-07	.	4.4E+05	4.4E+05	.	1.5E-01	1.5E-01
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.82E-08	7.4E+05	1.2E+05	1.0E+05	3.7E+00	5.9E-01	5.1E-01
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.48E-07	3.1E+05	2.7E+04	2.5E+04	1.8E+00	1.6E-01	1.5E-01
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.15E-08	2.0E+07	4.9E+05	4.8E+05	2.7E+01	6.5E-01	6.4E-01
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.79E-08	4.9E+06	3.0E+05	2.9E+05	1.7E+01	1.1E+00	1.0E+00
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	1.94E-07	3.8E+06	7.6E+04	7.5E+04	1.0E+01	2.1E-01	2.0E-01
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	3.07E-09	6.2E+05	8.3E+05	3.6E+05	9.7E+00	1.3E+01	5.6E+00
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.63E-08	2.5E+07	1.6E+06	1.5E+06	4.0E+01	2.5E+00	2.3E+00
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.28E-08	6.2E+05	9.0E+04	7.9E+04	4.4E+00	6.4E-01	5.6E-01
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	1.9E-01	.	1.9E-01	1.9E-01	.	1.9E-01
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	1.71E-09	4.3E+06	7.7E+06	2.7E+06	1.3E+01	2.3E+01	8.4E+00
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	2.41E-09	1.5E+06	4.1E+06	1.1E+06	6.1E+00	1.7E+01	4.5E+00
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.44E-09	3.4E+02	6.9E+04	3.3E+02	5.7E-02	1.2E+01	5.7E-02
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.85E-07	3.0E-04	2.2E-01	3.0E-04	3.0E-04	2.2E-01	3.0E-04
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.98E-08	4.7E+04	5.1E+04	2.4E+04	9.1E-01	1.0E+00	4.8E-01
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.02E-07	.	1.2E+06	1.2E+06	.	3.9E-01	3.9E-01
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	3.44E-10	.	5.0E+08	5.0E+08	.	1.2E+02	1.2E+02
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	1.98E-07	.	7.0E+05	7.0E+05	.	2.0E-01	2.0E-01
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.35E-07	2.7E+05	1.2E+05	8.2E+04	4.0E-01	1.7E-01	1.2E-01
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.35E-07	.	1.0E+05	1.0E+05	.	9.2E-02	9.2E-02
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.02E-07	7.0E+05	2.0E+05	1.5E+05	1.4E+00	3.9E-01	3.1E-01
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.25E-07	.	.	.	.	.	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.13E-07	.	.	.	.	.	.
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.26E-08	.	.	.	.	.	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.10E-07	.	9.6E+05	9.6E+05	.	3.7E-01	3.7E-01
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.62E-08	.	.	.	.	.	.
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.30E-07	.	.	.	.	.	.
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	7.67E-10	.	.	.	.	.	.
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	4.83E-08	.	.	.	.	.	.
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	7.89E-09	.	.	.	.	.	.
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	5.93E-10	.	.	.	.	.	.
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.46E-07	.	.	.	.	.	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.21E-08	.	3.5E+06	3.5E+06	.	3.3E+00	3.3E+00
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.26E-08	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.64E-07	.	.	.	.	.	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	3.79E-08	.	.	.	.	.	.
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.01E-08	.	.	.	.	.	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.06E-07	.	.	.	.	.	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.97E-08	.	3.6E+06	3.6E+06	.	1.4E+00	1.4E+00
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	1.93E-07	.	.	.	.	.	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.31E-07	.	1.1E+06	1.1E+06	.	1.2E-01	1.2E-01
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.27E-07	.	3.3E+05	3.3E+05	.	1.8E-01	1.8E-01
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.13E-07	.	1.5E+05	1.5E+05	.	9.7E-02	9.7E-02
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.41E-07	.	2.1E+05	2.1E+05	.	1.2E-01	1.2E-01
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.82E-07	1.1E+06	6.4E+04	6.1E+04	3.9E+00	2.2E-01	2.1E-01
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.61E-07	4.6E+05	1.4E+04	1.4E+04	2.8E+00	8.7E-02	8.4E-02
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.44E-07	7.3E+05	2.8E+04	2.7E+04	3.1E+00	1.2E-01	1.1E-01
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.26E-08	8.8E+04	2.1E+04	1.7E+04	2.3E+00	5.5E-01	4.5E-01
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	6.94E-08	.	4.1E+06	4.1E+06	.	5.8E-01	5.8E-01
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.60E-07	2.7E+04	3.6E+03	3.2E+03	8.3E-01	1.1E-01	9.8E-02
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.84E-07	2.5E+05	3.0E+04	2.7E+04	1.9E+00	2.2E-01	2.0E-01
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	4.20E-08	6.3E+02	2.2E+03	4.9E+02	2.7E-01	9.6E-01	2.1E-01
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.30E-08	.	9.3E+05	9.3E+05	.	7.6E-01	7.6E-01
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	2.97E-08	1.2E+07	8.5E+05	8.0E+05	1.9E+01	1.3E+00	1.3E+00
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	2.33E-09	2.8E+06	7.9E+06	2.0E+06	6.0E+00	1.7E+01	4.4E+00
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.84E-08	3.9E+05	1.3E+05	1.0E+05	4.1E+00	1.4E+00	1.0E+00
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	7.13E-10	.	4.4E+08	4.4E+08	.	5.6E+01	5.6E+01
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	8.08E-09	6.1E-01	6.6E+02	6.1E-01	4.6E-03	5.0E+00	4.6E-03
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.77E-09	6.1E-01	6.1E+02	6.1E-01	4.6E-03	4.6E+00	4.6E-03
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	2.87E-11	5.6E-04	1.4E+03	5.6E-04	5.6E-04	1.4E+03	5.6E-04
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.72E-08	3.5E+04	8.2E+04	2.4E+04	9.9E-01	2.3E+00	6.9E-01
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.00E-07	4.3E+05	2.3E+04	2.2E+04	2.5E+00	1.3E-01	1.3E-01
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.73E-08	8.6E+05	1.1E+05	1.0E+05	3.9E+00	5.2E-01	4.6E-01
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.63E-09	7.5E+04	3.4E+05	6.2E+04	9.2E-01	4.2E+00	7.6E-01
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.16E-08	.	3.9E+08	3.9E+08	.	3.5E+00	3.5E+00
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.31E-07	.	2.6E+05	2.6E+05	.	1.2E-01	1.2E-01
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	8.90E-08	.	1.8E+06	1.8E+06	.	4.5E-01	4.5E-01
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.36E-09	3.4E+06	2.5E+06	1.5E+06	6.5E+00	4.8E+00	2.8E+00
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.10E-07	.	9.0E+06	9.0E+06	.	3.7E-01	3.7E-01
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.54E-09	.	1.3E+07	1.3E+07	.	5.3E+00	5.3E+00
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.81E-07	.	1.4E+06	1.4E+06	.	2.2E-01	2.2E-01
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.61E-07	2.7E+06	1.6E+05	1.5E+05	4.3E+00	2.5E-01	2.4E-01
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.39E-07	3.7E+05	4.7E+04	4.2E+04	2.3E+00	2.9E-01	2.6E-01
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.28E-07	3.2E+04	9.0E+03	7.0E+03	6.3E-01	1.8E-01	1.4E-01
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.00E-07	2.9E+03	4.4E+03	1.7E+03	2.7E-01	4.0E-01	1.6E-01
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	1.93E-07	1.8E+03	2.0E+03	9.3E+02	1.9E-01	2.1E-01	9.8E-02
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.48E-07	1.5E+05	2.2E+04	1.9E+04	1.8E+00	2.7E-01	2.4E-01
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.53E-08	1.2E+04	1.7E+04	7.1E+03	8.2E-01	1.1E+00	4.8E-01
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.59E-07	5.8E+02	5.9E+02	2.9E+02	1.5E-01	1.6E-01	7.7E-02
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	6.44E-09	5.3E+01	3.1E+03	5.2E+01	1.1E-01	6.2E+00	1.0E-01
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.64E-07	2.5E+01	1.4E+02	2.1E+01	4.4E-02	2.4E-01	3.7E-02
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.98E-13	1.4E+06	2.9E+10	1.4E+06	1.0E+01	2.0E+05	1.0E+01
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	4.32E-09	5.1E+04	4.7E+05	4.6E+04	1.0E+00	9.3E+00	9.1E-01
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	6.44E-09	.	7.2E+08	7.2E+08	.	6.2E+00	6.2E+00
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.09E-08	8.5E-01	3.9E+01	8.3E-01	9.5E-03	4.4E-01	9.3E-03
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	6.25E-12	.	4.2E+10	4.2E+10	.	6.4E+03	6.4E+03
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	6.56E-11	1.5E-03	6.3E+02	1.5E-03	1.5E-03	6.1E+02	1.5E-03
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	2.39E-11	3.2E+01	1.0E+06	3.2E+01	5.1E-02	1.7E+03	5.1E-02
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.09E-08	5.5E+02	3.0E+04	5.4E+02	6.7E-02	3.7E+00	6.6E-02
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.63E-07	2.0E-01	5.9E+00	2.0E-01	5.3E-03	1.5E-01	5.1E-03
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	4.89E-09	6.1E+04	5.2E+05	5.4E+04	9.6E-01	8.2E+00	8.6E-01
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.07E-08	2.1E+04	4.1E+04	1.4E+04	5.1E-01	9.9E-01	3.4E-01
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.76E-08	.	1.6E+07	1.6E+07	.	1.5E+00	1.5E+00
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.78E-07	1.2E+05	1.6E+04	1.4E+04	1.1E+00	1.4E-01	1.3E-01
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	3.98E-07	.	1.3E+05	1.3E+05	.	1.0E-01	1.0E-01
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	1.96E-08	1.0E-03	2.0E+00	1.0E-03	1.0E-03	2.0E+00	1.0E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.60E-08	2.4E+03	1.4E+04	2.0E+03	1.8E-01	1.1E+00	1.6E-01
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.09E-07	1.5E+03	2.6E+03	9.5E+02	2.1E-01	3.7E-01	1.3E-01
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.04E-07	1.6E+06	5.7E+04	5.5E+04	3.7E+00	1.3E-01	1.3E-01
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.30E-07	3.3E+06	9.5E+04	9.3E+04	6.1E+00	1.7E-01	1.7E-01
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	3.76E-07	.	5.8E+05	5.8E+05	.	1.1E-01	1.1E-01
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.18E-07	.	2.8E+05	2.8E+05	.	3.4E-01	3.4E-01
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.45E-07	.	6.1E+05	6.1E+05	.	2.8E-01	2.8E-01
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	9.3E+03	9.3E+03	.	8.7E-01	8.7E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	9.3E+03	9.3E+03	.	8.7E-01	8.7E-01
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.16E-07	.	4.4E+04	4.4E+04	.	3.5E-01	3.5E-01
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.81E-08	.	6.4E+03	6.4E+03	.	1.4E+00	1.4E+00
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	9.47E-11	.	4.2E+02	4.2E+02	.	4.2E+02	4.2E+02
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.38E-08	.	1.3E+08	1.3E+08	.	2.9E+00	2.9E+00
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	2.20E-12	.	1.6E+09	1.6E+09	.	1.8E+04	1.8E+04
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	3.19E-10	.	2.6E+02	2.6E+02	.	1.3E+02	1.3E+02
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.68E-08	.	8.4E+04	8.4E+04	.	2.4E+00	2.4E+00
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	9.97E-08	.	5.0E+04	5.0E+04	.	4.0E-01	4.0E-01
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.49E-07	.	9.0E+03	9.0E+03	.	1.6E-01	1.6E-01
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.43E-07	.	5.0E+05	5.0E+05	.	1.7E-01	1.7E-01
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.28E-07	.	2.2E+05	2.2E+05	.	1.2E-01	1.2E-01
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.03E-07	8.0E+06	3.2E+05	3.1E+05	9.8E+00	3.9E-01	3.7E-01
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.60E-07	.	1.7E+05	1.7E+05	.	1.5E-01	1.5E-01
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.23E-08	6.4E+05	8.9E+04	7.8E+04	4.0E+00	5.6E-01	4.9E-01
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.37E-07	1.1E+04	5.6E+03	3.7E+03	3.3E-01	1.7E-01	1.1E-01
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.45E-08	1.4E+06	2.1E+05	1.8E+05	3.6E+00	5.4E-01	4.7E-01
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.60E-08	1.6E+05	1.0E+05	6.2E+04	4.0E+00	2.5E+00	1.5E+00
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.14E-08	.	7.2E+05	7.2E+05	.	4.9E-01	4.9E-01
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.82E-09	3.5E+04	1.8E+05	2.9E+04	4.3E+00	2.2E+01	3.6E+00
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.48E-08	.	8.6E+05	8.6E+05	.	9.0E-01	9.0E-01
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	6.44E-10	1.6E-02	6.2E+01	1.6E-02	1.6E-02	6.2E+01	1.6E-02
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.49E-07	7.6E-04	2.7E-01	7.5E-04	7.6E-04	2.7E-01	7.5E-04
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	2.82E-07	1.8E+02	5.6E+02	1.4E+02	4.6E-02	1.4E-01	3.5E-02
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	3.98E-09	1.1E+04	4.1E+05	1.1E+04	2.8E-01	1.0E+01	2.7E-01
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.03E-07	9.6E+04	1.4E+04	1.2E+04	9.3E-01	1.3E-01	1.2E-01
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.35E-08	2.5E+06	8.0E+05	6.1E+05	3.8E+00	1.2E+00	9.1E-01
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.27E-07	7.3E+06	2.8E+05	2.7E+05	8.3E+00	3.2E-01	3.1E-01
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.03E-07	4.5E+05	3.6E+04	3.4E+04	2.4E+00	2.0E-01	1.8E-01
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.55E-07	7.2E+02	1.2E+03	4.5E+02	1.6E-01	2.6E-01	9.7E-02
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	3.91E-14	.	3.6E+12	3.6E+12	.	1.0E+06	1.0E+06
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.19E-07	3.7E+02	4.1E+02	1.9E+02	1.1E-01	1.3E-01	5.9E-02
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.07E-08	4.7E+01	4.5E+02	4.3E+01	5.9E-02	5.7E-01	5.4E-02
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	2.32E-11	.	1.2E+10	1.2E+10	.	1.7E+03	1.7E+03
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.28E-07	3.7E+01	1.7E+02	3.1E+01	3.8E-02	1.8E-01	3.1E-02
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	8.14E-14	.	1.3E+12	1.3E+12	.	4.9E+05	4.9E+05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.57E-08	2.4E-01	3.3E+01	2.4E-01	1.8E-02	2.5E+00	1.8E-02
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.11E-08	8.4E-02	2.0E+01	8.3E-02	1.5E-02	3.6E+00	1.5E-02
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	4.23E-09	6.8E-01	4.4E+02	6.8E-01	1.5E-02	9.5E+00	1.5E-02
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	5.14E-08	1.3E-03	7.8E-01	1.3E-03	1.3E-03	7.8E-01	1.3E-03
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	1.30E-09	2.2E+04	1.3E+06	2.2E+04	5.1E-01	3.1E+01	5.0E-01
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.60E-09	4.9E+01	1.1E+04	4.9E+01	5.0E-02	1.1E+01	4.9E-02
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	1.06E-07	1.7E-01	1.6E+01	1.6E-01	4.1E-03	3.8E-01	4.0E-03
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.53E-08	1.5E+06	8.7E+05	5.5E+05	4.4E+00	2.6E+00	1.6E+00
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.13E-07	1.7E+06	1.5E+05	1.3E+05	4.1E+00	3.6E-01	3.3E-01
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.44E-09	1.5E+04	4.0E+05	1.4E+04	4.3E-01	1.2E+01	4.2E-01
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.80E-07	.	3.7E+05	3.7E+05	.	2.2E-01	2.2E-01
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.41E-08	.	1.7E+06	1.7E+06	.	6.3E-01	6.3E-01
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.05E-07	.	3.8E+05	3.8E+05	.	3.8E-01	3.8E-01
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.63E-07	3.2E+02	1.9E+03	2.7E+02	4.3E-02	2.5E-01	3.6E-02
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	5.52E-07	.	3.9E+05	3.9E+05	.	7.3E-02	7.3E-02
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.13E-07	4.7E+05	7.3E+04	6.3E+04	2.3E+00	3.6E-01	3.1E-01
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.13E-07	5.8E+01	1.1E+02	3.8E+01	4.9E-02	9.7E-02	3.3E-02
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	2.87E-07	1.9E+06	6.3E+04	6.1E+04	4.3E+00	1.4E-01	1.4E-01
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	2.4E-01	.	2.4E-01	2.4E-01	.	2.4E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	9.72E-08	4.0E-01	8.7E+00	3.8E-01	1.9E-02	4.1E-01	1.8E-02
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.08E-07	3.2E+04	1.2E+04	8.6E+03	5.2E-01	1.9E-01	1.4E-01
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.18E-08	.	2.3E+07	2.3E+07	.	3.4E+00	3.4E+00
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	2.90E-07	.	1.2E+06	1.2E+06	.	1.4E-01	1.4E-01
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.77E-07	3.3E+06	1.5E+05	1.4E+05	5.1E+00	2.3E-01	2.2E-01
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	2.10E-09	4.3E+06	1.6E+07	3.4E+06	5.1E+00	1.9E+01	4.0E+00
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.41E-07	.	1.3E+06	1.3E+06	.	2.8E-01	2.8E-01
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.21E-08	4.8E+03	1.2E+04	3.5E+03	1.7E-01	4.4E-01	1.2E-01
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.12E-07	3.6E+06	2.2E+05	2.1E+05	5.9E+00	3.6E-01	3.4E-01
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.63E-07	.	2.2E+06	2.2E+06	.	2.5E-01	2.5E-01
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	3.38E-11	4.2E-02	1.2E+03	4.1E-02	4.1E-02	1.2E+03	4.1E-02
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	2.78E-07	1.1E+04	3.3E+03	2.5E+03	4.6E-01	1.4E-01	1.1E-01
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.70E-08	1.1E+02	5.6E+03	1.1E+02	4.8E-02	2.4E+00	4.7E-02
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.15E-07	.	3.3E+05	3.3E+05	.	3.5E-01	3.5E-01
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	6.63E-07	.	4.8E+06	4.8E+06	.	6.1E-02	6.1E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.58E-07	1.6E-02	1.1E+00	1.6E-02	2.4E-03	1.6E-01	2.3E-03
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.36E-07	2.0E+03	7.9E+02	5.7E+02	1.9E-01	7.5E-02	5.4E-02
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.37E-07	.	7.4E+05	7.4E+05	.	2.9E-01	2.9E-01
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	4.92E-07	2.9E+06	5.3E+04	5.2E+04	4.4E+00	8.1E-02	8.0E-02
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	4.83E-07	.	1.0E+05	1.0E+05	.	8.3E-02	8.3E-02
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.64E-07	4.2E+04	1.9E+04	1.3E+04	5.4E-01	2.4E-01	1.7E-01
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.48E-07	1.8E+05	3.9E+04	3.2E+04	1.3E+00	2.7E-01	2.2E-01
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.24E-07	1.0E+03	8.3E+02	4.6E+02	9.6E-02	7.7E-02	4.3E-02
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	2.07E-10	4.7E-02	2.0E+02	4.7E-02	4.6E-02	1.9E+02	4.6E-02
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.03E-09	1.7E+00	1.4E+03	1.7E+00	1.6E-02	1.3E+01	1.6E-02
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.74E-07	3.1E-03	2.3E-01	3.0E-03	3.1E-03	2.3E-01	3.0E-03
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.13E-07	1.0E+02	2.3E+02	7.2E+01	1.6E-01	3.6E-01	1.1E-01
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	6.03E-12	6.3E-02	1.1E+04	6.3E-02	3.8E-02	6.7E+03	3.8E-02
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.81E-07	1.7E-03	2.2E-01	1.7E-03	1.7E-03	2.2E-01	1.7E-03
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.36E-10	.	1.1E+08	1.1E+08	.	7.5E+01	7.5E+01
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	8.87E-08	6.7E+00	8.5E+01	6.3E+00	3.6E-02	4.5E-01	3.3E-02
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.88E-09	1.1E+02	1.1E+04	1.1E+02	6.1E-02	5.8E+00	6.1E-02
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	2.87E-07	6.4E+02	9.4E+02	3.8E+02	9.5E-02	1.4E-01	5.6E-02
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	7.64E-08	2.6E+05	6.9E+04	5.5E+04	2.0E+00	5.3E-01	4.2E-01
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.35E-07	3.4E+05	2.2E+04	2.1E+04	1.8E+00	1.2E-01	1.1E-01
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.84E-08	.	8.3E+07	8.3E+07	.	2.2E+00	2.2E+00
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	9.69E-08	.	1.5E+06	1.5E+06	.	4.1E-01	4.1E-01
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.81E-08	.	7.7E+05	7.7E+05	.	6.9E-01	6.9E-01
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.41E-07	3.3E+06	2.2E+05	2.0E+05	4.4E+00	2.8E-01	2.7E-01
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.75E-08	3.2E+05	2.7E+05	1.5E+05	1.7E+00	1.5E+00	7.9E-01
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.35E-07	8.3E+05	7.3E+04	6.7E+04	3.4E+00	3.0E-01	2.7E-01
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	2.56E-09	5.8E+03	4.9E+05	5.7E+03	1.8E-01	1.6E+01	1.8E-01
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	4.89E-08	3.0E+06	2.6E+05	2.4E+05	9.3E+00	8.2E-01	7.5E-01
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.82E-07	1.4E+04	6.3E+03	4.4E+03	4.9E-01	2.2E-01	1.5E-01
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	9.56E-10	7.4E+01	8.2E+04	7.4E+01	3.8E-02	4.2E+01	3.8E-02
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.50E-09	1.1E+06	3.9E+05	2.9E+05	1.7E+01	6.2E+00	4.5E+00
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.02E-08	.	4.6E+06	4.6E+06	.	5.0E-01	5.0E-01
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	2.2E-05	.	2.2E-05	2.2E-05	.	2.2E-05
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.40E-08	1.5E+01	1.7E+03	1.5E+01	2.4E-02	2.9E+00	2.4E-02
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	4.01E-08	6.6E+04	9.1E+04	3.8E+04	7.2E-01	1.0E+00	4.2E-01
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	9.88E-08	4.5E+06	3.1E+05	2.9E+05	6.0E+00	4.1E-01	3.8E-01
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.79E-08	4.6E+06	1.9E+06	1.3E+06	5.5E+00	2.2E+00	1.6E+00
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.16E-07	.	1.1E+07	1.1E+07	.	3.5E-01	3.5E-01
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.15E-08	.	1.8E+06	1.8E+06	.	6.5E-01	6.5E-01
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	1.98E-07	.	.	.	.	.	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.34E-07	.	.	.	.	.	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.75E-12	.	.	.	.	.	.
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	6.85E-08	.	.	.	.	.	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	5.55E-12	.	.	.	.	.	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.35E-07	2.9E+06	1.9E+05	1.8E+05	4.5E+00	3.0E-01	2.8E-01
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	8.27E-09	1.9E+07	1.3E+06	1.2E+06	7.4E+01	4.9E+00	4.6E+00
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.33E-07	2.1E+02	4.5E+02	1.4E+02	1.4E-01	3.0E-01	9.6E-02
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	1.9E+00	1.0E+04	1.9E+00	1.1E-01	6.1E+02	1.1E-01
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	1.9E+00	1.0E+04	1.9E+00	1.1E-01	6.1E+02	1.1E-01
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.36E-08	6.8E-05	2.9E+00	6.8E-05	6.8E-05	2.9E+00	6.8E-05
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	4.61E-09	1.2E+02	6.1E+04	1.2E+02	1.8E-02	8.7E+00	1.8E-02
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	2.07E-09	8.0E-06	1.9E+01	8.0E-06	8.0E-06	1.9E+01	8.0E-06
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.52E-08	8.0E-06	1.6E+00	8.0E-06	8.0E-06	1.6E+00	8.0E-06
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	6.88E-08	1.4E+02	1.8E+03	1.3E+02	4.4E-02	5.8E-01	4.1E-02
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.81E-08	1.4E+02	6.2E+03	1.4E+02	5.1E-02	2.2E+00	5.0E-02
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.20E-07	2.1E+05	5.1E+04	4.1E+04	1.4E+00	3.4E-01	2.7E-01
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.69E-08	.	1.4E+06	1.4E+06	.	1.1E+00	1.1E+00
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.88E-09	8.2E+06	7.0E+06	3.8E+06	1.2E+01	1.0E+01	5.6E+00
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.28E-08	.	5.3E+06	5.3E+06	.	1.2E+00	1.2E+00
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.05E-07	.	6.6E+05	6.6E+05	.	3.8E-01	3.8E-01
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.17E-07	.	7.7E+05	7.7E+05	.	9.6E-02	9.6E-02
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.16E-07	.	1.6E+06	1.6E+06	.	3.5E-01	3.5E-01
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.14E-07	.	7.5E+06	7.5E+06	.	3.5E-01	3.5E-01
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	1.15E-08	3.8E+06	1.5E+06	1.1E+06	8.6E+00	3.5E+00	2.5E+00
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.60E-07	1.1E+05	2.3E+04	1.9E+04	1.2E+00	2.5E-01	2.1E-01
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.54E-08	1.1E+03	6.3E+03	9.3E+02	1.5E-01	8.8E-01	1.3E-01
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.66E-08	4.2E+03	7.3E+03	2.7E+03	3.5E-01	6.0E-01	2.2E-01
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.18E-07	8.1E+03	5.4E+03	3.2E+03	5.0E-01	3.4E-01	2.0E-01
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	7.73E-08	2.7E+00	3.6E+01	2.5E+00	3.9E-02	5.2E-01	3.6E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	1.9E-05	.	1.9E-05	1.9E-05	.	1.9E-05
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.71E-13	1.9E+05	6.4E+09	1.9E+05	7.0E+00	2.3E+05	7.0E+00
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.78E-07	.	2.2E+05	2.2E+05	.	2.3E-01	2.3E-01
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	7.13E-09	1.3E+01	2.4E+03	1.3E+01	3.1E-02	5.6E+00	3.1E-02
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	4.32E-10	4.2E+03	1.1E+06	4.2E+03	3.5E-01	9.3E+01	3.5E-01
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	7.13E-09	4.3E+02	2.9E+04	4.3E+02	8.2E-02	5.6E+00	8.1E-02
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	1.14E-10	2.8E-03	1.1E+03	2.8E-03	9.0E-04	3.5E+02	9.0E-04
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.10E-08	2.8E-03	1.2E+01	2.8E-03	8.9E-04	3.6E+00	8.9E-04
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.65E-09	5.0E+05	1.3E+06	3.6E+05	1.8E+00	4.6E+00	1.3E+00
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.16E-07	.	1.3E+06	1.3E+06	.	3.4E-01	3.4E-01
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	3.60E-10	7.6E+00	5.1E+04	7.6E+00	1.7E-02	1.1E+02	1.7E-02
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	5.87E-12	9.8E+00	1.8E+06	9.8E+00	3.8E-02	6.8E+03	3.8E-02
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.74E-09	2.7E+02	5.7E+06	2.7E+02	1.1E-03	2.3E+01	1.1E-03
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.58E-07	6.9E+00	1.8E+03	6.9E+00	9.6E-04	2.5E-01	9.6E-04
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	5.68E-09	4.2E+01	3.1E+04	4.2E+01	9.5E-03	7.1E+00	9.5E-03
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.57E-08	3.8E-02	2.0E+02	3.8E-02	1.0E-04	5.3E-01	1.0E-04
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.63E-09	3.0E-06	1.1E+01	3.0E-06	3.0E-06	1.1E+01	3.0E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.08E-07	1.6E+02	1.9E+03	1.5E+02	3.3E-02	3.7E-01	3.0E-02
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.31E-08	3.7E+00	4.2E+02	3.6E+00	1.5E-02	1.7E+00	1.5E-02
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.69E-07	4.5E+03	5.6E+03	2.5E+03	1.9E-01	2.4E-01	1.1E-01
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.40E-09	.	1.4E+08	1.4E+08	.	1.7E+01	1.7E+01
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.99E-10	2.8E+06	7.8E+07	2.7E+06	7.2E+00	2.0E+02	6.9E+00
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.10E-07	.	3.8E+05	3.8E+05	.	3.6E-01	3.6E-01
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.07E-08	.	6.2E+05	6.2E+05	.	5.7E-01	5.7E-01
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.25E-07	8.1E+06	2.5E+05	2.5E+05	1.0E+01	3.2E-01	3.1E-01
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.87E-07	3.6E+06	1.4E+05	1.3E+05	5.7E+00	2.1E-01	2.1E-01
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.27E-08	1.2E+06	1.9E+05	1.7E+05	4.9E+00	7.6E-01	6.6E-01
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.82E-07	.	2.6E+05	2.6E+05	.	2.2E-01	2.2E-01
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.32E-07	5.2E+05	6.7E+04	5.9E+04	2.3E+00	3.0E-01	2.7E-01
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.64E-08	9.8E+04	5.7E+04	3.6E+04	1.5E+00	8.6E-01	5.5E-01
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.22E-07	3.4E+05	3.5E+04	3.1E+04	3.2E+00	3.3E-01	3.0E-01
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	2.00E-08	1.3E+03	1.5E+04	1.2E+03	1.8E-01	2.0E+00	1.6E-01
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.43E-08	9.9E+03	8.1E+03	4.4E+03	5.9E-01	4.8E-01	2.6E-01
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.10E-08	.	9.1E+06	9.1E+06	.	9.8E-01	9.8E-01
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.20E-13	1.7E-03	4.9E+04	1.7E-03	1.7E-03	4.9E+04	1.7E-03
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.95E-08	1.6E-03	8.1E-01	1.6E-03	1.6E-03	8.1E-01	1.6E-03
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.30E-07	3.9E+04	7.8E+03	6.5E+03	8.6E-01	1.7E-01	1.5E-01
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	3.25E-08	8.3E+02	3.8E+03	6.8E+02	2.7E-01	1.2E+00	2.2E-01
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.40E-07	6.0E+05	2.4E+04	2.3E+04	4.3E+00	1.7E-01	1.6E-01
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.33E-13	1.0E-01	4.8E+04	1.0E-01	1.0E-01	4.8E+04	1.0E-01
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	4.61E-11	5.4E+04	4.2E+07	5.4E+04	1.1E+00	8.7E+02	1.1E+00
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	1.06E-10	2.1E-05	5.5E+02	2.1E-05	1.4E-05	3.8E+02	1.4E-05
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.54E-09	1.5E+03	1.4E+06	1.5E+03	5.7E-03	5.3E+00	5.7E-03
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.51E-08	5.3E+00	4.0E+04	5.3E+00	3.6E-04	2.7E+00	3.6E-04
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.75E-08	2.0E+03	5.1E+05	2.0E+03	5.8E-03	1.5E+00	5.7E-03
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	8.74E-09	1.4E+02	8.3E+03	1.4E+02	8.0E-02	4.6E+00	7.8E-02
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.76E-08	2.3E+04	2.0E+04	1.1E+04	1.2E+00	1.1E+00	5.7E-01
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	1.06E-10	5.0E+01	1.5E+05	5.0E+01	1.3E-01	3.8E+02	1.3E-01
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	1.3E-01	.	1.3E-01	1.3E-01	.	1.3E-01
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	5.62E-10	1.4E+03	8.2E+05	1.4E+03	1.2E-01	7.1E+01	1.2E-01
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.14E-08	.	7.1E+06	7.1E+06	.	3.5E+00	3.5E+00
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.09E-09	1.4E+06	2.7E+06	9.3E+05	3.5E+00	6.6E+00	2.3E+00
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	2.84E-11	2.5E+02	1.1E+07	2.5E+02	3.4E-02	1.4E+03	3.4E-02
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	3.00E-09	.	5.2E+07	5.2E+07	.	1.3E+01	1.3E+01
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.65E-07	.	1.1E+06	1.1E+06	.	2.4E-01	2.4E-01
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	2.85E-07	.	4.3E+05	4.3E+05	.	1.4E-01	1.4E-01
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-08	2.2E+06	4.8E+05	4.0E+05	4.1E+00	9.0E-01	7.4E-01
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.49E-07	2.9E+06	1.2E+05	1.1E+05	6.6E+00	2.7E-01	2.6E-01
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.13E-07	.	6.8E+05	6.8E+05	.	1.3E-01	1.3E-01
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.01E-07	.	7.9E+05	7.9E+05	.	2.0E-01	2.0E-01
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.07E-07	.	8.5E+05	8.5E+05	.	3.7E-01	3.7E-01
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.22E-07	.	2.0E+07	2.0E+07	.	3.3E-01	3.3E-01
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.50E-07	.	1.8E+05	1.8E+05	.	1.1E-01	1.1E-01
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.39E-08	3.8E+06	2.2E+05	2.0E+05	8.3E+00	4.8E-01	4.5E-01
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	9.81E-08	.	5.7E+06	5.7E+06	.	4.1E-01	4.1E-01
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.41E-08	6.3E-01	2.9E+01	6.2E-01	2.5E-02	1.2E+00	2.5E-02
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.76E-07	7.6E-02	4.1E+00	7.4E-02	4.2E-03	2.3E-01	4.1E-03
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	1.21E-09	2.9E-02	5.3E+01	2.9E-02	1.8E-02	3.3E+01	1.8E-02
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.43E-08	7.6E-03	1.6E+00	7.6E-03	2.2E-03	4.8E-01	2.2E-03
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	3.88E-12	9.8E-02	7.1E+04	9.8E-02	1.4E-02	1.0E+04	1.4E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	6.94E-08	2.7E+01	7.1E+02	2.6E+01	2.2E-02	5.8E-01	2.1E-02
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.28E-07	1.7E+00	2.8E+01	1.6E+00	1.1E-02	1.8E-01	1.0E-02
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.45E-09	1.9E+02	8.3E+04	1.9E+02	6.3E-02	2.8E+01	6.3E-02
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.76E-07	3.0E+04	1.3E+04	9.2E+03	5.0E-01	2.3E-01	1.6E-01
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.57E-08	5.4E+02	6.3E+03	5.0E+02	9.7E-02	1.1E+00	9.0E-02
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.47E-08	.	2.7E+06	2.7E+06	.	1.2E+00	1.2E+00
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.78E-07	.	2.8E+05	2.8E+05	.	2.2E-01	2.2E-01
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	7.42E-09	.	9.8E+06	9.8E+06	.	5.4E+00	5.4E+00
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.22E-07	.	9.9E+05	9.9E+05	.	1.8E-01	1.8E-01
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.15E-07	.	6.6E+05	6.6E+05	.	1.9E-01	1.9E-01
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	1.92E-07	5.2E+05	5.4E+04	4.9E+04	2.0E+00	2.1E-01	1.9E-01
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.30E-07	7.1E+03	1.4E+04	4.7E+03	1.6E-01	3.1E-01	1.0E-01
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.86E-07	2.0E+05	2.1E+04	1.9E+04	2.1E+00	2.2E-01	2.0E-01
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.35E-07	7.8E-01	2.2E+02	7.8E-01	1.0E-03	3.0E-01	1.0E-03
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.49E-07	2.5E+04	7.3E+03	5.7E+03	9.3E-01	2.7E-01	2.1E-01
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.36E-12	6.3E-05	1.1E+05	6.3E-05	1.0E-05	1.7E+04	1.0E-05
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	6.97E-10	8.9E-06	6.3E+01	8.9E-06	8.2E-06	5.8E+01	8.2E-06
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.13E-12	7.5E-04	1.7E+06	7.5E-04	1.6E-05	3.6E+04	1.6E-05
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	9.47E-10	.	4.7E+10	4.7E+10	.	4.2E+01	4.2E+01
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.03E-08	.	4.9E+07	4.9E+07	.	3.9E+00	3.9E+00
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.35E-12	.	1.2E+18	1.2E+18	.	9.2E+03	9.2E+03
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	9.66E-12	.	1.4E+16	1.4E+16	.	4.2E+03	4.2E+03
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	1.97E-11	.	6.5E+14	6.5E+14	.	2.0E+03	2.0E+03
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.78E-12	.	8.8E+13	8.8E+13	.	2.3E+04	2.3E+04
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.07E-15	.	1.1E+14	1.1E+14	.	3.8E+07	3.8E+07
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.63E-07	4.4E+06	9.5E+04	9.3E+04	5.1E+00	1.1E-01	1.1E-01
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.73E-07	1.6E+06	8.2E+04	7.8E+04	3.0E+00	1.5E-01	1.4E-01
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	9.75E-08	2.1E+06	1.6E+05	1.5E+05	5.3E+00	4.1E-01	3.8E-01
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.52E-07	7.6E+06	1.2E+05	1.1E+05	1.1E+01	1.6E-01	1.6E-01
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.07E-08	5.4E+05	1.2E+05	9.9E+04	4.4E+00	9.9E-01	8.1E-01
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.28E-08	.	2.8E+06	2.8E+06	.	4.3E-01	4.3E-01
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	2.87E-07	9.7E+04	1.0E+04	9.4E+03	1.3E+00	1.4E-01	1.3E-01
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.27E-08	1.2E+05	1.1E+05	5.7E+04	3.2E+00	3.2E+00	1.6E+00
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.09E-08	.	1.8E+06	1.8E+06	.	6.6E-01	6.6E-01
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	7.76E-09	5.6E+02	4.3E+04	5.5E+02	6.8E-02	5.2E+00	6.7E-02
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	3.4E+06	.	3.4E+06	5.3E+00	.	5.3E+00
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	1.00E-10	1.1E+01	1.9E+05	1.1E+01	2.4E-02	4.0E+02	2.4E-02
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.54E-09	3.5E+06	4.8E+06	2.0E+06	6.4E+00	8.8E+00	3.7E+00
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	5.74E-10	.	9.2E+07	9.2E+07	.	7.0E+01	7.0E+01
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.50E-09	6.6E+03	4.2E+05	6.5E+03	2.5E-01	1.6E+01	2.4E-01
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.24E-07	1.5E+06	1.3E+05	1.2E+05	3.8E+00	3.2E-01	3.0E-01
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.40E-08	4.6E+06	5.3E+05	4.7E+05	6.5E+00	7.4E-01	6.7E-01
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.21E-07	.	1.4E+06	1.4E+06	.	3.3E-01	3.3E-01
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.08E-07	.	1.8E+06	1.8E+06	.	3.7E-01	3.7E-01
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.54E-08	2.0E+06	2.9E+05	2.5E+05	3.7E+00	5.3E-01	4.7E-01
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.54E-08	8.3E+04	4.0E+04	2.7E+04	1.1E+00	5.3E-01	3.6E-01
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.69E-08	7.2E+04	4.0E+04	2.6E+04	1.1E+00	6.0E-01	3.8E-01
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.98E-08	1.9E+01	1.3E+03	1.9E+01	3.0E-02	2.0E+00	2.9E-02
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.18E-08	5.2E+03	1.1E+04	3.6E+03	3.6E-01	7.8E-01	2.5E-01
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	1.5E-05	.	1.5E-05	1.5E-05	.	1.5E-05
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.93E-08	3.5E+02	3.2E+03	3.2E+02	1.5E-01	1.4E+00	1.4E-01
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.05E-13	1.4E-01	9.5E+04	1.4E-01	1.2E-01	7.9E+04	1.2E-01
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	8.24E-10	9.2E+01	7.4E+04	9.1E+01	6.0E-02	4.9E+01	6.0E-02
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	5.84E-09	8.1E+01	1.1E+04	8.1E+01	5.0E-02	6.9E+00	4.9E-02
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	2.21E-09	1.0E+03	1.4E+05	1.0E+03	1.3E-01	1.8E+01	1.3E-01
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	7.73E-09	8.3E+04	5.1E+05	7.1E+04	8.3E-01	5.2E+00	7.2E-01
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.26E-08	1.0E+06	5.5E+05	3.6E+05	3.3E+00	1.8E+00	1.2E+00
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	5.55E-09	8.7E+02	9.1E+04	8.6E+02	6.9E-02	7.2E+00	6.8E-02
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	3.38E-10	6.5E+01	4.3E+05	6.5E+01	1.8E-02	1.2E+02	1.8E-02
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.14E-08	6.5E+01	6.7E+03	6.4E+01	1.8E-02	1.9E+00	1.8E-02
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	5.65E-09	1.0E+03	2.0E+06	1.0E+03	3.6E-03	7.1E+00	3.6E-03
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	6.09E-09	5.2E+01	1.2E+05	5.2E+01	2.9E-03	6.6E+00	2.9E-03
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	8.49E-09	3.1E+07	1.8E+06	1.7E+06	8.4E+01	4.7E+00	4.5E+00
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	9.15E-12	4.9E-05	2.8E+04	4.9E-05	7.8E-06	4.4E+03	7.8E-06
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	4.35E-09	2.2E+01	1.3E+03	2.2E+01	1.5E-01	9.2E+00	1.5E-01
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	6.91E-12	4.9E-06	6.4E+03	4.9E-06	4.4E-06	5.8E+03	4.4E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	4.1E-06	4.6E+03	4.1E-06	4.1E-06	4.6E+03	4.1E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	4.1E-06	4.6E+03	4.1E-06	4.1E-06	4.6E+03	4.1E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	6.82E-12	4.1E-06	5.9E+03	4.1E-06	4.1E-06	5.9E+03	4.1E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.50E-13	4.7E-04	4.7E+05	4.7E-04	2.7E-04	2.7E+05	2.7E-04
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.50E-11	4.4E-06	2.7E+03	4.4E-06	4.4E-06	2.7E+03	4.4E-06
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	2.20E-09	2.3E+04	5.8E+05	2.2E+04	7.2E-01	1.8E+01	7.0E-01
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.46E-09	4.4E-06	1.6E+01	4.4E-06	4.4E-06	1.6E+01	4.4E-06
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	3.98E-08	4.4E-06	1.0E+00	4.4E-06	4.4E-06	1.0E+00	4.4E-06
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.54E-08	1.6E+03	1.3E+04	1.4E+03	1.1E-01	8.8E-01	9.6E-02
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.33E-08	7.4E+00	1.8E+03	7.4E+00	1.2E-02	3.0E+00	1.2E-02
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	1.2E+11	1.2E+11	.	2.2E+00	2.2E+00
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	1.2E+11	1.2E+11	.	2.2E+00	2.2E+00
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.24E-10	.	2.4E+12	2.4E+12	.	7.7E+01	7.7E+01
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	2.3E+08	2.3E+08	.	1.1E+01	1.1E+01
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	2.3E+08	2.3E+08	.	1.1E+01	1.1E+01
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.01E-09	.	5.9E+08	5.9E+08	.	4.0E+01	4.0E+01
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.42E-08	4.5E-03	1.6E+03	4.5E-03	7.9E-06	2.8E+00	7.9E-06
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	2.07E-08	4.5E-03	1.1E+03	4.5E-03	7.9E-06	1.9E+00	7.9E-06
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-09	3.6E-02	6.4E+04	3.6E-02	2.0E-05	3.6E+01	2.0E-05
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.20E-09	3.6E-02	6.0E+04	3.6E-02	2.0E-05	3.3E+01	2.0E-05
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	4.99E-10	3.9E-03	3.6E+04	3.9E-03	8.8E-06	8.0E+01	8.8E-06
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	7.70E-10	8.2E-06	5.2E+01	8.2E-06	8.2E-06	5.2E+01	8.2E-06
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.09E-07	8.2E-06	1.9E-01	8.2E-06	8.1E-06	1.9E-01	8.1E-06
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.55E-08	8.4E+04	5.8E+05	7.4E+04	3.8E-01	2.6E+00	3.3E-01
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	5.81E-12	1.7E-05	2.3E+04	1.7E-05	5.3E-06	6.9E+03	5.3E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.02E-07	1.7E-05	1.3E+00	1.7E-05	5.3E-06	3.9E-01	5.3E-06
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	8.11E-09	6.7E+04	5.0E+05	5.9E+04	6.6E-01	4.9E+00	5.8E-01
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.77E-07	.	5.7E+05	5.7E+05	.	2.3E-01	2.3E-01
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.21E-07	2.5E+06	4.1E+04	4.1E+04	4.7E+00	7.7E-02	7.6E-02
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	3.85E-07	.	1.7E+05	1.7E+05	.	1.0E-01	1.0E-01
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.64E-07	2.0E+06	1.0E+05	9.6E+04	4.7E+00	2.4E-01	2.3E-01
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.37E-07	.	5.0E+06	5.0E+06	.	2.9E-01	2.9E-01
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.68E-08	5.0E+04	2.4E+04	1.6E+04	1.4E+00	7.1E-01	4.7E-01
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.68E-09	1.8E+06	4.6E+06	1.3E+06	5.9E+00	1.5E+01	4.2E+00
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.27E-07	.	2.4E+06	2.4E+06	.	3.2E-01	3.2E-01
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.41E-07	2.2E+04	2.9E+03	2.5E+03	9.2E-01	1.2E-01	1.0E-01
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.46E-08	3.4E+00	5.6E+01	3.2E+00	4.4E-02	7.3E-01	4.2E-02
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.05E-07	4.4E+00	7.7E+01	4.2E+00	2.2E-02	3.8E-01	2.1E-02
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.20E-08	7.3E+06	4.5E+05	4.2E+05	1.6E+01	9.6E-01	9.0E-01
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.15E-08	4.9E+00	1.2E+03	4.9E+00	1.4E-02	3.5E+00	1.4E-02
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.19E-08	.	6.0E+06	6.0E+06	.	6.5E-01	6.5E-01
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	1.46E-11	5.1E-03	2.8E+03	5.1E-03	5.1E-03	2.8E+03	5.1E-03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	8.33E-08	2.2E+06	2.6E+05	2.3E+05	4.1E+00	4.8E-01	4.3E-01
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	2.78E-07	3.7E+06	9.0E+04	8.8E+04	5.9E+00	1.4E-01	1.4E-01
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	2.74E-07	.	5.3E+05	5.3E+05	.	1.5E-01	1.5E-01
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.17E-07	.	2.1E+05	2.1E+05	.	9.6E-02	9.6E-02
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.08E-07	6.3E+06	1.4E+05	1.4E+05	8.8E+00	1.9E-01	1.9E-01
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.24E-07	6.0E+06	1.6E+05	1.5E+05	1.2E+01	3.2E-01	3.2E-01
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.38E-07	.	1.1E+06	1.1E+06	.	2.9E-01	2.9E-01
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.84E-08	2.2E+03	3.6E+03	1.4E+03	2.8E-01	4.5E-01	1.7E-01
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.05E-07	1.2E+02	4.8E+02	9.8E+01	5.0E-02	2.0E-01	4.0E-02
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.42E-07	4.7E+03	3.5E+03	2.0E+03	3.8E-01	2.8E-01	1.6E-01
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	1.34E-08	1.7E+00	2.8E+02	1.7E+00	1.8E-02	3.0E+00	1.8E-02
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.01E-07	4.8E+00	6.9E+01	4.5E+00	2.8E-02	4.0E-01	2.6E-02
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.10E-08	2.5E-01	3.8E+01	2.5E-01	6.5E-03	9.8E-01	6.4E-03
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	2.04E-09	9.3E+01	3.5E+04	9.3E+01	5.3E-02	2.0E+01	5.2E-02
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	9.97E-10	1.4E-03	4.0E+01	1.4E-03	1.4E-03	4.0E+01	1.4E-03
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	3.03E-09	1.4E-03	1.3E+01	1.4E-03	1.4E-03	1.3E+01	1.4E-03
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.1E+00	.	2.1E+00	2.1E+00	.	2.1E+00
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	7.13E-09	9.4E+02	5.2E+04	9.2E+02	1.0E-01	5.6E+00	9.9E-02
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	5.40E-09	2.2E+06	3.8E+06	1.4E+06	4.3E+00	7.4E+00	2.7E+00
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	6.00E-09	8.8E+02	4.3E+04	8.7E+02	1.4E-01	6.7E+00	1.3E-01
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.52E-07	.	8.1E+05	8.1E+05	.	2.6E-01	2.6E-01
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.04E-07	1.9E+04	1.9E+04	9.6E+03	3.9E-01	3.9E-01	1.9E-01
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.38E-07	1.8E+03	9.0E+02	6.0E+02	2.4E-01	1.2E-01	8.0E-02
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.08E-09	.	1.6E+07	1.6E+07	.	7.9E+00	7.9E+00
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.91E-08	7.3E-02	7.6E+00	7.3E-02	1.3E-02	1.4E+00	1.3E-02
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.05E-08	5.0E+02	2.0E+03	4.0E+02	3.3E-01	1.3E+00	2.6E-01
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.65E-08	2.8E-01	2.3E+01	2.8E-01	8.8E-03	7.1E-01	8.7E-03
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.47E-07	1.7E-02	7.9E-01	1.6E-02	3.5E-03	1.6E-01	3.4E-03
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	1.11E-11	4.3E+06	6.1E+08	4.2E+06	2.5E+01	3.6E+03	2.5E+01
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.08E-09	.	2.6E+08	2.6E+08	.	1.9E+01	1.9E+01
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	2.12E-09	.	4.1E+07	4.1E+07	.	1.9E+01	1.9E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.58E-09	6.4E+02	2.1E+04	6.3E+02	1.4E-01	4.7E+00	1.4E-01
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.49E-08	.	3.1E+07	3.1E+07	.	1.6E+00	1.6E+00
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.35E-07	6.0E+04	8.7E+03	7.6E+03	8.3E-01	1.2E-01	1.0E-01
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-08	3.5E+06	5.0E+05	4.4E+05	8.0E+00	1.2E+00	1.0E+00
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.79E-08	.	3.6E+07	3.6E+07	.	1.1E+00	1.1E+00
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.35E-08	.	8.5E+06	8.5E+06	.	1.2E+00	1.2E+00
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.54E-07	.	7.1E+05	7.1E+05	.	8.8E-02	8.8E-02
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.07E-07	.	2.5E+05	2.5E+05	.	1.3E-01	1.3E-01
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.09E-07	.	1.8E+06	1.8E+06	.	3.7E-01	3.7E-01
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.61E-07	.	8.3E+04	8.3E+04	.	8.7E-02	8.7E-02
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.53E-07	.	1.6E+06	1.6E+06	.	2.6E-01	2.6E-01
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.67E-07	1.6E+06	7.4E+04	7.1E+04	5.0E+00	2.4E-01	2.3E-01
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.72E-07	9.1E+05	3.0E+04	2.9E+04	4.4E+00	1.5E-01	1.4E-01
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.10E-07	.	2.1E+05	2.1E+05	.	1.9E-01	1.9E-01
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.12E-08	2.0E+01	2.7E+02	1.8E+01	4.9E-02	6.6E-01	4.5E-02
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.32E-08	7.5E+04	1.8E+04	1.5E+04	2.2E+00	5.5E-01	4.4E-01
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.11E-07	.	3.7E+05	3.7E+05	.	3.6E-01	3.6E-01
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.39E-07	.	9.6E+04	9.6E+04	.	2.9E-01	2.9E-01
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	6.85E-09	.	3.9E+05	3.9E+05	.	5.9E+00	5.9E+00
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.19E-07	.	2.0E+03	2.0E+03	.	1.8E-01	1.8E-01
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	3.88E-11	.	4.1E+08	4.1E+08	.	1.0E+03	1.0E+03
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	8.62E-11	.	7.6E+12	7.6E+12	.	4.7E+02	4.7E+02
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.44E-09	.	8.9E+08	8.9E+08	.	6.2E+00	6.2E+00
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.47E-09	.	8.9E+08	8.9E+08	.	6.2E+00	6.2E+00
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.10E-11	.	5.8E+09	5.8E+09	.	5.6E+02	5.6E+02
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.2E+01	1.6E+06	1.2E+01	7.2E-03	9.1E+02	7.2E-03
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.2E+01	1.6E+06	1.2E+01	7.2E-03	9.1E+02	7.2E-03
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	3.88E-08	.	4.0E+05	4.0E+05	.	1.0E+00	1.0E+00
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.59E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	8.55E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.49E-08	1.8E-02	2.8E+01	1.8E-02	1.0E-03	1.6E+00	1.0E-03
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.13E-08	.	2.5E+06	2.5E+06	.	9.7E-01	9.7E-01
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	6.60E-09	.	1.3E+07	1.3E+07	.	6.1E+00	6.1E+00
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.38E-07	.	4.4E+05	4.4E+05	.	1.7E-01	1.7E-01
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	5.78E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.44E-07	1.5E+05	2.7E+04	2.3E+04	1.6E+00	2.8E-01	2.4E-01
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.49E-08	.	.	.	.	.	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	1.33E-12	.	.	.	.	.	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	3.94E-07	.	1.9E+05	1.9E+05	.	1.0E-01	1.0E-01
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.17E-07	1.0E+04	1.0E+04	5.2E+03	1.9E-01	1.8E-01	9.3E-02
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.69E-07	.	1.8E+06	1.8E+06	.	2.4E-01	2.4E-01
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.44E-07	.	4.0E+05	4.0E+05	.	2.8E-01	2.8E-01
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.22E-07	.	3.4E+05	3.4E+05	.	1.2E-01	1.2E-01
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	9.94E-08	2.8E+06	1.2E+05	1.1E+05	9.4E+00	4.0E-01	3.9E-01
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.74E-07	6.2E+06	8.8E+04	8.6E+04	1.0E+01	1.5E-01	1.4E-01
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.63E-07	4.1E+05	1.7E+04	1.7E+04	2.6E+00	1.1E-01	1.1E-01
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.79E-08	2.9E+05	1.3E+05	8.8E+04	5.2E+00	2.2E+00	1.6E+00
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.12E-08	.	1.2E+06	1.2E+06	.	4.4E-01	4.4E-01
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.07E-07	2.6E+04	4.1E+03	3.6E+03	8.3E-01	1.3E-01	1.1E-01
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	2.99E-10	5.1E+03	5.6E+05	5.1E+03	1.2E+00	1.3E+02	1.2E+00
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.02E-08	1.2E+07	4.8E+05	4.6E+05	2.0E+01	8.0E-01	7.7E-01
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	2.88E-07	7.4E+01	1.6E+02	5.0E+01	6.5E-02	1.4E-01	4.4E-02
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.08E-08	9.4E+01	1.9E+03	9.0E+01	3.9E-02	7.9E-01	3.7E-02
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	4.13E-09	.	2.2E+07	2.2E+07	.	9.7E+00	9.7E+00
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.24E-07	7.9E-01	2.0E+01	7.5E-01	7.2E-03	1.8E-01	6.9E-03
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.02E-08	.	4.9E+06	4.9E+06	.	8.0E-01	8.0E-01
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	1.11E-14	7.3E+06	1.7E+12	7.3E+06	1.6E+01	3.6E+06	1.6E+01
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.80E-08	3.7E-02	5.5E+00	3.7E-02	5.7E-03	8.4E-01	5.7E-03
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.16E-07	8.7E+00	6.8E+01	7.7E+00	1.6E-02	1.3E-01	1.4E-02
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.77E-07	3.3E+06	1.1E+05	1.1E+05	6.7E+00	2.3E-01	2.2E-01
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	7.92E-08	4.8E+01	8.6E+02	4.5E+01	2.8E-02	5.1E-01	2.6E-02
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.57E-07	2.5E+03	2.0E+03	1.1E+03	1.4E-01	1.1E-01	6.3E-02
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.20E-07	9.2E+06	1.7E+05	1.6E+05	1.0E+01	1.8E-01	1.8E-01
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.74E-07	7.9E+03	8.3E+03	4.1E+03	2.2E-01	2.3E-01	1.1E-01
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	3.82E-07	5.4E+05	2.5E+04	2.4E+04	2.2E+00	1.1E-01	1.0E-01
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.19E-07	.	1.9E+05	1.9E+05	.	1.3E-01	1.3E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.51E-07	9.4E+05	6.6E+04	6.2E+04	2.3E+00	1.6E-01	1.5E-01
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.41E-07	.	4.5E+05	4.5E+05	.	1.2E-01	1.2E-01
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.02E-07	.	7.3E+05	7.3E+05	.	8.0E-02	8.0E-02
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.11E-07	2.1E+04	1.5E+04	8.6E+03	5.1E-01	3.6E-01	2.1E-01
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.50E-07	1.4E+04	6.4E+03	4.4E+03	3.5E-01	1.6E-01	1.1E-01
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.06E-08	8.9E+01	3.5E+03	8.7E+01	3.3E-02	1.3E+00	3.2E-02
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.39E-07	7.3E-01	1.3E+01	6.9E-01	9.3E-03	1.7E-01	8.8E-03
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	1.15E-08	1.5E+02	6.8E+03	1.4E+02	7.5E-02	3.5E+00	7.4E-02
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.01E-07	2.1E+02	3.6E+02	1.3E+02	5.9E-02	1.0E-01	3.7E-02
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	6.09E-10	3.6E+05	1.1E+07	3.5E+05	2.2E+00	6.6E+01	2.1E+00
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	3.91E-07	.	5.7E+05	5.7E+05	.	1.0E-01	1.0E-01
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	7.89E-08	3.1E+05	1.2E+05	8.5E+04	1.4E+00	5.1E-01	3.7E-01
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.86E-07	.	4.3E+05	4.3E+05	.	2.2E-01	2.2E-01
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	1.38E-09	1.2E+01	2.3E+04	1.2E+01	1.5E-02	2.9E+01	1.5E-02
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.21E-07	5.9E+03	7.3E+03	3.3E+03	2.7E-01	3.3E-01	1.5E-01
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	2.96E-08	7.1E+05	3.2E+05	2.2E+05	3.0E+00	1.4E+00	9.3E-01
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	4.13E-08	2.6E+00	5.3E+01	2.4E+00	4.7E-02	9.7E-01	4.5E-02
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	9.12E-09	.	1.4E+08	1.4E+08	.	4.4E+00	4.4E+00
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	1.35E-12	1.2E-02	3.0E+04	1.2E-02	1.2E-02	3.0E+04	1.2E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	8.68E-10	.	1.1E+08	1.1E+08	.	4.6E+01	4.6E+01
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.20E-09	4.5E+06	1.7E+07	3.6E+06	8.8E+00	3.3E+01	7.0E+00
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	1.34E-09	2.6E+05	4.9E+06	2.5E+05	1.6E+00	3.0E+01	1.5E+00
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.14E-07	1.4E+06	5.4E+04	5.2E+04	3.2E+00	1.3E-01	1.2E-01
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.20E-07	.	2.7E+06	2.7E+06	.	3.3E-01	3.3E-01
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.70E-08	.	2.6E+06	2.6E+06	.	8.5E-01	8.5E-01
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	3.85E-10	4.5E+04	6.3E+06	4.5E+04	7.6E-01	1.0E+02	7.5E-01
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	4.26E-12	8.5E-04	1.0E+04	8.5E-04	7.9E-04	9.4E+03	7.9E-04
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	3.63E-10	8.1E-04	1.2E+02	8.1E-04	7.6E-04	1.1E+02	7.6E-04
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.67E-07	.	8.9E+05	8.9E+05	.	2.4E-01	2.4E-01
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.37E-08	2.0E+06	4.0E+05	3.3E+05	3.1E+00	6.3E-01	5.2E-01
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.63E-07	7.4E+06	2.3E+05	2.2E+05	8.0E+00	2.5E-01	2.4E-01
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.26E-07	1.5E+06	7.4E+04	7.1E+04	3.6E+00	1.8E-01	1.7E-01
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.03E-08	1.4E+05	5.1E+05	1.1E+05	1.0E+00	3.9E+00	8.2E-01
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	5.90E-08	.	7.4E+05	7.4E+05	.	6.8E-01	6.8E-01
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	7.89E-08	.	4.4E+06	4.4E+06	.	5.1E-01	5.1E-01
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	2.74E-09	7.7E-01	2.8E+02	7.6E-01	4.0E-02	1.5E+01	3.9E-02
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	1.7E-05	.	1.7E-05	1.7E-05	.	1.7E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	1.8E-05	.	1.8E-05	1.8E-05	.	1.8E-05
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	2.1E-05	.	2.1E-05	2.1E-05	.	2.1E-05
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	5.14E-14	2.7E-02	8.6E+05	2.7E-02	2.5E-02	7.8E+05	2.5E-02
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	4.83E-09	2.4E+02	2.8E+04	2.4E+02	7.2E-02	8.3E+00	7.2E-02
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	1.01E-08	2.9E+06	1.7E+06	1.1E+06	6.8E+00	4.0E+00	2.5E+00
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	1.15E-08	3.6E+03	5.8E+04	3.4E+03	2.1E-01	3.5E+00	2.0E-01
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-08	.	1.0E+06	1.0E+06	.	8.6E-01	8.6E-01
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.37E-07	.	1.4E+06	1.4E+06	.	2.9E-01	2.9E-01
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.45E-08	9.0E+06	5.0E+05	4.7E+05	9.8E+00	5.4E-01	5.1E-01
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.69E-07	6.5E+06	7.8E+04	7.8E+04	1.2E+01	1.5E-01	1.5E-01
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	3.04E-08	1.2E+04	5.1E+04	9.8E+03	3.2E-01	1.3E+00	2.6E-01
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.59E-08	2.2E+06	1.9E+05	1.8E+05	8.3E+00	7.2E-01	6.6E-01
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	8.08E-10	8.9E-01	2.8E+03	8.9E-01	1.6E-02	5.0E+01	1.6E-02
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	2.07E-10	8.6E+06	8.6E+07	7.8E+06	1.9E+01	1.9E+02	1.8E+01
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.51E-08	1.1E+01	1.3E+03	1.1E+01	2.2E-02	2.7E+00	2.2E-02
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	1.82E-10	4.2E-01	4.9E+03	4.2E-01	1.9E-02	2.2E+02	1.9E-02
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	1.67E-11	1.2E+03	1.4E+07	1.2E+03	2.1E-01	2.4E+03	2.1E-01
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	9.25E-11	6.5E-03	5.3E+02	6.5E-03	5.3E-03	4.3E+02	5.3E-03
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	1.05E-10	6.4E-03	4.6E+02	6.4E-03	5.2E-03	3.8E+02	5.2E-03
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.06E-09	2.5E-01	1.9E+03	2.5E-01	4.9E-03	3.8E+01	4.9E-03
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.48E-08	9.1E+05	6.4E+05	3.8E+05	3.8E+00	2.7E+00	1.6E+00
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.07E-08	1.0E+01	6.7E+02	9.9E+00	1.5E-02	9.9E-01	1.5E-02
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-08	.	1.0E+06	1.0E+06	.	1.0E+00	1.0E+00
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	4.32E-09	5.4E-04	9.3E+00	5.4E-04	5.4E-04	9.3E+00	5.4E-04
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.26E-07	5.4E-04	1.8E-01	5.4E-04	5.4E-04	1.8E-01	5.4E-04
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.30E-07	3.7E+04	1.3E+04	9.7E+03	5.0E-01	1.7E-01	1.3E-01
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.63E-08	.	1.4E+06	1.4E+06	.	6.1E-01	6.1E-01
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.34E-08	1.5E+05	1.0E+05	6.1E+04	9.4E-01	6.3E-01	3.8E-01
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.19E-07	.	1.4E+06	1.4E+06	.	3.4E-01	3.4E-01
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.04E-07	.	9.8E+05	9.8E+05	.	3.8E-01	3.8E-01
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.05E-07	.	2.1E+06	2.1E+06	.	3.8E-01	3.8E-01
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.33E-07	.	1.3E+06	1.3E+06	.	3.0E-01	3.0E-01
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	4.86E-08	3.7E+04	7.4E+04	2.5E+04	4.1E-01	8.3E-01	2.8E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.57E-07	1.4E+06	1.1E+05	1.0E+05	3.2E+00	2.6E-01	2.4E-01
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	9.53E-12	1.3E+00	1.1E+06	1.3E+00	5.1E-03	4.2E+03	5.1E-03
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.27E-07	1.3E+00	8.2E+01	1.3E+00	5.1E-03	3.2E-01	5.1E-03
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.37E-08	7.5E+02	2.1E+03	5.5E+02	1.5E-01	4.3E-01	1.1E-01
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.55E-08	7.4E+00	7.3E+01	6.7E+00	7.3E-02	7.2E-01	6.6E-02
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.35E-08	3.5E+06	2.4E+05	2.2E+05	2.5E+01	1.7E+00	1.6E+00
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.53E-08	2.1E+05	6.4E+04	4.9E+04	3.8E+00	1.1E+00	8.7E-01
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	2.87E-10	9.9E-01	1.8E+04	9.9E-01	7.6E-03	1.4E+02	7.6E-03
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	4.42E-11	7.3E-04	1.2E+03	7.3E-04	5.4E-04	9.1E+02	5.4E-04
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	6.63E-10	7.1E-04	8.1E+01	7.1E-04	5.3E-04	6.1E+01	5.3E-04
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	8.36E-08	1.9E+03	7.9E+03	1.6E+03	1.2E-01	4.8E-01	9.5E-02
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.64E-07	1.2E+04	1.5E+04	6.6E+03	2.1E-01	2.4E-01	1.1E-01
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.72E-07	.	1.9E+05	1.9E+05	.	1.5E-01	1.5E-01
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.76E-07	.	1.7E+06	1.7E+06	.	2.3E-01	2.3E-01
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.21E-07	.	4.6E+05	4.6E+05	.	3.3E-01	3.3E-01
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	1.98E-07	7.8E+05	5.2E+04	4.9E+04	3.0E+00	2.0E-01	1.9E-01
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.47E-08	4.2E+04	3.1E+04	1.8E+04	8.4E-01	6.2E-01	3.6E-01
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.13E-07	2.6E+05	4.9E+04	4.1E+04	1.9E+00	3.6E-01	3.0E-01
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.29E-07	7.2E+03	4.7E+03	2.8E+03	4.8E-01	3.1E-01	1.9E-01
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.73E-07	7.7E+03	2.9E+03	2.1E+03	4.0E-01	1.5E-01	1.1E-01
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	5.18E-09	1.4E+03	2.2E+04	1.3E+03	5.1E-01	7.8E+00	4.8E-01
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.17E-08	.	3.5E+06	3.5E+06	.	3.4E+00	3.4E+00
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.23E-07	7.6E+04	2.2E+04	1.7E+04	1.1E+00	3.3E-01	2.5E-01
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	1.63E-09	1.3E+00	2.4E+02	1.3E+00	1.3E-01	2.5E+01	1.3E-01
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	3.31E-09	2.3E+04	2.3E+05	2.1E+04	1.2E+00	1.2E+01	1.1E+00
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.52E-07	3.6E-01	1.5E+01	3.5E-01	6.2E-03	2.6E-01	6.1E-03
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.57E-08	3.8E+06	9.3E+05	7.5E+05	6.4E+00	1.6E+00	1.3E+00
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.93E-08	3.3E+01	1.8E+03	3.2E+01	2.5E-02	1.4E+00	2.5E-02
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.78E-07	2.4E+03	4.1E+03	1.5E+03	1.3E-01	2.2E-01	8.4E-02
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.57E-08	3.6E+05	4.9E+05	2.1E+05	1.9E+00	2.6E+00	1.1E+00
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.61E-07	7.6E+06	2.2E+05	2.2E+05	8.4E+00	2.5E-01	2.4E-01
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.45E-07	.	2.2E+06	2.2E+06	.	9.0E-02	9.0E-02
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.58E-07	1.1E+05	1.5E+04	1.3E+04	1.2E+00	1.6E-01	1.4E-01
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.33E-07	.	8.7E+05	8.7E+05	.	1.7E-01	1.7E-01
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	2.81E-07	2.3E+05	2.2E+04	2.1E+04	1.5E+00	1.4E-01	1.3E-01
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.60E-07	.	4.8E+05	4.8E+05	.	1.1E-01	1.1E-01
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.60E-07	5.9E+02	9.6E+03	5.5E+02	1.5E-02	2.5E-01	1.4E-02
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.57E-07	.	5.8E+05	5.8E+05	.	2.6E-01	2.6E-01
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.00E-07	3.3E+04	6.1E+03	5.1E+03	7.3E-01	1.3E-01	1.1E-01
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.85E-07	.	2.3E+05	2.3E+05	.	1.4E-01	1.4E-01
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.10E-07	2.4E+03	3.3E+03	1.4E+03	2.7E-01	3.7E-01	1.5E-01
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	8.02E-09	.	1.1E+08	1.1E+08	.	5.0E+00	5.0E+00
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.77E-07	1.6E+03	2.0E+03	8.8E+02	1.7E-01	2.3E-01	9.8E-02
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-08	.	1.1E+06	1.1E+06	.	4.9E-01	4.9E-01
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.38E-08	6.7E+02	3.3E+03	5.6E+02	2.4E-01	1.2E+00	2.0E-01
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	2.83E-07	1.5E+03	1.0E+03	6.2E+02	2.1E-01	1.4E-01	8.4E-02
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.53E-08	2.3E+02	3.2E+03	2.1E+02	1.8E-01	2.6E+00	1.7E-01
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.26E-07	6.6E+01	2.2E+02	5.1E+01	5.4E-02	1.8E-01	4.1E-02
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	2.11E-09	1.8E+03	1.2E+05	1.8E+03	2.8E-01	1.9E+01	2.8E-01
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	2.28E-10	1.6E+04	5.2E+06	1.6E+04	5.3E-01	1.8E+02	5.3E-01
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	2.21E-10	7.0E-02	2.1E+02	7.0E-02	6.2E-02	1.8E+02	6.2E-02
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.15E-08	1.4E-03	4.6E-01	1.4E-03	1.3E-03	4.4E-01	1.3E-03
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.32E-07	6.9E-01	2.8E+01	6.8E-01	7.6E-03	3.0E-01	7.4E-03
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	1.99E-09	3.8E+01	1.9E+04	3.8E+01	4.0E-02	2.0E+01	4.0E-02
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.27E-07	.	3.9E+05	3.9E+05	.	3.2E-01	3.2E-01
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	8.80E-08	4.0E+06	2.2E+05	2.1E+05	8.2E+00	4.6E-01	4.3E-01
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	2.88E-07	.	4.4E+05	4.4E+05	.	1.4E-01	1.4E-01
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.02E-07	.	1.8E+06	1.8E+06	.	3.9E-01	3.9E-01
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.76E-08	8.1E+06	7.1E+05	6.5E+05	1.2E+01	1.1E+00	9.8E-01
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.18E-08	.	3.6E+08	3.6E+08	.	3.4E+00	3.4E+00
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.01E-07	.	2.9E+05	2.9E+05	.	1.3E-01	1.3E-01
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	2.78E-07	2.2E+06	7.5E+04	7.2E+04	4.2E+00	1.4E-01	1.4E-01
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.37E-08	.	5.3E+05	5.3E+05	.	4.3E-01	4.3E-01
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.05E-07	.	4.0E+05	4.0E+05	.	1.3E-01	1.3E-01
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.64E-07	.	7.0E+05	7.0E+05	.	2.4E-01	2.4E-01
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.54E-07	.	2.0E+05	2.0E+05	.	8.8E-02	8.8E-02
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	1.91E-07	1.4E+05	1.2E+04	1.1E+04	2.4E+00	2.1E-01	1.9E-01
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.19E-07	1.2E+06	7.3E+04	6.9E+04	5.4E+00	3.4E-01	3.2E-01
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.09E-07	2.6E+04	4.2E+03	3.6E+03	7.9E-01	1.3E-01	1.1E-01
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.31E-07	4.0E+05	3.2E+04	2.9E+04	2.2E+00	1.7E-01	1.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.12E-08	6.6E+03	3.5E+03	2.3E+03	8.3E-01	4.4E-01	2.9E-01
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	7.73E-08	5.4E+00	5.6E+01	4.9E+00	5.0E-02	5.2E-01	4.5E-02
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	2.91E-07	1.7E+02	2.1E+02	9.4E+01	1.1E-01	1.4E-01	6.1E-02
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	4.92E-09	2.0E+06	1.5E+06	8.5E+05	1.1E+01	8.1E+00	4.6E+00
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	4.39E-11	4.8E-02	9.1E+02	4.8E-02	4.8E-02	9.1E+02	4.8E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	7.26E-11	1.2E+00	4.0E+04	1.2E+00	1.6E-02	5.5E+02	1.6E-02
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.63E-07	1.9E-03	2.5E-01	1.9E-03	1.9E-03	2.5E-01	1.9E-03
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	1.18E-11	6.0E-03	3.4E+03	6.0E-03	6.0E-03	3.4E+03	6.0E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.30E-08	9.9E+04	8.1E+04	4.5E+04	3.8E+00	3.1E+00	1.7E+00
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.65E-07	.	8.4E+05	8.4E+05	.	1.5E-01	1.5E-01
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.51E-07	1.7E+06	1.7E+05	1.5E+05	2.7E+00	2.7E-01	2.4E-01
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.65E-07	.	2.5E+05	2.5E+05	.	1.5E-01	1.5E-01
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.11E-07	.	1.8E+05	1.8E+05	.	1.3E-01	1.3E-01
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	9.03E-09	.	.	.	.	.	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	1.85E-07	4.7E+05	3.3E+04	3.1E+04	3.1E+00	2.2E-01	2.0E-01
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	3.03E-10	2.0E+01	1.5E+05	2.0E+01	1.8E-02	1.3E+02	1.8E-02
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.15E-08	2.0E+01	4.8E+02	1.9E+01	1.8E-02	4.4E-01	1.8E-02
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	8.71E-08	7.0E+03	4.5E+03	2.8E+03	7.1E-01	4.6E-01	2.8E-01
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.77E-07	1.6E+02	3.2E+02	1.1E+02	1.1E-01	2.3E-01	7.6E-02
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.34E-08	.	.	.	.	.	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.25E-08	.	.	.	.	.	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	5.27E-13	.	.	.	.	.	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.43E-08	.	.	.	.	.	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	6.75E-10	.	.	.	.	.	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.96E-10	.	.	.	.	.	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	2.24E-10	.	.	.	.	.	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.82E-09	.	.	.	.	.	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.63E-09	.	.	.	.	.	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.77E-08	.	.	.	.	.	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.70E-07	.	.	.	.	.	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.32E-08	.	.	.	.	.	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.44E-07	.	.	.	.	.	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.19E-07	.	.	.	.	.	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	9.75E-08	.	.	.	.	.	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	6.78E-09	.	5.6E+09	5.6E+09	.	5.9E+00	5.9E+00
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.42E-09	.	9.0E+09	9.0E+09	.	1.7E+01	1.7E+01
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	7.86E-10	4.6E+02	1.6E+07	4.6E+02	1.5E-03	5.1E+01	1.5E-03
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.30E-08	2.3E-03	1.1E+03	2.3E-03	6.6E-06	3.1E+00	6.6E-06
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	2.01E-10	1.6E-05	1.9E+03	1.6E-05	1.7E-06	2.0E+02	1.7E-06
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	8.11E-09	1.3E-06	5.0E+00	1.3E-06	1.3E-06	4.9E+00	1.3E-06
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	8.62E-09	1.1E-06	4.7E+00	1.1E-06	1.1E-06	4.7E+00	1.1E-06
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	3.63E-11	6.7E-06	1.1E+03	6.7E-06	6.7E-06	1.1E+03	6.7E-06
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	1.07E-09	9.5E+02	2.3E+05	9.4E+02	1.5E-01	3.7E+01	1.5E-01
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	1.84E-11	5.3E-06	2.2E+03	5.3E-06	5.3E-06	2.2E+03	5.3E-06
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.02E-07	2.6E-06	3.9E-01	2.6E-06	2.6E-06	3.9E-01	2.6E-06
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.98E-09	2.6E+06	4.3E+06	1.6E+06	6.1E+00	1.0E+01	3.8E+00
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	7.70E-10	2.0E+00	1.4E+04	2.0E+00	7.5E-03	5.2E+01	7.5E-03
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	3.16E-09	2.0E+00	3.5E+03	2.0E+00	7.5E-03	1.3E+01	7.5E-03
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.47E-09	.	8.3E+06	8.3E+06	.	6.2E+00	6.2E+00
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.76E-09	4.4E+05	2.7E+06	3.8E+05	1.8E+00	1.1E+01	1.5E+00
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	1.17E-08	7.7E-04	4.0E+00	7.7E-04	6.7E-04	3.4E+00	6.7E-04
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.62E-07	7.7E-04	1.8E-01	7.7E-04	6.7E-04	1.5E-01	6.6E-04
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	9.81E-08	3.8E+04	2.1E+04	1.4E+04	7.4E-01	4.1E-01	2.6E-01
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.20E-08	.	1.6E+06	1.6E+06	.	9.6E-01	9.6E-01
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.31E-08	.	1.7E+07	1.7E+07	.	3.1E+00	3.1E+00
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.48E-07	.	9.9E+05	9.9E+05	.	2.7E-01	2.7E-01
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.81E-07	.	3.7E+05	3.7E+05	.	1.4E-01	1.4E-01
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.03E-07	1.8E+06	1.1E+05	1.1E+05	6.1E+00	3.9E-01	3.7E-01
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.86E-07	1.3E+06	4.1E+04	3.9E+04	4.6E+00	1.4E-01	1.4E-01
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.46E-07	6.2E+05	3.7E+04	3.5E+04	4.5E+00	2.7E-01	2.6E-01
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.24E-07	2.9E+05	1.5E+04	1.5E+04	3.4E+00	1.8E-01	1.7E-01
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.08E-08	1.3E+05	4.4E+04	3.3E+04	2.3E+00	7.9E-01	5.8E-01
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.42E-07	5.6E+04	4.9E+03	4.5E+03	1.9E+00	1.7E-01	1.5E-01
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.35E-07	1.4E+05	2.5E+04	2.1E+04	1.7E+00	3.0E-01	2.5E-01
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.58E-08	3.9E+04	3.3E+04	1.8E+04	1.8E+00	1.6E+00	8.4E-01
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.52E-07	3.4E+03	1.6E+03	1.1E+03	5.6E-01	2.6E-01	1.8E-01
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	7.86E-09	7.2E+02	1.1E+04	6.7E+02	3.3E-01	5.1E+00	3.1E-01
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	5.02E-08	9.1E+01	4.3E+02	7.5E+01	1.7E-01	8.0E-01	1.4E-01
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	1.64E-10	1.8E-02	1.2E+03	1.8E-02	3.8E-03	2.4E+02	3.8E-03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	2.54E-10	.	3.6E+08	3.6E+08	.	1.6E+02	1.6E+02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.76E-07	.	3.7E+05	3.7E+05	.	1.5E-01	1.5E-01
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.89E-10	.	1.6E+08	1.6E+08	.	8.2E+01	8.2E+01
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.29E-07	.	2.9E+05	2.9E+05	.	9.3E-02	9.3E-02
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.59E-07	.	6.8E+05	6.8E+05	.	1.6E-01	1.6E-01
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.35E-07	.	8.7E+05	8.7E+05	.	1.2E-01	1.2E-01
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.49E-07	1.2E+06	8.4E+04	7.9E+04	4.0E+00	2.7E-01	2.5E-01
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.32E-07	2.8E+06	7.5E+04	7.3E+04	6.4E+00	1.7E-01	1.7E-01
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.53E-07	2.3E+05	2.3E+04	2.1E+04	2.6E+00	2.6E-01	2.4E-01
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	8.96E-08	.	2.1E+06	2.1E+06	.	4.5E-01	4.5E-01
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	6.00E-08	1.4E+03	3.5E+03	9.8E+02	2.6E-01	6.7E-01	1.9E-01
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.37E-07	8.8E+03	3.5E+03	2.5E+03	4.3E-01	1.7E-01	1.2E-01
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.33E-08	3.2E+01	2.1E+03	3.2E+01	4.5E-02	3.0E+00	4.4E-02
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.39E-07	8.8E-01	2.0E+01	8.4E-01	1.2E-02	2.9E-01	1.2E-02
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	4.07E-10	3.6E-01	5.0E+03	3.6E-01	7.0E-03	9.9E+01	7.0E-03
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	3.94E-11	5.0E-01	9.5E+03	5.0E-01	5.3E-02	1.0E+03	5.3E-02
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	5.78E-08	9.4E+01	1.7E+03	8.9E+01	3.8E-02	6.9E-01	3.6E-02
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.32E-08	5.4E+03	1.8E+04	4.2E+03	2.8E-01	9.3E-01	2.2E-01
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.03E-07	.	3.5E+05	3.5E+05	.	2.0E-01	2.0E-01
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.25E-07	4.2E+06	2.0E+05	1.9E+05	6.8E+00	3.2E-01	3.1E-01
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.38E-07	.	8.6E+05	8.6E+05	.	1.7E-01	1.7E-01
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.20E-08	.	2.9E+07	2.9E+07	.	3.3E+00	3.3E+00
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.91E-10	.	1.1E+08	1.1E+08	.	1.0E+02	1.0E+02
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	1.11E-10	1.3E-03	1.1E+05	1.3E-03	4.2E-06	3.6E+02	4.2E-06
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	6.47E-09	1.7E+02	9.7E+03	1.7E+02	1.1E-01	6.2E+00	1.1E-01
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	2.50E-11	2.8E-06	1.8E+03	2.8E-06	2.5E-06	1.6E+03	2.5E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	2.53E-11	8.1E-06	1.6E+03	8.1E-06	8.1E-06	1.6E+03	8.1E-06
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	1.39E-11	8.3E-06	2.9E+03	8.3E-06	8.3E-06	2.9E+03	8.3E-06
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.71E-08	9.2E-06	2.3E+00	9.2E-06	9.2E-06	2.3E+00	9.2E-06
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.81E-08	9.2E-06	2.2E+00	9.2E-06	9.2E-06	2.2E+00	9.2E-06
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	4.5E+10	.	4.5E+10	1.2E+05	.	1.2E+05
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	8.27E-12	8.9E-06	4.9E+03	8.9E-06	8.9E-06	4.9E+03	8.9E-06
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.29E-08	3.0E+01	3.0E+03	3.0E+01	3.1E-02	3.1E+00	3.1E-02
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	7.07E-12	9.7E-06	5.7E+03	9.7E-06	9.7E-06	5.7E+03	9.7E-06
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.44E-09	9.7E-06	1.2E+01	9.7E-06	9.7E-06	1.2E+01	9.7E-06
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	4.61E-09	1.5E+06	3.5E+06	1.1E+06	3.8E+00	8.7E+00	2.6E+00
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	4.45E-10	8.3E+02	1.0E+06	8.3E+02	7.4E-02	9.0E+01	7.4E-02
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.39E-09	2.5E+06	5.2E+06	1.7E+06	4.5E+00	9.1E+00	3.0E+00
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.13E-07	1.1E+06	1.0E+05	9.4E+04	3.7E+00	3.6E-01	3.2E-01
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.47E-07	9.0E+00	4.8E+01	7.6E+00	2.2E-02	1.2E-01	1.8E-02
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	1.6E+01	.	1.6E+01	8.2E-01	.	8.2E-01
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.76E-07	2.6E-03	2.5E-01	2.6E-03	2.4E-03	2.3E-01	2.4E-03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.79E-07	.	5.7E+05	5.7E+05	.	2.2E-01	2.2E-01
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.24E-07	.	1.9E+06	1.9E+06	.	3.2E-01	3.2E-01
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-07	1.4E+05	2.9E+04	2.4E+04	1.9E+00	4.0E-01	3.3E-01
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	1.01E-09	2.3E+01	1.2E+04	2.3E+01	7.4E-02	4.0E+01	7.4E-02
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.27E-08	2.3E+01	9.6E+02	2.2E+01	7.4E-02	3.2E+00	7.3E-02
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	3.38E-09	2.0E+07	3.0E+06	2.6E+06	7.7E+01	1.2E+01	1.0E+01
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	4.70E-09	.	1.3E+07	1.3E+07	.	8.5E+00	8.5E+00
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	2.70E-09	1.1E+01	8.1E+02	1.1E+01	2.0E-01	1.5E+01	2.0E-01
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	2.47E-11	1.5E+00	1.4E+05	1.5E+00	1.7E-02	1.6E+03	1.7E-02
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	2.23E-09	.	1.1E+08	1.1E+08	.	1.8E+01	1.8E+01
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.02E-08	7.9E+02	5.3E+03	6.9E+02	1.2E-01	8.0E-01	1.0E-01
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	2.12E-10	3.9E-01	1.8E+04	3.9E-01	4.1E-03	1.9E+02	4.1E-03
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	1.36E-08	5.1E+05	9.3E+05	3.3E+05	1.6E+00	3.0E+00	1.0E+00
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.17E-08	.	2.3E+05	2.3E+05	.	9.6E-01	9.6E-01
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.76E-07	.	5.4E+04	5.4E+04	.	2.3E-01	2.3E-01
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	5.40E-09	.	5.8E+04	5.8E+04	.	7.4E+00	7.4E+00
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.20E-08	.	4.2E+04	4.2E+04	.	5.6E-01	5.6E-01
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.70E-08	.	1.4E+04	1.4E+04	.	1.5E+00	1.5E+00
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.80E-08	.	2.6E+02	2.6E+02	.	1.4E+00	1.4E+00
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.61E-08	.	2.0E+07	2.0E+07	.	2.5E+00	2.5E+00
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.95E-09	.	1.5E+04	1.5E+04	.	2.1E+01	2.1E+01
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	7.20E-10	.	3.1E+04	3.1E+04	.	5.6E+01	5.6E+01
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	3.16E-09	.	1.6E+04	1.6E+04	.	1.3E+01	1.3E+01
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.95E-09	.	4.1E+04	4.1E+04	.	1.4E+01	1.4E+01
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.73E-08	.	2.5E+04	2.5E+04	.	1.5E+00	1.5E+00
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.77E-08	.	5.2E+05	5.2E+05	.	8.4E-01	8.4E-01
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.38E-08	.	4.2E+06	4.2E+06	.	1.7E+00	1.7E+00
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.39E-07	.	1.9E+05	1.9E+05	.	2.9E-01	2.9E-01
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.32E-07	.	2.4E+06	2.4E+06	.	3.0E-01	3.0E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	2.2E+01	2.2E+01
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.54E-07	.	3.5E+05	3.5E+05	.	2.6E-01	2.6E-01
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.40E-08	.	1.4E+06	1.4E+06	.	4.3E-01	4.3E-01
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	4.67E-07	4.4E+05	2.1E+04	2.0E+04	1.8E+00	8.6E-02	8.2E-02
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.22E-07	4.2E+04	1.9E+04	1.3E+04	7.2E-01	3.3E-01	2.3E-01
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.57E-07	1.1E+04	8.3E+03	4.7E+03	3.3E-01	2.6E-01	1.4E-01
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.29E-07	1.6E+03	1.0E+03	6.1E+02	1.5E-01	9.3E-02	5.7E-02
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.40E-08	5.0E+05	3.3E+05	2.0E+05	2.5E+00	1.7E+00	1.0E+00
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	4.92E-08	3.1E+02	1.6E+03	2.6E+02	1.6E-01	8.1E-01	1.3E-01
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.41E-08	4.8E+03	1.4E+04	3.6E+03	4.1E-01	1.2E+00	3.0E-01
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.35E-07	7.0E-01	7.4E+00	6.4E-01	1.1E-02	1.2E-01	1.0E-02
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.06E-07	.	1.4E+07	1.4E+07	.	3.8E-01	3.8E-01
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	6.19E-10	6.7E+01	1.6E+05	6.7E+01	2.7E-02	6.5E+01	2.7E-02
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-08	2.4E+04	2.8E+04	1.3E+04	4.8E-01	5.7E-01	2.6E-01
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.69E-10	7.7E-01	6.7E+03	7.7E-01	6.8E-03	6.0E+01	6.8E-03
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.00E-08	1.4E+06	1.3E+05	1.2E+05	7.6E+00	6.7E-01	6.1E-01
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.13E-08	1.1E+04	5.7E+04	9.2E+03	2.5E-01	1.3E+00	2.1E-01
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.26E-08	1.3E+03	5.0E+04	1.3E+03	8.7E-02	3.2E+00	8.4E-02
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	9.44E-08	2.1E+06	2.2E+05	2.0E+05	4.1E+00	4.3E-01	3.9E-01
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.45E-07	7.7E+06	2.6E+05	2.5E+05	8.4E+00	2.8E-01	2.7E-01
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.48E-08	3.0E+06	8.1E+05	6.4E+05	6.0E+00	1.6E+00	1.3E+00
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.30E-08	1.2E+07	4.1E+05	4.0E+05	1.4E+01	4.8E-01	4.7E-01
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	3.82E-09	2.2E+05	1.3E+06	1.9E+05	1.8E+00	1.1E+01	1.5E+00
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.44E-08	.	1.1E+06	1.1E+06	.	1.2E+00	1.2E+00
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	5.52E-09	2.2E+02	2.0E+04	2.2E+02	8.1E-02	7.3E+00	8.0E-02
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	2.32E-08	7.1E+06	9.4E+05	8.3E+05	1.3E+01	1.7E+00	1.5E+00
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.88E-08	3.8E+00	2.9E+02	3.7E+00	1.8E-02	1.4E+00	1.8E-02
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.23E-09	1.2E+02	1.5E+04	1.2E+02	7.8E-02	9.5E+00	7.7E-02
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.25E-08	7.9E+04	1.5E+05	5.2E+04	9.6E-01	1.8E+00	6.2E-01
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.26E-09	1.3E+05	1.2E+06	1.1E+05	9.8E-01	9.4E+00	8.9E-01
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.10E-07	.	4.3E+05	4.3E+05	.	3.6E-01	3.6E-01
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.73E-07	.	9.2E+05	9.2E+05	.	2.3E-01	2.3E-01
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.81E-07	.	1.4E+06	1.4E+06	.	2.2E-01	2.2E-01
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	4.89E-08	1.4E+03	1.4E+04	1.2E+03	7.9E-02	8.2E-01	7.2E-02
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.25E-07	7.0E+05	7.9E+04	7.1E+04	2.8E+00	3.2E-01	2.9E-01
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	6.91E-08	8.2E-01	1.6E+01	7.8E-01	3.0E-02	5.8E-01	2.9E-02
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	1.03E-10	5.9E+05	6.6E+07	5.9E+05	3.5E+00	3.9E+02	3.5E+00
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.64E-08	1.8E+03	9.9E+03	1.6E+03	1.6E-01	8.6E-01	1.4E-01
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.69E-08	.	4.2E+06	4.2E+06	.	1.1E+00	1.1E+00
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.78E-07	1.6E+04	9.0E+03	5.7E+03	3.9E-01	2.3E-01	1.4E-01
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.52E-08	1.3E+02	8.9E+03	1.3E+02	3.7E-02	2.6E+00	3.7E-02
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.69E-07	.	2.9E+05	2.9E+05	.	2.4E-01	2.4E-01
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	3.00E-08	1.4E+03	1.3E+04	1.2E+03	1.4E-01	1.3E+00	1.3E-01
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.06E-07	7.2E+04	3.6E+04	2.4E+04	7.6E-01	3.8E-01	2.5E-01
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.26E-08	1.3E+00	7.4E+01	1.3E+00	1.7E-02	9.4E-01	1.7E-02
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.34E-07	2.3E+02	6.0E+02	1.6E+02	1.1E-01	3.0E-01	8.2E-02
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.29E-08	.	1.3E+06	1.3E+06	.	5.5E-01	5.5E-01
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	2.03E-16	1.6E-02	2.0E+08	1.6E-02	1.6E-02	2.0E+08	1.6E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	8.46E-08	1.1E+00	4.9E+01	1.1E+00	1.1E-02	4.7E-01	1.1E-02
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.03E-07	4.2E+02	3.7E+03	3.8E+02	4.5E-02	3.9E-01	4.0E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	2.06E-06	4.95E-07	1.35E-06	1.94E-06	4.92E-07	2.5E+05	1.1E+06	3.9E+05	2.7E+05	1.1E+06	6.3E-10
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.91E-05	5.15E-06	1.37E-05	1.87E-05	5.14E-06	3.4E+02	1.3E+03	4.8E+02	3.5E+02	1.3E+03	6.8E-11
Actinium (89)	Ac-225	2.53E+01	2.74E-02	1.11E-06	3.12E-07	8.08E-07	1.09E-06	3.25E-07	6.8E+01	2.4E+02	9.4E+01	7.0E+01	2.3E+02	1.2E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	3.98E-06	1.01E-06	2.73E-06	3.85E-06	1.01E-06	1.9E+01	7.5E+01	2.8E+01	2.0E+01	7.5E+01	3.3E-10
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.23E-05	3.07E-06	8.38E-06	1.19E-05	3.08E-06	5.1E+01	2.0E+02	7.4E+01	5.2E+01	2.0E+02	1.1E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	5.36E-09	1.86E-09	4.13E-09	5.27E-09	4.45E-09	3.2E+01	9.2E+01	4.1E+01	3.2E+01	3.8E+01	4.4E-07
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	2.7E+01	1.4E+02	4.9E+01	3.1E+01	1.4E+02	1.2E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	7.29E-05	1.32E-05	3.79E-05	6.09E-05	1.30E-05	7.4E+03	4.1E+04	1.4E+04	8.8E+03	4.1E+04	1.8E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	4.26E-05	1.00E-05	2.78E-05	4.04E-05	1.00E-05	3.4E+03	1.5E+04	5.3E+03	3.6E+03	1.5E+04	3.2E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	1.58E-04	2.77E-05	8.03E-05	1.30E-04	2.69E-05	3.5E+03	2.0E+04	6.9E+03	4.2E+03	2.1E+04	8.6E-12
Actinium (89)	Ac-233	1.51E+05	4.60E-06	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.25E-05	7.6E+03	3.6E+04	1.3E+04	8.4E+03	3.6E+04	2.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	3.63E-04	6.97E-05	1.99E-04	3.13E-04	6.82E-05	1.3E+03	7.0E+03	2.5E+03	1.6E+03	7.2E+03	1.6E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	1.91E-04	3.87E-05	1.10E-04	1.69E-04	3.79E-05	5.2E+02	2.6E+03	9.0E+02	5.8E+02	2.6E+03	3.1E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	4.39E-04	8.28E-05	2.37E-04	3.76E-04	8.08E-05	1.9E+02	1.0E+03	3.6E+02	2.3E+02	1.1E+03	1.4E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	2.71E-04	4.73E-05	1.37E-04	2.22E-04	4.54E-05	5.2E+02	3.0E+03	1.0E+03	6.4E+02	3.1E+03	2.2E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	9.97E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	1.7E+02	8.2E+02	2.9E+02	1.9E+02	8.4E+02	6.0E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	3.41E-04	6.61E-05	1.89E-04	2.97E-04	6.47E-05	4.6E+01	2.4E+02	8.4E+01	5.3E+01	2.4E+02	1.8E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	2.30E-04	4.38E-05	1.25E-04	1.97E-04	4.29E-05	1.4E+02	7.5E+02	2.6E+02	1.7E+02	7.6E+02	2.6E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	5.68E-05	1.22E-05	3.43E-05	5.21E-05	1.21E-05	3.2E-01	1.5E+00	5.4E-01	3.5E-01	1.5E+00	1.1E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	1.13E-07	2.44E-08	6.87E-08	1.04E-07	2.42E-08	1.3E+06	6.2E+06	2.2E+06	1.5E+06	6.3E+06	5.4E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	8.20E-05	1.73E-05	4.87E-05	7.45E-05	1.72E-05	5.6E+02	2.6E+03	9.4E+02	6.1E+02	2.7E+03	7.5E-12
Silver (47)	Ag-106m	3.05E+01	2.27E-02	3.53E-04	6.87E-05	1.95E-04	3.07E-04	6.69E-05	2.6E-01	1.3E+00	4.7E-01	3.0E-01	1.4E+00	1.8E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	2.39E-06	5.20E-07	1.42E-06	2.16E-06	7.20E-07	1.9E+05	8.9E+05	3.3E+05	2.1E+05	6.4E+05	2.6E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	1.93E-04	3.99E-05	1.13E-04	1.74E-04	3.91E-05	6.1E-04	3.0E-03	1.1E-03	6.8E-04	3.0E-03	7.7E-11
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	1.94E-04	4.00E-05	1.13E-04	1.74E-04	3.91E-05	6.1E-04	3.0E-03	1.1E-03	6.8E-04	3.0E-03	7.7E-11
Silver (47)	Ag-109m	5.52E+05	1.26E-06	2.06E-07	8.13E-08	1.73E-07	2.06E-07	1.50E-07	8.1E+06	2.0E+07	9.6E+06	8.1E+06	1.1E+07	3.1E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	4.61E-06	1.02E-06	2.72E-06	4.13E-06	1.33E-06	5.8E+05	2.6E+06	9.8E+05	6.5E+05	2.0E+06	1.4E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	8.6E-03	4.5E-02	1.6E-02	1.0E-02	4.6E-02	1.8E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	8.6E-03	4.5E-02	1.6E-02	1.0E-02	4.6E-02	1.8E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.97E-06	6.72E-07	1.87E-06	2.78E-06	7.38E-07	3.4E+01	1.5E+02	5.5E+01	3.7E+01	1.4E+02	2.2E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	3.69E-07	9.04E-08	2.34E-07	3.44E-07	1.26E-07	2.7E+06	1.1E+07	4.3E+06	3.0E+06	8.1E+06	1.8E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	9.18E-05	1.71E-05	4.89E-05	7.79E-05	1.69E-05	6.4E+01	3.4E+02	1.2E+02	7.5E+01	3.5E+02	7.1E-12
Silver (47)	Ag-113	1.13E+03	6.13E-04	8.65E-06	1.88E-06	5.25E-06	7.89E-06	2.08E-06	3.9E+02	1.8E+03	6.5E+02	4.3E+02	1.6E+03	7.6E-11
Silver (47)	Ag-113m	3.18E+05	2.18E-06	2.42E-05	5.25E-06	1.47E-05	2.22E-05	5.21E-06	4.0E+04	1.8E+05	6.5E+04	4.3E+04	1.8E+05	2.7E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	3.66E-05	7.07E-06	1.98E-05	3.13E-05	7.23E-06	3.9E+05	2.0E+06	7.2E+05	4.6E+05	2.0E+06	1.8E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	6.41E-05	1.18E-05	3.38E-05	5.40E-05	1.17E-05	8.6E+02	4.6E+03	1.6E+03	1.0E+03	4.7E+03	1.0E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	2.96E-04	5.15E-05	1.49E-04	2.42E-04	4.99E-05	1.4E+03	7.9E+03	2.7E+03	1.7E+03	8.2E+03	2.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	1.80E-04	3.10E-05	8.99E-05	1.46E-04	2.99E-05	5.0E+03	2.9E+04	9.9E+03	6.1E+03	3.0E+04	3.8E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	2.91E-04	5.66E-05	1.61E-04	2.53E-04	5.52E-05	1.8E+03	9.4E+03	3.3E+03	2.1E+03	9.6E+03	2.0E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	3.60E-04	6.41E-05	1.86E-04	2.99E-04	6.22E-05	3.2E-04	1.8E-03	6.2E-04	3.9E-04	1.9E-03	1.7E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	2.52E-04	4.24E-05	1.24E-04	2.04E-04	4.10E-05	1.9E+03	1.2E+04	4.0E+03	2.4E+03	1.2E+04	6.5E-13
Aluminum (13)	Al-29	5.55E+04	1.25E-05	1.88E-04	3.35E-05	9.64E-05	1.56E-04	3.25E-05	8.9E+02	5.0E+03	1.7E+03	1.1E+03	5.1E+03	9.0E-13
Americium (95)	Am-237	4.99E+03	1.39E-04	3.66E-05	8.58E-06	2.36E-05	3.44E-05	8.52E-06	4.1E+02	1.7E+03	6.4E+02	4.4E+02	1.8E+03	3.8E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	1.10E-04	2.17E-05	6.11E-05	9.56E-05	2.12E-05	1.0E+02	5.2E+02	1.8E+02	1.2E+02	5.3E+02	1.3E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	1.89E-05	5.15E-06	1.36E-05	1.85E-05	5.21E-06	8.1E+01	3.0E+02	1.1E+02	8.3E+01	2.9E+02	7.4E-11
Americium (95)	Am-240	1.20E+02	5.80E-03	1.27E-04	2.50E-05	7.07E-05	1.10E-04	2.44E-05	2.8E+00	1.4E+01	5.1E+00	3.3E+00	1.5E+01	1.1E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	7.48E-07	3.72E-07	6.97E-07	7.48E-07	5.05E-07	1.6E-01	3.2E-01	1.7E-01	1.6E-01	2.3E-01	4.6E-08
Americium (95)	Am-242	3.79E+02	1.83E-03	9.40E-07	2.94E-07	7.37E-07	9.37E-07	3.35E-07	1.2E+03	3.9E+03	1.5E+03	1.2E+03	3.4E+03	1.5E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	2.05E-08	9.09E-09	1.68E-08	2.03E-08	3.63E-08	6.0E+00	1.4E+01	7.4E+00	6.1E+00	3.4E+00	5.8E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	1.29E-06	3.67E-07	9.34E-07	1.24E-06	4.32E-07	9.5E-02	3.4E-01	1.3E-01	9.9E-02	2.9E-01	9.1E-09
Americium (95)	Am-243	9.40E-05	7.37E+03	2.64E-06	1.06E-06	2.31E-06	2.64E-06	1.21E-06	4.4E-02	1.1E-01	5.0E-02	4.4E-02	9.6E-02	2.2E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.80E-05	5.10E-06	1.31E-05	1.75E-05	5.24E-06	6.4E-03	2.3E-02	8.9E-03	6.6E-03	2.2E-02	3.2E-08
Americium (95)	Am-244	6.01E+02	1.15E-03	9.66E-05	1.94E-05	5.45E-05	8.52E-05	1.91E-05	1.9E+01	9.3E+01	3.3E+01	2.1E+01	9.5E+01	1.5E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	1.96E-06	4.03E-07	1.10E-06	1.71E-06	5.68E-07	2.1E+04	1.0E+05	3.8E+04	2.5E+04	7.4E+04	7.3E-10
Americium (95)	Am-245	2.96E+03	2.34E-04	2.81E-06	7.27E-07	1.95E-06	2.72E-06	7.64E-07	3.2E+03	1.2E+04	4.6E+03	3.3E+03	1.2E+04	5.1E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	8.49E-05	1.78E-05	4.99E-05	7.64E-05	1.76E-05	3.3E+02	1.6E+03	5.6E+02	3.7E+02	1.6E+03	1.7E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.26E-04	2.40E-05	6.82E-05	1.08E-04	2.35E-05	3.5E+02	1.8E+03	6.4E+02	4.0E+02	1.9E+03	1.1E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.22E-05	3.09E-06	8.38E-06	1.18E-05	3.22E-06	3.9E+03	1.5E+04	5.7E+03	4.0E+03	1.5E+04	1.2E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	1.61E-08	5.50E-09	1.25E-08	1.59E-08	1.39E-08	8.3E+00	2.4E+01	1.1E+01	8.4E+00	9.6E+00	2.4E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	1.73E-04	3.13E-05	8.99E-05	1.45E-04	3.03E-05	5.8E+01	3.2E+02	1.1E+02	6.9E+01	3.3E+02	1.4E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	1.88E-08	6.36E-09	1.45E-08	1.85E-08	1.96E-08	8.9E+00	2.6E+01	1.1E+01	9.0E+00	8.5E+00	3.4E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.20E-06	3.8E-03	2.1E-02	7.4E-03	4.6E-03	2.1E-02	1.5E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	2.10E-04	3.72E-05	1.07E-04	1.74E-04	3.60E-05	9.7E+02	5.5E+03	1.9E+03	1.2E+03	5.7E+03	1.2E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	2.65E-04	4.61E-05	1.34E-04	2.18E-04	4.45E-05	3.5E+02	2.0E+03	6.9E+02	4.2E+02	2.1E+03	9.7E-13
Arsenic (33)	As-68	1.44E+05	4.81E-06	4.83E-04	9.09E-05	2.60E-04	4.13E-04	8.87E-05	9.0E+02	4.8E+03	1.7E+03	1.0E+03	4.9E+03	8.2E-13
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.37E-04	2.85E-05	8.03E-05	1.23E-04	2.82E-05	5.2E+02	2.5E+03	9.0E+02	5.8E+02	2.6E+03	2.9E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	5.52E-04	1.04E-04	2.97E-04	4.70E-04	1.01E-04	3.8E+01	2.0E+02	7.0E+01	4.4E+01	2.1E+02	7.4E-13
Arsenic (33)	As-71	9.30E+01	7.45E-03	6.50E-05	1.40E-05	3.93E-05	5.93E-05	1.37E-05	4.3E+00	2.0E+01	7.1E+00	4.7E+00	2.0E+01	6.4E-12
Arsenic (33)	As-72	2.33E+02	2.97E-03	2.20E-04	4.43E-05	1.25E-04	1.95E-04	4.35E-05	3.2E+00	1.6E+01	5.6E+00	3.6E+00	1.6E+01	1.9E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.55E-07	8.63E-08	1.49E-07	1.55E-07	1.20E-07	6.1E+01	1.1E+02	6.4E+01	6.1E+01	7.9E+01	2.8E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	9.06E-05	1.88E-05	5.30E-05	8.17E-05	1.85E-05	4.7E-01	2.3E+00	8.1E-01	5.2E-01	2.3E+00	4.8E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	5.24E-05	1.05E-05	2.96E-05	4.61E-05	1.05E-05	1.3E+01	6.7E+01	2.4E+01	1.5E+01	6.7E+01	8.5E-12
Arsenic (33)	As-77	1.56E+02	4.43E-03	9.15E-07	2.10E-07	5.81E-07	8.58E-07	2.22E-07	5.1E+02	2.2E+03	8.1E+02	5.5E+02	2.1E+03	4.9E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	1.72E-04	3.22E-05	9.19E-05	1.46E-04	3.14E-05	7.0E+01	3.8E+02	1.3E+02	8.3E+01	3.8E+02	2.6E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	4.48E-06	9.80E-07	2.67E-06	4.04E-06	1.24E-06	2.7E+04	1.2E+05	4.6E+04	3.0E+04	9.8E+04	1.0E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	2.75E-04	5.76E-05	1.62E-04	2.48E-04	5.65E-05	4.3E+02	2.1E+03	7.4E+02	4.8E+02	2.1E+03	4.3E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	1.39E-04	2.78E-05	7.83E-05	1.22E-04	2.72E-05	3.0E+02	1.5E+03	5.3E+02	3.4E+02	1.5E+03	8.6E-12
Astatine (85)	At-206	1.19E+04	5.82E-05	3.00E-04	6.11E-05	1.72E-04	2.66E-04	5.96E-05	1.2E+02	5.9E+02	2.1E+02	1.3E+02	6.0E+02	4.0E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.55E-04	4.87E-05	1.38E-04	2.18E-04	4.73E-05	4.0E+01	2.1E+02	7.3E+01	4.7E+01	2.1E+02	4.7E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	3.79E-04	7.42E-05	2.10E-04	3.28E-04	7.23E-05	3.0E+01	1.5E+02	5.3E+01	3.4E+01	1.6E+02	3.2E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.75E-04	5.60E-05	1.57E-04	2.43E-04	5.46E-05	1.2E+01	6.0E+01	2.2E+01	1.4E+01	6.2E+01	4.4E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	3.88E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	5.8E+00	3.2E+01	1.1E+01	6.9E+00	3.3E+01	3.2E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	2.00E-06	7.02E-07	1.63E-06	1.98E-06	7.57E-07	1.3E+03	3.6E+03	1.6E+03	1.3E+03	3.3E+03	6.2E-10
Astatine (85)	At-211+D	8.42E+02	8.24E-04	2.59E-06	8.18E-07	1.96E-06	2.50E-06	8.71E-07	9.8E+02	3.1E+03	1.3E+03	1.0E+03	2.9E+03	4.8E-10
Astatine (85)	At-215	2.19E+11	3.17E-12	1.91E-08	4.21E-09	1.18E-08	1.77E-08	4.13E-09	3.4E+13	1.6E+14	5.6E+13	3.7E+13	1.6E+14	6.6E-08
Astatine (85)	At-216	7.28E+10	9.51E-12	1.75E-07	5.25E-08	1.31E-07	1.71E-07	5.46E-08	1.3E+12	4.2E+12	1.7E+12	1.3E+12	4.0E+12	7.2E-09
Astatine (85)	At-217	6.77E+08	1.02E-09	2.53E-08	5.86E-09	1.62E-08	2.37E-08	5.74E-09	8.0E+10	3.5E+11	1.3E+11	8.6E+10	3.5E+11	5.0E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	7.42E-10	2.27E-10	4.98E-10	6.91E-10	5.40E-10	6.6E+10	2.1E+11	9.8E+10	7.0E+10	9.0E+10	1.9E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	5.02E-05	1.13E-05	3.15E-05	4.67E-05	1.13E-05	5.9E+03	2.6E+04	9.4E+03	6.3E+03	2.6E+04	2.6E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.80E-04	3.68E-05	1.04E-04	1.60E-04	3.63E-05	5.7E+02	2.8E+03	9.9E+02	6.4E+02	2.8E+03	6.0E-12
Gold (79)	Au-187	4.34E+04	1.60E-05	1.35E-04	2.53E-05	7.22E-05	1.14E-04	2.47E-05	9.7E+02	5.1E+03	1.8E+03	1.1E+03	5.3E+03	8.1E-12
Gold (79)	Au-190	8.51E+03	8.14E-05	3.19E-04	5.60E-05	1.61E-04	2.61E-04	5.36E-05	8.0E+01	4.6E+02	1.6E+02	9.8E+01	4.8E+02	3.5E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	6.31E-05	1.41E-05	3.88E-05	5.78E-05	1.40E-05	9.1E+01	4.1E+02	1.5E+02	9.9E+01	4.1E+02	1.8E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	2.57E-04	4.59E-05	1.32E-04	2.12E-04	4.42E-05	1.4E+01	8.1E+01	2.8E+01	1.7E+01	8.4E+01	4.4E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.26E-05	3.55E-06	8.94E-06	1.21E-05	3.72E-06	8.2E+01	2.9E+02	1.2E+02	8.5E+01	2.8E+02	8.9E-11
Gold (79)	Au-193m	5.60E+06	1.24E-07	1.95E-05	4.63E-06	1.28E-05	1.86E-05	4.58E-06	8.7E+05	3.6E+06	1.3E+06	9.1E+05	3.7E+06	5.8E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Gold (79)	Au-194	1.60E+02	4.34E-03	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	3.7E+00	1.9E+01	6.8E+00	4.3E+00	2.0E+01	8.8E-12
Gold (79)	Au-195	1.36E+00	5.10E-01	3.69E-06	1.49E-06	3.22E-06	3.69E-06	1.70E-06	1.1E+00	2.7E+00	1.3E+00	1.1E+00	2.4E+00	3.1E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	1.98E-05	4.72E-06	1.31E-05	1.89E-05	4.64E-06	1.1E+05	4.6E+05	1.6E+05	1.1E+05	4.6E+05	5.7E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	4.89E-05	1.13E-05	3.12E-05	4.58E-05	1.12E-05	2.5E+00	1.1E+01	4.0E+00	2.7E+00	1.1E+01	2.3E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	1.93E-05	5.30E-06	1.38E-05	1.88E-05	5.43E-06	9.9E+01	3.6E+02	1.4E+02	1.0E+02	3.5E+02	5.9E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	4.58E-05	9.95E-06	2.81E-05	4.23E-05	9.85E-06	6.2E+00	2.8E+01	1.0E+01	6.7E+00	2.9E+01	2.5E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	4.73E-05	1.22E-05	3.27E-05	4.58E-05	1.21E-05	7.1E+00	2.7E+01	1.0E+01	7.3E+00	2.8E+01	2.4E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.14E-06	2.18E-06	5.81E-06	7.95E-06	2.17E-06	3.0E+01	1.1E+02	4.2E+01	3.0E+01	1.1E+02	1.4E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	3.53E-05	6.82E-06	1.93E-05	3.05E-05	6.82E-06	6.4E+02	3.3E+03	1.2E+03	7.4E+02	3.3E+03	3.3E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	2.30E-04	4.89E-05	1.37E-04	2.09E-04	4.80E-05	4.2E+00	2.0E+01	7.1E+00	4.7E+00	2.0E+01	5.1E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	4.01E-06	8.68E-07	2.41E-06	3.66E-06	9.75E-07	1.1E+04	4.9E+04	1.8E+04	1.2E+04	4.3E+04	2.9E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	2.25E-05	4.45E-06	1.25E-05	1.96E-05	4.64E-06	1.0E+05	5.1E+05	1.8E+05	1.2E+05	4.9E+05	5.2E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	6.56E-05	1.36E-05	3.83E-05	5.87E-05	1.36E-05	1.5E+03	7.3E+03	2.6E+03	1.7E+03	7.3E+03	1.1E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	6.78E-05	1.38E-05	3.88E-05	6.00E-05	1.37E-05	1.6E+02	8.0E+02	2.8E+02	1.8E+02	8.0E+02	1.1E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	8.55E-05	1.77E-05	4.98E-05	7.67E-05	1.76E-05	1.0E+03	4.9E+03	1.7E+03	1.1E+03	4.9E+03	8.7E-12
Barium (56)	Ba-128	1.04E+02	6.66E-03	4.64E-06	1.17E-06	3.04E-06	4.42E-06	1.39E-06	6.8E+01	2.7E+02	1.0E+02	7.1E+01	2.3E+02	1.6E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	3.76E-05	7.78E-06	2.18E-05	3.35E-05	7.83E-06	2.2E+02	1.1E+03	3.8E+02	2.4E+02	1.0E+03	2.0E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	1.94E-04	3.82E-05	1.09E-04	1.69E-04	3.76E-05	4.4E+01	2.2E+02	7.8E+01	5.0E+01	2.3E+02	3.9E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	4.99E-05	1.11E-05	3.07E-05	4.61E-05	1.12E-05	1.3E+00	6.0E+00	2.2E+00	1.4E+00	5.9E+00	1.5E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.51E-06	1.45E-06	3.54E-06	4.51E-06	1.63E-06	1.7E+04	5.2E+04	2.1E+04	1.7E+04	4.6E+04	1.7E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	3.88E-05	9.04E-06	2.48E-05	3.63E-05	9.31E-06	6.2E-03	2.7E-02	9.8E-03	6.7E-03	2.6E-02	2.4E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	5.40E-06	1.32E-06	3.52E-06	5.11E-06	1.47E-06	8.7E+01	3.6E+02	1.3E+02	9.2E+01	3.2E+02	1.4E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.58E-06	1.14E-06	3.01E-06	4.35E-06	1.30E-06	1.4E+02	5.6E+02	2.1E+02	1.5E+02	4.9E+02	1.7E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	7.26E-05	1.48E-05	4.17E-05	6.47E-05	1.45E-05	5.9E+03	2.9E+04	1.0E+04	6.6E+03	3.0E+04	1.1E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	4.70E-06	1.20E-06	3.19E-06	4.51E-06	1.48E-06	2.8E+03	1.1E+04	4.1E+03	2.9E+03	8.9E+03	1.7E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	2.05E-05	4.40E-06	1.24E-05	1.87E-05	4.42E-06	2.9E+00	1.4E+01	4.8E+00	3.2E+00	1.4E+01	4.0E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	1.14E-04	2.27E-05	6.46E-05	9.97E-05	2.24E-05	5.3E+02	2.6E+03	9.3E+02	6.0E+02	2.7E+03	7.2E-12
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.31E-04	2.56E-05	7.27E-05	1.14E-04	2.50E-05	7.9E+02	4.0E+03	1.4E+03	9.1E+02	4.1E+03	6.3E-12
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.03E-08	6.87E-09	1.57E-08	1.99E-08	1.81E-08	6.3E+00	1.9E+01	8.2E+00	6.4E+00	7.1E+00	2.7E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.81E-06	1.24E-06	3.48E-06	5.30E-06	1.21E-06	2.5E+00	1.2E+01	4.1E+00	2.7E+00	1.2E+01	7.0E-12
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	2.14E-04	4.13E-05	1.17E-04	1.84E-04	4.04E-05	5.5E+02	2.9E+03	1.0E+03	6.4E+02	2.9E+03	5.4E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.91E-04	5.96E-05	1.68E-04	2.59E-04	5.84E-05	1.0E+02	5.1E+02	1.8E+02	1.2E+02	5.2E+02	4.0E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	2.23E-04	4.17E-05	1.19E-04	1.89E-04	4.04E-05	4.5E+01	2.4E+02	8.6E+01	5.4E+01	2.5E+02	5.3E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.41E-04	6.77E-05	1.91E-04	2.98E-04	6.56E-05	3.1E+01	1.6E+02	5.6E+01	3.6E+01	1.6E+02	3.5E-12
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	3.13E-04	5.71E-05	1.64E-04	2.63E-04	5.55E-05	5.0E+00	2.7E+01	9.5E+00	5.9E+00	2.8E+01	3.8E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	3.66E-04	7.12E-05	2.01E-04	3.19E-04	6.91E-05	4.4E+00	2.3E+01	8.1E+00	5.1E+00	2.4E+01	3.3E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	2.22E-04	4.06E-05	1.16E-04	1.86E-04	3.91E-05	2.2E-01	1.2E+00	4.3E-01	2.7E-01	1.3E+00	5.4E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	4.10E-04	7.98E-05	2.27E-04	3.57E-04	7.79E-05	3.0E-01	1.5E+00	5.4E-01	3.4E-01	1.6E+00	2.9E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	1.91E-04	3.75E-05	1.06E-04	1.66E-04	3.66E-05	7.9E-04	4.0E-03	1.4E-03	9.1E-04	4.1E-03	1.5E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	3.85E-04	6.01E-05	1.77E-04	2.97E-04	5.68E-05	3.0E-04	1.9E-03	6.5E-04	3.9E-04	2.0E-03	6.4E-08
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	7.48E-08	2.58E-08	5.55E-08	7.26E-08	1.30E-07	2.0E+03	5.9E+03	2.7E+03	2.1E+03	1.2E+03	1.6E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	2.77E-05	6.31E-06	1.77E-05	2.61E-05	6.19E-06	4.2E-03	1.8E-02	6.5E-03	4.4E-03	1.9E-02	7.5E-06
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	2.79E-05	6.36E-06	1.78E-05	2.63E-05	6.41E-06	4.2E-03	1.8E-02	6.5E-03	4.4E-03	1.8E-02	7.4E-06
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	5.14E-06	1.15E-06	3.23E-06	4.80E-06	1.13E-06	1.0E+05	4.4E+05	1.6E+05	1.1E+05	4.5E+05	2.4E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	1.3E+03	7.0E+03	2.5E+03	1.6E+03	6.8E+03	9.2E-11
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	1.3E+03	7.0E+03	2.5E+03	1.6E+03	6.8E+03	9.2E-11
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	1.55E-07	5.30E-08	1.12E-07	1.49E-07	2.26E-07	1.1E+06	3.3E+06	1.6E+06	1.2E+06	7.7E+05	8.9E-09
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	1.6E+03	7.6E+03	2.7E+03	1.8E+03	7.4E+03	8.5E-11
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	1.6E+03	7.6E+03	2.7E+03	1.8E+03	7.4E+03	8.5E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	2.8E+02	1.5E+03	5.3E+02	3.3E+02	1.6E+03	6.3E-12
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	2.8E+02	1.5E+03	5.3E+02	3.3E+02	1.6E+03	6.3E-12
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	4.9E+03	2.3E+04	8.3E+03	5.5E+03	2.3E+04	4.3E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	4.9E+03	2.3E+04	8.3E+03	5.5E+03	2.3E+04	4.3E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	8.77E-05	1.86E-05	5.25E-05	7.98E-05	1.86E-05	5.8E+03	2.7E+04	9.6E+03	6.3E+03	2.7E+04	1.4E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	1.92E-05	5.10E-06	1.36E-05	1.87E-05	5.14E-06	8.0E+00	3.0E+01	1.1E+01	8.3E+00	3.0E+01	7.5E-11
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	1.03E-04	2.06E-05	5.81E-05	8.99E-05	2.02E-05	4.1E+00	2.1E+01	7.3E+00	4.7E+00	2.1E+01	1.4E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.26E-05	3.31E-06	8.79E-06	1.21E-05	3.31E-06	9.3E-03	3.5E-02	1.3E-02	9.6E-03	3.5E-02	8.9E-09
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	5.02E-06	1.21E-06	3.27E-06	4.70E-06	1.26E-06	1.5E+02	6.4E+02	2.4E+02	1.6E+02	6.1E+02	2.9E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	1.27E-10	5.45E-11	1.00E-10	1.23E-10	1.15E-10	1.8E+04	4.2E+04	2.3E+04	1.9E+04	2.0E+04	1.1E-05
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	1.16E-04	2.21E-05	6.26E-05	9.94E-05	2.15E-05	4.9E+01	2.6E+02	9.1E+01	5.7E+01	2.6E+02	1.3E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	6.50E-06	1.87E-06	4.87E-06	6.44E-06	1.96E-06	3.0E+03	1.1E+04	4.0E+03	3.1E+03	1.0E+04	2.3E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	3.82E-04	7.37E-05	2.10E-04	3.31E-04	7.20E-05	2.2E+03	1.1E+04	4.0E+03	2.5E+03	1.2E+04	1.1E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	1.70E-04	3.57E-05	1.00E-04	1.53E-04	3.53E-05	1.9E+03	9.0E+03	3.2E+03	2.1E+03	9.1E+03	2.5E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	6.41E-04	1.08E-04	3.12E-04	5.11E-04	1.03E-04	6.7E+01	4.0E+02	1.4E+02	8.4E+01	4.2E+02	6.7E-13
Bromine (35)	Br-74m	7.92E+03	8.75E-05	5.52E-04	9.95E-05	2.86E-04	4.61E-04	9.59E-05	4.3E+01	2.4E+02	8.3E+01	5.2E+01	2.5E+02	7.8E-13
Bromine (35)	Br-75	3.77E+03	1.84E-04	1.39E-04	2.96E-05	8.38E-05	1.27E-04	2.92E-05	8.2E+01	3.8E+02	1.4E+02	8.9E+01	3.9E+02	3.2E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.72E-04	6.72E-05	1.93E-04	3.10E-04	6.47E-05	3.0E+00	1.7E+01	5.8E+00	3.6E+00	1.7E+01	1.2E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	1.42E-06	5.35E-07	1.06E-06	1.34E-06	7.42E-07	3.5E+07	9.4E+07	4.7E+07	3.8E+07	6.8E+07	3.1E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	3.63E-05	7.78E-06	2.19E-05	3.31E-05	7.61E-06	8.8E+00	4.1E+01	1.5E+01	9.7E+00	4.2E+01	1.2E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	1.04E-06	3.24E-07	8.18E-07	1.04E-06	3.35E-07	2.5E+05	7.9E+05	3.1E+05	2.5E+05	7.7E+05	4.3E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	1.23E-04	2.59E-05	7.27E-05	1.11E-04	2.57E-05	1.4E+03	6.6E+03	2.3E+03	1.5E+03	6.6E+03	3.7E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	9.44E-06	1.98E-06	5.55E-06	8.49E-06	2.18E-06	6.6E+03	3.1E+04	1.1E+04	7.3E+03	2.8E+04	4.9E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	1.61E-07	1.25E-07	1.61E-07	1.61E-07	2.87E-07	2.6E+04	3.3E+04	2.6E+04	2.6E+04	1.4E+04	2.9E-09
Bromine (35)	Br-82	1.72E+02	4.03E-03	3.35E-04	6.51E-05	1.85E-04	2.91E-04	6.34E-05	1.5E+00	7.9E+00	2.8E+00	1.8E+00	8.2E+00	1.4E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	3.72E-07	7.62E-08	2.10E-07	3.25E-07	9.28E-08	4.8E+05	2.3E+06	8.5E+05	5.5E+05	1.9E+06	1.3E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	8.62E-07	1.87E-07	5.15E-07	7.83E-07	2.51E-07	8.8E+03	4.1E+04	1.5E+04	9.7E+03	3.0E+04	5.6E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.49E-04	4.15E-05	1.20E-04	1.98E-04	3.98E-05	1.4E+02	8.3E+02	2.9E+02	1.7E+02	8.7E+02	2.0E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	3.60E-04	6.77E-05	1.94E-04	3.08E-04	6.60E-05	5.1E+02	2.7E+03	9.4E+02	5.9E+02	2.8E+03	1.4E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	9.15E-06	1.82E-06	5.05E-06	7.92E-06	2.09E-06	4.1E+04	2.1E+05	7.5E+04	4.8E+04	1.8E+05	5.4E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	2.10E-04	4.35E-05	1.23E-04	1.89E-04	4.26E-05	1.6E+04	7.9E+04	2.8E+04	1.8E+04	8.0E+04	2.8E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	1.20E-04	2.53E-05	7.17E-05	1.09E-04	2.49E-05	5.0E+02	2.4E+03	8.3E+02	5.5E+02	2.4E+03	5.9E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	2.12E-10	1.22E-10	1.98E-10	2.12E-10	2.61E-10	6.1E+02	1.1E+03	6.5E+02	6.1E+02	4.9E+02	1.4E-04
Calcium (20)	Ca-41	6.79E-06	1.02E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Calcium (20)	Ca-45	1.55E+00	4.46E-01	1.07E-09	4.92E-10	9.34E-10	1.07E-09	8.17E-10	4.4E+03	9.5E+03	5.0E+03	4.4E+03	5.7E+03	2.5E-07
Calcium (20)	Ca-47	5.58E+01	1.24E-02	1.40E-04	2.57E-05	7.37E-05	1.18E-04	2.48E-05	1.2E+00	6.5E+00	2.3E+00	1.4E+00	6.8E+00	2.0E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	4.73E-04	7.07E-05	2.09E-04	3.57E-04	6.66E-05	2.7E+02	1.8E+03	6.0E+02	3.5E+02	1.9E+03	6.0E-13
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	3.22E-04	6.01E-05	1.72E-04	2.73E-04	5.87E-05	2.5E+03	1.3E+04	4.7E+03	3.0E+03	1.4E+04	1.8E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	9.91E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	2.0E+03	9.8E+03	3.5E+03	2.3E+03	1.0E+04	6.0E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	2.80E-04	4.98E-05	1.43E-04	2.32E-04	4.80E-05	5.4E+02	3.0E+03	1.0E+03	6.5E+02	3.1E+03	2.2E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	2.53E-05	5.55E-06	1.52E-05	2.28E-05	5.68E-06	7.5E+02	3.4E+03	1.2E+03	8.3E+02	3.3E+03	2.4E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.70E-04	3.11E-05	8.94E-05	1.43E-04	3.02E-05	1.2E+02	6.3E+02	2.2E+02	1.4E+02	6.5E+02	3.6E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.80E-07	2.52E-07	5.96E-07	8.20E-07	4.61E-07	3.2E+03	1.1E+04	4.7E+03	3.4E+03	6.1E+03	7.1E-10
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	2.35E-07	1.10E-07	2.01E-07	2.35E-07	3.08E-07	7.0E+00	1.5E+01	8.2E+00	7.0E+00	5.3E+00	2.7E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	2.80E-05	6.66E-06	1.85E-05	2.68E-05	6.56E-06	8.1E+02	3.4E+03	1.2E+03	8.4E+02	3.4E+03	2.3E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	1.95E-09	8.23E-10	1.66E-09	1.95E-09	1.27E-09	6.6E+01	1.6E+02	7.8E+01	6.6E+01	1.0E+02	1.6E+08
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	1.84E-08	5.66E-09	1.35E-08	1.79E-08	1.15E-08	1.1E+01	3.6E+01	1.5E+01	1.1E+01	1.8E+01	5.0E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	2.26E-05	4.77E-06	1.34E-05	2.05E-05	4.77E-06	1.5E+01	7.2E+01	2.5E+01	1.7E+01	7.2E+01	3.0E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	4.48E-06	8.79E-07	2.45E-06	3.85E-06	1.05E-06	3.8E+00	1.9E+01	7.0E+00	4.4E+00	1.6E+01	1.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.40E-04	2.63E-05	7.52E-05	1.20E-04	2.55E-05	5.2E+01	2.8E+02	9.8E+01	6.1E+01	2.9E+02	4.9E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	2.78E-04	4.90E-05	1.42E-04	2.30E-04	4.70E-05	2.0E+01	1.1E+02	3.8E+01	2.4E+01	1.2E+02	2.5E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	8.52E-09	3.03E-09	6.77E-09	8.43E-09	5.27E-09	2.8E+06	8.0E+06	3.6E+06	2.9E+06	4.6E+06	9.0E-08
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	2.22E-04	3.93E-05	1.14E-04	1.83E-04	3.82E-05	1.8E+03	1.0E+04	3.6E+03	2.2E+03	1.1E+04	3.1E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	3.12E-04	5.55E-05	1.60E-04	2.59E-04	5.33E-05	1.6E+03	9.0E+03	3.1E+03	1.9E+03	9.3E+03	2.2E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	5.40E-05	1.16E-05	3.21E-05	4.86E-05	1.16E-05	8.9E+02	4.1E+03	1.5E+03	9.8E+02	4.1E+03	1.4E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	1.99E-04	3.96E-05	1.12E-04	1.75E-04	3.88E-05	5.4E+02	2.7E+03	9.6E+02	6.2E+02	2.8E+03	3.8E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	2.45E-05	6.06E-06	1.64E-05	2.35E-05	6.22E-06	2.1E+02	8.6E+02	3.2E+02	2.2E+02	8.4E+02	3.1E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	5.65E-05	1.26E-05	3.45E-05	5.18E-05	1.29E-05	2.0E+02	9.0E+02	3.3E+02	2.2E+02	8.7E+02	1.4E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	2.16E-04	4.16E-05	1.18E-04	1.86E-04	4.07E-05	1.7E+01	9.0E+01	3.2E+01	2.0E+01	9.2E+01	3.6E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	3.69E-07	2.20E-07	3.23E-07	3.66E-07	4.86E-07	6.5E+02	1.1E+03	7.5E+02	6.6E+02	5.0E+02	2.1E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	9.40E-05	1.98E-05	5.55E-05	8.49E-05	1.96E-05	1.1E+01	5.2E+01	1.9E+01	1.2E+01	5.3E+01	8.4E-12
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.51E-06	4.58E-07	9.90E-07	1.39E-06	7.26E-07	1.3E+03	4.4E+03	2.1E+03	1.5E+03	2.8E+03	5.3E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	4.01E-06	1.01E-06	2.61E-06	3.79E-06	1.19E-06	1.3E+02	5.2E+02	2.0E+02	1.4E+02	4.5E+02	2.0E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.22E-05	3.29E-06	8.68E-06	1.20E-05	3.50E-06	4.5E-01	1.7E+00	6.4E-01	4.6E-01	1.6E+00	6.6E-11
Cerium (58)	Ce-141	7.78E+00	8.91E-02	6.15E-06	1.69E-06	4.46E-06	6.06E-06	1.73E-06	3.8E+00	1.4E+01	5.2E+00	3.9E+00	1.4E+01	1.3E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	2.91E-05	6.46E-06	1.78E-05	2.68E-05	6.69E-06	1.9E+01	8.6E+01	3.1E+01	2.1E+01	8.3E+01	2.9E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	1.33E-06	3.94E-07	9.95E-07	1.31E-06	4.23E-07	2.0E+00	6.8E+00	2.7E+00	2.0E+00	6.3E+00	6.3E-10
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	6.15E-06	1.35E-06	3.58E-06	5.40E-06	1.69E-06	4.3E-01	2.0E+00	7.5E-01	5.0E-01	1.6E+00	1.4E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	9.63E-05	1.96E-05	5.50E-05	8.52E-05	1.97E-05	3.8E+03	1.9E+04	6.6E+03	4.3E+03	1.8E+04	8.8E-12
Californium (98)	Cf-244	1.88E+04	3.69E-05	1.64E-09	1.62E-09	1.64E-09	1.64E-09	1.27E-08	3.4E+07	3.5E+07	3.5E+07	3.4E+07	4.4E+06	8.7E-07
Californium (98)	Cf-246	1.70E+02	4.08E-03	5.62E-09	2.11E-09	3.79E-09	5.08E-09	9.78E-09	9.1E+04	2.4E+05	1.4E+05	1.0E+05	5.2E+04	2.6E-07
Californium (98)	Cf-247	1.95E+03	3.55E-04	6.78E-06	1.96E-06	5.10E-06	6.72E-06	2.06E-06	8.7E+02	3.0E+03	1.2E+03	8.7E+02	2.9E+03	2.1E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	4.58E-08	9.44E-09	2.44E-08	3.82E-08	1.84E-08	5.0E+01	2.4E+02	9.3E+01	6.0E+01	1.2E+02	3.2E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	3.60E-05	7.98E-06	2.24E-05	3.35E-05	7.83E-06	3.3E-03	1.5E-02	5.3E-03	3.5E-03	1.5E-02	8.1E-10
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.32E-06	2.36E-07	6.77E-07	1.09E-06	2.35E-07	1.6E-01	9.0E-01	3.2E-01	2.0E-01	9.1E-01	1.5E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	9.78E-06	2.64E-06	7.02E-06	9.56E-06	2.67E-06	1.2E-02	4.4E-02	1.7E-02	1.2E-02	4.4E-02	7.6E-09
Californium (98)	Cf-252	2.62E-01	2.65E+00	6.15E-05	1.09E-05	3.14E-05	5.05E-05	1.05E-05	1.3E-02	7.2E-02	2.5E-02	1.6E-02	7.5E-02	2.4E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.06E-08	8.33E-09	1.04E-08	1.06E-08	3.76E-08	4.0E+03	5.1E+03	4.1E+03	4.0E+03	1.1E+03	1.4E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	2.27E-03	4.02E-04	1.16E-03	1.87E-03	3.88E-04	5.5E-03	3.1E-02	1.1E-02	6.7E-03	3.2E-02	6.5E-13
Californium (98)	Cf-255	4.29E+03	1.62E-04	1.88E-08	6.41E-09	1.44E-08	1.85E-08	2.46E-08	7.6E+05	2.2E+06	9.9E+05	7.7E+05	5.8E+05	8.8E-08
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	1.23E-04	2.61E-05	7.32E-05	1.12E-04	2.59E-05	3.5E+05	1.7E+06	5.9E+05	3.9E+05	1.7E+06	1.6E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.87E-04	4.98E-05	1.44E-04	2.34E-04	4.80E-05	1.2E+02	6.9E+02	2.4E+02	1.5E+02	7.1E+02	6.9E-13
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	4.58E-08	1.33E-08	3.20E-08	4.35E-08	4.77E-08	2.5E+00	8.7E+00	3.6E+00	2.7E+00	2.4E+00	7.7E-05
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.08E-04	3.44E-05	1.00E-04	1.66E-04	3.31E-05	1.4E+02	8.6E+02	2.9E+02	1.8E+02	8.9E+02	1.1E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	1.93E-04	3.53E-05	1.01E-04	1.63E-04	3.44E-05	1.0E+02	5.6E+02	1.9E+02	1.2E+02	5.7E+02	1.2E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	5.90E-04	9.39E-05	2.75E-04	4.61E-04	8.96E-05	1.4E+03	8.6E+03	3.0E+03	1.8E+03	9.1E+03	4.0E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	5.49E-06	1.68E-06	4.26E-06	5.46E-06	1.72E-06	1.4E+03	4.5E+03	1.8E+03	1.4E+03	4.4E+03	2.5E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	2.16E-05	5.76E-06	1.55E-05	2.12E-05	5.74E-06	2.9E+02	1.1E+03	4.1E+02	3.0E+02	1.1E+03	6.5E-11
Curium (96)	Cm-240	9.37E+00	7.40E-02	2.65E-09	1.79E-09	2.37E-09	2.63E-09	1.26E-08	1.1E+04	1.6E+04	1.2E+04	1.1E+04	2.2E+03	5.3E-07
Curium (96)	Cm-241	7.71E+00	8.99E-02	5.24E-05	1.18E-05	3.27E-05	4.83E-05	1.17E-05	4.4E-01	2.0E+00	7.1E-01	4.8E-01	2.0E+00	2.7E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	2.12E-09	1.51E-09	1.89E-09	2.08E-09	1.11E-08	2.2E+03	3.1E+03	2.5E+03	2.2E+03	4.2E+02	6.7E-07
Curium (96)	Cm-243	2.38E-02	2.91E+01	1.14E-05	2.93E-06	7.88E-06	1.10E-05	2.94E-06	1.4E-02	5.3E-02	2.0E-02	1.4E-02	5.3E-02	2.7E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	3.79E-09	1.62E-09	2.57E-09	3.38E-09	9.85E-09	4.8E+01	1.1E+02	7.1E+01	5.4E+01	1.9E+01	6.0E-07
Curium (96)	Cm-245	8.15E-05	8.50E+03	7.42E-06	2.20E-06	5.66E-06	7.35E-06	2.25E-06	1.6E-02	5.3E-02	2.0E-02	1.6E-02	5.1E-02	9.1E-08
Curium (96)	Cm-246	1.46E-04	4.76E+03	4.86E-07	8.74E-08	2.49E-07	4.01E-07	9.09E-08	2.4E-01	1.3E+00	4.6E-01	2.9E-01	1.3E+00	7.8E-07
Curium (96)	Cm-247	4.44E-08	1.56E+07	3.53E-05	7.73E-06	2.18E-05	3.28E-05	7.57E-06	3.3E-03	1.5E-02	5.3E-03	3.5E-03	1.5E-02	3.5E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	3.69E-05	8.23E-06	2.29E-05	3.44E-05	8.11E-06	3.1E-03	1.4E-02	5.0E-03	3.4E-03	1.4E-02	3.4E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	1.77E-04	3.14E-05	9.04E-05	1.46E-04	3.03E-05	6.5E-04	3.7E-03	1.3E-03	7.9E-04	3.8E-03	1.6E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.30E-06	4.85E-07	1.36E-06	2.07E-06	5.21E-07	7.4E+03	3.5E+04	1.3E+04	8.2E+03	3.3E+04	6.3E-10
Curium (96)	Cm-250	8.35E-05	8.30E+03	1.80E-03	3.19E-04	9.19E-04	1.48E-03	3.08E-04	6.4E-05	3.6E-04	1.3E-04	7.8E-05	3.8E-04	3.7E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	1.83E-03	3.25E-04	9.39E-04	1.51E-03	3.15E-04	6.3E-05	3.6E-04	1.2E-04	7.7E-05	3.7E-04	3.7E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.28E-05	2.75E-06	7.67E-06	1.17E-05	2.82E-06	5.1E+03	2.4E+04	8.5E+03	5.6E+03	2.3E+04	1.1E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	5.05E-04	9.69E-05	2.77E-04	4.35E-04	9.44E-05	1.5E+03	7.6E+03	2.7E+03	1.7E+03	7.8E+03	6.2E-13
Cobalt (27)	Co-55	3.46E+02	2.00E-03	2.50E-04	4.93E-05	1.40E-04	2.19E-04	4.80E-05	4.2E+00	2.1E+01	7.4E+00	4.8E+00	2.2E+01	1.3E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	4.95E-04	8.68E-05	2.51E-04	4.07E-04	8.36E-05	2.0E-02	1.1E-01	3.9E-02	2.4E-02	1.2E-01	6.6E-13
Cobalt (27)	Co-57	9.31E-01	7.44E-01	9.59E-06	2.75E-06	7.17E-06	9.50E-06	2.72E-06	2.9E-01	1.0E+00	3.9E-01	2.9E-01	1.0E+00	3.5E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	1.21E-04	2.42E-05	6.82E-05	1.07E-04	2.35E-05	8.9E-02	4.4E-01	1.6E-01	1.0E-01	4.6E-01	2.8E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.71E-11	2.67E-11	2.72E-11	2.71E-11	1.21E-10	7.5E+07	7.6E+07	7.4E+07	7.5E+07	1.7E+07	1.2E-05
Cobalt (27)	Co-60	1.31E-01	5.27E+00	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	1.2E-03	6.7E-03	2.3E-03	1.5E-03	6.9E-03	1.1E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	4.83E-07	1.00E-07	2.67E-07	4.10E-07	1.03E-07	2.2E+05	1.0E+06	3.9E+05	2.6E+05	1.0E+06	7.3E-10
Cobalt (27)	Co-61	3.68E+03	1.88E-04	7.57E-06	2.08E-06	5.04E-06	6.91E-06	2.37E-06	1.5E+03	5.3E+03	2.2E+03	1.6E+03	4.7E+03	4.7E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	2.21E-04	3.90E-05	1.12E-04	1.82E-04	3.79E-05	3.3E+03	1.9E+04	6.5E+03	4.0E+03	1.9E+04	1.6E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	3.66E-04	6.56E-05	1.88E-04	3.04E-04	6.31E-05	2.2E+02	1.2E+03	4.2E+02	2.6E+02	1.2E+03	9.9E-13
Chromium (24)	Cr-48	2.82E+02	2.46E-03	4.39E-05	1.05E-05	2.88E-05	4.17E-05	1.03E-05	1.9E+01	8.1E+01	2.9E+01	2.0E+01	8.3E+01	6.4E-12
Chromium (24)	Cr-49	8.61E+03	8.05E-05	1.20E-04	2.59E-05	7.22E-05	1.09E-04	2.57E-05	2.2E+02	1.0E+03	3.6E+02	2.4E+02	1.0E+03	2.4E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	3.50E-06	7.83E-07	2.20E-06	3.28E-06	7.61E-07	7.8E+00	3.5E+01	1.2E+01	8.4E+00	3.6E+01	8.5E-11
Chromium (24)	Cr-55	1.04E+05	6.65E-06	7.95E-07	2.34E-07	5.20E-07	7.35E-07	5.62E-07	3.9E+05	1.3E+06	6.0E+05	4.3E+05	5.6E+05	4.0E-10
Chromium (24)	Cr-56	6.13E+04	1.13E-05	4.70E-06	1.73E-06	3.93E-06	4.70E-06	2.16E-06	3.9E+04	1.1E+05	4.7E+04	3.9E+04	8.6E+04	7.0E-11
Cesium (55)	Cs-121	1.41E+05	4.92E-06	1.39E-04	2.95E-05	8.28E-05	1.27E-04	2.92E-05	3.0E+03	1.4E+04	5.1E+03	3.4E+03	1.5E+04	5.1E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	1.39E-04	2.94E-05	8.28E-05	1.26E-04	2.91E-05	3.9E+03	1.8E+04	6.5E+03	4.3E+03	1.9E+04	5.1E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	1.27E-04	2.68E-05	7.52E-05	1.15E-04	2.66E-05	1.5E+03	7.0E+03	2.5E+03	1.6E+03	7.0E+03	5.6E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	1.41E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	1.5E+04	7.3E+04	2.6E+04	1.7E+04	7.3E+04	5.1E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	8.90E-05	1.84E-05	5.20E-05	7.98E-05	1.82E-05	2.7E+02	1.3E+03	4.7E+02	3.1E+02	1.3E+03	8.2E-12
Cesium (55)	Cs-126	2.22E+05	3.12E-06	1.38E-04	2.88E-05	8.13E-05	1.25E-04	2.86E-05	4.8E+03	2.3E+04	8.2E+03	5.4E+03	2.3E+04	5.3E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	4.70E-05	1.02E-05	2.85E-05	4.32E-05	1.03E-05	6.2E+01	2.9E+02	1.0E+02	6.8E+01	2.8E+02	1.6E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	1.05E-04	2.22E-05	6.21E-05	9.53E-05	2.20E-05	2.9E+03	1.4E+04	4.8E+03	3.2E+03	1.4E+04	7.1E-12
Cesium (55)	Cs-129	1.89E+02	3.66E-03	2.81E-05	6.26E-06	1.74E-05	2.60E-05	6.47E-06	2.0E+01	9.1E+01	3.3E+01	2.2E+01	8.8E+01	2.7E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	5.84E-05	1.23E-05	3.45E-05	5.27E-05	1.23E-05	6.4E+02	3.1E+03	1.1E+03	7.1E+02	3.1E+03	1.3E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	3.02E-06	1.10E-06	2.41E-06	2.98E-06	1.45E-06	1.0E+05	2.9E+05	1.3E+05	1.1E+05	2.2E+05	2.5E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	1.33E-07	1.20E-07	1.33E-07	1.33E-07	3.60E-07	5.9E+02	6.6E+02	5.9E+02	5.9E+02	2.2E+02	5.8E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	8.49E-05	1.73E-05	4.88E-05	7.57E-05	1.72E-05	1.4E+00	6.8E+00	2.4E+00	1.6E+00	6.8E+00	9.1E-12
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.92E-04	3.86E-05	1.09E-04	1.70E-04	3.76E-05	5.3E-03	2.6E-02	9.3E-03	5.9E-03	2.7E-02	4.1E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	1.37E-06	4.26E-07	1.04E-06	1.35E-06	5.27E-07	4.6E+03	1.5E+04	6.1E+03	4.6E+03	1.2E+04	5.7E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	1.58E-09	6.97E-10	1.36E-09	1.57E-09	1.10E-09	8.1E+01	1.8E+02	9.5E+01	8.2E+01	1.2E+02	7.1E-02
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	2.01E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	1.0E+02	5.2E+02	1.8E+02	1.2E+02	5.4E+02	3.9E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.68E-04	5.25E-05	1.48E-04	2.34E-04	5.08E-05	2.2E-01	1.1E+00	3.9E-01	2.5E-01	1.1E+00	3.0E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	1.49E-08	5.20E-09	1.15E-08	1.46E-08	1.50E-08	1.0E+01	3.0E+01	1.3E+01	1.0E+01	1.0E+01	1.2E-07
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	6.85E-05	1.40E-05	3.94E-05	6.12E-05	1.37E-05	2.2E-03	1.1E-02	3.9E-03	2.5E-03	1.1E-02	2.6E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	3.22E-04	5.71E-05	1.64E-04	2.66E-04	5.52E-05	1.0E+02	5.7E+02	2.0E+02	1.2E+02	5.9E+02	2.5E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	5.18E-05	9.85E-06	2.81E-05	4.42E-05	9.75E-06	7.3E+03	3.8E+04	1.3E+04	8.5E+03	3.9E+04	1.6E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	4.39E-05	7.67E-06	2.21E-05	3.60E-05	7.73E-06	2.7E+03	1.5E+04	5.4E+03	3.3E+03	1.5E+04	1.9E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	2.47E-04	4.26E-05	1.23E-04	2.01E-04	4.13E-05	4.2E+03	2.4E+04	8.4E+03	5.1E+03	2.5E+04	3.3E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	1.45E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	2.3E+06	1.1E+07	3.9E+06	2.6E+06	1.1E+07	2.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	1.77E-04	3.62E-05	1.02E-04	1.58E-04	3.57E-05	4.6E+03	2.2E+04	7.9E+03	5.1E+03	2.3E+04	1.9E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	5.24E-04	9.44E-05	2.72E-04	4.35E-04	9.12E-05	8.8E+01	4.9E+02	1.7E+02	1.1E+02	5.1E+02	6.7E-13
Copper (29)	Cu-61	1.82E+03	3.80E-04	9.75E-05	2.04E-05	5.76E-05	8.84E-05	2.01E-05	5.6E+01	2.7E+02	9.5E+01	6.2E+01	2.7E+02	3.7E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	1.20E-04	2.53E-05	7.12E-05	1.09E-04	2.51E-05	9.5E+02	4.5E+03	1.6E+03	1.0E+03	4.5E+03	3.0E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Copper (29)	Cu-64	4.78E+02	1.45E-03	2.18E-05	4.58E-06	1.29E-05	1.98E-05	4.48E-06	6.6E+01	3.1E+02	1.1E+02	7.3E+01	3.2E+02	1.7E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	1.34E-05	2.62E-06	7.32E-06	1.15E-05	2.86E-06	1.6E+04	8.2E+04	2.9E+04	1.9E+04	7.5E+04	2.9E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	1.04E-05	2.68E-06	7.27E-06	1.01E-05	2.65E-06	2.9E+01	1.1E+02	4.1E+01	2.9E+01	1.1E+02	3.8E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	6.85E-05	1.32E-05	3.74E-05	5.90E-05	1.31E-05	5.6E+03	2.9E+04	1.0E+04	6.5E+03	2.9E+04	5.9E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	8.36E-05	1.74E-05	4.85E-05	7.48E-05	1.72E-05	4.0E+03	1.9E+04	6.8E+03	4.4E+03	1.9E+04	1.0E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	2.06E-04	3.88E-05	1.10E-04	1.75E-04	3.79E-05	1.3E+03	6.7E+03	2.4E+03	1.5E+03	6.9E+03	4.2E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	2.93E-05	6.56E-06	1.82E-05	2.72E-05	6.63E-06	5.2E+03	2.3E+04	8.4E+03	5.6E+03	2.3E+04	3.0E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.71E-04	3.31E-05	9.34E-05	1.48E-04	3.25E-05	3.6E+02	1.9E+03	6.6E+02	4.1E+02	1.9E+03	5.2E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	2.71E-05	6.56E-06	1.78E-05	2.58E-05	6.63E-06	2.8E+02	1.2E+03	4.3E+02	3.0E+02	1.2E+03	3.3E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	9.94E-05	2.03E-05	5.66E-05	8.68E-05	2.04E-05	2.9E+01	1.4E+02	5.0E+01	3.3E+01	1.4E+02	9.0E-12
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.70E-05	1.58E-05	4.40E-05	6.78E-05	1.57E-05	2.4E+01	1.2E+02	4.2E+01	2.7E+01	1.2E+02	1.2E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	3.44E-05	8.03E-06	2.20E-05	3.25E-05	8.14E-06	6.5E+01	2.8E+02	1.0E+02	6.9E+01	2.8E+02	2.7E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	8.71E-07	5.55E-07	8.53E-07	8.68E-07	8.93E-07	6.1E+00	9.5E+00	6.2E+00	6.1E+00	5.9E+00	1.1E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	2.65E-06	6.31E-07	1.65E-06	2.42E-06	7.86E-07	3.0E+03	1.2E+04	4.7E+03	3.2E+03	1.0E+04	3.6E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	1.52E-06	3.86E-07	9.95E-07	1.42E-06	4.13E-07	5.7E+05	2.3E+06	8.8E+05	6.2E+05	2.1E+06	6.3E-10
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	1.75E-06	7.02E-07	1.43E-06	1.71E-06	8.96E-07	1.3E+02	3.2E+02	1.6E+02	1.3E+02	2.5E+02	5.5E-10
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	6.06E-05	1.31E-05	3.65E-05	5.52E-05	1.31E-05	2.9E+03	1.4E+04	4.8E+03	3.2E+03	1.4E+04	1.6E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	4.29E-05	9.49E-06	2.63E-05	3.94E-05	9.53E-06	2.9E+03	1.3E+04	4.8E+03	3.2E+03	1.3E+04	2.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	4.20E-06	1.24E-06	2.82E-06	3.88E-06	1.57E-06	7.0E+04	2.4E+05	1.0E+05	7.6E+04	1.9E+05	2.1E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	2.41E-06	9.49E-07	1.89E-06	2.34E-06	1.32E-06	2.3E+04	5.9E+04	3.0E+04	2.4E+04	4.3E+04	3.8E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	1.17E-04	2.31E-05	6.51E-05	1.02E-04	2.28E-05	2.6E+02	1.3E+03	4.7E+02	3.0E+02	1.3E+03	7.9E-12
Erbium (68)	Er-161	1.89E+03	3.66E-04	1.20E-04	2.39E-05	6.72E-05	1.05E-04	2.35E-05	4.7E+01	2.4E+02	8.5E+01	5.4E+01	2.4E+02	7.8E-12
Erbium (68)	Er-163	4.86E+03	1.43E-04	9.85E-07	5.45E-07	9.09E-07	9.72E-07	8.05E-07	1.5E+04	2.7E+04	1.6E+04	1.5E+04	1.8E+04	9.7E-10
Erbium (68)	Er-165	5.86E+02	1.18E-03	8.27E-07	5.01E-07	8.08E-07	8.27E-07	7.51E-07	2.1E+03	3.5E+03	2.2E+03	2.1E+03	2.3E+03	1.2E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	8.84E-06	2.21E-06	6.01E-06	8.55E-06	2.22E-06	3.3E+06	1.3E+07	4.8E+06	3.4E+06	1.3E+07	1.1E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	2.58E-09	1.05E-09	2.16E-09	2.57E-09	1.56E-09	3.1E+04	7.7E+04	3.7E+04	3.2E+04	5.2E+04	3.8E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	3.76E-05	8.84E-06	2.43E-05	3.57E-05	8.90E-06	6.5E+01	2.8E+02	1.0E+02	6.8E+01	2.7E+02	2.7E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	5.74E-05	1.24E-05	3.44E-05	5.21E-05	1.24E-05	6.5E+00	3.0E+01	1.1E+01	7.1E+00	3.0E+01	1.7E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	9.44E-05	2.00E-05	5.55E-05	8.43E-05	1.99E-05	8.1E+03	3.8E+04	1.4E+04	9.1E+03	3.8E+04	1.1E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	4.35E-05	9.69E-06	2.69E-05	4.01E-05	9.59E-06	2.5E+02	1.1E+03	4.0E+02	2.7E+02	1.1E+03	3.3E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.35E-04	2.86E-05	7.98E-05	1.21E-04	2.83E-05	1.6E+01	7.4E+01	2.7E+01	1.8E+01	7.5E+01	1.1E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	6.63E-05	1.32E-05	3.70E-05	5.74E-05	1.29E-05	1.2E+02	6.2E+02	2.2E+02	1.4E+02	6.4E+02	2.2E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	6.72E-06	1.96E-06	5.10E-06	6.66E-06	2.04E-06	8.2E+01	2.8E+02	1.1E+02	8.3E+01	2.7E+02	2.2E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	3.38E-08	8.13E-09	2.15E-08	3.14E-08	1.10E-08	1.1E+03	4.6E+03	1.7E+03	1.2E+03	3.4E+03	4.4E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	2.21E-07	7.57E-08	1.63E-07	2.12E-07	1.71E-07	1.2E+01	3.6E+01	1.7E+01	1.3E+01	1.6E+01	6.7E-09
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	1.16E-04	2.22E-05	6.26E-05	9.97E-05	2.16E-05	2.4E-02	1.2E-01	4.4E-02	2.8E-02	1.3E-01	1.3E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	5.71E-05	1.17E-05	3.29E-05	5.11E-05	1.15E-05	8.1E+00	4.0E+01	1.4E+01	9.1E+00	4.1E+01	2.6E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	9.31E-08	1.68E-08	4.78E-08	7.67E-08	1.65E-08	2.1E+02	1.1E+03	4.0E+02	2.5E+02	1.2E+03	1.6E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	1.87E-07	6.61E-08	1.35E-07	1.79E-07	2.72E-07	2.3E+05	6.5E+05	3.2E+05	2.4E+05	1.6E+05	8.0E-09
Europium (63)	Eu-142	9.34E+06	7.42E-08	1.51E-04	3.09E-05	8.68E-05	1.34E-04	3.05E-05	1.9E+05	9.1E+05	3.2E+05	2.1E+05	9.2E+05	5.5E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	4.26E-04	8.53E-05	2.42E-04	3.76E-04	8.36E-05	2.1E+03	1.1E+04	3.7E+03	2.4E+03	1.1E+04	1.9E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	1.40E-04	2.79E-05	7.88E-05	1.23E-04	2.75E-05	3.0E+03	1.5E+04	5.4E+03	3.4E+03	1.5E+04	6.0E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	1.36E-04	2.77E-05	7.83E-05	1.21E-04	2.74E-05	4.8E+04	2.3E+05	8.2E+04	5.3E+04	2.4E+05	6.2E-12
Europium (63)	Eu-145	4.27E+01	1.62E-02	1.65E-04	3.07E-05	8.74E-05	1.39E-04	3.00E-05	7.8E-01	4.2E+00	1.5E+00	9.2E-01	4.3E+00	5.1E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	3.04E-04	5.86E-05	1.66E-04	2.62E-04	5.71E-05	5.4E-01	2.8E+00	9.9E-01	6.3E-01	2.9E+00	2.8E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	5.21E-05	1.10E-05	3.02E-05	4.64E-05	1.10E-05	6.1E-01	2.9E+00	1.0E+00	6.8E-01	2.9E+00	1.6E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	2.73E-04	5.45E-05	1.55E-04	2.40E-04	5.33E-05	5.1E-02	2.6E-01	9.0E-02	5.8E-02	2.6E-01	3.2E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.04E-06	1.13E-06	2.70E-06	3.79E-06	1.39E-06	2.0E+00	7.3E+00	3.0E+00	2.2E+00	5.9E+00	2.2E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Europium (63)	Eu-150	1.88E-02	3.69E+01	1.83E-04	3.80E-05	1.07E-04	1.64E-04	3.72E-05	8.0E-04	3.9E-03	1.4E-03	8.9E-04	3.9E-03	1.2E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	5.55E-06	1.18E-06	3.28E-06	5.02E-06	1.26E-06	2.6E+02	1.2E+03	4.3E+02	2.8E+02	1.1E+03	1.6E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	1.46E-04	2.83E-05	8.03E-05	1.26E-04	2.77E-05	1.4E-03	7.4E-03	2.6E-03	1.7E-03	7.6E-03	8.3E-12
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.63E-05	7.22E-06	2.02E-05	3.16E-05	7.26E-06	5.4E+01	2.7E+02	9.7E+01	6.2E+01	2.7E+02	2.4E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	4.07E-06	1.45E-06	3.37E-06	4.07E-06	1.59E-06	2.8E+03	7.9E+03	3.4E+03	2.8E+03	7.2E+03	2.2E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	1.58E-04	3.04E-05	8.63E-05	1.36E-04	2.97E-05	1.7E-03	9.1E-03	3.2E-03	2.0E-03	9.3E-03	6.5E-12
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.03E-06	1.19E-06	2.57E-06	3.02E-06	1.43E-06	7.9E+03	2.0E+04	9.3E+03	7.9E+03	1.7E+04	3.0E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	3.38E-06	1.19E-06	2.78E-06	3.38E-06	1.32E-06	1.3E-01	3.8E-01	1.6E-01	1.3E-01	3.4E-01	2.7E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	1.66E-04	2.97E-05	8.53E-05	1.38E-04	2.88E-05	3.0E-01	1.7E+00	5.9E-01	3.6E-01	1.7E+00	5.5E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	2.98E-05	6.77E-06	1.83E-05	2.74E-05	7.01E-06	4.0E+01	1.8E+02	6.6E+01	4.4E+01	1.7E+02	3.1E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	1.69E-04	3.17E-05	9.04E-05	1.44E-04	3.10E-05	1.4E+02	7.5E+02	2.6E+02	1.7E+02	7.7E+02	5.5E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	3.13E-05	6.92E-06	1.84E-05	2.78E-05	7.42E-06	1.9E+03	8.8E+03	3.3E+03	2.2E+03	8.2E+03	3.0E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	8.5E+03	4.0E+04	1.4E+04	9.3E+03	4.0E+04	8.2E-13
Fluorine (9)	F-18	3.32E+03	2.09E-04	1.16E-04	2.46E-05	6.92E-05	1.06E-04	2.41E-05	9.5E+01	4.5E+02	1.6E+02	1.0E+02	4.6E+02	1.0E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.30E-05	1.82E-05	5.10E-05	7.64E-05	1.78E-05	2.7E+01	1.2E+02	4.3E+01	2.9E+01	1.2E+02	3.7E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	1.39E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	9.2E+02	4.4E+03	1.6E+03	1.0E+03	4.4E+03	2.2E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	4.04E-04	7.47E-05	2.14E-04	3.41E-04	7.20E-05	1.1E+03	5.8E+03	2.0E+03	1.3E+03	6.0E+03	7.7E-13
Iron (26)	Fe-55	2.53E-01	2.74E+00	1.29E-14	3.69E-15	9.69E-15	1.28E-14	3.66E-15	5.9E+07	2.1E+08	7.9E+07	5.9E+07	2.1E+08	2.5E-02
Iron (26)	Fe-59	5.68E+00	1.22E-01	1.57E-04	2.90E-05	8.33E-05	1.33E-04	2.81E-05	1.1E-01	5.9E-01	2.1E-01	1.3E-01	6.1E-01	2.2E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	4.77E-10	2.50E-10	4.34E-10	4.77E-10	4.80E-10	2.7E+02	5.1E+02	3.0E+02	2.7E+02	2.7E+02	6.8E-02
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	3.5E-04	1.9E-03	6.6E-04	4.1E-04	2.0E-03	8.7E-08
Iron (26)	Fe-61	6.09E+04	1.14E-05	1.84E-04	3.41E-05	9.74E-05	1.56E-04	3.31E-05	9.9E+02	5.4E+03	1.9E+03	1.2E+03	5.5E+03	1.9E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	6.00E-05	1.27E-05	3.57E-05	5.46E-05	1.27E-05	1.6E+04	7.6E+04	2.7E+04	1.8E+04	7.6E+04	6.0E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.42E-05	3.48E-06	9.39E-06	1.33E-05	3.50E-06	2.4E+02	9.9E+02	3.7E+02	2.6E+02	9.8E+02	1.0E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.60E-08	8.03E-09	1.98E-08	3.04E-08	1.72E-08	2.0E+04	9.0E+04	3.6E+04	2.4E+04	4.2E+04	4.1E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.51E-06	1.27E-06	3.32E-06	4.42E-06	1.36E-06	5.6E+01	2.0E+02	7.6E+01	5.7E+01	1.9E+02	3.3E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	9.47E-07	1.70E-07	4.84E-07	7.79E-07	1.73E-07	6.0E+03	3.3E+04	1.2E+04	7.2E+03	3.3E+04	1.6E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	1.06E-07	4.65E-08	8.94E-08	1.05E-07	1.33E-07	8.6E+03	2.0E+04	1.0E+04	8.6E+03	6.9E+03	1.4E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	1.67E-03	2.97E-04	8.53E-04	1.38E-03	2.87E-04	4.2E+00	2.3E+01	8.1E+00	5.0E+00	2.4E+01	8.9E-13
Fermium (100)	Fm-257	2.52E+00	2.75E-01	1.33E-05	3.22E-06	8.68E-06	1.23E-05	3.25E-06	5.7E-01	2.4E+00	8.7E-01	6.1E-01	2.3E+00	1.1E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	1.42E-04	2.75E-05	7.78E-05	1.22E-04	2.68E-05	3.9E+02	2.0E+03	7.0E+02	4.5E+02	2.0E+03	8.7E-12
Francium (87)	Fr-219	1.09E+09	6.34E-10	3.91E-07	8.74E-08	2.44E-07	3.66E-07	8.58E-08	8.4E+09	3.8E+10	1.3E+10	9.0E+09	3.8E+10	3.3E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	6.15E-07	1.93E-07	4.76E-07	6.06E-07	2.06E-07	3.9E+06	1.2E+07	5.0E+06	4.0E+06	1.2E+07	2.1E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	7.89E-07	2.46E-07	6.06E-07	7.76E-07	2.60E-07	3.0E+06	9.8E+06	4.0E+06	3.1E+06	9.2E+06	1.6E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	2.83E-06	6.92E-07	1.91E-06	2.73E-06	6.82E-07	7.9E+04	3.2E+05	1.2E+05	8.2E+04	3.3E+05	4.6E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	2.86E-06	6.97E-07	1.92E-06	2.75E-06	6.88E-07	7.8E+04	3.2E+05	1.2E+05	8.1E+04	3.3E+05	4.5E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.84E-05	4.27E-06	1.18E-05	1.72E-05	4.39E-06	4.2E+03	1.8E+04	6.6E+03	4.5E+03	1.8E+04	7.1E-11
Francium (87)	Fr-223	1.66E+04	4.19E-05	3.66E-06	1.08E-06	2.60E-06	3.50E-06	1.31E-06	1.4E+04	4.6E+04	1.9E+04	1.4E+04	3.8E+04	3.6E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	6.91E-05	1.34E-05	3.82E-05	5.96E-05	1.33E-05	4.8E+03	2.5E+04	8.6E+03	5.5E+03	2.5E+04	1.9E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	4.86E-05	1.08E-05	2.96E-05	4.42E-05	1.09E-05	9.1E+03	4.1E+04	1.5E+04	1.0E+04	4.1E+04	2.7E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	4.54E-04	8.08E-05	2.33E-04	3.76E-04	7.83E-05	9.2E+02	5.2E+03	1.8E+03	1.1E+03	5.3E+03	8.2E-13
Gallium (31)	Ga-65	2.40E+04	2.89E-05	1.35E-04	2.87E-05	8.03E-05	1.22E-04	2.84E-05	5.3E+02	2.5E+03	9.0E+02	5.9E+02	2.5E+03	2.8E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	3.44E-04	5.86E-05	1.69E-04	2.77E-04	5.62E-05	5.6E+00	3.3E+01	1.1E+01	6.9E+00	3.4E+01	1.1E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	1.46E-05	3.64E-06	9.90E-06	1.40E-05	3.60E-06	1.6E+01	6.4E+01	2.4E+01	1.7E+01	6.5E+01	2.7E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	1.4E+02	6.8E+02	2.4E+02	1.6E+02	6.9E+02	3.5E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	1.15E-06	2.54E-07	6.66E-07	1.01E-06	4.67E-07	4.5E+04	2.0E+05	7.8E+04	5.1E+04	1.1E+05	3.6E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	3.66E-04	6.51E-05	1.87E-04	3.03E-04	6.25E-05	3.5E+00	2.0E+01	6.9E+00	4.3E+00	2.1E+01	1.1E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	3.85E-05	8.48E-06	2.39E-05	3.57E-05	8.46E-06	9.8E+01	4.4E+02	1.6E+02	1.1E+02	4.4E+02	1.1E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	4.35E-04	7.47E-05	2.17E-04	3.53E-04	7.23E-05	3.1E+02	1.8E+03	6.2E+02	3.8E+02	1.9E+03	9.9E-13

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	1.27E-04	2.56E-05	7.22E-05	1.12E-04	2.52E-05	7.4E+03	3.7E+04	1.3E+04	8.4E+03	3.7E+04	6.5E-12
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	2.60E-04	5.20E-05	1.47E-04	2.29E-04	5.11E-05	2.3E+03	1.1E+04	4.1E+03	2.6E+03	1.2E+04	3.2E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	1.15E-04	2.19E-05	6.21E-05	9.81E-05	2.15E-05	2.1E+03	1.1E+04	3.9E+03	2.5E+03	1.1E+04	7.3E-12
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	3.31E-04	5.71E-05	1.66E-04	2.70E-04	5.52E-05	1.4E+02	8.4E+02	2.9E+02	1.8E+02	8.6E+02	2.6E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	8.30E-05	1.69E-05	4.76E-05	7.38E-05	1.66E-05	9.3E+03	4.6E+04	1.6E+04	1.0E+04	4.7E+04	1.0E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	1.52E-05	4.81E-06	1.16E-05	1.51E-05	5.43E-06	1.0E+00	3.3E+00	1.4E+00	1.0E+00	2.9E+00	5.6E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	1.67E-04	3.40E-05	9.59E-05	1.48E-04	3.35E-05	2.9E+00	1.4E+01	5.0E+00	3.2E+00	1.4E+01	5.1E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	5.52E-05	1.23E-05	3.39E-05	5.05E-05	1.24E-05	1.5E+00	6.7E+00	2.4E+00	1.6E+00	6.6E+00	1.6E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	3.82E-06	1.19E-06	2.76E-06	3.72E-06	1.47E-06	1.6E+00	5.2E+00	2.2E+00	1.6E+00	4.2E+00	2.3E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	4.35E-06	1.71E-06	3.64E-06	4.35E-06	2.18E-06	7.3E-01	1.8E+00	8.7E-01	7.3E-01	1.5E+00	2.1E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	5.14E-06	1.22E-06	3.28E-06	4.80E-06	1.33E-06	1.9E+02	8.1E+02	3.0E+02	2.1E+02	7.4E+02	1.8E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	4.73E-05	1.03E-05	2.90E-05	4.39E-05	1.02E-05	2.8E+03	1.3E+04	4.5E+03	3.0E+03	1.3E+04	2.0E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.64E-05	1.64E-05	4.59E-05	6.94E-05	1.62E-05	1.1E+02	4.9E+02	1.8E+02	1.2E+02	5.0E+02	5.0E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.71E-04	3.52E-05	9.95E-05	1.53E-04	3.47E-05	3.4E+02	1.6E+03	5.8E+02	3.8E+02	1.7E+03	2.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	1.10E-11	1.10E-11	1.10E-11	1.10E-11	3.98E-10	2.6E+05	2.6E+05	2.6E+05	2.6E+05	7.1E+03	3.6E-05
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	2.5E-02	1.2E-01	4.2E-02	2.8E-02	1.2E-01	3.5E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	1.20E-04	2.33E-05	6.61E-05	1.04E-04	2.27E-05	3.9E+00	2.0E+01	7.1E+00	4.5E+00	2.1E+01	3.4E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.11E-11	1.11E-11	1.11E-11	1.11E-11	4.04E-10	6.0E+06	6.0E+06	6.0E+06	6.0E+06	1.6E+05	3.7E-05
Germanium (32)	Ge-75	4.40E+03	1.57E-04	3.82E-06	8.89E-07	2.48E-06	3.63E-06	9.85E-07	3.5E+03	1.5E+04	5.3E+03	3.6E+03	1.3E+04	1.1E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	1.30E-04	2.65E-05	7.52E-05	1.16E-04	2.60E-05	1.2E+01	6.1E+01	2.1E+01	1.4E+01	6.2E+01	3.5E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	2.98E-05	6.82E-06	1.92E-05	2.83E-05	6.63E-06	4.2E+02	1.8E+03	6.5E+02	4.4E+02	1.9E+03	1.5E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	6.85E-05	1.51E-05	4.20E-05	6.31E-05	1.51E-05	7.8E+03	3.5E+04	1.3E+04	8.5E+03	3.6E+04	1.4E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	7.07E-05	1.55E-05	4.29E-05	6.47E-05	1.55E-05	4.8E+03	2.2E+04	7.9E+03	5.2E+03	2.2E+04	1.4E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	4.39E-05	1.01E-05	2.73E-05	4.04E-05	1.03E-05	2.6E+01	1.1E+02	4.2E+01	2.8E+01	1.1E+02	2.3E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	2.7E-01	6.5E-01	3.2E-01	2.7E-01	5.2E-01	2.5E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	2.7E-01	6.5E-01	3.2E-01	2.7E-01	5.2E-01	2.5E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	3.50E-05	8.94E-06	2.36E-05	3.35E-05	9.09E-06	2.2E+01	8.7E+01	3.3E+01	2.3E+01	8.5E+01	2.9E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	3.47E-05	8.23E-06	2.23E-05	3.25E-05	8.30E-06	3.1E-01	1.3E+00	4.9E-01	3.3E-01	1.3E+00	2.9E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	2.36E-04	5.45E-05	1.51E-04	2.22E-04	5.40E-05	9.0E+01	3.9E+02	1.4E+02	9.6E+01	4.0E+02	4.4E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	2.46E-04	5.45E-05	1.52E-04	2.27E-04	5.36E-05	6.2E-04	2.8E-03	1.0E-03	6.7E-04	2.8E-03	9.6E-12
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	9.44E-05	2.19E-05	6.01E-05	8.84E-05	2.17E-05	3.2E-01	1.4E+00	5.1E-01	3.4E-01	1.4E+00	1.1E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.05E-04	2.38E-05	6.61E-05	9.78E-05	2.35E-05	3.2E+01	1.4E+02	5.0E+01	3.4E+01	1.4E+02	1.0E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.78E-05	1.29E-05	3.58E-05	5.33E-05	1.27E-05	3.1E-01	1.4E+00	5.0E-01	3.4E-01	1.4E+00	1.8E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	2.46E-05	5.76E-06	1.61E-05	2.34E-05	5.65E-06	4.7E-03	2.0E-02	7.2E-03	4.9E-03	2.0E-02	2.2E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	1.87E-04	3.69E-05	1.04E-04	1.62E-04	3.60E-05	6.2E-04	3.1E-03	1.1E-03	7.1E-04	3.2E-03	2.8E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	1.00E-04	2.19E-05	6.06E-05	9.15E-05	2.17E-05	1.8E+02	8.1E+02	2.9E+02	1.9E+02	8.2E+02	1.1E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	9.21E-05	1.89E-05	5.30E-05	8.17E-05	1.87E-05	1.9E+02	9.0E+02	3.2E+02	2.1E+02	9.1E+02	1.2E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	2.18E-05	5.40E-06	1.46E-05	2.08E-05	5.49E-06	2.0E+02	8.2E+02	3.0E+02	2.1E+02	8.1E+02	4.9E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	1.43E-05	4.27E-06	1.08E-05	1.41E-05	4.42E-06	3.8E+03	1.3E+04	5.1E+03	3.9E+03	1.2E+04	7.7E-11
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	1.77E-04	3.59E-05	1.01E-04	1.56E-04	3.50E-05	1.2E+02	6.0E+02	2.1E+02	1.4E+02	6.2E+02	6.3E-12
Mercury (80)	Hg-192	1.25E+03	5.54E-04	2.36E-05	6.11E-06	1.62E-05	2.26E-05	6.22E-06	1.6E+02	6.2E+02	2.3E+02	1.7E+02	6.1E+02	4.7E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	1.01E-04	1.99E-05	5.60E-05	8.74E-05	1.95E-05	4.7E+01	2.4E+02	8.6E+01	5.5E+01	2.5E+02	1.1E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	1.02E-04	2.00E-05	5.66E-05	8.80E-05	1.97E-05	4.7E+01	2.4E+02	8.5E+01	5.5E+01	2.4E+02	1.1E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	1.25E-04	2.47E-05	6.97E-05	1.09E-04	2.41E-05	1.2E+01	6.3E+01	2.2E+01	1.4E+01	6.4E+01	9.0E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Mercury (80)	Hg-194	1.58E-03	4.40E+02	9.75E-11	9.74E-11	9.74E-11	9.75E-11	2.32E-09	1.2E+03	1.2E+03	1.2E+03	1.2E+03	5.1E+01	2.9E-04
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	9.1E-04	4.8E-03	1.7E-03	1.1E-03	4.9E-03	2.2E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.94E-05	4.47E-06	1.18E-05	1.74E-05	4.54E-06	8.9E+01	3.9E+02	1.5E+02	1.0E+02	3.8E+02	5.9E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	1.97E-05	4.63E-06	1.25E-05	1.83E-05	4.64E-06	2.2E+01	9.5E+01	3.5E+01	2.4E+01	9.5E+01	5.8E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	3.28E-06	1.32E-06	2.85E-06	3.28E-06	1.50E-06	8.6E+01	2.1E+02	9.9E+01	8.6E+01	1.9E+02	3.5E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	7.04E-06	2.04E-06	5.20E-06	6.88E-06	2.10E-06	1.1E+02	3.8E+02	1.5E+02	1.1E+02	3.7E+02	1.6E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.54E-05	4.08E-06	1.08E-05	1.48E-05	4.13E-06	1.7E+03	6.3E+03	2.4E+03	1.7E+03	6.2E+03	7.6E-11
Mercury (80)	Hg-203	5.43E+00	1.28E-01	2.49E-05	5.76E-06	1.61E-05	2.36E-05	5.62E-06	6.6E-01	2.8E+00	1.0E+00	6.9E-01	2.9E+00	4.8E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	6.66E-07	1.79E-07	4.55E-07	6.37E-07	3.50E-07	3.2E+05	1.2E+06	4.6E+05	3.3E+05	6.0E+05	1.8E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	1.31E-05	2.97E-06	8.28E-06	1.22E-05	3.02E-06	1.0E+04	4.5E+04	1.6E+04	1.1E+04	4.5E+04	9.2E-11
Mercury (80)	Hg-207	1.26E+05	5.52E-06	3.57E-04	6.41E-05	1.85E-04	2.97E-04	6.19E-05	1.1E+03	5.9E+03	2.0E+03	1.3E+03	6.1E+03	3.4E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	2.32E-04	4.75E-05	1.34E-04	2.07E-04	4.67E-05	3.7E+03	1.8E+04	6.4E+03	4.1E+03	1.8E+04	3.8E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	1.20E-04	2.51E-05	7.07E-05	1.08E-04	2.49E-05	4.5E+03	2.2E+04	7.7E+03	5.1E+03	2.2E+04	7.4E-12
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	1.21E-04	2.60E-05	7.22E-05	1.10E-04	2.58E-05	9.7E+02	4.5E+03	1.6E+03	1.1E+03	4.6E+03	7.4E-12
Holmium (67)	Ho-154	3.10E+04	2.24E-05	2.29E-04	4.64E-05	1.31E-04	2.03E-04	4.58E-05	4.1E+02	2.0E+03	7.1E+02	4.6E+02	2.0E+03	3.9E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	2.87E-04	6.01E-05	1.69E-04	2.59E-04	5.90E-05	1.2E+03	5.9E+03	2.1E+03	1.4E+03	6.0E+03	3.1E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	6.94E-05	1.45E-05	4.04E-05	6.19E-05	1.45E-05	3.3E+02	1.6E+03	5.7E+02	3.7E+02	1.6E+03	1.3E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	2.63E-04	5.10E-05	1.44E-04	2.27E-04	4.99E-05	7.4E+01	3.8E+02	1.4E+02	8.6E+01	3.9E+02	3.5E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	6.09E-05	1.34E-05	3.67E-05	5.52E-05	1.36E-05	1.4E+03	6.5E+03	2.4E+03	1.6E+03	6.4E+03	1.5E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.38E-05	8.38E-06	2.20E-05	3.15E-05	8.77E-06	9.8E+02	4.0E+03	1.5E+03	1.1E+03	3.8E+03	2.7E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	2.07E-04	4.13E-05	1.16E-04	1.81E-04	4.07E-05	2.1E+02	1.0E+03	3.7E+02	2.4E+02	1.1E+03	4.5E-12
Holmium (67)	Ho-161	2.45E+03	2.83E-04	1.46E-06	7.32E-07	1.30E-06	1.45E-06	1.10E-06	5.0E+03	1.0E+04	5.7E+03	5.1E+03	6.7E+03	6.4E-10
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.58E-05	3.47E-06	9.14E-06	1.38E-05	3.69E-06	4.6E+03	2.1E+04	8.0E+03	5.3E+03	2.0E+04	6.0E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	6.50E-05	1.31E-05	3.64E-05	5.65E-05	1.31E-05	2.5E+02	1.3E+03	4.5E+02	2.9E+02	1.3E+03	1.5E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Holmium (67)	Ho-164	1.26E+04	5.52E-05	7.48E-07	4.09E-07	7.02E-07	7.48E-07	6.22E-07	5.1E+04	9.2E+04	5.4E+04	5.1E+04	6.1E+04	1.3E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	9.75E-07	5.86E-07	9.49E-07	9.75E-07	8.90E-07	3.0E+04	4.9E+04	3.0E+04	3.0E+04	3.2E+04	9.8E-10
Holmium (67)	Ho-166	2.27E+02	3.06E-03	3.25E-06	7.22E-07	1.86E-06	2.79E-06	9.69E-07	2.1E+02	9.4E+02	3.7E+02	2.4E+02	7.0E+02	3.0E-10
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	1.93E-04	3.99E-05	1.12E-04	1.73E-04	3.91E-05	6.0E-04	2.9E-03	1.0E-03	6.8E-04	3.0E-03	3.4E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	3.91E-05	8.89E-06	2.47E-05	3.66E-05	8.77E-06	1.5E+02	6.6E+02	2.4E+02	1.6E+02	6.7E+02	2.5E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	1.09E-04	2.17E-05	6.11E-05	9.56E-05	2.14E-05	3.4E+03	1.7E+04	6.0E+03	3.8E+03	1.7E+04	9.0E-12
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	1.38E-07	8.33E-08	1.35E-07	1.38E-07	1.25E-07	3.6E+06	6.0E+06	3.7E+06	3.6E+06	4.0E+06	7.1E-09
Holmium (67)	Ho-170	1.32E+05	5.25E-06	2.10E-04	4.17E-05	1.18E-04	1.84E-04	4.10E-05	1.9E+03	9.5E+03	3.4E+03	2.2E+03	9.7E+03	4.7E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	2.50E-04	5.04E-05	1.43E-04	2.22E-04	4.95E-05	3.2E+02	1.6E+03	5.6E+02	3.6E+02	1.6E+03	2.8E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	4.64E-04	9.29E-05	2.63E-04	4.10E-04	9.09E-05	2.8E+02	1.4E+03	4.9E+02	3.1E+02	1.4E+03	1.5E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	1.04E-04	2.23E-05	6.26E-05	9.53E-05	2.21E-05	5.5E+02	2.6E+03	9.2E+02	6.0E+02	2.6E+03	6.7E-12
Iodine (53)	I-120	4.46E+03	1.55E-04	3.50E-04	6.41E-05	1.84E-04	2.94E-04	6.22E-05	3.8E+01	2.1E+02	7.3E+01	4.6E+01	2.2E+02	2.0E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	4.45E-04	8.63E-05	2.46E-04	3.85E-04	8.43E-05	4.6E+01	2.4E+02	8.4E+01	5.4E+01	2.5E+02	1.6E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	4.20E-05	9.34E-06	2.61E-05	3.88E-05	9.34E-06	2.1E+02	9.2E+02	3.3E+02	2.2E+02	9.2E+02	1.7E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	1.15E-04	2.40E-05	6.77E-05	1.04E-04	2.39E-05	2.6E+03	1.3E+04	4.5E+03	2.9E+03	1.3E+04	6.2E-12
Iodine (53)	I-123	4.57E+02	1.51E-03	1.39E-05	3.60E-06	9.64E-06	1.35E-05	3.79E-06	9.9E+01	3.8E+02	1.4E+02	1.0E+02	3.6E+02	5.2E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.39E-04	2.69E-05	7.67E-05	1.21E-04	2.64E-05	1.3E+00	6.8E+00	2.4E+00	1.5E+00	6.9E+00	5.2E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	1.97E-07	1.82E-07	1.96E-07	1.97E-07	6.19E-07	6.5E+01	7.0E+01	6.5E+01	6.5E+01	2.1E+01	3.7E-09
Iodine (53)	I-126	1.96E+01	3.54E-02	5.08E-05	1.06E-05	2.98E-05	4.58E-05	1.05E-05	1.2E+00	5.6E+00	2.0E+00	1.3E+00	5.6E+00	1.4E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	8.02E-06	1.76E-06	4.86E-06	7.35E-06	1.98E-06	5.5E+03	2.5E+04	9.0E+03	6.0E+03	2.2E+04	9.3E-11
Iodine (53)	I-129	4.41E-08	1.57E+07	1.67E-07	1.44E-07	1.66E-07	1.67E-07	4.01E-07	6.9E-01	8.0E-01	7.0E-01	6.9E-01	2.9E-01	3.9E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	2.61E-04	5.30E-05	1.50E-04	2.33E-04	5.18E-05	5.7E+00	2.8E+01	9.9E+00	6.4E+00	2.9E+01	2.9E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	1.28E-05	2.63E-06	7.37E-06	1.14E-05	2.67E-06	9.7E+03	4.7E+04	1.7E+04	1.1E+04	4.6E+04	5.9E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	4.32E-05	9.44E-06	2.65E-05	4.01E-05	9.25E-06	2.2E+00	1.0E+01	3.6E+00	2.4E+00	1.0E+01	1.8E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Iodine (53)	I-132	2.65E+03	2.62E-04	2.85E-04	5.60E-05	1.59E-04	2.49E-04	5.46E-05	2.8E+01	1.4E+02	5.0E+01	3.2E+01	1.5E+02	2.7E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	4.01E-05	8.23E-06	2.31E-05	3.57E-05	8.14E-06	3.3E+02	1.6E+03	5.7E+02	3.7E+02	1.6E+03	1.9E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	7.38E-05	1.52E-05	4.29E-05	6.63E-05	1.50E-05	1.2E+01	5.8E+01	2.0E+01	1.3E+01	5.9E+01	1.1E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	3.31E-04	6.41E-05	1.82E-04	2.87E-04	6.22E-05	6.3E+01	3.3E+02	1.1E+02	7.3E+01	3.4E+02	2.4E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	2.88E-05	6.56E-06	1.82E-05	2.70E-05	6.66E-06	1.1E+04	4.6E+04	1.7E+04	1.1E+04	4.6E+04	2.7E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	2.12E-04	3.83E-05	1.11E-04	1.78E-04	3.72E-05	1.3E+01	7.3E+01	2.5E+01	1.6E+01	7.5E+01	3.7E-12
Indium (49)	In-103	3.64E+05	1.90E-06	3.53E-04	6.72E-05	1.91E-04	3.03E-04	6.53E-05	3.1E+03	1.6E+04	5.7E+03	3.6E+03	1.7E+04	1.7E-12
Indium (49)	In-105	7.18E+04	9.65E-06	2.40E-04	4.72E-05	1.34E-04	2.10E-04	4.61E-05	9.0E+02	4.6E+03	1.6E+03	1.0E+03	4.7E+03	2.5E-12
Indium (49)	In-106	5.87E+04	1.18E-05	4.42E-04	8.84E-05	2.49E-04	3.88E-04	8.62E-05	4.0E+02	2.0E+03	7.1E+02	4.6E+02	2.1E+03	1.4E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	3.69E-04	6.87E-05	1.96E-04	3.13E-04	6.66E-05	5.7E+02	3.1E+03	1.1E+03	6.7E+02	3.2E+03	1.7E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.96E-04	3.68E-05	1.05E-04	1.67E-04	3.57E-05	1.7E+02	9.2E+02	3.2E+02	2.0E+02	9.5E+02	3.2E-12
Indium (49)	In-108	6.28E+03	1.10E-04	4.99E-04	9.59E-05	2.73E-04	4.32E-04	9.31E-05	3.8E+01	2.0E+02	6.9E+01	4.4E+01	2.0E+02	1.3E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	3.76E-04	6.51E-05	1.89E-04	3.06E-04	6.28E-05	7.4E+01	4.2E+02	1.5E+02	9.1E+01	4.4E+02	1.7E-12
Indium (49)	In-109	1.45E+03	4.79E-04	7.54E-05	1.53E-05	4.33E-05	6.66E-05	1.50E-05	5.8E+01	2.8E+02	1.0E+02	6.5E+01	2.9E+02	8.4E-12
Indium (49)	In-109m	2.72E+05	2.55E-06	7.42E-05	1.51E-05	4.28E-05	6.63E-05	1.48E-05	1.1E+04	5.4E+04	1.9E+04	1.2E+04	5.5E+04	8.6E-12
Indium (49)	In-110	1.24E+03	5.59E-04	3.88E-04	7.62E-05	2.16E-04	3.38E-04	7.45E-05	9.6E+00	4.9E+01	1.7E+01	1.1E+01	5.0E+01	1.7E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	1.96E-04	3.87E-05	1.10E-04	1.72E-04	3.79E-05	8.1E+01	4.1E+02	1.4E+02	9.2E+01	4.2E+02	3.3E-12
Indium (49)	In-111	9.02E+01	7.68E-03	3.85E-05	9.34E-06	2.59E-05	3.72E-05	9.28E-06	7.0E+00	2.9E+01	1.0E+01	7.3E+00	2.9E+01	1.7E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	5.55E-05	1.17E-05	3.28E-05	5.05E-05	1.15E-05	2.6E+03	1.2E+04	4.3E+03	2.8E+03	1.2E+04	1.2E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.11E-05	6.51E-06	1.84E-05	2.81E-05	6.50E-06	2.4E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	2.1E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.87E-06	5.20E-07	1.34E-06	1.83E-06	6.37E-07	2.9E+04	1.0E+05	4.0E+04	2.9E+04	8.4E+04	3.5E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	2.88E-05	6.31E-06	1.77E-05	2.67E-05	6.22E-06	3.8E+02	1.7E+03	6.2E+02	4.1E+02	1.8E+03	2.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	6.34E-07	1.67E-07	3.95E-07	5.71E-07	4.23E-07	1.4E+06	5.5E+06	2.3E+06	1.6E+06	2.2E+06	1.0E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	7.95E-06	1.76E-06	4.91E-06	7.32E-06	1.81E-06	1.9E+00	8.7E+00	3.1E+00	2.1E+00	8.5E+00	8.4E-11
Indium (49)	In-114m+D	5.11E+00	1.36E-01	8.55E-06	1.92E-06	5.30E-06	7.89E-06	2.22E-06	1.8E+00	8.0E+00	2.9E+00	1.9E+00	6.9E+00	7.8E-11
Indium (49)	In-115	1.57E-15	4.41E+14	7.42E-09	2.68E-09	5.91E-09	7.35E-09	4.26E-09	1.7E+01	4.8E+01	2.2E+01	1.7E+01	3.0E+01	2.5E+06
Indium (49)	In-115m	1.35E+03	5.12E-04	1.71E-05	3.82E-06	1.07E-05	1.60E-05	3.82E-06	2.4E+02	1.1E+03	3.8E+02	2.5E+02	1.1E+03	3.9E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	3.31E-04	6.01E-05	1.72E-04	2.77E-04	5.78E-05	6.1E+01	3.4E+02	1.2E+02	7.3E+01	3.5E+02	2.0E-12
Indium (49)	In-117	8.43E+03	8.22E-05	7.86E-05	1.70E-05	4.77E-05	7.20E-05	1.67E-05	3.2E+02	1.5E+03	5.3E+02	3.5E+02	1.5E+03	8.7E-12
Indium (49)	In-117m	3.13E+03	2.21E-04	9.06E-06	2.14E-06	5.91E-06	8.62E-06	2.25E-06	1.0E+03	4.4E+03	1.6E+03	1.1E+03	4.2E+03	7.5E-11
Indium (49)	In-118	4.37E+06	1.59E-07	1.26E-05	2.51E-06	6.87E-06	1.08E-05	2.82E-06	1.0E+06	5.2E+06	1.9E+06	1.2E+06	4.7E+06	5.5E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	3.63E-04	6.82E-05	1.94E-04	3.10E-04	6.63E-05	6.9E+02	3.7E+03	1.3E+03	8.1E+02	3.8E+03	1.9E-12
Indium (49)	In-119	1.52E+05	4.57E-06	9.56E-05	1.91E-05	5.40E-05	8.43E-05	1.89E-05	4.8E+03	2.4E+04	8.5E+03	5.4E+03	2.4E+04	7.3E-12
Indium (49)	In-119m	2.02E+04	3.42E-05	8.93E-06	1.77E-06	4.91E-06	7.70E-06	2.04E-06	6.8E+03	3.4E+04	1.2E+04	7.9E+03	3.0E+04	7.8E-11
Indium (49)	In-121	9.46E+05	7.32E-07	1.18E-04	2.31E-05	6.51E-05	1.03E-04	2.28E-05	2.4E+04	1.2E+05	4.4E+04	2.8E+04	1.3E+05	6.0E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	7.45E-06	1.65E-06	4.23E-06	6.41E-06	2.11E-06	3.8E+04	1.7E+05	6.7E+04	4.4E+04	1.3E+05	9.5E-11
Iridium (77)	Ir-180	2.43E+05	2.85E-06	1.88E-04	3.95E-05	1.11E-04	1.69E-04	3.88E-05	3.9E+03	1.9E+04	6.6E+03	4.3E+03	1.9E+04	5.6E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.66E-04	3.47E-05	9.74E-05	1.49E-04	3.41E-05	4.4E+02	2.1E+03	7.5E+02	4.9E+02	2.1E+03	6.4E-12
Iridium (77)	Ir-183	6.28E+03	1.10E-04	1.47E-04	2.82E-05	7.98E-05	1.25E-04	2.75E-05	1.3E+02	6.7E+02	2.4E+02	1.5E+02	6.9E+02	7.3E-12
Iridium (77)	Ir-184	1.96E+03	3.53E-04	2.41E-04	4.74E-05	1.34E-04	2.09E-04	4.64E-05	2.5E+01	1.2E+02	4.4E+01	2.8E+01	1.3E+02	4.5E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	1.06E-04	1.99E-05	5.66E-05	8.90E-05	1.95E-05	1.2E+01	6.4E+01	2.2E+01	1.4E+01	6.5E+01	1.0E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	2.03E-04	4.00E-05	1.13E-04	1.76E-04	3.91E-05	5.4E+00	2.7E+01	9.7E+00	6.2E+00	2.8E+01	5.3E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	1.58E-04	3.01E-05	8.53E-05	1.35E-04	2.93E-05	6.0E+01	3.2E+02	1.1E+02	7.1E+01	3.2E+02	6.9E-12
Iridium (77)	Ir-187	5.78E+02	1.20E-03	3.47E-05	7.67E-06	2.07E-05	3.11E-05	7.73E-06	5.0E+01	2.3E+02	8.4E+01	5.6E+01	2.2E+02	3.1E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	2.82E-04	4.94E-05	1.42E-04	2.31E-04	4.77E-05	1.6E+00	8.9E+00	3.1E+00	1.9E+00	9.2E+00	3.9E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	4.32E-06	1.48E-06	3.38E-06	4.23E-06	1.66E-06	1.3E+01	3.9E+01	1.7E+01	1.4E+01	3.5E+01	2.6E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.68E-04	3.60E-05	1.01E-04	1.53E-04	3.53E-05	3.8E-01	1.8E+00	6.4E-01	4.2E-01	1.8E+00	6.6E-12
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	1.92E-11	1.92E-11	1.92E-11	1.92E-11	5.68E-10	8.5E+08	8.5E+08	8.5E+08	8.5E+08	2.9E+07	5.8E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	2.46E-06	1.01E-06	2.12E-06	2.45E-06	1.18E-06	2.4E+03	5.9E+03	2.8E+03	2.4E+03	5.0E+03	4.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	4.32E-06	1.46E-06	3.46E-06	4.29E-06	1.58E-06	3.1E+06	9.1E+06	3.8E+06	3.1E+06	8.4E+06	2.6E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	9.15E-05	2.01E-05	5.66E-05	8.49E-05	1.97E-05	1.1E-01	5.1E-01	1.8E-01	1.2E-01	5.2E-01	1.2E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	4.83E-09	1.32E-09	3.27E-09	4.58E-09	3.35E-09	1.6E+08	5.7E+08	2.3E+08	1.7E+08	2.3E+08	2.3E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	3.16E-08	1.17E-08	2.61E-08	3.14E-08	1.71E-08	3.8E+00	1.0E+01	4.6E+00	3.8E+00	7.0E+00	4.9E-07
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.25E-08	5.55E-09	1.13E-08	1.25E-08	7.16E-09	5.8E+03	1.3E+04	6.4E+03	5.8E+03	1.0E+04	9.0E-08
Iridium (77)	Ir-194	3.15E+02	2.20E-03	1.11E-05	2.36E-06	6.61E-06	1.00E-05	2.56E-06	8.5E+01	4.0E+02	1.4E+02	9.4E+01	3.7E+02	1.0E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	2.73E-04	5.76E-05	1.63E-04	2.48E-04	5.65E-05	1.6E-02	7.7E-02	2.7E-02	1.8E-02	7.9E-02	4.1E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	3.04E-06	1.12E-06	2.51E-06	3.02E-06	1.31E-06	2.4E+03	6.5E+03	2.9E+03	2.4E+03	5.6E+03	3.7E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	4.01E-05	9.04E-06	2.49E-05	3.72E-05	8.96E-06	1.2E+02	5.3E+02	1.9E+02	1.3E+02	5.4E+02	2.8E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	2.89E-05	5.96E-06	1.68E-05	2.58E-05	6.15E-06	4.4E+04	2.1E+05	7.5E+04	4.9E+04	2.1E+05	4.0E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	2.88E-04	6.11E-05	1.72E-04	2.62E-04	5.96E-05	4.5E+01	2.1E+02	7.6E+01	5.0E+01	2.2E+02	4.0E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	4.35E-04	7.57E-05	2.20E-04	3.57E-04	7.32E-05	3.3E+02	1.9E+03	6.5E+02	4.0E+02	2.0E+03	5.1E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	2.16E-05	3.83E-06	1.11E-05	1.79E-05	3.85E-06	5.4E-03	3.0E-02	1.0E-02	6.5E-03	3.0E-02	7.5E-04
Potassium (19)	K-42	4.91E+02	1.41E-03	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.16E-06	3.7E+01	2.1E+02	7.3E+01	4.5E+01	2.1E+02	6.2E-12
Potassium (19)	K-43	2.72E+02	2.55E-03	1.14E-04	2.39E-05	6.77E-05	1.03E-04	2.34E-05	7.2E+00	3.4E+01	1.2E+01	7.9E+00	3.5E+01	2.2E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	3.35E-04	5.66E-05	1.65E-04	2.70E-04	5.46E-05	1.5E+02	8.8E+02	3.0E+02	1.8E+02	9.1E+02	7.7E-13
Potassium (19)	K-45	2.11E+04	3.29E-05	2.52E-04	4.37E-05	1.27E-04	2.06E-04	4.20E-05	2.5E+02	1.5E+03	5.0E+02	3.1E+02	1.5E+03	1.0E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	4.13E-04	6.77E-05	1.96E-04	3.25E-04	6.47E-05	1.5E+03	9.3E+03	3.2E+03	1.9E+03	9.7E+03	6.5E-13
Krypton (36)	Kr-74	3.17E+04	2.19E-05	1.20E-04	2.60E-05	7.27E-05	1.10E-04	2.57E-05	8.0E+02	3.7E+03	1.3E+03	8.7E+02	3.7E+03	3.6E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	1.49E-04	3.19E-05	8.94E-05	1.35E-04	3.15E-05	1.7E+03	8.0E+03	2.9E+03	1.9E+03	8.1E+03	2.9E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	2.7E+01	1.2E+02	4.3E+01	2.9E+01	1.2E+02	9.7E-12
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	2.7E+01	1.2E+02	4.3E+01	2.9E+01	1.2E+02	9.7E-12
Krypton (36)	Kr-77	4.90E+03	1.42E-04	1.17E-04	2.55E-05	7.12E-05	1.07E-04	2.53E-05	1.3E+02	5.8E+02	2.1E+02	1.4E+02	5.8E+02	3.9E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	2.89E-05	6.16E-06	1.73E-05	2.64E-05	6.00E-06	1.8E+01	8.5E+01	3.0E+01	2.0E+01	8.7E+01	1.6E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	8.80E-08	2.05E-08	5.71E-08	8.36E-08	3.13E-08	1.3E+00	5.6E+00	2.0E+00	1.4E+00	3.7E+00	6.8E-05
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	1.24E-05	3.06E-06	8.48E-06	1.21E-05	2.99E-06	4.0E+05	1.6E+06	5.9E+05	4.2E+05	1.7E+06	3.8E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	3.38E-10	3.22E-10	3.36E-10	3.38E-10	5.05E-09	3.0E+07	3.1E+07	3.0E+07	3.0E+07	2.0E+06	1.4E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	2.87E-07	6.36E-08	1.75E-07	2.63E-07	8.87E-08	8.3E-01	3.7E+00	1.4E+00	9.1E-01	2.7E+00	2.1E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	1.47E-05	3.72E-06	1.01E-05	1.43E-05	3.69E-06	2.8E+02	1.1E+03	4.0E+02	2.9E+02	1.1E+03	3.4E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	1.08E-04	1.91E-05	5.50E-05	8.90E-05	1.87E-05	1.3E+02	7.5E+02	2.6E+02	1.6E+02	7.7E+02	4.7E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	2.75E-04	4.58E-05	1.34E-04	2.20E-04	4.39E-05	2.3E+01	1.4E+02	4.8E+01	2.9E+01	1.5E+02	1.9E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	2.65E-04	4.61E-05	1.33E-04	2.16E-04	4.45E-05	1.3E+03	7.5E+03	2.6E+03	1.6E+03	7.8E+03	2.0E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	3.50E-04	6.97E-05	1.98E-04	3.08E-04	6.85E-05	6.0E+02	3.0E+03	1.1E+03	6.9E+02	3.1E+03	2.1E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.24E-05	8.9E+02	4.2E+03	1.5E+03	9.8E+02	4.2E+03	7.1E-12
Lanthanum (57)	La-130	4.19E+04	1.66E-05	2.77E-04	5.50E-05	1.56E-04	2.43E-04	5.36E-05	4.6E+02	2.3E+03	8.1E+02	5.2E+02	2.3E+03	2.7E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	7.35E-05	1.59E-05	4.43E-05	6.69E-05	1.58E-05	2.5E+02	1.2E+03	4.2E+02	2.8E+02	1.2E+03	1.0E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	2.55E-04	4.82E-05	1.38E-04	2.18E-04	4.70E-05	1.5E+01	7.9E+01	2.8E+01	1.7E+01	8.1E+01	3.0E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	7.67E-05	1.62E-05	4.51E-05	6.91E-05	1.60E-05	5.9E+02	2.8E+03	1.0E+03	6.5E+02	2.8E+03	1.0E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.63E-05	3.51E-06	9.64E-06	1.47E-05	3.69E-06	2.9E+02	1.3E+03	4.8E+02	3.2E+02	1.3E+03	4.8E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	8.49E-05	1.78E-05	5.01E-05	7.67E-05	1.78E-05	2.0E+03	9.5E+03	3.4E+03	2.2E+03	9.6E+03	9.2E-12
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.39E-06	4.16E-07	9.04E-07	1.28E-06	6.75E-07	6.7E+02	2.3E+03	1.0E+03	7.3E+02	1.4E+03	5.7E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	4.64E-05	9.85E-06	2.75E-05	4.20E-05	9.91E-06	2.4E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	1.7E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	1.86E-07	1.58E-07	1.85E-07	1.86E-07	4.13E-07	6.2E-01	7.3E-01	6.2E-01	6.2E-01	2.8E-01	1.4E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	1.63E-04	2.97E-05	8.53E-05	1.37E-04	2.87E-05	7.1E-04	3.9E-03	1.4E-03	8.4E-04	4.0E-03	2.8E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	3.10E-04	5.55E-05	1.61E-04	2.59E-04	5.40E-05	1.5E+00	8.2E+00	2.8E+00	1.8E+00	8.4E+00	2.6E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	4.23E-06	8.28E-07	2.26E-06	3.57E-06	1.10E-06	1.1E+03	5.6E+03	2.1E+03	1.3E+03	4.2E+03	1.9E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	3.35E-04	5.55E-05	1.63E-04	2.68E-04	5.33E-05	3.6E+01	2.2E+02	7.4E+01	4.5E+01	2.3E+02	2.5E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	3.66E-05	6.61E-06	1.89E-05	3.05E-05	6.72E-06	2.1E+03	1.2E+04	4.1E+03	2.5E+03	1.1E+04	2.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	1.32E-04	2.65E-05	7.42E-05	1.15E-04	2.62E-05	7.8E+02	3.9E+03	1.4E+03	8.9E+02	3.9E+03	7.3E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.19E-04	4.00E-05	1.15E-04	1.83E-04	3.88E-05	9.7E+01	5.3E+02	1.9E+02	1.2E+02	5.5E+02	4.5E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	1.65E-04	3.14E-05	8.89E-05	1.40E-04	3.07E-05	3.2E+00	1.7E+01	6.0E+00	3.8E+00	1.7E+01	6.0E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	4.17E-12	4.07E-12	4.17E-12	4.17E-12	1.04E-10	9.9E+10	1.0E+11	9.9E+10	9.9E+10	3.9E+09	2.4E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	3.50E-04	6.01E-05	1.74E-04	2.84E-04	5.78E-05	1.1E+00	6.3E+00	2.2E+00	1.3E+00	6.5E+00	2.8E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	7.26E-05	1.53E-05	4.20E-05	6.44E-05	1.54E-05	1.3E+00	6.0E+00	2.2E+00	1.4E+00	6.0E+00	1.4E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	1.17E-08	5.45E-09	1.07E-08	1.17E-08	6.85E-09	7.1E+07	1.5E+08	7.8E+07	7.1E+07	1.2E+08	8.5E-08
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	2.44E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	4.7E-01	2.4E+00	8.5E-01	5.4E-01	2.4E+00	4.1E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	2.52E-11	1.80E-11	2.50E-11	2.52E-11	6.72E-11	1.2E+10	1.6E+10	1.2E+10	1.2E+10	4.4E+09	4.0E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	1.21E-05	3.60E-06	8.63E-06	1.16E-05	4.04E-06	1.3E-01	4.2E-01	1.8E-01	1.3E-01	3.8E-01	8.4E-11
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	1.01E-05	2.35E-06	5.91E-06	8.77E-06	2.56E-06	6.2E-02	2.7E-01	1.1E-01	7.2E-02	2.5E-01	1.0E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	2.48E-06	9.85E-07	1.98E-06	2.37E-06	1.25E-06	2.2E+00	5.4E+00	2.7E+00	2.3E+00	4.3E+00	4.1E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.83E-05	1.15E-05	3.17E-05	4.61E-05	1.13E-05	2.4E-03	1.0E-02	3.6E-03	2.5E-03	1.0E-02	4.5E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	7.61E-07	2.93E-07	6.36E-07	7.57E-07	4.61E-07	6.6E+03	1.7E+04	7.9E+03	6.6E+03	1.1E+04	1.4E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	3.08E-06	8.03E-07	2.15E-06	2.99E-06	8.05E-07	3.7E+01	1.4E+02	5.3E+01	3.8E+01	1.4E+02	3.4E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	9.81E-05	2.35E-05	6.46E-05	9.31E-05	2.34E-05	4.8E-02	2.0E-01	7.3E-02	5.1E-02	2.0E-01	1.1E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.64E-05	3.09E-06	8.68E-06	1.38E-05	3.25E-06	2.4E+03	1.2E+04	4.4E+03	2.8E+03	1.2E+04	6.3E-11
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.09E-04	2.52E-05	6.97E-05	1.02E-04	2.50E-05	4.4E+02	1.9E+03	6.8E+02	4.6E+02	1.9E+03	9.5E-12
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	3.12E-06	7.52E-07	2.07E-06	2.98E-06	8.90E-07	1.3E+03	5.3E+03	1.9E+03	1.3E+03	4.5E+03	3.3E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	1.93E-04	3.69E-05	1.05E-04	1.66E-04	3.60E-05	9.9E+02	5.2E+03	1.8E+03	1.2E+03	5.3E+03	5.4E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	6.56E-05	1.40E-05	3.89E-05	5.93E-05	1.40E-05	4.8E+03	2.2E+04	8.0E+03	5.3E+03	2.2E+04	1.6E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	1.14E-04	2.22E-05	6.26E-05	9.88E-05	2.18E-05	1.0E+03	5.2E+03	1.9E+03	1.2E+03	5.3E+03	1.4E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.77E-04	3.31E-05	9.44E-05	1.51E-04	3.22E-05	4.9E+00	2.6E+01	9.2E+00	5.8E+00	2.7E+01	9.2E-13
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	6.00E-04	1.14E-04	3.26E-04	5.14E-04	1.11E-04	1.0E+03	5.5E+03	1.9E+03	1.2E+03	5.6E+03	4.9E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	1.18E-04	2.49E-05	7.02E-05	1.07E-04	2.47E-05	2.0E+02	9.5E+02	3.4E+02	2.2E+02	9.6E+02	2.5E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	4.51E-04	8.48E-05	2.42E-04	3.85E-04	8.20E-05	3.0E-01	1.6E+00	5.6E-01	3.5E-01	1.7E+00	6.7E-13
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	3.11E-04	5.91E-05	1.69E-04	2.67E-04	5.74E-05	1.7E+02	8.8E+02	3.1E+02	1.9E+02	9.0E+02	9.8E-13
Manganese (25)	Mn-53	1.87E-07	3.70E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Manganese (25)	Mn-54	8.10E-01	8.55E-01	1.05E-04	2.07E-05	5.86E-05	9.21E-05	2.02E-05	2.3E-02	1.2E-01	4.2E-02	2.6E-02	1.2E-01	3.0E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	2.28E-04	4.10E-05	1.18E-04	1.90E-04	3.98E-05	3.1E+01	1.7E+02	6.0E+01	3.7E+01	1.8E+02	1.4E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	1.19E-05	2.55E-06	7.02E-06	1.06E-05	2.82E-06	6.5E+04	3.0E+05	1.1E+05	7.2E+04	2.7E+05	2.8E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	3.19E-04	5.86E-05	1.68E-04	2.68E-04	5.71E-05	3.2E+03	1.7E+04	6.0E+03	3.8E+03	1.8E+04	1.1E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.92E-04	3.58E-05	1.02E-04	1.63E-04	3.47E-05	3.9E+02	2.1E+03	7.3E+02	4.6E+02	2.2E+03	3.1E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.84E-06	4.59E-07	1.26E-06	1.78E-06	5.30E-07	5.3E+04	2.1E+05	7.7E+04	5.4E+04	1.8E+05	3.2E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	1.49E-04	3.07E-05	8.68E-05	1.34E-04	3.05E-05	3.5E+03	1.7E+04	6.0E+03	3.9E+03	1.7E+04	3.5E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	9.31E-05	1.99E-05	5.60E-05	8.46E-05	1.96E-05	3.5E+01	1.6E+02	5.9E+01	3.9E+01	1.7E+02	5.6E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.17E-04	2.46E-05	6.92E-05	1.06E-04	2.45E-05	6.1E+02	2.9E+03	1.0E+03	6.7E+02	2.9E+03	4.6E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	1.76E-04	3.41E-05	9.69E-05	1.53E-04	3.31E-05	5.8E+03	3.0E+04	1.0E+04	6.7E+03	3.1E+04	3.0E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	5.74E-09	5.76E-09	5.76E-09	5.74E-09	6.28E-08	2.0E+01	2.0E+01	2.0E+01	2.0E+01	1.8E+00	2.1E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	3.03E-04	5.60E-05	1.62E-04	2.58E-04	5.46E-05	8.8E+00	4.8E+01	1.7E+01	1.0E+01	4.9E+01	1.8E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.78E-05	3.67E-06	1.03E-05	1.59E-05	3.69E-06	1.6E+01	7.5E+01	2.7E+01	1.7E+01	7.5E+01	3.3E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	1.20E-04	2.54E-05	7.17E-05	1.10E-04	2.50E-05	1.0E+03	4.8E+03	1.7E+03	1.1E+03	4.9E+03	7.0E-13
Nitrogen (7)	N-16	3.07E+06	2.26E-07	7.04E-04	9.29E-05	2.71E-04	4.80E-04	8.49E-05	1.3E+04	9.9E+04	3.4E+04	1.9E+04	1.1E+05	1.3E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.79E-04	5.40E-05	1.53E-04	2.42E-04	5.24E-05	2.9E-03	1.5E-02	5.2E-03	3.3E-03	1.5E-02	4.6E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	5.93E-04	9.54E-05	2.80E-04	4.67E-04	9.09E-05	2.1E+00	1.3E+01	4.4E+00	2.6E+00	1.3E+01	2.4E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	1.40E-04	3.04E-05	8.48E-05	1.28E-04	3.01E-05	2.1E+03	9.6E+03	3.4E+03	2.3E+03	9.7E+03	3.6E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	5.27E-04	1.05E-04	2.95E-04	4.61E-04	1.02E-04	1.4E+02	7.2E+02	2.6E+02	1.6E+02	7.4E+02	9.7E-13
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	5.21E-04	1.01E-04	2.88E-04	4.51E-04	9.88E-05	2.7E+02	1.4E+03	4.9E+02	3.1E+02	1.4E+03	9.9E-13
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.76E-04	3.32E-05	9.49E-05	1.50E-04	3.25E-05	5.1E+01	2.7E+02	9.5E+01	6.0E+01	2.8E+02	3.0E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	1.55E-04	3.25E-05	9.19E-05	1.40E-04	3.22E-05	1.1E+02	5.1E+02	1.8E+02	1.2E+02	5.2E+02	3.4E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Niobium (41)	Nb-90	4.16E+02	1.67E-03	5.74E-04	1.00E-04	2.89E-04	4.70E-04	9.59E-05	2.2E+00	1.3E+01	4.3E+00	2.7E+00	1.3E+01	9.1E-13
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.93E-07	4.41E-08	1.17E-07	1.76E-07	9.15E-08	6.1E-01	2.7E+00	1.0E+00	6.7E-01	1.3E+00	1.1E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.28E-06	6.11E-07	1.74E-06	2.78E-06	6.41E-07	3.8E+00	2.0E+01	7.2E+00	4.5E+00	2.0E+01	1.6E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	1.87E-04	3.71E-05	1.05E-04	1.64E-04	3.63E-05	6.2E-04	3.1E-03	1.1E-03	7.1E-04	3.2E-03	5.5E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	1.23E-04	2.37E-05	6.72E-05	1.06E-04	2.31E-05	6.1E-01	3.2E+00	1.1E+00	7.1E-01	3.3E+00	4.4E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.03E-09	1.04E-09	1.02E-09	1.03E-09	1.12E-08	1.9E+02	1.9E+02	1.9E+02	1.9E+02	1.7E+01	7.8E-07
Niobium (41)	Nb-94	3.41E-05	2.03E+04	1.95E-04	3.87E-05	1.10E-04	1.71E-04	3.76E-05	5.9E-04	3.0E-03	1.1E-03	6.8E-04	3.1E-03	3.2E-09
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	5.62E-07	1.13E-07	3.13E-07	4.89E-07	1.50E-07	3.1E+05	1.5E+06	5.6E+05	3.6E+05	1.2E+06	9.8E-10
Niobium (41)	Nb-95	7.23E+00	9.59E-02	9.53E-05	1.90E-05	5.35E-05	8.39E-05	1.85E-05	2.3E-01	1.1E+00	4.1E-01	2.6E-01	1.2E+00	5.8E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	6.44E-06	1.52E-06	4.25E-06	6.19E-06	1.52E-06	3.3E+01	1.4E+02	5.0E+01	3.4E+01	1.4E+02	8.6E-11
Niobium (41)	Nb-96	2.60E+02	2.67E-03	3.10E-04	6.11E-05	1.73E-04	2.71E-04	5.93E-05	2.5E+00	1.3E+01	4.5E+00	2.9E+00	1.3E+01	1.8E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	8.14E-05	1.66E-05	4.68E-05	7.26E-05	1.63E-05	1.9E+02	9.2E+02	3.2E+02	2.1E+02	9.3E+02	7.0E-12
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.66E-04	6.92E-05	1.97E-04	3.13E-04	6.72E-05	5.8E+01	3.1E+02	1.1E+02	6.8E+01	3.2E+02	1.6E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	1.46E-05	4.18E-06	1.08E-05	1.44E-05	4.54E-06	3.0E+05	1.0E+06	4.1E+05	3.0E+05	9.6E+05	3.9E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	1.06E-04	1.81E-05	5.25E-05	8.55E-05	1.77E-05	4.0E+03	2.3E+04	8.0E+03	4.9E+03	2.4E+04	5.5E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	5.71E-05	1.28E-05	3.54E-05	5.27E-05	1.28E-05	2.3E+03	1.0E+04	3.6E+03	2.4E+03	1.0E+04	1.4E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.45E-04	3.09E-05	8.63E-05	1.31E-04	3.07E-05	6.1E+02	2.9E+03	1.0E+03	6.7E+02	2.9E+03	5.5E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	2.64E-05	6.06E-06	1.62E-05	2.40E-05	6.37E-06	8.2E+02	3.6E+03	1.3E+03	9.0E+02	3.4E+03	3.0E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.43E-04	2.83E-05	7.98E-05	1.25E-04	2.80E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	5.6E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	1.85E-06	5.91E-07	1.29E-06	1.76E-06	8.68E-07	2.0E+03	6.1E+03	2.8E+03	2.1E+03	4.2E+03	4.4E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	5.11E-05	1.06E-05	2.97E-05	4.58E-05	1.07E-05	7.2E+02	3.5E+03	1.2E+03	8.1E+02	3.5E+03	1.6E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.95E-04	3.83E-05	1.08E-04	1.69E-04	3.76E-05	1.7E+01	8.7E+01	3.1E+01	2.0E+01	8.8E+01	4.2E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	3.03E-07	2.35E-07	3.02E-07	3.03E-07	5.11E-07	7.5E+02	9.6E+02	7.5E+02	7.5E+02	4.4E+02	2.7E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	6.25E-06	1.41E-06	3.65E-06	5.52E-06	1.66E-06	1.2E+03	5.2E+03	2.0E+03	1.3E+03	4.4E+03	1.3E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	8.62E-05	1.73E-05	4.87E-05	7.61E-05	1.69E-05	1.2E+04	6.1E+04	2.2E+04	1.4E+04	6.3E+04	9.6E-12
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	1.32E-05	3.12E-06	8.33E-06	1.22E-05	3.28E-06	5.3E+00	2.2E+01	8.3E+00	5.7E+00	2.1E+01	6.5E-11
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	3.91E-05	8.89E-06	2.45E-05	3.63E-05	8.93E-06	2.7E+02	1.2E+03	4.3E+02	2.9E+02	1.2E+03	2.2E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.04E-04	2.07E-05	5.86E-05	9.06E-05	2.04E-05	8.5E+02	4.3E+03	1.5E+03	9.7E+02	4.3E+03	8.5E-12
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.74E-05	3.96E-06	1.11E-05	1.64E-05	3.98E-06	5.5E+03	2.4E+04	8.7E+03	5.9E+03	2.4E+04	5.1E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	1.21E-04	2.55E-05	7.17E-05	1.10E-04	2.53E-05	3.2E+04	1.5E+05	5.3E+04	3.5E+04	1.5E+05	9.2E-13
Neon (10)	Ne-24	1.08E+05	6.43E-06	6.41E-05	1.36E-05	3.82E-05	5.84E-05	1.35E-05	5.1E+03	2.4E+04	8.5E+03	5.6E+03	2.4E+04	2.2E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	2.09E-04	4.23E-05	1.19E-04	1.85E-04	4.10E-05	6.0E-01	3.0E+00	1.1E+00	6.8E-01	3.1E+00	1.6E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	2.56E-04	4.70E-05	1.35E-04	2.16E-04	4.54E-05	2.0E+00	1.1E+01	3.8E+00	2.4E+00	1.1E+01	1.3E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	1.83E-09	3.86E-10	1.09E-09	1.66E-09	3.79E-10	6.3E+01	3.0E+02	1.1E+02	7.0E+01	3.1E+02	1.1E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	7.54E-05	1.36E-05	3.92E-05	6.31E-05	1.33E-05	9.6E+01	5.3E+02	1.9E+02	1.1E+02	5.4E+02	5.0E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	9.53E-10	4.41E-10	8.33E-10	9.50E-10	7.42E-10	3.9E+05	8.4E+05	4.5E+05	3.9E+05	5.0E+05	4.5E-07
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.41E-04	2.90E-05	8.13E-05	1.25E-04	2.83E-05	5.3E+02	2.6E+03	9.2E+02	6.0E+02	2.6E+03	9.6E-12
Neptunium (93)	Np-233	1.01E+04	6.89E-05	6.15E-06	1.86E-06	4.71E-06	6.09E-06	1.92E-06	4.9E+03	1.6E+04	6.4E+03	5.0E+03	1.6E+04	2.2E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	1.45E-04	2.64E-05	7.57E-05	1.21E-04	2.55E-05	1.2E+00	6.6E+00	2.3E+00	1.4E+00	6.8E+00	9.4E-12
Neptunium (93)	Np-235	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	5.0E+01	1.4E+02	6.2E+01	5.0E+01	4.9E+01	3.6E-08
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	5.0E+01	1.4E+02	6.2E+01	5.0E+01	4.9E+01	3.6E-08
Neptunium (93)	Np-236	4.50E-06	1.54E+05	1.05E-05	3.05E-06	7.88E-06	1.04E-05	3.16E-06	1.1E-02	3.8E-02	1.5E-02	1.1E-02	3.7E-02	1.1E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.57E-06	1.02E-06	2.62E-06	3.47E-06	1.06E-06	2.3E+02	7.9E+02	3.1E+02	2.3E+02	7.7E+02	3.9E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	1.40E-06	4.69E-07	1.12E-06	1.39E-06	5.68E-07	8.3E-02	2.5E-01	1.0E-01	8.3E-02	2.0E-01	1.2E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	2.31E-05	5.60E-06	1.52E-05	2.19E-05	5.65E-06	5.0E-03	2.1E-02	7.6E-03	5.3E-03	2.0E-02	7.1E-06
Neptunium (93)	Np-238	1.19E+02	5.80E-03	7.51E-05	1.43E-05	4.08E-05	6.47E-05	1.40E-05	4.8E+00	2.5E+01	8.8E+00	5.6E+00	2.6E+01	1.9E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.54E-05	4.03E-06	1.08E-05	1.49E-05	4.04E-06	2.1E+01	8.0E+01	3.0E+01	2.2E+01	8.0E+01	9.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Neptunium (93)	Np-240	5.88E+03	1.18E-04	1.26E-04	2.55E-05	7.22E-05	1.12E-04	2.51E-05	1.4E+02	6.9E+02	2.5E+02	1.6E+02	7.1E+02	1.1E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	3.94E-05	7.93E-06	2.24E-05	3.47E-05	7.95E-06	3.8E+03	1.9E+04	6.8E+03	4.4E+03	1.9E+04	3.6E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	3.10E-06	8.58E-07	2.23E-06	3.01E-06	9.88E-07	2.5E+04	9.2E+04	3.5E+04	2.6E+04	8.0E+04	4.5E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	3.57E-05	6.56E-06	1.88E-05	3.01E-05	6.63E-06	1.4E+04	7.6E+04	2.7E+04	1.7E+04	7.5E+04	4.0E-11
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	1.11E-04	2.23E-05	6.31E-05	9.81E-05	2.20E-05	1.8E+03	8.9E+03	3.2E+03	2.0E+03	9.1E+03	1.3E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	4.54E-04	7.88E-05	2.28E-04	3.72E-04	7.54E-05	2.0E+03	1.2E+04	4.1E+03	2.5E+03	1.2E+04	1.8E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	5.0E+03	2.3E+04	8.3E+03	5.5E+03	2.4E+04	8.1E-13
Oxygen (8)	O-19	8.26E+05	8.39E-07	1.22E-04	2.32E-05	6.61E-05	1.04E-04	2.28E-05	2.0E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	9.1E-13
Osmium (76)	Os-180	1.69E+04	4.09E-05	9.85E-06	2.59E-06	6.51E-06	9.12E-06	2.77E-06	5.2E+03	2.0E+04	7.8E+03	5.6E+03	1.8E+04	1.1E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	1.69E-04	3.31E-05	9.34E-05	1.46E-04	3.25E-05	6.2E+01	3.1E+02	1.1E+02	7.2E+01	3.2E+02	6.3E-12
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.39E-05	1.01E-05	2.76E-05	4.07E-05	1.02E-05	1.9E+01	8.2E+01	3.0E+01	2.0E+01	8.1E+01	2.4E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	6.44E-05	1.47E-05	3.98E-05	5.90E-05	1.47E-05	2.2E+01	9.6E+01	3.5E+01	2.4E+01	9.5E+01	1.7E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.27E-04	2.43E-05	6.87E-05	1.09E-04	2.38E-05	1.5E+01	7.6E+01	2.7E+01	1.7E+01	7.8E+01	8.4E-12
Osmium (76)	Os-185	2.70E+00	2.56E-01	8.05E-05	1.68E-05	4.68E-05	7.20E-05	1.66E-05	1.0E-01	4.8E-01	1.7E-01	1.1E-01	4.9E-01	1.3E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Osmium (76)	Os-189m	1.05E+03	6.62E-04	1.60E-11	1.60E-11	1.60E-11	1.60E-11	4.92E-10	2.0E+08	2.0E+08	2.0E+08	2.0E+08	6.4E+06	6.9E-05
Osmium (76)	Os-190m	3.68E+04	1.88E-05	1.83E-04	3.91E-05	1.10E-04	1.67E-04	3.82E-05	6.1E+02	2.8E+03	1.0E+03	6.6E+02	2.9E+03	6.1E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	4.80E-06	1.63E-06	3.84E-06	4.77E-06	1.76E-06	1.0E+01	3.0E+01	1.3E+01	1.0E+01	2.8E+01	2.3E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	2.23E-07	1.01E-07	2.03E-07	2.23E-07	1.22E-07	6.2E+03	1.4E+04	6.9E+03	6.2E+03	1.1E+04	5.0E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	6.66E-06	1.58E-06	4.27E-06	6.22E-06	1.67E-06	9.1E+01	3.8E+02	1.4E+02	9.8E+01	3.6E+02	1.7E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	4.17E-08	2.78E-08	4.12E-08	4.17E-08	4.86E-08	8.8E+00	1.3E+01	8.9E+00	8.8E+00	7.5E+00	2.9E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	1.12E-05	2.39E-06	6.66E-06	1.01E-05	2.61E-06	3.3E-02	1.5E-01	5.5E-02	3.6E-02	1.4E-01	1.1E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	8.14E-06	1.91E-06	5.20E-06	7.61E-06	2.00E-06	3.9E+03	1.6E+04	6.0E+03	4.1E+03	1.6E+04	1.4E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	1.21E-04	2.58E-05	7.22E-05	1.10E-04	2.56E-05	3.6E+03	1.7E+04	6.1E+03	4.0E+03	1.7E+04	1.4E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	2.55E-07	8.58E-08	1.82E-07	2.43E-07	3.25E-07	2.3E+02	6.9E+02	3.3E+02	2.4E+02	1.8E+02	8.2E-10
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.00E-09	4.65E-10	8.79E-10	1.00E-09	7.83E-10	3.3E+04	7.2E+04	3.8E+04	3.3E+04	4.3E+04	2.1E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	1.13E-06	3.95E-07	9.29E-07	1.13E-06	4.35E-07	2.5E+04	7.2E+04	3.1E+04	2.5E+04	6.6E+04	1.2E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	1.67E-04	3.30E-05	9.29E-05	1.45E-04	3.22E-05	5.0E+00	2.5E+01	8.9E+00	5.7E+00	2.6E+01	8.0E-12
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	3.91E-06	1.28E-06	3.14E-06	3.91E-06	1.35E-06	1.3E+02	4.0E+02	1.6E+02	1.3E+02	3.8E+02	3.4E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	7.95E-05	1.62E-05	4.53E-05	6.97E-05	1.58E-05	5.5E-01	2.7E+00	9.7E-01	6.3E-01	2.8E+00	1.7E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	3.44E-06	8.03E-07	2.22E-06	3.25E-06	8.49E-07	3.4E-02	1.4E-01	5.2E-02	3.6E-02	1.4E-01	7.1E-07
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.16E-04	2.30E-05	6.51E-05	1.02E-04	2.24E-05	5.0E+00	2.5E+01	8.9E+00	5.7E+00	2.6E+01	1.2E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	2.17E-05	5.15E-06	1.41E-05	2.05E-05	5.08E-06	1.3E+00	5.5E+00	2.0E+00	1.4E+00	5.6E+00	6.3E-11
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	1.79E-04	3.57E-05	1.01E-04	1.57E-04	3.47E-05	1.5E+01	7.6E+01	2.7E+01	1.7E+01	7.9E+01	7.6E-12
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	2.45E-06	5.20E-07	1.39E-06	2.14E-06	7.73E-07	3.8E+05	1.8E+06	6.7E+05	4.4E+05	1.2E+06	5.6E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	1.20E-07	4.13E-08	8.74E-08	1.16E-07	1.88E-07	3.7E+05	1.1E+06	5.1E+05	3.9E+05	2.4E+05	1.1E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	1.20E-04	2.22E-05	6.36E-05	1.01E-04	2.17E-05	1.0E+03	5.4E+03	1.9E+03	1.2E+03	5.6E+03	1.2E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	7.57E-05	1.51E-05	4.29E-05	6.69E-05	1.50E-05	1.7E+03	8.3E+03	2.9E+03	1.9E+03	8.4E+03	1.8E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	1.32E-04	2.59E-05	7.32E-05	1.14E-04	2.53E-05	6.9E+02	3.5E+03	1.2E+03	8.0E+02	3.6E+03	8.6E-12
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.95E-04	4.05E-05	1.14E-04	1.74E-04	3.98E-05	3.8E+02	1.8E+03	6.4E+02	4.2E+02	1.8E+03	5.8E-12
Lead (82)	Pb-196	9.84E+03	7.04E-05	5.05E-05	1.17E-05	3.18E-05	4.67E-05	1.16E-05	5.9E+02	2.5E+03	9.3E+02	6.3E+02	2.6E+03	2.3E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	1.95E-04	3.68E-05	1.05E-04	1.66E-04	3.57E-05	7.0E+02	3.7E+03	1.3E+03	8.3E+02	3.8E+03	5.9E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	1.35E-04	2.84E-05	7.98E-05	1.21E-04	2.79E-05	1.9E+02	9.0E+02	3.2E+02	2.1E+02	9.1E+02	8.5E-12
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.39E-05	1.03E-05	2.80E-05	4.10E-05	1.02E-05	1.7E+02	7.4E+02	2.7E+02	1.9E+02	7.4E+02	2.6E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.29E-04	2.49E-05	7.07E-05	1.11E-04	2.43E-05	9.4E+01	4.9E+02	1.7E+02	1.1E+02	5.0E+02	9.0E-12
Lead (82)	Pb-200	2.82E+02	2.45E-03	1.61E-05	4.51E-06	1.16E-05	1.56E-05	4.61E-06	5.3E+01	1.9E+02	7.3E+01	5.4E+01	1.8E+02	7.3E-11
Lead (82)	Pb-201	6.51E+02	1.07E-03	8.55E-05	1.82E-05	5.05E-05	7.70E-05	1.79E-05	2.3E+01	1.1E+02	3.9E+01	2.5E+01	1.1E+02	1.4E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	4.26E-05	8.94E-06	2.50E-05	3.82E-05	8.90E-06	2.5E+04	1.2E+05	4.3E+04	2.8E+04	1.2E+05	2.8E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	8.08E-11	8.08E-11	8.08E-11	8.08E-11	2.34E-09	1.4E+03	1.4E+03	1.4E+03	1.4E+03	4.9E+01	4.3E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	4.89E-05	1.11E-05	3.03E-05	4.54E-05	1.10E-05	2.4E-03	1.0E-02	3.8E-03	2.5E-03	1.1E-02	7.0E-08
Lead (82)	Pb-202m	1.72E+03	4.03E-04	2.45E-04	4.93E-05	1.39E-04	2.16E-04	4.80E-05	2.1E+01	1.0E+02	3.7E+01	2.4E+01	1.1E+02	4.8E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.96E-05	7.27E-06	1.97E-05	2.81E-05	7.26E-06	1.2E+01	4.8E+01	1.8E+01	1.3E+01	4.9E+01	4.0E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	2.58E-04	5.10E-05	1.44E-04	2.26E-04	4.95E-05	6.3E+01	3.2E+02	1.1E+02	7.2E+01	3.3E+02	4.6E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	8.17E-11	8.18E-11	8.18E-11	8.17E-11	2.38E-09	1.4E+03	1.4E+03	1.4E+03	1.4E+03	4.9E+01	1.2E+01
Lead (82)	Pb-209	1.87E+03	3.71E-04	1.45E-08	4.98E-09	1.13E-08	1.43E-08	1.53E-08	4.3E+05	1.3E+06	5.5E+05	4.4E+05	4.1E+05	9.3E-08
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.01E-08	2.58E-08	3.96E-08	4.01E-08	4.64E-08	4.2E+00	6.6E+00	4.3E+00	4.2E+00	3.6E+00	5.5E-08
Lead (82)	Pb-211	1.01E+04	6.87E-05	7.86E-06	1.63E-06	4.56E-06	7.04E-06	1.73E-06	3.9E+03	1.9E+04	6.7E+03	4.3E+03	1.8E+04	1.6E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.34E-05	3.36E-06	9.09E-06	1.29E-05	3.35E-06	1.3E+02	5.1E+02	1.9E+02	1.3E+02	5.1E+02	9.2E-11
Lead (82)	Pb-214	1.36E+04	5.10E-05	2.69E-05	6.11E-06	1.70E-05	2.52E-05	6.03E-06	1.5E+03	6.7E+03	2.4E+03	1.6E+03	6.8E+03	4.7E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	5.46E-06	1.99E-06	4.55E-06	5.46E-06	2.36E-06	3.8E+01	1.1E+02	4.6E+01	3.8E+01	8.9E+01	1.1E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	3.91E-05	8.03E-06	2.27E-05	3.50E-05	8.05E-06	5.5E+01	2.7E+02	9.5E+01	6.2E+01	2.7E+02	1.5E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	3.06E-08	2.12E-08	2.61E-08	2.99E-08	1.30E-07	1.5E+03	2.1E+03	1.7E+03	1.5E+03	3.4E+02	2.0E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Palladium (46)	Pd-109	4.43E+02	1.56E-03	3.44E-07	1.18E-07	2.64E-07	3.35E-07	2.75E-07	3.9E+03	1.1E+04	5.1E+03	4.0E+03	4.9E+03	1.9E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	1.02E-05	2.52E-06	6.97E-06	9.88E-06	2.51E-06	2.3E+04	9.3E+04	3.4E+04	2.4E+04	9.3E+04	6.3E-11
Palladium (46)	Pd-111	1.56E+04	4.45E-05	6.41E-06	1.30E-06	3.60E-06	5.62E-06	1.54E-06	7.3E+03	3.6E+04	1.3E+04	8.3E+03	3.0E+04	1.0E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	5.11E-09	4.53E-09	4.96E-09	5.11E-09	3.69E-08	1.7E+05	1.9E+05	1.7E+05	1.7E+05	2.4E+04	1.3E-07
Palladium (46)	Pd-114	1.51E+05	4.60E-06	2.69E-06	6.66E-07	1.81E-06	2.58E-06	8.27E-07	1.7E+05	6.8E+05	2.5E+05	1.8E+05	5.5E+05	2.5E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	3.1E+03	1.5E+04	5.4E+03	3.5E+03	1.6E+04	3.2E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	3.07E-04	5.76E-05	1.65E-04	2.62E-04	5.62E-05	1.2E+03	6.1E+03	2.1E+03	1.4E+03	6.3E+03	1.8E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	4.45E-05	9.64E-06	2.67E-05	4.01E-05	9.59E-06	1.4E+03	6.4E+03	2.3E+03	1.5E+03	6.5E+03	1.3E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	1.57E-04	3.11E-05	8.79E-05	1.37E-04	3.04E-05	3.3E+02	1.6E+03	5.8E+02	3.7E+02	1.7E+03	3.7E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	3.31E-04	6.82E-05	1.92E-04	2.96E-04	6.69E-05	1.9E+03	9.0E+03	3.2E+03	2.1E+03	9.2E+03	2.4E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	2.07E-04	4.37E-05	1.23E-04	1.87E-04	4.32E-05	2.2E+03	1.0E+04	3.7E+03	2.4E+03	1.1E+04	3.9E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	1.12E-04	2.33E-05	6.56E-05	1.01E-04	2.31E-05	2.4E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	7.2E-12
Promethium (61)	Pm-140	2.38E+06	2.92E-07	1.28E-04	2.68E-05	7.52E-05	1.16E-04	2.66E-05	5.6E+04	2.7E+05	9.5E+04	6.2E+04	2.7E+05	6.4E-12
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	3.76E-04	7.52E-05	2.12E-04	3.31E-04	7.35E-05	4.9E+02	2.4E+03	8.7E+02	5.6E+02	2.5E+03	2.2E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	8.90E-05	1.80E-05	5.10E-05	7.86E-05	1.79E-05	5.9E+02	2.9E+03	1.0E+03	6.7E+02	2.9E+03	9.3E-12
Promethium (61)	Pm-142	5.40E+05	1.28E-06	1.03E-04	2.15E-05	6.06E-05	9.28E-05	2.14E-05	1.6E+04	7.6E+04	2.7E+04	1.7E+04	7.6E+04	8.1E-12
Promethium (61)	Pm-143	9.55E-01	7.26E-01	3.60E-05	7.37E-06	2.04E-05	3.16E-05	7.48E-06	8.0E-02	3.9E-01	1.4E-01	9.1E-02	3.8E-01	2.3E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.87E-04	3.84E-05	1.08E-04	1.67E-04	3.79E-05	1.1E-02	5.5E-02	1.9E-02	1.3E-02	5.5E-02	4.5E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	4.26E-07	2.95E-07	4.17E-07	4.26E-07	5.78E-07	4.3E-01	6.3E-01	4.4E-01	4.3E-01	3.2E-01	3.1E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	8.84E-05	1.83E-05	5.15E-05	7.92E-05	1.81E-05	4.4E-03	2.1E-02	7.6E-03	5.0E-03	2.2E-02	1.0E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	8.71E-10	3.75E-10	7.42E-10	8.68E-10	6.09E-10	9.1E+02	2.1E+03	1.1E+03	9.2E+02	1.3E+03	9.9E-07
Promethium (61)	Pm-148	4.71E+01	1.47E-02	7.57E-05	1.41E-05	4.05E-05	6.44E-05	1.39E-05	1.9E+00	1.0E+01	3.5E+00	2.2E+00	1.0E+01	1.1E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	2.42E-04	4.94E-05	1.39E-04	2.16E-04	4.83E-05	7.6E-02	3.7E-01	1.3E-01	8.5E-02	3.8E-01	3.6E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	1.38E-06	3.12E-07	8.63E-07	1.28E-06	3.94E-07	2.5E+02	1.1E+03	4.0E+02	2.7E+02	8.7E+02	6.3E-10
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.91E-04	3.59E-05	1.03E-04	1.63E-04	3.50E-05	3.6E+01	1.9E+02	6.6E+01	4.2E+01	1.9E+02	4.6E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	3.53E-05	7.88E-06	2.19E-05	3.28E-05	7.86E-06	1.8E+01	8.2E+01	2.9E+01	2.0E+01	8.2E+01	2.5E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	3.69E-05	7.22E-06	2.03E-05	3.19E-05	7.38E-06	7.2E+03	3.7E+04	1.3E+04	8.3E+03	3.6E+04	2.4E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	1.89E-04	3.69E-05	1.05E-04	1.64E-04	3.60E-05	7.7E+02	3.9E+03	1.4E+03	8.9E+02	4.1E+03	4.7E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	5.96E-06	1.67E-06	4.27E-06	5.81E-06	1.99E-06	3.5E+04	1.2E+05	4.9E+04	3.6E+04	1.0E+05	1.5E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	2.44E-04	4.28E-05	1.24E-04	2.01E-04	4.13E-05	2.6E+03	1.5E+04	5.1E+03	3.2E+03	1.5E+04	3.7E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	2.32E-04	4.34E-05	1.24E-04	1.97E-04	4.23E-05	1.8E+03	9.4E+03	3.3E+03	2.1E+03	9.7E+03	3.9E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	2.05E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	1.5E+02	7.5E+02	2.7E+02	1.7E+02	7.8E+02	5.8E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	1.34E-04	2.79E-05	7.78E-05	1.19E-04	2.74E-05	3.9E+01	1.9E+02	6.7E+01	4.4E+01	1.9E+02	8.9E-12
Polonium (84)	Po-205	3.66E+03	1.89E-04	1.99E-04	3.84E-05	1.09E-04	1.71E-04	3.76E-05	5.5E+01	2.9E+02	1.0E+02	6.4E+01	2.9E+02	6.0E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	1.41E-04	2.89E-05	8.08E-05	1.25E-04	2.83E-05	6.1E-01	3.0E+00	1.1E+00	6.9E-01	3.1E+00	8.5E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Polonium (84)	Po-207	1.05E+03	6.62E-04	1.58E-04	3.13E-05	8.79E-05	1.38E-04	3.05E-05	2.0E+01	1.0E+02	3.6E+01	2.3E+01	1.0E+02	7.6E-12
Polonium (84)	Po-208	2.39E-01	2.90E+00	2.41E-09	5.15E-10	1.43E-09	2.17E-09	5.08E-10	3.0E+02	1.4E+03	5.0E+02	3.3E+02	1.4E+03	5.1E-07
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.16E-07	1.49E-07	4.18E-07	6.37E-07	1.46E-07	1.8E-01	8.4E-01	3.0E-01	2.0E-01	8.6E-01	1.1E-08
Polonium (84)	Po-210	1.83E+00	3.79E-01	1.22E-09	2.42E-10	6.87E-10	1.07E-09	2.35E-10	4.5E+03	2.3E+04	8.0E+03	5.1E+03	2.3E+04	1.0E-06
Polonium (84)	Po-211	4.24E+07	1.64E-08	1.02E-06	2.02E-07	5.71E-07	8.96E-07	1.98E-07	1.3E+08	6.3E+08	2.2E+08	1.4E+08	6.5E+08	1.2E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	1.14E-05	1.83E-06	5.35E-06	8.93E-06	1.74E-06	1.3E+05	8.0E+05	2.7E+05	1.6E+05	8.4E+05	1.1E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	4.67E-09	9.34E-10	2.63E-09	4.10E-09	9.09E-10	3.4E+15	1.7E+16	6.0E+15	3.8E+15	1.7E+16	2.7E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	1.04E-08	2.06E-09	5.81E-09	9.12E-09	2.01E-09	3.8E+13	1.9E+14	6.9E+13	4.4E+13	2.0E+14	1.2E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	2.02E-08	4.37E-09	1.23E-08	1.86E-08	4.29E-09	1.8E+12	8.4E+12	3.0E+12	2.0E+12	8.6E+12	6.2E-08
Polonium (84)	Po-216	1.51E+08	4.60E-09	1.92E-09	3.80E-10	1.08E-09	1.69E-09	3.69E-10	2.4E+11	1.2E+12	4.2E+11	2.7E+11	1.2E+12	6.6E-07
Polonium (84)	Po-218	1.17E+05	5.90E-06	1.85E-13	8.53E-14	1.62E-13	1.84E-13	1.43E-13	2.1E+12	4.6E+12	2.4E+12	2.1E+12	2.7E+12	7.6E-03
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	3.85E-04	7.78E-05	2.20E-04	3.41E-04	7.61E-05	2.6E+02	1.3E+03	4.5E+02	2.9E+02	1.3E+03	2.0E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.93E-04	5.66E-05	1.62E-04	2.54E-04	5.55E-05	2.2E+02	1.1E+03	4.0E+02	2.5E+02	1.2E+03	2.7E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.01E-04	2.12E-05	5.91E-05	9.09E-05	2.11E-05	4.5E+02	2.2E+03	7.7E+02	5.0E+02	2.2E+03	7.8E-12
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	2.70E-04	5.25E-05	1.49E-04	2.34E-04	5.11E-05	3.1E+02	1.6E+03	5.6E+02	3.6E+02	1.6E+03	2.9E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	4.23E-05	8.79E-06	2.46E-05	3.79E-05	8.87E-06	3.4E+02	1.6E+03	5.8E+02	3.8E+02	1.6E+03	1.9E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	9.69E-05	2.04E-05	5.76E-05	8.77E-05	2.04E-05	7.8E+03	3.7E+04	1.3E+04	8.6E+03	3.7E+04	8.3E-12
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	3.07E-04	6.06E-05	1.72E-04	2.69E-04	5.93E-05	2.8E+01	1.4E+02	5.0E+01	3.2E+01	1.5E+02	2.6E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.28E-05	2.77E-06	7.52E-06	1.15E-05	2.97E-06	3.2E+02	1.5E+03	5.5E+02	3.6E+02	1.4E+03	6.3E-11
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	6.34E-05	1.34E-05	3.77E-05	5.74E-05	1.35E-05	5.1E+03	2.4E+04	8.6E+03	5.6E+03	2.4E+04	1.3E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	8.46E-06	1.52E-06	4.33E-06	6.97E-06	1.72E-06	1.1E+02	6.3E+02	2.2E+02	1.4E+02	5.6E+02	9.8E-11
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	4.42E-08	1.51E-08	3.33E-08	4.32E-08	7.86E-08	1.3E+03	3.7E+03	1.7E+03	1.3E+03	7.1E+02	1.9E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	4.83E-06	9.59E-07	2.59E-06	4.07E-06	1.26E-06	1.3E+04	6.6E+04	2.4E+04	1.6E+04	5.0E+04	1.7E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	3.35E-07	1.33E-07	2.34E-07	3.02E-07	2.40E-07	4.6E+05	1.1E+06	6.5E+05	5.0E+05	6.3E+05	2.5E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.56E-06	5.40E-07	1.46E-06	2.25E-06	7.57E-07	1.2E+03	5.6E+03	2.1E+03	1.4E+03	4.0E+03	3.3E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.34E-04	2.48E-05	7.12E-05	1.13E-04	2.43E-05	3.4E+02	1.8E+03	6.4E+02	4.0E+02	1.9E+03	6.3E-12
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	5.52E-05	1.15E-05	3.17E-05	4.89E-05	1.18E-05	1.5E+03	7.1E+03	2.6E+03	1.7E+03	6.9E+03	1.6E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	1.30E-04	2.45E-05	7.02E-05	1.11E-04	2.40E-05	3.7E+03	2.0E+04	6.8E+03	4.3E+03	2.0E+04	6.7E-12
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	1.12E-04	2.35E-05	6.61E-05	1.01E-04	2.33E-05	4.9E+03	2.3E+04	8.2E+03	5.4E+03	2.3E+04	7.7E-12
Platinum (78)	Pt-184	2.11E+04	3.29E-05	7.07E-05	1.68E-05	4.50E-05	6.56E-05	1.69E-05	9.0E+02	3.8E+03	1.4E+03	9.7E+02	3.8E+03	1.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	7.70E-05	1.65E-05	4.54E-05	6.91E-05	1.63E-05	1.1E+02	5.3E+02	1.9E+02	1.3E+02	5.4E+02	1.4E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	6.56E-05	1.45E-05	3.95E-05	5.93E-05	1.45E-05	1.2E+02	5.4E+02	2.0E+02	1.3E+02	5.4E+02	1.7E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	1.66E-05	4.46E-06	1.15E-05	1.59E-05	4.61E-06	4.5E+00	1.7E+01	6.5E+00	4.7E+00	1.6E+01	6.6E-11
Platinum (78)	Pt-189	5.58E+02	1.24E-03	5.05E-05	1.13E-05	3.05E-05	4.54E-05	1.13E-05	3.3E+01	1.5E+02	5.5E+01	3.7E+01	1.5E+02	2.2E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Platinum (78)	Pt-191	9.03E+01	7.68E-03	2.62E-05	6.56E-06	1.71E-05	2.44E-05	6.75E-06	1.0E+01	4.1E+01	1.6E+01	1.1E+01	4.0E+01	4.3E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.18E-11	5.20E-11	5.20E-11	5.18E-11	1.42E-09	2.7E+03	2.7E+03	2.7E+03	2.7E+03	9.7E+01	7.2E-05
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	4.48E-07	1.90E-07	3.97E-07	4.45E-07	2.21E-07	3.9E+02	9.3E+02	4.4E+02	4.0E+02	8.0E+02	2.5E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	3.44E-06	1.34E-06	2.94E-06	3.44E-06	1.52E-06	5.5E+01	1.4E+02	6.4E+01	5.5E+01	1.2E+02	3.3E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	1.55E-06	4.97E-07	1.20E-06	1.53E-06	5.36E-07	5.9E+02	1.8E+03	7.6E+02	6.0E+02	1.7E+03	7.4E-10
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	6.44E-06	1.74E-06	4.43E-06	6.12E-06	1.81E-06	1.8E+03	6.6E+03	2.6E+03	1.9E+03	6.3E+03	1.8E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	2.32E-05	4.96E-06	1.39E-05	2.11E-05	5.02E-06	1.5E+03	7.2E+03	2.6E+03	1.7E+03	7.1E+03	5.0E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	4.26E-06	1.25E-06	3.13E-06	4.13E-06	1.31E-06	3.4E+02	1.2E+03	4.7E+02	3.5E+02	1.1E+03	2.7E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	2.40E-07	8.08E-08	1.71E-07	2.29E-07	2.99E-07	1.9E+03	5.7E+03	2.7E+03	2.0E+03	1.5E+03	5.5E-09
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	2.27E-05	4.53E-06	1.27E-05	1.98E-05	4.92E-06	1.8E+01	9.2E+01	3.3E+01	2.1E+01	8.4E+01	5.2E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	4.04E-06	1.27E-06	3.19E-06	4.04E-06	1.31E-06	8.1E+03	2.6E+04	1.0E+04	8.1E+03	2.5E+04	3.4E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	4.39E-06	1.37E-06	3.44E-06	4.35E-06	1.42E-06	4.7E+02	1.5E+03	6.0E+02	4.8E+02	1.5E+03	3.1E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	6.44E-06	1.90E-06	4.81E-06	6.28E-06	1.97E-06	6.7E+03	2.3E+04	9.0E+03	6.9E+03	2.2E+04	2.1E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	3.09E-09	1.79E-09	2.68E-09	3.05E-09	1.13E-08	2.4E+02	4.1E+02	2.7E+02	2.4E+02	6.5E+01	4.5E-07
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	3.09E-06	9.85E-07	2.44E-06	3.08E-06	1.04E-06	5.5E+00	1.7E+01	6.9E+00	5.5E+00	1.6E+01	4.5E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.87E-09	1.30E-09	1.70E-09	1.86E-09	9.94E-09	6.9E+01	9.9E+01	7.5E+01	6.9E+01	1.3E+01	4.0E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	2.0E+01	6.2E+01	2.8E+01	2.1E+01	2.1E+01	3.3E-04
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	2.0E+01	6.2E+01	2.8E+01	2.1E+01	2.1E+01	3.3E-04
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.93E-09	1.29E-09	1.74E-09	1.90E-09	9.47E-09	6.0E+01	9.0E+01	6.7E+01	6.1E+01	1.2E+01	2.7E-04
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	1.10E-10	3.37E-11	8.53E-11	1.09E-10	3.50E-11	1.9E+03	6.0E+03	2.4E+03	1.9E+03	5.8E+03	1.8E-05
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.18E-08	2.86E-09	6.56E-09	9.94E-09	9.81E-09	9.8E+00	4.0E+01	1.8E+01	1.2E+01	1.2E+01	2.5E-03
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	1.49E-06	4.95E-07	1.18E-06	1.47E-06	5.40E-07	2.5E+03	7.4E+03	3.1E+03	2.5E+03	6.8E+03	9.5E-10
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	2.67E-06	4.73E-07	1.36E-06	2.20E-06	4.64E-07	4.3E-02	2.4E-01	8.5E-02	5.3E-02	2.5E-01	2.4E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	4.26E-05	8.53E-06	2.40E-05	3.72E-05	8.55E-06	2.7E-03	1.4E-02	4.8E-03	3.1E-03	1.4E-02	1.5E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	4.67E-05	9.85E-06	2.76E-05	4.20E-05	9.66E-06	3.7E+01	1.8E+02	6.3E+01	4.1E+01	1.8E+02	3.1E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	1.10E-05	2.99E-06	7.88E-06	1.08E-05	3.10E-06	6.4E+00	2.3E+01	8.9E+00	6.5E+00	2.3E+01	1.3E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	3.7E+08	1.6E+09	5.8E+08	3.9E+08	1.6E+09	7.2E-11
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	3.7E+08	1.6E+09	5.8E+08	3.9E+08	1.6E+09	7.2E-11
Radium (88)	Ra-220	1.22E+09	5.68E-10	5.40E-07	1.16E-07	3.26E-07	4.95E-07	1.14E-07	6.8E+09	3.2E+10	1.1E+10	7.4E+09	3.2E+10	2.4E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	2.86E-06	8.03E-07	2.10E-06	2.81E-06	8.14E-07	8.2E+05	2.9E+06	1.1E+06	8.4E+05	2.9E+06	4.5E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	2.87E-06	8.03E-07	2.11E-06	2.81E-06	8.14E-07	8.2E+05	2.9E+06	1.1E+06	8.3E+05	2.9E+06	4.5E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	1.00E-06	2.25E-07	6.36E-07	9.44E-07	2.20E-07	1.7E+06	7.7E+06	2.7E+06	1.8E+06	7.9E+06	1.3E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	1.23E-05	3.17E-06	8.43E-06	1.18E-05	3.19E-06	5.4E+00	2.1E+01	7.9E+00	5.6E+00	2.1E+01	1.1E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	1.87E-05	4.61E-06	1.25E-05	1.78E-05	4.58E-06	3.6E+00	1.4E+01	5.3E+00	3.7E+00	1.5E+01	7.0E-11
Radium (88)	Ra-224	6.91E+01	1.00E-02	1.06E-06	2.49E-07	6.97E-07	1.01E-06	2.44E-07	2.0E+02	8.3E+02	3.0E+02	2.1E+02	8.5E+02	1.2E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	1.13E-06	2.66E-07	7.42E-07	1.08E-06	2.59E-07	1.8E+02	7.8E+02	2.8E+02	1.9E+02	8.0E+02	1.2E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	1.65E-07	1.20E-07	1.64E-07	1.65E-07	2.39E-07	3.1E+02	4.3E+02	3.1E+02	3.1E+02	2.1E+02	8.0E-09
Radium (88)	Ra-226	4.33E-04	1.60E+03	6.75E-07	1.71E-07	4.68E-07	6.56E-07	1.69E-07	1.7E-01	6.8E-01	2.5E-01	1.8E-01	6.9E-01	1.7E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	2.26E-04	4.22E-05	1.21E-04	1.92E-04	4.10E-05	5.1E-04	2.8E-03	9.6E-04	6.1E-04	2.8E-03	5.2E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.51E-05	3.42E-06	9.49E-06	1.41E-05	3.53E-06	1.7E+03	7.6E+03	2.7E+03	1.8E+03	7.3E+03	8.7E-11
Radium (88)	Ra-228	1.21E-01	5.75E+00	9.28E-10	9.34E-10	9.29E-10	9.28E-10	1.20E-08	4.1E+02	4.1E+02	4.1E+02	4.1E+02	3.2E+01	1.5E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	3.5E-03	1.8E-02	6.3E-03	4.0E-03	1.8E-02	1.3E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	7.32E-06	1.80E-06	4.84E-06	6.91E-06	1.83E-06	1.6E+03	6.5E+03	2.4E+03	1.7E+03	6.4E+03	1.8E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	1.84E-04	3.84E-05	1.08E-04	1.65E-04	3.79E-05	1.6E+03	7.6E+03	2.7E+03	1.8E+03	7.7E+03	2.4E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	5.65E-04	9.54E-05	2.77E-04	4.51E-04	9.15E-05	1.1E+02	6.5E+02	2.2E+02	1.4E+02	6.8E+02	8.1E-13
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	4.13E-04	7.88E-05	2.24E-04	3.53E-04	7.64E-05	4.6E+02	2.4E+03	8.5E+02	5.4E+02	2.5E+03	1.1E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.70E-04	3.58E-05	1.00E-04	1.54E-04	3.53E-05	2.8E+02	1.3E+03	4.8E+02	3.1E+02	1.4E+03	2.7E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	1.44E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	1.4E+04	6.5E+04	2.3E+04	1.5E+04	6.6E+04	3.3E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.22E-05	6.7E+01	3.2E+02	1.1E+02	7.4E+01	3.3E+02	8.0E-12
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	2.66E-06	5.76E-07	1.58E-06	2.38E-06	5.93E-07	1.4E+04	6.2E+04	2.3E+04	1.5E+04	6.1E+04	1.8E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.76E-05	6.5E+03	3.1E+04	1.1E+04	7.2E+03	3.1E+04	3.6E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	3.69E-04	7.22E-05	2.04E-04	3.22E-04	7.01E-05	7.6E+00	3.9E+01	1.4E+01	8.8E+00	4.0E+01	1.3E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	5.74E-05	1.20E-05	3.39E-05	5.21E-05	1.18E-05	1.5E-01	7.3E-01	2.6E-01	1.7E-01	7.5E-01	8.4E-12
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	1.12E-04	2.24E-05	6.31E-05	9.88E-05	2.19E-05	2.1E-01	1.0E+00	3.7E-01	2.4E-01	1.1E+00	4.4E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.13E-05	9.34E-06	2.62E-05	3.88E-05	9.09E-06	1.3E+03	5.8E+03	2.1E+03	1.4E+03	6.0E+03	1.2E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	1.24E-05	2.38E-06	6.72E-06	1.06E-05	2.52E-06	3.3E+00	1.7E+01	6.1E+00	3.8E+00	1.6E+01	4.0E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	6.53E-05	1.36E-05	3.83E-05	5.90E-05	1.33E-05	1.6E+04	7.9E+04	2.8E+04	1.8E+04	8.1E+04	7.7E-12
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	2.74E-09	1.15E-09	2.32E-09	2.73E-09	1.75E-09	4.7E+01	1.1E+02	5.5E+01	4.7E+01	7.4E+01	5.6E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	9.21E-05	1.59E-05	4.59E-05	7.48E-05	1.56E-05	6.7E+02	3.9E+03	1.3E+03	8.2E+02	4.0E+03	5.6E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	3.06E-04	5.40E-05	1.56E-04	2.52E-04	5.21E-05	2.4E+02	1.3E+03	4.7E+02	2.9E+02	1.4E+03	1.7E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	3.00E-04	4.64E-05	1.35E-04	2.28E-04	4.39E-05	1.4E+03	9.0E+03	3.1E+03	1.8E+03	9.5E+03	1.8E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	4.54E-04	7.62E-05	2.21E-04	3.63E-04	7.29E-05	5.6E+02	3.3E+03	1.2E+03	7.0E+02	3.5E+03	1.2E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	2.22E-04	4.03E-05	1.15E-04	1.84E-04	3.91E-05	3.7E+02	2.1E+03	7.2E+02	4.5E+02	2.1E+03	4.7E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	1.29E-04	2.59E-05	7.27E-05	1.13E-04	2.54E-05	4.4E+02	2.2E+03	7.7E+02	5.0E+02	2.2E+03	8.1E-12
Rhenium (75)	Re-180	1.49E+05	4.64E-06	1.46E-04	2.92E-05	8.18E-05	1.27E-04	2.87E-05	3.1E+03	1.5E+04	5.5E+03	3.5E+03	1.6E+04	7.2E-12
Rhenium (75)	Re-181	3.05E+02	2.27E-03	8.96E-05	1.92E-05	5.30E-05	8.08E-05	1.90E-05	1.0E+01	4.8E+01	1.7E+01	1.1E+01	4.8E+01	1.2E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	2.12E-04	4.27E-05	1.19E-04	1.84E-04	4.20E-05	1.3E+00	6.7E+00	2.4E+00	1.5E+00	6.8E+00	5.0E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.51E-04	2.90E-05	8.13E-05	1.28E-04	2.84E-05	9.5E+00	5.0E+01	1.8E+01	1.1E+01	5.1E+01	7.0E-12
Rhenium (75)	Re-183	3.61E+00	1.92E-01	9.59E-06	3.06E-06	7.27E-06	9.37E-06	3.38E-06	1.1E+00	3.5E+00	1.5E+00	1.2E+00	3.2E+00	1.1E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	1.06E-04	2.16E-05	6.01E-05	9.34E-05	2.12E-05	1.9E-01	9.3E-01	3.3E-01	2.1E-01	9.4E-01	1.0E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	4.01E-05	8.89E-06	2.42E-05	3.63E-05	8.90E-06	1.1E-01	5.1E-01	1.9E-01	1.2E-01	5.1E-01	2.7E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.48E-06	4.53E-07	1.12E-06	1.46E-06	5.46E-07	1.4E+02	4.5E+02	1.8E+02	1.4E+02	3.7E+02	7.3E-10
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.89E-07	2.36E-07	4.47E-07	4.89E-07	3.09E-07	2.4E-01	4.9E-01	2.6E-01	2.4E-01	3.7E-01	2.5E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	1.97E-06	6.87E-07	1.57E-06	1.95E-06	8.55E-07	5.9E-02	1.7E-01	7.4E-02	5.9E-02	1.4E-01	6.1E-06
Rhenium (75)	Re-187	1.68E-11	4.12E+10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.82E-06	1.57E-06	4.24E-06	6.25E-06	1.79E-06	1.6E+02	6.9E+02	2.5E+02	1.7E+02	6.0E+02	1.6E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	3.09E-06	1.25E-06	2.68E-06	3.09E-06	1.45E-06	1.9E+04	4.7E+04	2.2E+04	1.9E+04	4.1E+04	3.5E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	5.52E-06	1.32E-06	3.64E-06	5.24E-06	1.37E-06	1.4E+02	5.7E+02	2.1E+02	1.4E+02	5.5E+02	2.0E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	1.58E-04	3.30E-05	9.29E-05	1.42E-04	3.25E-05	2.2E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	7.0E-12
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.23E-05	5.4E+01	2.5E+02	9.0E+01	5.9E+01	2.6E+02	1.0E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	3.69E-04	6.51E-05	1.89E-04	3.05E-04	6.31E-05	2.4E+00	1.3E+01	4.7E+00	2.9E+00	1.4E+01	1.6E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	5.05E-06	1.06E-06	2.88E-06	4.42E-06	1.21E-06	4.7E+04	2.2E+05	8.3E+04	5.4E+04	2.0E+05	1.2E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	2.57E-05	6.46E-06	1.77E-05	2.49E-05	6.44E-06	2.5E-02	9.8E-02	3.6E-02	2.5E-02	9.9E-02	2.3E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	3.01E-05	6.77E-06	1.90E-05	2.82E-05	6.66E-06	5.8E+00	2.6E+01	9.2E+00	6.2E+00	2.6E+01	2.0E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	5.93E-05	1.24E-05	3.48E-05	5.33E-05	1.22E-05	6.2E-02	3.0E-01	1.1E-01	6.9E-02	3.0E-01	1.0E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	2.64E-04	5.30E-05	1.50E-04	2.34E-04	5.18E-05	2.1E-03	1.1E-02	3.7E-03	2.4E-03	1.1E-02	2.3E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.34E-09	2.24E-09	2.34E-09	2.34E-09	1.41E-08	8.4E+06	8.7E+06	8.4E+06	8.4E+06	1.4E+06	2.6E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	2.05E-06	4.86E-07	1.25E-06	1.87E-06	7.83E-07	7.6E+05	3.2E+06	1.2E+06	8.3E+05	2.0E+06	3.0E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	1.04E-06	5.01E-07	9.19E-07	1.03E-06	7.64E-07	2.4E+05	5.0E+05	2.7E+05	2.5E+05	3.3E+05	5.9E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	8.46E-06	1.90E-06	5.35E-06	7.95E-06	1.86E-06	6.1E+01	2.7E+02	9.7E+01	6.5E+01	2.8E+02	7.2E-11
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	8.4E+04	4.0E+05	1.4E+05	9.4E+04	3.9E+05	2.4E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	3.60E-04	7.02E-05	2.00E-04	3.14E-04	6.82E-05	2.3E+01	1.2E+02	4.2E+01	2.7E+01	1.2E+02	1.7E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	3.47E-05	7.73E-06	2.18E-05	3.25E-05	7.67E-06	1.5E+03	6.5E+03	2.3E+03	1.6E+03	6.6E+03	1.8E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	3.94E-05	8.43E-06	2.35E-05	3.60E-05	8.65E-06	9.9E+04	4.6E+05	1.7E+05	1.1E+05	4.5E+05	1.6E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	3.28E-05	7.42E-06	2.08E-05	3.08E-05	7.57E-06	2.5E+04	1.1E+05	4.0E+04	2.7E+04	1.1E+05	1.9E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	4.95E-04	9.29E-05	2.66E-04	4.23E-04	9.03E-05	1.9E+03	1.0E+04	3.5E+03	2.2E+03	1.0E+04	1.1E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	3.31E-04	6.21E-05	1.78E-04	2.83E-04	6.06E-05	6.6E+02	3.5E+03	1.2E+03	7.7E+02	3.6E+03	1.7E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	1.17E-04	2.14E-05	6.11E-05	9.78E-05	2.07E-05	4.8E+03	2.6E+04	9.2E+03	5.7E+03	2.7E+04	4.7E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	4.95E-04	9.69E-05	2.75E-04	4.32E-04	9.44E-05	2.2E+02	1.1E+03	4.0E+02	2.6E+02	1.2E+03	1.1E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	1.65E-04	3.13E-05	8.94E-05	1.41E-04	3.05E-05	4.4E+03	2.3E+04	8.1E+03	5.1E+03	2.4E+04	3.4E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.77E-04	3.55E-05	1.00E-04	1.56E-04	3.47E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	3.2E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	2.97E-04	5.20E-05	1.50E-04	2.44E-04	5.02E-05	8.0E+01	4.6E+02	1.6E+02	9.7E+01	4.7E+02	1.9E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	2.23E-04	4.50E-05	1.27E-04	1.98E-04	4.42E-05	5.7E+02	2.8E+03	9.9E+02	6.4E+02	2.9E+03	2.6E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	6.25E-05	1.33E-05	3.74E-05	5.68E-05	1.32E-05	7.6E-01	3.5E+00	1.3E+00	8.3E-01	3.6E+00	9.3E-12
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	7.67E-05	1.58E-05	4.45E-05	6.85E-05	1.54E-05	5.1E+01	2.5E+02	8.7E+01	5.7E+01	2.5E+02	7.5E-12
Radon (86)	Rn-207	3.94E+04	1.76E-05	1.16E-04	2.41E-05	6.77E-05	1.04E-04	2.37E-05	1.0E+03	4.9E+03	1.8E+03	1.1E+03	5.0E+03	1.0E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	1.46E-04	2.89E-05	8.18E-05	1.27E-04	2.82E-05	2.6E+02	1.3E+03	4.7E+02	3.0E+02	1.4E+03	8.4E-12
Radon (86)	Rn-210	2.53E+03	2.74E-04	7.07E-06	1.48E-06	4.13E-06	6.31E-06	1.45E-06	1.1E+03	5.1E+03	1.8E+03	1.2E+03	5.2E+03	1.7E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	2.35E-04	4.57E-05	1.30E-04	2.04E-04	4.45E-05	5.3E+00	2.7E+01	9.6E+00	6.1E+00	2.8E+01	5.2E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	4.17E-08	8.43E-09	2.38E-08	3.69E-08	8.20E-09	1.1E+06	5.4E+06	1.9E+06	1.2E+06	5.6E+06	3.0E-08

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	9.15E-08	1.88E-08	5.30E-08	8.20E-08	1.84E-08	2.1E+10	1.0E+11	3.5E+10	2.3E+10	1.0E+11	1.4E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	6.34E-06	1.43E-06	4.01E-06	5.96E-06	1.40E-06	2.6E+06	1.2E+07	4.1E+06	2.8E+06	1.2E+07	2.0E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	6.37E-06	1.43E-06	4.02E-06	6.00E-06	1.40E-06	2.6E+06	1.2E+07	4.1E+06	2.8E+06	1.2E+07	2.0E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	7.48E-08	1.56E-08	4.40E-08	6.75E-08	1.53E-08	1.6E+07	7.6E+07	2.7E+07	1.8E+07	7.7E+07	1.7E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	4.4E+03	2.1E+04	7.3E+03	4.8E+03	2.1E+04	2.8E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	4.4E+03	2.1E+04	7.3E+03	4.8E+03	2.1E+04	2.8E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	4.01E-05	8.33E-06	2.33E-05	3.57E-05	8.36E-06	1.1E+03	5.4E+03	1.9E+03	1.3E+03	5.4E+03	3.2E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	5.81E-05	1.23E-05	3.47E-05	5.30E-05	1.21E-05	3.3E-01	1.6E+00	5.6E-01	3.7E-01	1.6E+00	1.0E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	9.03E-05	1.85E-05	5.20E-05	8.05E-05	1.82E-05	4.6E+01	2.2E+02	7.9E+01	5.1E+01	2.3E+02	6.8E-12
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	7.8E-02	3.7E-01	1.3E-01	8.7E-02	3.6E-01	2.4E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	4.39E-05	8.68E-06	2.45E-05	3.82E-05	8.74E-06	6.7E+03	3.4E+04	1.2E+04	7.7E+03	3.3E+04	1.4E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	5.55E-06	1.46E-06	3.94E-06	5.43E-06	1.60E-06	4.3E+04	1.6E+05	6.1E+04	4.4E+04	1.5E+05	1.1E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	2.46E-04	5.01E-05	1.41E-04	2.18E-04	4.92E-05	1.2E+03	6.0E+03	2.1E+03	1.4E+03	6.1E+03	2.2E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.03E-05	1.26E-05	3.54E-05	5.43E-05	1.23E-05	3.5E+02	1.7E+03	6.0E+02	3.9E+02	1.7E+03	9.1E-12
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	1.54E-04	3.02E-05	8.58E-05	1.34E-04	2.94E-05	7.2E+01	3.7E+02	1.3E+02	8.3E+01	3.8E+02	3.6E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	2.34E-05	5.50E-06	1.54E-05	2.24E-05	5.46E-06	1.1E+01	4.8E+01	1.7E+01	1.2E+01	4.8E+01	2.4E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	2.36E-10	1.32E-10	2.19E-10	2.36E-10	2.73E-10	4.1E+04	7.3E+04	4.4E+04	4.1E+04	3.5E+04	9.6E-07
Sulphur (16)	S-37	7.21E+04	9.61E-06	4.39E-04	6.56E-05	1.94E-04	3.31E-04	6.19E-05	4.9E+02	3.3E+03	1.1E+03	6.5E+02	3.5E+03	4.9E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	2.42E-04	3.98E-05	1.17E-04	1.93E-04	3.82E-05	2.7E+01	1.6E+02	5.5E+01	3.3E+01	1.7E+02	9.2E-13
Antimony (51)	Sb-111	2.91E+05	2.38E-06	1.75E-04	3.69E-05	1.04E-04	1.58E-04	3.66E-05	5.0E+03	2.4E+04	8.5E+03	5.5E+03	2.4E+04	3.7E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	1.50E-04	3.14E-05	8.84E-05	1.36E-04	3.10E-05	1.1E+03	5.2E+03	1.9E+03	1.2E+03	5.3E+03	4.4E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	3.47E-04	6.61E-05	1.88E-04	2.99E-04	6.44E-05	9.0E+02	4.7E+03	1.7E+03	1.1E+03	4.9E+03	1.9E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	1.04E-04	2.18E-05	6.16E-05	9.40E-05	2.16E-05	3.3E+02	1.6E+03	5.5E+02	3.6E+02	1.6E+03	6.5E-12
Antimony (51)	Sb-116	2.31E+04	3.01E-05	2.99E-04	5.50E-05	1.59E-04	2.53E-04	5.36E-05	2.3E+02	1.3E+03	4.4E+02	2.7E+02	1.3E+03	2.3E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	3.94E-04	7.57E-05	2.15E-04	3.38E-04	7.35E-05	4.6E+01	2.4E+02	8.5E+01	5.4E+01	2.5E+02	1.7E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.58E-05	3.97E-06	1.08E-05	1.52E-05	4.10E-06	4.1E+02	1.6E+03	6.1E+02	4.3E+02	1.6E+03	4.3E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	9.53E-05	2.00E-05	5.66E-05	8.65E-05	1.99E-05	3.2E+03	1.5E+04	5.4E+03	3.5E+03	1.5E+04	7.2E-12
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	3.31E-04	6.31E-05	1.80E-04	2.85E-04	6.15E-05	1.1E+01	5.8E+01	2.0E+01	1.3E+01	5.9E+01	2.1E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	6.94E-08	6.77E-08	6.97E-08	6.94E-08	2.87E-07	6.9E+03	7.1E+03	6.9E+03	6.9E+03	1.7E+03	1.0E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	5.24E-05	1.10E-05	3.10E-05	4.73E-05	1.10E-05	1.3E+03	6.3E+03	2.2E+03	1.5E+03	6.3E+03	1.3E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	3.10E-04	5.96E-05	1.69E-04	2.66E-04	5.81E-05	4.3E-01	2.2E+00	7.8E-01	5.0E-01	2.3E+00	2.3E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	5.36E-05	1.11E-05	3.14E-05	4.83E-05	1.10E-05	5.2E+00	2.5E+01	8.9E+00	5.8E+00	2.5E+01	1.3E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	2.07E-06	9.69E-07	1.88E-06	2.07E-06	1.35E-06	1.3E+05	2.7E+05	1.4E+05	1.3E+05	1.9E+05	3.4E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	2.45E-04	4.50E-05	1.29E-04	2.07E-04	4.35E-05	5.2E-02	2.8E-01	9.8E-02	6.1E-02	2.9E-01	3.0E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	5.30E-05	1.10E-05	3.09E-05	4.77E-05	1.07E-05	1.3E+04	6.5E+04	2.3E+04	1.5E+04	6.6E+04	1.4E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	2.60E-12	2.55E-12	2.61E-12	2.60E-12	1.05E-11	2.1E+10	2.1E+10	2.1E+10	2.1E+10	5.1E+09	2.8E-04
Antimony (51)	Sb-125	2.51E-01	2.76E+00	4.95E-05	1.05E-05	2.95E-05	4.51E-05	1.04E-05	1.5E-02	7.2E-02	2.6E-02	1.7E-02	7.2E-02	1.5E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.38E-04	6.87E-05	1.93E-04	3.00E-04	6.69E-05	1.8E-01	9.0E-01	3.2E-01	2.1E-01	9.2E-01	2.2E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	1.87E-04	3.85E-05	1.09E-04	1.68E-04	3.79E-05	3.1E+02	1.5E+03	5.3E+02	3.4E+02	1.5E+03	3.9E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	8.36E-05	1.72E-05	4.85E-05	7.48E-05	1.69E-05	2.4E+00	1.1E+01	4.1E+00	2.6E+00	1.2E+01	8.9E-12
Antimony (51)	Sb-128	6.74E+02	1.03E-03	3.82E-04	7.67E-05	2.17E-04	3.38E-04	7.48E-05	5.3E+00	2.6E+01	9.3E+00	6.0E+00	2.7E+01	2.0E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	2.34E-04	4.75E-05	1.34E-04	2.08E-04	4.67E-05	4.5E+02	2.2E+03	7.9E+02	5.1E+02	2.3E+03	3.2E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	1.88E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	2.2E+01	1.2E+02	4.1E+01	2.6E+01	1.2E+02	4.0E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	4.07E-04	8.08E-05	2.29E-04	3.57E-04	7.86E-05	6.8E+01	3.4E+02	1.2E+02	7.8E+01	3.5E+02	1.9E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	3.44E-04	6.72E-05	1.90E-04	2.99E-04	6.53E-05	5.1E+02	2.6E+03	9.2E+02	5.8E+02	2.7E+03	2.2E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.74E-04	5.05E-05	1.45E-04	2.31E-04	4.89E-05	1.7E+02	9.4E+02	3.3E+02	2.1E+02	9.7E+02	2.8E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	3.72E-04	6.56E-05	1.90E-04	3.08E-04	6.37E-05	1.2E+03	6.7E+03	2.3E+03	1.4E+03	6.9E+03	2.1E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	5.46E-04	1.03E-04	2.94E-04	4.67E-04	1.00E-04	1.9E+03	1.0E+04	3.6E+03	2.3E+03	1.1E+04	4.5E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.16E-04	2.45E-05	6.92E-05	1.05E-04	2.41E-05	4.1E+01	1.9E+02	6.8E+01	4.5E+01	1.9E+02	2.2E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	2.69E-04	5.25E-05	1.50E-04	2.35E-04	5.14E-05	1.7E+01	8.8E+01	3.1E+01	2.0E+01	8.9E+01	9.6E-13
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	3.02E-05	6.72E-06	1.89E-05	2.82E-05	6.53E-06	1.0E+01	4.6E+01	1.6E+01	1.1E+01	4.8E+01	8.5E-12
Scandium (21)	Sc-46	3.02E+00	2.30E-01	2.60E-04	4.95E-05	1.41E-04	2.24E-04	4.80E-05	3.5E-02	1.8E-01	6.4E-02	4.1E-02	1.9E-01	1.0E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	9.81E-06	2.56E-06	6.97E-06	9.63E-06	2.51E-06	2.3E+01	8.9E+01	3.3E+01	2.4E+01	9.0E+01	2.8E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	4.42E-04	8.23E-05	2.35E-04	3.76E-04	7.95E-05	9.5E-01	5.1E+00	1.8E+00	1.1E+00	5.3E+00	6.3E-13
Scandium (21)	Sc-49	6.37E+03	1.09E-04	5.14E-07	1.46E-07	3.30E-07	4.67E-07	4.20E-07	3.7E+04	1.3E+05	5.8E+04	4.1E+04	4.6E+04	5.6E-10
Scandium (21)	Sc-50	2.13E+05	3.25E-06	4.29E-04	7.83E-05	2.25E-04	3.60E-04	7.57E-05	1.5E+03	8.2E+03	2.9E+03	1.8E+03	8.5E+03	6.8E-13
Selenium (34)	Se-70	8.86E+03	7.82E-05	8.08E-05	1.74E-05	4.88E-05	7.38E-05	1.73E-05	3.3E+02	1.5E+03	5.5E+02	3.6E+02	1.5E+03	5.1E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	1.95E-04	4.00E-05	1.13E-04	1.74E-04	3.94E-05	1.2E+03	5.8E+03	2.1E+03	1.3E+03	5.9E+03	2.1E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	5.21E-07	3.37E-07	5.15E-07	5.21E-07	5.46E-07	1.7E+02	2.7E+02	1.8E+02	1.7E+02	1.7E+02	8.1E-10
Selenium (34)	Se-73	8.49E+02	8.16E-04	1.23E-04	2.67E-05	7.47E-05	1.13E-04	2.65E-05	2.1E+01	9.6E+01	3.4E+01	2.3E+01	9.6E+01	3.5E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	3.07E-05	6.51E-06	1.83E-05	2.79E-05	6.41E-06	9.0E+02	4.2E+03	1.5E+03	9.9E+02	4.3E+03	1.4E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	3.85E-05	9.24E-06	2.55E-05	3.69E-05	9.03E-06	1.7E-01	6.9E-01	2.5E-01	1.7E-01	7.0E-01	1.1E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	7.83E-06	2.03E-06	5.50E-06	7.67E-06	1.99E-06	4.8E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	5.7E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	2.46E-10	1.41E-10	2.29E-10	2.46E-10	2.97E-10	5.2E+02	9.1E+02	5.6E+02	5.2E+02	4.3E+02	3.4E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	5.96E-07	1.96E-07	4.80E-07	5.96E-07	2.08E-07	4.7E+05	1.4E+06	5.8E+05	4.7E+05	1.3E+06	7.7E-10
Selenium (34)	Se-81	1.97E+04	3.51E-05	1.13E-06	2.65E-07	7.02E-07	1.04E-06	4.67E-07	5.3E+04	2.2E+05	8.5E+04	5.7E+04	1.3E+05	4.2E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	9.66E-07	3.01E-07	7.57E-07	9.63E-07	3.12E-07	2.0E+04	6.3E+04	2.5E+04	2.0E+04	6.1E+04	4.9E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	3.41E-04	6.36E-05	1.83E-04	2.90E-04	6.19E-05	1.4E+02	7.7E+02	2.7E+02	1.7E+02	7.9E+02	1.4E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	1.31E-04	2.42E-05	6.92E-05	1.11E-04	2.38E-05	7.2E+03	3.9E+04	1.4E+04	8.5E+03	3.9E+04	3.7E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	4.80E-05	1.05E-05	2.94E-05	4.45E-05	1.04E-05	7.4E+03	3.4E+04	1.2E+04	7.9E+03	3.4E+04	1.0E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	2.99E-07	8.33E-08	1.92E-07	2.73E-07	2.85E-07	2.3E+04	8.4E+04	3.6E+04	2.6E+04	2.4E+04	6.1E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.13E-10	3.47E-10	6.36E-10	7.13E-10	6.12E-10	1.9E+02	4.0E+02	2.2E+02	1.9E+02	2.2E+02	2.3E-06
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	2.55E-07	8.63E-08	1.82E-07	2.44E-07	3.25E-07	5.4E-01	1.6E+00	7.5E-01	5.6E-01	4.2E-01	6.4E-09
Samarium (62)	Sm-139	1.42E+05	4.89E-06	1.75E-04	3.59E-05	1.01E-04	1.56E-04	3.53E-05	2.4E+03	1.2E+04	4.2E+03	2.7E+03	1.2E+04	4.7E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	6.66E-05	1.35E-05	3.79E-05	5.87E-05	1.34E-05	1.1E+03	5.5E+03	2.0E+03	1.3E+03	5.5E+03	1.2E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	1.73E-04	3.45E-05	9.80E-05	1.52E-04	3.38E-05	6.2E+02	3.1E+03	1.1E+03	7.0E+02	3.2E+03	4.8E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	2.40E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	3.4E-12
Samarium (62)	Sm-142	5.02E+03	1.38E-04	1.00E-05	2.29E-06	6.06E-06	9.09E-06	2.52E-06	1.5E+03	6.6E+03	2.5E+03	1.7E+03	6.0E+03	8.3E-11
Samarium (62)	Sm-143	4.16E+04	1.66E-05	6.15E-05	1.29E-05	3.62E-05	5.55E-05	1.30E-05	2.0E+03	9.7E+03	3.5E+03	2.3E+03	9.7E+03	1.4E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	8.49E-05	1.70E-05	4.80E-05	7.48E-05	1.66E-05	1.2E+04	5.9E+04	2.1E+04	1.3E+04	6.0E+04	9.8E-12
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.01E-06	6.66E-07	9.85E-07	1.01E-06	1.21E-06	2.2E+00	3.4E+00	2.3E+00	2.2E+00	1.9E+00	8.4E-10
Samarium (62)	Sm-146	6.73E-09	1.03E+08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-147	6.54E-12	1.06E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-148	9.90E-17	7.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-151	7.70E-03	9.00E+01	1.04E-11	1.04E-11	1.04E-11	1.04E-11	6.50E-11	1.2E+04	1.2E+04	1.2E+04	1.2E+04	2.0E+03	4.7E-04
Samarium (62)	Sm-153	1.31E+02	5.31E-03	3.00E-06	1.11E-06	2.44E-06	2.99E-06	1.37E-06	1.3E+02	3.6E+02	1.6E+02	1.3E+02	2.9E+02	3.0E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	7.57E-06	2.27E-06	5.71E-06	7.45E-06	2.53E-06	6.5E+03	2.2E+04	8.6E+03	6.6E+03	1.9E+04	1.2E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	9.78E-06	2.57E-06	6.87E-06	9.50E-06	2.62E-06	2.0E+02	7.6E+02	2.8E+02	2.0E+02	7.4E+02	9.3E-11
Samarium (62)	Sm-157	4.54E+04	1.53E-05	4.67E-05	1.00E-05	2.80E-05	4.23E-05	1.01E-05	2.9E+03	1.4E+04	4.9E+03	3.2E+03	1.3E+04	2.0E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	1.43E-04	2.94E-05	8.28E-05	1.28E-04	2.88E-05	4.0E+03	1.9E+04	6.9E+03	4.5E+03	2.0E+04	4.3E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	7.54E-05	1.64E-05	4.59E-05	6.91E-05	1.62E-05	1.4E+03	6.5E+03	2.3E+03	1.5E+03	6.6E+03	8.4E-12
Tin (50)	Sn-109	2.02E+04	3.42E-05	2.95E-04	5.25E-05	1.52E-04	2.46E-04	5.08E-05	2.1E+02	1.2E+03	4.0E+02	2.5E+02	1.2E+03	2.2E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.94E-05	6.72E-06	1.89E-05	2.79E-05	6.72E-06	1.5E+02	6.6E+02	2.4E+02	1.6E+02	6.6E+02	2.2E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	5.96E-05	1.18E-05	3.34E-05	5.21E-05	1.16E-05	5.2E+02	2.6E+03	9.3E+02	6.0E+02	2.7E+03	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Tin (50)	Sn-113	2.20E+00	3.15E-01	6.15E-07	1.79E-07	4.18E-07	5.90E-07	3.44E-07	1.1E+01	3.7E+01	1.6E+01	1.1E+01	1.9E+01	1.1E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	6.06E-08	4.72E-08	5.81E-08	6.06E-08	1.74E-07	8.5E+05	1.1E+06	8.8E+05	8.5E+05	2.9E+05	1.1E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	1.27E-05	3.35E-06	8.99E-06	1.24E-05	3.44E-06	4.4E+00	1.7E+01	6.2E+00	4.4E+00	1.6E+01	5.4E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	4.23E-08	4.10E-08	4.23E-08	4.23E-08	1.79E-07	6.1E+01	6.3E+01	6.1E+01	6.1E+01	1.4E+01	1.6E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.60E-09	1.41E-09	2.97E-09	3.60E-09	2.03E-09	2.1E+05	5.3E+05	2.5E+05	2.1E+05	3.7E+05	2.2E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	2.41E-08	2.13E-08	2.39E-08	2.41E-08	7.04E-08	5.9E+00	6.6E+00	5.9E+00	5.9E+00	2.0E+00	8.7E-08
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	2.69E-08	2.24E-08	2.62E-08	2.69E-08	7.20E-08	5.3E+00	6.3E+00	5.4E+00	5.3E+00	2.0E+00	7.8E-08
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.05E-06	2.20E-07	5.91E-07	9.12E-07	3.85E-07	5.6E+00	2.7E+01	1.0E+01	6.5E+00	1.5E+01	6.8E-10
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.26E-05	3.28E-06	8.89E-06	1.23E-05	3.38E-06	2.2E+03	8.3E+03	3.1E+03	2.2E+03	8.1E+03	5.7E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.42E-05	8.33E-06	2.37E-05	3.76E-05	8.30E-06	1.8E+00	9.5E+00	3.3E+00	2.1E+00	9.5E+00	1.7E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	3.91E-05	8.63E-06	2.43E-05	3.63E-05	8.68E-06	2.9E+03	1.3E+04	4.7E+03	3.2E+03	1.3E+04	1.9E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	2.69E-06	9.90E-07	2.26E-06	2.70E-06	1.15E-06	4.3E-02	1.2E-01	5.1E-02	4.3E-02	1.0E-01	3.5E-06
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	2.37E-04	4.91E-05	1.38E-04	2.13E-04	4.83E-05	4.9E-04	2.4E-03	8.4E-04	5.4E-04	2.4E-03	4.0E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	2.50E-04	4.65E-05	1.33E-04	2.12E-04	4.51E-05	3.5E+01	1.9E+02	6.5E+01	4.1E+01	1.9E+02	3.0E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	6.97E-05	1.42E-05	4.02E-05	6.22E-05	1.42E-05	3.8E+03	1.9E+04	6.6E+03	4.3E+03	1.9E+04	1.1E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.44E-05	1.40E-05	3.87E-05	5.87E-05	1.42E-05	2.9E+02	1.3E+03	4.8E+02	3.2E+02	1.3E+03	1.2E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	1.28E-04	2.51E-05	7.12E-05	1.12E-04	2.48E-05	3.8E+03	2.0E+04	6.9E+03	4.4E+03	2.0E+04	5.9E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	1.08E-04	2.27E-05	6.36E-05	9.69E-05	2.25E-05	2.7E+03	1.3E+04	4.6E+03	3.0E+03	1.3E+04	7.1E-12
Tin (50)	Sn-130m	2.14E+05	3.23E-06	1.12E-04	2.17E-05	6.16E-05	9.66E-05	2.16E-05	5.8E+03	3.0E+04	1.0E+04	6.7E+03	3.0E+04	6.8E-12
Strontium (38)	Sr-79	1.62E+05	4.28E-06	1.37E-04	2.95E-05	8.28E-05	1.25E-04	2.95E-05	3.5E+03	1.6E+04	5.9E+03	3.9E+03	1.7E+04	3.4E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	5.05E-05	1.07E-05	3.00E-05	4.58E-05	1.04E-05	2.0E+02	9.7E+02	3.4E+02	2.3E+02	9.9E+02	9.3E-12
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.62E-04	3.44E-05	9.64E-05	1.47E-04	3.41E-05	3.0E+02	1.4E+03	5.1E+02	3.3E+02	1.4E+03	2.9E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.29E-09	1.29E-09	1.29E-09	1.29E-09	2.40E-08	2.3E+04	2.3E+04	2.3E+04	2.3E+04	1.2E+03	3.7E-07
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.77E-05	2.3E-01	1.1E+00	3.8E-01	2.5E-01	1.1E+00	3.6E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	9.97E-05	2.00E-05	5.66E-05	8.80E-05	1.96E-05	5.7E+00	2.8E+01	1.0E+01	6.4E+00	2.9E+01	4.9E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	5.81E-05	1.22E-05	3.45E-05	5.27E-05	1.20E-05	2.0E-01	9.6E-01	3.4E-01	2.2E-01	9.8E-01	8.5E-12
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.20E-05	5.20E-06	1.46E-05	2.11E-05	5.08E-06	7.4E+02	3.1E+03	1.1E+03	7.7E+02	3.2E+03	2.3E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	3.60E-05	7.88E-06	2.22E-05	3.35E-05	7.70E-06	1.8E+02	8.2E+02	2.9E+02	1.9E+02	8.4E+02	1.4E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	1.96E-07	6.51E-08	1.39E-07	1.87E-07	2.61E-07	7.7E+01	2.3E+02	1.1E+02	8.1E+01	5.8E+01	2.7E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.31E-08	4.51E-09	1.02E-08	1.29E-08	1.01E-08	1.3E+01	3.8E+01	1.7E+01	1.3E+01	1.7E+01	9.6E-08
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	5.27E-07	1.69E-07	3.64E-07	4.99E-07	4.61E-07	3.0E-01	9.2E-01	4.3E-01	3.1E-01	3.4E-01	2.1E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	9.03E-05	1.76E-05	4.98E-05	7.86E-05	1.73E-05	2.1E+01	1.1E+02	3.8E+01	2.4E+01	1.1E+02	5.9E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	1.81E-04	3.24E-05	9.34E-05	1.51E-04	3.12E-05	3.8E+01	2.1E+02	7.4E+01	4.6E+01	2.2E+02	3.0E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	2.94E-04	5.50E-05	1.58E-04	2.51E-04	5.36E-05	5.0E+02	2.7E+03	9.4E+02	5.9E+02	2.8E+03	1.8E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	1.94E-04	3.47E-05	1.00E-04	1.62E-04	3.35E-05	4.5E+03	2.5E+04	8.7E+03	5.4E+03	2.6E+04	2.8E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	1.26E-04	2.65E-05	7.42E-05	1.13E-04	2.64E-05	1.3E+03	6.1E+03	2.2E+03	1.4E+03	6.2E+03	7.9E-12
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.10E-04	4.11E-05	1.16E-04	1.82E-04	4.01E-05	1.4E+02	7.2E+02	2.6E+02	1.6E+02	7.4E+02	4.8E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	6.56E-05	1.35E-05	3.72E-05	5.71E-05	1.35E-05	8.9E+01	4.3E+02	1.6E+02	1.0E+02	4.3E+02	1.5E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	1.17E-04	2.33E-05	6.56E-05	1.02E-04	2.30E-05	1.4E+02	6.9E+02	2.4E+02	1.6E+02	7.0E+02	8.7E-12
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.36E-04	2.62E-05	7.37E-05	1.16E-04	2.58E-05	1.3E+01	6.6E+01	2.4E+01	1.5E+01	6.7E+01	7.5E-12
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	2.99E-04	5.30E-05	1.52E-04	2.46E-04	5.11E-05	7.6E+00	4.3E+01	1.5E+01	9.2E+00	4.4E+01	3.4E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	3.28E-06	1.20E-06	2.57E-06	3.16E-06	1.43E-06	9.8E+01	2.7E+02	1.3E+02	1.0E+02	2.3E+02	3.1E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	1.05E-05	2.50E-06	6.31E-06	9.18E-06	2.69E-06	1.1E+04	4.7E+04	1.9E+04	1.3E+04	4.4E+04	9.9E-11
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	1.17E-04	2.74E-05	7.52E-05	1.10E-04	2.73E-05	6.6E+01	2.8E+02	1.0E+02	7.0E+01	2.8E+02	8.9E-12
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	7.57E-07	3.88E-07	7.12E-07	7.57E-07	5.05E-07	1.5E+00	3.0E+00	1.6E+00	1.5E+00	2.3E+00	1.4E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	1.64E-06	7.83E-07	1.50E-06	1.64E-06	9.91E-07	1.4E+03	2.9E+03	1.5E+03	1.4E+03	2.3E+03	6.4E-10
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.03E-05	4.1E-02	2.1E-01	7.6E-02	4.8E-02	2.2E-01	6.5E-12
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	2.10E-05	5.76E-06	1.49E-05	2.04E-05	5.93E-06	3.3E+03	1.2E+04	4.6E+03	3.4E+03	1.2E+04	5.1E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.55E-05	6.61E-06	1.74E-05	2.44E-05	6.72E-06	5.9E+00	2.3E+01	8.6E+00	6.1E+00	2.2E+01	4.2E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	1.85E-04	3.85E-05	1.09E-04	1.66E-04	3.79E-05	1.1E+01	5.4E+01	1.9E+01	1.3E+01	5.5E+01	5.8E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	1.33E-05	3.50E-06	9.19E-06	1.28E-05	3.79E-06	1.7E+03	6.3E+03	2.4E+03	1.7E+03	5.9E+03	8.1E-11
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	1.66E-04	3.50E-05	9.85E-05	1.50E-04	3.44E-05	6.3E+02	3.0E+03	1.1E+03	7.0E+02	3.0E+03	6.6E-12
Terbium (65)	Tb-146	9.50E+05	7.29E-07	4.86E-04	8.79E-05	2.52E-04	4.04E-04	8.49E-05	5.9E+03	3.3E+04	1.1E+04	7.1E+03	3.4E+04	1.8E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	2.79E-04	5.30E-05	1.50E-04	2.39E-04	5.18E-05	4.0E+01	2.1E+02	7.4E+01	4.7E+01	2.2E+02	3.1E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	2.54E-04	4.59E-05	1.32E-04	2.12E-04	4.45E-05	2.3E+03	1.3E+04	4.4E+03	2.8E+03	1.3E+04	3.4E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	3.04E-04	5.76E-05	1.64E-04	2.59E-04	5.59E-05	6.0E+01	3.2E+02	1.1E+02	7.0E+01	3.3E+02	2.8E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	3.85E-04	7.78E-05	2.19E-04	3.41E-04	7.57E-05	1.3E+03	6.4E+03	2.3E+03	1.5E+03	6.6E+03	2.2E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	1.70E-04	3.27E-05	9.29E-05	1.46E-04	3.19E-05	2.6E+01	1.4E+02	4.8E+01	3.0E+01	1.4E+02	5.1E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	1.67E-04	3.37E-05	9.49E-05	1.48E-04	3.31E-05	1.6E+03	7.8E+03	2.8E+03	1.8E+03	8.0E+03	5.2E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	3.25E-04	5.81E-05	1.67E-04	2.69E-04	5.59E-05	1.6E+01	9.0E+01	3.2E+01	2.0E+01	9.4E+01	2.7E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	2.99E-04	6.21E-05	1.75E-04	2.69E-04	6.09E-05	6.3E+02	3.0E+03	1.1E+03	7.0E+02	3.1E+03	2.9E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	1.12E-04	2.37E-05	6.61E-05	1.01E-04	2.36E-05	9.3E+00	4.4E+01	1.6E+01	1.0E+01	4.4E+01	7.9E-12
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	7.92E-06	1.76E-06	4.75E-06	7.16E-06	1.83E-06	3.3E+05	1.5E+06	5.5E+05	3.7E+05	1.4E+06	1.1E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	1.90E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	5.5E+00	2.9E+01	1.0E+01	6.5E+00	3.0E+01	4.7E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	8.24E-05	1.81E-05	5.02E-05	7.54E-05	1.81E-05	3.2E+03	1.4E+04	5.2E+03	3.5E+03	1.4E+04	1.1E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	3.22E-05	7.42E-06	1.99E-05	2.94E-05	7.64E-06	1.0E+01	4.4E+01	1.6E+01	1.1E+01	4.3E+01	2.8E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.10E-04	5.35E-05	1.55E-04	2.52E-04	5.18E-05	2.7E+00	1.6E+01	5.5E+00	3.4E+00	1.6E+01	2.9E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	1.16E-05	3.48E-06	8.53E-06	1.13E-05	3.88E-06	1.2E+01	4.1E+01	1.7E+01	1.3E+01	3.7E+01	7.8E-11
Terbium (65)	Tb-156	4.73E+01	1.47E-02	2.41E-04	4.66E-05	1.32E-04	2.08E-04	4.54E-05	5.9E-01	3.1E+00	1.1E+00	6.9E-01	3.1E+00	3.8E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	8.58E-07	5.15E-07	8.38E-07	8.58E-07	7.57E-07	8.7E+02	1.5E+03	8.9E+02	8.7E+02	9.9E+02	1.1E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.13E-07	5.40E-08	1.01E-07	1.13E-07	7.48E-08	3.1E+04	6.4E+04	3.4E+04	3.1E+04	4.6E+04	8.1E-09
Terbium (65)	Tb-157	9.76E-03	7.10E+01	8.11E-08	5.40E-08	8.03E-08	8.11E-08	9.12E-08	1.6E+00	2.4E+00	1.6E+00	1.6E+00	1.4E+00	5.0E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	9.72E-05	1.93E-05	5.40E-05	8.46E-05	1.91E-05	1.3E-03	6.3E-03	2.3E-03	1.4E-03	6.4E-03	1.0E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	1.42E-04	2.76E-05	7.83E-05	1.23E-04	2.69E-05	7.4E-02	3.8E-01	1.3E-01	8.6E-02	3.9E-01	6.6E-12
Terbium (65)	Tb-161	3.66E+01	1.89E-02	9.47E-07	4.68E-07	8.53E-07	9.40E-07	6.85E-07	1.2E+02	2.4E+02	1.3E+02	1.2E+02	1.6E+02	9.9E-10
Terbium (65)	Tb-162	4.79E+04	1.45E-05	1.33E-04	2.72E-05	7.67E-05	1.19E-04	2.67E-05	1.1E+03	5.3E+03	1.9E+03	1.2E+03	5.4E+03	7.1E-12
Terbium (65)	Tb-163	1.87E+04	3.71E-05	9.03E-05	1.95E-05	5.45E-05	8.30E-05	1.92E-05	6.2E+02	2.9E+03	1.0E+03	6.8E+02	2.9E+03	1.1E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	3.10E-04	5.96E-05	1.70E-04	2.67E-04	5.81E-05	1.2E+03	6.1E+03	2.2E+03	1.4E+03	6.3E+03	3.1E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	1.11E-04	2.04E-05	5.86E-05	9.37E-05	2.00E-05	4.7E+03	2.5E+04	8.9E+03	5.5E+03	2.6E+04	8.6E-12
Technetium (43)	Tc-101	2.57E+04	2.70E-05	3.72E-05	8.33E-06	2.34E-05	3.47E-05	8.24E-06	2.1E+03	9.3E+03	3.3E+03	2.2E+03	9.4E+03	1.6E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	1.26E-05	2.63E-06	7.17E-06	1.10E-05	2.95E-06	9.9E+05	4.7E+06	1.7E+06	1.1E+06	4.2E+06	4.7E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	3.28E-04	6.01E-05	1.72E-04	2.76E-04	5.81E-05	7.7E+02	4.2E+03	1.5E+03	9.1E+02	4.3E+03	1.8E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	3.02E-04	5.40E-05	1.56E-04	2.51E-04	5.24E-05	2.0E+02	1.1E+03	3.9E+02	2.4E+02	1.1E+03	2.0E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	9.81E-05	1.95E-05	5.50E-05	8.55E-05	1.93E-05	1.5E+03	7.4E+03	2.6E+03	1.7E+03	7.5E+03	6.2E-12
Technetium (43)	Tc-91	1.16E+05	5.97E-06	3.31E-04	6.01E-05	1.73E-04	2.77E-04	5.84E-05	1.1E+03	5.8E+03	2.0E+03	1.3E+03	6.0E+03	1.6E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	1.73E-04	3.58E-05	1.01E-04	1.55E-04	3.53E-05	1.9E+03	9.3E+03	3.3E+03	2.1E+03	9.4E+03	3.1E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	4.86E-04	9.39E-05	2.67E-04	4.20E-04	9.12E-05	5.3E+02	2.7E+03	9.7E+02	6.1E+02	2.8E+03	1.1E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.10E-04	3.77E-05	1.09E-04	1.75E-04	3.63E-05	3.2E+01	1.8E+02	6.1E+01	3.8E+01	1.8E+02	2.6E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.30E-04	2.22E-05	6.46E-05	1.05E-04	2.12E-05	1.9E+02	1.1E+03	3.9E+02	2.4E+02	1.2E+03	4.2E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	3.31E-04	6.56E-05	1.86E-04	2.92E-04	6.41E-05	1.1E+01	5.7E+01	2.0E+01	1.3E+01	5.8E+01	1.7E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.48E-04	4.80E-05	1.36E-04	2.15E-04	4.70E-05	8.5E+01	4.4E+02	1.5E+02	9.8E+01	4.5E+02	2.2E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	9.81E-05	1.95E-05	5.50E-05	8.65E-05	1.91E-05	9.3E+00	4.7E+01	1.7E+01	1.1E+01	4.8E+01	5.7E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	8.08E-05	1.67E-05	4.71E-05	7.23E-05	1.63E-05	1.5E-01	7.5E-01	2.6E-01	1.7E-01	7.6E-01	6.9E-12
Technetium (43)	Tc-96	5.91E+01	1.17E-02	3.14E-04	6.16E-05	1.75E-04	2.75E-04	6.03E-05	5.7E-01	2.9E+00	1.0E+00	6.5E-01	3.0E+00	1.8E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.33E-06	1.03E-06	2.91E-06	4.61E-06	1.04E-06	4.0E+03	2.1E+04	7.3E+03	4.6E+03	2.0E+04	1.1E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	7.73E-09	7.78E-09	7.73E-09	7.73E-09	7.51E-08	1.5E+01	1.5E+01	1.5E+01	1.5E+01	1.5E+00	1.1E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	2.79E-08	1.44E-08	2.40E-08	2.79E-08	7.48E-08	3.0E+02	5.8E+02	3.5E+02	3.0E+02	1.1E+02	2.0E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	6.6E-04	3.3E-03	1.2E-03	7.5E-04	3.4E-03	7.7E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Technetium (43)	Tc-99	3.28E-06	2.11E+05	2.24E-09	9.44E-10	1.90E-09	2.23E-09	1.44E-09	5.2E+01	1.2E+02	6.1E+01	5.2E+01	8.0E+01	3.0E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.07E-05	2.90E-06	7.78E-06	1.05E-05	2.87E-06	2.8E+02	1.0E+03	3.9E+02	2.9E+02	1.1E+03	5.4E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	2.86E-04	5.45E-05	1.56E-04	2.46E-04	5.33E-05	2.3E+03	1.2E+04	4.1E+03	2.6E+03	1.2E+04	2.3E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	1.63E-04	3.05E-05	8.74E-05	1.39E-04	2.98E-05	4.4E+02	2.4E+03	8.3E+02	5.2E+02	2.4E+03	4.1E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	2.86E-04	5.50E-05	1.57E-04	2.47E-04	5.36E-05	6.6E+02	3.4E+03	1.2E+03	7.6E+02	3.5E+03	2.3E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	3.38E-04	6.36E-05	1.81E-04	2.88E-04	6.15E-05	4.8E+02	2.6E+03	9.0E+02	5.7E+02	2.7E+03	2.0E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	7.98E-06	1.99E-06	5.15E-06	7.35E-06	2.30E-06	9.2E+02	3.7E+03	1.4E+03	1.0E+03	3.2E+03	8.5E-11
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.00E-04	3.74E-05	1.07E-04	1.70E-04	3.63E-05	8.8E+01	4.7E+02	1.7E+02	1.0E+02	4.9E+02	3.4E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	7.35E-08	7.07E-08	7.37E-08	7.35E-08	2.68E-07	1.7E+03	1.8E+03	1.7E+03	1.7E+03	4.7E+02	9.4E-09
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	9.53E-05	2.00E-05	5.66E-05	8.65E-05	2.01E-05	1.3E+00	6.3E+00	2.2E+00	1.5E+00	6.3E+00	7.2E-12
Tellurium (52)	Te-119	3.78E+02	1.83E-03	9.31E-05	1.86E-05	5.25E-05	8.20E-05	1.83E-05	1.2E+01	6.1E+01	2.2E+01	1.4E+01	6.2E+01	7.5E-12
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	1.91E-04	3.62E-05	1.03E-04	1.63E-04	3.53E-05	8.5E-01	4.5E+00	1.6E+00	9.9E-01	4.6E+00	3.6E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	6.66E-05	1.39E-05	3.91E-05	6.00E-05	1.38E-05	6.0E-01	2.9E+00	1.0E+00	6.6E-01	2.9E+00	1.1E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	2.12E-05	4.95E-06	1.37E-05	2.00E-05	4.95E-06	2.3E-01	1.0E+00	3.6E-01	2.5E-01	1.0E+00	3.3E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	1.27E-10	1.23E-10	1.28E-10	1.27E-10	4.67E-10	9.1E+02	9.4E+02	9.1E+02	9.1E+02	2.5E+02	1.9E+08
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	1.21E-05	3.20E-06	8.58E-06	1.19E-05	3.28E-06	5.3E-01	2.0E+00	7.4E-01	5.4E-01	1.9E+00	5.9E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	1.87E-07	1.60E-07	1.82E-07	1.87E-07	5.21E-07	7.1E+01	8.3E+01	7.3E+01	7.1E+01	2.5E+01	3.9E-09
Tellurium (52)	Te-127	6.49E+02	1.07E-03	5.68E-07	1.26E-07	3.52E-07	5.27E-07	1.43E-07	3.4E+03	1.5E+04	5.6E+03	3.7E+03	1.4E+04	1.3E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	7.23E-08	5.25E-08	6.61E-08	7.10E-08	1.63E-07	9.7E+01	1.3E+02	1.1E+02	9.8E+01	4.3E+01	1.0E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	6.94E-06	1.49E-06	4.15E-06	6.31E-06	1.68E-06	2.3E+03	1.1E+04	3.8E+03	2.5E+03	9.4E+03	1.1E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	3.76E-06	7.93E-07	2.16E-06	3.35E-06	9.21E-07	6.0E+00	2.9E+01	1.0E+01	6.8E+00	2.5E+01	2.0E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	4.80E-05	1.02E-05	2.86E-05	4.32E-05	1.03E-05	9.1E+02	4.3E+03	1.5E+03	1.0E+03	4.3E+03	1.6E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	1.82E-04	3.56E-05	1.01E-04	1.59E-04	3.47E-05	3.3E+00	1.7E+01	6.0E+00	3.8E+00	1.8E+01	4.2E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	2.11E-05	5.15E-06	1.41E-05	2.03E-05	5.30E-06	1.1E+01	4.6E+01	1.7E+01	1.2E+01	4.5E+01	3.6E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	1.54E-04	2.93E-05	8.38E-05	1.32E-04	2.85E-05	5.7E+02	3.0E+03	1.0E+03	6.6E+02	3.1E+03	5.0E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.37E-04	4.55E-05	1.29E-04	2.04E-04	4.42E-05	8.4E+01	4.3E+02	1.5E+02	9.7E+01	4.5E+02	3.3E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	1.01E-04	2.13E-05	5.96E-05	9.09E-05	2.09E-05	2.6E+02	1.2E+03	4.4E+02	2.9E+02	1.3E+03	7.8E-12
Thorium (90)	Th-223	3.64E+07	1.90E-08	4.99E-06	1.53E-06	3.82E-06	4.92E-06	1.58E-06	2.2E+07	7.2E+07	2.9E+07	2.2E+07	6.9E+07	2.6E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	2.17E-06	5.35E-07	1.47E-06	2.09E-06	5.30E-07	2.9E+07	1.2E+08	4.2E+07	3.0E+07	1.2E+08	6.0E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	6.37E-07	1.76E-07	4.63E-07	6.25E-07	1.79E-07	5.6E+04	2.0E+05	7.7E+04	5.7E+04	2.0E+05	2.1E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	1.20E-05	2.90E-06	7.93E-06	1.15E-05	2.90E-06	3.4E+00	1.4E+01	5.1E+00	3.6E+00	1.4E+01	1.1E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	1.52E-07	4.51E-08	1.14E-07	1.50E-07	5.11E-08	7.2E+00	2.4E+01	9.6E+00	7.3E+00	2.1E+01	8.7E-09
Thorium (90)	Th-229	9.44E-05	7.34E+03	6.06E-06	1.83E-06	4.61E-06	6.00E-06	1.91E-06	1.9E-02	6.3E-02	2.5E-02	1.9E-02	6.1E-02	9.0E-08
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	6.22E-06	1.95E-06	4.77E-06	6.15E-06	2.15E-06	1.9E-02	5.9E-02	2.4E-02	1.9E-02	5.4E-02	8.8E-08
Thorium (90)	Th-230	9.19E-06	7.54E+04	2.28E-08	8.13E-09	1.83E-08	2.26E-08	1.33E-08	5.1E+00	1.4E+01	6.3E+00	5.1E+00	8.7E+00	2.5E-04
Thorium (90)	Th-231	2.38E+02	2.91E-03	6.72E-07	2.41E-07	5.50E-07	6.72E-07	3.35E-07	1.1E+03	3.0E+03	1.3E+03	1.1E+03	2.1E+03	2.0E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	9.69E-09	4.12E-09	8.38E-09	9.66E-09	8.80E-09	1.2E+01	2.8E+01	1.4E+01	1.2E+01	1.3E+01	1.1E+02
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	1.1E-03	5.5E-03	1.9E-03	1.2E-03	5.6E-03	9.7E-03
Thorium (90)	Th-233	1.63E+04	4.24E-05	3.88E-06	8.68E-07	2.37E-06	3.53E-06	9.78E-07	1.3E+04	5.7E+04	2.1E+04	1.4E+04	5.0E+04	3.5E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	4.80E-07	1.76E-07	4.01E-07	4.80E-07	1.98E-07	6.6E+01	1.8E+02	7.9E+01	6.6E+01	1.6E+02	2.8E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	2.93E-06	6.97E-07	1.80E-06	2.62E-06	9.72E-07	1.1E+01	4.5E+01	1.8E+01	1.2E+01	3.2E+01	4.7E-10
Thorium (90)	Th-235	5.13E+04	1.35E-05	6.69E-06	1.41E-06	3.91E-06	6.00E-06	1.60E-06	2.3E+04	1.1E+05	3.9E+04	2.6E+04	9.6E+04	2.1E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.57E-06	8.23E-07	2.25E-06	3.31E-06	8.99E-07	8.2E+03	3.6E+04	1.3E+04	8.8E+03	3.2E+04	3.9E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	6.69E-06	2.70E-06	5.86E-06	6.69E-06	3.03E-06	2.0E-02	5.0E-02	2.3E-02	2.0E-02	4.4E-02	1.5E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	2.75E-04	5.50E-05	1.56E-04	2.41E-04	5.46E-05	4.9E-04	2.4E-03	8.6E-04	5.5E-04	2.5E-03	3.6E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	1.03E-04	2.17E-05	6.11E-05	9.34E-05	2.13E-05	5.8E+01	2.7E+02	9.7E+01	6.3E+01	2.8E+02	2.6E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	4.23E-05	9.24E-06	2.60E-05	3.91E-05	9.28E-06	4.5E+03	2.1E+04	7.3E+03	4.9E+03	2.1E+04	7.0E-12
Titanium (22)	Ti-52	2.14E+05	3.23E-06	1.02E-05	2.94E-06	7.67E-06	1.01E-05	3.19E-06	6.3E+04	2.2E+05	8.4E+04	6.4E+04	2.0E+05	3.0E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	1.54E-04	3.24E-05	9.09E-05	1.39E-04	3.22E-05	2.7E+03	1.3E+04	4.6E+03	3.0E+03	1.3E+04	7.2E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	2.95E-04	6.06E-05	1.71E-04	2.64E-04	5.96E-05	1.0E+03	4.9E+03	1.7E+03	1.1E+03	5.0E+03	3.8E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.06E-04	2.26E-05	6.31E-05	9.59E-05	2.23E-05	3.1E+02	1.5E+03	5.3E+02	3.5E+02	1.5E+03	1.1E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	2.99E-04	6.21E-05	1.74E-04	2.68E-04	6.09E-05	1.1E+02	5.4E+02	1.9E+02	1.2E+02	5.5E+02	3.8E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.57E-04	2.91E-05	8.28E-05	1.32E-04	2.82E-05	1.0E+02	5.4E+02	1.9E+02	1.2E+02	5.6E+02	7.2E-12
Thallium (81)	Tl-196	3.30E+03	2.10E-04	2.41E-04	4.50E-05	1.29E-04	2.04E-04	4.35E-05	4.1E+01	2.2E+02	7.7E+01	4.9E+01	2.3E+02	4.7E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	5.11E-05	1.08E-05	2.97E-05	4.51E-05	1.07E-05	1.3E+02	6.0E+02	2.2E+02	1.4E+02	6.0E+02	2.2E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	2.62E-04	4.81E-05	1.38E-04	2.20E-04	4.67E-05	1.3E+01	7.2E+01	2.5E+01	1.6E+01	7.4E+01	4.4E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	1.39E-04	2.97E-05	8.33E-05	1.26E-04	2.92E-05	7.0E+01	3.3E+02	1.2E+02	7.7E+01	3.3E+02	8.3E-12
Thallium (81)	Tl-199	8.18E+02	8.47E-04	2.34E-05	5.71E-06	1.52E-05	2.18E-05	5.78E-06	1.1E+02	4.3E+02	1.6E+02	1.1E+02	4.3E+02	5.0E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.60E-04	3.17E-05	8.99E-05	1.40E-04	3.10E-05	4.4E+00	2.2E+01	7.8E+00	5.0E+00	2.3E+01	7.3E-12
Thallium (81)	Tl-201	8.33E+01	8.32E-03	5.08E-06	1.80E-06	4.15E-06	5.05E-06	1.96E-06	4.9E+01	1.4E+02	6.0E+01	5.0E+01	1.3E+02	2.3E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	4.95E-05	1.12E-05	3.06E-05	4.58E-05	1.11E-05	1.3E+00	5.6E+00	2.0E+00	1.4E+00	5.6E+00	2.4E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	8.08E-08	3.13E-08	6.82E-08	8.02E-08	6.47E-08	6.9E+00	1.8E+01	8.2E+00	6.9E+00	8.6E+00	1.5E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	1.65E-07	5.60E-08	1.19E-07	1.58E-07	2.32E-07	1.6E+06	4.7E+06	2.2E+06	1.6E+06	1.1E+06	7.3E-09
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	2.88E-04	5.96E-05	1.68E-04	2.58E-04	5.81E-05	1.0E+03	4.9E+03	1.7E+03	1.1E+03	5.0E+03	4.2E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	4.29E-07	1.03E-07	2.60E-07	3.85E-07	2.58E-07	5.4E+05	2.2E+06	8.9E+05	6.0E+05	8.9E+05	2.8E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	4.73E-04	7.83E-05	2.28E-04	3.76E-04	7.48E-05	7.6E+02	4.6E+03	1.6E+03	9.6E+02	4.8E+03	2.6E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	2.79E-04	5.15E-05	1.48E-04	2.35E-04	5.02E-05	1.8E+03	9.8E+03	3.4E+03	2.2E+03	1.0E+04	4.4E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	3.63E-04	6.72E-05	1.92E-04	3.07E-04	6.50E-05	2.3E+03	1.3E+04	4.4E+03	2.7E+03	1.3E+04	3.4E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.57E-04	3.00E-05	8.43E-05	1.33E-04	2.99E-05	2.3E+02	1.2E+03	4.3E+02	2.7E+02	1.2E+03	6.0E-12
Thulium (69)	Tm-162	1.68E+04	4.13E-05	2.52E-04	4.56E-05	1.31E-04	2.10E-04	4.45E-05	2.0E+02	1.1E+03	3.9E+02	2.4E+02	1.1E+03	3.8E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.06E-05	6.2E+01	3.2E+02	1.1E+02	7.3E+01	3.3E+02	5.8E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	9.47E-05	1.88E-05	5.30E-05	8.27E-05	1.86E-05	5.8E+03	2.9E+04	1.0E+04	6.6E+03	2.9E+04	1.0E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	5.96E-05	1.31E-05	3.59E-05	5.40E-05	1.32E-05	1.0E+01	4.6E+01	1.7E+01	1.1E+01	4.6E+01	1.6E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	2.57E-04	4.71E-05	1.35E-04	2.16E-04	4.58E-05	9.2E+00	5.0E+01	1.8E+01	1.1E+01	5.2E+01	3.8E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.09E-05	3.02E-06	7.62E-06	1.05E-05	3.28E-06	7.6E+00	2.7E+01	1.1E+01	7.9E+00	2.5E+01	9.0E-11
Thulium (69)	Tm-168	2.72E+00	2.55E-01	1.45E-04	3.01E-05	8.38E-05	1.29E-04	2.97E-05	5.7E-02	2.7E-01	9.8E-02	6.3E-02	2.8E-01	6.8E-12
Thulium (69)	Tm-170	1.97E+00	3.52E-01	2.16E-07	8.63E-08	1.83E-07	2.15E-07	1.64E-07	2.7E+01	6.9E+01	3.2E+01	2.8E+01	3.6E+01	4.6E-09
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.80E-08	9.44E-09	1.70E-08	1.80E-08	1.26E-08	6.0E+01	1.2E+02	6.4E+01	6.0E+01	8.6E+01	5.6E-08
Thulium (69)	Tm-172	9.55E+01	7.26E-03	6.31E-05	1.15E-05	3.28E-05	5.27E-05	1.12E-05	4.6E+00	2.5E+01	8.8E+00	5.4E+00	2.6E+01	1.6E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	4.39E-05	9.54E-06	2.69E-05	4.04E-05	9.44E-06	5.1E+01	2.3E+02	8.3E+01	5.5E+01	2.3E+02	2.3E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	2.11E-04	4.35E-05	1.23E-04	1.88E-04	4.26E-05	9.6E+02	4.7E+03	1.7E+03	1.1E+03	4.8E+03	4.8E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	1.33E-04	2.68E-05	7.57E-05	1.18E-04	2.62E-05	5.4E+02	2.7E+03	9.5E+02	6.1E+02	2.7E+03	7.7E-12
Thulium (69)	Tm-176	1.97E+05	3.52E-06	2.56E-04	4.73E-05	1.35E-04	2.15E-04	4.58E-05	2.3E+03	1.3E+04	4.4E+03	2.8E+03	1.3E+04	4.0E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	1.05E-05	2.67E-06	7.22E-06	1.01E-05	2.67E-06	9.5E+04	3.7E+05	1.4E+05	9.8E+04	3.7E+05	1.3E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	3.09E-07	8.74E-08	2.26E-07	3.03E-07	9.44E-08	3.9E+05	1.4E+06	5.3E+05	4.0E+05	1.3E+06	4.3E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	8.30E-08	2.47E-08	6.16E-08	8.11E-08	3.35E-08	4.4E+02	1.5E+03	5.9E+02	4.5E+02	1.1E+03	1.6E-08
Uranium (92)	U-231	6.02E+01	1.15E-02	4.48E-06	1.46E-06	3.57E-06	4.45E-06	1.61E-06	4.0E+01	1.2E+02	5.1E+01	4.1E+01	1.1E+02	3.0E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	1.47E-08	5.45E-09	1.17E-08	1.45E-08	1.36E-08	8.9E+00	2.4E+01	1.1E+01	9.1E+00	9.6E+00	4.0E-07
Uranium (92)	U-233	4.35E-06	1.59E+05	1.92E-08	5.60E-09	1.37E-08	1.86E-08	9.66E-09	6.0E+00	2.1E+01	8.5E+00	6.2E+00	1.2E+01	6.3E-04
Uranium (92)	U-234	2.82E-06	2.46E+05	6.85E-09	2.95E-09	5.71E-09	6.82E-09	1.03E-08	1.7E+01	3.9E+01	2.0E+01	1.7E+01	1.1E+01	2.7E-03
Uranium (92)	U-235	9.84E-10	7.04E+08	1.49E-05	3.80E-06	1.04E-05	1.45E-05	3.76E-06	7.8E-03	3.0E-02	1.1E-02	8.0E-03	3.1E-02	3.6E-03
Uranium (92)	U-235+D	9.84E-10	7.04E+08	1.56E-05	4.04E-06	1.09E-05	1.51E-05	4.10E-06	7.4E-03	2.9E-02	1.1E-02	7.6E-03	2.8E-02	3.4E-03
Uranium (92)	U-235m	1.40E+04	4.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Uranium (92)	U-236	2.96E-08	2.34E+07	3.35E-09	1.69E-09	2.90E-09	3.31E-09	8.27E-09	3.5E+01	6.9E+01	4.0E+01	3.5E+01	1.4E+01	5.4E-01
Uranium (92)	U-237	3.75E+01	1.85E-02	1.01E-05	2.90E-06	7.37E-06	9.88E-06	3.04E-06	1.1E+01	3.9E+01	1.5E+01	1.1E+01	3.7E+01	1.4E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	3.35E-09	1.42E-09	2.54E-09	3.14E-09	6.69E-09	3.5E+01	8.2E+01	4.5E+01	3.7E+01	1.7E+01	1.0E+02
Uranium (92)	U-238+D	1.55E-10	4.47E+09	3.22E-06	7.52E-07	1.96E-06	2.88E-06	1.04E-06	3.6E-02	1.5E-01	5.9E-02	4.0E-02	1.1E-01	1.1E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	3.22E-06	1.04E-06	2.41E-06	3.07E-06	1.24E-06	1.5E+04	4.5E+04	1.9E+04	1.5E+04	3.8E+04	4.3E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Uranium (92)	U-240	4.31E+02	1.61E-03	3.12E-07	9.80E-08	2.40E-07	3.09E-07	1.26E-07	4.2E+03	1.3E+04	5.4E+03	4.2E+03	1.0E+04	4.5E-09
Uranium (92)	U-242	2.17E+04	3.20E-05	4.10E-06	9.74E-07	2.59E-06	3.79E-06	1.09E-06	1.6E+04	6.7E+04	2.5E+04	1.7E+04	6.0E+04	3.4E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.18E-04	2.48E-05	6.97E-05	1.07E-04	2.46E-05	2.9E+02	1.4E+03	4.8E+02	3.1E+02	1.4E+03	2.3E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	3.79E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	1.3E-01	6.7E-01	2.3E-01	1.5E-01	6.9E-01	7.4E-13
Vanadium (23)	V-49	7.67E-01	9.04E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Vanadium (23)	V-50	4.62E-18	1.50E+17	1.95E-04	3.42E-05	9.90E-05	1.61E-04	3.28E-05	6.4E-04	3.7E-03	1.3E-03	7.8E-04	3.8E-03	1.3E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	1.98E-04	3.51E-05	1.01E-04	1.64E-04	3.41E-05	1.5E+03	8.3E+03	2.9E+03	1.8E+03	8.6E+03	1.5E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	1.35E-04	2.58E-05	7.32E-05	1.16E-04	2.53E-05	5.0E+03	2.6E+04	9.3E+03	5.9E+03	2.7E+04	2.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	1.00E-04	2.16E-05	5.91E-05	8.93E-05	2.15E-05	8.3E+01	3.8E+02	1.4E+02	9.3E+01	3.9E+02	1.0E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	4.86E-07	2.41E-07	4.53E-07	4.86E-07	3.07E-07	7.3E+01	1.5E+02	7.8E+01	7.3E+01	1.1E+02	2.1E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	1.10E-05	2.75E-06	6.77E-06	9.66E-06	3.00E-06	3.2E+00	1.3E+01	5.2E+00	3.6E+00	1.2E+01	9.5E-11
Tungsten (74)	W-179	9.83E+03	7.05E-05	1.59E-06	8.03E-07	1.49E-06	1.59E-06	1.07E-06	1.9E+04	3.7E+04	2.0E+04	1.9E+04	2.8E+04	6.6E-10
Tungsten (74)	W-179m	5.69E+04	1.22E-05	3.28E-06	1.08E-06	2.50E-06	3.22E-06	1.20E-06	5.2E+04	1.6E+05	6.9E+04	5.3E+04	1.4E+05	3.2E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	1.29E-06	6.41E-07	1.21E-06	1.29E-06	8.14E-07	4.9E+00	9.8E+00	5.2E+00	4.9E+00	7.7E+00	8.2E-10
Tungsten (74)	W-185	3.37E+00	2.06E-01	7.61E-09	2.80E-09	6.16E-09	7.57E-09	3.63E-09	1.3E+03	3.6E+03	1.6E+03	1.3E+03	2.8E+03	1.4E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	1.63E-06	5.04E-07	1.24E-06	1.61E-06	5.33E-07	4.2E+05	1.4E+06	5.5E+05	4.3E+05	1.3E+06	6.6E-10
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.18E-05	1.10E-05	3.05E-05	4.67E-05	1.09E-05	1.5E+01	7.0E+01	2.5E+01	1.6E+01	7.1E+01	2.1E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.90E-07	4.56E-08	1.25E-07	1.81E-07	4.58E-08	5.8E+01	2.4E+02	8.7E+01	6.0E+01	2.4E+02	5.8E-09
Tungsten (74)	W-190	1.21E+04	5.71E-05	9.75E-06	3.08E-06	7.47E-06	9.59E-06	3.38E-06	3.7E+03	1.2E+04	4.9E+03	3.8E+03	1.1E+04	1.1E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	4.23E-05	9.04E-06	2.50E-05	3.82E-05	9.25E-06	6.5E+02	3.0E+03	1.1E+03	7.2E+02	3.0E+03	1.7E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	1.89E-04	3.52E-05	1.00E-04	1.60E-04	3.44E-05	1.4E+02	7.8E+02	2.7E+02	1.7E+02	7.9E+02	3.7E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	4.95E-06	1.21E-06	3.18E-06	4.67E-06	1.42E-06	1.8E+02	7.5E+02	2.9E+02	1.9E+02	6.4E+02	1.4E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	7.45E-05	1.51E-05	4.27E-05	6.60E-05	1.50E-05	1.2E+02	5.8E+02	2.1E+02	1.3E+02	5.8E+02	9.6E-12
Xenon (54)	Xe-125	3.59E+02	1.93E-03	2.53E-05	5.96E-06	1.63E-05	2.38E-05	6.15E-06	4.3E+01	1.8E+02	6.6E+01	4.5E+01	1.8E+02	2.9E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	2.57E-05	6.26E-06	1.71E-05	2.46E-05	6.37E-06	8.1E-01	3.3E+00	1.2E+00	8.5E-01	3.3E+00	2.9E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	1.30E-05	3.60E-06	9.49E-06	1.28E-05	3.72E-06	7.3E+04	2.6E+05	1.0E+05	7.4E+04	2.6E+05	5.7E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	1.15E-06	4.49E-07	8.63E-07	1.12E-06	8.84E-07	7.5E+01	1.9E+02	9.9E+01	7.7E+01	9.7E+01	6.6E-10
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	3.91E-07	1.65E-07	3.04E-07	3.85E-07	3.41E-07	1.6E+02	3.9E+02	2.1E+02	1.7E+02	1.9E+02	2.0E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	1.82E-06	7.32E-07	1.56E-06	1.82E-06	9.47E-07	8.0E+01	2.0E+02	9.3E+01	8.0E+01	1.5E+02	4.3E-10
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	2.50E-06	6.56E-07	1.68E-06	2.40E-06	8.24E-07	1.4E+02	5.3E+02	2.1E+02	1.4E+02	4.2E+02	3.1E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	2.62E-05	6.06E-06	1.69E-05	2.49E-05	5.93E-06	7.6E+01	3.3E+02	1.2E+02	8.0E+01	3.4E+02	3.0E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	4.99E-05	1.05E-05	2.95E-05	4.51E-05	1.03E-05	1.4E+03	6.8E+03	2.4E+03	1.6E+03	6.9E+03	1.6E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	2.49E-05	5.20E-06	1.44E-05	2.22E-05	5.43E-06	1.2E+04	5.5E+04	2.0E+04	1.3E+04	5.3E+04	3.2E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	1.51E-04	2.68E-05	7.73E-05	1.25E-04	2.59E-05	5.1E+02	2.9E+03	1.0E+03	6.2E+02	3.0E+03	5.3E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	1.35E-04	2.93E-05	8.18E-05	1.23E-04	2.92E-05	6.9E+03	3.2E+04	1.1E+04	7.6E+03	3.2E+04	3.5E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	1.63E-04	3.33E-05	9.39E-05	1.45E-04	3.28E-05	9.5E+02	4.6E+03	1.6E+03	1.1E+03	4.7E+03	3.0E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	9.69E-05	2.08E-05	5.86E-05	8.87E-05	2.06E-05	4.0E+03	1.8E+04	6.6E+03	4.3E+03	1.9E+04	5.0E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	5.05E-04	9.85E-05	2.79E-04	4.39E-04	9.59E-05	5.5E+01	2.8E+02	9.9E+01	6.3E+01	2.9E+02	9.7E-13
Yttrium (39)	Y-85	2.27E+03	3.06E-04	1.28E-04	2.68E-05	7.57E-05	1.16E-04	2.64E-05	5.3E+01	2.5E+02	9.0E+01	5.9E+01	2.6E+02	3.9E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.68E-04	3.23E-05	9.19E-05	1.45E-04	3.15E-05	2.2E+01	1.2E+02	4.1E+01	2.6E+01	1.2E+02	3.0E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.67E-04	8.68E-05	2.49E-04	3.98E-04	8.43E-05	2.7E+00	1.4E+01	5.0E+00	3.1E+00	1.5E+01	1.1E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.25E-05	5.30E-06	1.48E-05	2.14E-05	5.14E-06	1.0E+03	4.3E+03	1.5E+03	1.1E+03	4.4E+03	2.2E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	5.11E-05	1.09E-05	3.06E-05	4.67E-05	1.07E-05	4.5E+00	2.1E+01	7.5E+00	4.9E+00	2.1E+01	9.9E-12
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	3.44E-05	7.52E-06	2.13E-05	3.19E-05	7.38E-06	4.0E+01	1.8E+02	6.4E+01	4.3E+01	1.9E+02	1.5E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	3.69E-04	6.46E-05	1.87E-04	3.03E-04	6.19E-05	1.9E-02	1.1E-01	3.8E-02	2.4E-02	1.2E-01	1.4E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	1.15E-04	2.23E-05	6.31E-05	9.97E-05	2.17E-05	3.7E+04	1.9E+05	6.7E+04	4.2E+04	1.9E+05	4.5E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	5.14E-07	1.65E-07	3.54E-07	4.86E-07	4.51E-07	5.5E+02	1.7E+03	8.0E+02	5.9E+02	6.3E+02	1.0E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	7.04E-05	1.56E-05	4.37E-05	6.53E-05	1.52E-05	8.1E+01	3.7E+02	1.3E+02	8.8E+01	3.8E+02	7.5E-12
Yttrium (39)	Y-91	4.32E+00	1.60E-01	6.15E-07	1.44E-07	3.62E-07	5.43E-07	3.44E-07	2.1E+01	9.0E+01	3.6E+01	2.4E+01	3.8E+01	8.6E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	3.2E+05	1.3E+06	4.8E+05	3.3E+05	1.3E+06	7.9E-10
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	6.31E-05	1.31E-05	3.70E-05	5.68E-05	1.28E-05	3.5E+02	1.7E+03	6.0E+02	3.9E+02	1.7E+03	8.4E-12
Yttrium (39)	Y-92	1.71E+03	4.04E-04	3.41E-05	6.56E-06	1.85E-05	2.93E-05	6.72E-06	1.5E+02	7.9E+02	2.8E+02	1.8E+02	7.7E+02	1.6E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	1.34E-05	2.58E-06	7.22E-06	1.14E-05	2.81E-06	1.3E+02	7.0E+02	2.5E+02	1.6E+02	6.4E+02	4.1E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.03E-04	1.95E-05	5.55E-05	8.80E-05	1.93E-05	5.7E+02	3.0E+03	1.1E+03	6.7E+02	3.0E+03	5.3E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	1.60E-04	2.62E-05	7.62E-05	1.26E-04	2.52E-05	6.7E+02	4.1E+03	1.4E+03	8.4E+02	4.2E+03	3.5E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	2.18E-05	5.55E-06	1.45E-05	2.05E-05	5.74E-06	2.7E+03	1.0E+04	4.0E+03	2.8E+03	1.0E+04	4.3E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	8.74E-05	1.74E-05	4.89E-05	7.61E-05	1.73E-05	1.1E+03	5.7E+03	2.0E+03	1.3E+03	5.7E+03	1.1E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	2.44E-06	8.99E-07	1.84E-06	2.31E-06	1.14E-06	5.9E+03	1.6E+04	7.8E+03	6.3E+03	1.3E+04	3.9E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	3.25E-05	7.37E-06	1.94E-05	2.89E-05	7.70E-06	3.4E+03	1.5E+04	5.7E+03	3.8E+03	1.4E+04	3.0E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	2.57E-06	1.32E-06	2.39E-06	2.57E-06	1.77E-06	1.3E+02	2.4E+02	1.3E+02	1.3E+02	1.8E+02	3.8E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	1.69E-05	5.25E-06	1.25E-05	1.63E-05	5.84E-06	3.7E+03	1.2E+04	5.0E+03	3.8E+03	1.1E+04	5.8E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	2.17E-05	6.56E-06	1.60E-05	2.12E-05	7.26E-06	1.1E+00	3.6E+00	1.5E+00	1.1E+00	3.3E+00	4.5E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	4.10E-06	9.39E-07	2.60E-06	3.82E-06	9.31E-07	4.4E+01	1.9E+02	7.0E+01	4.8E+01	2.0E+02	2.5E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	2.32E-05	4.70E-06	1.31E-05	2.02E-05	4.73E-06	4.1E+02	2.0E+03	7.3E+02	4.7E+02	2.0E+03	4.5E-11
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	4.23E-06	9.39E-07	2.63E-06	3.94E-06	9.31E-07	3.5E+03	1.6E+04	5.6E+03	3.8E+03	1.6E+04	2.5E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	1.16E-04	2.42E-05	6.82E-05	1.04E-04	2.39E-05	1.2E+03	5.7E+03	2.0E+03	1.3E+03	5.7E+03	9.0E-12
Zinc (30)	Zn-60	1.53E+05	4.53E-06	1.81E-04	3.81E-05	1.07E-04	1.64E-04	3.76E-05	2.5E+03	1.2E+04	4.3E+03	2.8E+03	1.2E+04	1.9E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	1.93E-04	3.81E-05	1.08E-04	1.69E-04	3.76E-05	3.8E+03	1.9E+04	6.8E+03	4.4E+03	2.0E+04	1.9E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	5.11E-05	1.08E-05	3.02E-05	4.64E-05	1.06E-05	3.9E+01	1.8E+02	6.6E+01	4.3E+01	1.9E+02	7.1E-12
Zinc (30)	Zn-63	9.47E+03	7.32E-05	1.31E-04	2.74E-05	7.73E-05	1.18E-04	2.70E-05	2.2E+02	1.0E+03	3.7E+02	2.4E+02	1.1E+03	2.8E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	7.57E-05	1.42E-05	4.06E-05	6.47E-05	1.38E-05	4.1E-02	2.2E-01	7.7E-02	4.8E-02	2.3E-01	5.0E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	4.54E-08	1.54E-08	3.39E-08	4.42E-08	7.92E-08	4.3E+05	1.3E+06	5.7E+05	4.4E+05	2.5E+05	8.9E-09
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	4.77E-05	1.03E-05	2.90E-05	4.39E-05	1.01E-05	2.8E+01	1.3E+02	4.6E+01	3.0E+01	1.3E+02	8.5E-12
Zinc (30)	Zn-71	1.49E+05	4.66E-06	3.91E-05	7.98E-06	2.25E-05	3.47E-05	8.11E-06	1.1E+04	5.6E+04	2.0E+04	1.3E+04	5.5E+04	1.1E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.86E-04	3.87E-05	1.09E-04	1.68E-04	3.79E-05	2.5E+01	1.2E+02	4.2E+01	2.8E+01	1.2E+02	2.2E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.26E-05	3.40E-06	9.14E-06	1.24E-05	3.35E-06	3.1E+01	1.2E+02	4.3E+01	3.2E+01	1.2E+02	3.3E-11
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	1.77E-04	3.67E-05	1.04E-04	1.59E-04	3.63E-05	7.9E+02	3.8E+03	1.3E+03	8.7E+02	3.8E+03	2.8E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	2.89E-05	6.66E-06	1.86E-05	2.74E-05	6.63E-06	3.8E+01	1.7E+02	5.9E+01	4.0E+01	1.7E+02	1.7E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	1.11E-04	2.31E-05	6.51E-05	1.00E-04	2.28E-05	9.8E+01	4.7E+02	1.7E+02	1.1E+02	4.8E+02	4.6E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	4.32E-05	9.44E-06	2.66E-05	4.01E-05	9.28E-06	2.1E-01	9.7E-01	3.4E-01	2.3E-01	9.8E-01	1.2E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	1.45E-04	2.85E-05	8.08E-05	1.27E-04	2.77E-05	1.6E+00	8.2E+00	2.9E+00	1.8E+00	8.4E+00	3.6E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	7.76E-05	1.57E-05	4.45E-05	6.91E-05	1.53E-05	3.4E+03	1.7E+04	5.9E+03	3.8E+03	1.7E+04	6.7E-12
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	9.09E-05	1.82E-05	5.15E-05	8.05E-05	1.78E-05	1.3E-01	6.5E-01	2.3E-01	1.5E-01	6.7E-01	6.1E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.10E-04	2.19E-05	6.21E-05	9.69E-05	2.16E-05	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Actinium (89)	Ac-223+D	0.00E+00	0.00E+00	0.00E+00	4.86E-12	1.00E-03	.	.	3.0E+05	.	3.0E+05	2.7E-14
Actinium (89)	Ac-224	1.44E-10	1.0E-08 (S)	2.07E-10	5.08E-11	1.00E-03	3.6E-01	.	2.8E+04	2.2E+00	3.1E-01	2.3E-18
Actinium (89)	Ac-225	5.11E-09	7.7E-07 (S)	7.34E-09	3.08E-12	1.00E-03	1.0E-02	.	4.7E+05	6.3E-02	8.8E-03	5.6E-18
Actinium (89)	Ac-225+D	5.11E-09	7.7E-07 (S)	7.34E-09	1.00E-11	1.00E-03	1.0E-02	.	1.4E+05	6.3E-02	8.8E-03	5.6E-18
Actinium (89)	Ac-226	1.88E-09	1.2E-07 (S)	2.77E-09	3.03E-11	1.00E-03	2.8E-02	.	4.7E+04	1.7E-01	2.4E-02	1.9E-18
Actinium (89)	Ac-227	5.43E-09	4.0E-06 (S)	6.63E-09	1.92E-14	1.00E-03	9.6E-03	.	7.5E+07	2.6E-02	7.0E-03	3.6E-15
Actinium (89)	Ac-228	5.09E-11	1.3E-09 (S)	7.39E-11	2.20E-10	1.00E-03	1.0E+00	.	6.5E+03	6.3E+00	8.8E-01	1.5E-17
Actinium (89)	Ac-230	0.00E+00	0.00E+00	0.00E+00	1.44E-10	1.00E-03	.	.	1.0E+04	.	1.0E+04	9.2E-16
Actinium (89)	Ac-231	0.00E+00	0.00E+00	0.00E+00	9.88E-11	1.00E-03	.	.	1.5E+04	.	1.5E+04	5.0E-15
Actinium (89)	Ac-232	0.00E+00	0.00E+00	0.00E+00	3.10E-10	1.00E-03	.	.	4.6E+03	.	4.6E+03	4.2E-16
Actinium (89)	Ac-233	0.00E+00	0.00E+00	0.00E+00	1.23E-10	1.00E-03	.	.	1.2E+04	.	1.2E+04	1.3E-15
Silver (47)	Ag-100m	0.00E+00	0.00E+00	0.00E+00	7.26E-10	4.00E-03	.	.	2.0E+03	.	2.0E+03	8.7E-17
Silver (47)	Ag-101	1.61E-12	6.4E-13 (S)	2.23E-12	3.94E-10	4.00E-03	3.2E+01	.	3.6E+03	2.1E+02	2.8E+01	6.2E-18
Silver (47)	Ag-102	2.01E-12	7.4E-13 (S)	2.75E-12	8.80E-10	4.00E-03	2.6E+01	.	1.6E+03	1.7E+02	2.2E+01	5.8E-18
Silver (47)	Ag-102m	0.00E+00	0.00E+00	0.00E+00	5.36E-10	4.00E-03	.	.	2.7E+03	.	2.7E+03	4.1E-16
Silver (47)	Ag-103	2.83E-12	1.6E-12 (S)	3.98E-12	2.08E-10	4.00E-03	1.8E+01	.	6.9E+03	1.2E+02	1.6E+01	2.1E-17
Silver (47)	Ag-104	4.50E-12	1.8E-12 (S)	6.23E-12	6.88E-10	4.00E-03	1.2E+01	.	2.1E+03	7.5E+01	1.0E+01	1.4E-17
Silver (47)	Ag-104m	3.70E-12	1.6E-12 (S)	5.15E-12	4.64E-10	4.00E-03	1.4E+01	.	3.1E+03	9.0E+01	1.2E+01	8.4E-18
Silver (47)	Ag-105	4.73E-11	8.5E-11 (S)	6.65E-11	1.21E-10	4.00E-03	1.1E+00	.	1.2E+04	6.9E+00	9.5E-01	1.2E-15
Silver (47)	Ag-105m	0.00E+00	0.00E+00	0.00E+00	2.42E-13	4.00E-03	.	.	5.9E+06	.	5.9E+06	8.9E-13
Silver (47)	Ag-106	1.57E-12	7.6E-13 (S)	2.18E-12	1.70E-10	4.00E-03	3.3E+01	.	8.4E+03	2.1E+02	2.9E+01	1.4E-17
Silver (47)	Ag-106m	1.29E-10	9.5E-11 (S)	1.80E-10	7.10E-10	4.00E-03	4.1E-01	.	2.0E+03	2.6E+00	3.5E-01	8.7E-17
Silver (47)	Ag-108	0.00E+00	0.00E+00	0.00E+00	4.95E-12	4.00E-03	.	.	2.9E+05	.	2.9E+05	1.5E-14
Silver (47)	Ag-108m	2.19E-10	2.8E-09 (S)	3.01E-10	3.98E-10	4.00E-03	2.4E-01	.	3.6E+03	4.4E-01	1.5E-01	7.2E-13
Silver (47)	Ag-108m+D	2.19E-10	2.8E-09 (S)	3.01E-10	3.98E-10	4.00E-03	2.4E-01	.	3.6E+03	4.4E-01	1.5E-01	7.2E-13
Silver (47)	Ag-109m	0.00E+00	0.00E+00	0.00E+00	8.17E-13	4.00E-03	.	.	1.8E+06	.	1.8E+06	2.5E-14
Silver (47)	Ag-110	0.00E+00	0.00E+00	0.00E+00	9.18E-12	4.00E-03	.	.	1.6E+05	.	1.6E+05	1.4E-15
Silver (47)	Ag-110m	2.71E-10	1.2E-09 (S)	3.76E-10	7.04E-10	4.00E-03	1.9E-01	.	2.0E+03	1.1E+00	1.6E-01	1.3E-15
Silver (47)	Ag-110m+D	2.71E-10	1.2E-09 (S)	3.76E-10	7.04E-10	4.00E-03	1.9E-01	.	2.0E+03	1.1E+00	1.6E-01	1.3E-15
Silver (47)	Ag-111	2.22E-10	2.0E-10 (S)	3.25E-10	6.56E-12	4.00E-03	2.4E-01	.	2.2E+05	1.4E+00	2.0E-01	4.7E-17
Silver (47)	Ag-111m	0.00E+00	0.00E+00	0.00E+00	9.03E-13	4.00E-03	.	.	1.6E+06	.	1.6E+06	3.8E-14
Silver (47)	Ag-112	5.31E-11	2.1E-11 (S)	7.72E-11	1.82E-10	4.00E-03	9.8E-01	.	7.9E+03	6.0E+00	8.5E-01	3.5E-18
Silver (47)	Ag-113	5.95E-11	2.4E-11 (S)	8.71E-11	1.84E-11	4.00E-03	8.8E-01	.	7.8E+04	5.3E+00	7.5E-01	5.4E-18
Silver (47)	Ag-113m	0.00E+00	0.00E+00	0.00E+00	5.18E-11	4.00E-03	.	.	2.8E+04	.	2.8E+04	7.1E-16
Silver (47)	Ag-114	0.00E+00	0.00E+00	0.00E+00	7.23E-11	4.00E-03	.	.	2.0E+04	.	2.0E+04	3.4E-17
Silver (47)	Ag-115	3.85E-12	2.0E-12 (S)	5.45E-12	1.29E-10	4.00E-03	1.4E+01	.	1.1E+04	8.5E+01	1.2E+01	5.3E-18
Silver (47)	Ag-116	0.00E+00	0.00E+00	0.00E+00	5.84E-10	4.00E-03	.	.	2.5E+03	.	2.5E+03	1.5E-16
Silver (47)	Ag-117	0.00E+00	0.00E+00	0.00E+00	3.57E-10	4.00E-03	.	.	4.0E+03	.	4.0E+03	1.1E-16
Silver (47)	Ag-99	0.00E+00	0.00E+00	0.00E+00	5.90E-10	4.00E-03	.	.	2.4E+03	.	2.4E+03	9.8E-17
Aluminum (13)	Al-26	4.67E-10	7.9E-09 (S)	6.71E-10	7.10E-10	4.00E-03	1.1E-01	.	2.0E+03	1.9E-01	7.1E-02	1.4E-10
Aluminum (13)	Al-28	0.00E+00	0.00E+00	0.00E+00	4.89E-10	4.00E-03	.	.	2.9E+03	.	2.9E+03	3.6E-17
Aluminum (13)	Al-29	0.00E+00	0.00E+00	0.00E+00	3.69E-10	4.00E-03	.	.	3.9E+03	.	3.9E+03	1.5E-16
Americium (95)	Am-237	1.42E-12	1.7E-12 (S)	2.00E-12	8.52E-11	1.91E-05	3.7E+01	.	1.7E+04	2.3E+02	3.2E+01	1.1E-16
Americium (95)	Am-238	2.58E-12	3.1E-12 (S)	3.61E-12	2.25E-10	1.91E-05	2.0E+01	.	6.4E+03	1.3E+02	1.7E+01	8.0E-17
Americium (95)	Am-239	3.84E-11	2.5E-11 (S)	5.61E-11	5.08E-11	1.91E-05	1.4E+00	.	2.8E+04	8.3E+00	1.2E+00	3.9E-17
Americium (95)	Am-240	7.14E-11	4.2E-11 (S)	1.02E-10	2.58E-10	1.91E-05	7.3E-01	.	5.6E+03	4.6E+00	6.3E-01	9.1E-17
Americium (95)	Am-241	2.80E-09	1.0E-06 (F)	3.61E-09	3.57E-12	1.91E-05	1.9E-02	.	4.0E+05	3.7E-02	1.2E-02	1.3E-13
Americium (95)	Am-242	4.88E-11	1.8E-09 (S)	7.14E-11	2.93E-12	1.91E-05	1.1E+00	.	4.9E+05	6.5E+00	9.2E-01	4.2E-17
Americium (95)	Am-242m	1.91E-09	9.3E-07 (F)	2.36E-09	9.94E-14	1.91E-05	2.7E-02	.	1.4E+07	5.8E-02	1.9E-02	6.6E-14
Americium (95)	Am-242m+D	1.96E-09	9.3E-07 (F)	2.43E-09	3.69E-12	1.91E-05	2.7E-02	.	3.9E+05	5.7E-02	1.8E-02	6.4E-14
Americium (95)	Am-243	2.80E-09	1.0E-06 (F)	3.62E-09	1.04E-11	1.91E-05	1.9E-02	.	1.4E+05	3.6E-02	1.2E-02	2.3E-12
Americium (95)	Am-243+D	2.94E-09	1.0E-06 (F)	3.83E-09	5.02E-11	1.91E-05	1.8E-02	.	2.9E+04	3.4E-02	1.2E-02	2.2E-12
Americium (95)	Am-244	6.67E-11	1.0E-10 (S)	9.70E-11	1.97E-10	1.91E-05	7.8E-01	.	7.3E+03	4.8E+00	6.7E-01	2.0E-17
Americium (95)	Am-244m	1.41E-12	3.6E-12 (S)	1.97E-12	4.04E-12	1.91E-05	3.7E+01	.	3.6E+05	2.4E+02	3.2E+01	4.0E-17
Americium (95)	Am-245	6.01E-12	4.5E-12 (S)	8.71E-12	7.20E-12	1.91E-05	8.7E+00	.	2.0E+05	5.3E+01	7.5E+00	4.4E-17
Americium (95)	Am-246	3.67E-12	4.2E-12 (S)	5.15E-12	1.78E-10	1.91E-05	1.4E+01	.	8.0E+03	9.0E+01	1.2E+01	2.3E-17
Americium (95)	Am-246m	1.78E-12	1.1E-12 (S)	2.46E-12	2.51E-10	1.91E-05	2.9E+01	.	5.7E+03	1.9E+02	2.5E+01	3.1E-17
Americium (95)	Am-247	1.43E-12	1.3E-12 (S)	1.98E-12	3.04E-11	1.91E-05	3.7E+01	.	4.7E+04	2.3E+02	3.2E+01	3.5E-17
Argon (18)	Ar-37	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	0.00E+00	0.00E+00	0.00E+00	7.13E-14	0.00E+00	.	.	2.0E+07	.	2.0E+07	2.2E-05
Argon (18)	Ar-41	0.00E+00	0.00E+00	0.00E+00	3.38E-10	0.00E+00	.	.	4.3E+03	.	4.3E+03	3.8E-15
Argon (18)	Ar-42	0.00E+00	0.00E+00	0.00E+00	8.02E-14	0.00E+00	.	.	1.8E+07	.	1.8E+07	2.6E-06
Argon (18)	Ar-42+D	3.41E-11	3.4E-11 (G)	4.70E-11	7.73E-11	0.00E+00	1.5E+00	.	1.9E+04	.	1.5E+00	2.2E-13
Argon (18)	Ar-43	0.00E+00	0.00E+00	0.00E+00	4.13E-10	0.00E+00	.	.	3.5E+03	.	3.5E+03	1.6E-16
Argon (18)	Ar-44	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	.	.	2.7E+03	.	2.7E+03	2.8E-16
Arsenic (33)	As-68	0.00E+00	0.00E+00	0.00E+00	9.66E-10	8.00E-02	.	.	1.5E+03	.	1.5E+03	5.0E-17
Arsenic (33)	As-69	2.68E-12	1.1E-12 (S)	3.72E-12	2.84E-10	8.00E-02	1.9E+01	.	5.0E+03	1.3E+02	1.7E+01	3.5E-18
Arsenic (33)	As-70	8.89E-12	4.0E-12 (S)	1.24E-11	1.10E-09	8.00E-02	5.9E+00	.	1.3E+03	3.8E+01	5.1E+00	3.7E-18
Arsenic (33)	As-71	6.08E-11	4.3E-11 (S)	8.78E-11	1.40E-10	8.00E-02	8.6E-01	.	1.0E+04	5.3E+00	7.4E-01	4.1E-17
Arsenic (33)	As-72	2.78E-10	1.2E-10 (S)	4.06E-10	4.48E-10	8.00E-02	1.9E-01	.	3.2E+03	1.1E+00	1.6E-01	3.6E-18

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Arsenic (33)	As-73	4.24E-11	1.4E-10 (S)	6.18E-11	8.20E-13	8.00E-02	1.2E+00	.	1.7E+06	7.2E+00	1.1E+00	1.8E-15
Arsenic (33)	As-74	1.80E-10	2.6E-10 (S)	2.60E-10	1.87E-10	8.00E-02	2.9E-01	.	7.7E+03	1.8E+00	2.5E-01	9.3E-17
Arsenic (33)	As-76	2.59E-10	1.2E-10 (S)	3.79E-10	1.06E-10	8.00E-02	2.0E-01	.	1.3E+04	1.2E+00	1.7E-01	4.0E-18
Arsenic (33)	As-77	6.68E-11	5.1E-11 (S)	9.81E-11	2.08E-12	8.00E-02	7.8E-01	.	6.9E+05	4.7E+00	6.7E-01	2.4E-17
Arsenic (33)	As-78	1.59E-11	7.2E-12 (S)	2.28E-11	3.41E-10	8.00E-02	3.3E+00	.	4.2E+03	2.0E+01	2.8E+00	3.9E-18
Arsenic (33)	As-79	0.00E+00	0.00E+00	0.00E+00	9.25E-12	8.00E-02	.	.	1.6E+05	.	1.6E+05	2.2E-14
Astatine (85)	At-204	0.00E+00	0.00E+00	0.00E+00	5.71E-10	2.00E-01	.	.	2.5E+03	.	2.5E+03	9.3E-16
Astatine (85)	At-205	3.88E-12	6.5E-11 (S)	5.29E-12	2.87E-10	2.00E-01	1.3E+01	.	5.0E+03	8.8E+01	1.2E+01	1.2E-17
Astatine (85)	At-206	4.46E-12	2.2E-11 (S)	6.09E-12	6.19E-10	2.00E-01	1.2E+01	.	2.3E+03	7.6E+01	1.0E+01	1.3E-17
Astatine (85)	At-207	1.76E-11	2.0E-10 (S)	2.41E-11	5.14E-10	2.00E-01	3.0E+00	.	2.8E+03	1.9E+01	2.6E+00	1.1E-17
Astatine (85)	At-208	6.44E-12	5.3E-11 (S)	8.74E-12	7.70E-10	2.00E-01	8.1E+00	.	1.9E+03	5.3E+01	7.0E+00	2.8E-17
Astatine (85)	At-209	3.05E-11	2.5E-10 (S)	4.17E-11	5.68E-10	2.00E-01	1.7E+00	.	2.5E+03	1.1E+01	1.5E+00	2.0E-17
Astatine (85)	At-210	7.30E-11	9.8E-10 (S)	9.98E-11	7.73E-10	2.00E-01	7.2E-01	.	1.9E+03	4.7E+00	6.2E-01	1.2E-17
Astatine (85)	At-211	9.10E-10	1.1E-08 (S)	1.25E-09	6.91E-12	2.00E-01	5.7E-02	.	2.1E+05	3.7E-01	5.0E-02	9.0E-19
Astatine (85)	At-211+D	9.10E-10	1.1E-08 (S)	1.25E-09	8.11E-12	2.00E-01	5.7E-02	.	1.8E+05	3.7E-01	5.0E-02	9.0E-19
Astatine (85)	At-215	0.00E+00	0.00E+00	0.00E+00	4.13E-14	2.00E-01	.	.	3.5E+07	.	3.5E+07	2.5E-18
Astatine (85)	At-216	0.00E+00	0.00E+00	0.00E+00	5.18E-13	2.00E-01	.	.	2.8E+06	.	2.8E+06	5.9E-19
Astatine (85)	At-217	0.00E+00	0.00E+00	0.00E+00	5.78E-14	2.00E-01	.	.	2.5E+07	.	2.5E+07	5.7E-16
Astatine (85)	At-218	0.00E+00	0.00E+00	0.00E+00	1.39E-15	2.00E-01	.	.	1.0E+09	.	1.0E+09	1.1E-12
Astatine (85)	At-219	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.00E-01	.	.	.	.	.	.
Astatine (85)	At-220	0.00E+00	0.00E+00	0.00E+00	1.10E-10	2.00E-01	.	.	1.3E+04	.	1.3E+04	2.1E-15
Gold (79)	Au-186	2.56E-12	1.1E-12 (S)	3.57E-12	3.76E-10	1.00E-01	2.0E+01	.	3.8E+03	1.3E+02	1.8E+01	6.9E-18
Gold (79)	Au-187	0.00E+00	0.00E+00	0.00E+00	2.73E-10	1.00E-01	.	.	5.3E+03	.	5.3E+03	1.6E-15
Gold (79)	Au-190	2.75E-12	1.2E-12 (S)	3.81E-12	6.41E-10	1.00E-01	1.9E+01	.	2.2E+03	1.2E+02	1.6E+01	2.6E-17
Gold (79)	Au-191	8.12E-12	5.4E-12 (S)	1.16E-11	1.40E-10	1.00E-01	6.4E+00	.	1.0E+04	4.0E+01	5.5E+00	4.0E-17
Gold (79)	Au-192	1.70E-11	6.7E-12 (S)	2.41E-11	5.14E-10	1.00E-01	3.1E+00	.	2.8E+03	1.9E+01	2.6E+00	3.0E-17
Gold (79)	Au-193	1.85E-11	1.1E-11 (S)	2.69E-11	3.47E-11	1.00E-01	2.8E+00	.	4.1E+04	1.7E+01	2.4E+00	9.8E-17
Gold (79)	Au-193m	0.00E+00	0.00E+00	0.00E+00	4.58E-11	1.00E-01	.	.	3.1E+04	.	3.1E+04	7.8E-17
Gold (79)	Au-194	4.35E-11	2.1E-11 (S)	6.17E-11	2.66E-10	1.00E-01	1.2E+00	.	5.4E+03	7.5E+00	1.0E+00	9.0E-17
Gold (79)	Au-195	4.19E-11	1.8E-10 (S)	6.11E-11	1.45E-11	1.00E-01	1.2E+00	.	9.9E+04	6.9E+00	1.1E+00	1.1E-14
Gold (79)	Au-195m	0.00E+00	0.00E+00	0.00E+00	4.64E-11	1.00E-01	.	.	3.1E+04	.	3.1E+04	6.1E-16
Gold (79)	Au-196	4.15E-11	3.5E-11 (S)	5.94E-11	1.11E-10	1.00E-01	1.3E+00	.	1.3E+04	7.8E+00	1.1E+00	3.7E-16
Gold (79)	Au-196m	6.07E-11	4.8E-11 (S)	8.87E-11	5.24E-11	1.00E-01	8.6E-01	.	2.7E+04	5.2E+00	7.4E-01	1.6E-17
Gold (79)	Au-198	1.70E-10	1.1E-10 (S)	2.48E-10	9.78E-11	1.00E-01	3.1E-01	.	1.5E+04	1.9E+00	2.6E-01	4.0E-17
Gold (79)	Au-198m	1.92E-10	2.0E-10 (S)	2.81E-10	1.20E-10	1.00E-01	2.7E-01	.	1.2E+04	1.7E+00	2.3E-01	3.0E-17
Gold (79)	Au-199	7.63E-11	8.7E-11 (S)	1.12E-10	2.15E-11	1.00E-01	6.8E-01	.	6.7E+04	4.1E+00	5.9E-01	1.0E-16
Gold (79)	Au-200	4.15E-12	2.3E-12 (S)	5.87E-12	7.10E-11	1.00E-01	1.3E+01	.	2.0E+04	7.9E+01	1.1E+01	2.1E-17
Gold (79)	Au-200m	1.37E-10	7.0E-11 (S)	1.97E-10	4.86E-10	1.00E-01	3.8E-01	.	3.0E+03	2.4E+00	3.3E-01	1.5E-17
Gold (79)	Au-201	1.15E-12	8.7E-13 (S)	1.61E-12	8.52E-12	1.00E-01	4.5E+01	.	1.7E+05	2.9E+02	3.9E+01	4.0E-17
Gold (79)	Au-202	0.00E+00	0.00E+00	0.00E+00	4.51E-11	1.00E-01	.	.	3.2E+04	.	3.2E+04	6.1E-16
Barium (56)	Ba-124	3.02E-12	1.1E-12 (S)	4.15E-12	1.38E-10	8.70E-04	1.7E+01	.	1.0E+04	1.1E+02	1.5E+01	4.0E-18
Barium (56)	Ba-126	2.30E-11	9.7E-12 (S)	3.30E-11	1.41E-10	8.70E-04	2.3E+00	.	1.0E+04	1.4E+01	2.0E+00	4.9E-18
Barium (56)	Ba-127	1.24E-12	5.5E-13 (S)	1.71E-12	1.78E-10	8.70E-04	4.2E+01	.	8.0E+03	2.7E+02	3.6E+01	1.2E-17
Barium (56)	Ba-128	4.24E-10	2.1E-10 (S)	6.21E-10	1.14E-11	8.70E-04	1.2E-01	.	1.3E+05	7.5E-01	1.1E-01	9.4E-18
Barium (56)	Ba-129	4.83E-12	2.4E-12 (S)	6.92E-12	7.89E-11	8.70E-04	1.1E+01	.	1.8E+04	6.7E+01	9.3E+00	3.2E-17
Barium (56)	Ba-129m	6.02E-12	2.8E-12 (S)	8.43E-12	3.98E-10	8.70E-04	8.7E+00	.	3.6E+03	5.5E+01	7.5E+00	2.5E-17
Barium (56)	Ba-131	5.48E-11	8.8E-11 (S)	7.85E-11	1.10E-10	8.70E-04	9.5E-01	.	1.3E+04	5.9E+00	8.2E-01	3.5E-16
Barium (56)	Ba-131m	2.54E-13	4.9E-13 (S)	3.53E-13	1.44E-11	8.70E-04	2.1E+02	.	1.0E+05	1.3E+03	1.8E+02	6.7E-17
Barium (56)	Ba-133	1.86E-10	8.9E-10 (S)	2.56E-10	8.87E-11	8.70E-04	2.8E-01	.	1.6E+04	8.4E-01	2.1E-01	3.1E-14
Barium (56)	Ba-133m	8.82E-11	6.1E-11 (S)	1.29E-10	1.30E-11	8.70E-04	5.9E-01	.	1.1E+05	3.6E+00	5.1E-01	3.1E-17
Barium (56)	Ba-135m	6.91E-11	4.7E-11 (S)	1.01E-10	1.12E-11	8.70E-04	7.6E-01	.	1.3E+05	4.6E+00	6.5E-01	3.0E-17
Barium (56)	Ba-137m	0.00E+00	0.00E+00	0.00E+00	1.48E-10	8.70E-04	.	.	9.7E+03	.	9.7E+03	6.7E-16
Barium (56)	Ba-139	1.01E-11	5.1E-12 (S)	1.45E-11	1.15E-11	8.70E-04	5.2E+00	.	1.3E+05	3.2E+01	4.5E+00	1.0E-17
Barium (56)	Ba-140	4.06E-10	6.2E-10 (S)	5.92E-10	4.35E-11	8.70E-04	1.3E-01	.	3.3E+04	7.8E-01	1.1E-01	5.6E-17
Barium (56)	Ba-141	6.07E-12	2.9E-12 (S)	8.71E-12	2.35E-10	8.70E-04	8.6E+00	.	6.1E+03	5.3E+01	7.4E+00	3.8E-18
Barium (56)	Ba-142	2.44E-12	1.2E-12 (S)	3.45E-12	2.65E-10	8.70E-04	2.1E+01	.	5.4E+03	1.3E+02	1.8E+01	5.5E-18
Beryllium (4)	Be-10	1.90E-10	2.5E-09 (S)	2.78E-10	8.77E-14	4.00E-03	2.8E-01	.	1.6E+07	4.7E-01	1.7E-01	2.7E-10
Beryllium (4)	Be-7	2.36E-12	5.8E-12 (S)	3.28E-12	1.22E-11	4.00E-03	2.2E+01	.	1.2E+05	1.4E+02	1.9E+01	2.0E-15
Bismuth (83)	Bi-197	0.00E+00	0.00E+00	0.00E+00	4.32E-10	1.00E-01	.	.	3.3E+03	.	3.3E+03	1.2E-15
Bismuth (83)	Bi-200	4.36E-12	2.2E-12 (S)	6.13E-12	6.03E-10	1.00E-01	1.2E+01	.	2.4E+03	7.6E+01	1.0E+01	1.5E-17
Bismuth (83)	Bi-201	1.13E-11	5.4E-12 (S)	1.60E-11	4.48E-10	1.00E-01	4.6E+00	.	3.2E+03	2.9E+01	4.0E+00	1.7E-17
Bismuth (83)	Bi-202	8.16E-12	3.5E-12 (S)	1.14E-11	6.94E-10	1.00E-01	6.4E+00	.	2.1E+03	4.1E+01	5.5E+00	2.3E-17
Bismuth (83)	Bi-203	5.23E-11	2.3E-11 (S)	7.42E-11	6.25E-10	1.00E-01	1.0E+00	.	2.3E+03	6.3E+00	8.6E-01	2.4E-17
Bismuth (83)	Bi-204	5.72E-11	2.4E-11 (S)	8.08E-11	7.42E-10	1.00E-01	9.1E-01	.	1.9E+03	5.8E+00	7.9E-01	2.1E-17
Bismuth (83)	Bi-205	9.08E-11	1.0E-10 (S)	1.28E-10	4.42E-10	1.00E-01	5.8E-01	.	3.2E+03	3.6E+00	5.0E-01	4.4E-16
Bismuth (83)	Bi-206	2.11E-10	1.7E-10 (S)	3.00E-10	8.33E-10	1.00E-01	2.5E-01	.	1.7E+03	1.5E+00	2.1E-01	7.8E-17
Bismuth (83)	Bi-207	1.55E-10	3.0E-09 (S)	2.23E-10	3.88E-10	1.00E-01	3.4E-01	.	3.7E+03	5.7E-01	2.1E-01	1.5E-13
Bismuth (83)	Bi-208	1.05E-10	2.7E-09 (S)	1.46E-10	7.54E-10	1.00E-01	5.0E-01	.	1.9E+03	7.0E-01	2.9E-01	2.3E-09
Bismuth (83)	Bi-210	2.41E-10	1.2E-08 (S)	3.52E-10	2.11E-13	1.00E-01	2.2E-01	.	6.8E+06	1.3E+00	1.9E-01	5.6E-17
Bismuth (83)	Bi-210m	1.50E-09	7.9E-07 (S)	2.10E-09	6.25E-11	1.00E-01	3.5E-02	.	2.3E+04	4.9E-02	2.0E-02	1.3E-09

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Bismuth (83)	Bi-210m+D	1.50E-09	7.9E-07 (S)	2.10E-09	6.28E-11	1.00E-01	3.5E-02	.	2.3E+04	4.9E-02	2.0E-02	1.3E-09
Bismuth (83)	Bi-211	0.00E+00	0.00E+00	0.00E+00	1.13E-11	1.00E-01	.	.	1.3E+05	.	1.3E+05	1.1E-14
Bismuth (83)	Bi-212	1.94E-11	2.3E-09 (S)	2.73E-11	2.68E-11	1.00E-01	2.7E+00	.	5.4E+04	1.7E+01	2.3E+00	5.9E-18
Bismuth (83)	Bi-212+D	1.94E-11	2.3E-09 (S)	2.73E-11	2.68E-11	1.00E-01	2.7E+00	.	5.4E+04	1.7E+01	2.3E+00	5.9E-18
Bismuth (83)	Bi-212n	0.00E+00	0.00E+00	0.00E+00	3.72E-13	1.00E-01	.	.	3.9E+06	.	3.9E+06	1.1E-12
Bismuth (83)	Bi-213	1.37E-11	2.0E-09 (S)	1.94E-11	3.12E-11	1.00E-01	3.8E+00	.	4.6E+04	2.4E+01	3.3E+00	6.3E-18
Bismuth (83)	Bi-213+D	1.37E-11	2.0E-09 (S)	1.94E-11	3.12E-11	1.00E-01	3.8E+00	.	4.6E+04	2.4E+01	3.3E+00	6.3E-18
Bismuth (83)	Bi-214	5.19E-12	8.4E-10 (S)	7.17E-12	3.91E-10	1.00E-01	1.0E+01	.	3.7E+03	6.5E+01	8.7E+00	7.3E-18
Bismuth (83)	Bi-214+D	5.19E-12	8.4E-10 (S)	7.17E-12	3.91E-10	1.00E-01	1.0E+01	.	3.7E+03	6.5E+01	8.7E+00	7.3E-18
Bismuth (83)	Bi-215	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	.	.	2.3E+04	.	2.3E+04	7.4E-15
Bismuth (83)	Bi-215+D	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	.	.	2.3E+04	.	2.3E+04	7.4E-15
Bismuth (83)	Bi-216	0.00E+00	0.00E+00	0.00E+00	1.83E-10	1.00E-01	.	.	7.9E+03	.	7.9E+03	7.3E-16
Berkelium (97)	Bk-245	9.37E-11	2.2E-10 (S)	1.37E-10	5.05E-11	1.00E-03	5.6E-01	.	2.8E+04	3.4E+00	4.8E-01	1.6E-16
Berkelium (97)	Bk-246	5.30E-11	2.6E-11 (S)	7.59E-11	2.10E-10	1.00E-03	9.9E-01	.	6.8E+03	6.1E+00	8.5E-01	1.1E-16
Berkelium (97)	Bk-247	3.37E-09	1.3E-06 (F)	4.34E-09	3.25E-11	1.00E-03	1.6E-02	.	4.4E+04	3.0E-02	1.0E-02	3.6E-13
Berkelium (97)	Bk-248m	6.68E-11	1.4E-09 (S)	9.78E-11	1.20E-11	1.00E-03	7.8E-01	.	1.2E+05	4.8E+00	6.7E-01	4.7E-17
Berkelium (97)	Bk-249	2.98E-11	3.2E-09 (F)	4.22E-11	5.14E-16	1.00E-03	1.8E+00	.	2.8E+09	9.8E+00	1.5E+00	3.5E-14
Berkelium (97)	Bk-250	1.54E-11	3.7E-11 (S)	2.22E-11	2.30E-10	1.00E-03	3.4E+00	.	6.2E+03	2.1E+01	2.9E+00	2.8E-17
Berkelium (97)	Bk-251	2.52E-12	2.5E-12 (S)	3.59E-12	1.85E-11	1.00E-03	2.1E+01	.	7.7E+04	1.3E+02	1.8E+01	4.9E-17
Bromine (35)	Br-72	0.00E+00	0.00E+00	0.00E+00	7.67E-10	4.00E-01	.	.	1.9E+03	.	1.9E+03	3.5E-17
Bromine (35)	Br-73	0.00E+00	0.00E+00	0.00E+00	3.53E-10	4.00E-01	.	.	4.1E+03	.	4.1E+03	2.0E-16
Bromine (35)	Br-74	3.96E-12	1.8E-12 (S)	5.41E-12	1.27E-09	4.00E-01	1.3E+01	.	1.1E+03	8.6E+01	1.1E+01	4.2E-18
Bromine (35)	Br-74m	6.69E-12	3.4E-12 (S)	9.13E-12	1.10E-09	4.00E-01	7.8E+00	.	1.3E+03	5.1E+01	6.7E+00	4.5E-18
Bromine (35)	Br-75	4.19E-12	3.2E-12 (S)	5.72E-12	2.93E-10	4.00E-01	1.2E+01	.	4.9E+03	8.1E+01	1.1E+01	1.5E-17
Bromine (35)	Br-76	3.88E-11	3.1E-11 (S)	5.28E-11	7.42E-10	4.00E-01	1.3E+00	.	1.9E+03	8.8E+00	1.2E+00	1.7E-17
Bromine (35)	Br-76m	0.00E+00	0.00E+00	0.00E+00	5.14E-12	4.00E-01	.	.	2.8E+05	.	2.8E+05	9.1E-17
Bromine (35)	Br-77	8.29E-12	6.0E-12 (S)	1.11E-11	7.70E-11	4.00E-01	6.3E+00	.	1.9E+04	4.2E+01	5.5E+00	2.8E-16
Bromine (35)	Br-77m	0.00E+00	0.00E+00	0.00E+00	3.22E-12	4.00E-01	.	.	4.5E+05	.	4.5E+05	2.9E-14
Bromine (35)	Br-78	0.00E+00	0.00E+00	0.00E+00	2.54E-10	4.00E-01	.	.	5.6E+03	.	5.6E+03	5.6E-16
Bromine (35)	Br-80	1.29E-12	7.0E-13 (S)	1.77E-12	1.94E-11	4.00E-01	4.1E+01	.	7.4E+04	2.6E+02	3.5E+01	9.8E-18
Bromine (35)	Br-80m	7.64E-12	9.4E-12 (S)	1.05E-11	1.20E-12	4.00E-01	6.8E+00	.	1.2E+06	4.4E+01	5.9E+00	2.5E-17
Bromine (35)	Br-82	4.66E-11	4.8E-11 (S)	6.26E-11	6.72E-10	4.00E-01	1.1E+00	.	2.1E+03	7.4E+00	9.7E-01	3.3E-17
Bromine (35)	Br-82m	0.00E+00	0.00E+00	0.00E+00	7.57E-13	4.00E-01	.	.	1.9E+06	.	1.9E+06	1.9E-13
Bromine (35)	Br-83	2.31E-12	3.6E-12 (S)	3.18E-12	1.84E-12	4.00E-01	2.3E+01	.	7.8E+05	1.5E+02	2.0E+01	4.6E-17
Bromine (35)	Br-84	4.00E-12	2.0E-12 (S)	5.48E-12	4.89E-10	4.00E-01	1.3E+01	.	2.9E+03	8.5E+01	1.1E+01	5.9E-18
Bromine (35)	Br-84m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	4.00E-01	.	.	2.0E+03	.	2.0E+03	2.0E-16
Bromine (35)	Br-85	0.00E+00	0.00E+00	0.00E+00	1.82E-11	4.00E-01	.	.	7.9E+04	.	7.9E+04	3.8E-15
Carbon (6)	C-10	0.00E+00	0.00E+00	0.00E+00	4.32E-10	5.50E+00	.	.	3.3E+03	.	3.3E+03	2.1E-18
Carbon (6)	C-11	1.10E-12	7.9E-13 (S)	1.51E-12	2.50E-10	5.50E+00	4.8E+01	.	5.7E+03	3.1E+02	4.1E+01	1.8E-18
Carbon (6)	C-14	4.20E-11	4.6E-10 (S)	5.40E-11	1.57E-15	5.50E+00	1.2E+00	2.7E-02	9.2E+08	1.5E-01	2.3E-02	1.9E-13
Calcium (20)	Ca-41	1.12E-11	1.6E-11 (S)	1.38E-11	0.00E+00	5.00E-01	4.7E+00	.	.	4.0E+00	2.1E+00	9.3E-10
Calcium (20)	Ca-45	6.67E-11	3.5E-10 (S)	9.09E-11	7.95E-15	5.00E-01	7.8E-01	.	1.8E+08	4.3E+00	6.6E-01	1.4E-15
Calcium (20)	Ca-47	2.06E-10	2.4E-10 (S)	2.96E-10	2.77E-10	5.00E-01	2.5E-01	.	5.2E+03	1.6E+00	2.2E-01	1.3E-17
Calcium (20)	Ca-49	0.00E+00	0.00E+00	0.00E+00	9.31E-10	5.00E-01	.	.	1.5E+03	.	1.5E+03	1.3E-16
Cadmium (48)	Cd-101	0.00E+00	0.00E+00	0.00E+00	6.44E-10	7.66E-01	.	.	2.2E+03	.	2.2E+03	6.0E-17
Cadmium (48)	Cd-102	0.00E+00	0.00E+00	0.00E+00	2.05E-10	7.66E-01	.	.	7.0E+03	.	7.0E+03	7.8E-16
Cadmium (48)	Cd-103	0.00E+00	0.00E+00	0.00E+00	5.52E-10	7.66E-01	.	.	2.6E+03	.	2.6E+03	3.9E-16
Cadmium (48)	Cd-104	8.30E-12	3.8E-12 (S)	1.19E-11	5.55E-11	7.66E-01	6.3E+00	.	2.6E+04	3.9E+01	5.4E+00	6.4E-18
Cadmium (48)	Cd-105	2.93E-12	1.4E-12 (S)	4.10E-12	3.38E-10	7.66E-01	1.8E+01	.	4.3E+03	1.1E+02	1.5E+01	1.8E-17
Cadmium (48)	Cd-107	9.53E-12	8.5E-12 (S)	1.39E-11	2.57E-12	7.66E-01	5.5E+00	.	5.6E+05	3.3E+01	4.7E+00	3.9E-17
Cadmium (48)	Cd-109	1.35E-10	5.9E-10 (S)	1.81E-10	1.14E-12	7.66E-01	3.9E-01	.	1.3E+06	1.5E+00	3.1E-01	4.4E-15
Cadmium (48)	Cd-111m	8.83E-13	1.2E-12 (S)	1.24E-12	6.56E-11	7.66E-01	5.9E+01	.	2.2E+04	3.8E+02	5.1E+01	5.4E-17
Cadmium (48)	Cd-113	6.13E-10	3.0E-09 (F)	7.79E-10	1.31E-14	7.66E-01	8.5E-02	.	1.1E+08	5.4E-02	3.3E-02	3.0E+00
Cadmium (48)	Cd-113m	7.84E-10	3.6E-09 (F)	9.92E-10	6.97E-14	7.66E-01	6.7E-02	.	2.1E+07	7.3E-02	3.5E-02	5.7E-15
Cadmium (48)	Cd-115	2.40E-10	1.4E-10 (S)	3.52E-10	4.70E-11	7.66E-01	2.2E-01	.	3.1E+04	1.3E+00	1.9E-01	1.4E-17
Cadmium (48)	Cd-115m	4.59E-10	7.9E-10 (S)	6.63E-10	8.93E-12	7.66E-01	1.1E-01	.	1.6E+05	6.6E-01	9.7E-02	1.4E-16
Cadmium (48)	Cd-117	3.69E-11	1.8E-11 (S)	5.35E-11	2.81E-10	7.66E-01	1.4E+00	.	5.1E+03	8.7E+00	1.2E+00	4.2E-18
Cadmium (48)	Cd-117m	3.30E-11	1.8E-11 (S)	4.75E-11	5.46E-10	7.66E-01	1.6E+00	.	2.6E+03	9.8E+00	1.4E+00	6.3E-18
Cadmium (48)	Cd-118	1.16E-11	5.8E-12 (S)	1.64E-11	4.26E-14	7.66E-01	4.5E+00	.	3.4E+07	2.8E+01	3.9E+00	4.6E-18
Cadmium (48)	Cd-119	0.00E+00	0.00E+00	0.00E+00	4.39E-10	7.66E-01	.	.	3.3E+03	.	3.3E+03	2.1E-16
Cadmium (48)	Cd-119m	0.00E+00	0.00E+00	0.00E+00	6.15E-10	7.66E-01	.	.	2.3E+03	.	2.3E+03	1.2E-16
Cerium (58)	Ce-130	3.89E-12	1.9E-12 (S)	5.40E-12	1.17E-10	2.70E-03	1.3E+01	.	1.2E+04	8.6E+01	1.2E+01	6.8E-18
Cerium (58)	Ce-131	1.45E-12	6.8E-13 (S)	2.01E-12	4.07E-10	2.70E-03	3.6E+01	.	3.5E+03	2.3E+02	3.1E+01	8.1E-18
Cerium (58)	Ce-132	4.87E-11	1.8E-11 (S)	7.08E-11	5.96E-11	2.70E-03	1.1E+00	.	2.4E+04	6.6E+00	9.2E-01	5.1E-18
Cerium (58)	Ce-133	8.59E-12	4.4E-12 (S)	1.23E-11	1.24E-10	2.70E-03	6.1E+00	.	1.2E+04	3.8E+01	5.2E+00	1.3E-17
Cerium (58)	Ce-133m	2.26E-11	9.3E-12 (S)	3.22E-11	4.39E-10	2.70E-03	2.3E+00	.	3.3E+03	1.4E+01	2.0E+00	1.5E-17
Cerium (58)	Ce-134	4.53E-10	2.1E-10 (S)	6.63E-10	2.11E-12	2.70E-03	1.2E-01	.	6.8E+05	7.0E-01	9.9E-02	1.2E-17
Cerium (58)	Ce-135	2.77E-11	1.2E-11 (S)	3.94E-11	1.98E-10	2.70E-03	1.9E+00	.	7.3E+03	1.2E+01	1.6E+00	4.6E-17
Cerium (58)	Ce-137	3.64E-12	1.2E-12 (S)	5.29E-12	4.45E-12	2.70E-03	1.4E+01	.	3.2E+05	8.8E+01	1.2E+01	1.8E-16
Cerium (58)	Ce-137m	9.55E-11	5.8E-11 (S)	1.40E-10	1.00E-11	2.70E-03	5.5E-01	.	1.4E+05	3.3E+00	4.7E-01	2.6E-17

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Cerium (58)	Ce-139	3.67E-11	1.9E-10 (S)	5.32E-11	3.25E-11	2.70E-03	1.4E+00	.	4.4E+04	8.3E+00	1.2E+00	6.6E-15
Cerium (58)	Ce-141	1.26E-10	3.7E-10 (S)	1.84E-10	1.68E-11	2.70E-03	4.1E-01	.	8.6E+04	2.5E+00	3.6E-01	4.6E-16
Cerium (58)	Ce-143	1.94E-10	1.1E-10 (S)	2.83E-10	6.41E-11	2.70E-03	2.7E-01	.	2.2E+04	1.6E+00	2.3E-01	1.3E-17
Cerium (58)	Ce-144	9.52E-10	4.9E-09 (S)	1.40E-09	3.88E-12	2.70E-03	5.5E-02	.	3.7E+05	3.0E-01	4.6E-02	5.4E-16
Cerium (58)	Ce-144+D	9.54E-10	4.9E-09 (S)	1.40E-09	1.33E-11	2.70E-03	5.5E-02	.	1.1E+05	3.0E-01	4.6E-02	5.4E-16
Cerium (58)	Ce-145	0.00E+00	0.00E+00	0.00E+00	1.98E-10	2.70E-03	.	.	7.2E+03	.	7.2E+03	6.2E-16
Californium (98)	Cf-244	3.37E-12	8.7E-10 (S)	4.71E-12	2.00E-14	1.00E-03	1.6E+01	.	7.2E+07	9.9E+01	1.3E+01	1.3E-17
Californium (98)	Cf-246	5.69E-10	4.5E-08 (S)	8.34E-10	2.43E-14	1.00E-03	9.2E-02	.	5.9E+07	5.6E-01	7.9E-02	8.2E-18
Californium (98)	Cf-247	2.52E-12	2.8E-12 (S)	3.65E-12	1.95E-11	1.00E-03	2.1E+01	.	7.4E+04	1.3E+02	1.8E+01	1.6E-16
Californium (98)	Cf-248	1.20E-09	6.9E-07 (S)	1.69E-09	1.07E-13	1.00E-03	4.4E-02	.	1.3E+07	2.4E-01	3.7E-02	8.7E-16
Californium (98)	Cf-249	3.43E-09	1.3E-06 (F)	4.41E-09	7.83E-11	1.00E-03	1.5E-02	.	1.8E+04	3.0E-02	1.0E-02	9.2E-14
Californium (98)	Cf-250	2.41E-09	1.0E-06 (S)	3.12E-09	2.66E-12	1.00E-03	2.2E-02	.	5.4E+05	6.4E-02	1.6E-02	5.5E-15
Californium (98)	Cf-251	3.54E-09	1.3E-06 (F)	4.56E-09	2.62E-11	1.00E-03	1.5E-02	.	5.5E+04	2.9E-02	9.8E-03	2.3E-13
Californium (98)	Cf-252	3.60E-09	1.2E-06 (S)	4.93E-09	1.23E-10	1.00E-03	1.5E-02	.	1.2E+04	6.9E-02	1.2E-02	8.3E-16
Californium (98)	Cf-253	1.24E-10	1.5E-07 (S)	1.78E-10	9.25E-14	1.00E-03	4.2E-01	.	1.6E+07	2.6E+00	3.6E-01	4.6E-16
Californium (98)	Cf-254	5.76E-08	4.1E-06 (S)	8.27E-08	4.54E-09	1.00E-03	9.1E-04	.	3.2E+02	5.5E-03	7.8E-04	3.4E-18
Californium (98)	Cf-255	3.65E-12	6.1E-10 (S)	5.27E-12	7.61E-14	1.00E-03	1.4E+01	.	1.9E+07	8.8E+01	1.2E+01	5.3E-17
Chlorine (17)	Cl-34	0.00E+00	0.00E+00	0.00E+00	2.55E-10	3.13E+01	.	.	5.6E+03	.	5.6E+03	9.6E-19
Chlorine (17)	Cl-34m	4.79E-12	2.4E-12 (S)	6.55E-12	5.71E-10	3.13E+01	1.1E+01	.	2.5E+03	7.1E+01	9.4E+00	2.0E-18
Chlorine (17)	Cl-36	8.91E-11	2.7E-09 (S)	1.20E-10	1.44E-13	3.13E+01	5.9E-01	.	1.0E+07	1.2E-02	1.2E-02	1.4E-11
Chlorine (17)	Cl-38	5.25E-12	2.7E-12 (S)	7.20E-12	4.04E-10	3.13E+01	1.0E+01	.	3.6E+03	6.5E+01	8.6E+00	2.4E-18
Chlorine (17)	Cl-39	4.12E-12	2.7E-12 (S)	5.63E-12	3.82E-10	3.13E+01	1.3E+01	.	3.8E+03	8.2E+01	1.1E+01	4.7E-18
Chlorine (17)	Cl-40	0.00E+00	0.00E+00	0.00E+00	1.16E-09	3.13E+01	.	.	1.2E+03	.	1.2E+03	1.3E-17
Curium (96)	Cm-238	6.79E-12	1.7E-10 (S)	9.71E-12	1.66E-11	2.00E-05	7.7E+00	.	8.6E+04	4.8E+01	6.6E+00	4.5E-17
Curium (96)	Cm-239	1.23E-11	7.2E-12 (S)	1.79E-11	5.71E-11	2.00E-05	4.2E+00	.	2.5E+04	2.6E+01	3.7E+00	3.0E-17
Curium (96)	Cm-240	9.44E-10	3.1E-07 (S)	1.37E-09	2.16E-14	2.00E-05	5.5E-02	.	6.6E+07	3.4E-01	4.8E-02	8.7E-17
Curium (96)	Cm-241	1.34E-10	3.3E-09 (S)	1.94E-10	1.16E-10	2.00E-05	3.9E-01	.	1.2E+04	2.4E+00	3.3E-01	7.5E-16
Curium (96)	Cm-242	1.04E-09	5.4E-07 (S)	1.48E-09	1.85E-14	2.00E-05	5.0E-02	.	7.8E+07	3.0E-01	4.3E-02	4.8E-16
Curium (96)	Cm-243	2.57E-09	9.9E-07 (S)	3.34E-09	2.90E-11	2.00E-05	2.0E-02	.	4.9E+04	4.9E-02	1.4E-02	1.1E-14
Curium (96)	Cm-244	2.26E-09	9.6E-07 (S)	2.93E-09	1.95E-14	2.00E-05	2.3E-02	.	7.3E+07	6.2E-02	1.7E-02	7.7E-15
Curium (96)	Cm-245	2.83E-09	1.0E-06 (F)	3.66E-09	2.17E-11	2.00E-05	1.8E-02	.	6.6E+04	3.6E-02	1.2E-02	2.6E-12
Curium (96)	Cm-246	2.79E-09	1.0E-06 (F)	3.59E-09	9.85E-13	2.00E-05	1.9E-02	.	1.5E+06	3.7E-02	1.2E-02	1.5E-12
Curium (96)	Cm-247	2.69E-09	9.4E-07 (F)	3.49E-09	7.61E-11	2.00E-05	1.9E-02	.	1.9E+04	3.8E-02	1.3E-02	5.1E-09
Curium (96)	Cm-247+D	2.70E-09	9.4E-07 (F)	3.51E-09	8.08E-11	2.00E-05	1.9E-02	.	1.8E+04	3.7E-02	1.3E-02	5.1E-09
Curium (96)	Cm-248	1.23E-08	3.9E-06 (F)	1.61E-08	3.53E-10	2.00E-05	4.2E-03	.	4.1E+03	8.1E-03	2.8E-03	2.5E-11
Curium (96)	Cm-249	2.28E-12	2.1E-12 (S)	3.25E-12	4.83E-12	2.00E-05	2.3E+01	.	3.0E+05	1.4E+02	2.0E+01	6.2E-17
Curium (96)	Cm-250	8.90E-08	2.7E-05 (F)	1.17E-07	3.60E-09	2.00E-05	5.9E-04	.	4.0E+02	1.1E-03	3.9E-04	8.3E-14
Curium (96)	Cm-250+D	8.91E-08	2.7E-05 (F)	1.17E-07	3.66E-09	2.00E-05	5.9E-04	.	3.9E+02	1.1E-03	3.8E-04	8.3E-14
Curium (96)	Cm-251	1.65E-12	1.4E-12 (S)	2.32E-12	2.72E-11	2.00E-05	3.2E+01	.	5.3E+04	2.0E+02	2.7E+01	2.3E-17
Cobalt (27)	Co-54m	0.00E+00	0.00E+00	0.00E+00	1.01E-09	7.40E-03	.	.	1.4E+03	.	1.4E+03	2.2E-17
Cobalt (27)	Co-55	1.26E-10	6.2E-11 (S)	1.81E-10	5.05E-10	7.40E-03	4.1E-01	.	2.8E+03	2.6E+00	3.6E-01	4.1E-18
Cobalt (27)	Co-56	2.72E-10	6.8E-10 (S)	3.85E-10	9.78E-10	7.40E-03	1.9E-01	.	1.5E+03	1.2E+00	1.7E-01	2.0E-16
Cobalt (27)	Co-57	2.81E-11	1.0E-10 (S)	4.03E-11	2.72E-11	7.40E-03	1.9E+00	.	5.3E+04	1.0E+01	1.6E+00	6.9E-15
Cobalt (27)	Co-58	7.95E-11	2.1E-10 (S)	1.12E-10	2.44E-10	7.40E-03	6.6E-01	.	5.9E+03	4.0E+00	5.7E-01	6.6E-16
Cobalt (27)	Co-58m	3.37E-12	2.2E-12 (S)	4.90E-12	2.82E-16	7.40E-03	1.6E+01	.	5.1E+09	9.5E+01	1.3E+01	8.3E-17
Cobalt (27)	Co-60	4.26E-10	2.7E-09 (S)	6.03E-10	6.60E-10	7.40E-03	1.2E-01	.	2.2E+03	4.5E-01	9.6E-02	3.2E-15
Cobalt (27)	Co-60m	7.02E-14	1.2E-13 (S)	9.68E-14	1.06E-12	7.40E-03	7.4E+02	.	1.4E+06	4.8E+03	6.4E+02	8.0E-17
Cobalt (27)	Co-61	6.62E-12	4.2E-12 (S)	9.51E-12	2.06E-11	7.40E-03	7.9E+00	.	7.0E+04	4.9E+01	6.8E+00	8.1E-18
Cobalt (27)	Co-62	0.00E+00	0.00E+00	0.00E+00	4.32E-10	7.40E-03	.	.	3.3E+03	.	3.3E+03	6.1E-17
Cobalt (27)	Co-62m	2.30E-12	9.1E-13 (S)	3.16E-12	7.16E-10	7.40E-03	2.3E+01	.	2.0E+03	1.5E+02	1.9E+01	3.3E-18
Chromium (24)	Cr-48	1.96E-11	1.9E-11 (S)	2.76E-11	1.03E-10	1.74E-04	2.7E+00	.	1.4E+04	1.7E+01	2.3E+00	2.8E-17
Chromium (24)	Cr-49	3.67E-12	2.0E-12 (S)	5.14E-12	2.55E-10	1.74E-04	1.4E+01	.	5.6E+03	9.1E+01	1.2E+01	5.0E-18
Chromium (24)	Cr-51	5.00E-12	4.5E-12 (S)	7.18E-12	7.67E-12	1.74E-04	1.0E+01	.	1.9E+05	6.4E+01	9.0E+00	3.6E-15
Chromium (24)	Cr-55	0.00E+00	0.00E+00	0.00E+00	1.51E-12	1.74E-04	.	.	9.5E+05	.	9.5E+05	3.6E-14
Chromium (24)	Cr-56	0.00E+00	0.00E+00	0.00E+00	1.68E-11	1.74E-04	.	.	8.5E+04	.	8.5E+04	5.6E-15
Cesium (55)	Cs-121	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	.	4.9E+03	.	4.9E+03	3.0E-16
Cesium (55)	Cs-121m	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	.	4.9E+03	.	4.9E+03	2.4E-16
Cesium (55)	Cs-123	0.00E+00	0.00E+00	0.00E+00	2.65E-10	2.52E-02	.	.	5.4E+03	.	5.4E+03	7.7E-16
Cesium (55)	Cs-124	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	.	4.9E+03	.	4.9E+03	6.2E-17
Cesium (55)	Cs-125	1.68E-12	1.2E-12 (S)	2.29E-12	1.85E-10	2.52E-02	3.1E+01	.	7.8E+03	2.0E+02	2.7E+01	3.0E-17
Cesium (55)	Cs-126	0.00E+00	0.00E+00	0.00E+00	2.86E-10	2.52E-02	.	.	5.0E+03	.	5.0E+03	2.0E-16
Cesium (55)	Cs-127	1.80E-12	3.0E-12 (S)	2.42E-12	1.01E-10	2.52E-02	2.9E+01	.	1.4E+04	1.9E+02	2.5E+01	2.4E-16
Cesium (55)	Cs-128	0.00E+00	0.00E+00	0.00E+00	2.19E-10	2.52E-02	.	.	6.6E+03	.	6.6E+03	6.0E-16
Cesium (55)	Cs-129	4.98E-12	7.0E-12 (S)	6.66E-12	6.15E-11	2.52E-02	1.0E+01	.	2.3E+04	7.0E+01	9.1E+00	4.5E-16
Cesium (55)	Cs-130	1.22E-12	7.2E-13 (S)	1.66E-12	1.21E-10	2.52E-02	4.3E+01	.	1.2E+04	2.8E+02	3.7E+01	2.8E-17
Cesium (55)	Cs-130m	0.00E+00	0.00E+00	0.00E+00	1.07E-11	2.52E-02	.	.	1.3E+05	.	1.3E+05	1.2E-14
Cesium (55)	Cs-131	5.03E-12	5.0E-12 (S)	6.74E-12	1.16E-12	2.52E-02	1.0E+01	.	1.2E+06	6.9E+01	9.0E+00	3.3E-15
Cesium (55)	Cs-132	4.01E-11	2.8E-11 (S)	5.25E-11	1.74E-10	2.52E-02	1.3E+00	.	8.3E+03	8.8E+00	1.1E+00	2.8E-16
Cesium (55)	Cs-134	1.14E-09	1.9E-09 (S)	1.40E-09	3.88E-10	2.52E-02	4.6E-02	.	3.7E+03	2.5E-01	3.9E-02	1.1E-15
Cesium (55)	Cs-134m	1.12E-12	4.8E-12 (S)	1.51E-12	4.20E-12	2.52E-02	4.7E+01	.	3.4E+05	3.1E+02	4.1E+01	1.9E-16

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Cesium (55)	Cs-135	1.70E-10	9.1E-10 (S)	2.11E-10	1.13E-14	2.52E-02	3.1E-01	.	1.3E+08	5.8E-01	2.0E-01	6.5E-09
Cesium (55)	Cs-135m	1.22E-12	6.9E-13 (S)	1.65E-12	4.04E-10	2.52E-02	4.3E+01	.	3.6E+03	2.8E+02	3.7E+01	5.2E-17
Cesium (55)	Cs-136	2.33E-10	2.8E-10 (S)	3.03E-10	5.40E-10	2.52E-02	2.2E-01	.	2.7E+03	1.5E+00	2.0E-01	9.9E-17
Cesium (55)	Cs-137	8.24E-10	3.0E-09 (S)	1.01E-09	6.06E-14	2.52E-02	6.3E-02	.	2.4E+07	1.5E-01	4.5E-02	1.9E-14
Cesium (55)	Cs-137+D	8.24E-10	3.0E-09 (S)	1.01E-09	1.39E-10	2.52E-02	6.3E-02	.	1.0E+04	1.5E-01	4.5E-02	1.9E-14
Cesium (55)	Cs-138	4.48E-12	2.5E-12 (S)	6.13E-12	6.31E-10	2.52E-02	1.2E+01	.	2.3E+03	7.6E+01	1.0E+01	9.2E-18
Cesium (55)	Cs-138m	0.00E+00	0.00E+00	0.00E+00	1.05E-10	2.52E-02	.	.	1.4E+04	.	1.4E+04	1.1E-15
Cesium (55)	Cs-139	0.00E+00	0.00E+00	0.00E+00	8.55E-11	2.52E-02	.	.	1.7E+04	.	1.7E+04	4.3E-15
Cesium (55)	Cs-140	0.00E+00	0.00E+00	0.00E+00	4.86E-10	2.52E-02	.	.	3.0E+03	.	3.0E+03	8.7E-17
Copper (29)	Cu-57	0.00E+00	0.00E+00	0.00E+00	2.96E-10	5.00E-02	.	.	4.8E+03	.	4.8E+03	1.8E-19
Copper (29)	Cu-59	0.00E+00	0.00E+00	0.00E+00	3.63E-10	5.00E-02	.	.	4.0E+03	.	4.0E+03	6.3E-17
Copper (29)	Cu-60	3.79E-12	1.6E-12 (S)	5.22E-12	1.04E-09	5.00E-02	1.4E+01	.	1.4E+03	8.9E+01	1.2E+01	3.3E-18
Copper (29)	Cu-61	1.21E-11	6.3E-12 (S)	1.75E-11	2.03E-10	5.00E-02	4.3E+00	.	7.1E+03	2.7E+01	3.7E+00	8.9E-18
Copper (29)	Cu-62	0.00E+00	0.00E+00	0.00E+00	2.48E-10	5.00E-02	.	.	5.8E+03	.	5.8E+03	6.8E-16
Copper (29)	Cu-64	1.75E-11	1.2E-11 (S)	2.55E-11	4.54E-11	5.00E-02	3.0E+00	.	3.2E+04	1.8E+01	2.6E+00	2.5E-17
Copper (29)	Cu-66	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.00E-02	.	.	5.4E+04	.	5.4E+04	3.6E-15
Copper (29)	Cu-67	5.09E-11	6.2E-11 (S)	7.42E-11	2.65E-11	5.00E-02	1.0E+00	.	5.4E+04	6.3E+00	8.8E-01	4.3E-17
Copper (29)	Cu-69	0.00E+00	0.00E+00	0.00E+00	1.36E-10	5.00E-02	.	.	1.1E+04	.	1.1E+04	4.1E-16
Dysprosium (66)	Dy-148	0.00E+00	0.00E+00	0.00E+00	1.73E-10	2.00E-03	.	.	8.3E+03	.	8.3E+03	8.0E-16
Dysprosium (66)	Dy-149	0.00E+00	0.00E+00	0.00E+00	4.17E-10	2.00E-03	.	.	3.4E+03	.	3.4E+03	4.3E-16
Dysprosium (66)	Dy-150	0.00E+00	0.00E+00	0.00E+00	6.44E-11	2.00E-03	.	.	2.2E+04	.	2.2E+04	4.7E-15
Dysprosium (66)	Dy-151	1.46E-12	1.3E-11 (S)	2.04E-12	3.47E-10	2.00E-03	3.6E+01	.	4.1E+03	2.3E+02	3.1E+01	1.6E-17
Dysprosium (66)	Dy-152	1.45E-11	6.7E-12 (S)	2.09E-11	6.44E-11	2.00E-03	3.6E+00	.	2.2E+04	2.2E+01	3.1E+00	1.3E-17
Dysprosium (66)	Dy-153	2.08E-11	1.2E-11 (S)	2.98E-11	2.10E-10	2.00E-03	2.5E+00	.	6.8E+03	1.6E+01	2.2E+00	2.5E-17
Dysprosium (66)	Dy-154	8.64E-10	3.5E-07 (S)	1.14E-09	0.00E+00	2.00E-03	6.0E-02	.	.	1.1E-01	4.0E-02	1.9E-09
Dysprosium (66)	Dy-155	1.55E-11	7.8E-12 (S)	2.20E-11	1.63E-10	2.00E-03	3.4E+00	.	8.8E+03	2.1E+01	2.9E+00	5.3E-17
Dysprosium (66)	Dy-157	6.12E-12	2.4E-12 (S)	8.67E-12	7.89E-11	2.00E-03	8.5E+00	.	1.8E+04	5.4E+01	7.4E+00	1.1E-16
Dysprosium (66)	Dy-159	1.47E-11	4.7E-11 (S)	2.14E-11	5.24E-12	2.00E-03	3.6E+00	.	2.7E+05	2.1E+01	3.0E+00	2.0E-14
Dysprosium (66)	Dy-165	1.12E-11	6.1E-12 (S)	1.62E-11	6.19E-12	2.00E-03	4.7E+00	.	2.3E+05	2.9E+01	4.0E+00	1.8E-17
Dysprosium (66)	Dy-165m	0.00E+00	0.00E+00	0.00E+00	3.79E-12	2.00E-03	.	.	3.8E+05	.	3.8E+05	1.6E-14
Dysprosium (66)	Dy-166	3.05E-10	2.5E-10 (S)	4.48E-10	6.78E-12	2.00E-03	1.7E-01	.	2.1E+05	1.0E+00	1.5E-01	2.4E-17
Dysprosium (66)	Dy-167	0.00E+00	0.00E+00	0.00E+00	1.29E-10	2.00E-03	.	.	1.1E+04	.	1.1E+04	2.3E-15
Dysprosium (66)	Dy-168	0.00E+00	0.00E+00	0.00E+00	9.37E-11	2.00E-03	.	.	1.5E+04	.	1.5E+04	4.4E-15
Erbium (68)	Er-154	0.00E+00	0.00E+00	0.00E+00	1.20E-11	2.00E-03	.	.	1.2E+05	.	1.2E+05	1.4E-14
Erbium (68)	Er-156	2.64E-12	1.5E-12 (S)	3.74E-12	9.12E-12	2.00E-03	2.0E+01	.	1.6E+05	1.2E+02	1.7E+01	1.0E-17
Erbium (68)	Er-159	1.57E-12	9.3E-13 (S)	2.17E-12	2.40E-10	2.00E-03	3.3E+01	.	6.0E+03	2.1E+02	2.9E+01	3.2E-17
Erbium (68)	Er-161	8.80E-12	4.0E-12 (S)	1.25E-11	2.46E-10	2.00E-03	5.9E+00	.	5.8E+03	3.7E+01	5.1E+00	3.1E-17
Erbium (68)	Er-163	2.00E-13	8.1E-14 (S)	2.82E-13	5.18E-12	2.00E-03	2.6E+02	.	2.8E+05	1.6E+03	2.3E+02	5.4E-16
Erbium (68)	Er-165	2.45E-12	9.0E-13 (S)	3.53E-12	4.73E-12	2.00E-03	2.1E+01	.	3.0E+05	1.3E+02	1.8E+01	3.7E-16
Erbium (68)	Er-167m	0.00E+00	0.00E+00	0.00E+00	2.18E-11	2.00E-03	.	.	6.6E+04	.	6.6E+04	8.2E-17
Erbium (68)	Er-169	6.83E-11	1.2E-10 (S)	1.00E-10	1.63E-14	2.00E-03	7.7E-01	.	8.8E+07	4.6E+00	6.6E-01	3.0E-16
Erbium (68)	Er-171	5.44E-11	2.7E-11 (S)	7.95E-11	8.71E-11	2.00E-03	9.6E-01	.	1.6E+04	5.9E+00	8.3E-01	1.3E-17
Erbium (68)	Er-172	1.67E-10	1.4E-10 (S)	2.44E-10	1.23E-10	2.00E-03	3.1E-01	.	1.2E+04	1.9E+00	2.7E-01	2.7E-17
Erbium (68)	Er-173	0.00E+00	0.00E+00	0.00E+00	2.03E-10	2.00E-03	.	.	7.1E+03	.	7.1E+03	3.5E-16
Einsteinium (99)	Es-249	1.79E-12	1.9E-11 (S)	2.53E-12	9.69E-11	1.00E-03	2.9E+01	.	1.5E+04	1.8E+02	2.5E+01	1.3E-16
Einsteinium (99)	Es-250	6.22E-11	1.1E-10 (S)	9.01E-11	2.88E-10	1.00E-03	8.4E-01	.	5.0E+03	5.2E+00	7.2E-01	1.8E-17
Einsteinium (99)	Es-250m	2.47E-12	2.1E-11 (S)	3.47E-12	1.37E-10	1.00E-03	2.1E+01	.	1.0E+04	1.3E+02	1.8E+01	1.2E-16
Einsteinium (99)	Es-251	2.86E-11	1.9E-10 (S)	4.18E-11	1.95E-11	1.00E-03	1.8E+00	.	7.4E+04	1.1E+01	1.6E+00	1.5E-16
Einsteinium (99)	Es-253	9.40E-10	2.9E-07 (S)	1.38E-09	8.08E-14	1.00E-03	5.6E-02	.	1.8E+07	3.3E-01	4.8E-02	7.0E-17
Einsteinium (99)	Es-254	1.50E-09	7.0E-07 (S)	2.12E-09	7.70E-13	1.00E-03	3.5E-02	.	1.9E+06	2.0E-01	3.0E-02	5.9E-16
Einsteinium (99)	Es-254+D	1.52E-09	7.0E-07 (S)	2.14E-09	2.30E-10	1.00E-03	3.4E-02	.	6.2E+03	2.0E-01	2.9E-02	5.8E-16
Einsteinium (99)	Es-254m	7.63E-10	4.7E-08 (S)	1.12E-09	1.17E-10	1.00E-03	6.8E-02	.	1.2E+04	4.2E-01	5.9E-02	6.9E-18
Einsteinium (99)	Es-255	7.69E-10	4.1E-07 (S)	1.12E-09	1.92E-13	1.00E-03	6.8E-02	.	7.5E+06	4.1E-01	5.8E-02	1.7E-16
Einsteinium (99)	Es-256	4.39E-10	3.9E-09 (S)	6.28E-10	4.70E-13	1.00E-03	1.2E-01	.	3.1E+06	7.4E-01	1.0E-01	1.3E-19
Europium (63)	Eu-142	0.00E+00	0.00E+00	0.00E+00	3.07E-10	2.00E-03	.	.	4.7E+03	.	4.7E+03	5.1E-18
Europium (63)	Eu-142m	0.00E+00	0.00E+00	0.00E+00	8.65E-10	2.00E-03	.	.	1.7E+03	.	1.7E+03	5.7E-17
Europium (63)	Eu-143	0.00E+00	0.00E+00	0.00E+00	2.85E-10	2.00E-03	.	.	5.0E+03	.	5.0E+03	3.7E-16
Europium (63)	Eu-144	0.00E+00	0.00E+00	0.00E+00	2.77E-10	2.00E-03	.	.	5.2E+03	.	5.2E+03	2.5E-17
Europium (63)	Eu-145	6.52E-11	4.7E-11 (S)	9.21E-11	3.28E-10	2.00E-03	8.0E-01	.	4.4E+03	5.0E+00	6.9E-01	1.7E-16
Europium (63)	Eu-146	1.17E-10	6.9E-11 (S)	1.65E-10	6.09E-10	2.00E-03	4.5E-01	.	2.4E+03	2.8E+00	3.9E-01	7.4E-17
Europium (63)	Eu-147	5.43E-11	1.2E-10 (S)	7.80E-11	1.11E-10	2.00E-03	9.6E-01	.	1.3E+04	5.9E+00	8.3E-01	8.3E-16
Europium (63)	Eu-148	1.19E-10	3.5E-10 (F)	1.66E-10	5.55E-10	2.00E-03	4.4E-01	.	2.6E+03	2.7E+00	3.8E-01	8.7E-16
Europium (63)	Eu-149	2.38E-11	4.7E-11 (S)	3.46E-11	1.10E-11	2.00E-03	2.2E+00	.	1.3E+05	1.3E+01	1.9E+00	7.4E-15
Europium (63)	Eu-150	1.09E-10	7.3E-09 (F)	1.52E-10	3.82E-10	2.00E-03	4.8E-01	.	3.8E+03	1.0E+00	3.3E-01	1.9E-13
Europium (63)	Eu-150m	6.53E-11	3.0E-11 (S)	9.57E-11	1.19E-11	2.00E-03	8.0E-01	.	1.2E+05	4.9E+00	6.9E-01	1.6E-17
Europium (63)	Eu-152	1.58E-10	5.2E-09 (F)	2.25E-10	2.97E-10	2.00E-03	3.3E-01	.	4.8E+03	8.8E-01	2.4E-01	5.1E-14
Europium (63)	Eu-152m	8.02E-11	3.2E-11 (S)	1.17E-10	7.38E-11	2.00E-03	6.5E-01	.	1.9E+04	4.0E+00	5.6E-01	9.4E-18
Europium (63)	Eu-152n	1.16E-12	8.0E-13 (S)	1.67E-12	1.42E-11	2.00E-03	4.5E+01	.	1.0E+05	2.8E+02	3.9E+01	1.1E-16
Europium (63)	Eu-154	2.66E-10	5.6E-09 (F)	3.83E-10	3.19E-10	2.00E-03	2.0E-01	.	4.5E+03	6.0E-01	1.5E-01	2.0E-14
Europium (63)	Eu-154m	4.91E-13	3.0E-13 (S)	6.92E-13	1.16E-11	2.00E-03	1.1E+02	.	1.2E+05	6.7E+02	9.2E+01	1.3E-16

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Europium (63)	Eu-155	5.24E-11	5.2E-10 (S)	7.64E-11	1.17E-11	2.00E-03	1.0E+00	.	1.2E+05	3.7E+00	7.9E-01	6.0E-14
Europium (63)	Eu-156	3.62E-10	4.3E-10 (S)	5.28E-10	3.28E-10	2.00E-03	1.4E-01	.	4.4E+03	8.8E-01	1.2E-01	8.3E-17
Europium (63)	Eu-157	1.01E-10	4.6E-11 (S)	1.48E-10	6.63E-11	2.00E-03	5.2E-01	.	2.2E+04	3.1E+00	4.4E-01	1.3E-17
Europium (63)	Eu-158	5.62E-12	3.1E-12 (S)	7.90E-12	3.38E-10	2.00E-03	9.3E+00	.	4.3E+03	5.9E+01	8.0E+00	1.1E-17
Europium (63)	Eu-159	3.25E-12	1.7E-12 (S)	4.62E-12	6.94E-11	2.00E-03	1.6E+01	.	2.1E+04	1.0E+02	1.4E+01	7.9E-18
Fluorine (9)	F-17	0.00E+00	0.00E+00	0.00E+00	2.50E-10	2.00E-02	.	.	5.7E+03	.	5.7E+03	2.1E-17
Fluorine (9)	F-18	2.54E-12	3.2E-12 (S)	3.38E-12	2.42E-10	2.00E-02	2.1E+01	.	5.9E+03	1.4E+02	1.8E+01	7.0E-18
Iron (26)	Fe-52	1.91E-10	8.1E-11 (S)	2.78E-10	1.80E-10	1.74E-04	2.7E-01	.	8.0E+03	1.7E+00	2.4E-01	1.2E-18
Iron (26)	Fe-53	0.00E+00	0.00E+00	0.00E+00	2.90E-10	1.74E-04	.	.	4.9E+03	.	4.9E+03	4.4E-16
Iron (26)	Fe-53m	0.00E+00	0.00E+00	0.00E+00	7.95E-10	1.74E-04	.	.	1.8E+03	.	1.8E+03	4.8E-17
Iron (26)	Fe-55	2.32E-11	4.0E-11 (F)	3.13E-11	3.66E-20	1.74E-04	2.3E+00	.	3.9E+13	1.1E+01	1.9E+00	2.9E-14
Iron (26)	Fe-59	2.13E-10	4.0E-10 (S)	3.01E-10	3.11E-10	1.74E-04	2.5E-01	.	4.6E+03	1.5E+00	2.1E-01	1.6E-16
Iron (26)	Fe-60	5.06E-09	1.0E-08 (F)	6.74E-09	3.76E-15	1.74E-04	1.0E-02	.	3.8E+08	1.9E-02	6.7E-03	6.3E-11
Iron (26)	Fe-60+D	5.49E-09	1.3E-08 (F)	7.34E-09	6.60E-10	1.74E-04	9.5E-03	.	2.2E+03	1.8E-02	6.2E-03	5.8E-11
Iron (26)	Fe-61	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.74E-04	.	.	3.9E+03	.	3.9E+03	2.8E-16
Iron (26)	Fe-62	0.00E+00	0.00E+00	0.00E+00	1.25E-10	1.74E-04	.	.	1.2E+04	.	1.2E+04	1.6E-16
Fermium (100)	Fm-251	1.05E-11	1.8E-10 (S)	1.53E-11	3.47E-11	2.00E-03	5.0E+00	.	4.1E+04	3.0E+01	4.3E+00	6.7E-17
Fermium (100)	Fm-252	4.92E-10	3.5E-08 (S)	7.22E-10	9.06E-14	2.00E-03	1.1E-01	.	1.6E+07	6.4E-01	9.1E-02	6.9E-18
Fermium (100)	Fm-253	1.87E-10	4.1E-08 (S)	2.73E-10	1.26E-11	2.00E-03	2.8E-01	.	1.1E+05	1.7E+00	2.4E-01	5.2E-17
Fermium (100)	Fm-254	6.02E-11	5.9E-09 (S)	8.77E-11	1.91E-12	2.00E-03	8.7E-01	.	7.5E+05	5.3E+00	7.5E-01	7.3E-18
Fermium (100)	Fm-255	4.46E-10	2.7E-08 (S)	6.55E-10	4.86E-13	2.00E-03	1.2E-01	.	3.0E+06	7.1E-01	1.0E-01	6.1E-18
Fermium (100)	Fm-256	2.58E-09	2.4E-08 (S)	3.68E-09	3.35E-09	2.00E-03	2.0E-02	.	4.3E+02	1.3E-01	1.7E-02	1.4E-19
Fermium (100)	Fm-257	1.31E-09	7.6E-07 (S)	1.88E-09	3.28E-11	2.00E-03	4.0E-02	.	4.4E+04	2.4E-01	3.4E-02	2.5E-16
Francium (87)	Fr-212	4.80E-11	5.7E-10 (S)	6.53E-11	2.90E-10	3.00E-02	1.1E+00	.	4.9E+03	7.1E+00	9.4E-01	7.9E-19
Francium (87)	Fr-219	0.00E+00	0.00E+00	0.00E+00	8.58E-13	3.00E-02	.	.	1.7E+06	.	1.7E+06	2.4E-17
Francium (87)	Fr-220	0.00E+00	0.00E+00	0.00E+00	1.91E-12	3.00E-02	.	.	7.5E+05	.	7.5E+05	1.5E-14
Francium (87)	Fr-220+D	0.00E+00	0.00E+00	0.00E+00	2.42E-12	3.00E-02	.	.	5.9E+05	.	5.9E+05	1.2E-14
Francium (87)	Fr-221	0.00E+00	0.00E+00	0.00E+00	6.85E-12	3.00E-02	.	.	2.1E+05	.	2.1E+05	4.5E-14
Francium (87)	Fr-221+D	0.00E+00	0.00E+00	0.00E+00	6.91E-12	3.00E-02	.	.	2.1E+05	.	2.1E+05	4.4E-14
Francium (87)	Fr-222	3.93E-11	1.6E-09 (S)	5.37E-11	4.26E-11	3.00E-02	1.3E+00	.	3.4E+04	8.7E+00	1.2E+00	7.2E-19
Francium (87)	Fr-223	1.99E-10	1.1E-09 (S)	2.73E-10	1.06E-11	3.00E-02	2.6E-01	.	1.4E+05	1.7E+00	2.3E-01	2.2E-19
Francium (87)	Fr-224	0.00E+00	0.00E+00	0.00E+00	1.42E-10	3.00E-02	.	.	1.0E+04	.	1.0E+04	1.5E-15
Francium (87)	Fr-227	0.00E+00	0.00E+00	0.00E+00	1.07E-10	3.00E-02	.	.	1.3E+04	.	1.3E+04	1.5E-15
Gallium (31)	Ga-64	0.00E+00	0.00E+00	0.00E+00	9.06E-10	3.00E-03	.	.	1.6E+03	.	1.6E+03	5.3E-17
Gallium (31)	Ga-65	1.68E-12	8.0E-13 (S)	2.32E-12	2.85E-10	3.00E-03	3.1E+01	.	5.0E+03	2.0E+02	2.7E+01	5.2E-18
Gallium (31)	Ga-66	1.74E-10	6.2E-11 (S)	2.53E-10	6.88E-10	3.00E-03	3.0E-01	.	2.1E+03	1.8E+00	2.6E-01	1.9E-18
Gallium (31)	Ga-67	2.86E-11	2.9E-11 (S)	4.15E-11	3.60E-11	3.00E-03	1.8E+00	.	4.0E+04	1.1E+01	1.6E+00	9.8E-17
Gallium (31)	Ga-68	7.58E-12	3.6E-12 (S)	1.08E-11	2.34E-10	3.00E-03	6.9E+00	.	6.1E+03	4.3E+01	5.9E+00	5.4E-18
Gallium (31)	Ga-70	1.40E-12	8.3E-13 (S)	1.95E-12	2.36E-12	3.00E-03	3.7E+01	.	6.1E+05	2.4E+02	3.2E+01	9.4E-18
Gallium (31)	Ga-72	1.53E-10	6.3E-11 (S)	2.21E-10	7.26E-10	3.00E-03	3.4E-01	.	2.0E+03	2.1E+00	2.9E-01	3.5E-18
Gallium (31)	Ga-73	3.77E-11	1.8E-11 (S)	5.50E-11	8.39E-11	3.00E-03	1.4E+00	.	1.7E+04	8.5E+00	1.2E+00	5.0E-18
Gallium (31)	Ga-74	0.00E+00	0.00E+00	0.00E+00	8.55E-10	3.00E-03	.	.	1.7E+03	.	1.7E+03	2.0E-16
Gadolinium (64)	Gd-142	0.00E+00	0.00E+00	0.00E+00	2.61E-10	2.00E-03	.	.	5.5E+03	.	5.5E+03	1.8E-16
Gadolinium (64)	Gd-143m	0.00E+00	0.00E+00	0.00E+00	5.33E-10	2.00E-03	.	.	2.7E+03	.	2.7E+03	1.4E-16
Gadolinium (64)	Gd-144	0.00E+00	0.00E+00	0.00E+00	2.33E-10	2.00E-03	.	.	6.2E+03	.	6.2E+03	7.8E-16
Gadolinium (64)	Gd-145	1.96E-12	8.2E-13 (S)	2.70E-12	6.53E-10	2.00E-03	2.7E+01	.	2.2E+03	1.7E+02	2.3E+01	1.5E-17
Gadolinium (64)	Gd-145m	0.00E+00	0.00E+00	0.00E+00	1.69E-10	2.00E-03	.	.	8.5E+03	.	8.5E+03	3.4E-16
Gadolinium (64)	Gd-146	1.34E-10	6.9E-10 (S)	1.94E-10	4.73E-11	2.00E-03	3.9E-01	.	3.0E+04	2.4E+00	3.3E-01	6.7E-16
Gadolinium (64)	Gd-147	6.91E-11	4.0E-11 (S)	9.83E-11	3.47E-10	2.00E-03	7.6E-01	.	4.1E+03	4.7E+00	6.5E-01	4.3E-17
Gadolinium (64)	Gd-148	1.13E-09	4.1E-07 (S)	1.47E-09	0.00E+00	2.00E-03	4.6E-02	.	.	9.7E-02	3.1E-02	3.6E-14
Gadolinium (64)	Gd-149	7.11E-11	9.7E-11 (S)	1.03E-10	1.22E-10	2.00E-03	7.3E-01	.	1.2E+04	4.5E+00	6.3E-01	2.5E-16
Gadolinium (64)	Gd-150	1.02E-09	3.3E-07 (S)	1.32E-09	0.00E+00	2.00E-03	5.1E-02	.	.	9.9E-02	3.4E-02	9.4E-10
Gadolinium (64)	Gd-151	3.55E-11	1.2E-10 (S)	5.17E-11	1.16E-11	2.00E-03	1.5E+00	.	1.2E+05	8.6E+00	1.3E+00	6.7E-15
Gadolinium (64)	Gd-152	8.02E-10	2.5E-07 (F)	1.04E-09	0.00E+00	2.00E-03	6.5E-02	.	.	1.3E-01	4.3E-02	7.3E-02
Gadolinium (64)	Gd-153	4.14E-11	2.3E-10 (S)	6.01E-11	1.66E-11	2.00E-03	1.3E+00	.	8.6E+04	7.1E+00	1.1E+00	1.1E-14
Gadolinium (64)	Gd-159	8.77E-11	4.3E-11 (S)	1.29E-10	1.19E-11	2.00E-03	6.0E-01	.	1.2E+05	3.6E+00	5.1E-01	1.8E-17
Gadolinium (64)	Gd-162	0.00E+00	0.00E+00	0.00E+00	1.01E-10	2.00E-03	.	.	1.4E+04	.	1.4E+04	3.8E-15
Germanium (32)	Ge-66	9.86E-12	7.0E-12 (S)	1.31E-11	1.63E-10	4.00E-01	5.3E+00	.	8.8E+03	3.6E+01	4.6E+00	8.1E-18
Germanium (32)	Ge-67	2.65E-12	1.2E-12 (S)	3.63E-12	3.57E-10	4.00E-01	2.0E+01	.	4.0E+03	1.3E+02	1.7E+01	4.3E-18
Germanium (32)	Ge-68	1.88E-10	2.8E-09 (S)	2.66E-10	3.11E-16	4.00E-01	2.8E-01	.	4.6E+09	1.4E+00	2.3E-01	1.2E-15
Germanium (32)	Ge-68+D	1.96E-10	2.8E-09 (S)	2.77E-10	2.34E-10	4.00E-01	2.7E-01	.	6.1E+03	1.3E+00	2.2E-01	1.2E-15
Germanium (32)	Ge-69	2.16E-11	2.0E-11 (S)	2.95E-11	2.41E-10	4.00E-01	2.4E+00	.	5.9E+03	1.6E+01	2.1E+00	6.7E-17
Germanium (32)	Ge-71	1.76E-12	1.5E-12 (S)	2.50E-12	3.16E-16	4.00E-01	3.0E+01	.	4.5E+09	1.8E+02	2.6E+01	5.9E-15
Germanium (32)	Ge-75	2.35E-12	2.4E-12 (S)	3.15E-12	8.71E-12	4.00E-01	2.2E+01	.	1.6E+05	1.5E+02	1.9E+01	2.4E-17
Germanium (32)	Ge-77	3.30E-11	3.3E-11 (S)	4.45E-11	2.70E-10	4.00E-01	1.6E+00	.	5.3E+03	1.0E+01	1.4E+00	1.4E-17
Germanium (32)	Ge-78	7.93E-12	6.9E-12 (S)	1.03E-11	6.69E-11	4.00E-01	6.6E+00	.	2.1E+04	4.5E+01	5.7E+00	7.8E-18
Hydrogen (1)	H-3	1.37E-12	2.3E-11 (S)	1.76E-12	0.00E+00	.	.	.	.	.	.	.
Hafnium (72)	Hf-167	0.00E+00	0.00E+00	0.00E+00	1.48E-10	3.00E-03	.	.	9.7E+03	.	9.7E+03	6.5E-16
Hafnium (72)	Hf-169	0.00E+00	0.00E+00	0.00E+00	1.52E-10	3.00E-03	.	.	9.4E+03	.	9.4E+03	1.0E-15
Hafnium (72)	Hf-170	4.79E-11	2.8E-11 (S)	6.85E-11	1.00E-10	3.00E-03	1.1E+00	.	1.4E+04	6.8E+00	9.4E-01	3.0E-17

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Hafnium (72)	Hf-172	1.39E-10	2.3E-09 (S)	1.99E-10	1.66E-11	3.00E-03	3.8E-01	.	8.7E+04	1.9E+00	3.1E-01	1.0E-14
Hafnium (72)	Hf-172+D	1.39E-10	2.3E-09 (S)	1.99E-10	1.66E-11	3.00E-03	3.8E-01	.	8.7E+04	1.9E+00	3.1E-01	1.0E-14
Hafnium (72)	Hf-173	2.82E-11	1.7E-11 (S)	4.06E-11	8.84E-11	3.00E-03	1.9E+00	.	1.6E+04	1.1E+01	1.6E+00	7.7E-17
Hafnium (72)	Hf-174	1.72E-09	2.7E-07 (S)	2.16E-09	0.00E+00	3.00E-03	3.0E-02	.	.	6.0E-02	2.0E-02	7.3E-01
Hafnium (72)	Hf-175	5.20E-11	1.4E-10 (S)	7.49E-11	8.02E-11	3.00E-03	1.0E+00	.	1.8E+04	6.0E+00	8.6E-01	3.0E-15
Hafnium (72)	Hf-177m	5.52E-12	5.3E-12 (S)	7.72E-12	5.36E-10	3.00E-03	9.5E+00	.	2.7E+03	6.0E+01	8.2E+00	1.5E-17
Hafnium (72)	Hf-178m	3.31E-10	8.8E-09 (F)	4.64E-10	5.36E-10	3.00E-03	1.6E-01	.	2.7E+03	3.4E-01	1.1E-01	6.2E-14
Hafnium (72)	Hf-179m	1.80E-10	4.4E-10 (S)	2.61E-10	2.15E-10	3.00E-03	2.9E-01	.	6.7E+03	1.8E+00	2.5E-01	3.2E-16
Hafnium (72)	Hf-180m	1.96E-11	1.2E-11 (S)	2.82E-11	2.34E-10	3.00E-03	2.7E+00	.	6.1E+03	1.6E+01	2.3E+00	2.7E-17
Hafnium (72)	Hf-181	1.73E-10	5.8E-10 (S)	2.52E-10	1.27E-10	3.00E-03	3.0E-01	.	1.1E+04	1.8E+00	2.6E-01	5.6E-16
Hafnium (72)	Hf-182	1.28E-10	8.9E-09 (F)	1.72E-10	5.68E-11	3.00E-03	4.1E-01	.	2.5E+04	7.6E-01	2.6E-01	4.5E-08
Hafnium (72)	Hf-182+D	3.39E-10	9.9E-09 (F)	4.77E-10	3.85E-10	3.00E-03	1.5E-01	.	3.7E+03	2.7E-01	9.8E-02	1.7E-08
Hafnium (72)	Hf-182m	3.29E-12	3.4E-12 (S)	4.64E-12	2.18E-10	3.00E-03	1.6E+01	.	6.6E+03	1.0E+02	1.4E+01	3.0E-17
Hafnium (72)	Hf-183	6.53E-12	4.9E-12 (S)	9.35E-12	1.91E-10	3.00E-03	8.0E+00	.	7.5E+03	5.0E+01	6.9E+00	1.6E-17
Hafnium (72)	Hf-184	7.82E-11	4.0E-11 (S)	1.14E-10	5.30E-11	3.00E-03	6.7E-01	.	2.7E+04	4.1E+00	5.7E-01	5.2E-18
Mercury (80)	Hg-190	1.52E-12	7.0E-12 (V)	2.12E-12	4.20E-11	3.00E-01	3.4E+01	.	3.4E+04	2.2E+02	3.0E+01	2.2E-17
Mercury (80)	Hg-191m	4.74E-12	2.9E-11 (V)	6.70E-12	3.72E-10	3.00E-01	1.1E+01	.	3.9E+03	6.9E+01	9.5E+00	1.8E-17
Mercury (80)	Hg-192	2.60E-11	9.1E-11 (V)	3.71E-11	6.03E-11	3.00E-01	2.0E+00	.	2.4E+04	1.3E+01	1.7E+00	1.9E-17
Mercury (80)	Hg-193	1.24E-11	7.9E-11 (V)	1.78E-11	2.10E-10	3.00E-01	4.2E+00	.	6.8E+03	2.6E+01	3.6E+00	3.1E-17
Mercury (80)	Hg-193+D	1.24E-11	7.9E-11 (V)	1.78E-11	2.12E-10	3.00E-01	4.2E+00	.	6.8E+03	2.6E+01	3.6E+00	3.1E-17
Mercury (80)	Hg-193m	5.48E-11	2.7E-10 (V)	7.89E-11	2.57E-10	3.00E-01	9.5E-01	.	5.6E+03	5.9E+00	8.2E-01	2.2E-17
Mercury (80)	Hg-194	7.87E-11	2.0E-09 (S)	1.08E-10	1.98E-15	3.00E-01	6.6E-01	.	7.3E+08	6.8E-01	3.3E-01	3.0E-12
Mercury (80)	Hg-194+D	1.22E-10	2.0E-09 (S)	1.70E-10	2.66E-10	3.00E-01	4.3E-01	.	5.4E+03	4.3E-01	2.1E-01	1.9E-12
Mercury (80)	Hg-195	1.45E-11	1.4E-10 (V)	2.11E-11	4.51E-11	3.00E-01	3.6E+00	.	3.2E+04	2.2E+01	3.1E+00	7.5E-17
Mercury (80)	Hg-195m	8.97E-11	7.3E-10 (V)	1.31E-10	4.58E-11	3.00E-01	5.8E-01	.	3.1E+04	3.5E+00	5.0E-01	4.8E-17
Mercury (80)	Hg-197	4.13E-11	4.2E-10 (V)	6.03E-11	1.29E-11	3.00E-01	1.3E+00	.	1.1E+05	7.7E+00	1.1E+00	1.6E-16
Mercury (80)	Hg-197m	8.24E-11	5.3E-10 (V)	1.21E-10	2.01E-11	3.00E-01	6.3E-01	.	7.1E+04	3.8E+00	5.4E-01	3.0E-17
Mercury (80)	Hg-199m	1.79E-12	1.6E-11 (V)	2.53E-12	4.04E-11	3.00E-01	2.9E+01	.	3.6E+04	1.8E+02	2.5E+01	4.2E-17
Mercury (80)	Hg-203	8.34E-11	6.6E-10 (V)	1.21E-10	5.68E-11	3.00E-01	6.3E-01	.	2.5E+04	3.7E+00	5.4E-01	1.4E-15
Mercury (80)	Hg-205	0.00E+00	0.00E+00	0.00E+00	1.62E-12	3.00E-01	.	.	8.9E+05	.	8.9E+05	1.9E-13
Mercury (80)	Hg-206	0.00E+00	0.00E+00	0.00E+00	2.92E-11	3.00E-01	.	.	4.9E+04	.	4.9E+04	1.6E-14
Mercury (80)	Hg-207	0.00E+00	0.00E+00	0.00E+00	7.07E-10	3.00E-01	.	.	2.0E+03	.	2.0E+03	2.4E-16
Holmium (67)	Ho-150	0.00E+00	0.00E+00	0.00E+00	4.73E-10	2.00E-03	.	.	3.0E+03	.	3.0E+03	1.1E-16
Holmium (67)	Ho-153	0.00E+00	0.00E+00	0.00E+00	2.52E-10	2.00E-03	.	.	5.7E+03	.	5.7E+03	3.5E-16
Holmium (67)	Ho-153m	0.00E+00	0.00E+00	0.00E+00	2.57E-10	2.00E-03	.	.	5.6E+03	.	5.6E+03	1.6E-15
Holmium (67)	Ho-154	1.84E-12	6.8E-13 (S)	2.53E-12	4.70E-10	2.00E-03	2.8E+01	.	3.1E+03	1.8E+02	2.4E+01	8.7E-18
Holmium (67)	Ho-154m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-03	.	.	2.4E+03	.	2.4E+03	2.3E-16
Holmium (67)	Ho-155	3.06E-12	1.7E-12 (S)	4.32E-12	1.48E-10	2.00E-03	1.7E+01	.	9.7E+03	1.1E+02	1.5E+01	2.2E-17
Holmium (67)	Ho-156	6.63E-12	3.4E-12 (S)	9.32E-12	5.36E-10	2.00E-03	7.9E+00	.	2.7E+03	5.0E+01	6.8E+00	1.2E-17
Holmium (67)	Ho-157	4.54E-13	2.3E-13 (S)	6.30E-13	1.35E-10	2.00E-03	1.2E+02	.	1.1E+04	7.4E+02	9.9E+01	3.9E-17
Holmium (67)	Ho-159	5.15E-13	3.6E-13 (S)	7.12E-13	8.33E-11	2.00E-03	1.0E+02	.	1.7E+04	6.5E+02	8.7E+01	9.1E-17
Holmium (67)	Ho-160	1.06E-12	6.1E-13 (S)	1.45E-12	4.20E-10	2.00E-03	4.9E+01	.	3.4E+03	3.2E+02	4.2E+01	3.4E-17
Holmium (67)	Ho-161	1.33E-12	6.4E-13 (S)	1.92E-12	7.04E-12	2.00E-03	3.9E+01	.	2.0E+05	2.4E+02	3.4E+01	1.6E-16
Holmium (67)	Ho-162	1.57E-13	1.6E-13 (S)	2.16E-13	3.57E-11	2.00E-03	3.3E+02	.	4.0E+04	2.2E+03	2.9E+02	1.4E-16
Holmium (67)	Ho-162m	1.93E-12	1.4E-12 (S)	2.71E-12	1.36E-10	2.00E-03	2.7E+01	.	1.1E+04	1.7E+02	2.3E+01	5.0E-17
Holmium (67)	Ho-163	4.89E-13	3.2E-11 (F)	7.11E-13	0.00E+00	2.00E-03	1.1E+02	.	.	1.8E+02	6.8E+01	5.2E-09
Holmium (67)	Ho-164	4.72E-13	4.7E-13 (S)	6.58E-13	3.88E-12	2.00E-03	1.1E+02	.	3.7E+05	7.1E+02	9.6E+01	9.0E-17
Holmium (67)	Ho-164m	1.13E-12	1.0E-12 (S)	1.61E-12	5.55E-12	2.00E-03	4.6E+01	.	2.6E+05	2.9E+02	4.0E+01	4.9E-17
Holmium (67)	Ho-166	2.49E-10	1.1E-10 (S)	3.66E-10	7.35E-12	2.00E-03	2.1E-01	.	2.0E+05	1.3E+00	1.8E-01	9.5E-18
Holmium (67)	Ho-166m	2.24E-10	2.1E-08 (F)	3.19E-10	4.01E-10	2.00E-03	2.3E-01	.	3.6E+03	4.1E-01	1.5E-01	3.1E-12
Holmium (67)	Ho-167	1.04E-11	6.8E-12 (S)	1.50E-11	8.71E-11	2.00E-03	5.0E+00	.	1.6E+04	3.1E+01	4.3E+00	2.6E-17
Holmium (67)	Ho-168	0.00E+00	0.00E+00	0.00E+00	2.21E-10	2.00E-03	.	.	6.5E+03	.	6.5E+03	6.4E-16
Holmium (67)	Ho-168m	0.00E+00	0.00E+00	0.00E+00	7.89E-13	2.00E-03	.	.	1.8E+06	.	1.8E+06	1.3E-13
Holmium (67)	Ho-170	0.00E+00	0.00E+00	0.00E+00	4.29E-10	2.00E-03	.	.	3.3E+03	.	3.3E+03	3.1E-16
Iodine (53)	I-118	1.36E-11	1.6E-11 (V)	1.92E-11	5.08E-10	5.48E-04	3.8E+00	.	2.8E+03	2.4E+01	3.3E+00	1.1E-18
Iodine (53)	I-118m	0.00E+00	0.00E+00	0.00E+00	9.40E-10	5.48E-04	.	.	1.5E+03	.	1.5E+03	3.0E-16
Iodine (53)	I-119	2.48E-12	4.4E-12 (V)	3.44E-12	2.21E-10	5.48E-04	2.1E+01	.	6.5E+03	1.4E+02	1.8E+01	8.2E-18
Iodine (53)	I-120	2.07E-11	2.6E-11 (V)	2.87E-11	7.04E-10	5.48E-04	2.5E+00	.	2.0E+03	1.6E+01	2.2E+00	4.2E-18
Iodine (53)	I-120m	9.75E-12	1.3E-11 (V)	1.34E-11	8.96E-10	5.48E-04	5.4E+00	.	1.6E+03	3.5E+01	4.6E+00	5.8E-18
Iodine (53)	I-121	5.53E-12	7.3E-12 (V)	7.59E-12	9.28E-11	5.48E-04	9.4E+00	.	1.5E+04	6.1E+01	8.2E+00	2.5E-17
Iodine (53)	I-122	0.00E+00	0.00E+00	0.00E+00	2.38E-10	5.48E-04	.	.	6.0E+03	.	6.0E+03	5.3E-16
Iodine (53)	I-123	1.91E-11	2.3E-11 (V)	2.71E-11	3.57E-11	5.48E-04	2.7E+00	.	4.0E+04	1.7E+01	2.4E+00	4.6E-17
Iodine (53)	I-124	1.12E-09	1.2E-09 (V)	1.59E-09	2.81E-10	5.48E-04	4.7E-02	.	5.1E+03	2.9E-01	4.0E-02	5.9E-18
Iodine (53)	I-125	6.91E-10	7.5E-10 (V)	9.34E-10	1.80E-12	5.48E-04	7.6E-02	.	8.0E+05	4.9E-01	6.5E-02	1.4E-16
Iodine (53)	I-126	2.38E-09	2.6E-09 (V)	3.35E-09	1.05E-10	5.48E-04	2.2E-02	.	1.4E+04	1.4E-01	1.9E-02	8.8E-18
Iodine (53)	I-128	2.19E-12	5.6E-12 (V)	3.01E-12	1.69E-11	5.48E-04	2.4E+01	.	8.5E+04	1.5E+02	2.1E+01	1.3E-17
Iodine (53)	I-129	4.08E-09	4.4E-09 (V)	5.32E-09	1.39E-12	5.48E-04	1.3E-02	.	1.0E+06	2.5E-02	8.4E-03	1.8E-09
Iodine (53)	I-130	1.63E-10	1.9E-10 (V)	2.31E-10	5.33E-10	5.48E-04	3.2E-01	.	2.7E+03	2.0E+00	2.8E-01	5.3E-18
Iodine (53)	I-130m	0.00E+00	0.00E+00	0.00E+00	2.63E-11	5.48E-04	.	.	5.5E+04	.	5.5E+04	1.2E-14
Iodine (53)	I-131	1.23E-09	1.4E-09 (V)	1.75E-09	9.28E-11	5.48E-04	4.2E-02	.	1.5E+04	2.6E-01	3.7E-02	1.1E-17

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Iodine (53)	I-132	2.26E-11	3.1E-11 (V)	3.14E-11	5.74E-10	5.48E-04	2.3E+00	.	2.5E+03	1.5E+01	2.0E+00	7.2E-18
Iodine (53)	I-132m	5.16E-12	1.1E-11 (V)	7.06E-12	8.24E-11	5.48E-04	1.0E+01	.	1.7E+04	6.6E+01	8.8E+00	1.9E-17
Iodine (53)	I-133	3.93E-10	4.4E-10 (V)	5.62E-10	1.52E-10	5.48E-04	1.3E-01	.	9.5E+03	8.3E-01	1.1E-01	3.8E-18
Iodine (53)	I-134	6.38E-12	1.2E-11 (V)	8.76E-12	6.63E-10	5.48E-04	8.2E+00	.	2.2E+03	5.3E+01	7.1E+00	9.8E-18
Iodine (53)	I-134m	0.00E+00	0.00E+00	0.00E+00	6.47E-11	5.48E-04	.	.	2.2E+04	.	2.2E+04	2.1E-15
Iodine (53)	I-135	7.77E-11	9.3E-11 (V)	1.10E-10	4.17E-10	5.48E-04	6.7E-01	.	3.4E+03	4.2E+00	5.8E-01	6.1E-18
Indium (49)	In-103	0.00E+00	0.00E+00	0.00E+00	7.16E-10	3.00E-03	.	.	2.0E+03	.	2.0E+03	4.1E-17
Indium (49)	In-105	0.00E+00	0.00E+00	0.00E+00	4.92E-10	3.00E-03	.	.	2.9E+03	.	2.9E+03	3.1E-16
Indium (49)	In-106	0.00E+00	0.00E+00	0.00E+00	8.93E-10	3.00E-03	.	.	1.6E+03	.	1.6E+03	2.1E-16
Indium (49)	In-106m	0.00E+00	0.00E+00	0.00E+00	7.42E-10	3.00E-03	.	.	1.9E+03	.	1.9E+03	2.1E-16
Indium (49)	In-107	2.88E-12	1.6E-12 (S)	4.05E-12	3.98E-10	3.00E-03	1.8E+01	.	3.6E+03	1.1E+02	1.6E+01	1.1E-17
Indium (49)	In-108	5.51E-12	2.2E-12 (S)	7.63E-12	1.00E-09	3.00E-03	9.5E+00	.	1.4E+03	6.1E+01	8.2E+00	1.0E-17
Indium (49)	In-108m	4.86E-12	2.0E-12 (S)	6.78E-12	7.48E-10	3.00E-03	1.1E+01	.	1.9E+03	6.9E+01	9.3E+00	7.8E-18
Indium (49)	In-109	5.72E-12	2.7E-12 (S)	8.11E-12	1.58E-10	3.00E-03	9.1E+00	.	9.1E+03	5.7E+01	7.9E+00	4.3E-17
Indium (49)	In-109m	0.00E+00	0.00E+00	0.00E+00	1.51E-10	3.00E-03	.	.	9.5E+03	.	9.5E+03	2.7E-16
Indium (49)	In-110	2.08E-11	7.5E-12 (S)	2.89E-11	7.79E-10	3.00E-03	2.5E+00	.	1.8E+03	1.6E+01	2.2E+00	1.4E-17
Indium (49)	In-110m	7.64E-12	3.4E-12 (S)	1.08E-11	3.98E-10	3.00E-03	6.8E+00	.	3.6E+03	4.3E+01	5.9E+00	8.8E-18
Indium (49)	In-111	3.51E-11	2.3E-11 (S)	5.03E-11	9.21E-11	3.00E-03	1.5E+00	.	1.6E+04	9.2E+00	1.3E+00	1.1E-16
Indium (49)	In-111m	0.00E+00	0.00E+00	0.00E+00	1.15E-10	3.00E-03	.	.	1.2E+04	.	1.2E+04	2.1E-15
Indium (49)	In-112	4.75E-13	3.3E-13 (S)	6.54E-13	6.44E-11	3.00E-03	1.1E+02	.	2.2E+04	7.1E+02	9.5E+01	3.1E-17
Indium (49)	In-112m	8.84E-13	1.0E-12 (S)	1.23E-12	5.14E-12	3.00E-03	5.9E+01	.	2.8E+05	3.8E+02	5.1E+01	2.3E-17
Indium (49)	In-113m	2.59E-12	1.5E-12 (S)	3.71E-12	6.19E-11	3.00E-03	2.0E+01	.	2.3E+04	1.3E+02	1.7E+01	3.9E-17
Indium (49)	In-114	0.00E+00	0.00E+00	0.00E+00	1.29E-12	3.00E-03	.	.	1.1E+06	.	1.1E+06	3.0E-14
Indium (49)	In-114m	6.78E-10	1.4E-09 (S)	9.85E-10	1.76E-11	3.00E-03	7.7E-02	.	8.2E+04	4.6E-01	6.6E-02	1.1E-16
Indium (49)	In-114m+D	6.78E-10	1.4E-09 (S)	9.85E-10	1.88E-11	3.00E-03	7.7E-02	.	7.6E+04	4.6E-01	6.6E-02	1.1E-16
Indium (49)	In-115	9.17E-10	1.1E-08 (F)	1.17E-09	3.82E-14	3.00E-03	5.7E-02	.	3.8E+07	1.1E-01	3.8E-02	2.0E-01
Indium (49)	In-115m	1.21E-11	6.3E-12 (S)	1.76E-11	3.76E-11	3.00E-03	4.3E+00	.	3.8E+04	2.6E+01	3.7E+00	2.3E-17
Indium (49)	In-116m	4.41E-12	2.5E-12 (S)	6.14E-12	6.50E-10	3.00E-03	1.2E+01	.	2.2E+03	7.6E+01	1.0E+01	1.3E-17
Indium (49)	In-117	1.87E-12	1.6E-12 (S)	2.62E-12	1.68E-10	3.00E-03	2.8E+01	.	8.5E+03	1.8E+02	2.4E+01	2.4E-17
Indium (49)	In-117m	1.20E-11	6.7E-12 (S)	1.73E-11	2.09E-11	3.00E-03	4.4E+00	.	6.9E+04	2.7E+01	3.7E+00	1.0E-17
Indium (49)	In-118	0.00E+00	0.00E+00	0.00E+00	2.43E-11	3.00E-03	.	.	5.9E+04	.	5.9E+04	1.1E-16
Indium (49)	In-118m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	3.00E-03	.	.	2.0E+03	.	2.0E+03	2.0E-16
Indium (49)	In-119	0.00E+00	0.00E+00	0.00E+00	1.93E-10	3.00E-03	.	.	7.4E+03	.	7.4E+03	4.2E-16
Indium (49)	In-119m	2.02E-12	9.5E-13 (S)	2.79E-12	1.78E-11	3.00E-03	2.6E+01	.	8.1E+04	1.7E+02	2.2E+01	9.5E-18
Indium (49)	In-121	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-03	.	.	6.1E+03	.	6.1E+03	5.6E-17
Indium (49)	In-121m	0.00E+00	0.00E+00	0.00E+00	1.58E-11	3.00E-03	.	.	9.1E+04	.	9.1E+04	8.4E-15
Iridium (77)	Ir-180	0.00E+00	0.00E+00	0.00E+00	3.94E-10	3.00E-02	.	.	3.6E+03	.	3.6E+03	1.9E-16
Iridium (77)	Ir-182	2.92E-12	1.4E-12 (S)	4.07E-12	3.50E-10	3.00E-02	1.8E+01	.	4.1E+03	1.1E+02	1.5E+01	8.3E-18
Iridium (77)	Ir-183	4.58E-12	2.7E-12 (S)	6.47E-12	3.03E-10	3.00E-02	1.1E+01	.	4.7E+03	7.2E+01	9.8E+00	2.1E-17
Iridium (77)	Ir-184	1.97E-11	9.9E-12 (S)	2.82E-11	4.95E-10	3.00E-02	2.7E+00	.	2.9E+03	1.6E+01	2.3E+00	1.5E-17
Iridium (77)	Ir-185	4.26E-11	2.3E-11 (S)	6.14E-11	2.18E-10	3.00E-02	1.2E+00	.	6.6E+03	7.6E+00	1.1E+00	3.3E-17
Iridium (77)	Ir-186	6.72E-11	3.3E-11 (S)	9.64E-11	4.20E-10	3.00E-02	7.8E-01	.	3.4E+03	4.8E+00	6.7E-01	2.5E-17
Iridium (77)	Ir-186m	6.92E-12	3.5E-12 (S)	9.81E-12	3.19E-10	3.00E-02	7.6E+00	.	4.5E+03	4.7E+01	6.5E+00	2.7E-17
Iridium (77)	Ir-187	1.49E-11	7.6E-12 (S)	2.14E-11	7.70E-11	3.00E-02	3.5E+00	.	1.9E+04	2.2E+01	3.0E+00	7.0E-17
Iridium (77)	Ir-188	7.72E-11	4.1E-11 (S)	1.09E-10	5.62E-10	3.00E-02	6.8E-01	.	2.6E+03	4.3E+00	5.8E-01	5.4E-17
Iridium (77)	Ir-189	3.87E-11	5.9E-11 (S)	5.65E-11	1.44E-11	3.00E-02	1.4E+00	.	1.0E+05	8.2E+00	1.2E+00	8.2E-16
Iridium (77)	Ir-190	1.17E-10	1.4E-10 (S)	1.67E-10	3.57E-10	3.00E-02	4.5E-01	.	4.0E+03	2.8E+00	3.8E-01	2.4E-16
Iridium (77)	Ir-190m	6.73E-13	6.2E-13 (S)	9.60E-13	4.61E-16	3.00E-02	7.8E+01	.	3.1E+09	4.8E+02	6.7E+01	1.7E-16
Iridium (77)	Ir-190n	1.18E-11	6.2E-12 (S)	1.67E-11	9.78E-12	3.00E-02	4.4E+00	.	1.5E+05	2.8E+01	3.8E+00	2.7E-17
Iridium (77)	Ir-191m	0.00E+00	0.00E+00	0.00E+00	1.44E-11	3.00E-02	.	.	1.0E+05	.	1.0E+05	3.1E-16
Iridium (77)	Ir-192	1.99E-10	6.5E-10 (S)	2.89E-10	1.98E-10	3.00E-02	2.6E-01	.	7.3E+03	1.6E+00	2.2E-01	9.1E-16
Iridium (77)	Ir-192m	0.00E+00	0.00E+00	0.00E+00	1.38E-14	3.00E-02	.	.	1.0E+08	.	1.0E+08	5.7E-12
Iridium (77)	Ir-192n	1.42E-10	4.3E-09 (S)	2.06E-10	1.31E-13	3.00E-02	3.7E-01	.	1.1E+07	6.1E-01	2.3E-01	1.1E-12
Iridium (77)	Ir-193m	5.28E-11	1.2E-10 (S)	7.75E-11	5.40E-14	3.00E-02	9.9E-01	.	2.7E+07	6.0E+00	8.5E-01	4.9E-16
Iridium (77)	Ir-194	2.33E-10	9.2E-11 (S)	3.42E-10	2.34E-11	3.00E-02	2.2E-01	.	6.1E+04	1.4E+00	1.9E-01	8.5E-18
Iridium (77)	Ir-194m	2.29E-10	1.2E-09 (S)	3.25E-10	5.71E-10	3.00E-02	2.3E-01	.	2.5E+03	1.3E+00	1.9E-01	1.8E-15
Iridium (77)	Ir-195	1.07E-11	6.5E-12 (S)	1.56E-11	1.09E-11	3.00E-02	4.9E+00	.	1.3E+05	3.0E+01	4.2E+00	2.4E-17
Iridium (77)	Ir-195m	1.83E-11	1.2E-11 (S)	2.65E-11	8.90E-11	3.00E-02	2.9E+00	.	1.6E+04	1.8E+01	2.5E+00	2.2E-17
Iridium (77)	Ir-196	0.00E+00	0.00E+00	0.00E+00	5.93E-11	3.00E-02	.	.	2.4E+04	.	2.4E+04	8.1E-16
Iridium (77)	Ir-196m	8.81E-12	5.7E-12 (S)	1.24E-11	6.03E-10	3.00E-02	5.9E+00	.	2.4E+03	3.8E+01	5.1E+00	1.7E-17
Potassium (19)	K-38	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.44E-01	.	.	1.7E+03	.	1.7E+03	9.6E-17
Potassium (19)	K-40	6.67E-10	6.0E-09 (S)	9.24E-10	4.23E-11	6.44E-01	7.8E-02	.	3.4E+04	5.1E-02	3.1E-02	1.6E-07
Potassium (19)	K-42	3.41E-11	3.4E-11 (S)	4.70E-11	7.73E-11	6.44E-01	1.5E+00	.	1.9E+04	9.9E+00	1.3E+00	8.2E-18
Potassium (19)	K-43	2.10E-11	2.9E-11 (S)	2.85E-11	2.37E-10	6.44E-01	2.5E+00	.	6.1E+03	1.6E+01	2.2E+00	2.4E-17
Potassium (19)	K-44	3.73E-12	1.7E-12 (S)	5.11E-12	6.56E-10	6.44E-01	1.4E+01	.	2.2E+03	9.1E+01	1.2E+01	2.3E-18
Potassium (19)	K-45	2.18E-12	1.0E-12 (S)	2.98E-12	4.99E-10	6.44E-01	2.4E+01	.	2.9E+03	1.6E+02	2.1E+01	3.2E-18
Potassium (19)	K-46	0.00E+00	0.00E+00	0.00E+00	8.11E-10	6.44E-01	.	.	1.8E+03	.	1.8E+03	2.8E-17
Krypton (36)	Kr-74	0.00E+00	0.00E+00	0.00E+00	2.56E-10	0.00E+00	.	.	5.6E+03	.	5.6E+03	9.4E-16
Krypton (36)	Kr-75	0.00E+00	0.00E+00	0.00E+00	3.16E-10	0.00E+00	.	.	4.5E+03	.	4.5E+03	2.9E-16
Krypton (36)	Kr-76	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	.	.	1.4E+04	.	1.4E+04	1.9E-13

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Krypton (36)	Kr-76+D	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	.	.	1.4E+04	.	1.4E+04	1.9E-13
Krypton (36)	Kr-77	0.00E+00	0.00E+00	0.00E+00	2.52E-10	0.00E+00	.	.	5.7E+03	.	5.7E+03	6.4E-15
Krypton (36)	Kr-79	0.00E+00	0.00E+00	0.00E+00	6.09E-11	0.00E+00	.	.	2.4E+04	.	2.4E+04	7.7E-13
Krypton (36)	Kr-81	0.00E+00	0.00E+00	0.00E+00	2.07E-13	0.00E+00	.	.	6.9E+06	.	6.9E+06	1.3E-02
Krypton (36)	Kr-81m	0.00E+00	0.00E+00	0.00E+00	3.03E-11	0.00E+00	.	.	4.7E+04	.	4.7E+04	1.7E-16
Krypton (36)	Kr-83m	0.00E+00	0.00E+00	0.00E+00	5.11E-15	0.00E+00	.	.	2.8E+08	.	2.8E+08	5.0E-10
Krypton (36)	Kr-85	0.00E+00	0.00E+00	0.00E+00	6.41E-13	0.00E+00	.	.	2.2E+06	.	2.2E+06	2.1E-07
Krypton (36)	Kr-85m	0.00E+00	0.00E+00	0.00E+00	3.69E-11	0.00E+00	.	.	3.9E+04	.	3.9E+04	1.8E-13
Krypton (36)	Kr-87	0.00E+00	0.00E+00	0.00E+00	2.16E-10	0.00E+00	.	.	6.7E+03	.	6.7E+03	8.7E-15
Krypton (36)	Kr-88	0.00E+00	0.00E+00	0.00E+00	5.40E-10	0.00E+00	.	.	2.7E+03	.	2.7E+03	7.9E-15
Krypton (36)	Kr-89	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	.	.	2.7E+03	.	2.7E+03	1.5E-16
Lanthanum (57)	La-128	0.00E+00	0.00E+00	0.00E+00	7.13E-10	1.74E-05	.	.	2.0E+03	.	2.0E+03	2.6E-16
Lanthanum (57)	La-129	1.47E-12	6.4E-13 (S)	2.05E-12	2.23E-10	1.74E-05	3.6E+01	.	6.4E+03	2.3E+02	3.1E+01	9.0E-18
Lanthanum (57)	La-130	0.00E+00	0.00E+00	0.00E+00	5.65E-10	1.74E-05	.	.	2.5E+03	.	2.5E+03	5.7E-16
Lanthanum (57)	La-131	2.43E-12	1.6E-12 (S)	3.43E-12	1.57E-10	1.74E-05	2.2E+01	.	9.1E+03	1.4E+02	1.9E+01	2.8E-17
Lanthanum (57)	La-132	5.14E-11	1.9E-11 (S)	7.43E-11	5.14E-10	1.74E-05	1.0E+00	.	2.8E+03	6.3E+00	8.7E-01	6.6E-18
Lanthanum (57)	La-132m	4.06E-12	1.7E-12 (S)	5.84E-12	1.62E-10	1.74E-05	1.3E+01	.	8.9E+03	8.0E+01	1.1E+01	7.0E-18
Lanthanum (57)	La-133	3.77E-12	1.6E-12 (S)	5.45E-12	3.47E-11	1.74E-05	1.4E+01	.	4.1E+04	8.5E+01	1.2E+01	7.3E-17
Lanthanum (57)	La-134	0.00E+00	0.00E+00	0.00E+00	1.76E-10	1.74E-05	.	.	8.1E+03	.	8.1E+03	1.4E-15
Lanthanum (57)	La-135	3.94E-12	1.4E-12 (S)	5.70E-12	4.07E-12	1.74E-05	1.3E+01	.	3.5E+05	8.2E+01	1.1E+01	3.6E-16
Lanthanum (57)	La-136	0.00E+00	0.00E+00	0.00E+00	9.72E-11	1.74E-05	.	.	1.5E+04	.	1.5E+04	3.9E-15
Lanthanum (57)	La-137	9.52E-12	3.8E-10 (F)	1.37E-11	1.51E-12	1.74E-05	5.5E+00	.	9.5E+05	9.6E+00	3.5E+00	3.0E-09
Lanthanum (57)	La-138	9.58E-11	8.2E-09 (F)	1.34E-10	3.22E-10	1.74E-05	5.5E-01	.	4.5E+03	9.8E-01	3.5E-01	5.1E-04
Lanthanum (57)	La-140	2.95E-10	1.4E-10 (S)	4.29E-10	6.12E-10	1.74E-05	1.8E-01	.	2.3E+03	1.1E+00	1.5E-01	1.0E-17
Lanthanum (57)	La-141	5.26E-11	2.2E-11 (S)	7.68E-11	8.27E-12	1.74E-05	9.9E-01	.	1.7E+05	6.1E+00	8.5E-01	5.6E-18
Lanthanum (57)	La-142	1.50E-11	6.7E-12 (S)	2.14E-11	6.56E-10	1.74E-05	3.5E+00	.	2.2E+03	2.2E+01	3.0E+00	7.7E-18
Lanthanum (57)	La-143	3.42E-12	1.6E-12 (S)	4.84E-12	7.23E-11	1.74E-05	1.5E+01	.	2.0E+04	9.6E+01	1.3E+01	5.3E-18
Lutetium (71)	Lu-165	1.20E-12	7.5E-13 (S)	1.67E-12	2.75E-10	2.00E-03	4.4E+01	.	5.2E+03	2.8E+02	3.7E+01	1.3E-17
Lutetium (71)	Lu-167	3.63E-12	2.5E-12 (S)	5.09E-12	4.39E-10	2.00E-03	1.4E+01	.	3.3E+03	9.1E+01	1.2E+01	2.1E-17
Lutetium (71)	Lu-169	5.72E-11	4.0E-11 (S)	8.13E-11	3.35E-10	2.00E-03	9.1E-01	.	4.3E+03	5.7E+00	7.9E-01	5.4E-17
Lutetium (71)	Lu-169m	0.00E+00	0.00E+00	0.00E+00	9.09E-17	2.00E-03	.	.	1.6E+10	.	1.6E+10	1.4E-09
Lutetium (71)	Lu-170	9.72E-11	5.5E-11 (S)	1.38E-10	6.94E-10	2.00E-03	5.4E-01	.	2.1E+03	3.4E+00	4.6E-01	4.5E-17
Lutetium (71)	Lu-171	9.25E-11	1.1E-10 (S)	1.34E-10	1.54E-10	2.00E-03	5.6E-01	.	9.3E+03	3.5E+00	4.9E-01	1.9E-16
Lutetium (71)	Lu-171m	0.00E+00	0.00E+00	0.00E+00	5.27E-14	2.00E-03	.	.	2.7E+07	.	2.7E+07	1.2E-12
Lutetium (71)	Lu-172	1.52E-10	1.6E-10 (S)	2.17E-10	4.95E-10	2.00E-03	3.4E-01	.	2.9E+03	2.1E+00	3.0E-01	9.7E-17
Lutetium (71)	Lu-172m	0.00E+00	0.00E+00	0.00E+00	1.88E-16	2.00E-03	.	.	7.6E+09	.	7.6E+09	9.6E-10
Lutetium (71)	Lu-173	5.22E-11	3.4E-10 (S)	7.57E-11	3.50E-11	2.00E-03	1.0E+00	.	4.1E+04	5.2E+00	8.4E-01	2.1E-14
Lutetium (71)	Lu-174	4.23E-11	4.1E-10 (S)	6.14E-11	2.44E-11	2.00E-03	1.2E+00	.	5.9E+04	5.2E+00	1.0E+00	6.0E-14
Lutetium (71)	Lu-174m	9.39E-11	4.2E-10 (S)	1.38E-10	9.53E-12	2.00E-03	5.6E-01	.	1.5E+05	3.2E+00	4.7E-01	3.3E-15
Lutetium (71)	Lu-176	2.55E-10	4.8E-09 (F)	3.70E-10	1.13E-10	2.00E-03	2.0E-01	.	1.3E+04	3.5E-01	1.3E-01	9.1E-05
Lutetium (71)	Lu-176m	2.27E-11	1.2E-11 (S)	3.32E-11	2.79E-12	2.00E-03	2.3E+00	.	5.1E+05	1.4E+01	2.0E+00	1.5E-17
Lutetium (71)	Lu-177	9.53E-11	1.3E-10 (S)	1.40E-10	7.92E-12	2.00E-03	5.5E-01	.	1.8E+05	3.3E+00	4.7E-01	1.6E-16
Lutetium (71)	Lu-177m	2.51E-10	1.5E-09 (S)	3.65E-10	2.31E-10	2.00E-03	2.1E-01	.	6.2E+03	1.2E+00	1.8E-01	1.4E-15
Lutetium (71)	Lu-178	2.27E-12	1.4E-12 (S)	3.17E-12	3.31E-11	2.00E-03	2.3E+01	.	4.3E+04	1.5E+02	2.0E+01	2.0E-17
Lutetium (71)	Lu-178m	1.69E-12	1.5E-12 (S)	2.34E-12	2.47E-10	2.00E-03	3.1E+01	.	5.8E+03	2.0E+02	2.7E+01	2.2E-17
Lutetium (71)	Lu-179	3.19E-11	1.4E-11 (S)	4.66E-11	7.35E-12	2.00E-03	1.6E+00	.	2.0E+05	1.0E+01	1.4E+00	1.4E-17
Lutetium (71)	Lu-180	0.00E+00	0.00E+00	0.00E+00	3.91E-10	2.00E-03	.	.	3.7E+03	.	3.7E+03	7.4E-16
Lutetium (71)	Lu-181	0.00E+00	0.00E+00	0.00E+00	1.39E-10	2.00E-03	.	.	1.0E+04	.	1.0E+04	1.3E-15
Magnesium (12)	Mg-27	0.00E+00	0.00E+00	0.00E+00	2.27E-10	3.00E-02	.	.	6.3E+03	.	6.3E+03	3.2E-16
Magnesium (12)	Mg-28	3.06E-10	1.5E-10 (S)	4.45E-10	3.53E-10	3.00E-02	1.7E-01	.	4.1E+03	1.0E+00	1.5E-01	1.0E-18
Manganese (25)	Mn-50m	0.00E+00	0.00E+00	0.00E+00	1.20E-09	2.44E-01	.	.	1.2E+03	.	1.2E+03	2.1E-17
Manganese (25)	Mn-51	5.66E-12	2.7E-12 (S)	7.96E-12	2.45E-10	2.44E-01	9.2E+00	.	5.9E+03	5.8E+01	8.0E+00	3.7E-18
Manganese (25)	Mn-52	1.75E-10	1.3E-10 (S)	2.45E-10	8.93E-10	2.44E-01	3.0E-01	.	1.6E+03	1.9E+00	2.6E-01	2.1E-17
Manganese (25)	Mn-52m	3.42E-12	1.4E-12 (S)	4.73E-12	6.22E-10	2.44E-01	1.5E+01	.	2.3E+03	9.8E+01	1.3E+01	2.8E-18
Manganese (25)	Mn-53	4.17E-12	2.6E-11 (S)	6.01E-12	0.00E+00	2.44E-01	1.3E+01	.	.	1.3E+01	6.4E+00	1.3E-07
Manganese (25)	Mn-54	6.15E-11	3.3E-10 (S)	8.39E-11	2.11E-10	2.44E-01	8.5E-01	.	6.8E+03	4.5E+00	7.1E-01	3.4E-15
Manganese (25)	Mn-56	2.78E-11	1.2E-11 (S)	4.01E-11	4.51E-10	2.44E-01	1.9E+00	.	3.2E+03	1.2E+01	1.6E+00	2.8E-18
Manganese (25)	Mn-57	0.00E+00	0.00E+00	0.00E+00	2.52E-11	2.44E-01	.	.	5.7E+04	.	5.7E+04	9.1E-16
Manganese (25)	Mn-58m	0.00E+00	0.00E+00	0.00E+00	6.28E-10	2.44E-01	.	.	2.3E+03	.	2.3E+03	2.8E-17
Molybdenum (42)	Mo-101	1.82E-12	1.2E-12 (S)	2.50E-12	3.85E-10	6.96E-01	2.9E+01	.	3.7E+03	1.9E+02	2.5E+01	7.2E-18
Molybdenum (42)	Mo-102	2.81E-12	1.2E-12 (S)	3.86E-12	4.51E-12	6.96E-01	1.9E+01	.	3.2E+05	1.2E+02	1.6E+01	3.7E-18
Molybdenum (42)	Mo-89	0.00E+00	0.00E+00	0.00E+00	3.06E-10	6.96E-01	.	.	4.7E+03	.	4.7E+03	1.7E-16
Molybdenum (42)	Mo-90	1.75E-11	3.7E-11 (S)	2.33E-11	2.01E-10	6.96E-01	3.0E+00	.	7.1E+03	2.0E+01	2.6E+00	1.5E-17
Molybdenum (42)	Mo-91	2.55E-12	1.1E-12 (S)	3.50E-12	2.42E-10	6.96E-01	2.0E+01	.	5.9E+03	1.3E+02	1.8E+01	4.9E-18
Molybdenum (42)	Mo-91m	0.00E+00	0.00E+00	0.00E+00	3.53E-10	6.96E-01	.	.	4.1E+03	.	4.1E+03	7.8E-17
Molybdenum (42)	Mo-93	8.44E-11	1.5E-10 (S)	1.05E-10	7.92E-14	6.96E-01	6.2E-01	.	1.8E+07	4.3E-01	2.5E-01	9.8E-12
Molybdenum (42)	Mo-93m	9.01E-12	1.3E-11 (S)	1.20E-11	6.03E-10	6.96E-01	5.8E+00	.	2.4E+03	3.9E+01	5.0E+00	3.8E-17
Molybdenum (42)	Mo-99	4.32E-11	1.3E-10 (S)	5.70E-11	3.69E-11	6.96E-01	1.2E+00	.	3.9E+04	8.1E+00	1.1E+00	8.1E-17
Nitrogen (7)	N-13	0.00E+00	0.00E+00	0.00E+00	2.50E-10	7.50E+00	.	.	5.7E+03	.	5.7E+03	1.5E-16
Nitrogen (7)	N-16	0.00E+00	0.00E+00	0.00E+00	1.45E-09	7.50E+00	.	.	9.9E+02	.	9.9E+02	3.7E-19

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Sodium (11)	Na-22	2.60E-10	2.6E-09 (S)	3.41E-10	5.62E-10	8.70E-03	2.0E-01	.	2.6E+03	1.0E+00	1.7E-01	9.9E-16
Sodium (11)	Na-24	3.32E-11	3.3E-11 (S)	4.44E-11	1.16E-09	8.70E-03	1.6E+00	.	1.2E+03	1.0E+01	1.4E+00	5.8E-18
Niobium (41)	Nb-87	0.00E+00	0.00E+00	0.00E+00	2.98E-10	1.22E-02	.	.	4.8E+03	.	4.8E+03	3.1E-16
Niobium (41)	Nb-88	3.46E-12	1.4E-12 (S)	4.75E-12	1.07E-09	1.22E-02	1.5E+01	.	1.3E+03	9.8E+01	1.3E+01	3.3E-18
Niobium (41)	Nb-88m	0.00E+00	0.00E+00	0.00E+00	1.05E-09	1.22E-02	.	.	1.4E+03	.	1.4E+03	1.9E-16
Niobium (41)	Nb-89	2.75E-11	1.1E-11 (S)	3.97E-11	3.57E-10	1.22E-02	1.9E+00	.	4.0E+03	1.2E+01	1.6E+00	3.5E-18
Niobium (41)	Nb-89m	1.06E-11	4.9E-12 (S)	1.50E-11	3.22E-10	1.22E-02	4.9E+00	.	4.5E+03	3.1E+01	4.2E+00	4.9E-18
Niobium (41)	Nb-90	1.54E-10	6.5E-11 (S)	2.21E-10	1.14E-09	1.22E-02	3.4E-01	.	1.3E+03	2.1E+00	2.9E-01	4.5E-18
Niobium (41)	Nb-91	7.23E-12	1.4E-10 (S)	1.06E-11	4.54E-13	1.22E-02	7.2E+00	.	3.2E+06	1.2E+01	4.5E+00	2.9E-11
Niobium (41)	Nb-91m	7.26E-11	3.9E-10 (S)	1.06E-10	6.56E-12	1.22E-02	7.2E-01	.	2.2E+05	4.3E+00	6.2E-01	9.7E-16
Niobium (41)	Nb-92	8.97E-11	2.0E-09 (S)	1.24E-10	3.76E-10	1.22E-02	5.8E-01	.	3.8E+03	1.0E+00	3.7E-01	1.2E-07
Niobium (41)	Nb-92m	4.57E-11	3.9E-11 (S)	6.41E-11	2.45E-10	1.22E-02	1.1E+00	.	5.9E+03	7.2E+00	9.9E-01	2.6E-16
Niobium (41)	Nb-93m	2.25E-11	1.6E-10 (S)	3.29E-11	1.42E-14	1.22E-02	2.3E+00	.	1.0E+08	5.5E+00	1.6E+00	2.5E-13
Niobium (41)	Nb-94	2.10E-10	3.6E-09 (S)	3.00E-10	3.91E-10	1.22E-02	2.5E-01	.	3.7E+03	4.2E-01	1.6E-01	3.1E-11
Niobium (41)	Nb-94m	0.00E+00	0.00E+00	0.00E+00	1.17E-12	1.22E-02	.	.	1.2E+06	.	1.2E+06	1.4E-13
Niobium (41)	Nb-95	6.63E-11	1.7E-10 (S)	9.46E-11	1.92E-10	1.22E-02	7.9E-01	.	7.5E+03	4.8E+00	6.8E-01	6.4E-16
Niobium (41)	Nb-95m	1.06E-10	1.0E-10 (S)	1.56E-10	1.51E-11	1.22E-02	4.9E-01	.	9.5E+04	3.0E+00	4.2E-01	4.1E-17
Niobium (41)	Nb-96	1.36E-10	6.6E-11 (S)	1.96E-10	6.25E-10	1.22E-02	3.8E-01	.	2.3E+03	2.4E+00	3.3E-01	8.8E-18
Niobium (41)	Nb-97	5.30E-12	3.1E-12 (S)	7.55E-12	1.66E-10	1.22E-02	9.9E+00	.	8.7E+03	6.2E+01	8.5E+00	1.2E-17
Niobium (41)	Nb-98m	7.17E-12	3.4E-12 (S)	1.01E-11	7.26E-10	1.22E-02	7.3E+00	.	2.0E+03	4.6E+01	6.3E+00	6.2E-18
Niobium (41)	Nb-99	0.00E+00	0.00E+00	0.00E+00	4.01E-11	1.22E-02	.	.	3.6E+04	.	3.6E+04	1.7E-16
Niobium (41)	Nb-99m	0.00E+00	0.00E+00	0.00E+00	2.09E-10	1.22E-02	.	.	6.9E+03	.	6.9E+03	3.5E-16
Neodymium (60)	Nd-134	0.00E+00	0.00E+00	0.00E+00	1.27E-10	2.00E-03	.	.	1.1E+04	.	1.1E+04	2.5E-15
Neodymium (60)	Nd-135	3.00E-12	1.4E-12 (S)	4.16E-12	3.06E-10	2.00E-03	1.7E+01	.	4.7E+03	1.1E+02	1.5E+01	5.0E-18
Neodymium (60)	Nd-136	7.32E-12	3.6E-12 (S)	1.03E-11	6.03E-11	2.00E-03	7.1E+00	.	2.4E+04	4.5E+01	6.2E+00	8.4E-18
Neodymium (60)	Nd-137	4.05E-12	1.9E-12 (S)	5.73E-12	2.93E-10	2.00E-03	1.3E+01	.	4.9E+03	8.1E+01	1.1E+01	1.2E-17
Neodymium (60)	Nd-138	9.26E-11	3.4E-11 (S)	1.35E-10	5.74E-12	2.00E-03	5.6E-01	.	2.5E+05	3.4E+00	4.8E-01	4.0E-18
Neodymium (60)	Nd-139	1.40E-12	6.7E-13 (S)	1.98E-12	1.06E-10	2.00E-03	3.7E+01	.	1.3E+04	2.3E+02	3.2E+01	2.6E-17
Neodymium (60)	Nd-139m	2.72E-11	1.3E-11 (S)	3.89E-11	3.94E-10	2.00E-03	1.9E+00	.	3.6E+03	1.2E+01	1.7E+00	1.5E-17
Neodymium (60)	Nd-140	3.36E-10	1.6E-10 (S)	4.91E-10	2.23E-12	2.00E-03	1.6E-01	.	6.4E+05	9.5E-01	1.3E-01	1.8E-17
Neodymium (60)	Nd-141	8.49E-13	3.7E-13 (S)	1.22E-12	1.43E-11	2.00E-03	6.2E+01	.	1.0E+05	3.8E+02	5.3E+01	2.2E-16
Neodymium (60)	Nd-141m	0.00E+00	0.0E+00 (0)	0.00E+00	1.74E-10	2.00E-03	.	.	8.3E+03	.	8.3E+03	2.4E-16
Neodymium (60)	Nd-144	8.29E-10	2.8E-07 (F)	1.06E-09	0.00E+00	2.00E-03	6.3E-02	.	.	1.2E-01	4.2E-02	1.4E+00
Neodymium (60)	Nd-147	1.89E-10	2.5E-10 (S)	2.76E-10	3.07E-11	2.00E-03	2.8E-01	.	4.7E+04	1.7E+00	2.4E-01	1.1E-16
Neodymium (60)	Nd-149	1.47E-11	8.6E-12 (S)	2.13E-11	8.77E-11	2.00E-03	3.6E+00	.	1.6E+04	2.2E+01	3.1E+00	9.3E-18
Neodymium (60)	Nd-151	1.93E-12	1.0E-12 (S)	2.73E-12	2.14E-10	2.00E-03	2.7E+01	.	6.7E+03	1.7E+02	2.3E+01	8.6E-18
Neodymium (60)	Nd-152	2.07E-12	1.1E-12 (S)	2.85E-12	3.91E-11	2.00E-03	2.5E+01	.	3.7E+04	1.6E+02	2.2E+01	7.5E-18
Neon (10)	Ne-19	0.00E+00	0.00E+00	0.00E+00	2.51E-10	0.00E+00	.	.	5.7E+03	.	5.7E+03	6.1E-18
Neon (10)	Ne-24	0.00E+00	0.00E+00	0.00E+00	1.33E-10	0.00E+00	.	.	1.1E+04	.	1.1E+04	1.7E-16
Nickel (28)	Ni-56	7.66E-11	1.1E-10 (V)	1.07E-10	4.32E-10	2.35E-02	6.8E-01	.	3.3E+03	4.3E+00	5.9E-01	5.7E-17
Nickel (28)	Ni-57	1.10E-10	5.5E-11 (S)	1.58E-10	5.08E-10	2.35E-02	4.8E-01	.	2.8E+03	2.9E+00	4.1E-01	9.8E-18
Nickel (28)	Ni-59	7.34E-12	6.5E-11 (V)	1.04E-11	3.79E-15	2.35E-02	7.1E+00	.	3.8E+08	1.2E+01	4.4E+00	2.7E-09
Nickel (28)	Ni-63	1.84E-11	1.6E-10 (V)	2.62E-11	0.00E+00	2.35E-02	2.8E+00	.	.	5.0E+00	1.8E+00	1.2E-12
Nickel (28)	Ni-65	1.87E-11	1.9E-11 (V)	2.71E-11	1.48E-10	2.35E-02	2.8E+00	.	9.7E+03	1.7E+01	2.4E+00	4.7E-18
Nickel (28)	Ni-66	5.44E-10	2.7E-10 (S)	7.98E-10	7.10E-15	2.35E-02	9.6E-02	.	2.0E+08	5.8E-01	8.2E-02	3.5E-18
Neptunium (93)	Np-232	5.36E-13	1.4E-12 (S)	7.33E-13	2.94E-10	2.52E-03	9.7E+01	.	4.9E+03	6.3E+02	8.3E+01	5.6E-17
Neptunium (93)	Np-233	1.40E-13	8.4E-14 (S)	1.95E-13	1.84E-11	2.52E-03	3.7E+02	.	7.8E+04	2.4E+03	3.2E+02	5.3E-16
Neptunium (93)	Np-234	7.45E-11	4.4E-11 (S)	1.06E-10	2.89E-10	2.52E-03	7.0E-01	.	5.0E+03	4.4E+00	6.0E-01	1.8E-16
Neptunium (93)	Np-235	1.01E-11	5.5E-11 (S)	1.48E-11	1.49E-13	2.52E-03	5.2E+00	.	9.7E+06	2.7E+01	4.3E+00	1.1E-13
Neptunium (93)	Np-235+D	1.01E-11	5.5E-11 (S)	1.48E-11	1.49E-13	2.52E-03	5.2E+00	.	9.7E+06	2.7E+01	4.3E+00	1.1E-13
Neptunium (93)	Np-236	3.60E-10	9.1E-08 (F)	4.93E-10	3.02E-11	2.52E-03	1.5E-01	.	4.8E+04	2.6E-01	9.4E-02	3.5E-10
Neptunium (93)	Np-236m	3.05E-11	3.5E-10 (S)	4.47E-11	1.02E-11	2.52E-03	1.7E+00	.	1.4E+05	1.0E+01	1.5E+00	9.2E-17
Neptunium (93)	Np-237	1.68E-09	7.8E-07 (S)	2.24E-09	4.64E-12	2.52E-03	3.1E-02	.	3.1E+05	5.8E-02	2.0E-02	1.1E-09
Neptunium (93)	Np-237+D	1.85E-09	7.8E-07 (S)	2.48E-09	5.52E-11	2.52E-03	2.8E-02	.	2.6E+04	5.2E-02	1.8E-02	9.7E-10
Neptunium (93)	Np-238	1.41E-10	1.4E-10 (S)	2.06E-10	1.49E-10	2.52E-03	3.7E-01	.	9.6E+03	2.3E+00	3.2E-01	4.6E-17
Neptunium (93)	Np-239	1.41E-10	1.2E-10 (S)	2.06E-10	3.98E-11	2.52E-03	3.7E-01	.	3.6E+04	2.3E+00	3.2E-01	5.1E-17
Neptunium (93)	Np-240	5.21E-12	4.6E-12 (S)	7.36E-12	2.60E-10	2.52E-03	1.0E+01	.	5.5E+03	6.3E+01	8.6E+00	2.5E-17
Neptunium (93)	Np-240m	0.00E+00	0.00E+00	0.00E+00	8.02E-11	2.52E-03	.	.	1.8E+04	.	1.8E+04	6.1E-15
Neptunium (93)	Np-241	6.63E-13	5.2E-13 (S)	9.15E-13	8.46E-12	2.52E-03	7.9E+01	.	1.7E+05	5.1E+02	6.8E+01	4.5E-17
Neptunium (93)	Np-242	0.00E+00	0.00E+00	0.00E+00	7.07E-11	2.52E-03	.	.	2.0E+04	.	2.0E+04	2.1E-15
Neptunium (93)	Np-242m	0.00E+00	0.00E+00	0.00E+00	2.27E-10	2.52E-03	.	.	6.3E+03	.	6.3E+03	1.7E-15
Oxygen (8)	O-14	0.00E+00	0.00E+00	0.00E+00	8.99E-10	6.00E-01	.	.	1.6E+03	.	1.6E+03	5.2E-18
Oxygen (8)	O-15	0.00E+00	0.00E+00	0.00E+00	2.50E-10	6.00E-01	.	.	5.7E+03	.	5.7E+03	3.5E-17
Oxygen (8)	O-19	0.00E+00	0.00E+00	0.00E+00	2.47E-10	6.00E-01	.	.	5.8E+03	.	5.8E+03	9.6E-18
Osmium (76)	Os-180	1.03E-12	7.2E-13 (S)	1.42E-12	2.55E-11	3.00E-02	5.1E+01	.	5.6E+04	3.3E+02	4.4E+01	3.4E-17
Osmium (76)	Os-181	9.69E-12	5.1E-12 (S)	1.38E-11	3.47E-10	3.00E-02	5.4E+00	.	4.1E+03	3.4E+01	4.6E+00	1.7E-17
Osmium (76)	Os-182	7.24E-11	4.1E-11 (S)	1.04E-10	9.97E-11	3.00E-02	7.2E-01	.	1.4E+04	4.5E+00	6.2E-01	3.0E-17
Osmium (76)	Os-183	2.81E-11	1.8E-11 (S)	4.04E-11	1.46E-10	3.00E-02	1.9E+00	.	9.8E+03	1.2E+01	1.6E+00	4.5E-17
Osmium (76)	Os-183m	2.23E-11	1.2E-11 (S)	3.17E-11	2.55E-10	3.00E-02	2.3E+00	.	5.6E+03	1.5E+01	2.0E+00	4.3E-17
Osmium (76)	Os-185	5.02E-11	1.6E-10 (S)	7.08E-11	1.68E-10	3.00E-02	1.0E+00	.	8.5E+03	6.3E+00	8.9E-01	4.4E-15

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Osmium (76)	Os-186	2.12E-09	3.2E-07 (S)	2.83E-09	0.00E+00	3.00E-02	2.5E-02	.	.	4.3E-02	1.6E-02	6.0E-01
Osmium (76)	Os-189m	2.67E-12	8.9E-13 (S)	3.91E-12	3.98E-16	3.00E-02	2.0E+01	.	3.6E+09	1.2E+02	1.7E+01	2.2E-16
Osmium (76)	Os-190m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	3.00E-02	.	.	3.7E+03	.	3.7E+03	1.4E-15
Osmium (76)	Os-191	1.00E-10	2.0E-10 (S)	1.47E-10	1.60E-11	3.00E-02	5.2E-01	.	9.0E+04	3.1E+00	4.5E-01	3.7E-16
Osmium (76)	Os-191m	1.70E-11	1.8E-11 (S)	2.49E-11	9.78E-13	3.00E-02	3.1E+00	.	1.5E+06	1.9E+01	2.6E+00	7.8E-17
Osmium (76)	Os-193	1.46E-10	7.5E-11 (S)	2.14E-10	1.55E-11	3.00E-02	3.6E-01	.	9.2E+04	2.2E+00	3.1E-01	2.1E-17
Osmium (76)	Os-194	4.22E-10	6.9E-09 (S)	6.15E-10	2.63E-13	3.00E-02	1.2E-01	.	5.5E+06	4.1E-01	9.5E-02	1.1E-14
Osmium (76)	Os-194+D	6.55E-10	7.0E-09 (S)	9.57E-10	2.36E-11	3.00E-02	8.0E-02	.	6.1E+04	2.6E-01	6.1E-02	7.4E-15
Osmium (76)	Os-196	5.86E-12	3.4E-12 (S)	8.22E-12	1.88E-11	3.00E-02	8.9E+00	.	7.6E+04	5.7E+01	7.7E+00	1.0E-17
Phosphorus (15)	P-30	0.00E+00	0.00E+00	0.00E+00	2.52E-10	1.74E-01	.	.	5.7E+03	.	5.7E+03	8.4E-17
Phosphorus (15)	P-32	2.42E-10	3.8E-10 (S)	3.32E-10	5.65E-13	1.74E-01	2.2E-01	.	2.5E+06	1.4E+00	1.9E-01	2.4E-17
Phosphorus (15)	P-33	2.64E-11	1.7E-10 (S)	3.67E-11	7.54E-15	1.74E-01	2.0E+00	.	1.9E+08	1.2E+01	1.7E+00	4.1E-16
Protactinium (91)	Pa-227	2.62E-11	5.7E-09 (S)	3.69E-11	3.88E-12	1.00E-02	2.0E+00	.	3.7E+05	1.3E+01	1.7E+00	3.0E-18
Protactinium (91)	Pa-228	9.58E-11	6.5E-09 (S)	1.38E-10	3.44E-10	1.00E-02	5.5E-01	.	4.2E+03	3.4E+00	4.7E-01	2.8E-17
Protactinium (91)	Pa-229	1.24E-11	6.6E-10 (S)	1.80E-11	1.27E-11	1.00E-02	4.2E+00	.	1.1E+05	2.6E+01	3.6E+00	3.5E-16
Protactinium (91)	Pa-230	1.00E-10	6.2E-08 (S)	1.44E-10	1.65E-10	1.00E-02	5.2E-01	.	8.7E+03	3.2E+00	4.5E-01	5.1E-16
Protactinium (91)	Pa-231	4.66E-09	2.1E-06 (F)	6.10E-09	7.92E-12	1.00E-02	1.1E-02	.	1.8E+05	2.1E-02	7.3E-03	5.7E-12
Protactinium (91)	Pa-232	9.38E-11	1.9E-10 (S)	1.36E-10	2.34E-10	1.00E-02	5.6E-01	.	6.1E+03	3.4E+00	4.8E-01	4.1E-17
Protactinium (91)	Pa-233	1.66E-10	4.1E-10 (S)	2.42E-10	5.05E-11	1.00E-02	3.1E-01	.	2.8E+04	1.9E+00	2.7E-01	4.8E-16
Protactinium (91)	Pa-234	5.60E-11	3.2E-11 (S)	8.11E-11	3.66E-10	1.00E-02	9.3E-01	.	3.9E+03	5.7E+00	8.0E-01	1.5E-17
Protactinium (91)	Pa-234m	0.00E+00	0.00E+00	0.00E+00	4.92E-12	1.00E-02	.	.	2.9E+05	.	2.9E+05	1.6E-14
Protactinium (91)	Pa-235	1.24E-12	8.6E-13 (S)	1.73E-12	3.03E-13	1.00E-02	4.2E+01	.	4.7E+06	2.7E+02	3.6E+01	4.1E-17
Protactinium (91)	Pa-236	0.00E+00	0.00E+00	0.00E+00	2.39E-10	1.00E-02	.	.	6.0E+03	.	6.0E+03	2.5E-15
Protactinium (91)	Pa-237	0.00E+00	0.00E+00	0.00E+00	1.53E-10	1.00E-02	.	.	9.4E+03	.	9.4E+03	3.8E-15
Lead (82)	Pb-194	1.07E-12	6.1E-13 (S)	1.47E-12	2.72E-10	9.57E-03	4.9E+01	.	5.3E+03	3.2E+02	4.2E+01	1.9E-17
Lead (82)	Pb-195m	1.43E-12	1.1E-12 (S)	1.96E-12	4.07E-10	9.57E-03	3.7E+01	.	3.5E+03	2.4E+02	3.1E+01	1.8E-17
Lead (82)	Pb-196	1.90E-12	1.3E-12 (S)	2.63E-12	1.15E-10	9.57E-03	2.8E+01	.	1.2E+04	1.8E+02	2.4E+01	3.4E-17
Lead (82)	Pb-197	0.00E+00	0.00E+00	0.00E+00	3.94E-10	9.57E-03	.	.	3.6E+03	.	3.6E+03	1.1E-15
Lead (82)	Pb-197m	2.99E-12	2.7E-12 (S)	4.15E-12	2.87E-10	9.57E-03	1.7E+01	.	5.0E+03	1.1E+02	1.5E+01	2.5E-17
Lead (82)	Pb-198	7.04E-12	4.2E-12 (S)	9.81E-12	1.02E-10	9.57E-03	7.4E+00	.	1.4E+04	4.7E+01	6.4E+00	3.6E-17
Lead (82)	Pb-199	3.22E-12	1.9E-12 (S)	4.50E-12	2.64E-10	9.57E-03	1.6E+01	.	5.4E+03	1.0E+02	1.4E+01	4.9E-17
Lead (82)	Pb-200	4.29E-11	3.5E-11 (S)	6.10E-11	4.45E-11	9.57E-03	1.2E+00	.	3.2E+04	7.6E+00	1.1E+00	5.3E-17
Lead (82)	Pb-201	1.62E-11	1.1E-11 (S)	2.29E-11	1.84E-10	9.57E-03	3.2E+00	.	7.8E+03	2.0E+01	2.8E+00	6.2E-17
Lead (82)	Pb-201m	0.00E+00	0.00E+00	0.00E+00	8.90E-11	9.57E-03	.	.	1.6E+04	.	1.6E+04	6.5E-16
Lead (82)	Pb-202	9.12E-10	3.7E-09 (S)	1.22E-09	1.91E-15	9.57E-03	5.7E-02	.	7.5E+08	1.0E-01	3.7E-02	4.1E-11
Lead (82)	Pb-202+D	9.52E-10	3.8E-09 (S)	1.27E-09	1.09E-10	9.57E-03	5.5E-02	.	1.3E+04	1.0E-01	3.5E-02	3.9E-11
Lead (82)	Pb-202m	1.29E-11	7.2E-12 (S)	1.81E-11	4.99E-10	9.57E-03	4.1E+00	.	2.9E+03	2.6E+01	3.5E+00	3.0E-17
Lead (82)	Pb-203	2.81E-11	2.3E-11 (S)	4.01E-11	7.13E-11	9.57E-03	1.9E+00	.	2.0E+04	1.2E+01	1.6E+00	2.0E-16
Lead (82)	Pb-204m	3.44E-12	1.5E-12 (S)	4.76E-12	5.21E-10	9.57E-03	1.5E+01	.	2.8E+03	9.8E+01	1.3E+01	3.5E-17
Lead (82)	Pb-205	1.67E-11	6.2E-11 (S)	2.17E-11	1.93E-15	9.57E-03	3.1E+00	.	7.4E+08	5.9E+00	2.0E+00	6.6E-07
Lead (82)	Pb-209	6.51E-12	5.6E-12 (S)	9.42E-12	6.28E-14	9.57E-03	8.0E+00	.	2.3E+07	4.9E+01	6.9E+00	5.6E-17
Lead (82)	Pb-210	2.39E-08	4.3E-07 (S)	3.18E-08	2.46E-13	9.57E-03	2.2E-03	.	5.8E+06	5.3E-03	1.5E-03	7.5E-16
Lead (82)	Pb-211	1.11E-11	1.1E-09 (S)	1.57E-11	1.63E-11	9.57E-03	4.7E+00	.	8.8E+04	3.0E+01	4.1E+00	6.1E-18
Lead (82)	Pb-212	6.80E-10	1.7E-08 (S)	9.64E-10	3.31E-11	9.57E-03	7.7E-02	.	4.3E+04	4.8E-01	6.6E-02	1.8E-18
Lead (82)	Pb-214	9.31E-12	1.1E-09 (S)	1.31E-11	6.03E-11	9.57E-03	5.6E+00	.	2.4E+04	3.6E+01	4.8E+00	5.5E-18
Palladium (46)	Pd-100	1.03E-10	7.8E-11 (S)	1.47E-10	1.96E-11	1.00E-01	5.1E-01	.	7.3E+04	3.2E+00	4.4E-01	4.5E-17
Palladium (46)	Pd-101	1.11E-11	5.1E-12 (S)	1.59E-11	8.14E-11	1.00E-01	4.7E+00	.	1.8E+04	2.9E+01	4.1E+00	4.1E-17
Palladium (46)	Pd-103	3.37E-11	4.8E-11 (S)	4.94E-11	2.48E-13	1.00E-01	1.6E+00	.	5.8E+06	9.3E+00	1.3E+00	6.6E-16
Palladium (46)	Pd-107	7.00E-12	4.7E-11 (S)	1.03E-11	0.00E+00	1.00E-01	7.5E+00	.	.	1.0E+01	4.3E+00	3.1E-07
Palladium (46)	Pd-109	9.64E-11	5.1E-11 (S)	1.41E-10	1.16E-12	1.00E-01	5.4E-01	.	1.2E+06	3.3E+00	4.7E-01	8.2E-18
Palladium (46)	Pd-109m	0.00E+00	0.00E+00	0.00E+00	2.50E-11	1.00E-01	.	.	5.7E+04	.	5.7E+04	5.8E-15
Palladium (46)	Pd-111	2.68E-12	1.8E-12 (S)	3.76E-12	1.30E-11	1.00E-01	1.9E+01	.	1.1E+05	1.2E+02	1.7E+01	8.6E-18
Palladium (46)	Pd-112	4.65E-10	1.8E-10 (S)	6.82E-10	6.00E-14	1.00E-01	1.1E-01	.	2.4E+07	6.8E-01	9.6E-02	2.7E-18
Palladium (46)	Pd-114	0.00E+00	0.00E+00	0.00E+00	6.44E-12	1.00E-01	.	.	2.2E+05	.	2.2E+05	1.2E-14
Palladium (46)	Pd-96	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.00E-01	.	.	4.0E+03	.	4.0E+03	1.5E-16
Palladium (46)	Pd-97	0.00E+00	0.00E+00	0.00E+00	6.19E-10	1.00E-01	.	.	2.3E+03	.	2.3E+03	1.4E-16
Palladium (46)	Pd-98	3.16E-12	1.5E-12 (S)	4.38E-12	9.69E-11	1.00E-01	1.7E+01	.	1.5E+04	1.1E+02	1.4E+01	4.9E-18
Palladium (46)	Pd-99	2.04E-12	9.4E-13 (S)	2.84E-12	3.22E-10	1.00E-01	2.6E+01	.	4.5E+03	1.6E+02	2.2E+01	9.2E-18
Promethium (61)	Pm-136	0.00E+00	0.00E+00	0.00E+00	6.78E-10	1.22E-02	.	.	2.1E+03	.	2.1E+03	1.0E-16
Promethium (61)	Pm-137m	0.00E+00	0.00E+00	0.00E+00	4.35E-10	1.22E-02	.	.	3.3E+03	.	3.3E+03	2.1E-16
Promethium (61)	Pm-139	0.00E+00	0.00E+00	0.00E+00	2.32E-10	1.22E-02	.	.	6.2E+03	.	6.2E+03	7.0E-16
Promethium (61)	Pm-140	0.00E+00	0.00E+00	0.00E+00	2.63E-10	1.22E-02	.	.	5.5E+03	.	5.5E+03	2.3E-17
Promethium (61)	Pm-140m	0.00E+00	0.00E+00	0.00E+00	7.61E-10	1.22E-02	.	.	1.9E+03	.	1.9E+03	3.1E-16
Promethium (61)	Pm-141	1.74E-12	7.5E-13 (S)	2.42E-12	1.82E-10	1.22E-02	3.0E+01	.	7.9E+03	1.9E+02	2.6E+01	1.5E-17
Promethium (61)	Pm-142	0.00E+00	0.00E+00	0.00E+00	2.12E-10	1.22E-02	.	.	6.8E+03	.	6.8E+03	1.3E-16
Promethium (61)	Pm-143	2.37E-11	2.5E-10 (F)	3.35E-11	7.42E-11	1.22E-02	2.2E+00	.	1.9E+04	1.3E+01	1.9E+00	2.0E-14
Promethium (61)	Pm-144	9.04E-11	1.5E-09 (F)	1.27E-10	3.82E-10	1.22E-02	5.8E-01	.	3.8E+03	3.2E+00	4.9E-01	7.3E-15
Promethium (61)	Pm-145	1.42E-11	3.4E-10 (F)	2.05E-11	2.80E-12	1.22E-02	3.7E+00	.	5.1E+05	8.7E+00	2.6E+00	6.9E-13
Promethium (61)	Pm-146	1.11E-10	2.8E-09 (F)	1.59E-10	1.83E-10	1.22E-02	4.7E-01	.	7.9E+03	1.7E+00	3.7E-01	3.1E-14
Promethium (61)	Pm-147	4.57E-11	4.3E-10 (S)	6.70E-11	5.36E-15	1.22E-02	1.1E+00	.	2.7E+08	5.0E+00	9.3E-01	3.7E-14

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Promethium (61)	Pm-148	4.67E-10	2.9E-10 (S)	6.84E-10	1.50E-10	1.22E-02	1.1E-01	.	9.6E+03	6.8E-01	9.6E-02	2.2E-17
Promethium (61)	Pm-148m	2.16E-10	5.7E-10 (S)	3.10E-10	4.95E-10	1.22E-02	2.4E-01	.	2.9E+03	1.5E+00	2.1E-01	3.6E-16
Promethium (61)	Pm-149	1.79E-10	9.9E-11 (S)	2.63E-10	3.06E-12	1.22E-02	2.9E-01	.	4.7E+05	1.8E+00	2.5E-01	2.3E-17
Promethium (61)	Pm-150	2.94E-11	1.2E-11 (S)	4.25E-11	3.82E-10	1.22E-02	1.8E+00	.	3.8E+03	1.1E+01	1.5E+00	7.3E-18
Promethium (61)	Pm-151	1.21E-10	6.4E-11 (S)	1.77E-10	7.79E-11	1.22E-02	4.3E-01	.	1.8E+04	2.6E+00	3.7E-01	1.9E-17
Promethium (61)	Pm-152	0.00E+00	0.00E+00	0.00E+00	7.51E-11	1.22E-02	.	.	1.9E+04	.	1.9E+04	2.4E-15
Promethium (61)	Pm-152m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	1.22E-02	.	.	3.7E+03	.	3.7E+03	8.3E-16
Promethium (61)	Pm-153	0.00E+00	0.00E+00	0.00E+00	1.62E-11	1.22E-02	.	.	8.8E+04	.	8.8E+04	1.4E-14
Promethium (61)	Pm-154	0.00E+00	0.00E+00	0.00E+00	4.80E-10	1.22E-02	.	.	3.0E+03	.	3.0E+03	1.6E-16
Promethium (61)	Pm-154m	0.00E+00	0.00E+00	0.00E+00	4.67E-10	1.22E-02	.	.	3.1E+03	.	3.1E+03	2.5E-16
Polonium (84)	Po-203	3.67E-12	3.1E-12 (S)	5.11E-12	4.17E-10	2.09E-04	1.4E+01	.	3.4E+03	9.1E+01	1.2E+01	1.8E-17
Polonium (84)	Po-204	2.37E-11	3.9E-11 (S)	3.34E-11	2.84E-10	2.09E-04	2.2E+00	.	5.1E+03	1.4E+01	1.9E+00	1.6E-17
Polonium (84)	Po-205	4.38E-12	2.9E-12 (S)	6.06E-12	4.04E-10	2.09E-04	1.2E+01	.	3.6E+03	7.7E+01	1.0E+01	4.1E-17
Polonium (84)	Po-206	8.70E-10	5.9E-09 (S)	1.14E-09	2.93E-10	2.09E-04	6.0E-02	.	4.9E+03	4.1E-01	5.2E-02	2.7E-17
Polonium (84)	Po-207	1.03E-11	6.7E-12 (S)	1.44E-11	3.22E-10	2.09E-04	5.1E+00	.	4.5E+03	3.2E+01	4.4E+00	6.2E-17
Polonium (84)	Po-208	5.99E-08	6.1E-07 (S)	7.60E-08	5.14E-15	2.09E-04	8.7E-04	.	2.8E+08	4.4E-03	7.3E-04	4.5E-17
Polonium (84)	Po-209	5.95E-08	7.6E-07 (S)	7.54E-08	1.51E-12	2.09E-04	8.8E-04	.	9.5E+05	1.9E-03	6.0E-04	1.3E-15
Polonium (84)	Po-210	4.80E-08	3.9E-07 (S)	6.09E-08	2.45E-15	2.09E-04	1.1E-03	.	5.9E+08	7.3E-03	9.5E-04	7.8E-18
Polonium (84)	Po-211	0.00E+00	0.00E+00	0.00E+00	2.05E-12	2.09E-04	.	.	7.0E+05	.	7.0E+05	2.5E-16
Polonium (84)	Po-212	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.09E-04	.	.	.	.	.	.
Polonium (84)	Po-212m	0.00E+00	0.00E+00	0.00E+00	2.22E-11	2.09E-04	.	.	6.5E+04	.	6.5E+04	2.0E-15
Polonium (84)	Po-213	0.00E+00	0.00E+00	0.00E+00	9.44E-15	2.09E-04	.	.	1.5E+08	.	1.5E+08	4.5E-19
Polonium (84)	Po-214	0.00E+00	0.00E+00	0.00E+00	2.09E-14	2.09E-04	.	.	6.9E+07	.	6.9E+07	7.9E-18
Polonium (84)	Po-215	0.00E+00	0.00E+00	0.00E+00	4.29E-14	2.09E-04	.	.	3.3E+07	.	3.3E+07	4.2E-17
Polonium (84)	Po-216	0.00E+00	0.00E+00	0.00E+00	3.85E-15	2.09E-04	.	.	3.7E+08	.	3.7E+08	3.8E-14
Polonium (84)	Po-218	0.00E+00	0.00E+00	0.00E+00	1.37E-18	2.09E-04	.	.	1.1E+12	.	1.1E+12	1.4E-07
Praseodymium (59)	Pr-134	3.10E-12	1.2E-12 (S)	4.35E-12	7.89E-10	1.74E-02	1.7E+01	.	1.8E+03	1.1E+02	1.4E+01	4.2E-18
Praseodymium (59)	Pr-134m	5.17E-12	2.1E-12 (S)	7.27E-12	5.93E-10	1.74E-02	1.0E+01	.	2.4E+03	6.4E+01	8.7E+00	3.9E-18
Praseodymium (59)	Pr-135	2.50E-12	1.2E-12 (S)	3.49E-12	2.12E-10	1.74E-02	2.1E+01	.	6.8E+03	1.3E+02	1.8E+01	1.2E-17
Praseodymium (59)	Pr-136	1.61E-12	5.9E-13 (S)	2.22E-12	5.46E-10	1.74E-02	3.2E+01	.	2.6E+03	2.1E+02	2.8E+01	9.8E-18
Praseodymium (59)	Pr-137	3.16E-12	1.4E-12 (S)	4.52E-12	8.84E-11	1.74E-02	1.7E+01	.	1.6E+04	1.0E+02	1.4E+01	3.0E-17
Praseodymium (59)	Pr-138	0.00E+00	0.00E+00	0.00E+00	2.01E-10	1.74E-02	.	.	7.2E+03	.	7.2E+03	2.8E-16
Praseodymium (59)	Pr-138m	1.14E-11	4.8E-12 (S)	1.61E-11	6.22E-10	1.74E-02	4.6E+00	.	2.3E+03	2.9E+01	3.9E+00	1.4E-17
Praseodymium (59)	Pr-139	4.05E-12	1.9E-12 (S)	5.86E-12	2.78E-11	1.74E-02	1.3E+01	.	5.2E+04	7.9E+01	1.1E+01	8.1E-17
Praseodymium (59)	Pr-140	0.00E+00	0.00E+00	0.00E+00	1.32E-10	1.74E-02	.	.	1.1E+04	.	1.1E+04	1.0E-15
Praseodymium (59)	Pr-142	2.33E-10	9.1E-11 (S)	3.41E-10	1.65E-11	1.74E-02	2.2E-01	.	8.7E+04	1.4E+00	1.9E-01	6.2E-18
Praseodymium (59)	Pr-142m	2.99E-12	1.2E-12 (S)	4.38E-12	0.00E+00	1.74E-02	1.7E+01	.	.	1.1E+02	1.5E+01	6.1E-18
Praseodymium (59)	Pr-143	2.14E-10	2.6E-10 (S)	3.15E-10	1.44E-13	1.74E-02	2.4E-01	.	1.0E+07	1.5E+00	2.1E-01	1.2E-16
Praseodymium (59)	Pr-144	2.19E-12	9.7E-13 (S)	3.03E-12	9.40E-12	1.74E-02	2.4E+01	.	1.5E+05	1.5E+02	2.1E+01	1.0E-17
Praseodymium (59)	Pr-144m	0.00E+00	0.00E+00	0.00E+00	1.31E-12	1.74E-02	.	.	1.1E+06	.	1.1E+06	2.2E-13
Praseodymium (59)	Pr-145	6.19E-11	2.5E-11 (S)	9.07E-11	5.21E-12	1.74E-02	8.4E-01	.	2.8E+05	5.1E+00	7.2E-01	7.4E-18
Praseodymium (59)	Pr-146	3.73E-12	1.6E-12 (S)	5.18E-12	2.67E-10	1.74E-02	1.4E+01	.	5.4E+03	9.0E+01	1.2E+01	8.4E-18
Praseodymium (59)	Pr-147	1.58E-12	9.6E-13 (S)	2.19E-12	1.17E-10	1.74E-02	3.3E+01	.	1.2E+04	2.1E+02	2.9E+01	1.1E-17
Praseodymium (59)	Pr-148	0.00E+00	0.00E+00	0.00E+00	2.60E-10	1.74E-02	.	.	5.5E+03	.	5.5E+03	3.7E-16
Praseodymium (59)	Pr-148m	0.00E+00	0.00E+00	0.00E+00	2.34E-10	1.74E-02	.	.	6.1E+03	.	6.1E+03	3.6E-16
Platinum (78)	Pt-184	2.55E-12	1.7E-12 (S)	3.62E-12	1.65E-10	1.00E-01	2.0E+01	.	8.7E+03	1.3E+02	1.8E+01	1.1E-17
Platinum (78)	Pt-186	1.17E-11	5.7E-12 (S)	1.67E-11	1.64E-10	1.00E-01	4.5E+00	.	8.7E+03	2.8E+01	3.8E+00	1.8E-17
Platinum (78)	Pt-187	9.48E-12	5.8E-12 (S)	1.36E-11	1.46E-10	1.00E-01	5.5E+00	.	9.8E+03	3.4E+01	4.7E+00	2.5E-17
Platinum (78)	Pt-188	1.09E-10	2.1E-10 (S)	1.57E-10	4.39E-11	1.00E-01	4.8E-01	.	3.3E+04	2.9E+00	4.1E-01	2.2E-16
Platinum (78)	Pt-189	2.63E-11	1.7E-11 (S)	3.80E-11	1.13E-10	1.00E-01	2.0E+00	.	1.3E+04	1.2E+01	1.7E+00	4.2E-17
Platinum (78)	Pt-190	8.14E-10	4.1E-07 (S)	1.14E-09	0.00E+00	1.00E-01	6.4E-02	.	.	9.0E-02	3.7E-02	4.8E-04
Platinum (78)	Pt-191	5.30E-11	4.1E-11 (S)	7.70E-11	6.44E-11	1.00E-01	9.9E-01	.	2.2E+04	6.0E+00	8.5E-01	1.3E-16
Platinum (78)	Pt-193	6.54E-12	5.3E-11 (S)	9.59E-12	1.16E-15	1.00E-01	8.0E+00	.	1.2E+09	1.2E+01	4.9E+00	4.9E-12
Platinum (78)	Pt-193m	8.26E-11	1.0E-10 (S)	1.21E-10	1.85E-12	1.00E-01	6.3E-01	.	7.7E+05	3.8E+00	5.4E-01	1.3E-16
Platinum (78)	Pt-195m	1.13E-10	1.3E-10 (S)	1.66E-10	1.31E-11	1.00E-01	4.6E-01	.	1.1E+05	2.8E+00	4.0E-01	8.8E-17
Platinum (78)	Pt-197	7.56E-11	4.7E-11 (S)	1.11E-10	4.89E-12	1.00E-01	6.9E-01	.	2.9E+05	4.2E+00	5.9E-01	2.8E-17
Platinum (78)	Pt-197m	1.08E-11	7.4E-12 (S)	1.57E-11	1.70E-11	1.00E-01	4.8E+00	.	8.4E+04	3.0E+01	4.2E+00	1.5E-17
Platinum (78)	Pt-199	2.43E-12	1.9E-12 (S)	3.43E-12	4.89E-11	1.00E-01	2.2E+01	.	2.9E+04	1.4E+02	1.9E+01	2.2E-17
Platinum (78)	Pt-200	2.04E-10	9.0E-11 (S)	3.00E-10	1.23E-11	1.00E-01	2.6E-01	.	1.2E+05	1.6E+00	2.2E-01	6.5E-18
Platinum (78)	Pt-202	7.89E-10	3.4E-10 (S)	1.16E-09	5.30E-13	1.00E-01	6.6E-02	.	2.7E+06	4.0E-01	5.7E-02	6.0E-18
Platinum (78)	Pt-202+D	7.89E-10	3.4E-10 (S)	1.16E-09	4.58E-11	1.00E-01	6.6E-02	.	3.1E+04	4.0E-01	5.7E-02	6.0E-18
Plutonium (94)	Pu-232	8.00E-12	1.7E-09 (S)	1.13E-11	1.26E-11	8.27E-06	6.5E+00	.	1.1E+05	4.1E+01	5.6E+00	8.7E-18
Plutonium (94)	Pu-234	2.23E-11	2.2E-09 (S)	3.25E-11	1.36E-11	8.27E-06	2.3E+00	.	1.1E+05	1.4E+01	2.0E+00	4.9E-17
Plutonium (94)	Pu-235	1.25E-13	7.4E-14 (S)	1.73E-13	1.88E-11	8.27E-06	4.2E+02	.	7.6E+04	2.7E+03	3.6E+02	4.2E-16
Plutonium (94)	Pu-236	2.04E-09	8.0E-07 (S)	2.71E-09	2.11E-14	8.27E-06	2.6E-02	.	6.8E+07	1.2E-01	2.1E-02	1.5E-15
Plutonium (94)	Pu-237	1.74E-11	4.0E-11 (S)	2.53E-11	9.72E-12	8.27E-06	3.0E+00	.	1.5E+05	1.8E+01	2.6E+00	7.8E-15
Plutonium (94)	Pu-238	3.55E-09	1.4E-06 (F)	4.58E-09	1.61E-14	8.27E-06	1.5E-02	.	8.9E+07	3.1E-02	1.0E-02	2.2E-14
Plutonium (94)	Pu-239	3.65E-09	1.5E-06 (F)	4.71E-09	1.96E-14	8.27E-06	1.4E-02	.	7.3E+07	2.8E-02	9.5E-03	5.6E-12
Plutonium (94)	Pu-239+D	3.65E-09	1.5E-06 (F)	4.71E-09	1.96E-14	8.27E-06	1.4E-02	.	7.3E+07	2.8E-02	9.5E-03	5.6E-12
Plutonium (94)	Pu-240	3.65E-09	1.5E-06 (F)	4.71E-09	1.58E-14	8.27E-06	1.4E-02	.	9.1E+07	2.8E-02	9.5E-03	1.5E-12

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Plutonium (94)	Pu-241	4.77E-11	2.3E-08 (F)	6.17E-11	3.35E-16	8.27E-06	1.1E+00	.	4.3E+09	3.1E+00	8.1E-01	2.9E-13
Plutonium (94)	Pu-242	3.47E-09	1.4E-06 (F)	4.48E-09	3.35E-14	8.27E-06	1.5E-02	.	4.3E+07	2.9E-02	9.9E-03	9.4E-11
Plutonium (94)	Pu-243	1.28E-11	8.6E-12 (S)	1.87E-11	4.89E-12	8.27E-06	4.1E+00	.	2.9E+05	2.5E+01	3.5E+00	5.0E-17
Plutonium (94)	Pu-244	3.88E-09	1.4E-06 (F)	5.08E-09	5.33E-12	8.27E-06	1.3E-02	.	2.7E+05	2.6E-02	8.8E-03	1.8E-08
Plutonium (94)	Pu-244+D	4.07E-09	1.4E-06 (F)	5.35E-09	8.68E-11	8.27E-06	1.3E-02	.	1.7E+04	2.4E-02	8.4E-03	1.7E-08
Plutonium (94)	Pu-245	1.15E-10	5.8E-11 (S)	1.69E-10	9.85E-11	8.27E-06	4.5E-01	.	1.5E+04	2.8E+00	3.9E-01	1.2E-17
Plutonium (94)	Pu-246	4.66E-10	5.1E-10 (S)	6.80E-10	2.95E-11	8.27E-06	1.1E-01	.	4.9E+04	6.8E-01	9.6E-02	7.3E-17
Radium (88)	Ra-219	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	.	.	3.6E+04	.	3.6E+04	2.6E-19
Radium (88)	Ra-219+D	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	.	.	3.6E+04	.	3.6E+04	2.6E-19
Radium (88)	Ra-220	0.00E+00	0.00E+00	0.00E+00	1.14E-12	1.48E-02	.	.	1.3E+06	.	1.3E+06	1.6E-17
Radium (88)	Ra-221	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	.	.	1.8E+05	.	1.8E+05	3.7E-15
Radium (88)	Ra-221+D	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	.	.	1.8E+05	.	1.8E+05	3.7E-15
Radium (88)	Ra-222	0.00E+00	0.00E+00	0.00E+00	2.21E-12	1.48E-02	.	.	6.5E+05	.	6.5E+05	1.8E-14
Radium (88)	Ra-223	6.44E-09	7.9E-07 (S)	9.15E-09	3.13E-11	1.48E-02	8.1E-03	.	4.6E+04	5.1E-02	7.0E-03	5.1E-18
Radium (88)	Ra-223+D	6.44E-09	7.9E-07 (S)	9.15E-09	4.54E-11	1.48E-02	8.1E-03	.	3.2E+04	5.1E-02	7.0E-03	5.1E-18
Radium (88)	Ra-224	4.51E-09	3.1E-07 (S)	6.44E-09	2.46E-12	1.48E-02	1.2E-02	4.1E-05	5.8E+05	7.2E-02	4.0E-05	9.4E-21
Radium (88)	Ra-224+D	4.51E-09	3.1E-07 (S)	6.44E-09	2.62E-12	1.48E-02	1.2E-02	.	5.5E+05	7.2E-02	1.0E-02	2.3E-18
Radium (88)	Ra-225	3.09E-09	7.1E-07 (S)	4.15E-09	1.15E-12	1.48E-02	1.7E-02	.	1.3E+06	1.1E-01	1.5E-02	1.4E-17
Radium (88)	Ra-226	1.04E-08	7.6E-07 (S)	1.39E-08	1.69E-12	1.48E-02	5.0E-03	1.6E-05	8.5E+05	9.1E-03	1.6E-05	6.1E-16
Radium (88)	Ra-226+D	1.04E-08	7.6E-07 (S)	1.39E-08	4.54E-10	1.48E-02	5.0E-03	1.6E-05	3.2E+03	9.1E-03	1.6E-05	6.1E-16
Radium (88)	Ra-227	2.89E-12	1.7E-11 (S)	4.01E-12	3.38E-11	1.48E-02	1.8E+01	.	4.3E+04	1.2E+02	1.6E+01	3.0E-17
Radium (88)	Ra-228	2.80E-08	1.2E-06 (S)	3.85E-08	1.36E-14	1.48E-02	1.9E-03	.	1.1E+08	6.8E-03	1.5E-03	2.0E-16
Radium (88)	Ra-228+D	2.81E-08	1.2E-06 (S)	3.86E-08	2.20E-10	1.48E-02	1.9E-03	.	6.5E+03	6.8E-03	1.5E-03	2.0E-16
Radium (88)	Ra-230	1.61E-11	9.5E-12 (S)	2.31E-11	1.78E-11	1.48E-02	3.2E+00	.	8.1E+04	2.0E+01	2.8E+00	1.2E-17
Rubidium (37)	Rb-77	0.00E+00	0.00E+00	0.00E+00	3.85E-10	7.83E-01	.	.	3.7E+03	.	3.7E+03	2.1E-16
Rubidium (37)	Rb-78	3.27E-12	1.3E-12 (S)	4.47E-12	1.13E-09	7.83E-01	1.6E+01	.	1.3E+03	1.0E+02	1.4E+01	3.7E-18
Rubidium (37)	Rb-78m	0.00E+00	0.00E+00	0.00E+00	8.33E-10	7.83E-01	.	.	1.7E+03	.	1.7E+03	1.5E-16
Rubidium (37)	Rb-79	2.26E-12	1.3E-12 (S)	3.10E-12	3.57E-10	7.83E-01	2.3E+01	.	4.0E+03	1.5E+02	2.0E+01	7.1E-18
Rubidium (37)	Rb-80	0.00E+00	0.00E+00	0.00E+00	2.97E-10	7.83E-01	.	.	4.8E+03	.	4.8E+03	4.3E-17
Rubidium (37)	Rb-81	3.16E-12	4.3E-12 (S)	4.28E-12	1.24E-10	7.83E-01	1.7E+01	.	1.2E+04	1.1E+02	1.4E+01	6.3E-17
Rubidium (37)	Rb-81m	5.26E-13	1.1E-12 (S)	7.16E-13	5.84E-12	7.83E-01	9.9E+01	.	2.5E+05	6.5E+02	8.6E+01	4.2E-17
Rubidium (37)	Rb-82	0.00E+00	0.00E+00	0.00E+00	2.75E-10	7.83E-01	.	.	5.2E+03	.	5.2E+03	1.1E-16
Rubidium (37)	Rb-82m	9.83E-12	6.8E-12 (S)	1.31E-11	7.42E-10	7.83E-01	5.3E+00	.	1.9E+03	3.5E+01	4.6E+00	2.9E-17
Rubidium (37)	Rb-83	1.45E-10	1.4E-10 (S)	1.91E-10	1.19E-10	7.83E-01	3.6E-01	.	1.2E+04	2.1E+00	3.1E-01	6.3E-16
Rubidium (37)	Rb-84	2.41E-10	2.8E-10 (S)	3.21E-10	2.27E-10	7.83E-01	2.2E-01	.	6.3E+03	1.4E+00	1.9E-01	1.5E-16
Rubidium (37)	Rb-84m	3.95E-13	4.0E-13 (S)	5.36E-13	9.18E-11	7.83E-01	1.3E+02	.	1.6E+04	8.7E+02	1.1E+02	3.8E-17
Rubidium (37)	Rb-86	2.67E-10	4.5E-10 (S)	3.63E-10	2.46E-11	7.83E-01	2.0E-01	.	5.8E+04	1.2E+00	1.7E-01	7.7E-17
Rubidium (37)	Rb-86m	0.00E+00	0.00E+00	0.00E+00	1.34E-10	7.83E-01	.	.	1.1E+04	.	1.1E+04	1.8E-16
Rubidium (37)	Rb-87	1.45E-10	1.2E-09 (S)	1.98E-10	1.87E-14	7.83E-01	3.6E-01	.	7.7E+07	2.1E-01	1.3E-01	5.9E-05
Rubidium (37)	Rb-88	3.79E-12	1.5E-12 (S)	5.20E-12	1.79E-10	7.83E-01	1.4E+01	.	8.0E+03	8.9E+01	1.2E+01	3.7E-18
Rubidium (37)	Rb-89	2.08E-12	1.1E-12 (S)	2.84E-12	6.03E-10	7.83E-01	2.5E+01	.	2.4E+03	1.6E+02	2.2E+01	5.7E-18
Rubidium (37)	Rb-90	0.00E+00	0.00E+00	0.00E+00	5.93E-10	7.83E-01	.	.	2.4E+03	.	2.4E+03	1.1E-16
Rubidium (37)	Rb-90m	0.00E+00	0.00E+00	0.00E+00	8.99E-10	7.83E-01	.	.	1.6E+03	.	1.6E+03	1.2E-16
Rhenium (75)	Re-178	1.32E-12	7.1E-13 (S)	1.81E-12	4.51E-10	2.00E-01	4.0E+01	.	3.2E+03	2.6E+02	3.4E+01	1.6E-17
Rhenium (75)	Re-179	7.51E-13	5.0E-13 (S)	1.03E-12	2.70E-10	2.00E-01	7.0E+01	.	5.3E+03	4.5E+02	6.0E+01	4.1E-17
Rhenium (75)	Re-180	0.00E+00	0.00E+00	0.00E+00	2.99E-10	2.00E-01	.	.	4.8E+03	.	4.8E+03	4.2E-16
Rhenium (75)	Re-181	3.84E-11	2.3E-11 (S)	5.44E-11	1.93E-10	2.00E-01	1.4E+00	.	7.4E+03	8.5E+00	1.2E+00	5.0E-17
Rhenium (75)	Re-182	1.29E-10	1.3E-10 (S)	1.82E-10	4.45E-10	2.00E-01	4.1E-01	.	3.2E+03	2.6E+00	3.5E-01	4.8E-17
Rhenium (75)	Re-182m	2.46E-11	1.6E-11 (S)	3.45E-11	3.08E-10	2.00E-01	2.1E+00	.	4.7E+03	1.3E+01	1.8E+00	5.0E-17
Rhenium (75)	Re-183	9.01E-11	3.4E-10 (S)	1.28E-10	2.99E-11	2.00E-01	5.8E-01	.	4.8E+04	3.5E+00	5.0E-01	1.8E-15
Rhenium (75)	Re-184	8.57E-11	2.2E-10 (S)	1.19E-10	2.20E-10	2.00E-01	6.1E-01	.	6.5E+03	3.8E+00	5.3E-01	1.0E-15
Rhenium (75)	Re-184m	1.33E-10	9.6E-10 (S)	1.89E-10	8.96E-11	2.00E-01	3.9E-01	.	1.6E+04	2.2E+00	3.3E-01	2.9E-15
Rhenium (75)	Re-186	1.46E-10	1.2E-10 (S)	2.10E-10	4.45E-12	2.00E-01	3.6E-01	.	3.2E+05	2.2E+00	3.1E-01	6.1E-17
Rhenium (75)	Re-186m	1.99E-10	4.4E-09 (S)	2.84E-10	2.27E-12	2.00E-01	2.6E-01	.	6.3E+05	3.0E-01	1.4E-01	5.4E-10
Rhenium (75)	Re-186m+D	3.45E-10	4.5E-09 (S)	4.94E-10	6.72E-12	2.00E-01	1.5E-01	.	2.1E+05	1.7E-01	8.0E-02	3.1E-10
Rhenium (75)	Re-187	4.51E-13	3.0E-12 (S)	6.47E-13	0.00E+00	2.00E-01	1.2E+02	.	.	1.3E+02	6.1E+01	4.9E-02
Rhenium (75)	Re-188	1.33E-10	6.1E-11 (S)	1.91E-10	1.54E-11	2.00E-01	3.9E-01	.	9.3E+04	2.4E+00	3.4E-01	1.3E-17
Rhenium (75)	Re-188m	2.67E-12	1.4E-12 (S)	3.83E-12	1.22E-11	2.00E-01	2.0E+01	.	1.2E+05	1.2E+02	1.7E+01	1.2E-17
Rhenium (75)	Re-189	7.34E-11	4.6E-11 (S)	1.06E-10	1.30E-11	2.00E-01	7.1E-01	.	1.1E+05	4.4E+00	6.1E-01	3.3E-17
Rhenium (75)	Re-190	0.00E+00	0.00E+00	0.00E+00	3.31E-10	2.00E-01	.	.	4.3E+03	.	4.3E+03	5.0E-16
Rhenium (75)	Re-190m	2.92E-11	1.6E-11 (S)	4.15E-11	2.25E-10	2.00E-01	1.8E+00	.	6.4E+03	1.1E+01	1.5E+00	1.1E-17
Rhodium (45)	Rh-100	6.55E-11	2.6E-11 (S)	9.23E-11	7.29E-10	3.00E-02	8.0E-01	.	2.0E+03	5.0E+00	6.9E-01	1.7E-17
Rhodium (45)	Rh-100m	0.00E+00	0.00E+00	0.00E+00	1.11E-11	3.00E-02	.	.	1.3E+05	.	1.3E+05	1.2E-14
Rhodium (45)	Rh-101	5.54E-11	4.6E-10 (S)	7.73E-11	6.41E-11	3.00E-02	9.4E-01	.	2.2E+04	4.0E+00	7.6E-01	2.6E-14
Rhodium (45)	Rh-101m	2.47E-11	1.9E-11 (S)	3.54E-11	6.63E-11	3.00E-02	2.1E+00	.	2.2E+04	1.3E+01	1.8E+00	2.3E-16
Rhodium (45)	Rh-102	1.67E-10	7.0E-10 (S)	2.41E-10	1.23E-10	3.00E-02	3.1E-01	.	1.2E+04	1.8E+00	2.7E-01	1.6E-15
Rhodium (45)	Rh-102m	2.20E-10	1.8E-09 (S)	2.98E-10	5.36E-10	3.00E-02	2.4E-01	.	2.7E+03	1.0E+00	1.9E-01	7.6E-15
Rhodium (45)	Rh-103m	2.52E-13	2.5E-13 (S)	3.58E-13	2.60E-14	3.00E-02	2.1E+02	.	5.5E+07	1.3E+03	1.8E+02	2.0E-16
Rhodium (45)	Rh-104	0.00E+00	0.00E+00	0.00E+00	4.17E-12	3.00E-02	.	.	3.4E+05	.	3.4E+05	5.0E-15
Rhodium (45)	Rh-104m	0.00E+00	0.00E+00	0.00E+00	4.83E-12	3.00E-02	.	.	3.0E+05	.	3.0E+05	2.6E-14

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Rhodium (45)	Rh-105	6.32E-11	4.3E-11 (S)	9.26E-11	1.87E-11	3.00E-02	8.3E-01	.	7.7E+04	5.0E+00	7.1E-01	3.1E-17
Rhodium (45)	Rh-106	0.00E+00	0.00E+00	0.00E+00	5.33E-11	3.00E-02	.	.	2.7E+04	.	2.7E+04	2.8E-16
Rhodium (45)	Rh-106m	1.53E-11	7.5E-12 (S)	2.16E-11	7.26E-10	3.00E-02	3.4E+00	.	2.0E+03	2.2E+01	2.9E+00	8.1E-18
Rhodium (45)	Rh-107	1.12E-12	7.8E-13 (S)	1.56E-12	7.61E-11	3.00E-02	4.7E+01	.	1.9E+04	3.0E+02	4.0E+01	1.8E-17
Rhodium (45)	Rh-108	0.00E+00	0.00E+00	0.00E+00	8.14E-11	3.00E-02	.	.	1.8E+04	.	1.8E+04	1.1E-16
Rhodium (45)	Rh-109	0.00E+00	0.00E+00	0.00E+00	7.26E-11	3.00E-02	.	.	2.0E+04	.	2.0E+04	5.7E-16
Rhodium (45)	Rh-94	0.00E+00	0.00E+00	0.00E+00	9.85E-10	3.00E-02	.	.	1.5E+03	.	1.5E+03	3.2E-17
Rhodium (45)	Rh-95	0.00E+00	0.00E+00	0.00E+00	6.66E-10	3.00E-02	.	.	2.2E+03	.	2.2E+03	2.0E-16
Rhodium (45)	Rh-95m	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-02	.	.	6.1E+03	.	6.1E+03	2.2E-16
Rhodium (45)	Rh-96	0.00E+00	0.00E+00	0.00E+00	9.97E-10	3.00E-02	.	.	1.4E+03	.	1.4E+03	2.7E-16
Rhodium (45)	Rh-96m	0.00E+00	0.00E+00	0.00E+00	3.31E-10	3.00E-02	.	.	4.3E+03	.	4.3E+03	1.2E-16
Rhodium (45)	Rh-97	2.66E-12	1.2E-12 (S)	3.69E-12	3.63E-10	3.00E-02	2.0E+01	.	4.0E+03	1.3E+02	1.7E+01	9.9E-18
Rhodium (45)	Rh-97m	3.23E-12	1.4E-12 (S)	4.50E-12	5.90E-10	3.00E-02	1.6E+01	.	2.4E+03	1.0E+02	1.4E+01	1.2E-17
Rhodium (45)	Rh-98	0.00E+00	0.00E+00	0.00E+00	4.54E-10	3.00E-02	.	.	3.2E+03	.	3.2E+03	5.3E-16
Rhodium (45)	Rh-99	7.12E-11	1.3E-10 (S)	1.02E-10	1.33E-10	3.00E-02	7.3E-01	.	1.1E+04	4.5E+00	6.3E-01	2.9E-16
Rhodium (45)	Rh-99m	6.65E-12	2.8E-12 (S)	9.43E-12	1.59E-10	3.00E-02	7.9E+00	.	9.0E+03	4.9E+01	6.8E+00	3.7E-17
Radon (86)	Rn-207	0.00E+00	0.00E+00	0.00E+00	2.42E-10	0.00E+00	.	.	5.9E+03	.	5.9E+03	2.2E-15
Radon (86)	Rn-209	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	.	.	4.8E+03	.	4.8E+03	5.6E-15
Radon (86)	Rn-210	0.00E+00	0.00E+00	0.00E+00	1.49E-11	0.00E+00	.	.	9.7E+04	.	9.7E+04	5.8E-13
Radon (86)	Rn-211	0.00E+00	0.00E+00	0.00E+00	4.77E-10	0.00E+00	.	.	3.0E+03	.	3.0E+03	1.1E-13
Radon (86)	Rn-212	0.00E+00	0.00E+00	0.00E+00	8.43E-14	0.00E+00	.	.	1.7E+07	.	1.7E+07	1.7E-11
Radon (86)	Rn-215	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	0.00E+00	0.00E+00	0.00E+00	1.87E-13	0.00E+00	.	.	7.7E+06	.	7.7E+06	1.9E-16
Radon (86)	Rn-219	0.00E+00	0.00E+00	0.00E+00	1.40E-11	0.00E+00	.	.	1.0E+05	.	1.0E+05	2.9E-16
Radon (86)	Rn-219+D	0.00E+00	0.00E+00	0.00E+00	1.41E-11	0.00E+00	.	.	1.0E+05	.	1.0E+05	2.9E-16
Radon (86)	Rn-220	0.00E+00	0.00E+00	0.00E+00	1.54E-13	0.00E+00	.	.	9.3E+06	.	9.3E+06	3.7E-13
Radon (86)	Rn-222	0.00E+00	8.60E-10	0.00E+00	9.50E-14	0.00E+00	.	1.4E-02	1.5E+07	.	1.4E-02	3.5E-18
Radon (86)	Rn-222+D	0.00E+00	8.60E-10	0.00E+00	9.50E-14	0.00E+00	.	1.4E-02	1.5E+07	.	1.4E-02	3.5E-18
Radon (86)	Rn-223	0.00E+00	0.00E+00	0.00E+00	8.39E-11	0.00E+00	.	.	1.7E+04	.	1.7E+04	1.8E-14
Ruthenium (44)	Ru-103	9.85E-11	2.8E-10 (S)	1.42E-10	1.21E-10	2.61E-03	5.3E-01	.	1.2E+04	3.2E+00	4.6E-01	5.2E-16
Ruthenium (44)	Ru-105	3.87E-11	2.7E-11 (V)	5.63E-11	1.85E-10	2.61E-03	1.4E+00	.	7.7E+03	8.3E+00	1.2E+00	6.4E-18
Ruthenium (44)	Ru-106	1.14E-09	6.1E-09 (S)	1.65E-09	0.00E+00	2.61E-03	4.6E-02	.	.	2.5E-01	3.9E-02	4.3E-16
Ruthenium (44)	Ru-106+D	1.14E-09	6.1E-09 (S)	1.65E-09	5.33E-11	2.61E-03	4.6E-02	.	2.7E+04	2.5E-01	3.9E-02	4.3E-16
Ruthenium (44)	Ru-107	0.00E+00	0.00E+00	0.00E+00	8.90E-11	2.61E-03	.	.	1.6E+04	.	1.6E+04	1.3E-15
Ruthenium (44)	Ru-108	0.00E+00	0.00E+00	0.00E+00	1.44E-11	2.61E-03	.	.	1.0E+05	.	1.0E+05	9.6E-15
Ruthenium (44)	Ru-92	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.61E-03	.	.	2.8E+03	.	2.8E+03	1.8E-16
Ruthenium (44)	Ru-94	8.34E-12	6.0E-12 (V)	1.19E-11	1.26E-10	2.61E-03	6.3E+00	.	1.1E+04	3.9E+01	5.4E+00	5.2E-18
Ruthenium (44)	Ru-95	5.18E-12	3.9E-12 (V)	7.27E-12	3.13E-10	2.61E-03	1.0E+01	.	4.6E+03	6.4E+01	8.7E+00	1.6E-17
Ruthenium (44)	Ru-97	1.72E-11	1.5E-11 (V)	2.45E-11	5.46E-11	2.61E-03	3.0E+00	.	2.6E+04	1.9E+01	2.6E+00	2.1E-16
Sulfur (16)	S-35	1.39E-11	1.8E-10 (S)	1.89E-11	1.78E-15	6.00E-01	3.8E+00	.	8.1E+08	2.2E+01	3.2E+00	2.8E-15
Sulphur (16)	S-37	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.00E-01	.	.	1.7E+03	.	1.7E+03	6.2E-17
Sulphur (16)	S-38	2.62E-11	3.3E-11 (S)	3.40E-11	4.70E-10	6.00E-01	2.0E+00	.	3.1E+03	1.4E+01	1.7E+00	2.2E-18
Antimony (51)	Sb-111	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.57E-03	.	.	3.9E+03	.	3.9E+03	1.1E-16
Antimony (51)	Sb-113	0.00E+00	0.00E+00	0.00E+00	3.11E-10	1.57E-03	.	.	4.6E+03	.	4.6E+03	6.9E-16
Antimony (51)	Sb-114	0.00E+00	0.00E+00	0.00E+00	6.94E-10	1.57E-03	.	.	2.1E+03	.	2.1E+03	1.6E-16
Antimony (51)	Sb-115	1.38E-12	6.6E-13 (S)	1.91E-12	2.16E-10	1.57E-03	3.8E+01	.	6.6E+03	2.4E+02	3.3E+01	2.4E-17
Antimony (51)	Sb-116	1.53E-12	6.0E-13 (S)	2.10E-12	5.93E-10	1.57E-03	3.4E+01	.	2.4E+03	2.2E+02	2.9E+01	1.1E-17
Antimony (51)	Sb-116m	4.63E-12	2.4E-12 (S)	6.42E-12	7.92E-10	1.57E-03	1.1E+01	.	1.8E+03	7.2E+01	9.7E+00	1.3E-17
Antimony (51)	Sb-117	1.81E-12	1.2E-12 (S)	2.59E-12	3.94E-11	1.57E-03	2.9E+01	.	3.6E+04	1.8E+02	2.5E+01	9.6E-17
Antimony (51)	Sb-118	0.00E+00	0.00E+00	0.00E+00	1.98E-10	1.57E-03	.	.	7.3E+03	.	7.3E+03	6.1E-16
Antimony (51)	Sb-118m	1.89E-11	7.4E-12 (S)	2.65E-11	6.66E-10	1.57E-03	2.8E+00	.	2.2E+03	1.8E+01	2.4E+00	1.7E-17
Antimony (51)	Sb-119	1.31E-11	5.0E-12 (S)	1.91E-11	7.01E-13	1.57E-03	4.0E+00	.	2.0E+06	2.4E+01	3.4E+00	1.8E-16
Antimony (51)	Sb-120	6.70E-13	3.2E-13 (S)	9.23E-13	1.09E-10	1.57E-03	7.8E+01	.	1.3E+04	5.0E+02	6.7E+01	2.5E-17
Antimony (51)	Sb-120m	1.19E-10	9.6E-11 (S)	1.68E-10	6.25E-10	1.57E-03	4.4E-01	.	2.3E+03	2.8E+00	3.8E-01	7.4E-17
Antimony (51)	Sb-122	2.87E-10	1.6E-10 (S)	4.19E-10	1.10E-10	1.57E-03	1.8E-01	.	1.3E+04	1.1E+00	1.6E-01	1.5E-17
Antimony (51)	Sb-122m	0.00E+00	0.00E+00	0.00E+00	9.40E-12	1.57E-03	.	.	1.5E+05	.	1.5E+05	1.5E-14
Antimony (51)	Sb-124	3.47E-10	8.6E-10 (S)	5.00E-10	4.86E-10	1.57E-03	1.5E-01	.	3.0E+03	9.1E-01	1.3E-01	2.7E-16
Antimony (51)	Sb-124m	0.00E+00	0.00E+00	0.00E+00	1.09E-10	1.57E-03	.	.	1.3E+04	.	1.3E+04	5.0E-16
Antimony (51)	Sb-124n	5.33E-13	4.0E-13 (S)	7.39E-13	2.62E-17	1.57E-03	9.8E+01	.	5.5E+10	6.3E+02	8.5E+01	4.2E-17
Antimony (51)	Sb-125	1.20E-10	1.1E-09 (S)	1.68E-10	1.04E-10	1.57E-03	4.4E-01	.	1.4E+04	2.0E+00	3.6E-01	1.3E-14
Antimony (51)	Sb-126	3.42E-10	3.8E-10 (S)	4.91E-10	6.85E-10	1.57E-03	1.5E-01	.	2.1E+03	9.4E-01	1.3E-01	5.8E-17
Antimony (51)	Sb-126m	1.90E-12	9.3E-13 (S)	2.63E-12	3.85E-10	1.57E-03	2.8E+01	.	3.7E+03	1.8E+02	2.4E+01	1.1E-17
Antimony (51)	Sb-127	2.73E-10	2.2E-10 (S)	3.98E-10	1.72E-10	1.57E-03	1.9E-01	.	8.4E+03	1.2E+00	1.6E-01	2.3E-17
Antimony (51)	Sb-128	1.02E-10	4.4E-11 (S)	1.47E-10	7.73E-10	1.57E-03	5.1E-01	.	1.9E+03	3.2E+00	4.4E-01	6.0E-18
Antimony (51)	Sb-128m	1.57E-12	6.2E-13 (S)	2.16E-12	4.77E-10	1.57E-03	3.3E+01	.	3.0E+03	2.2E+02	2.9E+01	7.5E-18
Antimony (51)	Sb-129	5.99E-11	2.8E-11 (S)	8.72E-11	3.76E-10	1.57E-03	8.7E-01	.	3.8E+03	5.3E+00	7.5E-01	5.0E-18
Antimony (51)	Sb-130	5.68E-12	2.8E-12 (S)	7.89E-12	8.27E-10	1.57E-03	9.2E+00	.	1.7E+03	5.9E+01	7.9E+00	8.0E-18
Antimony (51)	Sb-130m	0.00E+00	0.00E+00	0.00E+00	6.91E-10	1.57E-03	.	.	2.1E+03	.	2.1E+03	3.4E-16

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Antimony (51)	Sb-131	7.19E-12	2.7E-12 (M)	1.01E-11	5.43E-10	1.57E-03	7.3E+00	.	2.6E+03	4.6E+01	6.3E+00	3.7E-18
Antimony (51)	Sb-133	0.00E+00	0.00E+00	0.00E+00	7.35E-10	1.57E-03	.	.	2.0E+03	.	2.0E+03	1.3E-16
Scandium (21)	Sc-42m	0.00E+00	0.00E+00	0.00E+00	1.09E-09	2.00E-03	.	.	1.3E+03	.	1.3E+03	1.1E-17
Scandium (21)	Sc-43	2.70E-11	1.2E-11 (S)	3.91E-11	2.41E-10	2.00E-03	1.9E+00	.	6.0E+03	1.2E+01	1.7E+00	3.3E-18
Scandium (21)	Sc-44	4.27E-11	1.8E-11 (S)	6.17E-11	5.43E-10	2.00E-03	1.2E+00	.	2.6E+03	7.5E+00	1.1E+00	2.2E-18
Scandium (21)	Sc-44m	3.74E-10	1.9E-10 (S)	5.44E-10	6.66E-11	2.00E-03	1.4E-01	.	2.2E+04	8.5E-01	1.2E-01	3.7E-18
Scandium (21)	Sc-46	1.68E-10	6.7E-10 (S)	2.39E-10	5.18E-10	2.00E-03	3.1E-01	.	2.8E+03	1.9E+00	2.7E-01	2.9E-16
Scandium (21)	Sc-47	9.43E-11	8.3E-11 (S)	1.38E-10	2.54E-11	2.00E-03	5.5E-01	.	5.7E+04	3.4E+00	4.8E-01	2.1E-17
Scandium (21)	Sc-48	1.94E-10	1.1E-10 (S)	2.78E-10	8.71E-10	2.00E-03	2.7E-01	.	1.6E+03	1.7E+00	2.3E-01	5.8E-18
Scandium (21)	Sc-49	5.48E-12	2.9E-12 (S)	7.80E-12	1.05E-12	2.00E-03	9.5E+00	.	1.4E+06	6.0E+01	8.2E+00	4.5E-18
Scandium (21)	Sc-50	0.00E+00	0.00E+00	0.00E+00	8.43E-10	2.00E-03	.	.	1.7E+03	.	1.7E+03	2.9E-17
Selenium (34)	Se-70	6.96E-12	4.6E-12 (S)	9.74E-12	1.72E-10	1.00E-01	7.5E+00	.	8.3E+03	4.8E+01	6.5E+00	3.7E-18
Selenium (34)	Se-71	0.00E+00	0.00E+00	0.00E+00	4.01E-10	1.00E-01	.	.	3.6E+03	.	3.6E+03	2.4E-16
Selenium (34)	Se-72	4.47E-10	4.2E-10 (S)	6.06E-10	3.19E-12	1.00E-01	1.2E-01	.	4.5E+05	7.6E-01	1.0E-01	1.7E-17
Selenium (34)	Se-73	2.16E-11	2.3E-11 (S)	3.07E-11	2.63E-10	1.00E-01	2.4E+00	.	5.5E+03	1.5E+01	2.1E+00	1.3E-17
Selenium (34)	Se-73m	2.25E-12	2.1E-12 (S)	3.17E-12	6.41E-11	1.00E-01	2.3E+01	.	2.2E+04	1.5E+02	2.0E+01	1.1E-17
Selenium (34)	Se-75	2.17E-10	1.3E-10 (S)	2.87E-10	9.09E-11	1.00E-01	2.4E-01	.	1.6E+04	1.5E+00	2.1E-01	5.3E-16
Selenium (34)	Se-77m	0.00E+00	0.00E+00	0.00E+00	2.01E-11	1.00E-01	.	.	7.2E+04	.	7.2E+04	3.1E-16
Selenium (34)	Se-79	1.87E-10	5.0E-10 (S)	2.48E-10	1.82E-15	1.00E-01	2.8E-01	.	7.9E+08	4.1E-01	1.7E-01	4.0E-10
Selenium (34)	Se-79m	0.00E+00	0.00E+00	0.00E+00	1.94E-12	1.00E-01	.	.	7.4E+05	.	7.4E+05	4.5E-14
Selenium (34)	Se-81	1.15E-12	7.0E-13 (S)	1.59E-12	2.42E-12	1.00E-01	4.5E+01	.	5.9E+05	2.9E+02	3.9E+01	1.2E-17
Selenium (34)	Se-81m	3.53E-12	3.9E-12 (S)	5.01E-12	2.99E-12	1.00E-01	1.5E+01	.	4.8E+05	9.3E+01	1.3E+01	1.2E-17
Selenium (34)	Se-83	2.71E-12	1.9E-12 (S)	3.76E-12	6.82E-10	1.00E-01	1.9E+01	.	2.1E+03	1.2E+02	1.7E+01	6.0E-18
Selenium (34)	Se-83m	0.00E+00	0.00E+00	0.00E+00	2.59E-10	1.00E-01	.	.	5.5E+03	.	5.5E+03	1.1E-16
Selenium (34)	Se-84	0.00E+00	0.00E+00	0.00E+00	1.02E-10	1.00E-01	.	.	1.4E+04	.	1.4E+04	7.2E-16
Silicon (14)	Si-31	1.75E-11	8.2E-12 (S)	2.54E-11	6.60E-13	2.00E-02	3.0E+00	.	2.2E+06	1.8E+01	2.6E+00	2.5E-18
Silicon (14)	Si-32	9.61E-11	7.8E-09 (S)	1.40E-10	5.49E-15	2.00E-02	5.4E-01	.	2.6E+08	9.4E-01	3.4E-01	1.5E-13
Silicon (14)	Si-32+D	3.38E-10	8.2E-09 (S)	4.72E-10	5.71E-13	2.00E-02	1.5E-01	.	2.5E+06	2.8E-01	9.9E-02	4.3E-14
Samarium (62)	Sm-139	0.00E+00	0.00E+00	0.00E+00	3.63E-10	2.00E-03	.	.	4.0E+03	.	4.0E+03	2.8E-16
Samarium (62)	Sm-140	5.03E-12	2.0E-12 (S)	7.02E-12	1.39E-10	2.00E-03	1.0E+01	.	1.0E+04	6.6E+01	9.0E+00	3.7E-18
Samarium (62)	Sm-141	1.90E-12	7.8E-13 (S)	2.63E-12	3.53E-10	2.00E-03	2.8E+01	.	4.1E+03	1.8E+02	2.4E+01	6.7E-18
Samarium (62)	Sm-141m	3.63E-12	1.7E-12 (S)	5.06E-12	4.89E-10	2.00E-03	1.4E+01	.	2.9E+03	9.2E+01	1.2E+01	7.8E-18
Samarium (62)	Sm-142	1.42E-11	6.0E-12 (S)	2.02E-11	2.26E-11	2.00E-03	3.7E+00	.	6.3E+04	2.3E+01	3.2E+00	6.4E-18
Samarium (62)	Sm-143	0.00E+00	0.00E+00	0.00E+00	1.28E-10	2.00E-03	.	.	1.1E+04	.	1.1E+04	2.8E-15
Samarium (62)	Sm-143m	0.00E+00	0.00E+00	0.00E+00	1.71E-10	2.00E-03	.	.	8.4E+03	.	8.4E+03	2.6E-16
Samarium (62)	Sm-145	3.09E-11	1.6E-10 (F)	4.49E-11	6.34E-12	2.00E-03	1.7E+00	.	2.3E+05	9.2E+00	1.4E+00	2.0E-14
Samarium (62)	Sm-146	1.10E-09	3.7E-07 (F)	1.41E-09	0.00E+00	2.00E-03	4.8E-02	.	.	9.2E-02	3.1E-02	4.9E-08
Samarium (62)	Sm-147	1.01E-09	3.4E-07 (F)	1.29E-09	0.00E+00	2.00E-03	5.2E-02	.	.	1.0E-01	3.4E-02	5.5E-05
Samarium (62)	Sm-148	8.65E-10	2.9E-07 (F)	1.11E-09	0.00E+00	2.00E-03	6.0E-02	.	.	1.2E-01	4.0E-02	4.3E+00
Samarium (62)	Sm-151	1.51E-11	2.5E-10 (F)	2.20E-11	1.21E-16	2.00E-03	3.5E+00	.	1.2E+10	6.4E+00	2.2E+00	3.2E-12
Samarium (62)	Sm-153	1.29E-10	8.6E-11 (S)	1.90E-10	1.08E-11	2.00E-03	4.1E-01	.	1.3E+05	2.4E+00	3.5E-01	2.9E-17
Samarium (62)	Sm-155	1.36E-12	9.1E-13 (S)	1.88E-12	2.23E-11	2.00E-03	3.8E+01	.	6.4E+04	2.5E+02	3.3E+01	2.3E-17
Samarium (62)	Sm-156	4.11E-11	2.9E-11 (S)	6.01E-11	2.54E-11	2.00E-03	1.3E+00	.	5.6E+04	7.7E+00	1.1E+00	1.9E-17
Samarium (62)	Sm-157	0.00E+00	0.00E+00	0.00E+00	1.02E-10	2.00E-03	.	.	1.4E+04	.	1.4E+04	3.5E-15
Tin (50)	Sn-106	0.00E+00	0.00E+00	0.00E+00	2.97E-10	3.00E-01	.	.	4.8E+03	.	4.8E+03	1.9E-16
Tin (50)	Sn-108	1.44E-12	6.4E-13 (S)	2.01E-12	1.63E-10	3.00E-01	3.6E+01	.	8.8E+03	2.3E+02	3.1E+01	6.9E-18
Tin (50)	Sn-109	1.33E-12	5.0E-13 (S)	1.84E-12	5.84E-10	3.00E-01	3.9E+01	.	2.5E+03	2.5E+02	3.4E+01	1.3E-17
Tin (50)	Sn-110	5.24E-11	2.0E-11 (S)	7.61E-11	6.63E-11	3.00E-01	1.0E+00	.	2.2E+04	6.1E+00	8.6E-01	4.6E-18
Tin (50)	Sn-111	1.37E-12	7.5E-13 (S)	1.92E-12	1.21E-10	3.00E-01	3.8E+01	.	1.2E+04	2.4E+02	3.3E+01	2.5E-17
Tin (50)	Sn-113	1.19E-10	4.0E-10 (S)	1.74E-10	1.80E-12	3.00E-01	4.4E-01	.	8.0E+05	2.4E+00	3.7E-01	1.4E-15
Tin (50)	Sn-113m	1.61E-13	3.2E-13 (S)	2.24E-13	4.86E-13	3.00E-01	3.2E+02	.	3.0E+06	2.1E+03	2.8E+02	1.3E-16
Tin (50)	Sn-117m	1.19E-10	2.8E-10 (S)	1.74E-10	3.31E-11	3.00E-01	4.4E-01	.	4.3E+04	2.6E+00	3.8E-01	1.7E-16
Tin (50)	Sn-119m	6.09E-11	3.3E-10 (S)	8.91E-11	4.29E-13	3.00E-01	8.6E-01	.	3.3E+06	4.2E+00	7.1E-01	7.1E-15
Tin (50)	Sn-121	4.09E-11	3.0E-11 (S)	6.01E-11	2.17E-14	3.00E-01	1.3E+00	.	6.6E+07	7.7E+00	1.1E+00	4.2E-17
Tin (50)	Sn-121m	6.38E-11	1.2E-09 (S)	9.30E-11	2.12E-13	3.00E-01	8.2E-01	.	6.8E+06	9.2E-01	4.3E-01	2.4E-13
Tin (50)	Sn-121m+D	9.55E-11	1.2E-09 (S)	1.40E-10	2.29E-13	3.00E-01	5.5E-01	.	6.3E+06	6.1E-01	2.9E-01	1.6E-13
Tin (50)	Sn-123	3.80E-10	1.3E-09 (S)	5.56E-10	2.14E-12	3.00E-01	1.4E-01	.	6.7E+05	7.6E-01	1.2E-01	5.3E-16
Tin (50)	Sn-123m	2.17E-12	1.6E-12 (S)	3.05E-12	3.25E-11	3.00E-01	2.4E+01	.	4.4E+04	1.5E+02	2.1E+01	2.0E-17
Tin (50)	Sn-125	5.39E-10	4.2E-10 (S)	7.90E-10	8.77E-11	3.00E-01	9.7E-02	.	1.6E+04	5.8E-01	8.3E-02	2.8E-17
Tin (50)	Sn-125m	0.00E+00	0.00E+00	0.00E+00	8.49E-11	3.00E-01	.	.	1.7E+04	.	1.7E+04	4.0E-15
Tin (50)	Sn-126	6.97E-10	1.1E-08 (S)	1.01E-09	9.75E-12	3.00E-01	7.5E-02	.	1.5E+05	7.1E-02	3.6E-02	1.1E-10
Tin (50)	Sn-126+D	7.47E-10	1.2E-08 (S)	1.08E-09	4.89E-10	3.00E-01	7.0E-02	.	2.9E+03	6.6E-02	3.4E-02	1.0E-10
Tin (50)	Sn-127	2.21E-11	1.3E-11 (S)	3.17E-11	4.99E-10	3.00E-01	2.4E+00	.	2.9E+03	1.5E+01	2.0E+00	6.4E-18
Tin (50)	Sn-127m	0.00E+00	0.00E+00	0.00E+00	1.43E-10	3.00E-01	.	.	1.0E+04	.	1.0E+04	1.0E-15
Tin (50)	Sn-128	1.21E-11	6.6E-12 (S)	1.71E-11	1.38E-10	3.00E-01	4.3E+00	.	1.0E+04	2.7E+01	3.7E+00	5.6E-18
Tin (50)	Sn-129	0.00E+00	0.00E+00	0.00E+00	2.58E-10	3.00E-01	.	.	5.6E+03	.	5.6E+03	3.2E-16
Tin (50)	Sn-130	0.00E+00	0.00E+00	0.00E+00	2.28E-10	3.00E-01	.	.	6.3E+03	.	6.3E+03	6.0E-16
Tin (50)	Sn-130m	0.00E+00	0.00E+00	0.00E+00	2.26E-10	3.00E-01	.	.	6.3E+03	.	6.3E+03	2.8E-16
Strontium (38)	Sr-79	0.00E+00	0.00E+00	0.00E+00	2.89E-10	9.57E-02	.	.	5.0E+03	.	5.0E+03	1.7E-16
Strontium (38)	Sr-80	3.37E-11	1.5E-11 (S)	4.82E-11	1.05E-10	9.57E-02	1.6E+00	.	1.4E+04	9.7E+00	1.3E+00	2.2E-18

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Strontium (38)	Sr-81	3.86E-12	1.9E-12 (S)	5.38E-12	3.41E-10	9.57E-02	1.4E+01	.	4.2E+03	8.6E+01	1.2E+01	4.2E-18
Strontium (38)	Sr-82	8.50E-10	1.2E-09 (S)	1.22E-09	2.22E-14	9.57E-02	6.1E-02	.	6.5E+07	3.8E-01	5.3E-02	3.1E-17
Strontium (38)	Sr-82+D	8.50E-10	1.2E-09 (S)	1.22E-09	2.75E-10	9.57E-02	6.1E-02	.	5.2E+03	3.8E-01	5.3E-02	3.1E-17
Strontium (38)	Sr-83	6.32E-11	4.0E-11 (S)	9.07E-11	2.03E-10	9.57E-02	8.3E-01	.	7.1E+03	5.1E+00	7.1E-01	2.3E-17
Strontium (38)	Sr-85	6.00E-11	8.6E-11 (S)	8.24E-11	1.21E-10	9.57E-02	8.7E-01	.	1.2E+04	5.5E+00	7.5E-01	1.2E-15
Strontium (38)	Sr-85m	4.41E-13	2.5E-13 (S)	6.10E-13	5.14E-11	9.57E-02	1.2E+02	.	2.8E+04	7.6E+02	1.0E+02	1.2E-16
Strontium (38)	Sr-87m	2.90E-12	1.7E-12 (S)	4.12E-12	7.73E-11	9.57E-02	1.8E+01	.	1.9E+04	1.1E+02	1.6E+01	4.5E-17
Strontium (38)	Sr-89	3.47E-10	8.2E-10 (S)	4.97E-10	4.51E-13	9.57E-02	1.5E-01	.	3.2E+06	9.1E-01	1.3E-01	1.7E-16
Strontium (38)	Sr-90	1.51E-09	1.2E-08 (S)	1.86E-09	6.00E-14	9.57E-02	3.5E-02	.	2.4E+07	7.1E-02	2.3E-02	6.2E-15
Strontium (38)	Sr-90+D	2.00E-09	1.2E-08 (S)	2.57E-09	1.07E-12	9.57E-02	2.6E-02	.	1.3E+06	5.1E-02	1.7E-02	4.7E-15
Strontium (38)	Sr-91	8.84E-11	5.3E-11 (S)	1.28E-10	1.81E-10	9.57E-02	5.9E-01	.	7.9E+03	3.6E+00	5.1E-01	5.3E-18
Strontium (38)	Sr-92	5.97E-11	3.0E-11 (S)	8.67E-11	3.53E-10	9.57E-02	8.8E-01	.	4.1E+03	5.4E+00	7.5E-01	2.2E-18
Strontium (38)	Sr-93	0.00E+00	0.00E+00	0.00E+00	5.87E-10	9.57E-02	.	.	2.4E+03	.	2.4E+03	3.3E-16
Strontium (38)	Sr-94	0.00E+00	0.00E+00	0.00E+00	3.82E-10	9.57E-02	.	.	3.8E+03	.	3.8E+03	8.7E-17
Tantalum (73)	Ta-170	0.00E+00	0.00E+00	0.00E+00	2.62E-10	2.00E-03	.	.	5.5E+03	.	5.5E+03	1.2E-15
Tantalum (73)	Ta-172	3.36E-12	2.0E-12 (S)	4.68E-12	4.29E-10	2.00E-03	1.6E+01	.	3.3E+03	9.9E+01	1.3E+01	1.7E-17
Tantalum (73)	Ta-173	1.28E-11	7.4E-12 (S)	1.84E-11	1.41E-10	2.00E-03	4.1E+00	.	1.0E+04	2.5E+01	3.5E+00	2.3E-17
Tantalum (73)	Ta-174	5.37E-12	3.3E-12 (S)	7.61E-12	2.45E-10	2.00E-03	9.7E+00	.	5.9E+03	6.1E+01	8.4E+00	2.0E-17
Tantalum (73)	Ta-175	2.62E-11	1.3E-11 (S)	3.73E-11	2.81E-10	2.00E-03	2.0E+00	.	5.1E+03	1.2E+01	1.7E+00	3.7E-17
Tantalum (73)	Ta-176	3.23E-11	1.6E-11 (S)	4.57E-11	5.90E-10	2.00E-03	1.6E+00	.	2.4E+03	1.0E+01	1.4E+00	2.4E-17
Tantalum (73)	Ta-177	1.62E-11	1.2E-11 (S)	2.35E-11	1.17E-11	2.00E-03	3.2E+00	.	1.2E+05	2.0E+01	2.8E+00	3.3E-16
Tantalum (73)	Ta-178	0.00E+00	0.00E+00	0.00E+00	2.58E-11	2.00E-03	.	.	5.6E+04	.	5.6E+04	1.8E-14
Tantalum (73)	Ta-178m	7.96E-12	5.5E-12 (S)	1.13E-11	2.69E-10	2.00E-03	6.6E+00	.	5.3E+03	4.1E+01	5.7E+00	2.8E-17
Tantalum (73)	Ta-179	8.77E-12	4.8E-11 (S)	1.27E-11	3.72E-12	2.00E-03	6.0E+00	.	3.9E+05	2.9E+01	4.9E+00	1.7E-13
Tantalum (73)	Ta-180	8.44E-12	5.2E-12 (S)	1.23E-11	7.51E-12	2.00E-03	6.2E+00	.	1.9E+05	3.8E+01	5.3E+00	9.2E-17
Tantalum (73)	Ta-182	2.11E-10	1.0E-09 (S)	3.05E-10	3.28E-10	2.00E-03	2.5E-01	.	4.4E+03	1.5E+00	2.1E-01	1.3E-15
Tantalum (73)	Ta-182m	5.72E-13	9.7E-13 (S)	7.90E-13	5.68E-11	2.00E-03	9.1E+01	.	2.5E+04	5.9E+02	7.9E+01	4.5E-17
Tantalum (73)	Ta-183	2.31E-10	2.5E-10 (S)	3.38E-10	6.47E-11	2.00E-03	2.3E-01	.	2.2E+04	1.4E+00	1.9E-01	5.1E-17
Tantalum (73)	Ta-184	9.44E-11	4.6E-11 (S)	1.37E-10	3.88E-10	2.00E-03	5.5E-01	.	3.7E+03	3.4E+00	4.8E-01	9.0E-18
Tantalum (73)	Ta-185	4.33E-12	3.3E-12 (S)	6.14E-12	3.44E-11	2.00E-03	1.2E+01	.	4.2E+04	7.6E+01	1.0E+01	1.9E-17
Tantalum (73)	Ta-186	1.55E-12	7.4E-13 (S)	2.13E-12	3.50E-10	2.00E-03	3.4E+01	.	4.1E+03	2.2E+02	2.9E+01	1.1E-17
Terbium (65)	Tb-146	0.00E+00	0.00E+00	0.00E+00	9.59E-10	2.00E-03	.	.	1.5E+03	.	1.5E+03	1.7E-17
Terbium (65)	Tb-147	1.13E-11	5.3E-12 (S)	1.60E-11	5.62E-10	2.00E-03	4.6E+00	.	2.6E+03	2.9E+01	4.0E+00	1.1E-17
Terbium (65)	Tb-147m	0.00E+00	0.00E+00	0.00E+00	5.05E-10	2.00E-03	.	.	2.8E+03	.	2.8E+03	1.5E-16
Terbium (65)	Tb-148	8.72E-12	4.2E-12 (S)	1.23E-11	6.12E-10	2.00E-03	6.0E+00	.	2.3E+03	3.8E+01	5.2E+00	9.0E-18
Terbium (65)	Tb-148m	0.00E+00	0.00E+00	0.00E+00	7.83E-10	2.00E-03	.	.	1.8E+03	.	1.8E+03	1.2E-16
Terbium (65)	Tb-149	2.09E-11	4.1E-10 (S)	2.99E-11	3.47E-10	2.00E-03	2.5E+00	.	4.1E+03	1.6E+01	2.2E+00	1.6E-17
Terbium (65)	Tb-149m	0.00E+00	0.00E+00	0.00E+00	3.41E-10	2.00E-03	.	.	4.2E+03	.	4.2E+03	5.1E-16
Terbium (65)	Tb-150	2.28E-11	8.6E-12 (S)	3.26E-11	6.50E-10	2.00E-03	2.3E+00	.	2.2E+03	1.4E+01	2.0E+00	1.2E-17
Terbium (65)	Tb-150m	0.00E+00	0.00E+00	0.00E+00	6.19E-10	2.00E-03	.	.	2.3E+03	.	2.3E+03	4.0E-16
Terbium (65)	Tb-151	4.22E-11	2.3E-11 (S)	6.04E-11	2.39E-10	2.00E-03	1.2E+00	.	6.0E+03	7.7E+00	1.1E+00	3.4E-17
Terbium (65)	Tb-151m	0.00E+00	0.00E+00	0.00E+00	1.75E-11	2.00E-03	.	.	8.2E+04	.	8.2E+04	1.0E-15
Terbium (65)	Tb-152	9.41E-11	3.6E-11 (S)	1.36E-10	3.85E-10	2.00E-03	5.6E-01	.	3.7E+03	3.4E+00	4.8E-01	1.5E-17
Terbium (65)	Tb-152m	0.00E+00	0.00E+00	0.00E+00	1.80E-10	2.00E-03	.	.	8.0E+03	.	8.0E+03	1.0E-15
Terbium (65)	Tb-153	3.79E-11	2.6E-11 (S)	5.47E-11	7.38E-11	2.00E-03	1.4E+00	.	1.9E+04	8.5E+00	1.2E+00	1.2E-16
Terbium (65)	Tb-154	6.46E-11	3.0E-11 (S)	9.16E-11	6.12E-10	2.00E-03	8.1E-01	.	2.3E+03	5.1E+00	7.0E-01	2.7E-17
Terbium (65)	Tb-155	3.73E-11	3.4E-11 (S)	5.41E-11	3.41E-11	2.00E-03	1.4E+00	.	4.2E+04	8.6E+00	1.2E+00	2.8E-16
Terbium (65)	Tb-156	1.26E-10	1.2E-10 (S)	1.80E-10	4.89E-10	2.00E-03	4.1E-01	.	2.9E+03	2.6E+00	3.6E-01	8.5E-17
Terbium (65)	Tb-156m	2.00E-11	2.2E-11 (S)	2.87E-11	4.86E-12	2.00E-03	2.6E+00	.	3.0E+05	1.6E+01	2.2E+00	1.0E-16
Terbium (65)	Tb-156n	1.16E-11	1.2E-11 (S)	1.68E-11	5.18E-13	2.00E-03	4.5E+00	.	2.8E+06	2.8E+01	3.9E+00	3.8E-17
Terbium (65)	Tb-157	5.63E-12	1.0E-10 (F)	8.19E-12	5.11E-13	2.00E-03	9.3E+00	.	2.8E+06	1.8E+01	6.1E+00	7.0E-12
Terbium (65)	Tb-158	1.30E-10	4.7E-09 (F)	1.86E-10	1.98E-10	2.00E-03	4.0E-01	.	7.2E+03	7.3E-01	2.6E-01	7.6E-13
Terbium (65)	Tb-160	2.37E-10	8.2E-10 (S)	3.44E-10	2.86E-10	2.00E-03	2.2E-01	.	5.0E+03	1.3E+00	1.9E-01	6.2E-16
Terbium (65)	Tb-161	1.33E-10	1.6E-10 (S)	1.95E-10	4.51E-12	2.00E-03	3.9E-01	.	3.2E+05	2.4E+00	3.4E-01	1.1E-16
Terbium (65)	Tb-162	0.00E+00	0.00E+00	0.00E+00	2.76E-10	2.00E-03	.	.	5.2E+03	.	5.2E+03	1.3E-15
Terbium (65)	Tb-163	1.05E-12	7.6E-13 (S)	1.44E-12	1.92E-10	2.00E-03	5.0E+01	.	7.5E+03	3.2E+02	4.3E+01	2.7E-17
Terbium (65)	Tb-164	0.00E+00	0.00E+00	0.00E+00	6.25E-10	2.00E-03	.	.	2.3E+03	.	2.3E+03	2.2E-16
Terbium (65)	Tb-165	0.00E+00	0.00E+00	0.00E+00	2.20E-10	2.00E-03	.	.	6.5E+03	.	6.5E+03	4.5E-16
Technetium (43)	Tc-101	8.20E-13	5.1E-13 (S)	1.13E-12	8.17E-11	1.13E+00	6.4E+01	.	1.8E+04	4.1E+02	5.5E+01	1.6E-17
Technetium (43)	Tc-102	0.00E+00	0.00E+00	0.00E+00	2.46E-11	1.13E+00	.	.	5.8E+04	.	5.8E+04	1.0E-16
Technetium (43)	Tc-102m	0.00E+00	0.00E+00	0.00E+00	6.53E-10	1.13E+00	.	.	2.2E+03	.	2.2E+03	1.9E-16
Technetium (43)	Tc-104	3.81E-12	1.5E-12 (S)	5.26E-12	6.03E-10	1.13E+00	1.4E+01	.	2.4E+03	8.8E+01	1.2E+01	4.4E-18
Technetium (43)	Tc-105	0.00E+00	0.00E+00	0.00E+00	2.04E-10	1.13E+00	.	.	7.1E+03	.	7.1E+03	1.1E-15
Technetium (43)	Tc-91	0.00E+00	0.00E+00	0.00E+00	6.60E-10	1.13E+00	.	.	2.2E+03	.	2.2E+03	1.2E-16
Technetium (43)	Tc-91m	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.13E+00	.	.	4.0E+03	.	4.0E+03	2.4E-16
Technetium (43)	Tc-92	0.00E+00	0.00E+00	0.00E+00	9.85E-10	1.13E+00	.	.	1.5E+03	.	1.5E+03	1.1E-16
Technetium (43)	Tc-93	5.73E-12	2.6E-12 (S)	7.99E-12	4.13E-10	1.13E+00	9.1E+00	.	3.5E+03	5.8E+01	7.9E+00	2.4E-17
Technetium (43)	Tc-93m	2.36E-12	1.1E-12 (S)	3.29E-12	2.59E-10	1.13E+00	2.2E+01	.	5.5E+03	1.4E+02	1.9E+01	1.5E-17
Technetium (43)	Tc-94	1.70E-11	7.8E-12 (S)	2.38E-11	6.69E-10	1.13E+00	3.1E+00	.	2.1E+03	2.0E+01	2.7E+00	1.4E-17
Technetium (43)	Tc-94m	6.47E-12	2.8E-12 (S)	9.09E-12	5.02E-10	1.13E+00	8.1E+00	.	2.9E+03	5.1E+01	7.0E+00	6.7E-18

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Technetium (43)	Tc-95	1.56E-11	7.4E-12 (S)	2.17E-11	1.98E-10	1.13E+00	3.3E+00	.	7.3E+03	2.1E+01	2.9E+00	6.5E-17
Technetium (43)	Tc-95m	4.93E-11	1.3E-10 (S)	6.87E-11	1.68E-10	1.13E+00	1.1E+00	.	8.5E+03	6.0E+00	9.0E-01	1.5E-15
Technetium (43)	Tc-96	9.23E-11	5.7E-11 (S)	1.27E-10	6.31E-10	1.13E+00	5.7E-01	.	2.3E+03	3.6E+00	4.9E-01	5.7E-17
Technetium (43)	Tc-96m	9.64E-13	5.8E-13 (S)	1.34E-12	1.07E-11	1.13E+00	5.4E+01	.	1.3E+05	3.5E+02	4.7E+01	4.6E-17
Technetium (43)	Tc-97	7.33E-12	1.3E-10 (S)	1.06E-11	1.03E-13	1.13E+00	7.1E+00	.	1.4E+07	3.0E+00	2.1E+00	5.5E-08
Technetium (43)	Tc-97m	6.43E-11	3.9E-10 (S)	9.33E-11	1.67E-13	1.13E+00	8.1E-01	.	8.6E+06	4.2E+00	6.8E-01	1.7E-15
Technetium (43)	Tc-98	1.79E-10	3.2E-09 (S)	2.54E-10	3.53E-10	1.13E+00	2.9E-01	.	4.1E+03	1.3E-01	8.8E-02	3.7E-09
Technetium (43)	Tc-99	7.44E-11	1.0E-09 (S)	1.08E-10	1.52E-14	1.13E+00	7.0E-01	.	9.5E+07	2.9E-01	2.1E-01	4.5E-10
Technetium (43)	Tc-99m	2.15E-12	1.6E-12 (S)	3.06E-12	2.88E-11	1.13E+00	2.4E+01	.	5.0E+04	1.5E+02	2.1E+01	1.5E-16
Tellurium (52)	Te-113	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	.	.	2.5E+03	.	2.5E+03	9.5E-17
Tellurium (52)	Te-114	3.26E-12	2.3E-12 (V)	4.48E-12	3.28E-10	8.70E-02	1.6E+01	.	4.4E+03	1.0E+02	1.4E+01	4.7E-18
Tellurium (52)	Te-115	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	.	.	2.5E+03	.	2.5E+03	3.3E-16
Tellurium (52)	Te-115m	0.00E+00	0.00E+00	0.00E+00	6.75E-10	8.70E-02	.	.	2.1E+03	.	2.1E+03	3.2E-16
Tellurium (52)	Te-116	2.11E-11	1.1E-11 (S)	3.03E-11	1.99E-11	8.70E-02	2.5E+00	.	7.2E+04	1.5E+01	2.1E+00	7.3E-18
Tellurium (52)	Te-117	3.98E-12	2.0E-12 (V)	5.58E-12	4.01E-10	8.70E-02	1.3E+01	.	3.6E+03	8.3E+01	1.1E+01	1.6E-17
Tellurium (52)	Te-118	4.77E-10	3.4E-10 (S)	6.95E-10	7.10E-13	8.70E-02	1.1E-01	.	2.0E+06	6.7E-01	9.4E-02	1.9E-17
Tellurium (52)	Te-118+D	4.77E-10	3.4E-10 (S)	6.95E-10	1.98E-10	8.70E-02	1.1E-01	.	7.2E+03	6.7E-01	9.4E-02	1.9E-17
Tellurium (52)	Te-119	1.83E-11	8.7E-12 (S)	2.59E-11	1.89E-10	8.70E-02	2.9E+00	.	7.6E+03	1.8E+01	2.5E+00	5.6E-17
Tellurium (52)	Te-119m	6.81E-11	5.4E-11 (V)	9.51E-11	3.85E-10	8.70E-02	7.7E-01	.	3.7E+03	4.9E+00	6.6E-01	1.1E-16
Tellurium (52)	Te-121	4.08E-11	5.3E-11 (V)	5.61E-11	1.38E-10	8.70E-02	1.3E+00	.	1.0E+04	8.2E+00	1.1E+00	7.3E-16
Tellurium (52)	Te-121m	1.75E-10	5.6E-10 (S)	2.32E-10	4.92E-11	8.70E-02	3.0E-01	.	2.9E+04	1.9E+00	2.6E-01	1.4E-15
Tellurium (52)	Te-123	2.93E-11	8.3E-11 (V)	3.56E-11	1.23E-15	8.70E-02	1.8E+00	.	1.2E+09	3.0E+00	1.1E+00	8.5E+00
Tellurium (52)	Te-123m	1.11E-10	4.8E-10 (S)	1.52E-10	3.16E-11	8.70E-02	4.7E-01	.	4.5E+04	2.9E+00	4.0E-01	1.7E-15
Tellurium (52)	Te-125m	9.00E-11	3.9E-10 (S)	1.27E-10	1.57E-12	8.70E-02	5.8E-01	.	9.1E+05	3.6E+00	5.0E-01	1.0E-15
Tellurium (52)	Te-127	2.73E-11	1.8E-11 (S)	4.02E-11	1.26E-12	8.70E-02	1.9E+00	.	1.1E+06	1.2E+01	1.6E+00	2.3E-17
Tellurium (52)	Te-127m	2.34E-10	9.4E-10 (S)	3.24E-10	5.21E-13	8.70E-02	2.2E-01	.	2.8E+06	1.4E+00	1.9E-01	7.5E-16
Tellurium (52)	Te-129	4.62E-12	3.1E-12 (V)	6.60E-12	1.47E-11	8.70E-02	1.1E+01	.	9.8E+04	7.0E+01	9.7E+00	1.7E-17
Tellurium (52)	Te-129m	4.14E-10	8.1E-10 (S)	5.94E-10	7.86E-12	8.70E-02	1.3E-01	.	1.8E+05	7.7E-01	1.1E-01	1.3E-16
Tellurium (52)	Te-131	5.85E-12	6.6E-12 (V)	8.23E-12	1.03E-10	8.70E-02	8.9E+00	.	1.4E+04	5.7E+01	7.7E+00	5.0E-18
Tellurium (52)	Te-131m	2.19E-10	2.6E-10 (V)	3.14E-10	3.69E-10	8.70E-02	2.4E-01	.	3.9E+03	1.5E+00	2.1E-01	9.6E-18
Tellurium (52)	Te-132	4.58E-10	5.7E-10 (V)	6.57E-10	5.08E-11	8.70E-02	1.1E-01	.	2.8E+04	7.1E-01	9.8E-02	1.2E-17
Tellurium (52)	Te-133	5.14E-12	5.8E-12 (V)	7.28E-12	3.11E-10	8.70E-02	1.0E+01	.	4.6E+03	6.4E+01	8.8E+00	2.9E-18
Tellurium (52)	Te-133m	2.15E-11	2.3E-11 (V)	3.06E-11	4.77E-10	8.70E-02	2.4E+00	.	3.0E+03	1.5E+01	2.1E+00	3.0E-18
Tellurium (52)	Te-134	7.46E-12	8.0E-12 (V)	1.04E-11	2.12E-10	8.70E-02	7.0E+00	.	6.8E+03	4.5E+01	6.1E+00	6.7E-18
Thorium (90)	Th-223	0.00E+00	0.00E+00	0.00E+00	1.51E-11	1.83E-03	.	.	9.5E+04	.	9.5E+04	4.2E-17
Thorium (90)	Th-224	0.00E+00	0.00E+00	0.00E+00	5.33E-12	1.83E-03	.	.	2.7E+05	.	2.7E+05	2.1E-16
Thorium (90)	Th-226	1.78E-11	4.2E-09 (S)	2.50E-11	1.74E-12	1.83E-03	2.9E+00	.	8.3E+05	1.9E+01	2.5E+00	3.5E-18
Thorium (90)	Th-227	1.30E-09	9.5E-07 (S)	1.90E-09	2.85E-11	1.83E-03	4.0E-02	.	5.0E+04	2.4E-01	3.4E-02	4.2E-17
Thorium (90)	Th-228	2.91E-09	3.6E-06 (S)	4.00E-09	4.48E-13	1.83E-03	1.8E-02	.	3.2E+06	9.2E-02	1.5E-02	6.8E-16
Thorium (90)	Th-229	6.04E-09	4.7E-06 (S)	7.85E-09	1.81E-11	1.83E-03	8.7E-03	.	8.0E+04	1.7E-02	5.7E-03	9.9E-13
Thorium (90)	Th-229+D	9.13E-09	5.4E-06 (S)	1.20E-08	1.92E-11	1.83E-03	5.7E-03	.	7.5E+04	1.1E-02	3.7E-03	6.5E-13
Thorium (90)	Th-230	2.47E-09	9.2E-07 (F)	3.22E-09	8.14E-14	1.83E-03	2.1E-02	.	1.8E+07	4.0E-02	1.4E-02	2.5E-11
Thorium (90)	Th-231	5.93E-11	4.1E-11 (S)	8.69E-11	2.40E-12	1.83E-03	8.8E-01	.	6.0E+05	5.4E+00	7.6E-01	5.3E-17
Thorium (90)	Th-232	2.73E-09	1.2E-06 (S)	3.60E-09	4.17E-14	1.83E-03	1.9E-02	.	3.4E+07	3.6E-02	1.3E-02	4.2E-06
Thorium (90)	Th-232+D	3.08E-08	2.4E-06 (S)	4.22E-08	2.20E-10	1.83E-03	1.7E-03	.	6.5E+03	3.1E-03	1.1E-03	3.7E-07
Thorium (90)	Th-233	1.07E-12	1.0E-12 (S)	1.50E-12	8.58E-12	1.83E-03	4.9E+01	.	1.7E+05	3.1E+02	4.2E+01	4.3E-17
Thorium (90)	Th-234	6.24E-10	8.3E-10 (S)	9.17E-10	1.73E-12	1.83E-03	8.4E-02	.	8.3E+05	5.0E-01	7.2E-02	1.2E-16
Thorium (90)	Th-234+D	6.24E-10	8.3E-10 (S)	9.17E-10	6.66E-12	1.83E-03	8.4E-02	.	2.2E+05	5.0E-01	7.2E-02	1.2E-16
Thorium (90)	Th-235	0.00E+00	0.00E+00	0.00E+00	1.38E-11	1.83E-03	.	.	1.0E+05	.	1.0E+05	3.4E-14
Thorium (90)	Th-236	5.28E-12	3.5E-12 (S)	7.44E-12	8.14E-12	1.83E-03	9.9E+00	.	1.8E+05	6.3E+01	8.5E+00	1.5E-17
Titanium (22)	Ti-44	6.91E-10	9.3E-09 (S)	9.81E-10	2.64E-11	1.00E-03	7.6E-02	.	5.4E+04	1.5E-01	5.0E-02	1.4E-14
Titanium (22)	Ti-44+D	7.34E-10	9.3E-09 (S)	1.04E-09	5.68E-10	1.00E-03	7.1E-02	.	2.5E+03	1.4E-01	4.7E-02	1.3E-14
Titanium (22)	Ti-45	1.74E-11	8.3E-12 (S)	2.52E-11	2.13E-10	1.00E-03	3.0E+00	.	6.7E+03	1.8E+01	2.6E+00	4.2E-18
Titanium (22)	Ti-51	0.00E+00	0.00E+00	0.00E+00	9.09E-11	1.00E-03	.	.	1.6E+04	.	1.6E+04	9.2E-16
Titanium (22)	Ti-52	0.00E+00	0.00E+00	0.00E+00	2.88E-11	1.00E-03	.	.	5.0E+04	.	5.0E+04	8.7E-16
Thallium (81)	Tl-190	0.00E+00	0.00E+00	0.00E+00	3.22E-10	2.00E-01	.	.	4.5E+03	.	4.5E+03	4.3E-16
Thallium (81)	Tl-190m	0.00E+00	0.00E+00	0.00E+00	6.09E-10	2.00E-01	.	.	2.4E+03	.	2.4E+03	3.3E-16
Thallium (81)	Tl-194	2.12E-12	1.0E-12 (S)	2.90E-12	2.23E-10	2.00E-01	2.5E+01	.	6.4E+03	1.6E+02	2.1E+01	2.7E-17
Thallium (81)	Tl-194m	2.10E-12	1.3E-12 (S)	2.85E-12	6.22E-10	2.00E-01	2.5E+01	.	2.3E+03	1.6E+02	2.1E+01	2.7E-17
Thallium (81)	Tl-195	1.60E-12	1.4E-12 (S)	2.16E-12	3.19E-10	2.00E-01	3.3E+01	.	4.5E+03	2.2E+02	2.8E+01	7.5E-17
Thallium (81)	Tl-196	3.16E-12	1.8E-12 (S)	4.27E-12	4.86E-10	2.00E-01	1.7E+01	.	3.0E+03	1.1E+02	1.4E+01	6.1E-17
Thallium (81)	Tl-197	1.74E-12	2.8E-12 (S)	2.38E-12	1.11E-10	2.00E-01	3.0E+01	.	1.3E+04	2.0E+02	2.6E+01	1.7E-16
Thallium (81)	Tl-198	5.59E-12	3.3E-12 (S)	7.47E-12	5.27E-10	2.00E-01	9.3E+00	.	2.7E+03	6.2E+01	8.1E+00	1.0E-16
Thallium (81)	Tl-198m	3.53E-12	3.7E-12 (S)	4.76E-12	2.94E-10	2.00E-01	1.5E+01	.	4.9E+03	9.8E+01	1.3E+01	5.6E-17
Thallium (81)	Tl-199	2.07E-12	3.4E-12 (S)	2.81E-12	5.65E-11	2.00E-01	2.5E+01	.	2.5E+04	1.7E+02	2.2E+01	3.8E-16
Thallium (81)	Tl-200	1.67E-11	1.1E-11 (S)	2.23E-11	3.28E-10	2.00E-01	3.1E+00	.	4.4E+03	2.1E+01	2.7E+00	1.7E-16
Thallium (81)	Tl-201	1.00E-11	1.9E-11 (S)	1.38E-11	1.76E-11	2.00E-01	5.2E+00	.	8.1E+04	3.4E+01	4.5E+00	7.8E-16
Thallium (81)	Tl-202	4.03E-11	3.7E-11 (S)	5.44E-11	1.10E-10	2.00E-01	1.3E+00	.	1.3E+04	8.5E+00	1.1E+00	7.9E-16
Thallium (81)	Tl-204	1.57E-10	1.6E-09 (S)	2.22E-10	3.14E-13	2.00E-01	3.3E-01	.	4.6E+06	1.1E+00	2.6E-01	2.0E-14
Thallium (81)	Tl-206	0.00E+00	0.00E+00	0.00E+00	3.98E-13	2.00E-01	.	.	3.6E+06	.	3.6E+06	6.2E-13

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Thallium (81)	Tl-206m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-01	.	.	2.4E+03	.	2.4E+03	3.6E-16
Thallium (81)	Tl-207	0.00E+00	0.00E+00	0.00E+00	9.21E-13	2.00E-01	.	.	1.6E+06	.	1.6E+06	3.0E-13
Thallium (81)	Tl-208	0.00E+00	0.00E+00	0.00E+00	9.34E-10	2.00E-01	.	.	1.5E+03	.	1.5E+03	1.9E-16
Thallium (81)	Tl-209	0.00E+00	0.00E+00	0.00E+00	5.62E-10	2.00E-01	.	.	2.6E+03	.	2.6E+03	2.3E-16
Thallium (81)	Tl-210	0.00E+00	0.00E+00	0.00E+00	7.26E-10	2.00E-01	.	.	2.0E+03	.	2.0E+03	1.1E-16
Thulium (69)	Tm-161	2.94E-12	1.6E-12 (S)	4.13E-12	3.25E-10	2.00E-03	1.8E+01	.	4.4E+03	1.1E+02	1.5E+01	1.5E-17
Thulium (69)	Tm-162	2.02E-12	9.7E-13 (S)	2.79E-12	5.05E-10	2.00E-03	2.6E+01	.	2.8E+03	1.7E+02	2.2E+01	1.5E-17
Thulium (69)	Tm-163	4.56E-12	2.4E-12 (S)	6.41E-12	3.31E-10	2.00E-03	1.1E+01	.	4.3E+03	7.3E+01	9.9E+00	3.4E-17
Thulium (69)	Tm-164	0.00E+00	0.00E+00	0.00E+00	1.94E-10	2.00E-03	.	.	7.4E+03	.	7.4E+03	4.8E-16
Thulium (69)	Tm-165	4.51E-11	2.4E-11 (S)	6.50E-11	1.31E-10	2.00E-03	1.2E+00	.	1.1E+04	7.2E+00	1.0E+00	5.9E-17
Thulium (69)	Tm-166	2.95E-11	1.5E-11 (S)	4.19E-11	5.14E-10	2.00E-03	1.8E+00	.	2.8E+03	1.1E+01	1.5E+00	2.3E-17
Thulium (69)	Tm-167	9.71E-11	1.4E-10 (S)	1.42E-10	2.95E-11	2.00E-03	5.4E-01	.	4.9E+04	3.3E+00	4.6E-01	2.0E-16
Thulium (69)	Tm-168	1.21E-10	5.0E-10 (S)	1.74E-10	3.03E-10	2.00E-03	4.3E-01	.	4.7E+03	2.6E+00	3.7E-01	1.6E-15
Thulium (69)	Tm-170	2.39E-10	8.9E-10 (S)	3.50E-10	8.33E-13	2.00E-03	2.2E-01	.	1.7E+06	1.3E+00	1.9E-01	1.2E-15
Thulium (69)	Tm-171	1.88E-11	1.2E-10 (S)	2.76E-11	9.03E-14	2.00E-03	2.8E+00	.	1.6E+07	1.3E+01	2.3E+00	7.8E-14
Thulium (69)	Tm-172	2.92E-10	1.6E-10 (S)	4.28E-10	1.25E-10	2.00E-03	1.8E-01	.	1.1E+04	1.1E+00	1.5E-01	2.0E-17
Thulium (69)	Tm-173	4.55E-11	2.2E-11 (S)	6.64E-11	9.37E-11	2.00E-03	1.1E+00	.	1.5E+04	7.0E+00	9.9E-01	1.7E-17
Thulium (69)	Tm-174	0.00E+00	0.00E+00	0.00E+00	4.42E-10	2.00E-03	.	.	3.2E+03	.	3.2E+03	6.0E-16
Thulium (69)	Tm-175	1.36E-12	9.2E-13 (S)	1.89E-12	2.72E-10	2.00E-03	3.8E+01	.	5.3E+03	2.5E+02	3.3E+01	1.7E-17
Thulium (69)	Tm-176	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.00E-03	.	.	2.8E+03	.	2.8E+03	1.8E-16
Uranium (92)	U-227	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.39E-03	.	.	5.4E+04	.	5.4E+04	2.7E-15
Uranium (92)	U-228	0.00E+00	0.00E+00	0.00E+00	8.65E-13	5.39E-03	.	.	1.7E+06	.	1.7E+06	6.8E-13
Uranium (92)	U-230	5.65E-09	1.5E-06 (S)	8.05E-09	2.46E-13	5.39E-03	9.2E-03	.	5.8E+06	5.7E-02	8.0E-03	1.1E-17
Uranium (92)	U-231	5.74E-11	5.7E-11 (S)	8.40E-11	1.45E-11	5.39E-03	9.1E-01	.	9.9E+04	5.5E+00	7.8E-01	2.2E-16
Uranium (92)	U-232	7.85E-09	2.5E-06 (S)	1.04E-08	5.65E-14	5.39E-03	6.7E-03	.	2.5E+07	1.4E-02	4.5E-03	7.4E-15
Uranium (92)	U-233	1.94E-09	7.7E-07 (S)	2.62E-09	5.65E-14	5.39E-03	2.7E-02	.	2.5E+07	4.9E-02	1.7E-02	6.7E-11
Uranium (92)	U-234	1.91E-09	7.5E-07 (S)	2.58E-09	3.15E-14	5.39E-03	2.7E-02	.	4.6E+07	5.0E-02	1.8E-02	1.1E-10
Uranium (92)	U-235	1.88E-09	6.8E-07 (S)	2.55E-09	3.76E-11	5.39E-03	2.8E-02	.	3.8E+04	5.1E-02	1.8E-02	3.1E-07
Uranium (92)	U-235+D	1.94E-09	6.8E-07 (S)	2.64E-09	4.01E-11	5.39E-03	2.7E-02	.	3.6E+04	4.9E-02	1.7E-02	3.0E-07
Uranium (92)	U-235m	2.06E-16	5.1E-17 (M)	2.87E-16	0.00E+00	5.39E-03	2.5E+05	.	.	1.6E+06	2.2E+05	2.6E-13
Uranium (92)	U-236	1.80E-09	6.9E-07 (S)	2.43E-09	1.89E-14	5.39E-03	2.9E-02	.	7.6E+07	5.3E-02	1.9E-02	1.1E-08
Uranium (92)	U-237	1.35E-10	2.0E-10 (S)	1.97E-10	2.86E-11	5.39E-03	3.9E-01	.	5.0E+04	2.4E+00	3.3E-01	1.5E-16
Uranium (92)	U-238	1.73E-09	6.4E-07 (S)	2.34E-09	1.62E-14	5.39E-03	3.0E-02	.	8.9E+07	5.5E-02	2.0E-02	2.2E-06
Uranium (92)	U-238+D	2.35E-09	6.4E-07 (S)	3.26E-09	7.26E-12	5.39E-03	2.2E-02	.	2.0E+05	4.0E-02	1.4E-02	1.6E-06
Uranium (92)	U-239	2.01E-12	1.7E-12 (S)	2.86E-12	1.02E-11	5.39E-03	2.6E+01	.	1.4E+05	1.6E+02	2.2E+01	2.5E-17
Uranium (92)	U-240	1.87E-10	8.4E-11 (S)	2.74E-10	9.78E-13	5.39E-03	2.8E-01	.	1.5E+06	1.7E+00	2.4E-01	9.6E-18
Uranium (92)	U-242	2.34E-12	1.4E-12 (S)	3.23E-12	9.53E-12	5.39E-03	2.2E+01	.	1.5E+05	1.4E+02	1.9E+01	1.6E-17
Vanadium (23)	V-47	3.38E-12	1.7E-12 (S)	4.71E-12	2.45E-10	2.00E-03	1.5E+01	.	5.9E+03	9.9E+01	1.3E+01	4.0E-18
Vanadium (23)	V-48	2.24E-10	2.8E-10 (S)	3.19E-10	7.51E-10	2.00E-03	2.3E-01	.	1.9E+03	1.4E+00	2.0E-01	4.4E-17
Vanadium (23)	V-49	3.27E-12	7.6E-12 (S)	4.79E-12	0.00E+00	2.00E-03	1.6E+01	.	.	8.6E+01	1.3E+01	6.2E-14
Vanadium (23)	V-50	1.60E-10	2.6E-09 (F)	2.15E-10	3.82E-10	2.00E-03	3.3E-01	.	3.8E+03	6.1E-01	2.1E-01	1.7E+02
Vanadium (23)	V-52	0.00E+00	0.00E+00	0.00E+00	3.85E-10	2.00E-03	.	.	3.7E+03	.	3.7E+03	1.4E-16
Vanadium (23)	V-53	0.00E+00	0.00E+00	0.00E+00	2.69E-10	2.00E-03	.	.	5.3E+03	.	5.3E+03	9.0E-17
Tungsten (74)	W-177	5.21E-12	3.2E-12 (S)	7.37E-12	2.19E-10	8.00E-01	1.0E+01	.	6.6E+03	6.3E+01	8.6E+00	4.0E-17
Tungsten (74)	W-178	3.71E-11	8.4E-11 (S)	5.39E-11	2.32E-12	8.00E-01	1.4E+00	.	6.2E+05	8.3E+00	1.2E+00	1.3E-15
Tungsten (74)	W-178+D	3.71E-11	8.4E-11 (S)	5.39E-11	2.81E-11	8.00E-01	1.4E+00	.	5.1E+04	8.3E+00	1.2E+00	1.3E-15
Tungsten (74)	W-179	2.05E-13	8.0E-14 (S)	2.87E-13	7.73E-12	8.00E-01	2.5E+02	.	1.9E+05	1.6E+03	2.2E+02	2.9E-16
Tungsten (74)	W-179m	0.00E+00	0.00E+00	0.00E+00	1.05E-11	8.00E-01	.	.	1.4E+05	.	1.4E+05	3.1E-14
Tungsten (74)	W-181	1.22E-11	3.1E-11 (S)	1.76E-11	6.15E-12	8.00E-01	4.3E+00	.	2.3E+05	2.2E+01	3.6E+00	2.2E-14
Tungsten (74)	W-185	7.92E-11	3.7E-10 (S)	1.16E-10	3.66E-14	8.00E-01	6.6E-01	.	3.9E+07	3.6E+00	5.6E-01	2.2E-15
Tungsten (74)	W-185m	0.00E+00	0.00E+00	0.00E+00	4.95E-12	8.00E-01	.	.	2.9E+05	.	2.9E+05	1.7E-14
Tungsten (74)	W-187	9.42E-11	5.3E-11 (S)	1.37E-10	1.09E-10	8.00E-01	5.5E-01	.	1.3E+04	3.4E+00	4.8E-01	2.5E-17
Tungsten (74)	W-188	3.77E-10	1.5E-09 (S)	5.52E-10	4.54E-13	8.00E-01	1.4E-01	.	3.2E+06	7.6E-01	1.2E-01	4.4E-16
Tungsten (74)	W-190	4.44E-12	3.9E-12 (S)	6.19E-12	3.02E-11	8.00E-01	1.2E+01	.	4.8E+04	7.5E+01	1.0E+01	1.1E-17
Xenon (54)	Xe-120	0.00E+00	0.00E+00	0.00E+00	9.06E-11	0.00E+00	.	.	1.6E+04	.	1.6E+04	1.5E-14
Xenon (54)	Xe-121	0.00E+00	0.00E+00	0.00E+00	3.82E-10	0.00E+00	.	.	3.8E+03	.	3.8E+03	3.6E-15
Xenon (54)	Xe-122	0.00E+00	0.00E+00	0.00E+00	1.18E-11	0.00E+00	.	.	1.2E+05	.	1.2E+05	3.5E-12
Xenon (54)	Xe-123	0.00E+00	0.00E+00	0.00E+00	1.57E-10	0.00E+00	.	.	9.2E+03	.	9.2E+03	2.8E-14
Xenon (54)	Xe-125	0.00E+00	0.00E+00	0.00E+00	5.90E-11	0.00E+00	.	.	2.4E+04	.	2.4E+04	6.1E-13
Xenon (54)	Xe-127	0.00E+00	0.00E+00	0.00E+00	6.15E-11	0.00E+00	.	.	2.3E+04	.	2.3E+04	3.1E-11
Xenon (54)	Xe-127m	0.00E+00	0.00E+00	0.00E+00	3.57E-11	0.00E+00	.	.	4.0E+04	.	4.0E+04	1.2E-15
Xenon (54)	Xe-129m	0.00E+00	0.00E+00	0.00E+00	4.42E-12	0.00E+00	.	.	3.2E+05	.	3.2E+05	1.1E-10
Xenon (54)	Xe-131m	0.00E+00	0.00E+00	0.00E+00	1.62E-12	0.00E+00	.	.	8.8E+05	.	8.8E+05	3.9E-10
Xenon (54)	Xe-133	0.00E+00	0.00E+00	0.00E+00	7.16E-12	0.00E+00	.	.	2.0E+05	.	2.0E+05	4.0E-11
Xenon (54)	Xe-133m	0.00E+00	0.00E+00	0.00E+00	6.47E-12	0.00E+00	.	.	2.2E+05	.	2.2E+05	1.8E-11
Xenon (54)	Xe-135	0.00E+00	0.00E+00	0.00E+00	5.96E-11	0.00E+00	.	.	2.4E+04	.	2.4E+04	3.5E-13
Xenon (54)	Xe-135m	0.00E+00	0.00E+00	0.00E+00	1.04E-10	0.00E+00	.	.	1.4E+04	.	1.4E+04	5.6E-15
Xenon (54)	Xe-137	0.00E+00	0.00E+00	0.00E+00	5.08E-11	0.00E+00	.	.	2.8E+04	.	2.8E+04	2.9E-15
Xenon (54)	Xe-138	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	.	.	4.8E+03	.	4.8E+03	1.8E-15
Yttrium (39)	Y-81	0.00E+00	0.00E+00	0.00E+00	2.87E-10	4.35E-04	.	.	5.0E+03	.	5.0E+03	9.4E-17

Radionuclides		Slope Factors and Isotope-specific Information					Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	.	3.6E+05	.	3.6E+05	3.3E-14
Yttrium (39)	Y-83	0.00E+00	0.00E+00	0.00E+00	3.35E-10	4.35E-04	.	.	4.3E+03	.	4.3E+03	5.0E-16
Yttrium (39)	Y-83m	0.00E+00	0.00E+00	0.00E+00	2.04E-10	4.35E-04	.	.	7.0E+03	.	7.0E+03	3.3E-16
Yttrium (39)	Y-84m	8.19E-12	3.4E-12 (S)	1.14E-11	1.01E-09	4.35E-04	6.4E+00	.	1.4E+03	4.1E+01	5.5E+00	3.6E-18
Yttrium (39)	Y-85	2.01E-11	8.6E-12 (S)	2.89E-11	2.65E-10	4.35E-04	2.6E+00	.	5.4E+03	1.6E+01	2.2E+00	6.0E-18
Yttrium (39)	Y-85m	4.88E-11	1.9E-11 (S)	7.08E-11	3.41E-10	4.35E-04	1.1E+00	.	4.2E+03	6.6E+00	9.2E-01	4.5E-18
Yttrium (39)	Y-86	1.07E-10	4.2E-11 (S)	1.53E-10	9.28E-10	4.35E-04	4.9E-01	.	1.5E+03	3.0E+00	4.2E-01	6.3E-18
Yttrium (39)	Y-86m	6.22E-12	2.5E-12 (S)	8.88E-12	5.24E-11	4.35E-04	8.4E+00	.	2.7E+04	5.2E+01	7.2E+00	5.9E-18
Yttrium (39)	Y-87	6.94E-11	4.0E-11 (S)	9.99E-11	1.07E-10	4.35E-04	7.5E-01	.	1.3E+04	4.7E+00	6.5E-01	5.3E-17
Yttrium (39)	Y-87m	3.00E-11	1.5E-11 (S)	4.34E-11	7.42E-11	4.35E-04	1.7E+00	.	1.9E+04	1.1E+01	1.5E+00	2.1E-17
Yttrium (39)	Y-88	1.14E-10	5.5E-10 (F)	1.59E-10	7.23E-10	4.35E-04	4.6E-01	.	2.0E+03	2.8E+00	3.9E-01	1.1E-15
Yttrium (39)	Y-89m	0.00E+00	0.00E+00	0.00E+00	2.29E-10	4.35E-04	.	.	6.3E+03	.	6.3E+03	2.9E-17
Yttrium (39)	Y-90	4.87E-10	2.3E-10 (S)	7.15E-10	1.01E-12	4.35E-04	1.1E-01	.	1.4E+06	6.5E-01	9.2E-02	6.3E-18
Yttrium (39)	Y-90m	2.82E-11	1.3E-11 (S)	4.11E-11	1.53E-10	4.35E-04	1.9E+00	.	9.4E+03	1.1E+01	1.6E+00	5.4E-18
Yttrium (39)	Y-91	4.34E-10	9.1E-10 (S)	6.37E-10	1.27E-12	4.35E-04	1.2E-01	.	1.1E+06	7.1E-01	1.0E-01	1.6E-16
Yttrium (39)	Y-91m	9.52E-13	8.2E-13 (S)	1.34E-12	1.30E-10	4.35E-04	5.5E+01	.	1.1E+04	3.5E+02	4.7E+01	4.2E-17
Yttrium (39)	Y-92	6.71E-11	2.5E-11 (S)	9.79E-11	6.72E-11	4.35E-04	7.8E-01	.	2.1E+04	4.8E+00	6.7E-01	2.6E-18
Yttrium (39)	Y-93	1.96E-10	7.2E-11 (S)	2.87E-10	2.68E-11	4.35E-04	2.7E-01	.	5.4E+04	1.6E+00	2.3E-01	2.6E-18
Yttrium (39)	Y-94	3.79E-12	1.5E-12 (S)	5.24E-12	2.04E-10	4.35E-04	1.4E+01	.	7.0E+03	8.9E+01	1.2E+01	4.1E-18
Yttrium (39)	Y-95	1.82E-12	7.4E-13 (S)	2.51E-12	3.13E-10	4.35E-04	2.9E+01	.	4.6E+03	1.9E+02	2.5E+01	4.8E-18
Ytterbium (70)	Yb-162	1.88E-12	1.0E-12 (S)	2.62E-12	5.49E-11	2.00E-03	2.8E+01	.	2.6E+04	1.8E+02	2.4E+01	1.4E-17
Ytterbium (70)	Yb-163	9.66E-13	4.5E-13 (S)	1.34E-12	1.81E-10	2.00E-03	5.4E+01	.	8.0E+03	3.5E+02	4.7E+01	1.7E-17
Ytterbium (70)	Yb-164	7.40E-12	3.5E-12 (S)	1.06E-11	8.65E-12	2.00E-03	7.1E+00	.	1.7E+05	4.4E+01	6.1E+00	1.5E-17
Ytterbium (70)	Yb-165	0.00E+00	0.00E+00	0.00E+00	7.51E-11	2.00E-03	.	.	1.9E+04	.	1.9E+04	6.2E-15
Ytterbium (70)	Yb-166	1.15E-10	7.7E-11 (S)	1.65E-10	1.26E-11	2.00E-03	4.5E-01	.	1.1E+05	2.8E+00	3.9E-01	4.4E-17
Ytterbium (70)	Yb-167	4.34E-13	4.7E-13 (S)	6.08E-13	5.18E-11	2.00E-03	1.2E+02	.	2.8E+04	7.7E+02	1.0E+02	6.0E-17
Ytterbium (70)	Yb-169	1.27E-10	3.4E-10 (S)	1.84E-10	6.44E-11	2.00E-03	4.1E-01	.	2.2E+04	2.5E+00	3.5E-01	5.4E-16
Ytterbium (70)	Yb-175	7.81E-11	8.0E-11 (S)	1.15E-10	9.21E-12	2.00E-03	6.7E-01	.	1.6E+05	4.0E+00	5.7E-01	1.2E-16
Ytterbium (70)	Yb-177	9.59E-12	6.5E-12 (S)	1.39E-11	4.89E-11	2.00E-03	5.4E+00	.	2.9E+04	3.3E+01	4.7E+00	1.9E-17
Ytterbium (70)	Yb-178	1.03E-11	6.3E-12 (S)	1.49E-11	9.21E-12	2.00E-03	5.1E+00	.	1.6E+05	3.1E+01	4.4E+00	1.1E-17
Ytterbium (70)	Yb-179	0.00E+00	0.00E+00	0.00E+00	2.40E-10	2.00E-03	.	.	6.0E+03	.	6.0E+03	1.7E-15
Zinc (30)	Zn-60	0.00E+00	0.00E+00	0.00E+00	3.76E-10	1.57E+00	.	.	3.8E+03	.	3.8E+03	1.1E-16
Zinc (30)	Zn-61	0.00E+00	0.00E+00	0.00E+00	3.91E-10	1.57E+00	.	.	3.7E+03	.	3.7E+03	6.6E-17
Zinc (30)	Zn-62	1.33E-10	7.9E-11 (S)	1.95E-10	1.06E-10	1.57E+00	3.9E-01	.	1.3E+04	2.4E+00	3.4E-01	2.3E-18
Zinc (30)	Zn-63	4.41E-12	2.2E-12 (S)	6.18E-12	2.71E-10	1.57E+00	1.2E+01	.	5.3E+03	7.5E+01	1.0E+01	4.9E-18
Zinc (30)	Zn-65	3.14E-10	2.0E-10 (F)	4.14E-10	1.50E-10	1.57E+00	1.7E-01	.	9.6E+03	6.8E-01	1.3E-01	6.0E-16
Zinc (30)	Zn-69	1.93E-12	1.8E-12 (S)	2.75E-12	1.48E-13	1.57E+00	2.7E+01	.	9.7E+06	1.7E+02	2.3E+01	1.8E-17
Zinc (30)	Zn-69m	5.05E-11	3.9E-11 (S)	7.39E-11	1.01E-10	1.57E+00	1.0E+00	.	1.4E+04	6.3E+00	8.9E-01	1.0E-17
Zinc (30)	Zn-71	0.00E+00	0.00E+00	0.00E+00	7.98E-11	1.57E+00	.	.	1.8E+04	.	1.8E+04	6.2E-16
Zinc (30)	Zn-71m	2.63E-11	1.6E-11 (S)	3.79E-11	3.85E-10	1.57E+00	2.0E+00	.	3.7E+03	1.2E+01	1.7E+00	5.7E-18
Zinc (30)	Zn-72	1.80E-10	1.7E-10 (S)	2.58E-10	3.38E-11	1.57E+00	2.9E-01	.	4.3E+04	1.8E+00	2.5E-01	9.9E-18
Zirconium (40)	Zr-85	0.00E+00	0.00E+00	0.00E+00	3.66E-10	8.70E-04	.	.	3.9E+03	.	3.9E+03	5.2E-16
Zirconium (40)	Zr-86	1.03E-10	4.4E-11 (S)	1.48E-10	6.56E-11	8.70E-04	5.1E-01	.	2.2E+04	3.1E+00	4.4E-01	7.3E-18
Zirconium (40)	Zr-87	1.82E-11	8.1E-12 (S)	2.62E-11	2.29E-10	8.70E-04	2.9E+00	.	6.3E+03	1.8E+01	2.5E+00	4.3E-18
Zirconium (40)	Zr-88	4.19E-11	3.6E-10 (S)	5.81E-11	9.28E-11	8.70E-04	1.2E+00	.	1.5E+04	7.8E+00	1.1E+00	2.2E-15
Zirconium (40)	Zr-89	9.73E-11	5.5E-11 (S)	1.40E-10	2.91E-10	8.70E-04	5.4E-01	.	4.9E+03	3.3E+00	4.6E-01	3.8E-17
Zirconium (40)	Zr-89m	0.00E+00	0.00E+00	0.00E+00	1.58E-10	8.70E-04	.	.	9.1E+03	.	9.1E+03	6.6E-16
Zirconium (40)	Zr-93	2.93E-11	4.0E-10 (F)	3.80E-11	2.12E-19	8.70E-04	1.8E+00	.	6.8E+12	3.4E+00	1.2E+00	1.7E-08
Zirconium (40)	Zr-95	1.25E-10	5.7E-10 (S)	1.80E-10	1.84E-10	8.70E-04	4.2E-01	.	7.8E+03	2.5E+00	3.6E-01	6.2E-16
Zirconium (40)	Zr-97	3.38E-10	1.4E-10 (S)	4.94E-10	2.22E-10	8.70E-04	1.5E-01	.	6.5E+03	9.4E-01	1.3E-01	2.6E-18

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Actinium (89)	Ac-223+D	0.00E+00	.	.
Actinium (89)	Ac-224	2.07E-10	9.8E-03	2.0E-15
Actinium (89)	Ac-225	7.34E-09	2.8E-04	4.8E-15
Actinium (89)	Ac-225+D	7.34E-09	2.8E-04	4.8E-15
Actinium (89)	Ac-226	2.77E-09	7.3E-04	1.6E-15
Actinium (89)	Ac-227	6.63E-09	3.1E-04	4.2E-12
Actinium (89)	Ac-228	7.39E-11	2.8E-02	1.2E-14
Actinium (89)	Ac-230	0.00E+00	.	.
Actinium (89)	Ac-231	0.00E+00	.	.
Actinium (89)	Ac-232	0.00E+00	.	.
Actinium (89)	Ac-233	0.00E+00	.	.
Silver (47)	Ag-100m	0.00E+00	.	.
Silver (47)	Ag-101	2.23E-12	9.1E-01	5.5E-15
Silver (47)	Ag-102	2.75E-12	7.4E-01	5.2E-15
Silver (47)	Ag-102m	0.00E+00	.	.
Silver (47)	Ag-103	3.98E-12	5.1E-01	1.8E-14
Silver (47)	Ag-104	6.23E-12	3.3E-01	1.3E-14
Silver (47)	Ag-104m	5.15E-12	4.0E-01	7.3E-15
Silver (47)	Ag-105	6.65E-11	3.1E-02	1.0E-12
Silver (47)	Ag-105m	0.00E+00	.	.
Silver (47)	Ag-106	2.18E-12	9.3E-01	1.3E-14
Silver (47)	Ag-106m	1.80E-10	1.1E-02	7.6E-14
Silver (47)	Ag-108	0.00E+00	.	.
Silver (47)	Ag-108m	3.01E-10	6.8E-03	8.5E-10
Silver (47)	Ag-108m+D	3.01E-10	6.8E-03	8.5E-10
Silver (47)	Ag-109m	0.00E+00	.	.
Silver (47)	Ag-110	0.00E+00	.	.
Silver (47)	Ag-110m	3.76E-10	5.4E-03	1.1E-12
Silver (47)	Ag-110m+D	3.76E-10	5.4E-03	1.1E-12
Silver (47)	Ag-111	3.25E-10	6.3E-03	4.0E-14
Silver (47)	Ag-111m	0.00E+00	.	.
Silver (47)	Ag-112	7.72E-11	2.6E-02	3.0E-15
Silver (47)	Ag-113	8.71E-11	2.3E-02	4.5E-15
Silver (47)	Ag-113m	0.00E+00	.	.
Silver (47)	Ag-114	0.00E+00	.	.
Silver (47)	Ag-115	5.45E-12	3.7E-01	4.6E-15
Silver (47)	Ag-116	0.00E+00	.	.
Silver (47)	Ag-117	0.00E+00	.	.
Silver (47)	Ag-99	0.00E+00	.	.
Aluminum (13)	Al-26	6.71E-10	3.0E-03	1.6E-07
Aluminum (13)	Al-28	0.00E+00	.	.
Aluminum (13)	Al-29	0.00E+00	.	.
Americium (95)	Am-237	2.00E-12	1.0E+00	9.4E-14
Americium (95)	Am-238	3.61E-12	5.6E-01	7.0E-14
Americium (95)	Am-239	5.61E-11	3.6E-02	3.3E-14
Americium (95)	Am-240	1.02E-10	2.0E-02	7.8E-14
Americium (95)	Am-241	3.61E-09	5.6E-04	1.6E-10
Americium (95)	Am-242	7.14E-11	2.9E-02	3.5E-14
Americium (95)	Am-242m	2.36E-09	8.6E-04	8.2E-11
Americium (95)	Am-242m+D	2.43E-09	8.4E-04	8.0E-11
Americium (95)	Am-243	3.62E-09	5.6E-04	2.8E-09

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Americium (95)	Am-243+D	3.83E-09	5.3E-04	2.7E-09
Americium (95)	Am-244	9.70E-11	2.1E-02	1.7E-14
Americium (95)	Am-244m	1.97E-12	1.0E+00	3.5E-14
Americium (95)	Am-245	8.71E-12	2.3E-01	3.8E-14
Americium (95)	Am-246	5.15E-12	4.0E-01	2.0E-14
Americium (95)	Am-246m	2.46E-12	8.3E-01	2.7E-14
Americium (95)	Am-247	1.98E-12	1.0E+00	3.1E-14
Argon (18)	Ar-37	0.00E+00	.	.
Argon (18)	Ar-39	0.00E+00	.	.
Argon (18)	Ar-41	0.00E+00	.	.
Argon (18)	Ar-42	0.00E+00	.	.
Argon (18)	Ar-42+D	4.70E-11	4.3E-02	1.7E-10
Argon (18)	Ar-43	0.00E+00	.	.
Argon (18)	Ar-44	0.00E+00	.	.
Arsenic (33)	As-68	0.00E+00	.	.
Arsenic (33)	As-69	3.72E-12	5.5E-01	3.1E-15
Arsenic (33)	As-70	1.24E-11	1.6E-01	3.2E-15
Arsenic (33)	As-71	8.78E-11	2.3E-02	3.4E-14
Arsenic (33)	As-72	4.06E-10	5.0E-03	3.0E-15
Arsenic (33)	As-73	6.18E-11	3.3E-02	1.5E-12
Arsenic (33)	As-74	2.60E-10	7.8E-03	7.9E-14
Arsenic (33)	As-76	3.79E-10	5.4E-03	3.4E-15
Arsenic (33)	As-77	9.81E-11	2.1E-02	2.0E-14
Arsenic (33)	As-78	2.28E-11	8.9E-02	3.4E-15
Arsenic (33)	As-79	0.00E+00	.	.
Astatine (85)	At-204	0.00E+00	.	.
Astatine (85)	At-205	5.29E-12	3.8E-01	1.1E-14
Astatine (85)	At-206	6.09E-12	3.3E-01	1.1E-14
Astatine (85)	At-207	2.41E-11	8.4E-02	1.0E-14
Astatine (85)	At-208	8.74E-12	2.3E-01	2.5E-14
Astatine (85)	At-209	4.17E-11	4.9E-02	1.8E-14
Astatine (85)	At-210	9.98E-11	2.0E-02	1.1E-14
Astatine (85)	At-211	1.25E-09	1.6E-03	7.9E-16
Astatine (85)	At-211+D	1.25E-09	1.6E-03	7.9E-16
Astatine (85)	At-215	0.00E+00	.	.
Astatine (85)	At-216	0.00E+00	.	.
Astatine (85)	At-217	0.00E+00	.	.
Astatine (85)	At-218	0.00E+00	.	.
Astatine (85)	At-219	0.00E+00	.	.
Astatine (85)	At-220	0.00E+00	.	.
Gold (79)	Au-186	3.57E-12	5.7E-01	6.0E-15
Gold (79)	Au-187	0.00E+00	.	.
Gold (79)	Au-190	3.81E-12	5.3E-01	2.3E-14
Gold (79)	Au-191	1.16E-11	1.8E-01	3.4E-14
Gold (79)	Au-192	2.41E-11	8.4E-02	2.6E-14
Gold (79)	Au-193	2.69E-11	7.6E-02	8.2E-14
Gold (79)	Au-193m	0.00E+00	.	.
Gold (79)	Au-194	6.17E-11	3.3E-02	7.8E-14
Gold (79)	Au-195	6.11E-11	3.3E-02	9.3E-12
Gold (79)	Au-195m	0.00E+00	.	.
Gold (79)	Au-196	5.94E-11	3.4E-02	3.2E-13

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Gold (79)	Au-196m	8.87E-11	2.3E-02	1.4E-14
Gold (79)	Au-198	2.48E-10	8.2E-03	3.4E-14
Gold (79)	Au-198m	2.81E-10	7.2E-03	2.5E-14
Gold (79)	Au-199	1.12E-10	1.8E-02	8.7E-14
Gold (79)	Au-200	5.87E-12	3.5E-01	1.8E-14
Gold (79)	Au-200m	1.97E-10	1.0E-02	1.2E-14
Gold (79)	Au-201	1.61E-12	1.3E+00	3.5E-14
Gold (79)	Au-202	0.00E+00	.	.
Barium (56)	Ba-124	4.15E-12	4.9E-01	3.6E-15
Barium (56)	Ba-126	3.30E-11	6.2E-02	4.1E-15
Barium (56)	Ba-127	1.71E-12	1.2E+00	1.0E-14
Barium (56)	Ba-128	6.21E-10	3.3E-03	7.8E-15
Barium (56)	Ba-129	6.92E-12	2.9E-01	2.7E-14
Barium (56)	Ba-129m	8.43E-12	2.4E-01	2.1E-14
Barium (56)	Ba-131	7.85E-11	2.6E-02	3.0E-13
Barium (56)	Ba-131m	3.53E-13	5.8E+00	5.9E-14
Barium (56)	Ba-133	2.56E-10	7.9E-03	3.1E-11
Barium (56)	Ba-133m	1.29E-10	1.6E-02	2.6E-14
Barium (56)	Ba-135m	1.01E-10	2.0E-02	2.5E-14
Barium (56)	Ba-137m	0.00E+00	.	.
Barium (56)	Ba-139	1.45E-11	1.4E-01	8.6E-15
Barium (56)	Ba-140	5.92E-10	3.4E-03	4.7E-14
Barium (56)	Ba-141	8.71E-12	2.3E-01	3.2E-15
Barium (56)	Ba-142	3.45E-12	5.9E-01	4.7E-15
Beryllium (4)	Be-10	2.78E-10	7.3E-03	3.1E-07
Beryllium (4)	Be-7	3.28E-12	6.2E-01	1.8E-12
Bismuth (83)	Bi-197	0.00E+00	.	.
Bismuth (83)	Bi-200	6.13E-12	3.3E-01	1.3E-14
Bismuth (83)	Bi-201	1.60E-11	1.3E-01	1.5E-14
Bismuth (83)	Bi-202	1.14E-11	1.8E-01	2.0E-14
Bismuth (83)	Bi-203	7.42E-11	2.7E-02	2.1E-14
Bismuth (83)	Bi-204	8.08E-11	2.5E-02	1.8E-14
Bismuth (83)	Bi-205	1.28E-10	1.6E-02	3.8E-13
Bismuth (83)	Bi-206	3.00E-10	6.8E-03	6.7E-14
Bismuth (83)	Bi-207	2.23E-10	9.1E-03	1.7E-10
Bismuth (83)	Bi-208	1.46E-10	1.4E-02	3.0E-06
Bismuth (83)	Bi-210	3.52E-10	5.8E-03	4.7E-14
Bismuth (83)	Bi-210m	2.10E-09	9.7E-04	1.7E-06
Bismuth (83)	Bi-210m+D	2.10E-09	9.7E-04	1.7E-06
Bismuth (83)	Bi-211	0.00E+00	.	.
Bismuth (83)	Bi-212	2.73E-11	7.5E-02	5.1E-15
Bismuth (83)	Bi-212+D	2.73E-11	7.5E-02	5.1E-15
Bismuth (83)	Bi-212n	0.00E+00	.	.
Bismuth (83)	Bi-213	1.94E-11	1.0E-01	5.4E-15
Bismuth (83)	Bi-213+D	1.94E-11	1.0E-01	5.4E-15
Bismuth (83)	Bi-214	7.17E-12	2.8E-01	6.4E-15
Bismuth (83)	Bi-214+D	7.17E-12	2.8E-01	6.4E-15
Bismuth (83)	Bi-215	0.00E+00	.	.
Bismuth (83)	Bi-215+D	0.00E+00	.	.
Bismuth (83)	Bi-216	0.00E+00	.	.
Berkelium (97)	Bk-245	1.37E-10	1.5E-02	1.4E-13

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Berkelium (97)	Bk-246	7.59E-11	2.7E-02	9.1E-14
Berkelium (97)	Bk-247	4.34E-09	4.7E-04	4.5E-10
Berkelium (97)	Bk-248m	9.78E-11	2.1E-02	3.9E-14
Berkelium (97)	Bk-249	4.22E-11	4.8E-02	3.0E-11
Berkelium (97)	Bk-250	2.22E-11	9.2E-02	2.4E-14
Berkelium (97)	Bk-251	3.59E-12	5.7E-01	4.2E-14
Bromine (35)	Br-72	0.00E+00	.	.
Bromine (35)	Br-73	0.00E+00	.	.
Bromine (35)	Br-74	5.41E-12	3.8E-01	3.8E-15
Bromine (35)	Br-74m	9.13E-12	2.2E-01	4.0E-15
Bromine (35)	Br-75	5.72E-12	3.6E-01	1.4E-14
Bromine (35)	Br-76	5.28E-11	3.9E-02	1.5E-14
Bromine (35)	Br-76m	0.00E+00	.	.
Bromine (35)	Br-77	1.11E-11	1.8E-01	2.6E-13
Bromine (35)	Br-77m	0.00E+00	.	.
Bromine (35)	Br-78	0.00E+00	.	.
Bromine (35)	Br-80	1.77E-12	1.1E+00	8.7E-15
Bromine (35)	Br-80m	1.05E-11	1.9E-01	2.2E-14
Bromine (35)	Br-82	6.26E-11	3.3E-02	3.0E-14
Bromine (35)	Br-82m	0.00E+00	.	.
Bromine (35)	Br-83	3.18E-12	6.4E-01	4.1E-14
Bromine (35)	Br-84	5.48E-12	3.7E-01	5.3E-15
Bromine (35)	Br-84m	0.00E+00	.	.
Bromine (35)	Br-85	0.00E+00	.	.
Carbon (6)	C-10	0.00E+00	.	.
Carbon (6)	C-11	1.51E-12	1.3E+00	1.6E-15
Carbon (6)	C-14	5.40E-11	3.8E-02	8.4E-09
Calcium (20)	Ca-41	1.38E-11	1.5E-01	1.7E-06
Calcium (20)	Ca-45	9.09E-11	2.2E-02	1.3E-12
Calcium (20)	Ca-47	2.96E-10	6.9E-03	1.1E-14
Calcium (20)	Ca-49	0.00E+00	.	.
Cadmium (48)	Cd-101	0.00E+00	.	.
Cadmium (48)	Cd-102	0.00E+00	.	.
Cadmium (48)	Cd-103	0.00E+00	.	.
Cadmium (48)	Cd-104	1.19E-11	1.7E-01	5.5E-15
Cadmium (48)	Cd-105	4.10E-12	5.0E-01	1.5E-14
Cadmium (48)	Cd-107	1.39E-11	1.5E-01	3.3E-14
Cadmium (48)	Cd-109	1.81E-10	1.1E-02	4.3E-12
Cadmium (48)	Cd-111m	1.24E-12	1.6E+00	4.7E-14
Cadmium (48)	Cd-113	7.79E-10	2.6E-03	6.4E+03
Cadmium (48)	Cd-113m	9.92E-10	2.1E-03	9.2E-12
Cadmium (48)	Cd-115	3.52E-10	5.8E-03	1.1E-14
Cadmium (48)	Cd-115m	6.63E-10	3.1E-03	1.2E-13
Cadmium (48)	Cd-117	5.35E-11	3.8E-02	3.5E-15
Cadmium (48)	Cd-117m	4.75E-11	4.3E-02	5.4E-15
Cadmium (48)	Cd-118	1.64E-11	1.2E-01	3.9E-15
Cadmium (48)	Cd-119	0.00E+00	.	.
Cadmium (48)	Cd-119m	0.00E+00	.	.
Cerium (58)	Ce-130	5.40E-12	3.8E-01	6.0E-15
Cerium (58)	Ce-131	2.01E-12	1.0E+00	7.2E-15
Cerium (58)	Ce-132	7.08E-11	2.9E-02	4.3E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Cerium (58)	Ce-133	1.23E-11	1.7E-01	1.1E-14
Cerium (58)	Ce-133m	3.22E-11	6.3E-02	1.3E-14
Cerium (58)	Ce-134	6.63E-10	3.1E-03	1.0E-14
Cerium (58)	Ce-135	3.94E-11	5.2E-02	3.9E-14
Cerium (58)	Ce-137	5.29E-12	3.8E-01	1.5E-13
Cerium (58)	Ce-137m	1.40E-10	1.5E-02	2.2E-14
Cerium (58)	Ce-139	5.32E-11	3.8E-02	5.6E-12
Cerium (58)	Ce-141	1.84E-10	1.1E-02	3.9E-13
Cerium (58)	Ce-143	2.83E-10	7.2E-03	1.1E-14
Cerium (58)	Ce-144	1.40E-09	1.5E-03	4.6E-13
Cerium (58)	Ce-144+D	1.40E-09	1.5E-03	4.6E-13
Cerium (58)	Ce-145	0.00E+00	.	.
Californium (98)	Cf-244	4.71E-12	4.3E-01	1.1E-14
Californium (98)	Cf-246	8.34E-10	2.4E-03	6.8E-15
Californium (98)	Cf-247	3.65E-12	5.6E-01	1.4E-13
Californium (98)	Cf-248	1.69E-09	1.2E-03	7.7E-13
Californium (98)	Cf-249	4.41E-09	4.6E-04	1.1E-10
Californium (98)	Cf-250	3.12E-09	6.5E-04	6.0E-12
Californium (98)	Cf-251	4.56E-09	4.5E-04	2.8E-10
Californium (98)	Cf-252	4.93E-09	4.1E-04	7.7E-13
Californium (98)	Cf-253	1.78E-10	1.1E-02	4.0E-13
Californium (98)	Cf-254	8.27E-08	2.5E-05	2.9E-15
Californium (98)	Cf-255	5.27E-12	3.9E-01	4.5E-14
Chlorine (17)	Cl-34	0.00E+00	.	.
Chlorine (17)	Cl-34m	6.55E-12	3.1E-01	1.8E-15
Chlorine (17)	Cl-36	1.20E-10	1.7E-02	5.1E-07
Chlorine (17)	Cl-38	7.20E-12	2.8E-01	2.1E-15
Chlorine (17)	Cl-39	5.63E-12	3.6E-01	4.2E-15
Chlorine (17)	Cl-40	0.00E+00	.	.
Curium (96)	Cm-238	9.71E-12	2.1E-01	3.8E-14
Curium (96)	Cm-239	1.79E-11	1.1E-01	2.5E-14
Curium (96)	Cm-240	1.37E-09	1.5E-03	7.4E-14
Curium (96)	Cm-241	1.94E-10	1.0E-02	6.4E-13
Curium (96)	Cm-242	1.48E-09	1.4E-03	4.2E-13
Curium (96)	Cm-243	3.34E-09	6.1E-04	1.2E-11
Curium (96)	Cm-244	2.93E-09	6.9E-04	8.6E-12
Curium (96)	Cm-245	3.66E-09	5.6E-04	3.2E-09
Curium (96)	Cm-246	3.59E-09	5.7E-04	1.9E-09
Curium (96)	Cm-247	3.49E-09	5.8E-04	6.3E-06
Curium (96)	Cm-247+D	3.51E-09	5.8E-04	6.3E-06
Curium (96)	Cm-248	1.61E-08	1.3E-04	3.1E-08
Curium (96)	Cm-249	3.25E-12	6.3E-01	5.3E-14
Curium (96)	Cm-250	1.17E-07	1.7E-05	1.0E-10
Curium (96)	Cm-250+D	1.17E-07	1.7E-05	1.0E-10
Curium (96)	Cm-251	2.32E-12	8.8E-01	2.0E-14
Cobalt (27)	Co-54m	0.00E+00	.	.
Cobalt (27)	Co-55	1.81E-10	1.1E-02	3.5E-15
Cobalt (27)	Co-56	3.85E-10	5.3E-03	1.8E-13
Cobalt (27)	Co-57	4.03E-11	5.0E-02	6.0E-12
Cobalt (27)	Co-58	1.12E-10	1.8E-02	5.7E-13
Cobalt (27)	Co-58m	4.90E-12	4.2E-01	7.0E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Cobalt (27)	Co-60	6.03E-10	3.4E-03	3.0E-12
Cobalt (27)	Co-60m	9.68E-14	2.1E+01	7.0E-14
Cobalt (27)	Co-61	9.51E-12	2.1E-01	6.9E-15
Cobalt (27)	Co-62	0.00E+00	.	.
Cobalt (27)	Co-62m	3.16E-12	6.4E-01	3.0E-15
Chromium (24)	Cr-48	2.76E-11	7.4E-02	2.4E-14
Chromium (24)	Cr-49	5.14E-12	4.0E-01	4.4E-15
Chromium (24)	Cr-51	7.18E-12	2.8E-01	3.1E-12
Chromium (24)	Cr-55	0.00E+00	.	.
Chromium (24)	Cr-56	0.00E+00	.	.
Cesium (55)	Cs-121	0.00E+00	.	.
Cesium (55)	Cs-121m	0.00E+00	.	.
Cesium (55)	Cs-123	0.00E+00	.	.
Cesium (55)	Cs-124	0.00E+00	.	.
Cesium (55)	Cs-125	2.29E-12	8.9E-01	2.7E-14
Cesium (55)	Cs-126	0.00E+00	.	.
Cesium (55)	Cs-127	2.42E-12	8.4E-01	2.1E-13
Cesium (55)	Cs-128	0.00E+00	.	.
Cesium (55)	Cs-129	6.66E-12	3.1E-01	4.0E-13
Cesium (55)	Cs-130	1.66E-12	1.2E+00	2.5E-14
Cesium (55)	Cs-130m	0.00E+00	.	.
Cesium (55)	Cs-131	6.74E-12	3.0E-01	2.9E-12
Cesium (55)	Cs-132	5.25E-11	3.9E-02	2.5E-13
Cesium (55)	Cs-134	1.40E-09	1.5E-03	1.1E-12
Cesium (55)	Cs-134m	1.51E-12	1.3E+00	1.7E-13
Cesium (55)	Cs-135	2.11E-10	9.6E-03	8.4E-06
Cesium (55)	Cs-135m	1.65E-12	1.2E+00	4.7E-14
Cesium (55)	Cs-136	3.03E-10	6.7E-03	9.2E-14
Cesium (55)	Cs-137	1.01E-09	2.0E-03	2.3E-11
Cesium (55)	Cs-137+D	1.01E-09	2.0E-03	2.3E-11
Cesium (55)	Cs-138	6.13E-12	3.3E-01	8.2E-15
Cesium (55)	Cs-138m	0.00E+00	.	.
Cesium (55)	Cs-139	0.00E+00	.	.
Cesium (55)	Cs-140	0.00E+00	.	.
Copper (29)	Cu-57	0.00E+00	.	.
Copper (29)	Cu-59	0.00E+00	.	.
Copper (29)	Cu-60	5.22E-12	3.9E-01	3.0E-15
Copper (29)	Cu-61	1.75E-11	1.2E-01	7.6E-15
Copper (29)	Cu-62	0.00E+00	.	.
Copper (29)	Cu-64	2.55E-11	8.0E-02	2.1E-14
Copper (29)	Cu-66	0.00E+00	.	.
Copper (29)	Cu-67	7.42E-11	2.7E-02	3.6E-14
Copper (29)	Cu-69	0.00E+00	.	.
Dysprosium (66)	Dy-148	0.00E+00	.	.
Dysprosium (66)	Dy-149	0.00E+00	.	.
Dysprosium (66)	Dy-150	0.00E+00	.	.
Dysprosium (66)	Dy-151	2.04E-12	1.0E+00	1.4E-14
Dysprosium (66)	Dy-152	2.09E-11	9.7E-02	1.1E-14
Dysprosium (66)	Dy-153	2.98E-11	6.8E-02	2.1E-14
Dysprosium (66)	Dy-154	1.14E-09	1.8E-03	2.3E-06
Dysprosium (66)	Dy-155	2.20E-11	9.3E-02	4.5E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Dysprosium (66)	Dy-157	8.67E-12	2.3E-01	9.6E-14
Dysprosium (66)	Dy-159	2.14E-11	9.5E-02	1.7E-11
Dysprosium (66)	Dy-165	1.62E-11	1.3E-01	1.5E-14
Dysprosium (66)	Dy-165m	0.00E+00	.	.
Dysprosium (66)	Dy-166	4.48E-10	4.5E-03	2.0E-14
Dysprosium (66)	Dy-167	0.00E+00	.	.
Dysprosium (66)	Dy-168	0.00E+00	.	.
Erbium (68)	Er-154	0.00E+00	.	.
Erbium (68)	Er-156	3.74E-12	5.4E-01	8.8E-15
Erbium (68)	Er-159	2.17E-12	9.4E-01	2.9E-14
Erbium (68)	Er-161	1.25E-11	1.6E-01	2.7E-14
Erbium (68)	Er-163	2.82E-13	7.2E+00	4.7E-13
Erbium (68)	Er-165	3.53E-12	5.8E-01	3.1E-13
Erbium (68)	Er-167m	0.00E+00	.	.
Erbium (68)	Er-169	1.00E-10	2.0E-02	2.5E-13
Erbium (68)	Er-171	7.95E-11	2.6E-02	1.1E-14
Erbium (68)	Er-172	2.44E-10	8.3E-03	2.3E-14
Erbium (68)	Er-173	0.00E+00	.	.
Einsteinium (99)	Es-249	2.53E-12	8.0E-01	1.1E-13
Einsteinium (99)	Es-250	9.01E-11	2.3E-02	1.6E-14
Einsteinium (99)	Es-250m	3.47E-12	5.9E-01	1.0E-13
Einsteinium (99)	Es-251	4.18E-11	4.9E-02	1.3E-13
Einsteinium (99)	Es-253	1.38E-09	1.5E-03	5.9E-14
Einsteinium (99)	Es-254	2.12E-09	9.6E-04	5.2E-13
Einsteinium (99)	Es-254+D	2.14E-09	9.5E-04	5.1E-13
Einsteinium (99)	Es-254m	1.12E-09	1.8E-03	5.8E-15
Einsteinium (99)	Es-255	1.12E-09	1.8E-03	1.4E-13
Einsteinium (99)	Es-256	6.28E-10	3.2E-03	1.1E-16
Europium (63)	Eu-142	0.00E+00	.	.
Europium (63)	Eu-142m	0.00E+00	.	.
Europium (63)	Eu-143	0.00E+00	.	.
Europium (63)	Eu-144	0.00E+00	.	.
Europium (63)	Eu-145	9.21E-11	2.2E-02	1.5E-13
Europium (63)	Eu-146	1.65E-10	1.2E-02	6.4E-14
Europium (63)	Eu-147	7.80E-11	2.6E-02	7.1E-13
Europium (63)	Eu-148	1.66E-10	1.2E-02	7.6E-13
Europium (63)	Eu-149	3.46E-11	5.9E-02	6.3E-12
Europium (63)	Eu-150	1.52E-10	1.3E-02	2.1E-10
Europium (63)	Eu-150m	9.57E-11	2.1E-02	1.3E-14
Europium (63)	Eu-152	2.25E-10	9.0E-03	5.2E-11
Europium (63)	Eu-152m	1.17E-10	1.7E-02	7.9E-15
Europium (63)	Eu-152n	1.67E-12	1.2E+00	9.5E-14
Europium (63)	Eu-154	3.83E-10	5.3E-03	2.0E-11
Europium (63)	Eu-154m	6.92E-13	2.9E+00	1.1E-13
Europium (63)	Eu-155	7.64E-11	2.7E-02	5.5E-11
Europium (63)	Eu-156	5.28E-10	3.9E-03	7.0E-14
Europium (63)	Eu-157	1.48E-10	1.4E-02	1.0E-14
Europium (63)	Eu-158	7.90E-12	2.6E-01	1.0E-14
Europium (63)	Eu-159	4.62E-12	4.4E-01	6.8E-15
Fluorine (9)	F-17	0.00E+00	.	.
Fluorine (9)	F-18	3.38E-12	6.0E-01	6.3E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Iron (26)	Fe-52	2.78E-10	7.3E-03	1.0E-15
Iron (26)	Fe-53	0.00E+00	.	.
Iron (26)	Fe-53m	0.00E+00	.	.
Iron (26)	Fe-55	3.13E-11	6.5E-02	2.7E-11
Iron (26)	Fe-59	3.01E-10	6.8E-03	1.4E-13
Iron (26)	Fe-60	6.74E-09	3.0E-04	7.6E-08
Iron (26)	Fe-60+D	7.34E-09	2.8E-04	7.0E-08
Iron (26)	Fe-61	0.00E+00	.	.
Iron (26)	Fe-62	0.00E+00	.	.
Fermium (100)	Fm-251	1.53E-11	1.3E-01	5.7E-14
Fermium (100)	Fm-252	7.22E-10	2.8E-03	5.8E-15
Fermium (100)	Fm-253	2.73E-10	7.5E-03	4.3E-14
Fermium (100)	Fm-254	8.77E-11	2.3E-02	6.1E-15
Fermium (100)	Fm-255	6.55E-10	3.1E-03	5.1E-15
Fermium (100)	Fm-256	3.68E-09	5.5E-04	1.2E-16
Fermium (100)	Fm-257	1.88E-09	1.1E-03	2.1E-13
Francium (87)	Fr-212	6.53E-11	3.1E-02	7.0E-16
Francium (87)	Fr-219	0.00E+00	.	.
Francium (87)	Fr-220	0.00E+00	.	.
Francium (87)	Fr-220+D	0.00E+00	.	.
Francium (87)	Fr-221	0.00E+00	.	.
Francium (87)	Fr-221+D	0.00E+00	.	.
Francium (87)	Fr-222	5.37E-11	3.8E-02	6.4E-16
Francium (87)	Fr-223	2.73E-10	7.5E-03	1.9E-16
Francium (87)	Fr-224	0.00E+00	.	.
Francium (87)	Fr-227	0.00E+00	.	.
Gallium (31)	Ga-64	0.00E+00	.	.
Gallium (31)	Ga-65	2.32E-12	8.8E-01	4.6E-15
Gallium (31)	Ga-66	2.53E-10	8.0E-03	1.6E-15
Gallium (31)	Ga-67	4.15E-11	4.9E-02	8.2E-14
Gallium (31)	Ga-68	1.08E-11	1.9E-01	4.6E-15
Gallium (31)	Ga-70	1.95E-12	1.0E+00	8.2E-15
Gallium (31)	Ga-72	2.21E-10	9.2E-03	3.0E-15
Gallium (31)	Ga-73	5.50E-11	3.7E-02	4.2E-15
Gallium (31)	Ga-74	0.00E+00	.	.
Gadolinium (64)	Gd-142	0.00E+00	.	.
Gadolinium (64)	Gd-143m	0.00E+00	.	.
Gadolinium (64)	Gd-144	0.00E+00	.	.
Gadolinium (64)	Gd-145	2.70E-12	7.5E-01	1.3E-14
Gadolinium (64)	Gd-145m	0.00E+00	.	.
Gadolinium (64)	Gd-146	1.94E-10	1.0E-02	5.7E-13
Gadolinium (64)	Gd-147	9.83E-11	2.1E-02	3.7E-14
Gadolinium (64)	Gd-148	1.47E-09	1.4E-03	4.3E-11
Gadolinium (64)	Gd-149	1.03E-10	2.0E-02	2.1E-13
Gadolinium (64)	Gd-150	1.32E-09	1.5E-03	1.2E-06
Gadolinium (64)	Gd-151	5.17E-11	3.9E-02	5.7E-12
Gadolinium (64)	Gd-152	1.04E-09	2.0E-03	9.0E+01
Gadolinium (64)	Gd-153	6.01E-11	3.4E-02	9.6E-12
Gadolinium (64)	Gd-159	1.29E-10	1.6E-02	1.5E-14
Gadolinium (64)	Gd-162	0.00E+00	.	.
Germanium (32)	Ge-66	1.31E-11	1.6E-01	7.4E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Germanium (32)	Ge-67	3.63E-12	5.6E-01	3.8E-15
Germanium (32)	Ge-68	2.66E-10	7.7E-03	1.1E-12
Germanium (32)	Ge-68+D	2.77E-10	7.3E-03	1.0E-12
Germanium (32)	Ge-69	2.95E-11	6.9E-02	5.9E-14
Germanium (32)	Ge-71	2.50E-12	8.1E-01	5.1E-12
Germanium (32)	Ge-75	3.15E-12	6.5E-01	2.1E-14
Germanium (32)	Ge-77	4.45E-11	4.6E-02	1.3E-14
Germanium (32)	Ge-78	1.03E-11	2.0E-01	7.2E-15
Hydrogen (1)	H-3	1.76E-12	1.2E+00	1.2E-10
Hafnium (72)	Hf-167	0.00E+00	.	.
Hafnium (72)	Hf-169	0.00E+00	.	.
Hafnium (72)	Hf-170	6.85E-11	3.0E-02	2.6E-14
Hafnium (72)	Hf-172	1.99E-10	1.0E-02	9.2E-12
Hafnium (72)	Hf-172+D	1.99E-10	1.0E-02	9.2E-12
Hafnium (72)	Hf-173	4.06E-11	5.0E-02	6.5E-14
Hafnium (72)	Hf-174	2.16E-09	9.4E-04	9.2E+02
Hafnium (72)	Hf-175	7.49E-11	2.7E-02	2.6E-12
Hafnium (72)	Hf-177m	7.72E-12	2.6E-01	1.3E-14
Hafnium (72)	Hf-178m	4.64E-10	4.4E-03	6.8E-11
Hafnium (72)	Hf-179m	2.61E-10	7.8E-03	2.7E-13
Hafnium (72)	Hf-180m	2.82E-11	7.2E-02	2.3E-14
Hafnium (72)	Hf-181	2.52E-10	8.1E-03	4.8E-13
Hafnium (72)	Hf-182	1.72E-10	1.2E-02	5.4E-05
Hafnium (72)	Hf-182+D	4.77E-10	4.3E-03	2.0E-05
Hafnium (72)	Hf-182m	4.64E-12	4.4E-01	2.6E-14
Hafnium (72)	Hf-183	9.35E-12	2.2E-01	1.4E-14
Hafnium (72)	Hf-184	1.14E-10	1.8E-02	4.3E-15
Mercury (80)	Hg-190	2.12E-12	9.6E-01	1.9E-14
Mercury (80)	Hg-191m	6.70E-12	3.0E-01	1.6E-14
Mercury (80)	Hg-192	3.71E-11	5.5E-02	1.6E-14
Mercury (80)	Hg-193	1.78E-11	1.1E-01	2.7E-14
Mercury (80)	Hg-193+D	1.78E-11	1.1E-01	2.7E-14
Mercury (80)	Hg-193m	7.89E-11	2.6E-02	1.9E-14
Mercury (80)	Hg-194	1.08E-10	1.9E-02	4.5E-09
Mercury (80)	Hg-194+D	1.70E-10	1.2E-02	2.9E-09
Mercury (80)	Hg-195	2.11E-11	9.6E-02	6.3E-14
Mercury (80)	Hg-195m	1.31E-10	1.6E-02	4.0E-14
Mercury (80)	Hg-197	6.03E-11	3.4E-02	1.4E-13
Mercury (80)	Hg-197m	1.21E-10	1.7E-02	2.5E-14
Mercury (80)	Hg-199m	2.53E-12	8.0E-01	3.6E-14
Mercury (80)	Hg-203	1.21E-10	1.7E-02	1.2E-12
Mercury (80)	Hg-205	0.00E+00	.	.
Mercury (80)	Hg-206	0.00E+00	.	.
Mercury (80)	Hg-207	0.00E+00	.	.
Holmium (67)	Ho-150	0.00E+00	.	.
Holmium (67)	Ho-153	0.00E+00	.	.
Holmium (67)	Ho-153m	0.00E+00	.	.
Holmium (67)	Ho-154	2.53E-12	8.0E-01	7.8E-15
Holmium (67)	Ho-154m	0.00E+00	.	.
Holmium (67)	Ho-155	4.32E-12	4.7E-01	1.9E-14
Holmium (67)	Ho-156	9.32E-12	2.2E-01	1.0E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Holmium (67)	Ho-157	6.30E-13	3.2E+00	3.4E-14
Holmium (67)	Ho-159	7.12E-13	2.9E+00	8.0E-14
Holmium (67)	Ho-160	1.45E-12	1.4E+00	3.1E-14
Holmium (67)	Ho-161	1.92E-12	1.1E+00	1.4E-13
Holmium (67)	Ho-162	2.16E-13	9.4E+00	1.2E-13
Holmium (67)	Ho-162m	2.71E-12	7.5E-01	4.3E-14
Holmium (67)	Ho-163	7.11E-13	2.9E+00	6.0E-06
Holmium (67)	Ho-164	6.58E-13	3.1E+00	7.8E-14
Holmium (67)	Ho-164m	1.61E-12	1.3E+00	4.2E-14
Holmium (67)	Ho-166	3.66E-10	5.6E-03	7.9E-15
Holmium (67)	Ho-166m	3.19E-10	6.4E-03	3.6E-09
Holmium (67)	Ho-167	1.50E-11	1.4E-01	2.2E-14
Holmium (67)	Ho-168	0.00E+00	.	.
Holmium (67)	Ho-168m	0.00E+00	.	.
Holmium (67)	Ho-170	0.00E+00	.	.
Iodine (53)	I-118	1.92E-11	1.1E-01	9.1E-16
Iodine (53)	I-118m	0.00E+00	.	.
Iodine (53)	I-119	3.44E-12	5.9E-01	7.2E-15
Iodine (53)	I-120	2.87E-11	7.1E-02	3.7E-15
Iodine (53)	I-120m	1.34E-11	1.5E-01	5.1E-15
Iodine (53)	I-121	7.59E-12	2.7E-01	2.2E-14
Iodine (53)	I-122	0.00E+00	.	.
Iodine (53)	I-123	2.71E-11	7.5E-02	3.9E-14
Iodine (53)	I-124	1.59E-09	1.3E-03	5.1E-15
Iodine (53)	I-125	9.34E-10	2.2E-03	1.2E-13
Iodine (53)	I-126	3.35E-09	6.1E-04	7.6E-15
Iodine (53)	I-128	3.01E-12	6.8E-01	1.2E-14
Iodine (53)	I-129	5.32E-09	3.8E-04	2.2E-06
Iodine (53)	I-130	2.31E-10	8.8E-03	4.5E-15
Iodine (53)	I-130m	0.00E+00	.	.
Iodine (53)	I-131	1.75E-09	1.2E-03	9.4E-15
Iodine (53)	I-132	3.14E-11	6.5E-02	6.3E-15
Iodine (53)	I-132m	7.06E-12	2.9E-01	1.7E-14
Iodine (53)	I-133	5.62E-10	3.6E-03	3.2E-15
Iodine (53)	I-134	8.76E-12	2.3E-01	8.7E-15
Iodine (53)	I-134m	0.00E+00	.	.
Iodine (53)	I-135	1.10E-10	1.9E-02	5.2E-15
Indium (49)	In-103	0.00E+00	.	.
Indium (49)	In-105	0.00E+00	.	.
Indium (49)	In-106	0.00E+00	.	.
Indium (49)	In-106m	0.00E+00	.	.
Indium (49)	In-107	4.05E-12	5.0E-01	9.3E-15
Indium (49)	In-108	7.63E-12	2.7E-01	8.9E-15
Indium (49)	In-108m	6.78E-12	3.0E-01	6.8E-15
Indium (49)	In-109	8.11E-12	2.5E-01	3.7E-14
Indium (49)	In-109m	0.00E+00	.	.
Indium (49)	In-110	2.89E-11	7.0E-02	1.2E-14
Indium (49)	In-110m	1.08E-11	1.9E-01	7.6E-15
Indium (49)	In-111	5.03E-11	4.0E-02	9.7E-14
Indium (49)	In-111m	0.00E+00	.	.
Indium (49)	In-112	6.54E-13	3.1E+00	2.8E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Indium (49)	In-112m	1.23E-12	1.7E+00	2.0E-14
Indium (49)	In-113m	3.71E-12	5.5E-01	3.3E-14
Indium (49)	In-114	0.00E+00	.	.
Indium (49)	In-114m	9.85E-10	2.1E-03	8.9E-14
Indium (49)	In-114m+D	9.85E-10	2.1E-03	8.9E-14
Indium (49)	In-115	1.17E-09	1.7E-03	2.5E+02
Indium (49)	In-115m	1.76E-11	1.2E-01	1.9E-14
Indium (49)	In-116m	6.14E-12	3.3E-01	1.1E-14
Indium (49)	In-117	2.62E-12	7.8E-01	2.1E-14
Indium (49)	In-117m	1.73E-11	1.2E-01	8.5E-15
Indium (49)	In-118	0.00E+00	.	.
Indium (49)	In-118m	0.00E+00	.	.
Indium (49)	In-119	0.00E+00	.	.
Indium (49)	In-119m	2.79E-12	7.3E-01	8.3E-15
Indium (49)	In-121	0.00E+00	.	.
Indium (49)	In-121m	0.00E+00	.	.
Iridium (77)	Ir-180	0.00E+00	.	.
Iridium (77)	Ir-182	4.07E-12	5.0E-01	7.3E-15
Iridium (77)	Ir-183	6.47E-12	3.1E-01	1.8E-14
Iridium (77)	Ir-184	2.82E-11	7.2E-02	1.3E-14
Iridium (77)	Ir-185	6.14E-11	3.3E-02	2.8E-14
Iridium (77)	Ir-186	9.64E-11	2.1E-02	2.1E-14
Iridium (77)	Ir-186m	9.81E-12	2.1E-01	2.4E-14
Iridium (77)	Ir-187	2.14E-11	9.5E-02	6.0E-14
Iridium (77)	Ir-188	1.09E-10	1.9E-02	4.7E-14
Iridium (77)	Ir-189	5.65E-11	3.6E-02	6.9E-13
Iridium (77)	Ir-190	1.67E-10	1.2E-02	2.1E-13
Iridium (77)	Ir-190m	9.60E-13	2.1E+00	1.4E-13
Iridium (77)	Ir-190n	1.67E-11	1.2E-01	2.3E-14
Iridium (77)	Ir-191m	0.00E+00	.	.
Iridium (77)	Ir-192	2.89E-10	7.0E-03	7.7E-13
Iridium (77)	Ir-192m	0.00E+00	.	.
Iridium (77)	Ir-192n	2.06E-10	9.9E-03	1.3E-09
Iridium (77)	Ir-193m	7.75E-11	2.6E-02	4.1E-13
Iridium (77)	Ir-194	3.42E-10	6.0E-03	7.1E-15
Iridium (77)	Ir-194m	3.25E-10	6.3E-03	1.6E-12
Iridium (77)	Ir-195	1.56E-11	1.3E-01	2.0E-14
Iridium (77)	Ir-195m	2.65E-11	7.7E-02	1.8E-14
Iridium (77)	Ir-196	0.00E+00	.	.
Iridium (77)	Ir-196m	1.24E-11	1.6E-01	1.4E-14
Potassium (19)	K-38	0.00E+00	.	.
Potassium (19)	K-40	9.24E-10	2.2E-03	3.1E-04
Potassium (19)	K-42	4.70E-11	4.3E-02	7.2E-15
Potassium (19)	K-43	2.85E-11	7.1E-02	2.2E-14
Potassium (19)	K-44	5.11E-12	4.0E-01	2.1E-15
Potassium (19)	K-45	2.98E-12	6.8E-01	2.8E-15
Potassium (19)	K-46	0.00E+00	.	.
Krypton (36)	Kr-74	0.00E+00	.	.
Krypton (36)	Kr-75	0.00E+00	.	.
Krypton (36)	Kr-76	0.00E+00	.	.
Krypton (36)	Kr-76+D	0.00E+00	.	.

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Krypton (36)	Kr-77	0.00E+00	.	.
Krypton (36)	Kr-79	0.00E+00	.	.
Krypton (36)	Kr-81	0.00E+00	.	.
Krypton (36)	Kr-81m	0.00E+00	.	.
Krypton (36)	Kr-83m	0.00E+00	.	.
Krypton (36)	Kr-85	0.00E+00	.	.
Krypton (36)	Kr-85m	0.00E+00	.	.
Krypton (36)	Kr-87	0.00E+00	.	.
Krypton (36)	Kr-88	0.00E+00	.	.
Krypton (36)	Kr-89	0.00E+00	.	.
Lanthanum (57)	La-128	0.00E+00	.	.
Lanthanum (57)	La-129	2.05E-12	9.9E-01	7.9E-15
Lanthanum (57)	La-130	0.00E+00	.	.
Lanthanum (57)	La-131	3.43E-12	5.9E-01	2.4E-14
Lanthanum (57)	La-132	7.43E-11	2.7E-02	5.5E-15
Lanthanum (57)	La-132m	5.84E-12	3.5E-01	6.0E-15
Lanthanum (57)	La-133	5.45E-12	3.7E-01	6.2E-14
Lanthanum (57)	La-134	0.00E+00	.	.
Lanthanum (57)	La-135	5.70E-12	3.6E-01	3.0E-13
Lanthanum (57)	La-136	0.00E+00	.	.
Lanthanum (57)	La-137	1.37E-11	1.5E-01	3.4E-06
Lanthanum (57)	La-138	1.34E-10	1.5E-02	6.0E-01
Lanthanum (57)	La-140	4.29E-10	4.7E-03	8.5E-15
Lanthanum (57)	La-141	7.68E-11	2.6E-02	4.7E-15
Lanthanum (57)	La-142	2.14E-11	9.5E-02	6.6E-15
Lanthanum (57)	La-143	4.84E-12	4.2E-01	4.5E-15
Lutetium (71)	Lu-165	1.67E-12	1.2E+00	1.2E-14
Lutetium (71)	Lu-167	5.09E-12	4.0E-01	1.8E-14
Lutetium (71)	Lu-169	8.13E-11	2.5E-02	4.6E-14
Lutetium (71)	Lu-169m	0.00E+00	.	.
Lutetium (71)	Lu-170	1.38E-10	1.5E-02	3.9E-14
Lutetium (71)	Lu-171	1.34E-10	1.5E-02	1.6E-13
Lutetium (71)	Lu-171m	0.00E+00	.	.
Lutetium (71)	Lu-172	2.17E-10	9.4E-03	8.3E-14
Lutetium (71)	Lu-172m	0.00E+00	.	.
Lutetium (71)	Lu-173	7.57E-11	2.7E-02	1.8E-11
Lutetium (71)	Lu-174	6.14E-11	3.3E-02	5.3E-11
Lutetium (71)	Lu-174m	1.38E-10	1.5E-02	2.8E-12
Lutetium (71)	Lu-176	3.70E-10	5.5E-03	1.0E-01
Lutetium (71)	Lu-176m	3.32E-11	6.1E-02	1.3E-14
Lutetium (71)	Lu-177	1.40E-10	1.5E-02	1.3E-13
Lutetium (71)	Lu-177m	3.65E-10	5.6E-03	1.2E-12
Lutetium (71)	Lu-178	3.17E-12	6.4E-01	1.7E-14
Lutetium (71)	Lu-178m	2.34E-12	8.7E-01	1.9E-14
Lutetium (71)	Lu-179	4.66E-11	4.4E-02	1.1E-14
Lutetium (71)	Lu-180	0.00E+00	.	.
Lutetium (71)	Lu-181	0.00E+00	.	.
Magnesium (12)	Mg-27	0.00E+00	.	.
Magnesium (12)	Mg-28	4.45E-10	4.6E-03	8.6E-16
Manganese (25)	Mn-50m	0.00E+00	.	.
Manganese (25)	Mn-51	7.96E-12	2.6E-01	3.2E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Manganese (25)	Mn-52	2.45E-10	8.3E-03	1.9E-14
Manganese (25)	Mn-52m	4.73E-12	4.3E-01	2.5E-15
Manganese (25)	Mn-53	6.01E-12	3.4E-01	1.9E-04
Manganese (25)	Mn-54	8.39E-11	2.4E-02	3.1E-12
Manganese (25)	Mn-56	4.01E-11	5.1E-02	2.3E-15
Manganese (25)	Mn-57	0.00E+00	.	.
Manganese (25)	Mn-58m	0.00E+00	.	.
Molybdenum (42)	Mo-101	2.50E-12	8.1E-01	6.4E-15
Molybdenum (42)	Mo-102	3.86E-12	5.3E-01	3.2E-15
Molybdenum (42)	Mo-89	0.00E+00	.	.
Molybdenum (42)	Mo-90	2.33E-11	8.7E-02	1.4E-14
Molybdenum (42)	Mo-91	3.50E-12	5.8E-01	4.4E-15
Molybdenum (42)	Mo-91m	0.00E+00	.	.
Molybdenum (42)	Mo-93	1.05E-10	1.9E-02	2.0E-08
Molybdenum (42)	Mo-93m	1.20E-11	1.7E-01	3.5E-14
Molybdenum (42)	Mo-99	5.70E-11	3.6E-02	7.4E-14
Nitrogen (7)	N-13	0.00E+00	.	.
Nitrogen (7)	N-16	0.00E+00	.	.
Sodium (11)	Na-22	3.41E-10	6.0E-03	9.6E-13
Sodium (11)	Na-24	4.44E-11	4.6E-02	5.3E-15
Niobium (41)	Nb-87	0.00E+00	.	.
Niobium (41)	Nb-88	4.75E-12	4.3E-01	2.9E-15
Niobium (41)	Nb-88m	0.00E+00	.	.
Niobium (41)	Nb-89	3.97E-11	5.1E-02	3.0E-15
Niobium (41)	Nb-89m	1.50E-11	1.4E-01	4.2E-15
Niobium (41)	Nb-90	2.21E-10	9.2E-03	3.9E-15
Niobium (41)	Nb-91	1.06E-11	1.9E-01	3.3E-08
Niobium (41)	Nb-91m	1.06E-10	1.9E-02	8.2E-13
Niobium (41)	Nb-92	1.24E-10	1.6E-02	1.5E-04
Niobium (41)	Nb-92m	6.41E-11	3.2E-02	2.3E-13
Niobium (41)	Nb-93m	3.29E-11	6.2E-02	2.6E-10
Niobium (41)	Nb-94	3.00E-10	6.8E-03	3.6E-08
Niobium (41)	Nb-94m	0.00E+00	.	.
Niobium (41)	Nb-95	9.46E-11	2.2E-02	5.5E-13
Niobium (41)	Nb-95m	1.56E-10	1.3E-02	3.4E-14
Niobium (41)	Nb-96	1.96E-10	1.0E-02	7.4E-15
Niobium (41)	Nb-97	7.55E-12	2.7E-01	1.0E-14
Niobium (41)	Nb-98m	1.01E-11	2.0E-01	5.4E-15
Niobium (41)	Nb-99	0.00E+00	.	.
Niobium (41)	Nb-99m	0.00E+00	.	.
Neodymium (60)	Nd-134	0.00E+00	.	.
Neodymium (60)	Nd-135	4.16E-12	4.9E-01	4.4E-15
Neodymium (60)	Nd-136	1.03E-11	2.0E-01	7.3E-15
Neodymium (60)	Nd-137	5.73E-12	3.6E-01	1.0E-14
Neodymium (60)	Nd-138	1.35E-10	1.5E-02	3.4E-15
Neodymium (60)	Nd-139	1.98E-12	1.0E+00	2.3E-14
Neodymium (60)	Nd-139m	3.89E-11	5.2E-02	1.3E-14
Neodymium (60)	Nd-140	4.91E-10	4.1E-03	1.5E-14
Neodymium (60)	Nd-141	1.22E-12	1.7E+00	1.9E-13
Neodymium (60)	Nd-141m	0.00E+00	.	.
Neodymium (60)	Nd-144	1.06E-09	1.9E-03	1.8E+03

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Neodymium (60)	Nd-147	2.76E-10	7.4E-03	9.1E-14
Neodymium (60)	Nd-149	2.13E-11	9.6E-02	7.9E-15
Neodymium (60)	Nd-151	2.73E-12	7.5E-01	7.5E-15
Neodymium (60)	Nd-152	2.85E-12	7.1E-01	6.6E-15
Neon (10)	Ne-19	0.00E+00	.	.
Neon (10)	Ne-24	0.00E+00	.	.
Nickel (28)	Ni-56	1.07E-10	1.9E-02	5.0E-14
Nickel (28)	Ni-57	1.58E-10	1.3E-02	8.4E-15
Nickel (28)	Ni-59	1.04E-11	2.0E-01	3.3E-06
Nickel (28)	Ni-63	2.62E-11	7.8E-02	1.4E-09
Nickel (28)	Ni-65	2.71E-11	7.5E-02	3.9E-15
Nickel (28)	Ni-66	7.98E-10	2.6E-03	2.9E-15
Neptunium (93)	Np-232	7.33E-13	2.8E+00	5.0E-14
Neptunium (93)	Np-233	1.95E-13	1.0E+01	4.7E-13
Neptunium (93)	Np-234	1.06E-10	1.9E-02	1.5E-13
Neptunium (93)	Np-235	1.48E-11	1.4E-01	9.8E-11
Neptunium (93)	Np-235+D	1.48E-11	1.4E-01	9.8E-11
Neptunium (93)	Np-236	4.93E-10	4.1E-03	4.2E-07
Neptunium (93)	Np-236m	4.47E-11	4.6E-02	7.7E-14
Neptunium (93)	Np-237	2.24E-09	9.1E-04	1.3E-06
Neptunium (93)	Np-237+D	2.48E-09	8.2E-04	1.2E-06
Neptunium (93)	Np-238	2.06E-10	9.9E-03	3.8E-14
Neptunium (93)	Np-239	2.06E-10	9.9E-03	4.3E-14
Neptunium (93)	Np-240	7.36E-12	2.8E-01	2.2E-14
Neptunium (93)	Np-240m	0.00E+00	.	.
Neptunium (93)	Np-241	9.15E-13	2.2E+00	4.0E-14
Neptunium (93)	Np-242	0.00E+00	.	.
Neptunium (93)	Np-242m	0.00E+00	.	.
Oxygen (8)	O-14	0.00E+00	.	.
Oxygen (8)	O-15	0.00E+00	.	.
Oxygen (8)	O-19	0.00E+00	.	.
Osmium (76)	Os-180	1.42E-12	1.4E+00	3.0E-14
Osmium (76)	Os-181	1.38E-11	1.5E-01	1.5E-14
Osmium (76)	Os-182	1.04E-10	2.0E-02	2.5E-14
Osmium (76)	Os-183	4.04E-11	5.0E-02	3.8E-14
Osmium (76)	Os-183m	3.17E-11	6.4E-02	3.7E-14
Osmium (76)	Os-185	7.08E-11	2.9E-02	3.8E-12
Osmium (76)	Os-186	2.83E-09	7.2E-04	7.5E+02
Osmium (76)	Os-189m	3.91E-12	5.2E-01	1.8E-13
Osmium (76)	Os-190m	0.00E+00	.	.
Osmium (76)	Os-191	1.47E-10	1.4E-02	3.1E-13
Osmium (76)	Os-191m	2.49E-11	8.2E-02	6.5E-14
Osmium (76)	Os-193	2.14E-10	9.5E-03	1.8E-14
Osmium (76)	Os-194	6.15E-10	3.3E-03	1.1E-11
Osmium (76)	Os-194+D	9.57E-10	2.1E-03	6.9E-12
Osmium (76)	Os-196	8.22E-12	2.5E-01	9.0E-15
Phosphorus (15)	P-30	0.00E+00	.	.
Phosphorus (15)	P-32	3.32E-10	6.1E-03	2.1E-14
Phosphorus (15)	P-33	3.67E-11	5.5E-02	3.6E-13
Protactinium (91)	Pa-227	3.69E-11	5.5E-02	2.6E-15
Protactinium (91)	Pa-228	1.38E-10	1.5E-02	2.4E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Protactinium (91)	Pa-229	1.80E-11	1.1E-01	3.0E-13
Protactinium (91)	Pa-230	1.44E-10	1.4E-02	4.3E-13
Protactinium (91)	Pa-231	6.10E-09	3.3E-04	7.1E-09
Protactinium (91)	Pa-232	1.36E-10	1.5E-02	3.5E-14
Protactinium (91)	Pa-233	2.42E-10	8.4E-03	4.1E-13
Protactinium (91)	Pa-234	8.11E-11	2.5E-02	1.3E-14
Protactinium (91)	Pa-234m	0.00E+00	.	.
Protactinium (91)	Pa-235	1.73E-12	1.2E+00	3.6E-14
Protactinium (91)	Pa-236	0.00E+00	.	.
Protactinium (91)	Pa-237	0.00E+00	.	.
Lead (82)	Pb-194	1.47E-12	1.4E+00	1.7E-14
Lead (82)	Pb-195m	1.96E-12	1.0E+00	1.6E-14
Lead (82)	Pb-196	2.63E-12	7.7E-01	3.0E-14
Lead (82)	Pb-197	0.00E+00	.	.
Lead (82)	Pb-197m	4.15E-12	4.9E-01	2.2E-14
Lead (82)	Pb-198	9.81E-12	2.1E-01	3.2E-14
Lead (82)	Pb-199	4.50E-12	4.5E-01	4.3E-14
Lead (82)	Pb-200	6.10E-11	3.3E-02	4.6E-14
Lead (82)	Pb-201	2.29E-11	8.9E-02	5.3E-14
Lead (82)	Pb-201m	0.00E+00	.	.
Lead (82)	Pb-202	1.22E-09	1.7E-03	5.0E-08
Lead (82)	Pb-202+D	1.27E-09	1.6E-03	4.8E-08
Lead (82)	Pb-202m	1.81E-11	1.1E-01	2.6E-14
Lead (82)	Pb-203	4.01E-11	5.1E-02	1.7E-13
Lead (82)	Pb-204m	4.76E-12	4.3E-01	3.1E-14
Lead (82)	Pb-205	2.17E-11	9.4E-02	8.2E-04
Lead (82)	Pb-209	9.42E-12	2.2E-01	4.7E-14
Lead (82)	Pb-210	3.18E-08	6.4E-05	8.4E-13
Lead (82)	Pb-211	1.57E-11	1.3E-01	5.3E-15
Lead (82)	Pb-212	9.64E-10	2.1E-03	1.5E-15
Lead (82)	Pb-214	1.31E-11	1.6E-01	4.7E-15
Palladium (46)	Pd-100	1.47E-10	1.4E-02	3.9E-14
Palladium (46)	Pd-101	1.59E-11	1.3E-01	3.5E-14
Palladium (46)	Pd-103	4.94E-11	4.1E-02	5.5E-13
Palladium (46)	Pd-107	1.03E-11	2.0E-01	3.8E-04
Palladium (46)	Pd-109	1.41E-10	1.4E-02	6.9E-15
Palladium (46)	Pd-109m	0.00E+00	.	.
Palladium (46)	Pd-111	3.76E-12	5.4E-01	7.5E-15
Palladium (46)	Pd-112	6.82E-10	3.0E-03	2.2E-15
Palladium (46)	Pd-114	0.00E+00	.	.
Palladium (46)	Pd-96	0.00E+00	.	.
Palladium (46)	Pd-97	0.00E+00	.	.
Palladium (46)	Pd-98	4.38E-12	4.6E-01	4.3E-15
Palladium (46)	Pd-99	2.84E-12	7.2E-01	8.1E-15
Promethium (61)	Pm-136	0.00E+00	.	.
Promethium (61)	Pm-137m	0.00E+00	.	.
Promethium (61)	Pm-139	0.00E+00	.	.
Promethium (61)	Pm-140	0.00E+00	.	.
Promethium (61)	Pm-140m	0.00E+00	.	.
Promethium (61)	Pm-141	2.42E-12	8.4E-01	1.3E-14
Promethium (61)	Pm-142	0.00E+00	.	.

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Promethium (61)	Pm-143	3.35E-11	6.1E-02	1.8E-11
Promethium (61)	Pm-144	1.27E-10	1.6E-02	6.4E-12
Promethium (61)	Pm-145	2.05E-11	9.9E-02	7.1E-10
Promethium (61)	Pm-146	1.59E-10	1.3E-02	2.9E-11
Promethium (61)	Pm-147	6.70E-11	3.0E-02	3.3E-11
Promethium (61)	Pm-148	6.84E-10	3.0E-03	1.8E-14
Promethium (61)	Pm-148m	3.10E-10	6.6E-03	3.1E-13
Promethium (61)	Pm-149	2.63E-10	7.7E-03	2.0E-14
Promethium (61)	Pm-150	4.25E-11	4.8E-02	6.2E-15
Promethium (61)	Pm-151	1.77E-10	1.1E-02	1.6E-14
Promethium (61)	Pm-152	0.00E+00	.	.
Promethium (61)	Pm-152m	0.00E+00	.	.
Promethium (61)	Pm-153	0.00E+00	.	.
Promethium (61)	Pm-154	0.00E+00	.	.
Promethium (61)	Pm-154m	0.00E+00	.	.
Polonium (84)	Po-203	5.11E-12	4.0E-01	1.6E-14
Polonium (84)	Po-204	3.34E-11	6.1E-02	1.4E-14
Polonium (84)	Po-205	6.06E-12	3.4E-01	3.7E-14
Polonium (84)	Po-206	1.14E-09	1.8E-03	2.5E-14
Polonium (84)	Po-207	1.44E-11	1.4E-01	5.4E-14
Polonium (84)	Po-208	7.60E-08	2.7E-05	4.5E-14
Polonium (84)	Po-209	7.54E-08	2.7E-05	1.6E-12
Polonium (84)	Po-210	6.09E-08	3.3E-05	7.4E-15
Polonium (84)	Po-211	0.00E+00	.	.
Polonium (84)	Po-212	0.00E+00	.	.
Polonium (84)	Po-212m	0.00E+00	.	.
Polonium (84)	Po-213	0.00E+00	.	.
Polonium (84)	Po-214	0.00E+00	.	.
Polonium (84)	Po-215	0.00E+00	.	.
Polonium (84)	Po-216	0.00E+00	.	.
Polonium (84)	Po-218	0.00E+00	.	.
Praseodymium (59)	Pr-134	4.35E-12	4.7E-01	3.7E-15
Praseodymium (59)	Pr-134m	7.27E-12	2.8E-01	3.4E-15
Praseodymium (59)	Pr-135	3.49E-12	5.8E-01	1.0E-14
Praseodymium (59)	Pr-136	2.22E-12	9.2E-01	8.7E-15
Praseodymium (59)	Pr-137	4.52E-12	4.5E-01	2.5E-14
Praseodymium (59)	Pr-138	0.00E+00	.	.
Praseodymium (59)	Pr-138m	1.61E-11	1.3E-01	1.2E-14
Praseodymium (59)	Pr-139	5.86E-12	3.5E-01	6.8E-14
Praseodymium (59)	Pr-140	0.00E+00	.	.
Praseodymium (59)	Pr-142	3.41E-10	6.0E-03	5.2E-15
Praseodymium (59)	Pr-142m	4.38E-12	4.6E-01	5.1E-15
Praseodymium (59)	Pr-143	3.15E-10	6.5E-03	9.6E-14
Praseodymium (59)	Pr-144	3.03E-12	6.7E-01	8.9E-15
Praseodymium (59)	Pr-144m	0.00E+00	.	.
Praseodymium (59)	Pr-145	9.07E-11	2.2E-02	6.2E-15
Praseodymium (59)	Pr-146	5.18E-12	3.9E-01	7.4E-15
Praseodymium (59)	Pr-147	2.19E-12	9.3E-01	9.8E-15
Praseodymium (59)	Pr-148	0.00E+00	.	.
Praseodymium (59)	Pr-148m	0.00E+00	.	.
Platinum (78)	Pt-184	3.62E-12	5.6E-01	9.5E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Platinum (78)	Pt-186	1.67E-11	1.2E-01	1.5E-14
Platinum (78)	Pt-187	1.36E-11	1.5E-01	2.1E-14
Platinum (78)	Pt-188	1.57E-10	1.3E-02	1.9E-13
Platinum (78)	Pt-189	3.80E-11	5.4E-02	3.5E-14
Platinum (78)	Pt-190	1.14E-09	1.8E-03	6.2E-01
Platinum (78)	Pt-191	7.70E-11	2.6E-02	1.1E-13
Platinum (78)	Pt-193	9.59E-12	2.1E-01	5.7E-09
Platinum (78)	Pt-193m	1.21E-10	1.7E-02	1.1E-13
Platinum (78)	Pt-195m	1.66E-10	1.2E-02	7.4E-14
Platinum (78)	Pt-197	1.11E-10	1.8E-02	2.3E-14
Platinum (78)	Pt-197m	1.57E-11	1.3E-01	1.3E-14
Platinum (78)	Pt-199	3.43E-12	5.9E-01	1.9E-14
Platinum (78)	Pt-200	3.00E-10	6.8E-03	5.4E-15
Platinum (78)	Pt-202	1.16E-09	1.8E-03	5.0E-15
Platinum (78)	Pt-202+D	1.16E-09	1.8E-03	5.0E-15
Plutonium (94)	Pu-232	1.13E-11	1.8E-01	7.5E-15
Plutonium (94)	Pu-234	3.25E-11	6.3E-02	4.1E-14
Plutonium (94)	Pu-235	1.73E-13	1.2E+01	3.7E-13
Plutonium (94)	Pu-236	2.71E-09	7.5E-04	1.4E-12
Plutonium (94)	Pu-237	2.53E-11	8.0E-02	6.6E-12
Plutonium (94)	Pu-238	4.58E-09	4.4E-04	2.6E-11
Plutonium (94)	Pu-239	4.71E-09	4.3E-04	7.0E-09
Plutonium (94)	Pu-239+D	4.71E-09	4.3E-04	7.0E-09
Plutonium (94)	Pu-240	4.71E-09	4.3E-04	1.9E-09
Plutonium (94)	Pu-241	6.17E-11	3.3E-02	3.2E-10
Plutonium (94)	Pu-242	4.48E-09	4.5E-04	1.2E-07
Plutonium (94)	Pu-243	1.87E-11	1.1E-01	4.2E-14
Plutonium (94)	Pu-244	5.08E-09	4.0E-04	2.2E-05
Plutonium (94)	Pu-244+D	5.35E-09	3.8E-04	2.1E-05
Plutonium (94)	Pu-245	1.69E-10	1.2E-02	9.9E-15
Plutonium (94)	Pu-246	6.80E-10	3.0E-03	6.1E-14
Radium (88)	Ra-219	0.00E+00	.	.
Radium (88)	Ra-219+D	0.00E+00	.	.
Radium (88)	Ra-220	0.00E+00	.	.
Radium (88)	Ra-221	0.00E+00	.	.
Radium (88)	Ra-221+D	0.00E+00	.	.
Radium (88)	Ra-222	0.00E+00	.	.
Radium (88)	Ra-223	9.15E-09	2.2E-04	4.3E-15
Radium (88)	Ra-223+D	9.15E-09	2.2E-04	4.3E-15
Radium (88)	Ra-224	6.44E-09	3.2E-04	2.0E-15
Radium (88)	Ra-224+D	6.44E-09	3.2E-04	2.0E-15
Radium (88)	Ra-225	4.15E-09	4.9E-04	1.3E-14
Radium (88)	Ra-226	1.39E-08	1.5E-04	1.5E-10
Radium (88)	Ra-226+D	1.39E-08	1.5E-04	1.5E-10
Radium (88)	Ra-227	4.01E-12	5.1E-01	2.6E-14
Radium (88)	Ra-228	3.85E-08	5.3E-05	1.9E-13
Radium (88)	Ra-228+D	3.86E-08	5.3E-05	1.9E-13
Radium (88)	Ra-230	2.31E-11	8.8E-02	1.0E-14
Rubidium (37)	Rb-77	0.00E+00	.	.
Rubidium (37)	Rb-78	4.47E-12	4.6E-01	3.3E-15
Rubidium (37)	Rb-78m	0.00E+00	.	.

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Rubidium (37)	Rb-79	3.10E-12	6.6E-01	6.3E-15
Rubidium (37)	Rb-80	0.00E+00	.	.
Rubidium (37)	Rb-81	4.28E-12	4.8E-01	5.6E-14
Rubidium (37)	Rb-81m	7.16E-13	2.8E+00	3.7E-14
Rubidium (37)	Rb-82	0.00E+00	.	.
Rubidium (37)	Rb-82m	1.31E-11	1.6E-01	2.6E-14
Rubidium (37)	Rb-83	1.91E-10	1.1E-02	5.8E-13
Rubidium (37)	Rb-84	3.21E-10	6.3E-03	1.3E-13
Rubidium (37)	Rb-84m	5.36E-13	3.8E+00	3.4E-14
Rubidium (37)	Rb-86	3.63E-10	5.6E-03	6.9E-14
Rubidium (37)	Rb-86m	0.00E+00	.	.
Rubidium (37)	Rb-87	1.98E-10	1.0E-02	1.2E-01
Rubidium (37)	Rb-88	5.20E-12	3.9E-01	3.3E-15
Rubidium (37)	Rb-89	2.84E-12	7.2E-01	5.1E-15
Rubidium (37)	Rb-90	0.00E+00	.	.
Rubidium (37)	Rb-90m	0.00E+00	.	.
Rhenium (75)	Re-178	1.81E-12	1.1E+00	1.4E-14
Rhenium (75)	Re-179	1.03E-12	2.0E+00	3.7E-14
Rhenium (75)	Re-180	0.00E+00	.	.
Rhenium (75)	Re-181	5.44E-11	3.7E-02	4.3E-14
Rhenium (75)	Re-182	1.82E-10	1.1E-02	4.2E-14
Rhenium (75)	Re-182m	3.45E-11	5.9E-02	4.4E-14
Rhenium (75)	Re-183	1.28E-10	1.6E-02	1.6E-12
Rhenium (75)	Re-184	1.19E-10	1.7E-02	9.2E-13
Rhenium (75)	Re-184m	1.89E-10	1.1E-02	2.6E-12
Rhenium (75)	Re-186	2.10E-10	9.7E-03	5.1E-14
Rhenium (75)	Re-186m	2.84E-10	7.2E-03	7.5E-07
Rhenium (75)	Re-186m+D	4.94E-10	4.1E-03	4.3E-07
Rhenium (75)	Re-187	6.47E-13	3.1E+00	6.8E+01
Rhenium (75)	Re-188	1.91E-10	1.1E-02	1.1E-14
Rhenium (75)	Re-188m	3.83E-12	5.3E-01	9.9E-15
Rhenium (75)	Re-189	1.06E-10	1.9E-02	2.8E-14
Rhenium (75)	Re-190	0.00E+00	.	.
Rhenium (75)	Re-190m	4.15E-11	4.9E-02	9.5E-15
Rhodium (45)	Rh-100	9.23E-11	2.2E-02	1.5E-14
Rhodium (45)	Rh-100m	0.00E+00	.	.
Rhodium (45)	Rh-101	7.73E-11	2.6E-02	2.5E-11
Rhodium (45)	Rh-101m	3.54E-11	5.7E-02	1.9E-13
Rhodium (45)	Rh-102	2.41E-10	8.4E-03	1.4E-12
Rhodium (45)	Rh-102m	2.98E-10	6.8E-03	7.3E-12
Rhodium (45)	Rh-103m	3.58E-13	5.7E+00	1.8E-13
Rhodium (45)	Rh-104	0.00E+00	.	.
Rhodium (45)	Rh-104m	0.00E+00	.	.
Rhodium (45)	Rh-105	9.26E-11	2.2E-02	2.6E-14
Rhodium (45)	Rh-106	0.00E+00	.	.
Rhodium (45)	Rh-106m	2.16E-11	9.4E-02	7.0E-15
Rhodium (45)	Rh-107	1.56E-12	1.3E+00	1.6E-14
Rhodium (45)	Rh-108	0.00E+00	.	.
Rhodium (45)	Rh-109	0.00E+00	.	.
Rhodium (45)	Rh-94	0.00E+00	.	.
Rhodium (45)	Rh-95	0.00E+00	.	.

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Rhodium (45)	Rh-95m	0.00E+00	.	.
Rhodium (45)	Rh-96	0.00E+00	.	.
Rhodium (45)	Rh-96m	0.00E+00	.	.
Rhodium (45)	Rh-97	3.69E-12	5.5E-01	8.7E-15
Rhodium (45)	Rh-97m	4.50E-12	4.5E-01	1.1E-14
Rhodium (45)	Rh-98	0.00E+00	.	.
Rhodium (45)	Rh-99	1.02E-10	2.0E-02	2.4E-13
Rhodium (45)	Rh-99m	9.43E-12	2.2E-01	3.2E-14
Radon (86)	Rn-207	0.00E+00	.	.
Radon (86)	Rn-209	0.00E+00	.	.
Radon (86)	Rn-210	0.00E+00	.	.
Radon (86)	Rn-211	0.00E+00	.	.
Radon (86)	Rn-212	0.00E+00	.	.
Radon (86)	Rn-215	0.00E+00	.	.
Radon (86)	Rn-216	0.00E+00	.	.
Radon (86)	Rn-217	0.00E+00	.	.
Radon (86)	Rn-218	0.00E+00	.	.
Radon (86)	Rn-219	0.00E+00	.	.
Radon (86)	Rn-219+D	0.00E+00	.	.
Radon (86)	Rn-220	0.00E+00	.	.
Radon (86)	Rn-222	0.00E+00	.	.
Radon (86)	Rn-222+D	0.00E+00	.	.
Radon (86)	Rn-223	0.00E+00	.	.
Ruthenium (44)	Ru-103	1.42E-10	1.4E-02	4.4E-13
Ruthenium (44)	Ru-105	5.63E-11	3.6E-02	5.4E-15
Ruthenium (44)	Ru-106	1.65E-09	1.2E-03	3.7E-13
Ruthenium (44)	Ru-106+D	1.65E-09	1.2E-03	3.7E-13
Ruthenium (44)	Ru-107	0.00E+00	.	.
Ruthenium (44)	Ru-108	0.00E+00	.	.
Ruthenium (44)	Ru-92	0.00E+00	.	.
Ruthenium (44)	Ru-94	1.19E-11	1.7E-01	4.4E-15
Ruthenium (44)	Ru-95	7.27E-12	2.8E-01	1.4E-14
Ruthenium (44)	Ru-97	2.45E-11	8.3E-02	1.8E-13
Sulfur (16)	S-35	1.89E-11	1.1E-01	2.5E-12
Sulphur (16)	S-37	0.00E+00	.	.
Sulphur (16)	S-38	3.40E-11	6.0E-02	2.1E-15
Antimony (51)	Sb-111	0.00E+00	.	.
Antimony (51)	Sb-113	0.00E+00	.	.
Antimony (51)	Sb-114	0.00E+00	.	.
Antimony (51)	Sb-115	1.91E-12	1.1E+00	2.1E-14
Antimony (51)	Sb-116	2.10E-12	9.7E-01	9.5E-15
Antimony (51)	Sb-116m	6.42E-12	3.2E-01	1.2E-14
Antimony (51)	Sb-117	2.59E-12	7.9E-01	8.2E-14
Antimony (51)	Sb-118	0.00E+00	.	.
Antimony (51)	Sb-118m	2.65E-11	7.7E-02	1.4E-14
Antimony (51)	Sb-119	1.91E-11	1.1E-01	1.5E-13
Antimony (51)	Sb-120	9.23E-13	2.2E+00	2.2E-14
Antimony (51)	Sb-120m	1.68E-10	1.2E-02	6.4E-14
Antimony (51)	Sb-122	4.19E-10	4.9E-03	1.2E-14
Antimony (51)	Sb-122m	0.00E+00	.	.
Antimony (51)	Sb-124	5.00E-10	4.1E-03	2.3E-13

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Antimony (51)	Sb-124m	0.00E+00	.	.
Antimony (51)	Sb-124n	7.39E-13	2.8E+00	3.7E-14
Antimony (51)	Sb-125	1.68E-10	1.2E-02	1.2E-11
Antimony (51)	Sb-126	4.91E-10	4.1E-03	4.9E-14
Antimony (51)	Sb-126m	2.63E-12	7.7E-01	9.9E-15
Antimony (51)	Sb-127	3.98E-10	5.1E-03	1.9E-14
Antimony (51)	Sb-128	1.47E-10	1.4E-02	5.1E-15
Antimony (51)	Sb-128m	2.16E-12	9.4E-01	6.7E-15
Antimony (51)	Sb-129	8.72E-11	2.3E-02	4.2E-15
Antimony (51)	Sb-130	7.89E-12	2.6E-01	7.1E-15
Antimony (51)	Sb-130m	0.00E+00	.	.
Antimony (51)	Sb-131	1.01E-11	2.0E-01	3.2E-15
Antimony (51)	Sb-133	0.00E+00	.	.
Scandium (21)	Sc-42m	0.00E+00	.	.
Scandium (21)	Sc-43	3.91E-11	5.2E-02	2.8E-15
Scandium (21)	Sc-44	6.17E-11	3.3E-02	1.8E-15
Scandium (21)	Sc-44m	5.44E-10	3.7E-03	3.1E-15
Scandium (21)	Sc-46	2.39E-10	8.5E-03	2.5E-13
Scandium (21)	Sc-47	1.38E-10	1.5E-02	1.8E-14
Scandium (21)	Sc-48	2.78E-10	7.3E-03	4.9E-15
Scandium (21)	Sc-49	7.80E-12	2.6E-01	3.9E-15
Scandium (21)	Sc-50	0.00E+00	.	.
Selenium (34)	Se-70	9.74E-12	2.1E-01	3.2E-15
Selenium (34)	Se-71	0.00E+00	.	.
Selenium (34)	Se-72	6.06E-10	3.4E-03	1.6E-14
Selenium (34)	Se-73	3.07E-11	6.6E-02	1.1E-14
Selenium (34)	Se-73m	3.17E-12	6.4E-01	9.9E-15
Selenium (34)	Se-75	2.87E-10	7.1E-03	4.9E-13
Selenium (34)	Se-77m	0.00E+00	.	.
Selenium (34)	Se-79	2.48E-10	8.2E-03	5.4E-07
Selenium (34)	Se-79m	0.00E+00	.	.
Selenium (34)	Se-81	1.59E-12	1.3E+00	1.0E-14
Selenium (34)	Se-81m	5.01E-12	4.1E-01	1.0E-14
Selenium (34)	Se-83	3.76E-12	5.4E-01	5.3E-15
Selenium (34)	Se-83m	0.00E+00	.	.
Selenium (34)	Se-84	0.00E+00	.	.
Silicon (14)	Si-31	2.54E-11	8.0E-02	2.1E-15
Silicon (14)	Si-32	1.40E-10	1.5E-02	1.7E-10
Silicon (14)	Si-32+D	4.72E-10	4.3E-03	5.1E-11
Samarium (62)	Sm-139	0.00E+00	.	.
Samarium (62)	Sm-140	7.02E-12	2.9E-01	3.2E-15
Samarium (62)	Sm-141	2.63E-12	7.7E-01	5.9E-15
Samarium (62)	Sm-141m	5.06E-12	4.0E-01	6.8E-15
Samarium (62)	Sm-142	2.02E-11	1.0E-01	5.5E-15
Samarium (62)	Sm-143	0.00E+00	.	.
Samarium (62)	Sm-143m	0.00E+00	.	.
Samarium (62)	Sm-145	4.49E-11	4.5E-02	1.7E-11
Samarium (62)	Sm-146	1.41E-09	1.4E-03	6.1E-05
Samarium (62)	Sm-147	1.29E-09	1.6E-03	6.9E-02
Samarium (62)	Sm-148	1.11E-09	1.8E-03	5.3E+03
Samarium (62)	Sm-151	2.20E-11	9.3E-02	3.5E-09

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Samarium (62)	Sm-153	1.90E-10	1.1E-02	2.4E-14
Samarium (62)	Sm-155	1.88E-12	1.1E+00	2.0E-14
Samarium (62)	Sm-156	6.01E-11	3.4E-02	1.6E-14
Samarium (62)	Sm-157	0.00E+00	.	.
Tin (50)	Sn-106	0.00E+00	.	.
Tin (50)	Sn-108	2.01E-12	1.0E+00	6.0E-15
Tin (50)	Sn-109	1.84E-12	1.1E+00	1.2E-14
Tin (50)	Sn-110	7.61E-11	2.7E-02	3.9E-15
Tin (50)	Sn-111	1.92E-12	1.1E+00	2.2E-14
Tin (50)	Sn-113	1.74E-10	1.2E-02	1.2E-12
Tin (50)	Sn-113m	2.24E-13	9.1E+00	1.2E-13
Tin (50)	Sn-117m	1.74E-10	1.2E-02	1.4E-13
Tin (50)	Sn-119m	8.91E-11	2.3E-02	6.1E-12
Tin (50)	Sn-121	6.01E-11	3.4E-02	3.5E-14
Tin (50)	Sn-121m	9.30E-11	2.2E-02	3.3E-10
Tin (50)	Sn-121m+D	1.40E-10	1.5E-02	2.2E-10
Tin (50)	Sn-123	5.56E-10	3.7E-03	4.5E-13
Tin (50)	Sn-123m	3.05E-12	6.7E-01	1.8E-14
Tin (50)	Sn-125	7.90E-10	2.6E-03	2.4E-14
Tin (50)	Sn-125m	0.00E+00	.	.
Tin (50)	Sn-126	1.01E-09	2.0E-03	1.6E-07
Tin (50)	Sn-126+D	1.08E-09	1.9E-03	1.5E-07
Tin (50)	Sn-127	3.17E-11	6.4E-02	5.5E-15
Tin (50)	Sn-127m	0.00E+00	.	.
Tin (50)	Sn-128	1.71E-11	1.2E-01	4.8E-15
Tin (50)	Sn-129	0.00E+00	.	.
Tin (50)	Sn-130	0.00E+00	.	.
Tin (50)	Sn-130m	0.00E+00	.	.
Strontium (38)	Sr-79	0.00E+00	.	.
Strontium (38)	Sr-80	4.82E-11	4.2E-02	1.9E-15
Strontium (38)	Sr-81	5.38E-12	3.8E-01	3.6E-15
Strontium (38)	Sr-82	1.22E-09	1.7E-03	2.7E-14
Strontium (38)	Sr-82+D	1.22E-09	1.7E-03	2.7E-14
Strontium (38)	Sr-83	9.07E-11	2.2E-02	1.9E-14
Strontium (38)	Sr-85	8.24E-11	2.5E-02	1.0E-12
Strontium (38)	Sr-85m	6.10E-13	3.3E+00	1.0E-13
Strontium (38)	Sr-87m	4.12E-12	4.9E-01	3.9E-14
Strontium (38)	Sr-89	4.97E-10	4.1E-03	1.4E-13
Strontium (38)	Sr-90	1.86E-09	1.1E-03	7.9E-12
Strontium (38)	Sr-90+D	2.57E-09	7.9E-04	5.7E-12
Strontium (38)	Sr-91	1.28E-10	1.6E-02	4.5E-15
Strontium (38)	Sr-92	8.67E-11	2.3E-02	1.8E-15
Strontium (38)	Sr-93	0.00E+00	.	.
Strontium (38)	Sr-94	0.00E+00	.	.
Tantalum (73)	Ta-170	0.00E+00	.	.
Tantalum (73)	Ta-172	4.68E-12	4.3E-01	1.5E-14
Tantalum (73)	Ta-173	1.84E-11	1.1E-01	1.9E-14
Tantalum (73)	Ta-174	7.61E-12	2.7E-01	1.7E-14
Tantalum (73)	Ta-175	3.73E-11	5.5E-02	3.2E-14
Tantalum (73)	Ta-176	4.57E-11	4.5E-02	2.0E-14
Tantalum (73)	Ta-177	2.35E-11	8.7E-02	2.8E-13

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Tantalum (73)	Ta-178	0.00E+00	.	.
Tantalum (73)	Ta-178m	1.13E-11	1.8E-01	2.4E-14
Tantalum (73)	Ta-179	1.27E-11	1.6E-01	1.5E-10
Tantalum (73)	Ta-180	1.23E-11	1.7E-01	7.8E-14
Tantalum (73)	Ta-182	3.05E-10	6.7E-03	1.1E-12
Tantalum (73)	Ta-182m	7.90E-13	2.6E+00	4.0E-14
Tantalum (73)	Ta-183	3.38E-10	6.0E-03	4.3E-14
Tantalum (73)	Ta-184	1.37E-10	1.5E-02	7.6E-15
Tantalum (73)	Ta-185	6.14E-12	3.3E-01	1.6E-14
Tantalum (73)	Ta-186	2.13E-12	9.6E-01	9.9E-15
Terbium (65)	Tb-146	0.00E+00	.	.
Terbium (65)	Tb-147	1.60E-11	1.3E-01	9.8E-15
Terbium (65)	Tb-147m	0.00E+00	.	.
Terbium (65)	Tb-148	1.23E-11	1.7E-01	7.8E-15
Terbium (65)	Tb-148m	0.00E+00	.	.
Terbium (65)	Tb-149	2.99E-11	6.8E-02	1.3E-14
Terbium (65)	Tb-149m	0.00E+00	.	.
Terbium (65)	Tb-150	3.26E-11	6.2E-02	1.0E-14
Terbium (65)	Tb-150m	0.00E+00	.	.
Terbium (65)	Tb-151	6.04E-11	3.4E-02	2.9E-14
Terbium (65)	Tb-151m	0.00E+00	.	.
Terbium (65)	Tb-152	1.36E-10	1.5E-02	1.3E-14
Terbium (65)	Tb-152m	0.00E+00	.	.
Terbium (65)	Tb-153	5.47E-11	3.7E-02	1.0E-13
Terbium (65)	Tb-154	9.16E-11	2.2E-02	2.4E-14
Terbium (65)	Tb-155	5.41E-11	3.8E-02	2.4E-13
Terbium (65)	Tb-156	1.80E-10	1.1E-02	7.2E-14
Terbium (65)	Tb-156m	2.87E-11	7.1E-02	8.6E-14
Terbium (65)	Tb-156n	1.68E-11	1.2E-01	3.2E-14
Terbium (65)	Tb-157	8.19E-12	2.5E-01	7.8E-09
Terbium (65)	Tb-158	1.86E-10	1.1E-02	8.7E-10
Terbium (65)	Tb-160	3.44E-10	5.9E-03	5.2E-13
Terbium (65)	Tb-161	1.95E-10	1.0E-02	8.9E-14
Terbium (65)	Tb-162	0.00E+00	.	.
Terbium (65)	Tb-163	1.44E-12	1.4E+00	2.4E-14
Terbium (65)	Tb-164	0.00E+00	.	.
Terbium (65)	Tb-165	0.00E+00	.	.
Technetium (43)	Tc-101	1.13E-12	1.8E+00	1.4E-14
Technetium (43)	Tc-102	0.00E+00	.	.
Technetium (43)	Tc-102m	0.00E+00	.	.
Technetium (43)	Tc-104	5.26E-12	3.9E-01	3.9E-15
Technetium (43)	Tc-105	0.00E+00	.	.
Technetium (43)	Tc-91	0.00E+00	.	.
Technetium (43)	Tc-91m	0.00E+00	.	.
Technetium (43)	Tc-92	0.00E+00	.	.
Technetium (43)	Tc-93	7.99E-12	2.5E-01	2.1E-14
Technetium (43)	Tc-93m	3.29E-12	6.2E-01	1.3E-14
Technetium (43)	Tc-94	2.38E-11	8.6E-02	1.3E-14
Technetium (43)	Tc-94m	9.09E-12	2.2E-01	5.8E-15
Technetium (43)	Tc-95	2.17E-11	9.4E-02	5.7E-14
Technetium (43)	Tc-95m	6.87E-11	3.0E-02	1.3E-12

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Technetium (43)	Tc-96	1.27E-10	1.6E-02	5.1E-14
Technetium (43)	Tc-96m	1.34E-12	1.5E+00	4.0E-14
Technetium (43)	Tc-97	1.06E-11	1.9E-01	1.4E-04
Technetium (43)	Tc-97m	9.33E-11	2.2E-02	1.5E-12
Technetium (43)	Tc-98	2.54E-10	8.0E-03	9.2E-06
Technetium (43)	Tc-99	1.08E-10	1.9E-02	1.1E-06
Technetium (43)	Tc-99m	3.06E-12	6.7E-01	1.3E-13
Tellurium (52)	Te-113	0.00E+00	.	.
Tellurium (52)	Te-114	4.48E-12	4.5E-01	4.2E-15
Tellurium (52)	Te-115	0.00E+00	.	.
Tellurium (52)	Te-115m	0.00E+00	.	.
Tellurium (52)	Te-116	3.03E-11	6.7E-02	6.2E-15
Tellurium (52)	Te-117	5.58E-12	3.6E-01	1.4E-14
Tellurium (52)	Te-118	6.95E-10	2.9E-03	1.6E-14
Tellurium (52)	Te-118+D	6.95E-10	2.9E-03	1.6E-14
Tellurium (52)	Te-119	2.59E-11	7.9E-02	4.8E-14
Tellurium (52)	Te-119m	9.51E-11	2.1E-02	9.2E-14
Tellurium (52)	Te-121	5.61E-11	3.6E-02	6.5E-13
Tellurium (52)	Te-121m	2.32E-10	8.8E-03	1.3E-12
Tellurium (52)	Te-123	3.56E-11	5.7E-02	1.2E+04
Tellurium (52)	Te-123m	1.52E-10	1.3E-02	1.5E-12
Tellurium (52)	Te-125m	1.27E-10	1.6E-02	8.8E-13
Tellurium (52)	Te-127	4.02E-11	5.1E-02	1.9E-14
Tellurium (52)	Te-127m	3.24E-10	6.3E-03	6.7E-13
Tellurium (52)	Te-129	6.60E-12	3.1E-01	1.5E-14
Tellurium (52)	Te-129m	5.94E-10	3.4E-03	1.1E-13
Tellurium (52)	Te-131	8.23E-12	2.5E-01	4.3E-15
Tellurium (52)	Te-131m	3.14E-10	6.5E-03	8.1E-15
Tellurium (52)	Te-132	6.57E-10	3.1E-03	1.0E-14
Tellurium (52)	Te-133	7.28E-12	2.8E-01	2.5E-15
Tellurium (52)	Te-133m	3.06E-11	6.7E-02	2.6E-15
Tellurium (52)	Te-134	1.04E-11	2.0E-01	5.8E-15
Thorium (90)	Th-223	0.00E+00	.	.
Thorium (90)	Th-224	0.00E+00	.	.
Thorium (90)	Th-226	2.50E-11	8.1E-02	3.0E-15
Thorium (90)	Th-227	1.90E-09	1.1E-03	3.5E-14
Thorium (90)	Th-228	4.00E-09	5.1E-04	6.2E-13
Thorium (90)	Th-229	7.85E-09	2.6E-04	1.2E-09
Thorium (90)	Th-229+D	1.20E-08	1.7E-04	8.0E-10
Thorium (90)	Th-230	3.22E-09	6.3E-04	3.1E-08
Thorium (90)	Th-231	8.69E-11	2.3E-02	4.4E-14
Thorium (90)	Th-232	3.60E-09	5.7E-04	5.2E-03
Thorium (90)	Th-232+D	4.22E-08	4.8E-05	4.4E-04
Thorium (90)	Th-233	1.50E-12	1.4E+00	3.8E-14
Thorium (90)	Th-234	9.17E-10	2.2E-03	9.6E-14
Thorium (90)	Th-234+D	9.17E-10	2.2E-03	9.6E-14
Thorium (90)	Th-235	0.00E+00	.	.
Thorium (90)	Th-236	7.44E-12	2.7E-01	1.3E-14
Titanium (22)	Ti-44	9.81E-10	2.1E-03	1.5E-11
Titanium (22)	Ti-44+D	1.04E-09	2.0E-03	1.4E-11
Titanium (22)	Ti-45	2.52E-11	8.1E-02	3.6E-15

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Titanium (22)	Ti-51	0.00E+00	.	.
Titanium (22)	Ti-52	0.00E+00	.	.
Thallium (81)	Tl-190	0.00E+00	.	.
Thallium (81)	Tl-190m	0.00E+00	.	.
Thallium (81)	Tl-194	2.90E-12	7.0E-01	2.4E-14
Thallium (81)	Tl-194m	2.85E-12	7.1E-01	2.4E-14
Thallium (81)	Tl-195	2.16E-12	9.4E-01	6.8E-14
Thallium (81)	Tl-196	4.27E-12	4.8E-01	5.5E-14
Thallium (81)	Tl-197	2.38E-12	8.6E-01	1.5E-13
Thallium (81)	Tl-198	7.47E-12	2.7E-01	9.1E-14
Thallium (81)	Tl-198m	4.76E-12	4.3E-01	5.1E-14
Thallium (81)	Tl-199	2.81E-12	7.2E-01	3.4E-13
Thallium (81)	Tl-200	2.23E-11	9.1E-02	1.5E-13
Thallium (81)	Tl-201	1.38E-11	1.5E-01	6.9E-13
Thallium (81)	Tl-202	5.44E-11	3.7E-02	7.1E-13
Thallium (81)	Tl-204	2.22E-10	9.2E-03	2.0E-11
Thallium (81)	Tl-206	0.00E+00	.	.
Thallium (81)	Tl-206m	0.00E+00	.	.
Thallium (81)	Tl-207	0.00E+00	.	.
Thallium (81)	Tl-208	0.00E+00	.	.
Thallium (81)	Tl-209	0.00E+00	.	.
Thallium (81)	Tl-210	0.00E+00	.	.
Thulium (69)	Tm-161	4.13E-12	4.9E-01	1.3E-14
Thulium (69)	Tm-162	2.79E-12	7.3E-01	1.4E-14
Thulium (69)	Tm-163	6.41E-12	3.2E-01	3.0E-14
Thulium (69)	Tm-164	0.00E+00	.	.
Thulium (69)	Tm-165	6.50E-11	3.1E-02	5.0E-14
Thulium (69)	Tm-166	4.19E-11	4.9E-02	2.0E-14
Thulium (69)	Tm-167	1.42E-10	1.4E-02	1.7E-13
Thulium (69)	Tm-168	1.74E-10	1.2E-02	1.4E-12
Thulium (69)	Tm-170	3.50E-10	5.8E-03	9.8E-13
Thulium (69)	Tm-171	2.76E-11	7.4E-02	6.8E-11
Thulium (69)	Tm-172	4.28E-10	4.8E-03	1.7E-14
Thulium (69)	Tm-173	6.64E-11	3.1E-02	1.4E-14
Thulium (69)	Tm-174	0.00E+00	.	.
Thulium (69)	Tm-175	1.89E-12	1.1E+00	1.5E-14
Thulium (69)	Tm-176	0.00E+00	.	.
Uranium (92)	U-227	0.00E+00	.	.
Uranium (92)	U-228	0.00E+00	.	.
Uranium (92)	U-230	8.05E-09	2.5E-04	9.3E-15
Uranium (92)	U-231	8.40E-11	2.4E-02	1.8E-13
Uranium (92)	U-232	1.04E-08	2.0E-04	8.8E-12
Uranium (92)	U-233	2.62E-09	7.8E-04	8.1E-08
Uranium (92)	U-234	2.58E-09	7.9E-04	1.3E-07
Uranium (92)	U-235	2.55E-09	8.0E-04	3.7E-04
Uranium (92)	U-235+D	2.64E-09	7.7E-04	3.6E-04
Uranium (92)	U-235m	2.87E-16	7.1E+03	2.3E-10
Uranium (92)	U-236	2.43E-09	8.4E-04	1.3E-05
Uranium (92)	U-237	1.97E-10	1.0E-02	1.3E-13
Uranium (92)	U-238	2.34E-09	8.7E-04	2.6E-03
Uranium (92)	U-238+D	3.26E-09	6.2E-04	1.9E-03

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Uranium (92)	U-239	2.86E-12	7.1E-01	2.1E-14
Uranium (92)	U-240	2.74E-10	7.4E-03	8.0E-15
Uranium (92)	U-242	3.23E-12	6.3E-01	1.4E-14
Vanadium (23)	V-47	4.71E-12	4.3E-01	3.5E-15
Vanadium (23)	V-48	3.19E-10	6.4E-03	3.8E-14
Vanadium (23)	V-49	4.79E-12	4.2E-01	5.3E-11
Vanadium (23)	V-50	2.15E-10	9.5E-03	2.0E+05
Vanadium (23)	V-52	0.00E+00	.	.
Vanadium (23)	V-53	0.00E+00	.	.
Tungsten (74)	W-177	7.37E-12	2.8E-01	3.4E-14
Tungsten (74)	W-178	5.39E-11	3.8E-02	1.1E-12
Tungsten (74)	W-178+D	5.39E-11	3.8E-02	1.1E-12
Tungsten (74)	W-179	2.87E-13	7.1E+00	2.5E-13
Tungsten (74)	W-179m	0.00E+00	.	.
Tungsten (74)	W-181	1.76E-11	1.2E-01	1.9E-11
Tungsten (74)	W-185	1.16E-10	1.8E-02	1.9E-12
Tungsten (74)	W-185m	0.00E+00	.	.
Tungsten (74)	W-187	1.37E-10	1.5E-02	2.1E-14
Tungsten (74)	W-188	5.52E-10	3.7E-03	3.7E-13
Tungsten (74)	W-190	6.19E-12	3.3E-01	1.0E-14
Xenon (54)	Xe-120	0.00E+00	.	.
Xenon (54)	Xe-121	0.00E+00	.	.
Xenon (54)	Xe-122	0.00E+00	.	.
Xenon (54)	Xe-123	0.00E+00	.	.
Xenon (54)	Xe-125	0.00E+00	.	.
Xenon (54)	Xe-127	0.00E+00	.	.
Xenon (54)	Xe-127m	0.00E+00	.	.
Xenon (54)	Xe-129m	0.00E+00	.	.
Xenon (54)	Xe-131m	0.00E+00	.	.
Xenon (54)	Xe-133	0.00E+00	.	.
Xenon (54)	Xe-133m	0.00E+00	.	.
Xenon (54)	Xe-135	0.00E+00	.	.
Xenon (54)	Xe-135m	0.00E+00	.	.
Xenon (54)	Xe-137	0.00E+00	.	.
Xenon (54)	Xe-138	0.00E+00	.	.
Yttrium (39)	Y-81	0.00E+00	.	.
Yttrium (39)	Y-83	0.00E+00	.	.
Yttrium (39)	Y-83m	0.00E+00	.	.
Yttrium (39)	Y-84m	1.14E-11	1.8E-01	3.2E-15
Yttrium (39)	Y-85	2.89E-11	7.0E-02	5.1E-15
Yttrium (39)	Y-85m	7.08E-11	2.9E-02	3.8E-15
Yttrium (39)	Y-86	1.53E-10	1.3E-02	5.4E-15
Yttrium (39)	Y-86m	8.88E-12	2.3E-01	5.0E-15
Yttrium (39)	Y-87	9.99E-11	2.0E-02	4.5E-14
Yttrium (39)	Y-87m	4.34E-11	4.7E-02	1.7E-14
Yttrium (39)	Y-88	1.59E-10	1.3E-02	9.2E-13
Yttrium (39)	Y-89m	0.00E+00	.	.
Yttrium (39)	Y-90	7.15E-10	2.8E-03	5.2E-15
Yttrium (39)	Y-90m	4.11E-11	5.0E-02	4.5E-15
Yttrium (39)	Y-91	6.37E-10	3.2E-03	1.3E-13
Yttrium (39)	Y-91m	1.34E-12	1.5E+00	3.7E-14

Radionuclides		Slope Factors and Isotope-specific Informatio	Carcinogenic Target Risk (TR) = 1E-06	
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.
Yttrium (39)	Y-92	9.79E-11	2.1E-02	2.2E-15
Yttrium (39)	Y-93	2.87E-10	7.1E-03	2.1E-15
Yttrium (39)	Y-94	5.24E-12	3.9E-01	3.6E-15
Yttrium (39)	Y-95	2.51E-12	8.1E-01	4.2E-15
Ytterbium (70)	Yb-162	2.62E-12	7.8E-01	1.3E-14
Ytterbium (70)	Yb-163	1.34E-12	1.5E+00	1.5E-14
Ytterbium (70)	Yb-164	1.06E-11	1.9E-01	1.3E-14
Ytterbium (70)	Yb-165	0.00E+00	.	.
Ytterbium (70)	Yb-166	1.65E-10	1.2E-02	3.7E-14
Ytterbium (70)	Yb-167	6.08E-13	3.3E+00	5.2E-14
Ytterbium (70)	Yb-169	1.84E-10	1.1E-02	4.6E-13
Ytterbium (70)	Yb-175	1.15E-10	1.8E-02	9.9E-14
Ytterbium (70)	Yb-177	1.39E-11	1.5E-01	1.6E-14
Ytterbium (70)	Yb-178	1.49E-11	1.4E-01	9.6E-15
Ytterbium (70)	Yb-179	0.00E+00	.	.
Zinc (30)	Zn-60	0.00E+00	.	.
Zinc (30)	Zn-61	0.00E+00	.	.
Zinc (30)	Zn-62	1.95E-10	1.0E-02	1.9E-15
Zinc (30)	Zn-63	6.18E-12	3.3E-01	4.3E-15
Zinc (30)	Zn-65	4.14E-10	4.9E-03	6.0E-13
Zinc (30)	Zn-69	2.75E-12	7.4E-01	1.5E-14
Zinc (30)	Zn-69m	7.39E-11	2.8E-02	8.4E-15
Zinc (30)	Zn-71	0.00E+00	.	.
Zinc (30)	Zn-71m	3.79E-11	5.4E-02	4.8E-15
Zinc (30)	Zn-72	2.58E-10	7.9E-03	8.4E-15
Zirconium (40)	Zr-85	0.00E+00	.	.
Zirconium (40)	Zr-86	1.48E-10	1.4E-02	6.2E-15
Zirconium (40)	Zr-87	2.62E-11	7.8E-02	3.6E-15
Zirconium (40)	Zr-88	5.81E-11	3.5E-02	2.0E-12
Zirconium (40)	Zr-89	1.40E-10	1.5E-02	3.2E-14
Zirconium (40)	Zr-89m	0.00E+00	.	.
Zirconium (40)	Zr-93	3.80E-11	5.4E-02	2.1E-05
Zirconium (40)	Zr-95	1.80E-10	1.1E-02	5.3E-13
Zirconium (40)	Zr-97	4.94E-10	4.1E-03	2.1E-15

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Actinium (89)	Ac-223+D	0.00E+00	0.00E+00	0.00E+00	4.86E-12	1.00E-03	.	1.70E+03	.	.	3.0E+05	.	3.0E+05	2.7E-14	3.0E+05	.	2.3E+12	5.6E-03	.	.
Actinium (89)	Ac-224	2.07E-10	1.44E-10	1.0E-08 (S)	5.08E-11	1.00E-03	.	1.70E+03	3.6E-01	.	2.8E+04	2.2E+00	3.1E-01	2.3E-18	3.1E-01	.	3.0E+04	6.0E-09	.	.
Actinium (89)	Ac-225	7.34E-09	5.11E-09	7.7E-07 (S)	3.08E-12	1.00E-03	.	1.70E+03	1.0E-02	.	4.7E+05	6.3E-02	8.8E-03	5.6E-18	8.8E-03	.	9.8E+00	1.7E-10	.	.
Actinium (89)	Ac-225+D	7.34E-09	5.11E-09	7.7E-07 (S)	1.00E-11	1.00E-03	.	1.70E+03	1.0E-02	.	1.4E+05	6.3E-02	8.8E-03	5.6E-18	8.8E-03	.	9.8E+00	1.7E-10	.	.
Actinium (89)	Ac-226	2.77E-09	1.88E-09	1.2E-07 (S)	3.03E-11	1.00E-03	.	1.70E+03	2.8E-02	.	4.7E+04	1.7E-01	2.4E-02	1.9E-18	2.4E-02	.	2.2E+02	4.6E-10	.	.
Actinium (89)	Ac-227	6.63E-09	5.43E-09	4.0E-06 (S)	1.92E-14	1.00E-03	2.38E-01	1.70E+03	9.6E-03	.	7.5E+07	2.6E-02	7.0E-03	3.6E-15	7.0E-03	2.4E-01	1.8E-02	2.4E-10	6.0E-01	8.2E-09
Actinium (89)	Ac-228	7.39E-11	5.09E-11	1.3E-09 (S)	2.20E-10	1.00E-03	.	1.70E+03	1.0E+00	.	6.5E+03	6.3E+00	8.8E-01	1.5E-17	8.8E-01	.	3.9E+04	1.7E-08	.	.
Actinium (89)	Ac-230	0.00E+00	0.00E+00	0.00E+00	1.44E-10	1.00E-03	.	1.70E+03	.	.	1.0E+04	.	1.0E+04	9.2E-16	1.0E+04	.	7.9E+10	2.0E-04	.	.
Actinium (89)	Ac-231	0.00E+00	0.00E+00	0.00E+00	9.88E-11	1.00E-03	.	1.70E+03	.	.	1.5E+04	.	1.5E+04	5.0E-15	1.5E+04	.	3.1E+10	2.9E-04	.	.
Actinium (89)	Ac-232	0.00E+00	0.00E+00	0.00E+00	3.10E-10	1.00E-03	.	1.70E+03	.	.	4.6E+03	.	4.6E+03	4.2E-16	4.6E+03	.	3.8E+10	9.2E-05	.	.
Actinium (89)	Ac-233	0.00E+00	0.00E+00	0.00E+00	1.23E-10	1.00E-03	.	1.70E+03	.	.	1.2E+04	.	1.2E+04	1.3E-15	1.2E+04	.	7.8E+10	2.3E-04	.	.
Silver (47)	Ag-100m	0.00E+00	0.00E+00	0.00E+00	7.26E-10	4.00E-03	.	3.80E+02	.	.	2.0E+03	.	2.0E+03	8.7E-17	2.0E+03	.	3.2E+09	3.8E-06	.	.
Silver (47)	Ag-101	2.23E-12	1.61E-12	6.4E-13 (S)	3.94E-10	4.00E-03	.	3.80E+02	3.2E+01	.	3.6E+03	2.1E+02	2.8E+01	6.2E-18	2.8E+01	.	9.0E+06	5.4E-08	.	.
Silver (47)	Ag-102	2.75E-12	2.01E-12	7.4E-13 (S)	8.80E-10	4.00E-03	.	3.80E+02	2.6E+01	.	1.6E+03	1.7E+02	2.2E+01	5.8E-18	2.2E+01	.	6.2E+06	4.3E-08	.	.
Silver (47)	Ag-102m	0.00E+00	0.00E+00	0.00E+00	5.36E-10	4.00E-03	.	3.80E+02	.	.	2.7E+03	.	2.7E+03	4.1E-16	2.7E+03	.	1.3E+09	5.2E-06	.	.
Silver (47)	Ag-103	3.98E-12	2.83E-12	1.6E-12 (S)	2.08E-10	4.00E-03	.	3.80E+02	1.8E+01	.	6.9E+03	1.2E+02	1.6E+01	2.1E-17	1.6E+01	.	8.7E+05	3.1E-08	.	.
Silver (47)	Ag-104	6.23E-12	4.50E-12	1.8E-12 (S)	6.88E-10	4.00E-03	.	3.80E+02	1.2E+01	.	2.1E+03	7.5E+01	1.0E+01	1.4E-17	1.0E+01	.	5.2E+05	2.0E-08	.	.
Silver (47)	Ag-104m	5.15E-12	3.70E-12	1.6E-12 (S)	4.64E-10	4.00E-03	.	3.80E+02	1.4E+01	.	3.1E+03	9.0E+01	1.2E+01	8.4E-18	1.2E+01	.	1.3E+06	2.4E-08	.	.
Silver (47)	Ag-105	6.65E-11	4.73E-11	8.5E-11 (S)	1.21E-10	4.00E-03	.	3.80E+02	1.1E+00	.	1.2E+04	6.9E+00	9.5E-01	1.2E-15	9.5E-01	.	5.8E+01	1.9E-09	.	.
Silver (47)	Ag-105m	0.00E+00	0.00E+00	0.00E+00	2.42E-13	4.00E-03	.	3.80E+02	.	.	5.9E+06	.	5.9E+06	8.9E-13	5.9E+06	.	2.9E+12	1.2E-02	.	.
Silver (47)	Ag-106	2.18E-12	1.57E-12	7.6E-13 (S)	1.70E-10	4.00E-03	.	3.80E+02	3.3E+01	.	8.4E+03	2.1E+02	2.9E+01	1.4E-17	2.9E+01	.	4.3E+06	5.8E-08	.	.
Silver (47)	Ag-106m	1.80E-10	1.29E-10	9.5E-11 (S)	7.10E-10	4.00E-03	.	3.80E+02	4.1E-01	.	2.0E+03	2.6E+00	3.5E-01	8.7E-17	3.5E-01	.	1.1E+02	7.1E-10	.	.
Silver (47)	Ag-108	0.00E+00	0.00E+00	0.00E+00	4.95E-12	4.00E-03	.	3.80E+02	.	.	2.9E+05	.	2.9E+05	1.5E-14	2.9E+05	.	4.4E+11	6.0E-04	.	.
Silver (47)	Ag-108m	3.01E-10	2.19E-10	2.8E-09 (S)	3.98E-10	4.00E-03	5.73E+00	3.80E+02	2.4E-01	.	3.6E+03	4.4E-01	1.5E-01	7.2E-13	1.5E-01	5.7E+00	6.0E-02	7.6E-09	2.2E+00	2.8E-07
Silver (47)	Ag-108m+D	3.01E-10	2.19E-10	2.8E-09 (S)	3.98E-10	4.00E-03	.	3.80E+02	2.4E-01	.	3.6E+03	4.4E-01	1.5E-01	7.2E-13	1.5E-01	.	6.0E-02	7.6E-09	.	.
Silver (47)	Ag-109m	0.00E+00	0.00E+00	0.00E+00	8.17E-13	4.00E-03	.	3.80E+02	.	.	1.8E+06	.	1.8E+06	2.5E-14	1.8E+06	.	9.6E+12	3.7E-03	.	.
Silver (47)	Ag-110	0.00E+00	0.00E+00	0.00E+00	9.18E-12	4.00E-03	.	3.80E+02	.	.	1.6E+05	.	1.6E+05	1.4E-15	1.6E+05	.	1.4E+12	3.3E-04	.	.
Silver (47)	Ag-110m	3.76E-10	2.71E-10	1.2E-09 (S)	7.04E-10	4.00E-03	9.00E+01	3.80E+02	1.9E-01	.	2.0E+03	1.1E+00	1.6E-01	1.3E-15	1.6E-01	9.0E+01	1.6E+00	3.5E-10	9.0E+02	1.9E-07
Silver (47)	Ag-110m+D	3.76E-10	2.71E-10	1.2E-09 (S)	7.04E-10	4.00E-03	.	3.80E+02	1.9E-01	.	2.0E+03	1.1E+00	1.6E-01	1.3E-15	1.6E-01	.	1.6E+00	3.5E-10	.	.
Silver (47)	Ag-111	3.25E-10	2.22E-10	2.0E-10 (S)	6.56E-12	4.00E-03	.	3.80E+02	2.4E-01	.	2.2E+05	1.4E+00	2.0E-01	4.7E-17	2.0E-01	.	6.8E+01	4.3E-10	.	.
Silver (47)	Ag-111m	0.00E+00	0.00E+00	0.00E+00	9.03E-13	4.00E-03	.	3.80E+02	.	.	1.6E+06	.	1.6E+06	3.8E-14	1.6E+06	.	5.3E+12	3.4E-03	.	.
Silver (47)	Ag-112	7.72E-11	5.31E-11	2.1E-11 (S)	1.82E-10	4.00E-03	.	3.80E+02	9.8E-01	.	7.9E+03	6.0E+00	8.5E-01	3.5E-18	8.5E-01	.	1.6E+04	1.8E-09	.	.
Silver (47)	Ag-113	8.71E-11	5.95E-11	2.4E-11 (S)	1.84E-11	4.00E-03	.	3.80E+02	8.8E-01	.	7.8E+04	5.3E+00	7.5E-01	5.4E-18	7.5E-01	.	8.4E+03	1.6E-09	.	.
Silver (47)	Ag-113m	0.00E+00	0.00E+00	0.00E+00	5.18E-11	4.00E-03	.	3.80E+02	.	.	2.8E+04	.	2.8E+04	7.1E-16	2.8E+04	.	8.7E+10	6.0E-05	.	.
Silver (47)	Ag-114	0.00E+00	0.00E+00	0.00E+00	7.23E-11	4.00E-03	.	3.80E+02	.	.	2.0E+04	.	2.0E+04	3.4E-17	2.0E+04	.	9.3E+11	4.3E-05	.	.
Silver (47)	Ag-115	5.45E-12	3.85E-12	2.0E-12 (S)	1.29E-10	4.00E-03	.	3.80E+02	1.4E+01	.	1.1E+04	8.5E+01	1.2E+01	5.3E-18	1.2E+01	.	2.1E+06	2.6E-08	.	.
Silver (47)	Ag-116	0.00E+00	0.00E+00	0.00E+00	5.84E-10	4.00E-03	.	3.80E+02	.	.	2.5E+03	.	2.5E+03	1.5E-16	2.5E+03	.	3.3E+09	5.5E-06	.	.
Silver (47)	Ag-117	0.00E+00	0.00E+00	0.00E+00	3.57E-10	4.00E-03	.	3.80E+02	.	.	4.0E+03	.	4.0E+03	1.1E-16	4.0E+03	.	1.2E+10	9.0E-06	.	.
Silver (47)	Ag-99	0.00E+00	0.00E+00	0.00E+00	5.90E-10	4.00E-03	.	3.80E+02	.	.	2.4E+03	.	2.4E+03	9.8E-17	2.4E+03	.	4.2E+09	4.6E-06	.	.
Aluminum (13)	Al-26	6.71E-10	4.67E-10	7.9E-09 (S)	7.10E-10	4.00E-03	.	1.50E+03	1.1E-01	.	2.0E+03	1.9E-01	7.1E-02	1.4E-10	7.1E-02	.	1.1E-01	5.5E-06	.	.
Aluminum (13)	Al-28	0.00E+00	0.00E+00	0.00E+00	4.89E-10	4.00E-03	.	1.50E+03	.	.	2.9E+03	.	2.9E+03	3.6E-17	2.9E+03	.	1.9E+10	6.2E-06	.	.
Aluminum (13)	Al-29	0.00E+00	0.00E+00	0.00E+00	3.69E-10	4.00E-03	.	1.50E+03	.	.	3.9E+03	.	3.9E+03	1.5E-16	3.9E+03	.	8.4E+09	8.5E-06	.	.
Americium (95)	Am-237	2.00E-12	1.42E-12	1.7E-12 (S)	8.52E-11	1.91E-05	.	4.00E+00	3.7E+01	.	1.7E+04	2.3E+02	3.2E+01	1.1E-16	3.2E+01	.	1.7E+04	1.6E-09	.	.
Americium (95)	Am-238	3.61E-12	2.58E-12	3.1E-12 (S)	2.25E-10	1.91E-05	.	4.00E+00	2.0E+01	.	6.4E+03	1.3E+02	1.7E+01	8.0E-17	1.7E+01	.	7.1E+03	8.8E-10	.	.
Americium (95)	Am-239	5.61E-11	3.84E-11	2.5E-11 (S)	5.08E-11	1.91E-05	.	4.00E+00	1.4E+00	.	2.8E+04	8.3E+00	1.2E+00	3.9E-17	1.2E+00	.	6.5E+01	5.9E-11	.	.
Americium (95)	Am-240	1.02E-10	7.14E-11	4.2E-11 (S)	2.58E-10	1.91E-05	.	4.00E+00	7.3E-01	.	5.6E+03	4.6E+00	6.3E-01	9.1E-17	6.3E-01	.	8.2E+00	3.2E-11	.	.
Americium (95)	Am-241	3.61E-09	2.80E-09	1.0E-06 (F)	3.57E-12	1.91E-05	1.50E+01	4.00E+00	1.9E-02	.	4.0E+05	3.7E-02	1.2E-02	1.3E-13	1.2E-02	1.5E+01	5.3E-05	1.5E-11	6.4E-02	1.9E-08
Americium (95)	Am-242	7.14E-11	4.88E-11	1.8E-09 (S)	2.93E-12	1.91E-05	.	4.00E+00	1.1E+00	.	4.9E+05	6.5E+00	9.2E-01	4.2E-17	9.2E-01	.	3.8E+01	4.7E-11	.	.
Americium (95)	Am-242m	2.36E-09	1.91E-09	9.3E-07 (F)	9.94E-14	1.91E-05	.	4.00E+00	2.7E-02	.	1.4E+07	5.8E-02	1.9E-02	6.6E-14	1.9E-02	.	8.3E-05	8.0E-12	.	.
Americium (95)	Am-242m+D	2.43E-09	1.96E-09	9.3E-07 (F)	3.69E-12	1.91E-05	.	4.00E+00	2.7E-02	.	3.9E+05	5.7E-02	1.8E-02	6.4E-14	1.8E-02	.	8.1E-05	7.7E-12	.	.
Americium (95)	Am-243	3.62E-09	2.80E-09	1.0E-06 (F)	1.04E-11	1.91E-05	1.50E+01	4.00E+00	1.9E-02	.	1.4E+05	3.6E-02	1.2E-02	2.3E-12	1.2E-02	1.5E+01	5.2E-05	2.6E-10	6.3E-02	3.2E-07
Americium (95)	Am-243+D	3.83E-09	2.94E-09	1.0E-06 (F)	5.02E-11	1.91E-05	1.50E+01	4.00E+00	1.8E-02	.	2.9E+04	3.4E-02	1.2E-02	2.2E-12	1.2E-02	1.5E+01	4.9E-05	2.5E-10	6.3E-02	3.2E-07
Americium (95)	Am-244	9.70E-11	6.67E-11	1.0E-10 (S)	1.97E-10	1.91E-05	.	4.00E+00	7.8E-01	.	7.3E+03	4.8E+00	6.7E-01	2.0E-17	6.7E-01	.	4.4E+01	3.5E-11	.	.
Americium (95)	Am-244m	1.97E-12	1.41E-12	3.6E-12 (S)	4.04E-12	1.91E-05	.	4.00E+00	3.7E+01	.	3.6E+05	2.4E+02	3.2E+01	4.0E-17	3.2E+01	.	4.9E+04	1.7E-09	.	.
Americium (95)	Am-245	8.71E-12	6.01E-12	4.5E-12 (S)	7.20E-12	1.91E-05	.	4.00E+00	8.7E+00	.	2.0E+05	5.3E+01	7.5E+00	4.4E-17	7.5E+00	.	2.4E+03	3.9E-10	.	.
Americium (95)	Am-246	5.15E-12	3.67E-12	4.2E-12 (S)	1.78E-10	1.91E-05	.	4.00E+00	1.4E+01	.	8.0E+03	9.0E+01	1.2E+01	2.3E-17	1.2E+01	.	1.3E+04	6.4E-10	.	.
Americium (95)	Am-246m	2.46E-12	1.78E-12	1.1E-12 (S)	2.51E-10	1.91E-05	.	4.00E+00	2.9E+01	.	5.7E+03	1.9E+02	2.5E+01	3.1E-17	2.5E+01	.	4.0E+04	1.3E-09	.	.
Americium (95)	Am-247	1.98E-12	1.43E-12	1.3E-12 (S)	3.04E-11	1.91E-05	.	4.00E+00	3.7E+01	.	4.7E+04	2.3E+02	3.2E+01	3.5E-17	3.2E+01	.	5.5E+04	1.7E-09	.	.
Argon (18)	Ar-37	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Argon (18)	Ar-39	0.00E+00	0.00E+00	0.00E+00	7.13E-14	0.00E+00	.	.	.	.	2.0E+07	.	2.0E+07	2.2E-05	2.0E+07	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Argon (18)	Ar-41	0.00E+00	0.00E+00	0.00E+00	3.38E-10	0.00E+00	.	.	.	.	4.3E+03	.	4.3E+03	3.8E-15	4.3E+03	.	.	.	.	.
Argon (18)	Ar-42	0.00E+00	0.00E+00	0.00E+00	8.02E-14	0.00E+00	.	.	.	.	1.8E+07	.	1.8E+07	2.6E-06	1.8E+07	.	.	.	.	.
Argon (18)	Ar-42+D	4.70E-11	3.41E-11	3.4E-11 (G)	7.73E-11	0.00E+00	.	.	1.5E+00	.	1.9E+04	.	1.5E+00	2.2E-13	1.5E+00	.	.	.	.	.
Argon (18)	Ar-43	0.00E+00	0.00E+00	0.00E+00	4.13E-10	0.00E+00	.	.	.	.	3.5E+03	.	3.5E+03	1.6E-16	3.5E+03	.	.	.	.	.
Argon (18)	Ar-44	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	.	.	.	.	2.7E+03	.	2.7E+03	2.8E-16	2.7E+03	.	.	.	.	.
Arsenic (33)	As-68	0.00E+00	0.00E+00	0.00E+00	9.66E-10	8.00E-02	.	0.00E+00	.	.	1.5E+03	.	1.5E+03	5.0E-17	1.5E+03	.	1.1E+06	1.0E-09	.	.
Arsenic (33)	As-69	3.72E-12	2.68E-12	1.1E-12 (S)	2.84E-10	8.00E-02	.	0.00E+00	1.9E+01	.	5.0E+03	1.3E+02	1.7E+01	3.5E-18	1.7E+01	.	2.1E+03	1.2E-11	.	.
Arsenic (33)	As-70	1.24E-11	8.89E-12	4.0E-12 (S)	1.10E-09	8.00E-02	.	0.00E+00	5.9E+00	.	1.3E+03	3.8E+01	5.1E+00	3.7E-18	5.1E+00	.	1.8E+02	3.6E-12	.	.
Arsenic (33)	As-71	8.78E-11	6.08E-11	4.3E-11 (S)	1.40E-10	8.00E-02	.	0.00E+00	8.6E-01	.	1.0E+04	5.3E+00	7.4E-01	4.1E-17	7.4E-01	.	3.6E-01	5.3E-13	.	.
Arsenic (33)	As-72	4.06E-10	2.78E-10	1.2E-10 (S)	4.48E-10	8.00E-02	.	0.00E+00	1.9E-01	.	3.2E+03	1.1E+00	1.6E-01	3.6E-18	1.6E-01	.	2.0E-01	1.2E-13	.	.
Arsenic (33)	As-73	6.18E-11	4.24E-11	1.4E-10 (S)	8.20E-13	8.00E-02	.	0.00E+00	1.2E+00	.	1.7E+06	7.2E+00	1.1E+00	1.8E-15	1.1E+00	.	1.7E-02	7.8E-13	.	.
Arsenic (33)	As-74	2.60E-10	1.80E-10	2.6E-10 (S)	1.87E-10	8.00E-02	.	0.00E+00	2.9E-01	.	7.7E+03	1.8E+00	2.5E-01	9.3E-17	2.5E-01	.	1.8E-02	1.9E-13	.	.
Arsenic (33)	As-76	3.79E-10	2.59E-10	1.2E-10 (S)	1.06E-10	8.00E-02	.	0.00E+00	2.0E-01	.	1.3E+04	1.2E+00	1.7E-01	4.0E-18	1.7E-01	.	2.1E-01	1.3E-13	.	.
Arsenic (33)	As-77	9.81E-11	6.68E-11	5.1E-11 (S)	2.08E-12	8.00E-02	.	0.00E+00	7.8E-01	.	6.9E+05	4.7E+00	6.7E-01	2.4E-17	6.7E-01	.	5.5E-01	5.2E-13	.	.
Arsenic (33)	As-78	2.28E-11	1.59E-11	7.2E-12 (S)	3.41E-10	8.00E-02	.	0.00E+00	3.3E+00	.	4.2E+03	2.0E+01	2.8E+00	3.9E-18	2.8E+00	.	5.9E+01	2.2E-12	.	.
Arsenic (33)	As-79	0.00E+00	0.00E+00	0.00E+00	9.25E-12	8.00E-02	.	0.00E+00	.	.	1.6E+05	.	1.6E+05	2.2E-14	1.6E+05	.	3.3E+07	1.2E-07	.	.
Astatine (85)	At-204	0.00E+00	0.00E+00	0.00E+00	5.71E-10	2.00E-01	.	1.00E+01	.	.	2.5E+03	.	2.5E+03	9.3E-16	2.5E+03	.	2.6E+07	2.6E-07	.	.
Astatine (85)	At-205	5.29E-12	3.88E-12	6.5E-11 (S)	2.87E-10	2.00E-01	.	1.00E+01	1.3E+01	.	5.0E+03	8.8E+01	1.2E+01	1.2E-17	1.2E+01	.	4.3E+04	1.2E-09	.	.
Astatine (85)	At-206	6.09E-12	4.46E-12	2.2E-11 (S)	6.19E-10	2.00E-01	.	1.00E+01	1.2E+01	.	2.3E+03	7.6E+01	1.0E+01	1.3E-17	1.0E+01	.	3.2E+04	1.1E-09	.	.
Astatine (85)	At-207	2.41E-11	1.76E-11	2.0E-10 (S)	5.14E-10	2.00E-01	.	1.00E+01	3.0E+00	.	2.8E+03	1.9E+01	2.6E+00	1.1E-17	2.6E+00	.	2.3E+03	2.7E-10	.	.
Astatine (85)	At-208	8.74E-12	6.44E-12	5.3E-11 (S)	7.70E-10	2.00E-01	.	1.00E+01	8.1E+00	.	1.9E+03	5.3E+01	7.0E+00	2.8E-17	7.0E+00	.	6.9E+03	7.5E-10	.	.
Astatine (85)	At-209	4.17E-11	3.05E-11	2.5E-10 (S)	5.68E-10	2.00E-01	.	1.00E+01	1.7E+00	.	2.5E+03	1.1E+01	1.5E+00	2.0E-17	1.5E+00	.	4.4E+02	1.6E-10	.	.
Astatine (85)	At-210	9.98E-11	7.30E-11	9.8E-10 (S)	7.73E-10	2.00E-01	.	1.00E+01	7.2E-01	.	1.9E+03	4.7E+00	6.2E-01	1.2E-17	6.2E-01	.	1.2E+02	6.7E-11	.	.
Astatine (85)	At-211	1.25E-09	9.10E-10	1.1E-08 (S)	6.91E-12	2.00E-01	.	1.00E+01	5.7E-02	.	2.1E+05	3.7E-01	5.0E-02	9.0E-19	5.0E-02	.	1.1E+01	5.4E-12	.	.
Astatine (85)	At-211+D	1.25E-09	9.10E-10	1.1E-08 (S)	8.11E-12	2.00E-01	.	1.00E+01	5.7E-02	.	1.8E+05	3.7E-01	5.0E-02	9.0E-19	5.0E-02	.	1.1E+01	5.4E-12	.	.
Astatine (85)	At-215	0.00E+00	0.00E+00	0.00E+00	4.13E-14	2.00E-01	.	1.00E+01	.	.	3.5E+07	.	3.5E+07	2.5E-18	3.5E+07	.	2.0E+18	3.8E-03	.	.
Astatine (85)	At-216	0.00E+00	0.00E+00	0.00E+00	5.18E-13	2.00E-01	.	1.00E+01	.	.	2.8E+06	.	2.8E+06	5.9E-19	2.8E+06	.	5.4E+16	3.1E-04	.	.
Astatine (85)	At-217	0.00E+00	0.00E+00	0.00E+00	5.78E-14	2.00E-01	.	1.00E+01	.	.	2.5E+07	.	2.5E+07	5.7E-16	2.5E+07	.	4.5E+15	2.8E-03	.	.
Astatine (85)	At-218	0.00E+00	0.00E+00	0.00E+00	1.39E-15	2.00E-01	.	1.00E+01	.	.	1.0E+09	.	1.0E+09	1.1E-12	1.0E+09	.	4.0E+15	1.2E-01	.	.
Astatine (85)	At-219	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.00E-01	.	1.00E+01	.	.	.	.	.	.	.	.	.	.	.	.
Astatine (85)	At-220	0.00E+00	0.00E+00	0.00E+00	1.10E-10	2.00E-01	.	1.00E+01	.	.	1.3E+04	.	1.3E+04	2.1E-15	1.3E+04	.	3.4E+08	1.5E-06	.	.
Gold (79)	Au-186	3.57E-12	2.56E-12	1.1E-12 (S)	3.76E-10	1.00E-01	.	2.50E+01	2.0E+01	.	3.8E+03	1.3E+02	1.8E+01	6.9E-18	1.8E+01	.	3.9E+05	4.2E-09	.	.
Gold (79)	Au-187	0.00E+00	0.00E+00	0.00E+00	2.73E-10	1.00E-01	.	2.50E+01	.	.	5.3E+03	.	5.3E+03	1.6E-15	5.3E+03	.	1.5E+08	1.2E-06	.	.
Gold (79)	Au-190	3.81E-12	2.75E-12	1.2E-12 (S)	6.41E-10	1.00E-01	.	2.50E+01	1.9E+01	.	2.2E+03	1.2E+02	1.6E+01	2.6E-17	1.6E+01	.	9.1E+04	3.9E-09	.	.
Gold (79)	Au-191	1.16E-11	8.12E-12	5.4E-12 (S)	1.40E-10	1.00E-01	.	2.50E+01	6.4E+00	.	1.0E+04	4.0E+01	5.5E+00	4.0E-17	5.5E+00	.	6.9E+03	1.3E-09	.	.
Gold (79)	Au-192	2.41E-11	1.70E-11	6.7E-12 (S)	5.14E-10	1.00E-01	.	2.50E+01	3.1E+00	.	2.8E+03	1.9E+01	2.6E+00	3.0E-17	2.6E+00	.	2.1E+03	6.5E-10	.	.
Gold (79)	Au-193	2.69E-11	1.85E-11	1.1E-11 (S)	3.47E-11	1.00E-01	.	2.50E+01	2.8E+00	.	4.1E+04	1.7E+01	2.4E+00	9.8E-17	2.4E+00	.	5.5E+02	6.0E-10	.	.
Gold (79)	Au-193m	0.00E+00	0.00E+00	0.00E+00	4.58E-11	1.00E-01	.	2.50E+01	.	.	3.1E+04	.	3.1E+04	7.8E-17	3.1E+04	.	1.2E+11	7.7E-06	.	.
Gold (79)	Au-194	6.17E-11	4.35E-11	2.1E-11 (S)	2.66E-10	1.00E-01	.	2.50E+01	1.2E+00	.	5.4E+03	7.5E+00	1.0E+00	9.0E-17	1.0E+00	.	1.1E+02	2.6E-10	.	.
Gold (79)	Au-195	6.11E-11	4.19E-11	1.8E-10 (S)	1.45E-11	1.00E-01	.	2.50E+01	1.2E+00	.	9.9E+04	6.9E+00	1.1E+00	1.1E-14	1.1E+00	.	9.4E-01	2.6E-10	.	.
Gold (79)	Au-195m	0.00E+00	0.00E+00	0.00E+00	4.64E-11	1.00E-01	.	2.50E+01	.	.	3.1E+04	.	3.1E+04	6.1E-16	3.1E+04	.	1.5E+10	7.7E-06	.	.
Gold (79)	Au-196	5.94E-11	4.15E-11	3.5E-11 (S)	1.11E-10	1.00E-01	.	2.50E+01	1.3E+00	.	1.3E+04	7.8E+00	1.1E+00	3.7E-16	1.1E+00	.	2.9E+01	2.7E-10	.	.
Gold (79)	Au-196m	8.87E-11	6.07E-11	4.8E-11 (S)	5.24E-11	1.00E-01	.	2.50E+01	8.6E-01	.	2.7E+04	5.2E+00	7.4E-01	1.6E-17	7.4E-01	.	3.1E+02	1.8E-10	.	.
Gold (79)	Au-198	2.48E-10	1.70E-10	1.1E-10 (S)	9.78E-11	1.00E-01	.	2.50E+01	3.1E-01	.	1.5E+04	1.9E+00	2.6E-01	4.0E-17	2.6E-01	.	1.6E+01	6.6E-11	.	.
Gold (79)	Au-198m	2.81E-10	1.92E-10	2.0E-10 (S)	1.20E-10	1.00E-01	.	2.50E+01	2.7E-01	.	1.2E+04	1.7E+00	2.3E-01	3.0E-17	2.3E-01	.	1.7E+01	5.9E-11	.	.
Gold (79)	Au-199	1.12E-10	7.63E-11	8.7E-11 (S)	2.15E-11	1.00E-01	.	2.50E+01	6.8E-01	.	6.7E+04	4.1E+00	5.9E-01	1.0E-16	5.9E-01	.	3.1E+01	1.5E-10	.	.
Gold (79)	Au-200	5.87E-12	4.15E-12	2.3E-12 (S)	7.10E-11	1.00E-01	.	2.50E+01	1.3E+01	.	2.0E+04	7.9E+01	1.1E+01	2.1E-17	1.1E+01	.	5.4E+04	2.8E-09	.	.
Gold (79)	Au-200m	1.97E-10	1.37E-10	7.0E-11 (S)	4.86E-10	1.00E-01	.	2.50E+01	3.8E-01	.	3.0E+03	2.4E+00	3.3E-01	1.5E-17	3.3E-01	.	7.0E+01	8.3E-11	.	.
Gold (79)	Au-201	1.61E-12	1.15E-12	8.7E-13 (S)	8.52E-12	1.00E-01	.	2.50E+01	4.5E+01	.	1.7E+05	2.9E+02	3.9E+01	4.0E-17	3.9E+01	.	3.6E+05	1.0E-08	.	.
Gold (79)	Au-202	0.00E+00	0.00E+00	0.00E+00	4.51E-11	1.00E-01	.	2.50E+01	.	.	3.2E+04	.	3.2E+04	6.1E-16	3.2E+04	.	1.6E+10	8.2E-06	.	.
Barium (56)	Ba-124	4.15E-12	3.02E-12	1.1E-12 (S)	1.38E-10	8.70E-04	.	4.00E-01	1.7E+01	.	1.0E+04	1.1E+02	1.5E+01	4.0E-18	1.5E+01	.	7.7E+03	5.6E-11	.	.
Barium (56)	Ba-126	3.30E-11	2.30E-11	9.7E-12 (S)	1.41E-10	8.70E-04	.	4.00E-01	2.3E+00	.	1.0E+04	1.4E+01	2.0E+00	4.9E-18	2.0E+00	.	1.1E+02	7.5E-12	.	.
Barium (56)	Ba-127	1.71E-12	1.24E-12	5.5E-13 (S)	1.78E-10	8.70E-04	.	4.00E-01	4.2E+01	.	8.0E+03	2.7E+02	3.6E+01	1.2E-17	3.6E+01	.	1.6E+04	1.4E-10	.	.
Barium (56)	Ba-128	6.21E-10	4.24E-10	2.1E-10 (S)	1.14E-11	8.70E-04	.	4.00E-01	1.2E-01	.	1.3E+05	7.5E-01	1.1E-01	9.4E-18	1.1E-01	.	1.7E-01	4.1E-13	.	.
Barium (56)	Ba-129	6.92E-12	4.83E-12	2.4E-12 (S)	7.89E-11	8.70E-04	.	4.00E-01	1.1E+01	.	1.8E+04	6.7E+01	9.3E+00	3.2E-17	9.3E+00	.	4.0E+02	3.6E-11	.	.
Barium (56)	Ba-129m	8.43E-12	6.02E-12	2.8E-12 (S)	3.98E-10	8.70E-04	.	4.00E-01	8.7E+00	.	3.6E+03	5.5E+01	7.5E+00	2.5E-17	7.5E+00	.	3.3E+02	2.9E-11	.	.
Barium (56)	Ba-131	7.85E-11	5.48E-11	8.8E-11 (S)	1.10E-10	8.70E-04	.	4.00E-01	9.5E-01	.	1.3E+04	5.9E+00	8.2E-01	3.5E-16	8.2E-01	.	2.8E-01	3.3E-12	.	.
Barium (56)	Ba-131m	3.53E-13	2.54E-13	4.9E-13 (S)	1.44E-11	8.70E-04	.	4.00E-01	2.1E+02	.	1.0E+05	1.3E+03	1.8E+02	6.7E-17	1.8E+02	.	6.9E+04	7.0E-10	.	.
Barium (56)	Ba-133	2.56E-10	1.86E-10	8.9E-10 (S)	8.87E-11	8.70E-04	.	4.00E-01	2.8E-01	.	1.6E+04	8.4E-01	2.1E-01	3.1E-14	2.1E-01	.	2.6E-04	1.0E-12	.	.
Barium (56)	Ba-133m	1.29E-10	8.82E-11	6.1E-11 (S)	1.30E-11	8.70E-04	.	4.00E-01	5.9E-01	.	1.1E+05	3.6E+00	5.1E-01	3.1E-17	5.1E-01	.	1.2E+00	2.0E-12	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Barium (56)	Ba-135m	1.01E-10	6.91E-11	4.7E-11 (S)	1.12E-11	8.70E-04	.	4.00E-01	7.6E-01	.	1.3E+05	4.6E+00	6.5E-01	3.0E-17	6.5E-01	.	2.1E+00	2.7E-12	.	.
Barium (56)	Ba-137m	0.00E+00	0.00E+00	0.00E+00	1.48E-10	8.70E-04	.	4.00E-01	.	.	9.7E+03	.	9.7E+03	6.7E-16	9.7E+03	.	2.2E+07	4.0E-08	.	.
Barium (56)	Ba-139	1.45E-11	1.01E-11	5.1E-12 (S)	1.15E-11	8.70E-04	.	4.00E-01	5.2E+00	.	1.3E+05	3.2E+01	4.5E+00	1.0E-17	4.5E+00	.	3.0E+02	1.9E-11	.	.
Barium (56)	Ba-140	5.92E-10	4.06E-10	6.2E-10 (S)	4.35E-11	8.70E-04	.	4.00E-01	1.3E-01	.	3.3E+04	7.8E-01	1.1E-01	5.6E-17	1.1E-01	.	3.4E-02	4.7E-13	.	.
Barium (56)	Ba-141	8.71E-12	6.07E-12	2.9E-12 (S)	2.35E-10	8.70E-04	.	4.00E-01	8.6E+00	.	6.1E+03	5.3E+01	7.4E+00	3.8E-18	7.4E+00	.	2.3E+03	3.2E-11	.	.
Barium (56)	Ba-142	3.45E-12	2.44E-12	1.2E-12 (S)	2.65E-10	8.70E-04	.	4.00E-01	2.1E+01	.	5.4E+03	1.3E+02	1.8E+01	5.5E-18	1.8E+01	.	9.9E+03	7.9E-11	.	.
Beryllium (4)	Be-10	2.78E-10	1.90E-10	2.5E-09 (S)	8.77E-14	4.00E-03	.	9.90E+02	2.8E-01	.	1.6E+07	4.7E-01	1.7E-01	2.7E-10	1.7E-01	.	1.7E-01	7.2E-06	.	.
Beryllium (4)	Be-7	3.28E-12	2.36E-12	5.8E-12 (S)	1.22E-11	4.00E-03	.	9.90E+02	2.2E+01	.	1.2E+05	1.4E+02	1.9E+01	2.0E-15	1.9E+01	.	2.3E+03	6.7E-09	.	.
Bismuth (83)	Bi-197	0.00E+00	0.00E+00	0.00E+00	4.32E-10	1.00E-01	.	4.80E+02	.	.	3.3E+03	.	3.3E+03	1.2E-15	3.3E+03	.	1.6E+09	1.6E-05	.	.
Bismuth (83)	Bi-200	6.13E-12	4.36E-12	2.2E-12 (S)	6.03E-10	1.00E-01	.	4.80E+02	1.2E+01	.	2.4E+03	7.6E+01	1.0E+01	1.5E-17	1.0E+01	.	1.3E+06	5.0E-08	.	.
Bismuth (83)	Bi-201	1.60E-11	1.13E-11	5.4E-12 (S)	4.48E-10	1.00E-01	.	4.80E+02	4.6E+00	.	3.2E+03	2.9E+01	4.0E+00	1.7E-17	4.0E+00	.	1.7E+05	1.9E-08	.	.
Bismuth (83)	Bi-202	1.14E-11	8.16E-12	3.5E-12 (S)	6.94E-10	1.00E-01	.	4.80E+02	6.4E+00	.	2.1E+03	4.1E+01	5.5E+00	2.3E-17	5.5E+00	.	2.4E+05	2.7E-08	.	.
Bismuth (83)	Bi-203	7.42E-11	5.23E-11	2.3E-11 (S)	6.25E-10	1.00E-01	.	4.80E+02	1.0E+00	.	2.3E+03	6.3E+00	8.6E-01	2.4E-17	8.6E-01	.	5.6E+03	4.2E-09	.	.
Bismuth (83)	Bi-204	8.08E-11	5.72E-11	2.4E-11 (S)	7.42E-10	1.00E-01	.	4.80E+02	9.1E-01	.	1.9E+03	5.8E+00	7.9E-01	2.1E-17	7.9E-01	.	5.3E+03	3.9E-09	.	.
Bismuth (83)	Bi-205	1.28E-10	9.08E-11	1.0E-10 (S)	4.42E-10	1.00E-01	.	4.80E+02	5.8E-01	.	3.2E+03	3.6E+00	5.0E-01	4.4E-16	5.0E-01	.	1.0E+02	2.5E-09	.	.
Bismuth (83)	Bi-206	3.00E-10	2.11E-10	1.7E-10 (S)	8.33E-10	1.00E-01	.	4.80E+02	2.5E-01	.	1.7E+03	1.5E+00	2.1E-01	7.8E-17	2.1E-01	.	1.1E+02	1.1E-09	.	.
Bismuth (83)	Bi-207	2.23E-10	1.55E-10	3.0E-09 (S)	3.88E-10	1.00E-01	2.00E+02	4.80E+02	3.4E-01	.	3.7E+03	5.7E-01	2.1E-01	1.5E-13	2.1E-01	2.0E+02	1.3E-01	2.5E-09	1.2E+02	2.4E-06
Bismuth (83)	Bi-208	1.46E-10	1.05E-10	2.7E-09 (S)	7.54E-10	1.00E-01	.	4.80E+02	5.0E-01	.	1.9E+03	7.0E-01	2.9E-01	2.3E-09	2.9E-01	.	1.4E-01	3.0E-05	.	.
Bismuth (83)	Bi-210	3.52E-10	2.41E-10	1.2E-08 (S)	2.11E-13	1.00E-01	.	4.80E+02	2.2E-01	.	6.8E+06	1.3E+00	1.9E-01	5.6E-17	1.9E-01	.	1.2E+02	9.5E-10	.	.
Bismuth (83)	Bi-210m	2.10E-09	1.50E-09	7.9E-07 (S)	6.25E-11	1.00E-01	.	4.80E+02	3.5E-02	.	2.3E+04	4.9E-02	2.0E-02	1.3E-09	2.0E-02	.	9.8E-03	1.7E-05	.	.
Bismuth (83)	Bi-210m+D	2.10E-09	1.50E-09	7.9E-07 (S)	6.28E-11	1.00E-01	.	4.80E+02	3.5E-02	.	2.3E+04	4.9E-02	2.0E-02	1.3E-09	2.0E-02	.	9.8E-03	1.7E-05	.	.
Bismuth (83)	Bi-211	0.00E+00	0.00E+00	0.00E+00	1.13E-11	1.00E-01	.	4.80E+02	.	.	1.3E+05	.	1.3E+05	1.1E-14	1.3E+05	.	2.7E+11	6.5E-04	.	.
Bismuth (83)	Bi-212	2.73E-11	1.94E-11	2.3E-09 (S)	2.68E-11	1.00E-01	.	4.80E+02	2.7E+00	.	5.4E+04	1.7E+01	2.3E+00	5.9E-18	2.3E+00	.	1.7E+05	1.2E-08	.	.
Bismuth (83)	Bi-212+D	2.73E-11	1.94E-11	2.3E-09 (S)	2.68E-11	1.00E-01	.	4.80E+02	2.7E+00	.	5.4E+04	1.7E+01	2.3E+00	5.9E-18	2.3E+00	.	1.7E+05	1.2E-08	.	.
Bismuth (83)	Bi-212n	0.00E+00	0.00E+00	0.00E+00	3.72E-13	1.00E-01	.	4.80E+02	.	.	3.9E+06	.	3.9E+06	1.1E-12	3.9E+06	.	2.5E+12	2.0E-02	.	.
Bismuth (83)	Bi-213	1.94E-11	1.37E-11	2.0E-09 (S)	3.12E-11	1.00E-01	.	4.80E+02	3.8E+00	.	4.6E+04	2.4E+01	3.3E+00	6.3E-18	3.3E+00	.	3.3E+05	1.7E-08	.	.
Bismuth (83)	Bi-213+D	1.94E-11	1.37E-11	2.0E-09 (S)	3.12E-11	1.00E-01	.	4.80E+02	3.8E+00	.	4.6E+04	2.4E+01	3.3E+00	6.3E-18	3.3E+00	.	3.3E+05	1.7E-08	.	.
Bismuth (83)	Bi-214	7.17E-12	5.19E-12	8.4E-10 (S)	3.91E-10	1.00E-01	.	4.80E+02	1.0E+01	.	3.7E+03	6.5E+01	8.7E+00	7.3E-18	8.7E+00	.	2.0E+06	4.5E-08	.	.
Bismuth (83)	Bi-214+D	7.17E-12	5.19E-12	8.4E-10 (S)	3.91E-10	1.00E-01	.	4.80E+02	1.0E+01	.	3.7E+03	6.5E+01	8.7E+00	7.3E-18	8.7E+00	.	2.0E+06	4.5E-08	.	.
Bismuth (83)	Bi-215	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	.	4.80E+02	.	.	2.3E+04	.	2.3E+04	7.4E-15	2.3E+04	.	1.4E+10	1.2E-04	.	.
Bismuth (83)	Bi-215+D	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	.	4.80E+02	.	.	2.3E+04	.	2.3E+04	7.4E-15	2.3E+04	.	1.4E+10	1.2E-04	.	.
Bismuth (83)	Bi-216	0.00E+00	0.00E+00	0.00E+00	1.83E-10	1.00E-01	.	4.80E+02	.	.	7.9E+03	.	7.9E+03	7.3E-16	7.9E+03	.	1.6E+10	4.1E-05	.	.
Berkelium (97)	Bk-245	1.37E-10	9.37E-11	2.2E-10 (S)	5.05E-11	1.00E-03	.	.	5.6E-01	.	2.8E+04	3.4E+00	4.8E-01	1.6E-16	4.8E-01	.	.	.	.	.
Berkelium (97)	Bk-246	7.59E-11	5.30E-11	2.6E-11 (S)	2.10E-10	1.00E-03	.	.	9.9E-01	.	6.8E+03	6.1E+00	8.5E-01	1.1E-16	8.5E-01	.	.	.	.	.
Berkelium (97)	Bk-247	4.34E-09	3.37E-09	1.3E-06 (F)	3.25E-11	1.00E-03	.	.	1.6E-02	.	4.4E+04	3.0E-02	1.0E-02	3.6E-13	1.0E-02	.	.	.	.	.
Berkelium (97)	Bk-248m	9.78E-11	6.68E-11	1.4E-09 (S)	1.20E-11	1.00E-03	.	.	7.8E-01	.	1.2E+05	4.8E+00	6.7E-01	4.7E-17	6.7E-01	.	.	.	.	.
Berkelium (97)	Bk-249	4.22E-11	2.98E-11	3.2E-09 (F)	5.14E-16	1.00E-03	.	.	1.8E+00	.	2.8E+09	9.8E+00	1.5E+00	3.5E-14	1.5E+00	.	.	.	.	.
Berkelium (97)	Bk-250	2.22E-11	1.54E-11	3.7E-11 (S)	2.30E-10	1.00E-03	.	.	3.4E+00	.	6.2E+03	2.1E+01	2.9E+00	2.8E-17	2.9E+00	.	.	.	.	.
Berkelium (97)	Bk-251	3.59E-12	2.52E-12	2.5E-12 (S)	1.85E-11	1.00E-03	.	.	2.1E+01	.	7.7E+04	1.3E+02	1.8E+01	4.9E-17	1.8E+01	.	.	.	.	.
Bromine (35)	Br-72	0.00E+00	0.00E+00	0.00E+00	7.67E-10	4.00E-01	.	5.50E+01	.	.	1.9E+03	.	1.9E+03	3.5E-17	1.9E+03	.	7.5E+08	3.8E-07	.	.
Bromine (35)	Br-73	0.00E+00	0.00E+00	0.00E+00	3.53E-10	4.00E-01	.	5.50E+01	.	.	4.1E+03	.	4.1E+03	2.0E-16	4.1E+03	.	6.2E+08	8.3E-07	.	.
Bromine (35)	Br-74	5.41E-12	3.96E-12	1.8E-12 (S)	1.27E-09	4.00E-01	.	5.50E+01	1.3E+01	.	1.1E+03	8.6E+01	1.1E+01	4.2E-18	1.1E+01	.	2.3E+05	2.3E-09	.	.
Bromine (35)	Br-74m	9.13E-12	6.69E-12	3.4E-12 (S)	1.10E-09	4.00E-01	.	5.50E+01	7.8E+00	.	1.3E+03	5.1E+01	6.7E+00	4.5E-18	6.7E+00	.	7.7E+04	1.4E-09	.	.
Bromine (35)	Br-75	5.72E-12	4.19E-12	3.2E-12 (S)	2.93E-10	4.00E-01	.	5.50E+01	1.2E+01	.	4.9E+03	8.1E+01	1.1E+01	1.5E-17	1.1E+01	.	5.8E+04	2.3E-09	.	.
Bromine (35)	Br-76	5.28E-11	3.88E-11	3.1E-11 (S)	7.42E-10	4.00E-01	.	5.50E+01	1.3E+00	.	1.9E+03	8.8E+00	1.2E+00	1.7E-17	1.2E+00	.	6.3E+02	2.5E-10	.	.
Bromine (35)	Br-76m	0.00E+00	0.00E+00	0.00E+00	5.14E-12	4.00E-01	.	5.50E+01	.	.	2.8E+05	.	2.8E+05	9.1E-17	2.8E+05	.	6.7E+12	5.9E-05	.	.
Bromine (35)	Br-77	1.11E-11	8.29E-12	6.0E-12 (S)	7.70E-11	4.00E-01	.	5.50E+01	6.3E+00	.	1.9E+04	4.2E+01	5.5E+00	2.8E-16	5.5E+00	.	8.4E+02	1.2E-09	.	.
Bromine (35)	Br-77m	0.00E+00	0.00E+00	0.00E+00	3.22E-12	4.00E-01	.	5.50E+01	.	.	4.5E+05	.	4.5E+05	2.9E-14	4.5E+05	.	5.4E+10	9.6E-05	.	.
Bromine (35)	Br-78	0.00E+00	0.00E+00	0.00E+00	2.54E-10	4.00E-01	.	5.50E+01	.	.	5.6E+03	.	5.6E+03	5.6E-16	5.6E+03	.	4.6E+08	1.2E-06	.	.
Bromine (35)	Br-80	1.77E-12	1.29E-12	7.0E-13 (S)	1.94E-11	4.00E-01	.	5.50E+01	4.1E+01	.	7.4E+04	2.6E+02	3.5E+01	9.8E-18	3.5E+01	.	1.0E+06	7.8E-09	.	.
Bromine (35)	Br-80m	1.05E-11	7.64E-12	9.4E-12 (S)	1.20E-12	4.00E-01	.	5.50E+01	6.8E+00	.	1.2E+06	4.4E+01	5.9E+00	2.5E-17	5.9E+00	.	1.2E+04	1.3E-09	.	.
Bromine (35)	Br-82	6.26E-11	4.66E-11	4.8E-11 (S)	6.72E-10	4.00E-01	.	5.50E+01	1.1E+00	.	2.1E+03	7.4E+00	9.7E-01	3.3E-17	9.7E-01	.	2.4E+02	2.2E-10	.	.
Bromine (35)	Br-82m	0.00E+00	0.00E+00	0.00E+00	7.57E-13	4.00E-01	.	5.50E+01	.	.	1.9E+06	.	1.9E+06	1.9E-13	1.9E+06	.	1.6E+11	4.3E-04	.	.
Bromine (35)	Br-83	3.18E-12	2.31E-12	3.6E-12 (S)	1.84E-12	4.00E-01	.	5.50E+01	2.3E+01	.	7.8E+05	1.5E+02	2.0E+01	4.6E-17	2.0E+01	.	7.1E+04	4.5E-09	.	.
Bromine (35)	Br-84	5.48E-12	4.00E-12	2.0E-12 (S)	4.89E-10	4.00E-01	.	5.50E+01	1.3E+01	.	2.9E+03	8.5E+01	1.1E+01	5.9E-18	1.1E+01	.	1.9E+05	2.6E-09	.	.
Bromine (35)	Br-84m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	4.00E-01	.	5.50E+01	.	.	2.0E+03	.	2.0E+03	2.0E-16	2.0E+03	.	1.7E+08	4.7E-07	.	.
Bromine (35)	Br-85	0.00E+00	0.00E+00	0.00E+00	1.82E-11	4.00E-01	.	5.50E+01	.	.	7.9E+04	.	7.9E+04	3.8E-15	7.9E+04	.	1.4E+10	1.9E-05	.	.
Carbon (6)	C-10	0.00E+00	0.00E+00	0.00E+00	4.32E-10	5.50E+00	.	8.00E-01	.	.	3.3E+03	.	3.3E+03	2.1E-18	3.3E+03	.	9.8E+07	1.7E-09	.	.
Carbon (6)	C-11	1.51E-12	1.10E-12	7.9E-13 (S)	2.50E-10	5.50E+00	.	8.00E-01	4.8E+01	.	5.7E+03	3.1E+02	4.1E+01	1.8E-18	4.1E+01	.	1.9E+04	2.3E-11	.	.
Carbon (6)	C-14	5.40E-11	4.20E-11	4.6E-10 (S)	1.57E-15	5.50E+00	2.00E+03	8.00E-01	1.2E+00	2.7E-02	9.2E+08	1.5E-01	2.3E-02	1.9E-13	2.3E-02	2.0E+03	2.3E-05	5.0E-12	2.0E+00	4.5E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Calcium (20)	Ca-41	1.38E-11	1.12E-11	1.6E-11 (S)	0.00E+00	5.00E-01	.	8.00E+00	4.7E+00	.	.	4.0E+00	2.1E+00	9.3E-10	2.1E+00	.	1.8E-02	2.1E-07	.	.
Calcium (20)	Ca-45	9.09E-11	6.67E-11	3.5E-10 (S)	7.95E-15	5.00E-01	.	8.00E+00	7.8E-01	.	1.8E+08	4.3E+00	6.6E-01	1.4E-15	6.6E-01	.	2.2E-01	1.2E-11	.	.
Calcium (20)	Ca-47	2.96E-10	2.06E-10	2.4E-10 (S)	2.77E-10	5.00E-01	.	8.00E+00	2.5E-01	.	5.2E+03	1.6E+00	2.2E-01	1.3E-17	2.2E-01	.	2.6E+00	4.2E-12	.	.
Calcium (20)	Ca-49	0.00E+00	0.00E+00	0.00E+00	9.31E-10	5.00E-01	.	8.00E+00	.	.	1.5E+03	.	1.5E+03	1.3E-16	1.5E+03	.	1.4E+07	3.1E-08	.	.
Cadmium (48)	Cd-101	0.00E+00	0.00E+00	0.00E+00	6.44E-10	7.66E-01	.	1.00E+00	.	.	2.2E+03	.	2.2E+03	6.0E-17	2.2E+03	.	1.9E+07	1.4E-08	.	.
Cadmium (48)	Cd-102	0.00E+00	0.00E+00	0.00E+00	2.05E-10	7.66E-01	.	1.00E+00	.	.	7.0E+03	.	7.0E+03	7.8E-16	7.0E+03	.	1.4E+07	4.3E-08	.	.
Cadmium (48)	Cd-103	0.00E+00	0.00E+00	0.00E+00	5.52E-10	7.66E-01	.	1.00E+00	.	.	2.6E+03	.	2.6E+03	3.9E-16	2.6E+03	.	4.0E+06	1.6E-08	.	.
Cadmium (48)	Cd-104	1.19E-11	8.30E-12	3.8E-12 (S)	5.55E-11	7.66E-01	.	1.00E+00	6.3E+00	.	2.6E+04	3.9E+01	5.4E+00	6.4E-18	5.4E+00	.	1.1E+03	3.4E-11	.	.
Cadmium (48)	Cd-105	4.10E-12	2.93E-12	1.4E-12 (S)	3.38E-10	7.66E-01	.	1.00E+00	1.8E+01	.	4.3E+03	1.1E+02	1.5E+01	1.8E-17	1.5E+01	.	3.1E+03	9.8E-11	.	.
Cadmium (48)	Cd-107	1.39E-11	9.53E-12	8.5E-12 (S)	2.57E-12	7.66E-01	.	1.00E+00	5.5E+00	.	5.6E+05	3.3E+01	4.7E+00	3.9E-17	4.7E+00	.	1.4E+02	3.1E-11	.	.
Cadmium (48)	Cd-109	1.81E-10	1.35E-10	5.9E-10 (S)	1.14E-12	7.66E-01	6.00E+02	1.00E+00	3.9E-01	.	1.3E+06	1.5E+00	3.1E-01	4.4E-15	3.1E-01	6.0E+02	5.3E-03	2.0E-12	1.0E+01	4.0E-09
Cadmium (48)	Cd-111m	1.24E-12	8.83E-13	1.2E-12 (S)	6.56E-11	7.66E-01	.	1.00E+00	5.9E+01	.	2.2E+04	3.8E+02	5.1E+01	5.4E-17	5.1E+01	.	1.2E+04	3.4E-10	.	.
Cadmium (48)	Cd-113	7.79E-10	6.13E-10	3.0E-09 (F)	1.31E-14	7.66E-01	.	1.00E+00	8.5E-02	.	1.1E+08	5.4E-02	3.3E-02	3.0E+00	3.3E-02	.	4.0E-05	9.7E+01	.	.
Cadmium (48)	Cd-113m	9.92E-10	7.84E-10	3.6E-09 (F)	6.97E-14	7.66E-01	.	1.00E+00	6.7E-02	.	2.1E+07	7.3E-02	3.5E-02	5.7E-15	3.5E-02	.	7.4E-05	3.3E-13	.	.
Cadmium (48)	Cd-115	3.52E-10	2.40E-10	1.4E-10 (S)	4.70E-11	7.66E-01	.	1.00E+00	2.2E-01	.	3.1E+04	1.3E+00	1.9E-01	1.4E-17	1.9E-01	.	6.6E-01	1.3E-12	.	.
Cadmium (48)	Cd-115m	6.63E-10	4.59E-10	7.9E-10 (S)	8.93E-12	7.66E-01	.	1.00E+00	1.1E-01	.	1.6E+05	6.6E-01	9.7E-02	1.4E-16	9.7E-02	.	1.7E-02	6.8E-13	.	.
Cadmium (48)	Cd-117	5.35E-11	3.69E-11	1.8E-11 (S)	2.81E-10	7.66E-01	.	1.00E+00	1.4E+00	.	5.1E+03	8.7E+00	1.2E+00	4.2E-18	1.2E+00	.	9.3E+01	8.6E-12	.	.
Cadmium (48)	Cd-117m	4.75E-11	3.30E-11	1.8E-11 (S)	5.46E-10	7.66E-01	.	1.00E+00	1.6E+00	.	2.6E+03	9.8E+00	1.4E+00	6.3E-18	1.4E+00	.	7.7E+01	9.6E-12	.	.
Cadmium (48)	Cd-118	1.64E-11	1.16E-11	5.8E-12 (S)	4.26E-14	7.66E-01	.	1.00E+00	4.5E+00	.	3.4E+07	2.8E+01	3.9E+00	4.6E-18	3.9E+00	.	8.8E+02	2.8E-11	.	.
Cadmium (48)	Cd-119	0.00E+00	0.00E+00	0.00E+00	4.39E-10	7.66E-01	.	1.00E+00	.	.	3.3E+03	.	3.3E+03	2.1E-16	3.3E+03	.	1.4E+07	2.4E-08	.	.
Cadmium (48)	Cd-119m	0.00E+00	0.00E+00	0.00E+00	6.15E-10	7.66E-01	.	1.00E+00	.	.	2.3E+03	.	2.3E+03	1.2E-16	2.3E+03	.	1.2E+07	1.7E-08	.	.
Cerium (58)	Ce-130	5.40E-12	3.89E-12	1.9E-12 (S)	1.17E-10	2.70E-03	.	1.20E+03	1.3E+01	.	1.2E+04	8.6E+01	1.2E+01	6.8E-18	1.2E+01	.	5.8E+06	9.1E-08	.	.
Cerium (58)	Ce-131	2.01E-12	1.45E-12	6.8E-13 (S)	4.07E-10	2.70E-03	.	1.20E+03	3.6E+01	.	3.5E+03	2.3E+02	3.1E+01	8.1E-18	3.1E+01	.	3.4E+07	2.5E-07	.	.
Cerium (58)	Ce-132	7.08E-11	4.87E-11	1.8E-11 (S)	5.96E-11	2.70E-03	.	1.20E+03	1.1E+00	.	2.4E+04	6.6E+00	9.2E-01	5.1E-18	9.2E-01	.	5.0E+04	7.4E-09	.	.
Cerium (58)	Ce-133	1.23E-11	8.59E-12	4.4E-12 (S)	1.24E-10	2.70E-03	.	1.20E+03	6.1E+00	.	1.2E+04	3.8E+01	5.2E+00	1.3E-17	5.2E+00	.	6.1E+05	4.2E-08	.	.
Cerium (58)	Ce-133m	3.22E-11	2.26E-11	9.3E-12 (S)	4.39E-10	2.70E-03	.	1.20E+03	2.3E+00	.	3.3E+03	1.4E+01	2.0E+00	1.5E-17	2.0E+00	.	7.7E+04	1.6E-08	.	.
Cerium (58)	Ce-134	6.63E-10	4.53E-10	2.1E-10 (S)	2.11E-12	2.70E-03	.	1.20E+03	1.2E-01	.	6.8E+05	7.0E-01	9.9E-02	1.2E-17	9.9E-02	.	2.5E+02	8.0E-10	.	.
Cerium (58)	Ce-135	3.94E-11	2.77E-11	1.2E-11 (S)	1.98E-10	2.70E-03	.	1.20E+03	1.9E+00	.	7.3E+03	1.2E+01	1.6E+00	4.6E-17	1.6E+00	.	1.7E+04	1.3E-08	.	.
Cerium (58)	Ce-137	5.29E-12	3.64E-12	1.2E-12 (S)	4.45E-12	2.70E-03	.	1.20E+03	1.4E+01	.	3.2E+05	8.8E+01	1.2E+01	1.8E-16	1.2E+01	.	2.6E+05	1.0E-07	.	.
Cerium (58)	Ce-137m	1.40E-10	9.55E-11	5.8E-11 (S)	1.00E-11	2.70E-03	.	1.20E+03	5.5E-01	.	1.4E+05	3.3E+00	4.7E-01	2.6E-17	4.7E-01	.	2.6E+03	3.9E-09	.	.
Cerium (58)	Ce-139	5.32E-11	3.67E-11	1.9E-10 (S)	3.25E-11	2.70E-03	.	1.20E+03	1.4E+00	.	4.4E+04	8.3E+00	1.2E+00	6.6E-15	1.2E+00	.	7.0E+01	1.0E-08	.	.
Cerium (58)	Ce-141	1.84E-10	1.26E-10	3.7E-10 (S)	1.68E-11	2.70E-03	.	1.20E+03	4.1E-01	.	8.6E+04	2.5E+00	3.6E-01	4.6E-16	3.6E-01	.	8.6E+01	3.0E-09	.	.
Cerium (58)	Ce-143	2.83E-10	1.94E-10	1.1E-10 (S)	6.41E-11	2.70E-03	.	1.20E+03	2.7E-01	.	2.2E+04	1.6E+00	2.3E-01	1.3E-17	2.3E-01	.	1.3E+03	2.0E-09	.	.
Cerium (58)	Ce-144	1.40E-09	9.52E-10	4.9E-09 (S)	3.88E-12	2.70E-03	3.00E+01	1.20E+03	5.5E-02	.	3.7E+05	3.0E-01	4.6E-02	5.4E-16	4.6E-02	3.0E+01	1.3E+00	4.0E-10	8.3E+02	2.6E-07
Cerium (58)	Ce-144+D	1.40E-09	9.54E-10	4.9E-09 (S)	1.33E-11	2.70E-03	3.00E+01	1.20E+03	5.5E-02	.	1.1E+05	3.0E-01	4.6E-02	5.4E-16	4.6E-02	3.0E+01	1.3E+00	4.0E-10	8.3E+02	2.6E-07
Cerium (58)	Ce-145	0.00E+00	0.00E+00	0.00E+00	1.98E-10	2.70E-03	.	1.20E+03	.	.	7.2E+03	.	7.2E+03	6.2E-16	7.2E+03	.	2.7E+10	6.4E-05	.	.
Californium (98)	Cf-244	4.71E-12	3.37E-12	8.7E-10 (S)	2.00E-14	1.00E-03	.	.	1.6E+01	.	7.2E+07	9.9E+01	1.3E+01	1.3E-17	1.3E+01	.	.	.	.	.
Californium (98)	Cf-246	8.34E-10	5.69E-10	4.5E-08 (S)	2.43E-14	1.00E-03	.	.	9.2E-02	.	5.9E+07	5.6E-01	7.9E-02	8.2E-18	7.9E-02	.	.	.	.	.
Californium (98)	Cf-247	3.65E-12	2.52E-12	2.8E-12 (S)	1.95E-11	1.00E-03	.	.	2.1E+01	.	7.4E+04	1.3E+02	1.8E+01	1.6E-16	1.8E+01	.	.	.	.	.
Californium (98)	Cf-248	1.69E-09	1.20E-09	6.9E-07 (S)	1.07E-13	1.00E-03	.	.	4.4E-02	.	1.3E+07	2.4E-01	3.7E-02	8.7E-16	3.7E-02	.	.	.	.	.
Californium (98)	Cf-249	4.41E-09	3.43E-09	1.3E-06 (F)	7.83E-11	1.00E-03	.	.	1.5E-02	.	1.8E+04	3.0E-02	1.0E-02	9.2E-14	1.0E-02	.	.	.	.	.
Californium (98)	Cf-250	3.12E-09	2.41E-09	1.0E-06 (S)	2.66E-12	1.00E-03	.	.	2.2E-02	.	5.4E+05	6.4E-02	1.6E-02	5.5E-15	1.6E-02	.	.	.	.	.
Californium (98)	Cf-251	4.56E-09	3.54E-09	1.3E-06 (F)	2.62E-11	1.00E-03	.	.	1.5E-02	.	5.5E+04	2.9E-02	9.8E-03	2.3E-13	9.8E-03	.	.	.	.	.
Californium (98)	Cf-252	4.93E-09	3.60E-09	1.2E-06 (S)	1.23E-10	1.00E-03	.	.	1.5E-02	.	1.2E+04	6.9E-02	1.2E-02	8.3E-16	1.2E-02	.	.	.	.	.
Californium (98)	Cf-253	1.78E-10	1.24E-10	1.5E-07 (S)	9.25E-14	1.00E-03	.	.	4.2E-01	.	1.6E+07	2.6E+00	3.6E-01	4.6E-16	3.6E-01	.	.	.	.	.
Californium (98)	Cf-254	8.27E-08	5.76E-08	4.1E-06 (S)	4.54E-09	1.00E-03	.	.	9.1E-04	.	3.2E+02	5.5E-03	7.8E-04	3.4E-18	7.8E-04	.	.	.	.	.
Californium (98)	Cf-255	5.27E-12	3.65E-12	6.1E-10 (S)	7.61E-14	1.00E-03	.	.	1.4E+01	.	1.9E+07	8.8E+01	1.2E+01	5.3E-17	1.2E+01	.	.	.	.	.
Chlorine (17)	Cl-34	0.00E+00	0.00E+00	0.00E+00	2.55E-10	3.13E+01	.	3.00E-01	.	.	5.6E+03	.	5.6E+03	9.6E-19	5.6E+03	.	1.0E+09	4.8E-09	.	.
Chlorine (17)	Cl-34m	6.55E-12	4.79E-12	2.4E-12 (S)	5.71E-10	3.13E+01	.	3.00E-01	1.1E+01	.	2.5E+03	7.1E+01	9.4E+00	2.0E-18	9.4E+00	.	1.4E+03	8.1E-12	.	.
Chlorine (17)	Cl-36	1.20E-10	8.91E-11	2.7E-09 (S)	1.44E-13	3.13E+01	7.00E+02	3.00E-01	5.9E-01	.	1.0E+07	1.2E-02	1.2E-02	1.4E-11	1.2E-02	7.0E+02	6.1E-06	1.9E-10	3.5E-01	1.1E-05
Chlorine (17)	Cl-38	7.20E-12	5.25E-12	2.7E-12 (S)	4.04E-10	3.13E+01	.	3.00E-01	1.0E+01	.	3.6E+03	6.5E+01	8.6E+00	2.4E-18	8.6E+00	.	1.1E+03	8.2E-12	.	.
Chlorine (17)	Cl-39	5.63E-12	4.12E-12	2.7E-12 (S)	3.82E-10	3.13E+01	.	3.00E-01	1.3E+01	.	3.8E+03	8.2E+01	1.1E+01	4.7E-18	1.1E+01	.	9.3E+02	1.1E-11	.	.
Chlorine (17)	Cl-40	0.00E+00	0.00E+00	0.00E+00	1.16E-09	3.13E+01	.	3.00E-01	.	.	1.2E+03	.	1.2E+03	1.3E-17	1.2E+03	.	4.3E+06	1.2E-09	.	.
Curium (96)	Cm-238	9.71E-12	6.79E-12	1.7E-10 (S)	1.66E-11	2.00E-05	.	4.00E+00	7.7E+00	.	8.6E+04	4.8E+01	6.6E+00	4.5E-17	6.6E+00	.	1.8E+03	3.3E-10	.	.
Curium (96)	Cm-239	1.79E-11	1.23E-11	7.2E-12 (S)	5.71E-11	2.00E-05	.	4.00E+00	4.2E+00	.	2.5E+04	2.6E+01	3.7E+00	3.0E-17	3.7E+00	.	8.3E+02	1.8E-10	.	.
Curium (96)	Cm-240	1.37E-09	9.44E-10	3.1E-07 (S)	2.16E-14	2.00E-05	.	4.00E+00	5.5E-02	.	6.6E+07	3.4E-01	4.8E-02	8.7E-17	4.8E-02	.	4.9E-02	2.4E-12	.	.
Curium (96)	Cm-241	1.94E-10	1.34E-10	3.3E-09 (S)	1.16E-10	2.00E-05	.	4.00E+00	3.9E-01	.	1.2E+04	2.4E+00	3.3E-01	7.5E-16	3.3E-01	.	2.8E-01	1.7E-11	.	.
Curium (96)	Cm-242	1.48E-09	1.04E-09	5.4E-07 (S)	1.85E-14	2.00E-05	.	4.00E+00	5.0E-02	.	7.8E+07	3.0E-01	4.3E-02	4.8E-16	4.3E-02	.	7.3E-03	2.2E-12	.	.
Curium (96)	Cm-243	3.34E-09	2.57E-09	9.9E-07 (S)	2.90E-11	2.00E-05	1.50E+01	4.00E+00	2.0E-02	.	4.9E+04	4.9E-02	1.4E-02	1.1E-14	1.4E-02	1.5E+01	8.1E-05	1.6E-12	8.5E-02	1.7E-09
Curium (96)	Cm-244	2.93E-09	2.26E-09	9.6E-07 (S)	1.95E-14	2.00E-05	1.50E+01	4.00E+00	2.3E-02	.	7.3E+07	6.2E-02	1.7E-02	7.7E-15	1.7E-02	1.5E+01	1.1E-04	1.4E-12	9.9E-02	1.2E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Curium (96)	Cm-245	3.66E-09	2.83E-09	1.0E-06 (F)	2.17E-11	2.00E-05	.	4.00E+00	1.8E-02	.	6.6E+04	3.6E-02	1.2E-02	2.6E-12	1.2E-02	.	5.1E-05	3.0E-10	.	.
Curium (96)	Cm-246	3.59E-09	2.79E-09	1.0E-06 (F)	9.85E-13	2.00E-05	.	4.00E+00	1.9E-02	.	1.5E+06	3.7E-02	1.2E-02	1.5E-12	1.2E-02	.	5.2E-05	1.7E-10	.	.
Curium (96)	Cm-247	3.49E-09	2.69E-09	9.4E-07 (F)	7.61E-11	2.00E-05	.	4.00E+00	1.9E-02	.	1.9E+04	3.8E-02	1.3E-02	5.1E-09	1.3E-02	.	5.4E-05	5.8E-07	.	.
Curium (96)	Cm-247+D	3.51E-09	2.70E-09	9.4E-07 (F)	8.08E-11	2.00E-05	.	4.00E+00	1.9E-02	.	1.8E+04	3.7E-02	1.3E-02	5.1E-09	1.3E-02	.	5.4E-05	5.8E-07	.	.
Curium (96)	Cm-248	1.61E-08	1.23E-08	3.9E-06 (F)	3.53E-10	2.00E-05	1.50E+01	4.00E+00	4.2E-03	.	4.1E+03	8.1E-03	2.8E-03	2.5E-11	2.8E-03	1.5E+01	1.2E-05	2.8E-09	6.3E-02	1.5E-05
Curium (96)	Cm-249	3.25E-12	2.28E-12	2.1E-12 (S)	4.83E-12	2.00E-05	.	4.00E+00	2.3E+01	.	3.0E+05	1.4E+02	2.0E+01	6.2E-17	2.0E+01	.	1.2E+04	1.0E-09	.	.
Curium (96)	Cm-250	1.17E-07	8.90E-08	2.7E-05 (F)	3.60E-09	2.00E-05	.	4.00E+00	5.9E-04	.	4.0E+02	1.1E-03	3.9E-04	8.3E-14	3.9E-04	.	1.6E-06	9.4E-12	.	.
Curium (96)	Cm-250+D	1.17E-07	8.91E-08	2.7E-05 (F)	3.66E-09	2.00E-05	.	4.00E+00	5.9E-04	.	3.9E+02	1.1E-03	3.8E-04	8.3E-14	3.8E-04	.	1.6E-06	9.4E-12	.	.
Curium (96)	Cm-251	2.32E-12	1.65E-12	1.4E-12 (S)	2.72E-11	2.00E-05	.	4.00E+00	3.2E+01	.	5.3E+04	2.0E+02	2.7E+01	2.3E-17	2.7E+01	.	6.5E+04	1.5E-09	.	.
Cobalt (27)	Co-54m	0.00E+00	0.00E+00	0.00E+00	1.01E-09	7.40E-03	.	4.80E+02	.	.	1.4E+03	.	1.4E+03	2.2E-17	1.4E+03	.	4.4E+09	1.9E-06	.	.
Cobalt (27)	Co-55	1.81E-10	1.26E-10	6.2E-11 (S)	5.05E-10	7.40E-03	.	4.80E+02	4.1E-01	.	2.8E+03	2.6E+00	3.6E-01	4.1E-18	3.6E-01	.	1.5E+03	4.8E-10	.	.
Cobalt (27)	Co-56	3.85E-10	2.72E-10	6.8E-10 (S)	9.78E-10	7.40E-03	.	4.80E+02	1.9E-01	.	1.5E+03	1.2E+00	1.7E-01	2.0E-16	1.7E-01	.	6.7E+00	2.2E-10	.	.
Cobalt (27)	Co-57	4.03E-11	2.81E-11	1.0E-10 (S)	2.72E-11	7.40E-03	1.00E+03	4.80E+02	1.9E+00	.	5.3E+04	1.0E+01	1.6E+00	6.9E-15	1.6E+00	1.0E+03	1.8E+01	2.2E-09	1.2E+04	1.4E-06
Cobalt (27)	Co-58	1.12E-10	7.95E-11	2.1E-10 (S)	2.44E-10	7.40E-03	.	4.80E+02	6.6E-01	.	5.9E+03	4.0E+00	5.7E-01	6.6E-16	5.7E-01	.	2.5E+01	7.9E-10	.	.
Cobalt (27)	Co-58m	4.90E-12	3.37E-12	2.2E-12 (S)	2.82E-16	7.40E-03	.	4.80E+02	1.6E+01	.	5.1E+09	9.5E+01	1.3E+01	8.3E-17	1.3E+01	.	1.1E+05	1.9E-08	.	.
Cobalt (27)	Co-60	6.03E-10	4.26E-10	2.7E-09 (S)	6.60E-10	7.40E-03	1.00E+02	4.80E+02	1.2E-01	.	2.2E+03	4.5E-01	9.6E-02	3.2E-15	9.6E-02	1.0E+02	1.6E-01	1.5E-10	1.7E+02	1.5E-07
Cobalt (27)	Co-60m	9.68E-14	7.02E-14	1.2E-13 (S)	1.06E-12	7.40E-03	.	4.80E+02	7.4E+02	.	1.4E+06	4.8E+03	6.4E+02	8.0E-17	6.4E+02	.	2.8E+08	9.4E-07	.	.
Cobalt (27)	Co-61	9.51E-12	6.62E-12	4.2E-12 (S)	2.06E-11	7.40E-03	.	4.80E+02	7.9E+00	.	7.0E+04	4.9E+01	6.8E+00	8.1E-18	6.8E+00	.	3.1E+05	1.0E-08	.	.
Cobalt (27)	Co-62	0.00E+00	0.00E+00	0.00E+00	4.32E-10	7.40E-03	.	4.80E+02	.	.	3.3E+03	.	3.3E+03	6.1E-17	3.3E+03	.	1.0E+10	5.0E-06	.	.
Cobalt (27)	Co-62m	3.16E-12	2.30E-12	9.1E-13 (S)	7.16E-10	7.40E-03	.	4.80E+02	2.3E+01	.	2.0E+03	1.5E+02	1.9E+01	3.3E-18	1.9E+01	.	6.4E+06	2.9E-08	.	.
Chromium (24)	Cr-48	2.76E-11	1.96E-11	1.9E-11 (S)	1.03E-10	1.74E-04	.	0.00E+00	2.7E+00	.	1.4E+04	1.7E+01	2.3E+00	2.8E-17	2.3E+00	.	3.4E+00	1.1E-12	.	.
Chromium (24)	Cr-49	5.14E-12	3.67E-12	2.0E-12 (S)	2.55E-10	1.74E-04	.	0.00E+00	1.4E+01	.	5.6E+03	9.1E+01	1.2E+01	5.0E-18	1.2E+01	.	5.5E+02	6.1E-12	.	.
Chromium (24)	Cr-51	7.18E-12	5.00E-12	4.5E-12 (S)	7.67E-12	1.74E-04	.	0.00E+00	1.0E+01	.	1.9E+05	6.4E+01	9.0E+00	3.6E-15	9.0E+00	.	4.3E-01	4.6E-12	.	.
Chromium (24)	Cr-55	0.00E+00	0.00E+00	0.00E+00	1.51E-12	1.74E-04	.	0.00E+00	.	.	9.5E+05	.	9.5E+05	3.6E-14	9.5E+05	.	5.1E+08	5.3E-07	.	.
Chromium (24)	Cr-56	0.00E+00	0.00E+00	0.00E+00	1.68E-11	1.74E-04	.	0.00E+00	.	.	8.5E+04	.	8.5E+04	5.6E-15	8.5E+04	.	2.7E+07	4.8E-08	.	.
Cesium (55)	Cs-121	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	1.00E+01	.	.	4.9E+03	.	4.9E+03	3.0E-16	4.9E+03	.	1.8E+08	3.1E-07	.	.
Cesium (55)	Cs-121m	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	1.00E+01	.	.	4.9E+03	.	4.9E+03	2.4E-16	4.9E+03	.	2.3E+08	3.1E-07	.	.
Cesium (55)	Cs-123	0.00E+00	0.00E+00	0.00E+00	2.65E-10	2.52E-02	.	1.00E+01	.	.	5.4E+03	.	5.4E+03	7.7E-16	5.4E+03	.	8.9E+07	3.4E-07	.	.
Cesium (55)	Cs-124	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	.	1.00E+01	.	.	4.9E+03	.	4.9E+03	6.2E-17	4.9E+03	.	9.3E+08	3.1E-07	.	.
Cesium (55)	Cs-125	2.29E-12	1.68E-12	1.2E-12 (S)	1.85E-10	2.52E-02	.	1.00E+01	3.1E+01	.	7.8E+03	2.0E+02	2.7E+01	3.0E-17	2.7E+01	.	5.8E+04	1.7E-09	.	.
Cesium (55)	Cs-126	0.00E+00	0.00E+00	0.00E+00	2.86E-10	2.52E-02	.	1.00E+01	.	.	5.0E+03	.	5.0E+03	2.0E-16	5.0E+03	.	3.0E+08	3.3E-07	.	.
Cesium (55)	Cs-127	2.42E-12	1.80E-12	3.0E-12 (S)	1.01E-10	2.52E-02	.	1.00E+01	2.9E+01	.	1.4E+04	1.9E+02	2.5E+01	2.4E-16	2.5E+01	.	6.5E+03	1.6E-09	.	.
Cesium (55)	Cs-128	0.00E+00	0.00E+00	0.00E+00	2.19E-10	2.52E-02	.	1.00E+01	.	.	6.6E+03	.	6.6E+03	6.0E-16	6.6E+03	.	1.7E+08	4.3E-07	.	.
Cesium (55)	Cs-129	6.66E-12	4.98E-12	7.0E-12 (S)	6.15E-11	2.52E-02	.	1.00E+01	1.0E+01	.	2.3E+04	7.0E+01	9.1E+00	4.5E-16	9.1E+00	.	4.6E+02	6.1E-10	.	.
Cesium (55)	Cs-130	1.66E-12	1.22E-12	7.2E-13 (S)	1.21E-10	2.52E-02	.	1.00E+01	4.3E+01	.	1.2E+04	2.8E+02	3.7E+01	2.8E-17	3.7E+01	.	1.2E+05	2.5E-09	.	.
Cesium (55)	Cs-130m	0.00E+00	0.00E+00	0.00E+00	1.07E-11	2.52E-02	.	1.00E+01	.	.	1.3E+05	.	1.3E+05	1.2E-14	1.3E+05	.	3.7E+09	9.0E-06	.	.
Cesium (55)	Cs-131	6.74E-12	5.03E-12	5.0E-12 (S)	1.16E-12	2.52E-02	.	1.00E+01	1.0E+01	.	1.2E+06	6.9E+01	9.0E+00	3.3E-15	9.0E+00	.	6.2E+01	6.1E-10	.	.
Cesium (55)	Cs-132	5.25E-11	4.01E-11	2.8E-11 (S)	1.74E-10	2.52E-02	.	1.00E+01	1.3E+00	.	8.3E+03	8.8E+00	1.1E+00	2.8E-16	1.1E+00	.	1.2E+01	7.7E-11	.	.
Cesium (55)	Cs-134	1.40E-09	1.14E-09	1.9E-09 (S)	3.88E-10	2.52E-02	8.00E+01	1.00E+01	4.6E-02	.	3.7E+03	2.5E-01	3.9E-02	1.1E-15	3.9E-02	8.0E+01	3.5E-03	2.7E-12	7.1E+00	5.5E-09
Cesium (55)	Cs-134m	1.51E-12	1.12E-12	4.8E-12 (S)	4.20E-12	2.52E-02	.	1.00E+01	4.7E+01	.	3.4E+05	3.1E+02	4.1E+01	1.9E-16	4.1E+01	.	2.2E+04	2.8E-09	.	.
Cesium (55)	Cs-135	2.11E-10	1.70E-10	9.1E-10 (S)	1.13E-14	2.52E-02	9.00E+02	1.00E+01	3.1E-01	.	1.3E+08	5.8E-01	2.0E-01	6.5E-09	2.0E-01	9.0E+02	2.0E-03	1.8E-06	9.2E+00	8.0E-03
Cesium (55)	Cs-135m	1.65E-12	1.22E-12	6.9E-13 (S)	4.04E-10	2.52E-02	.	1.00E+01	4.3E+01	.	3.6E+03	2.8E+02	3.7E+01	5.2E-17	3.7E+01	.	6.7E+04	2.6E-09	.	.
Cesium (55)	Cs-136	3.03E-10	2.33E-10	2.8E-10 (S)	5.40E-10	2.52E-02	.	1.00E+01	2.2E-01	.	2.7E+03	1.5E+00	2.0E-01	9.9E-17	2.0E-01	.	1.0E+00	1.4E-11	.	.
Cesium (55)	Cs-137	1.01E-09	8.24E-10	3.0E-09 (S)	6.06E-14	2.52E-02	2.00E+02	1.00E+01	6.3E-02	.	2.4E+07	1.5E-01	4.5E-02	1.9E-14	4.5E-02	2.0E+02	6.0E-04	7.0E-12	2.7E+00	3.1E-08
Cesium (55)	Cs-137+D	1.01E-09	8.24E-10	3.0E-09 (S)	1.39E-10	2.52E-02	2.00E+02	1.00E+01	6.3E-02	.	1.0E+04	1.5E-01	4.5E-02	1.9E-14	4.5E-02	2.0E+02	6.0E-04	7.0E-12	2.7E+00	3.1E-08
Cesium (55)	Cs-138	6.13E-12	4.48E-12	2.5E-12 (S)	6.31E-10	2.52E-02	.	1.00E+01	1.2E+01	.	2.3E+03	7.6E+01	1.0E+01	9.2E-18	1.0E+01	.	2.9E+04	7.1E-10	.	.
Cesium (55)	Cs-138m	0.00E+00	0.00E+00	0.00E+00	1.05E-10	2.52E-02	.	1.00E+01	.	.	1.4E+04	.	1.4E+04	1.1E-15	1.4E+04	.	4.5E+08	9.7E-07	.	.
Cesium (55)	Cs-139	0.00E+00	0.00E+00	0.00E+00	8.55E-11	2.52E-02	.	1.00E+01	.	.	1.7E+04	.	1.7E+04	4.3E-15	1.7E+04	.	1.7E+08	1.2E-06	.	.
Cesium (55)	Cs-140	0.00E+00	0.00E+00	0.00E+00	4.86E-10	2.52E-02	.	1.00E+01	.	.	3.0E+03	.	3.0E+03	8.7E-17	3.0E+03	.	2.7E+08	2.1E-07	.	.
Copper (29)	Cu-57	0.00E+00	0.00E+00	0.00E+00	2.96E-10	5.00E-02	.	5.30E+02	.	.	4.8E+03	.	4.8E+03	1.8E-19	4.8E+03	.	7.4E+12	7.4E-06	.	.
Copper (29)	Cu-59	0.00E+00	0.00E+00	0.00E+00	3.63E-10	5.00E-02	.	5.30E+02	.	.	4.0E+03	.	4.0E+03	6.3E-17	4.0E+03	.	1.5E+10	6.2E-06	.	.
Copper (29)	Cu-60	5.22E-12	3.79E-12	1.6E-12 (S)	1.04E-09	5.00E-02	.	5.30E+02	1.4E+01	.	1.4E+03	8.9E+01	1.2E+01	3.3E-18	1.2E+01	.	2.5E+06	1.9E-08	.	.
Copper (29)	Cu-61	1.75E-11	1.21E-11	6.3E-12 (S)	2.03E-10	5.00E-02	.	5.30E+02	4.3E+00	.	7.1E+03	2.7E+01	3.7E+00	8.9E-18	3.7E+00	.	9.3E+04	6.1E-09	.	.
Copper (29)	Cu-62	0.00E+00	0.00E+00	0.00E+00	2.48E-10	5.00E-02	.	5.30E+02	.	.	5.8E+03	.	5.8E+03	6.8E-16	5.8E+03	.	3.0E+09	9.6E-06	.	.
Copper (29)	Cu-64	2.55E-11	1.75E-11	1.2E-11 (S)	4.54E-11	5.00E-02	.	5.30E+02	3.0E+00	.	3.2E+04	1.8E+01	2.6E+00	2.5E-17	2.6E+00	.	1.7E+04	4.4E-09	.	.
Copper (29)	Cu-66	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.00E-02	.	5.30E+02	.	.	5.4E+04	.	5.4E+04	3.6E-15	5.4E+04	.	5.3E+10	9.6E-05	.	.
Copper (29)	Cu-67	7.42E-11	5.09E-11	6.2E-11 (S)	2.65E-11	5.00E-02	.	5.30E+02	1.0E+00	.	5.4E+04	6.3E+00	8.8E-01	4.3E-17	8.8E-01	.	1.2E+03	1.6E-09	.	.
Copper (29)	Cu-69	0.00E+00	0.00E+00	0.00E+00	1.36E-10	5.00E-02	.	5.30E+02	.	.	1.1E+04	.	1.1E+04	4.1E-16	1.1E+04	.	1.9E+10	1.9E-05	.	.
Dysprosium (66)	Dy-148	0.00E+00	0.00E+00	0.00E+00	1.73E-10	2.00E-03	.	1.50E+03	.	.	8.3E+03	.	8.3E+03	8.0E-16	8.3E+03	.	3.6E+10	9.3E-05	.	.
Dysprosium (66)	Dy-149	0.00E+00	0.00E+00	0.00E+00	4.17E-10	2.00E-03	.	1.50E+03	.	.	3.4E+03	.	3.4E+03	4.3E-16	3.4E+03	.	1.2E+10	3.9E-05	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Dysprosium (66)	Dy-150	0.00E+00	0.00E+00	0.00E+00	6.44E-11	2.00E-03	.	1.50E+03	.	.	2.2E+04	.	2.2E+04	4.7E-15	2.2E+04	.	4.4E+10	2.5E-04	.	.
Dysprosium (66)	Dy-151	2.04E-12	1.46E-12	1.3E-11 (S)	3.47E-10	2.00E-03	.	1.50E+03	3.6E+01	.	4.1E+03	2.3E+02	3.1E+01	1.6E-17	3.1E+01	.	2.4E+07	3.5E-07	.	.
Dysprosium (66)	Dy-152	2.09E-11	1.45E-11	6.7E-12 (S)	6.44E-11	2.00E-03	.	1.50E+03	3.6E+00	.	2.2E+04	2.2E+01	3.1E+00	1.3E-17	3.1E+00	.	3.1E+05	3.6E-08	.	.
Dysprosium (66)	Dy-153	2.98E-11	2.08E-11	1.2E-11 (S)	2.10E-10	2.00E-03	.	1.50E+03	2.5E+00	.	6.8E+03	1.6E+01	2.2E+00	2.5E-17	2.2E+00	.	8.0E+04	2.5E-08	.	.
Dysprosium (66)	Dy-154	1.14E-09	8.64E-10	3.5E-07 (S)	0.00E+00	2.00E-03	.	1.50E+03	6.0E-02	.	.	1.1E-01	4.0E-02	1.9E-09	4.0E-02	.	5.9E-02	7.7E-05	.	.
Dysprosium (66)	Dy-155	2.20E-11	1.55E-11	7.8E-12 (S)	1.63E-10	2.00E-03	.	1.50E+03	3.4E+00	.	8.8E+03	2.1E+01	2.9E+00	5.3E-17	2.9E+00	.	7.0E+04	3.4E-08	.	.
Dysprosium (66)	Dy-157	8.67E-12	6.12E-12	2.4E-12 (S)	7.89E-11	2.00E-03	.	1.50E+03	8.5E+00	.	1.8E+04	5.4E+01	7.4E+00	1.1E-16	7.4E+00	.	2.1E+05	8.7E-08	.	.
Dysprosium (66)	Dy-159	2.14E-11	1.47E-11	4.7E-11 (S)	5.24E-12	2.00E-03	.	1.50E+03	3.6E+00	.	2.7E+05	2.1E+01	3.0E+00	2.0E-14	3.0E+00	.	2.1E+02	3.6E-08	.	.
Dysprosium (66)	Dy-165	1.62E-11	1.12E-11	6.1E-12 (S)	6.19E-12	2.00E-03	.	1.50E+03	4.7E+00	.	2.3E+05	2.9E+01	4.0E+00	1.8E-17	4.0E+00	.	4.1E+05	5.0E-08	.	.
Dysprosium (66)	Dy-165m	0.00E+00	0.00E+00	0.00E+00	3.79E-12	2.00E-03	.	1.50E+03	.	.	3.8E+05	.	3.8E+05	1.6E-14	3.8E+05	.	4.3E+12	4.7E-03	.	.
Dysprosium (66)	Dy-166	4.48E-10	3.05E-10	2.5E-10 (S)	6.78E-12	2.00E-03	.	1.50E+03	1.7E-01	.	2.1E+05	1.0E+00	1.5E-01	2.4E-17	1.5E-01	.	4.3E+02	1.8E-09	.	.
Dysprosium (66)	Dy-167	0.00E+00	0.00E+00	0.00E+00	1.29E-10	2.00E-03	.	1.50E+03	.	.	1.1E+04	.	1.1E+04	2.3E-15	1.1E+04	.	2.5E+10	1.4E-04	.	.
Dysprosium (66)	Dy-168	0.00E+00	0.00E+00	0.00E+00	9.37E-11	2.00E-03	.	1.50E+03	.	.	1.5E+04	.	1.5E+04	4.4E-15	1.5E+04	.	2.5E+10	1.9E-04	.	.
Erbium (68)	Er-154	0.00E+00	0.00E+00	0.00E+00	1.20E-11	2.00E-03	.	6.50E+02	.	.	1.2E+05	.	1.2E+05	1.4E-14	1.2E+05	.	2.0E+11	6.0E-04	.	.
Erbium (68)	Er-156	3.74E-12	2.64E-12	1.5E-12 (S)	9.12E-12	2.00E-03	.	6.50E+02	2.0E+01	.	1.6E+05	1.2E+02	1.7E+01	1.0E-17	1.7E+01	.	5.4E+06	8.7E-08	.	.
Erbium (68)	Er-159	2.17E-12	1.57E-12	9.3E-13 (S)	2.40E-10	2.00E-03	.	6.50E+02	3.3E+01	.	6.0E+03	2.1E+02	2.9E+01	3.2E-17	2.9E+01	.	4.9E+06	1.5E-07	.	.
Erbium (68)	Er-161	1.25E-11	8.80E-12	4.0E-12 (S)	2.46E-10	2.00E-03	.	6.50E+02	5.9E+00	.	5.8E+03	3.7E+01	5.1E+00	3.1E-17	5.1E+00	.	1.6E+05	2.7E-08	.	.
Erbium (68)	Er-163	2.82E-13	2.00E-13	8.1E-14 (S)	5.18E-12	2.00E-03	.	6.50E+02	2.6E+02	.	2.8E+05	1.6E+03	2.3E+02	5.4E-16	2.3E+02	.	1.9E+07	1.2E-06	.	.
Erbium (68)	Er-165	3.53E-12	2.45E-12	9.0E-13 (S)	4.73E-12	2.00E-03	.	6.50E+02	2.1E+01	.	3.0E+05	1.3E+02	1.8E+01	3.7E-16	1.8E+01	.	1.8E+05	9.9E-08	.	.
Erbium (68)	Er-167m	0.00E+00	0.00E+00	0.00E+00	2.18E-11	2.00E-03	.	6.50E+02	.	.	6.6E+04	.	6.6E+04	8.2E-17	6.6E+04	.	1.1E+13	3.6E-04	.	.
Erbium (68)	Er-169	1.00E-10	6.83E-11	1.2E-10 (S)	1.63E-14	2.00E-03	.	6.50E+02	7.7E-01	.	8.8E+07	4.6E+00	6.6E-01	3.0E-16	6.6E-01	.	3.0E+02	3.6E-09	.	.
Erbium (68)	Er-171	7.95E-11	5.44E-11	2.7E-11 (S)	8.71E-11	2.00E-03	.	6.50E+02	9.6E-01	.	1.6E+04	5.9E+00	8.3E-01	1.3E-17	8.3E-01	.	1.1E+04	4.6E-09	.	.
Erbium (68)	Er-172	2.44E-10	1.67E-10	1.4E-10 (S)	1.23E-10	2.00E-03	.	6.50E+02	3.1E-01	.	1.2E+04	1.9E+00	2.7E-01	2.7E-17	2.7E-01	.	5.6E+02	1.5E-09	.	.
Erbium (68)	Er-173	0.00E+00	0.00E+00	0.00E+00	2.03E-10	2.00E-03	.	6.50E+02	.	.	7.1E+03	.	7.1E+03	3.5E-16	7.1E+03	.	3.0E+10	4.0E-05	.	.
Einsteinium (99)	Es-249	2.53E-12	1.79E-12	1.9E-11 (S)	9.69E-11	1.00E-03	.	.	2.9E+01	.	1.5E+04	1.8E+02	2.5E+01	1.3E-16	2.5E+01	.	.	.	.	.
Einsteinium (99)	Es-250	9.01E-11	6.22E-11	1.1E-10 (S)	2.88E-10	1.00E-03	.	.	8.4E-01	.	5.0E+03	5.2E+00	7.2E-01	1.8E-17	7.2E-01	.	.	.	.	.
Einsteinium (99)	Es-250m	3.47E-12	2.47E-12	2.1E-11 (S)	1.37E-10	1.00E-03	.	.	2.1E+01	.	1.0E+04	1.3E+02	1.8E+01	1.2E-16	1.8E+01	.	.	.	.	.
Einsteinium (99)	Es-251	4.18E-11	2.86E-11	1.9E-10 (S)	1.95E-11	1.00E-03	.	.	1.8E+00	.	7.4E+04	1.1E+01	1.6E+00	1.5E-16	1.6E+00	.	.	.	.	.
Einsteinium (99)	Es-253	1.38E-09	9.40E-10	2.9E-07 (S)	8.08E-14	1.00E-03	.	.	5.6E-02	.	1.8E+07	3.3E-01	4.8E-02	7.0E-17	4.8E-02	.	.	.	.	.
Einsteinium (99)	Es-254	2.12E-09	1.50E-09	7.0E-07 (S)	7.70E-13	1.00E-03	.	.	3.5E-02	.	1.9E+06	2.0E-01	3.0E-02	5.9E-16	3.0E-02	.	.	.	.	.
Einsteinium (99)	Es-254+D	2.14E-09	1.52E-09	7.0E-07 (S)	2.30E-10	1.00E-03	.	.	3.4E-02	.	6.2E+03	2.0E-01	2.9E-02	5.8E-16	2.9E-02	.	.	.	.	.
Einsteinium (99)	Es-254m	1.12E-09	7.63E-10	4.7E-08 (S)	1.17E-10	1.00E-03	.	.	6.8E-02	.	1.2E+04	4.2E-01	5.9E-02	6.9E-18	5.9E-02	.	.	.	.	.
Einsteinium (99)	Es-255	1.12E-09	7.69E-10	4.1E-07 (S)	1.92E-13	1.00E-03	.	.	6.8E-02	.	7.5E+06	4.1E-01	5.8E-02	1.7E-16	5.8E-02	.	.	.	.	.
Einsteinium (99)	Es-256	6.28E-10	4.39E-10	3.9E-09 (S)	4.70E-13	1.00E-03	.	.	1.2E-01	.	3.1E+06	7.4E-01	1.0E-01	1.3E-19	1.0E-01	.	.	.	.	.
Europium (63)	Eu-142	0.00E+00	0.00E+00	0.00E+00	3.07E-10	2.00E-03	.	6.50E+02	.	.	4.7E+03	.	4.7E+03	5.1E-18	4.7E+03	.	7.4E+11	2.2E-05	.	.
Europium (63)	Eu-142m	0.00E+00	0.00E+00	0.00E+00	8.65E-10	2.00E-03	.	6.50E+02	.	.	1.7E+03	.	1.7E+03	5.7E-17	1.7E+03	.	8.4E+09	7.7E-06	.	.
Europium (63)	Eu-143	0.00E+00	0.00E+00	0.00E+00	2.85E-10	2.00E-03	.	6.50E+02	.	.	5.0E+03	.	5.0E+03	3.7E-16	5.0E+03	.	1.2E+10	2.4E-05	.	.
Europium (63)	Eu-144	0.00E+00	0.00E+00	0.00E+00	2.77E-10	2.00E-03	.	6.50E+02	.	.	5.2E+03	.	5.2E+03	2.5E-17	5.2E+03	.	1.9E+11	2.4E-05	.	.
Europium (63)	Eu-145	9.21E-11	6.52E-11	4.7E-11 (S)	3.28E-10	2.00E-03	.	6.50E+02	8.0E-01	.	4.4E+03	5.0E+00	6.9E-01	1.7E-16	6.9E-01	.	5.0E+02	3.3E-09	.	.
Europium (63)	Eu-146	1.65E-10	1.17E-10	6.9E-11 (S)	6.09E-10	2.00E-03	.	6.50E+02	4.5E-01	.	2.4E+03	2.8E+00	3.9E-01	7.4E-17	3.9E-01	.	3.6E+02	1.8E-09	.	.
Europium (63)	Eu-147	7.80E-11	5.43E-11	1.2E-10 (S)	1.11E-10	2.00E-03	.	6.50E+02	9.6E-01	.	1.3E+04	5.9E+00	8.3E-01	8.3E-16	8.3E-01	.	1.5E+02	4.0E-09	.	.
Europium (63)	Eu-148	1.66E-10	1.19E-10	3.5E-10 (F)	5.55E-10	2.00E-03	.	6.50E+02	4.4E-01	.	2.6E+03	2.7E+00	3.8E-01	8.7E-16	3.8E-01	.	3.0E+01	1.8E-09	.	.
Europium (63)	Eu-149	3.46E-11	2.38E-11	4.7E-11 (S)	1.10E-11	2.00E-03	.	6.50E+02	2.2E+00	.	1.3E+05	1.3E+01	1.9E+00	7.4E-15	1.9E+00	.	8.6E+01	9.2E-09	.	.
Europium (63)	Eu-150	1.52E-10	1.09E-10	7.3E-09 (F)	3.82E-10	2.00E-03	.	6.50E+02	4.8E-01	.	3.8E+03	1.0E+00	3.3E-01	1.9E-13	3.3E-01	.	2.7E-01	4.2E-09	.	.
Europium (63)	Eu-150m	9.57E-11	6.53E-11	3.0E-11 (S)	1.19E-11	2.00E-03	.	6.50E+02	8.0E-01	.	1.2E+05	4.9E+00	6.9E-01	1.6E-17	6.9E-01	.	5.5E+03	3.4E-09	.	.
Europium (63)	Eu-152	2.25E-10	1.58E-10	5.2E-09 (F)	2.97E-10	2.00E-03	2.00E+02	6.50E+02	3.3E-01	.	4.8E+03	8.8E-01	2.4E-01	5.1E-14	2.4E-01	2.0E+02	2.8E-01	1.6E-09	2.4E+02	1.4E-06
Europium (63)	Eu-152m	1.17E-10	8.02E-11	3.2E-11 (S)	7.38E-11	2.00E-03	.	6.50E+02	6.5E-01	.	1.9E+04	4.0E+00	5.6E-01	9.4E-18	5.6E-01	.	6.2E+03	2.8E-09	.	.
Europium (63)	Eu-152n	1.67E-12	1.16E-12	8.0E-13 (S)	1.42E-11	2.00E-03	.	6.50E+02	4.5E+01	.	1.0E+05	2.8E+02	3.9E+01	1.1E-16	3.9E+01	.	2.5E+06	1.9E-07	.	.
Europium (63)	Eu-154	3.83E-10	2.66E-10	5.6E-09 (F)	3.19E-10	2.00E-03	6.00E+01	6.50E+02	2.0E-01	.	4.5E+03	6.0E-01	1.5E-01	2.0E-14	1.5E-01	6.0E+01	2.3E-01	8.5E-10	9.3E+01	3.5E-07
Europium (63)	Eu-154m	6.92E-13	4.91E-13	3.0E-13 (S)	1.16E-11	2.00E-03	.	6.50E+02	1.1E+02	.	1.2E+05	6.7E+02	9.2E+01	1.3E-16	9.2E+01	.	1.2E+07	4.6E-07	.	.
Europium (63)	Eu-155	7.64E-11	5.24E-11	5.2E-10 (S)	1.17E-11	2.00E-03	6.00E+02	6.50E+02	1.0E+00	.	1.2E+05	3.7E+00	7.9E-01	6.0E-14	7.9E-01	6.0E+02	2.0E+00	4.1E-09	1.5E+03	3.1E-06
Europium (63)	Eu-156	5.28E-10	3.62E-10	4.3E-10 (S)	3.28E-10	2.00E-03	.	6.50E+02	1.4E-01	.	4.4E+03	8.8E-01	1.2E-01	8.3E-17	1.2E-01	.	3.5E+01	6.3E-10	.	.
Europium (63)	Eu-157	1.48E-10	1.01E-10	4.6E-11 (S)	6.63E-11	2.00E-03	.	6.50E+02	5.2E-01	.	2.2E+04	3.1E+00	4.4E-01	1.3E-17	4.4E-01	.	3.0E+03	2.3E-09	.	.
Europium (63)	Eu-158	7.90E-12	5.62E-12	3.1E-12 (S)	3.38E-10	2.00E-03	.	6.50E+02	9.3E+00	.	4.3E+03	5.9E+01	8.0E+00	1.1E-17	8.0E+00	.	1.1E+06	4.2E-08	.	.
Europium (63)	Eu-159	4.62E-12	3.25E-12	1.7E-12 (S)	6.94E-11	2.00E-03	.	6.50E+02	1.6E+01	.	2.1E+04	1.0E+02	1.4E+01	7.9E-18	1.4E+01	.	4.7E+06	7.2E-08	.	.
Fluorine (9)	F-17	0.00E+00	0.00E+00	0.00E+00	2.50E-10	2.00E-02	.	1.50E+02	.	.	5.7E+03	.	5.7E+03	2.1E-17	5.7E+03	.	7.6E+09	7.4E-07	.	.
Fluorine (9)	F-18	3.38E-12	2.54E-12	3.2E-12 (S)	2.42E-10	2.00E-02	.	1.50E+02	2.1E+01	.	5.9E+03	1.4E+02	1.8E+01	7.0E-18	1.8E+01	.	2.3E+05	2.4E-09	.	.
Iron (26)	Fe-52	2.78E-10	1.91E-10	8.1E-11 (S)	1.80E-10	1.74E-04	.	8.80E+02	2.7E-01	.	8.0E+03	1.7E+00	2.4E-01	1.2E-18	2.4E-01	.	3.9E+03	5.4E-10	.	.
Iron (26)	Fe-53	0.00E+00	0.00E+00	0.00E+00	2.90E-10	1.74E-04	.	8.80E+02	.	.	4.9E+03	.	4.9E+03	4.4E-16	4.9E+03	.	4.8E+09	1.2E-05	.	.
Iron (26)	Fe-53m	0.00E+00	0.00E+00	0.00E+00	7.95E-10	1.74E-04	.	8.80E+02	.	.	1.8E+03	.	1.8E+03	4.8E-17	1.8E+03	.	6.0E+09	4.2E-06	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Iron (26)	Fe-55	3.13E-11	2.32E-11	4.0E-11 (F)	3.66E-20	1.74E-04	2.00E+03	8.80E+02	2.3E+00	.	3.9E+13	1.1E+01	1.9E+00	2.9E-14	1.9E+00	2.0E+03	1.1E+01	4.6E-09	1.2E+04	4.9E-06
Iron (26)	Fe-59	3.01E-10	2.13E-10	4.0E-10 (S)	3.11E-10	1.74E-04	.	8.80E+02	2.5E-01	.	4.6E+03	1.5E+00	2.1E-01	1.6E-16	2.1E-01	.	2.7E+01	5.5E-10	.	.
Iron (26)	Fe-60	6.74E-09	5.06E-09	1.0E-08 (F)	3.76E-15	1.74E-04	.	8.80E+02	1.0E-02	.	3.8E+08	1.9E-02	6.7E-03	6.3E-11	6.7E-03	.	5.9E-03	1.5E-06	.	.
Iron (26)	Fe-60+D	7.34E-09	5.49E-09	1.3E-08 (F)	6.60E-10	1.74E-04	.	8.80E+02	9.5E-03	.	2.2E+03	1.8E-02	6.2E-03	5.8E-11	6.2E-03	.	5.5E-03	1.4E-06	.	.
Iron (26)	Fe-61	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.74E-04	.	8.80E+02	.	.	3.9E+03	.	3.9E+03	2.8E-16	3.9E+03	.	5.5E+09	1.1E-05	.	.
Iron (26)	Fe-62	0.00E+00	0.00E+00	0.00E+00	1.25E-10	1.74E-04	.	8.80E+02	.	.	1.2E+04	.	1.2E+04	1.6E-16	1.2E+04	.	8.5E+10	3.2E-05	.	.
Fermium (100)	Fm-251	1.53E-11	1.05E-11	1.8E-10 (S)	3.47E-11	2.00E-03	.	.	5.0E+00	.	4.1E+04	3.0E+01	4.3E+00	6.7E-17	4.3E+00	.	.	.	.	.
Fermium (100)	Fm-252	7.22E-10	4.92E-10	3.5E-08 (S)	9.06E-14	2.00E-03	.	.	1.1E-01	.	1.6E+07	6.4E-01	9.1E-02	6.9E-18	9.1E-02	.	.	.	.	.
Fermium (100)	Fm-253	2.73E-10	1.87E-10	4.1E-08 (S)	1.26E-11	2.00E-03	.	.	2.8E-01	.	1.1E+05	1.7E+00	2.4E-01	5.2E-17	2.4E-01	.	.	.	.	.
Fermium (100)	Fm-254	8.77E-11	6.02E-11	5.9E-09 (S)	1.91E-12	2.00E-03	.	.	8.7E-01	.	7.5E+05	5.3E+00	7.5E-01	7.3E-18	7.5E-01	.	.	.	.	.
Fermium (100)	Fm-255	6.55E-10	4.46E-10	2.7E-08 (S)	4.86E-13	2.00E-03	.	.	1.2E-01	.	3.0E+06	7.1E-01	1.0E-01	6.1E-18	1.0E-01	.	.	.	.	.
Fermium (100)	Fm-256	3.68E-09	2.58E-09	2.4E-08 (S)	3.35E-09	2.00E-03	.	.	2.0E-02	.	4.3E+02	1.3E-01	1.7E-02	1.4E-19	1.7E-02	.	.	.	.	.
Fermium (100)	Fm-257	1.88E-09	1.31E-09	7.6E-07 (S)	3.28E-11	2.00E-03	.	.	4.0E-02	.	4.4E+04	2.4E-01	3.4E-02	2.5E-16	3.4E-02	.	.	.	.	.
Francium (87)	Fr-212	6.53E-11	4.80E-11	5.7E-10 (S)	2.90E-10	3.00E-02	.	2.50E+02	1.1E+00	.	4.9E+03	7.1E+00	9.4E-01	7.9E-19	9.4E-01	.	1.1E+05	2.5E-09	.	.
Francium (87)	Fr-219	0.00E+00	0.00E+00	0.00E+00	8.58E-13	3.00E-02	.	2.50E+02	.	.	1.7E+06	.	1.7E+06	2.4E-17	1.7E+06	.	1.2E+16	4.6E-03	.	.
Francium (87)	Fr-220	0.00E+00	0.00E+00	0.00E+00	1.91E-12	3.00E-02	.	2.50E+02	.	.	7.5E+05	.	7.5E+05	1.5E-14	7.5E+05	.	3.9E+12	2.1E-03	.	.
Francium (87)	Fr-220+D	0.00E+00	0.00E+00	0.00E+00	2.42E-12	3.00E-02	.	2.50E+02	.	.	5.9E+05	.	5.9E+05	1.2E-14	5.9E+05	.	3.1E+12	1.6E-03	.	.
Francium (87)	Fr-221	0.00E+00	0.00E+00	0.00E+00	6.85E-12	3.00E-02	.	2.50E+02	.	.	2.1E+05	.	2.1E+05	4.5E-14	2.1E+05	.	1.0E+11	5.8E-04	.	.
Francium (87)	Fr-221+D	0.00E+00	0.00E+00	0.00E+00	6.91E-12	3.00E-02	.	2.50E+02	.	.	2.1E+05	.	2.1E+05	4.4E-14	2.1E+05	.	1.0E+11	5.8E-04	.	.
Francium (87)	Fr-222	5.37E-11	3.93E-11	1.6E-09 (S)	4.26E-11	3.00E-02	.	2.50E+02	1.3E+00	.	3.4E+04	8.7E+00	1.2E+00	7.2E-19	1.2E+00	.	1.9E+05	3.2E-09	.	.
Francium (87)	Fr-223	2.73E-10	1.99E-10	1.1E-09 (S)	1.06E-11	3.00E-02	.	2.50E+02	2.6E-01	.	1.4E+05	1.7E+00	2.3E-01	2.2E-19	2.3E-01	.	2.5E+04	6.4E-10	.	.
Francium (87)	Fr-224	0.00E+00	0.00E+00	0.00E+00	1.42E-10	3.00E-02	.	2.50E+02	.	.	1.0E+04	.	1.0E+04	1.5E-15	1.0E+04	.	7.2E+09	2.9E-05	.	.
Francium (87)	Fr-227	0.00E+00	0.00E+00	0.00E+00	1.07E-10	3.00E-02	.	2.50E+02	.	.	1.3E+04	.	1.3E+04	1.5E-15	1.3E+04	.	1.3E+10	3.8E-05	.	.
Gallium (31)	Ga-64	0.00E+00	0.00E+00	0.00E+00	9.06E-10	3.00E-03	.	3.00E+02	.	.	1.6E+03	.	1.6E+03	5.3E-17	1.6E+03	.	1.7E+09	1.5E-06	.	.
Gallium (31)	Ga-65	2.32E-12	1.68E-12	8.0E-13 (S)	2.85E-10	3.00E-03	.	3.00E+02	3.1E+01	.	5.0E+03	2.0E+02	2.7E+01	5.2E-18	2.7E+01	.	5.0E+06	2.6E-08	.	.
Gallium (31)	Ga-66	2.53E-10	1.74E-10	6.2E-11 (S)	6.88E-10	3.00E-03	.	3.00E+02	3.0E-01	.	2.1E+03	1.8E+00	2.6E-01	1.9E-18	2.6E-01	.	1.3E+03	2.6E-10	.	.
Gallium (31)	Ga-67	4.15E-11	2.86E-11	2.9E-11 (S)	3.60E-11	3.00E-03	.	3.00E+02	1.8E+00	.	4.0E+04	1.1E+01	1.6E+00	9.8E-17	1.6E+00	.	9.5E+02	1.6E-09	.	.
Gallium (31)	Ga-68	1.08E-11	7.58E-12	3.6E-12 (S)	2.34E-10	3.00E-03	.	3.00E+02	6.9E+00	.	6.1E+03	4.3E+01	5.9E+00	5.4E-18	5.9E+00	.	2.5E+05	6.1E-09	.	.
Gallium (31)	Ga-70	1.95E-12	1.40E-12	8.3E-13 (S)	2.36E-12	3.00E-03	.	3.00E+02	3.7E+01	.	6.1E+05	2.4E+02	3.2E+01	9.4E-18	3.2E+01	.	4.3E+06	3.4E-08	.	.
Gallium (31)	Ga-72	2.21E-10	1.53E-10	6.3E-11 (S)	7.26E-10	3.00E-03	.	3.00E+02	3.4E-01	.	2.0E+03	2.1E+00	2.9E-01	3.5E-18	2.9E-01	.	9.9E+02	3.2E-10	.	.
Gallium (31)	Ga-73	5.50E-11	3.77E-11	1.8E-11 (S)	8.39E-11	3.00E-03	.	3.00E+02	1.4E+00	.	1.7E+04	8.5E+00	1.2E+00	5.0E-18	1.2E+00	.	1.2E+04	1.3E-09	.	.
Gallium (31)	Ga-74	0.00E+00	0.00E+00	0.00E+00	8.55E-10	3.00E-03	.	3.00E+02	.	.	1.7E+03	.	1.7E+03	2.0E-16	1.7E+03	.	5.9E+08	1.9E-06	.	.
Gadolinium (64)	Gd-142	0.00E+00	0.00E+00	0.00E+00	2.61E-10	2.00E-03	.	6.50E+02	.	.	5.5E+03	.	5.5E+03	1.8E-16	5.5E+03	.	2.9E+10	2.6E-05	.	.
Gadolinium (64)	Gd-143m	0.00E+00	0.00E+00	0.00E+00	5.33E-10	2.00E-03	.	6.50E+02	.	.	2.7E+03	.	2.7E+03	1.4E-16	2.7E+03	.	9.0E+09	1.3E-05	.	.
Gadolinium (64)	Gd-144	0.00E+00	0.00E+00	0.00E+00	2.33E-10	2.00E-03	.	6.50E+02	.	.	6.2E+03	.	6.2E+03	7.8E-16	6.2E+03	.	8.5E+09	2.9E-05	.	.
Gadolinium (64)	Gd-145	2.70E-12	1.96E-12	8.2E-13 (S)	6.53E-10	2.00E-03	.	6.50E+02	2.7E+01	.	2.2E+03	1.7E+02	2.3E+01	1.5E-17	2.3E+01	.	6.1E+06	1.1E-07	.	.
Gadolinium (64)	Gd-145m	0.00E+00	0.00E+00	0.00E+00	1.69E-10	2.00E-03	.	6.50E+02	.	.	8.5E+03	.	8.5E+03	3.4E-16	8.5E+03	.	3.7E+10	4.0E-05	.	.
Gadolinium (64)	Gd-146	1.94E-10	1.34E-10	6.9E-10 (S)	4.73E-11	2.00E-03	.	6.50E+02	3.9E-01	.	3.0E+04	2.4E+00	3.3E-01	6.7E-16	3.3E-01	.	3.0E+01	1.6E-09	.	.
Gadolinium (64)	Gd-147	9.83E-11	6.91E-11	4.0E-11 (S)	3.47E-10	2.00E-03	.	6.50E+02	7.6E-01	.	4.1E+03	4.7E+00	6.5E-01	4.3E-17	6.5E-01	.	1.8E+03	3.1E-09	.	.
Gadolinium (64)	Gd-148	1.47E-09	1.13E-09	4.1E-07 (S)	0.00E+00	2.00E-03	.	6.50E+02	4.6E-02	.	.	9.7E-02	3.1E-02	3.6E-14	3.1E-02	.	2.3E-02	7.1E-10	.	.
Gadolinium (64)	Gd-149	1.03E-10	7.11E-11	9.7E-11 (S)	1.22E-10	2.00E-03	.	6.50E+02	7.3E-01	.	1.2E+04	4.5E+00	6.3E-01	2.5E-16	6.3E-01	.	2.9E+02	3.1E-09	.	.
Gadolinium (64)	Gd-150	1.32E-09	1.02E-09	3.3E-07 (S)	0.00E+00	2.00E-03	.	6.50E+02	5.1E-02	.	.	9.9E-02	3.4E-02	9.4E-10	3.4E-02	.	2.2E-02	1.6E-05	.	.
Gadolinium (64)	Gd-151	5.17E-11	3.55E-11	1.2E-10 (S)	1.16E-11	2.00E-03	.	6.50E+02	1.5E+00	.	1.2E+05	8.6E+00	1.3E+00	6.7E-15	1.3E+00	.	4.3E+01	6.2E-09	.	.
Gadolinium (64)	Gd-152	1.04E-09	8.02E-10	2.5E-07 (F)	0.00E+00	2.00E-03	.	6.50E+02	6.5E-02	.	.	1.3E-01	4.3E-02	7.3E-02	4.3E-02	.	2.8E-02	1.3E+03	.	.
Gadolinium (64)	Gd-153	6.01E-11	4.14E-11	2.3E-10 (S)	1.66E-11	2.00E-03	6.00E+02	6.50E+02	1.3E+00	.	8.6E+04	7.1E+00	1.1E+00	1.1E-14	1.1E+00	6.0E+02	1.9E+01	5.4E-09	1.1E+04	3.0E-06
Gadolinium (64)	Gd-159	1.29E-10	8.77E-11	4.3E-11 (S)	1.19E-11	2.00E-03	.	6.50E+02	6.0E-01	.	1.2E+05	3.6E+00	5.1E-01	1.8E-17	5.1E-01	.	2.8E+03	2.7E-09	.	.
Gadolinium (64)	Gd-162	0.00E+00	0.00E+00	0.00E+00	1.01E-10	2.00E-03	.	6.50E+02	.	.	1.4E+04	.	1.4E+04	3.8E-15	1.4E+04	.	1.0E+10	7.6E-05	.	.
Germanium (32)	Ge-66	1.31E-11	9.86E-12	7.0E-12 (S)	1.63E-10	4.00E-01	.	2.50E+01	5.3E+00	.	8.8E+03	3.6E+01	4.6E+00	8.1E-18	4.6E+00	.	8.1E+03	3.9E-10	.	.
Germanium (32)	Ge-67	3.63E-12	2.65E-12	1.2E-12 (S)	3.57E-10	4.00E-01	.	2.50E+01	2.0E+01	.	4.0E+03	1.3E+02	1.7E+01	4.3E-18	1.7E+01	.	2.1E+05	1.4E-09	.	.
Germanium (32)	Ge-68	2.66E-10	1.88E-10	2.8E-09 (S)	3.11E-16	4.00E-01	.	2.50E+01	2.8E-01	.	4.6E+09	1.4E+00	2.3E-01	1.2E-15	2.3E-01	.	1.4E-01	2.0E-11	.	.
Germanium (32)	Ge-68+D	2.77E-10	1.96E-10	2.8E-09 (S)	2.34E-10	4.00E-01	.	2.50E+01	2.7E-01	.	6.1E+03	1.3E+00	2.2E-01	1.2E-15	2.2E-01	.	1.4E-01	1.9E-11	.	.
Germanium (32)	Ge-69	2.95E-11	2.16E-11	2.0E-11 (S)	2.41E-10	4.00E-01	.	2.50E+01	2.4E+00	.	5.9E+03	1.6E+01	2.1E+00	6.7E-17	2.1E+00	.	2.1E+02	1.8E-10	.	.
Germanium (32)	Ge-71	2.50E-12	1.76E-12	1.5E-12 (S)	3.16E-16	4.00E-01	.	2.50E+01	3.0E+01	.	4.5E+09	1.8E+02	2.6E+01	5.9E-15	2.6E+01	.	3.7E+02	2.3E-09	.	.
Germanium (32)	Ge-75	3.15E-12	2.35E-12	2.4E-12 (S)	8.71E-12	4.00E-01	.	2.50E+01	2.2E+01	.	1.6E+05	1.5E+02	1.9E+01	2.4E-17	1.9E+01	.	5.6E+04	1.8E-09	.	.
Germanium (32)	Ge-77	4.45E-11	3.30E-11	3.3E-11 (S)	2.70E-10	4.00E-01	.	2.50E+01	1.6E+00	.	5.3E+03	1.0E+01	1.4E+00	1.4E-17	1.4E+00	.	4.8E+02	1.3E-10	.	.
Germanium (32)	Ge-78	1.03E-11	7.93E-12	6.9E-12 (S)	6.69E-11	4.00E-01	.	2.50E+01	6.6E+00	.	2.1E+04	4.5E+01	5.7E+00	7.8E-18	5.7E+00	.	1.6E+04	5.7E-10	.	.
Hydrogen (1)	H-3	1.76E-12	1.37E-12	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hafnium (72)	Hf-167	0.00E+00	0.00E+00	0.00E+00	1.48E-10	3.00E-03	.	2.50E+03	.	.	9.7E+03	.	9.7E+03	6.5E-16	9.7E+03	.	1.1E+11	2.0E-04	.	.
Hafnium (72)	Hf-169	0.00E+00	0.00E+00	0.00E+00	1.52E-10	3.00E-03	.	2.50E+03	.	.	9.4E+03	.	9.4E+03	1.0E-15	9.4E+03	.	6.9E+10	2.0E-04	.	.
Hafnium (72)	Hf-170	6.85E-11	4.79E-11	2.8E-11 (S)	1.00E-10	3.00E-03	.	2.50E+03	1.1E+00	.	1.4E+04	6.8E+00	9.4E-01	3.0E-17	9.4E-01	.	2.3E+04	2.0E-08	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Hafnium (72)	Hf-172	1.99E-10	1.39E-10	2.3E-09 (S)	1.66E-11	3.00E-03	.	2.50E+03	3.8E-01	.	8.7E+04	1.9E+00	3.1E-01	1.0E-14	3.1E-01	.	7.5E+00	6.8E-09	.	.
Hafnium (72)	Hf-172+D	1.99E-10	1.39E-10	2.3E-09 (S)	1.66E-11	3.00E-03	.	2.50E+03	3.8E-01	.	8.7E+04	1.9E+00	3.1E-01	1.0E-14	3.1E-01	.	7.5E+00	6.8E-09	.	.
Hafnium (72)	Hf-173	4.06E-11	2.82E-11	1.7E-11 (S)	8.84E-11	3.00E-03	.	2.50E+03	1.9E+00	.	1.6E+04	1.1E+01	1.6E+00	7.7E-17	1.6E+00	.	2.7E+04	3.5E-08	.	.
Hafnium (72)	Hf-174	2.16E-09	1.72E-09	2.7E-07 (S)	0.00E+00	3.00E-03	.	2.50E+03	3.0E-02	.	.	6.0E-02	2.0E-02	7.3E-01	2.0E-02	.	5.1E-02	4.9E+04	.	.
Hafnium (72)	Hf-175	7.49E-11	5.20E-11	1.4E-10 (S)	8.02E-11	3.00E-03	.	2.50E+03	1.0E+00	.	1.8E+04	6.0E+00	8.6E-01	3.0E-15	8.6E-01	.	2.0E+02	1.9E-08	.	.
Hafnium (72)	Hf-177m	7.72E-12	5.52E-12	5.3E-12 (S)	5.36E-10	3.00E-03	.	2.50E+03	9.5E+00	.	2.7E+03	6.0E+01	8.2E+00	1.5E-17	8.2E+00	.	3.8E+06	1.8E-07	.	.
Hafnium (72)	Hf-178m	4.64E-10	3.31E-10	8.8E-09 (F)	5.36E-10	3.00E-03	.	2.50E+03	1.6E-01	.	2.7E+03	3.4E-01	1.1E-01	6.2E-14	1.1E-01	.	3.6E-01	5.5E-09	.	.
Hafnium (72)	Hf-179m	2.61E-10	1.80E-10	4.4E-10 (S)	2.15E-10	3.00E-03	.	2.50E+03	2.9E-01	.	6.7E+03	1.8E+00	2.5E-01	3.2E-16	2.5E-01	.	1.6E+02	5.6E-09	.	.
Hafnium (72)	Hf-180m	2.82E-11	1.96E-11	1.2E-11 (S)	2.34E-10	3.00E-03	.	2.50E+03	2.7E+00	.	6.1E+03	1.6E+01	2.3E+00	2.7E-17	2.3E+00	.	1.6E+05	5.2E-08	.	.
Hafnium (72)	Hf-181	2.52E-10	1.73E-10	5.8E-10 (S)	1.27E-10	3.00E-03	.	2.50E+03	3.0E-01	.	1.1E+04	1.8E+00	2.6E-01	5.6E-16	2.6E-01	.	1.0E+02	5.9E-09	.	.
Hafnium (72)	Hf-182	1.72E-10	1.28E-10	8.9E-09 (F)	5.68E-11	3.00E-03	.	2.50E+03	4.1E-01	.	2.5E+04	7.6E-01	2.6E-01	4.5E-08	2.6E-01	.	6.6E-01	3.0E-03	.	.
Hafnium (72)	Hf-182+D	4.77E-10	3.39E-10	9.9E-09 (F)	3.85E-10	3.00E-03	.	2.50E+03	1.5E-01	.	3.7E+03	2.7E-01	9.8E-02	1.7E-08	9.8E-02	.	2.5E-01	1.1E-03	.	.
Hafnium (72)	Hf-182m	4.64E-12	3.29E-12	3.4E-12 (S)	2.18E-10	3.00E-03	.	2.50E+03	1.6E+01	.	6.6E+03	1.0E+02	1.4E+01	3.0E-17	1.4E+01	.	5.3E+06	3.1E-07	.	.
Hafnium (72)	Hf-183	9.35E-12	6.53E-12	4.9E-12 (S)	1.91E-10	3.00E-03	.	2.50E+03	8.0E+00	.	7.5E+03	5.0E+01	6.9E+00	1.6E-17	6.9E+00	.	2.5E+06	1.6E-07	.	.
Hafnium (72)	Hf-184	1.14E-10	7.82E-11	4.0E-11 (S)	5.30E-11	3.00E-03	.	2.50E+03	6.7E-01	.	2.7E+04	4.1E+00	5.7E-01	5.2E-18	5.7E-01	.	5.5E+04	1.3E-08	.	.
Mercury (80)	Hg-190	2.12E-12	1.52E-12	7.0E-12 (V)	4.20E-11	3.00E-01	.	6.30E+03	3.4E+01	.	3.4E+04	2.2E+02	3.0E+01	2.2E-17	3.0E+01	.	8.9E+07	1.8E-06	.	.
Mercury (80)	Hg-191m	6.70E-12	4.74E-12	2.9E-11 (V)	3.72E-10	3.00E-01	.	6.30E+03	1.1E+01	.	3.9E+03	6.9E+01	9.5E+00	1.8E-17	9.5E+00	.	1.1E+07	5.8E-07	.	.
Mercury (80)	Hg-192	3.71E-11	2.60E-11	9.1E-11 (V)	6.03E-11	3.00E-01	.	6.30E+03	2.0E+00	.	2.4E+04	1.3E+01	1.7E+00	1.9E-17	1.7E+00	.	3.6E+05	1.1E-07	.	.
Mercury (80)	Hg-193	1.78E-11	1.24E-11	7.9E-11 (V)	2.10E-10	3.00E-01	.	6.30E+03	4.2E+00	.	6.8E+03	2.6E+01	3.6E+00	3.1E-17	3.6E+00	.	9.5E+05	2.2E-07	.	.
Mercury (80)	Hg-193+D	1.78E-11	1.24E-11	7.9E-11 (V)	2.12E-10	3.00E-01	.	6.30E+03	4.2E+00	.	6.8E+03	2.6E+01	3.6E+00	3.1E-17	3.6E+00	.	9.5E+05	2.2E-07	.	.
Mercury (80)	Hg-193m	7.89E-11	5.48E-11	2.7E-10 (V)	2.57E-10	3.00E-01	.	6.30E+03	9.5E-01	.	5.6E+03	5.9E+00	8.2E-01	2.2E-17	8.2E-01	.	6.9E+04	5.0E-08	.	.
Mercury (80)	Hg-194	1.08E-10	7.87E-11	2.0E-09 (S)	1.98E-15	3.00E-01	.	6.30E+03	6.6E-01	.	7.3E+08	6.8E-01	3.3E-01	3.0E-12	3.3E-01	.	2.2E+00	5.1E-07	.	.
Mercury (80)	Hg-194+D	1.70E-10	1.22E-10	2.0E-09 (S)	2.66E-10	3.00E-01	.	6.30E+03	4.3E-01	.	5.4E+03	4.3E-01	2.1E-01	1.9E-12	2.1E-01	.	1.4E+00	3.3E-07	.	.
Mercury (80)	Hg-195	2.11E-11	1.45E-11	1.4E-10 (V)	4.51E-11	3.00E-01	.	6.30E+03	3.6E+00	.	3.2E+04	2.2E+01	3.1E+00	7.5E-17	3.1E+00	.	2.9E+05	1.9E-07	.	.
Mercury (80)	Hg-195m	1.31E-10	8.97E-11	7.3E-10 (V)	4.58E-11	3.00E-01	.	6.30E+03	5.8E-01	.	3.1E+04	3.5E+00	5.0E-01	4.8E-17	5.0E-01	.	1.2E+04	3.1E-08	.	.
Mercury (80)	Hg-197	6.03E-11	4.13E-11	4.2E-10 (V)	1.29E-11	3.00E-01	.	6.30E+03	1.3E+00	.	1.1E+05	7.7E+00	1.1E+00	1.6E-16	1.1E+00	.	1.7E+04	6.8E-08	.	.
Mercury (80)	Hg-197m	1.21E-10	8.24E-11	5.3E-10 (V)	2.01E-11	3.00E-01	.	6.30E+03	6.3E-01	.	7.1E+04	3.8E+00	5.4E-01	3.0E-17	5.4E-01	.	2.3E+04	3.4E-08	.	.
Mercury (80)	Hg-199m	2.53E-12	1.79E-12	1.6E-11 (V)	4.04E-11	3.00E-01	.	6.30E+03	2.9E+01	.	3.6E+04	1.8E+02	2.5E+01	4.2E-17	2.5E+01	.	3.5E+07	1.6E-06	.	.
Mercury (80)	Hg-203	1.21E-10	8.34E-11	6.6E-10 (V)	5.68E-11	3.00E-01	.	6.30E+03	6.3E-01	.	2.5E+04	3.7E+00	5.4E-01	1.4E-15	5.4E-01	.	4.8E+02	3.5E-08	.	.
Mercury (80)	Hg-205	0.00E+00	0.00E+00	0.00E+00	1.62E-12	3.00E-01	.	6.30E+03	.	.	8.9E+05	.	8.9E+05	1.9E-13	8.9E+05	.	1.0E+13	5.8E-02	.	.
Mercury (80)	Hg-206	0.00E+00	0.00E+00	0.00E+00	2.92E-11	3.00E-01	.	6.30E+03	.	.	4.9E+04	.	4.9E+04	1.6E-14	4.9E+04	.	3.6E+11	3.2E-03	.	.
Mercury (80)	Hg-207	0.00E+00	0.00E+00	0.00E+00	7.07E-10	3.00E-01	.	6.30E+03	.	.	2.0E+03	.	2.0E+03	2.4E-16	2.0E+03	.	4.2E+10	1.3E-04	.	.
Holmium (67)	Ho-150	0.00E+00	0.00E+00	0.00E+00	4.73E-10	2.00E-03	.	9.30E+02	.	.	3.0E+03	.	3.0E+03	1.1E-16	3.0E+03	.	2.1E+10	2.1E-05	.	.
Holmium (67)	Ho-153	0.00E+00	0.00E+00	0.00E+00	2.52E-10	2.00E-03	.	9.30E+02	.	.	5.7E+03	.	5.7E+03	3.5E-16	5.7E+03	.	2.5E+10	4.1E-05	.	.
Holmium (67)	Ho-153m	0.00E+00	0.00E+00	0.00E+00	2.57E-10	2.00E-03	.	9.30E+02	.	.	5.6E+03	.	5.6E+03	1.6E-15	5.6E+03	.	5.3E+09	4.0E-05	.	.
Holmium (67)	Ho-154	2.53E-12	1.84E-12	6.8E-13 (S)	4.70E-10	2.00E-03	.	9.30E+02	2.8E+01	.	3.1E+03	1.8E+02	2.4E+01	8.7E-18	2.4E+01	.	1.8E+07	1.8E-07	.	.
Holmium (67)	Ho-154m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-03	.	9.30E+02	.	.	2.4E+03	.	2.4E+03	2.3E-16	2.4E+03	.	6.8E+09	1.7E-05	.	.
Holmium (67)	Ho-155	4.32E-12	3.06E-12	1.7E-12 (S)	1.48E-10	2.00E-03	.	9.30E+02	1.7E+01	.	9.7E+03	1.1E+02	1.5E+01	2.2E-17	1.5E+01	.	2.7E+06	1.1E-07	.	.
Holmium (67)	Ho-156	9.32E-12	6.63E-12	3.4E-12 (S)	5.36E-10	2.00E-03	.	9.30E+02	7.9E+00	.	2.7E+03	5.0E+01	6.8E+00	1.2E-17	6.8E+00	.	1.1E+06	5.0E-08	.	.
Holmium (67)	Ho-157	6.30E-13	4.54E-13	2.3E-13 (S)	1.35E-10	2.00E-03	.	9.30E+02	1.2E+02	.	1.1E+04	7.4E+02	9.9E+01	3.9E-17	9.9E+01	.	6.9E+07	7.3E-07	.	.
Holmium (67)	Ho-159	7.12E-13	5.15E-13	3.6E-13 (S)	8.33E-11	2.00E-03	.	9.30E+02	1.0E+02	.	1.7E+04	6.5E+02	8.7E+01	9.1E-17	8.7E+01	.	2.3E+07	6.5E-07	.	.
Holmium (67)	Ho-160	1.45E-12	1.06E-12	6.1E-13 (S)	4.20E-10	2.00E-03	.	9.30E+02	4.9E+01	.	3.4E+03	3.2E+02	4.2E+01	3.4E-17	4.2E+01	.	1.5E+07	3.2E-07	.	.
Holmium (67)	Ho-161	1.92E-12	1.33E-12	6.4E-13 (S)	7.04E-12	2.00E-03	.	9.30E+02	3.9E+01	.	2.0E+05	2.4E+02	3.4E+01	1.6E-16	3.4E+01	.	2.0E+06	2.6E-07	.	.
Holmium (67)	Ho-162	2.16E-13	1.57E-13	1.6E-13 (S)	3.57E-11	2.00E-03	.	9.30E+02	3.3E+02	.	4.0E+04	2.2E+03	2.9E+02	1.4E-16	2.9E+02	.	1.7E+08	2.2E-06	.	.
Holmium (67)	Ho-162m	2.71E-12	1.93E-12	1.4E-12 (S)	1.36E-10	2.00E-03	.	9.30E+02	2.7E+01	.	1.1E+04	1.7E+02	2.3E+01	5.0E-17	2.3E+01	.	3.1E+06	1.8E-07	.	.
Holmium (67)	Ho-163	7.11E-13	4.89E-13	3.2E-11 (F)	0.00E+00	2.00E-03	.	9.30E+02	1.1E+02	.	.	1.8E+02	6.8E+01	5.2E-09	6.8E+01	.	6.3E+01	1.3E-04	.	.
Holmium (67)	Ho-164	6.58E-13	4.72E-13	4.7E-13 (S)	3.88E-12	2.00E-03	.	9.30E+02	1.1E+02	.	3.7E+05	7.1E+02	9.6E+01	9.0E-17	9.6E+01	.	2.9E+07	7.4E-07	.	.
Holmium (67)	Ho-164m	1.61E-12	1.13E-12	1.0E-12 (S)	5.55E-12	2.00E-03	.	9.30E+02	4.6E+01	.	2.6E+05	2.9E+02	4.0E+01	4.9E-17	4.0E+01	.	9.2E+06	3.1E-07	.	.
Holmium (67)	Ho-166	3.66E-10	2.49E-10	1.1E-10 (S)	7.35E-12	2.00E-03	.	9.30E+02	2.1E-01	.	2.0E+05	1.3E+00	1.8E-01	9.5E-18	1.8E-01	.	9.9E+02	1.4E-09	.	.
Holmium (67)	Ho-166m	3.19E-10	2.24E-10	2.1E-08 (F)	4.01E-10	2.00E-03	.	9.30E+02	2.3E-01	.	3.6E+03	4.1E-01	1.5E-01	3.1E-12	1.5E-01	.	1.4E-01	7.8E-08	.	.
Holmium (67)	Ho-167	1.50E-11	1.04E-11	6.8E-12 (S)	8.71E-11	2.00E-03	.	9.30E+02	5.0E+00	.	1.6E+04	3.1E+01	4.3E+00	2.6E-17	4.3E+00	.	2.0E+05	3.4E-08	.	.
Holmium (67)	Ho-168	0.00E+00	0.00E+00	0.00E+00	2.21E-10	2.00E-03	.	9.30E+02	.	.	6.5E+03	.	6.5E+03	6.4E-16	6.5E+03	.	1.9E+10	5.1E-05	.	.
Holmium (67)	Ho-168m	0.00E+00	0.00E+00	0.00E+00	7.89E-13	2.00E-03	.	9.30E+02	.	.	1.8E+06	.	1.8E+06	1.3E-13	1.8E+06	.	7.3E+12	1.4E-02	.	.
Holmium (67)	Ho-170	0.00E+00	0.00E+00	0.00E+00	4.29E-10	2.00E-03	.	9.30E+02	.	.	3.3E+03	.	3.3E+03	3.1E-16	3.3E+03	.	1.1E+10	2.7E-05	.	.
Iodine (53)	I-118	1.92E-11	1.36E-11	1.6E-11 (V)	5.08E-10	5.48E-04	.	0.00E+00	3.8E+00	.	2.8E+03	2.4E+01	3.3E+00	1.1E-18	3.3E+00	.	4.6E+02	3.9E-12	.	.
Iodine (53)	I-118m	0.00E+00	0.00E+00	0.00E+00	9.40E-10	5.48E-04	.	0.00E+00	.	.	1.5E+03	.	1.5E+03	3.0E-16	1.5E+03	.	3.4E+05	1.8E-09	.	.
Iodine (53)	I-119	3.44E-12	2.48E-12	4.4E-12 (V)	2.21E-10	5.48E-04	.	0.00E+00	2.1E+01	.	6.5E+03	1.4E+02	1.8E+01	8.2E-18	1.8E+01	.	1.8E+03	2.2E-11	.	.
Iodine (53)	I-120	2.87E-11	2.07E-11	2.6E-11 (V)	7.04E-10	5.48E-04	.	0.00E+00	2.5E+00	.	2.0E+03	1.6E+01	2.2E+00	4.2E-18	2.2E+00	.	5.1E+01	2.6E-12	.	.
Iodine (53)	I-120m	1.34E-11	9.75E-12	1.3E-11 (V)	8.96E-10	5.48E-04	.	0.00E+00	5.4E+00	.	1.6E+03	3.5E+01	4.6E+00	5.8E-18	4.6E+00	.	1.7E+02	5.6E-12	.	.
Iodine (53)	I-121	7.59E-12	5.53E-12	7.3E-12 (V)	9.28E-11	5.48E-04	.	0.00E+00	9.4E+00	.	1.5E+04	6.1E+01	8.2E+00	2.5E-17	8.2E+00	.	1.2E+02	1.0E-11	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Iodine (53)	I-122	0.00E+00	0.00E+00	0.00E+00	2.38E-10	5.48E-04	.	0.00E+00	.	.	6.0E+03	.	6.0E+03	5.3E-16	6.0E+03	.	3.2E+06	7.4E-09	.	.
Iodine (53)	I-123	2.71E-11	1.91E-11	2.3E-11 (V)	3.57E-11	5.48E-04	.	0.00E+00	2.7E+00	.	4.0E+04	1.7E+01	2.4E+00	4.6E-17	2.4E+00	.	5.6E+00	2.9E-12	.	.
Iodine (53)	I-124	1.59E-09	1.12E-09	1.2E-09 (V)	2.81E-10	5.48E-04	.	0.00E+00	4.7E-02	.	5.1E+03	2.9E-01	4.0E-02	5.9E-18	4.0E-02	.	1.3E-02	5.0E-14	.	.
Iodine (53)	I-125	9.34E-10	6.91E-10	7.5E-10 (V)	1.80E-12	5.48E-04	.	0.00E+00	7.6E-02	.	8.0E+05	4.9E-01	6.5E-02	1.4E-16	6.5E-02	.	1.4E-03	8.3E-14	.	.
Iodine (53)	I-126	3.35E-09	2.38E-09	2.6E-09 (V)	1.05E-10	5.48E-04	.	0.00E+00	2.2E-02	.	1.4E+04	1.4E-01	1.9E-02	8.8E-18	1.9E-02	.	1.9E-03	2.4E-14	.	.
Iodine (53)	I-128	3.01E-12	2.19E-12	5.6E-12 (V)	1.69E-11	5.48E-04	.	0.00E+00	2.4E+01	.	8.5E+04	1.5E+02	2.1E+01	1.3E-17	2.1E+01	.	1.6E+03	2.7E-11	.	.
Iodine (53)	I-129	5.32E-09	4.08E-09	4.4E-09 (V)	1.39E-12	5.48E-04	1.00E+00	0.00E+00	1.3E-02	.	1.0E+06	2.5E-02	8.4E-03	1.8E-09	8.4E-03	1.0E+00	1.7E-06	9.5E-09	2.0E-04	1.1E-06
Iodine (53)	I-130	2.31E-10	1.63E-10	1.9E-10 (V)	5.33E-10	5.48E-04	.	0.00E+00	3.2E-01	.	2.7E+03	2.0E+00	2.8E-01	5.3E-18	2.8E-01	.	7.1E-01	3.6E-13	.	.
Iodine (53)	I-130m	0.00E+00	0.00E+00	0.00E+00	2.63E-11	5.48E-04	.	0.00E+00	.	.	5.5E+04	.	5.5E+04	1.2E-14	5.5E+04	.	1.2E+07	7.2E-08	.	.
Iodine (53)	I-131	1.75E-09	1.23E-09	1.4E-09 (V)	9.28E-11	5.48E-04	.	0.00E+00	4.2E-02	.	1.5E+04	2.6E-01	3.7E-02	1.1E-17	3.7E-02	.	6.0E-03	4.8E-14	.	.
Iodine (53)	I-132	3.14E-11	2.26E-11	3.1E-11 (V)	5.74E-10	5.48E-04	.	0.00E+00	2.3E+00	.	2.5E+03	1.5E+01	2.0E+00	7.2E-18	2.0E+00	.	2.7E+01	2.7E-12	.	.
Iodine (53)	I-132m	7.06E-12	5.16E-12	1.1E-11 (V)	8.24E-11	5.48E-04	.	0.00E+00	1.0E+01	.	1.7E+04	6.6E+01	8.8E+00	1.9E-17	8.8E+00	.	2.0E+02	1.2E-11	.	.
Iodine (53)	I-133	5.62E-10	3.93E-10	4.4E-10 (V)	1.52E-10	5.48E-04	.	0.00E+00	1.3E-01	.	9.5E+03	8.3E-01	1.1E-01	3.8E-18	1.1E-01	.	1.7E-01	1.5E-13	.	.
Iodine (53)	I-134	8.76E-12	6.38E-12	1.2E-11 (V)	6.63E-10	5.48E-04	.	0.00E+00	8.2E+00	.	2.2E+03	5.3E+01	7.1E+00	9.8E-18	7.1E+00	.	2.6E+02	9.6E-12	.	.
Iodine (53)	I-134m	0.00E+00	0.00E+00	0.00E+00	6.47E-11	5.48E-04	.	0.00E+00	.	.	2.2E+04	.	2.2E+04	2.1E-15	2.2E+04	.	1.2E+07	3.0E-08	.	.
Iodine (53)	I-135	1.10E-10	7.77E-11	9.3E-11 (V)	4.17E-10	5.48E-04	.	0.00E+00	6.7E-01	.	3.4E+03	4.2E+00	5.8E-01	6.1E-18	5.8E-01	.	2.8E+00	7.9E-13	.	.
Indium (49)	In-103	0.00E+00	0.00E+00	0.00E+00	7.16E-10	3.00E-03	.	4.80E+02	.	.	2.0E+03	.	2.0E+03	4.1E-17	2.0E+03	.	9.1E+09	5.0E-06	.	.
Indium (49)	In-105	0.00E+00	0.00E+00	0.00E+00	4.92E-10	3.00E-03	.	4.80E+02	.	.	2.9E+03	.	2.9E+03	3.1E-16	2.9E+03	.	2.6E+09	7.4E-06	.	.
Indium (49)	In-106	0.00E+00	0.00E+00	0.00E+00	8.93E-10	3.00E-03	.	4.80E+02	.	.	1.6E+03	.	1.6E+03	2.1E-16	1.6E+03	.	1.2E+09	4.1E-06	.	.
Indium (49)	In-106m	0.00E+00	0.00E+00	0.00E+00	7.42E-10	3.00E-03	.	4.80E+02	.	.	1.9E+03	.	1.9E+03	2.1E-16	1.9E+03	.	1.7E+09	5.0E-06	.	.
Indium (49)	In-107	4.05E-12	2.88E-12	1.6E-12 (S)	3.98E-10	3.00E-03	.	4.80E+02	1.8E+01	.	3.6E+03	1.1E+02	1.6E+01	1.1E-17	1.6E+01	.	2.2E+06	4.0E-08	.	.
Indium (49)	In-108	7.63E-12	5.51E-12	2.2E-12 (S)	1.00E-09	3.00E-03	.	4.80E+02	9.5E+00	.	1.4E+03	6.1E+01	8.2E+00	1.0E-17	8.2E+00	.	6.4E+05	2.1E-08	.	.
Indium (49)	In-108m	6.78E-12	4.86E-12	2.0E-12 (S)	7.48E-10	3.00E-03	.	4.80E+02	1.1E+01	.	1.9E+03	6.9E+01	9.3E+00	7.8E-18	9.3E+00	.	1.1E+06	2.4E-08	.	.
Indium (49)	In-109	8.11E-12	5.72E-12	2.7E-12 (S)	1.58E-10	3.00E-03	.	4.80E+02	9.1E+00	.	9.1E+03	5.7E+01	7.9E+00	4.3E-17	7.9E+00	.	1.4E+05	2.1E-08	.	.
Indium (49)	In-109m	0.00E+00	0.00E+00	0.00E+00	1.51E-10	3.00E-03	.	4.80E+02	.	.	9.5E+03	.	9.5E+03	2.7E-16	9.5E+03	.	3.2E+10	2.5E-05	.	.
Indium (49)	In-110	2.89E-11	2.08E-11	7.5E-12 (S)	7.79E-10	3.00E-03	.	4.80E+02	2.5E+00	.	1.8E+03	1.6E+01	2.2E+00	1.4E-17	2.2E+00	.	3.4E+04	5.8E-09	.	.
Indium (49)	In-110m	1.08E-11	7.64E-12	3.4E-12 (S)	3.98E-10	3.00E-03	.	4.80E+02	6.8E+00	.	3.6E+03	4.3E+01	5.9E+00	8.8E-18	5.9E+00	.	3.9E+05	1.6E-08	.	.
Indium (49)	In-111	5.03E-11	3.51E-11	2.3E-11 (S)	9.21E-11	3.00E-03	.	4.80E+02	1.5E+00	.	1.6E+04	9.2E+00	1.3E+00	1.1E-16	1.3E+00	.	1.4E+03	3.4E-09	.	.
Indium (49)	In-111m	0.00E+00	0.00E+00	0.00E+00	1.15E-10	3.00E-03	.	4.80E+02	.	.	1.2E+04	.	1.2E+04	2.1E-15	1.2E+04	.	7.4E+09	3.4E-05	.	.
Indium (49)	In-112	6.54E-13	4.75E-13	3.3E-13 (S)	6.44E-11	3.00E-03	.	4.80E+02	1.1E+02	.	2.2E+04	7.1E+02	9.5E+01	3.1E-17	9.5E+01	.	2.9E+07	2.6E-07	.	.
Indium (49)	In-112m	1.23E-12	8.84E-13	1.0E-12 (S)	5.14E-12	3.00E-03	.	4.80E+02	5.9E+01	.	2.8E+05	3.8E+02	5.1E+01	2.3E-17	5.1E+01	.	1.1E+07	1.4E-07	.	.
Indium (49)	In-113m	3.71E-12	2.59E-12	1.5E-12 (S)	6.19E-11	3.00E-03	.	4.80E+02	2.0E+01	.	2.3E+04	1.3E+02	1.7E+01	3.9E-17	1.7E+01	.	7.9E+05	4.8E-08	.	.
Indium (49)	In-114	0.00E+00	0.00E+00	0.00E+00	1.29E-12	3.00E-03	.	4.80E+02	.	.	1.1E+06	.	1.1E+06	3.0E-14	1.1E+06	.	4.2E+12	3.1E-03	.	.
Indium (49)	In-114m	9.85E-10	6.78E-10	1.4E-09 (S)	1.76E-11	3.00E-03	.	4.80E+02	7.7E-02	.	8.2E+04	4.6E-01	6.6E-02	1.1E-16	6.6E-02	.	4.2E+00	1.8E-10	.	.
Indium (49)	In-114m+D	9.85E-10	6.78E-10	1.4E-09 (S)	1.88E-11	3.00E-03	.	4.80E+02	7.7E-02	.	7.6E+04	4.6E-01	6.6E-02	1.1E-16	6.6E-02	.	4.2E+00	1.8E-10	.	.
Indium (49)	In-115	1.17E-09	9.17E-10	1.1E-08 (F)	3.82E-14	3.00E-03	.	4.80E+02	5.7E-02	.	3.8E+07	1.1E-01	3.8E-02	2.0E-01	3.8E-02	.	1.8E-02	2.6E+03	.	.
Indium (49)	In-115m	1.76E-11	1.21E-11	6.3E-12 (S)	3.76E-11	3.00E-03	.	4.80E+02	4.3E+00	.	3.8E+04	2.6E+01	3.7E+00	2.3E-17	3.7E+00	.	6.3E+04	1.0E-08	.	.
Indium (49)	In-116m	6.14E-12	4.41E-12	2.5E-12 (S)	6.50E-10	3.00E-03	.	4.80E+02	1.2E+01	.	2.2E+03	7.6E+01	1.0E+01	1.3E-17	1.0E+01	.	8.5E+05	2.9E-08	.	.
Indium (49)	In-117	2.62E-12	1.87E-12	1.6E-12 (S)	1.68E-10	3.00E-03	.	4.80E+02	2.8E+01	.	8.5E+03	1.8E+02	2.4E+01	2.4E-17	2.4E+01	.	2.5E+06	6.8E-08	.	.
Indium (49)	In-117m	1.73E-11	1.20E-11	6.7E-12 (S)	2.09E-11	3.00E-03	.	4.80E+02	4.4E+00	.	6.9E+04	2.7E+01	3.7E+00	1.0E-17	3.7E+00	.	1.5E+05	1.1E-08	.	.
Indium (49)	In-118	0.00E+00	0.00E+00	0.00E+00	2.43E-11	3.00E-03	.	4.80E+02	.	.	5.9E+04	.	5.9E+04	1.1E-16	5.9E+04	.	3.2E+12	1.7E-04	.	.
Indium (49)	In-118m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	3.00E-03	.	4.80E+02	.	.	2.0E+03	.	2.0E+03	2.0E-16	2.0E+03	.	2.1E+09	5.7E-06	.	.
Indium (49)	In-119	0.00E+00	0.00E+00	0.00E+00	1.93E-10	3.00E-03	.	4.80E+02	.	.	7.4E+03	.	7.4E+03	4.2E-16	7.4E+03	.	1.4E+10	2.1E-05	.	.
Indium (49)	In-119m	2.79E-12	2.02E-12	9.5E-13 (S)	1.78E-11	3.00E-03	.	4.80E+02	2.6E+01	.	8.1E+04	1.7E+02	2.2E+01	9.5E-18	2.2E+01	.	5.7E+06	6.5E-08	.	.
Indium (49)	In-121	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-03	.	4.80E+02	.	.	6.1E+03	.	6.1E+03	5.6E-17	6.1E+03	.	7.2E+10	1.8E-05	.	.
Indium (49)	In-121m	0.00E+00	0.00E+00	0.00E+00	1.58E-11	3.00E-03	.	4.80E+02	.	.	9.1E+04	.	9.1E+04	8.4E-15	9.1E+04	.	1.1E+11	2.7E-04	.	.
Iridium (77)	Ir-180	0.00E+00	0.00E+00	0.00E+00	3.94E-10	3.00E-02	.	3.00E+00	.	.	3.6E+03	.	3.6E+03	1.9E-16	3.6E+03	.	7.4E+07	1.1E-07	.	.
Iridium (77)	Ir-182	4.07E-12	2.92E-12	1.4E-12 (S)	3.50E-10	3.00E-02	.	3.00E+00	1.8E+01	.	4.1E+03	1.1E+02	1.5E+01	8.3E-18	1.5E+01	.	3.1E+04	4.5E-10	.	.
Iridium (77)	Ir-183	6.47E-12	4.58E-12	2.7E-12 (S)	3.03E-10	3.00E-02	.	3.00E+00	1.1E+01	.	4.7E+03	7.2E+01	9.8E+00	2.1E-17	9.8E+00	.	5.1E+03	2.9E-10	.	.
Iridium (77)	Ir-184	2.82E-11	1.97E-11	9.9E-12 (S)	4.95E-10	3.00E-02	.	3.00E+00	2.7E+00	.	2.9E+03	1.6E+01	2.3E+00	1.5E-17	2.3E+00	.	3.7E+02	6.8E-11	.	.
Iridium (77)	Ir-185	6.14E-11	4.26E-11	2.3E-11 (S)	2.18E-10	3.00E-02	.	3.00E+00	1.2E+00	.	6.6E+03	7.6E+00	1.1E+00	3.3E-17	1.1E+00	.	3.7E+01	3.2E-11	.	.
Iridium (77)	Ir-186	9.64E-11	6.72E-11	3.3E-11 (S)	4.20E-10	3.00E-02	.	3.00E+00	7.8E-01	.	3.4E+03	4.8E+00	6.7E-01	2.5E-17	6.7E-01	.	2.0E+01	2.0E-11	.	.
Iridium (77)	Ir-186m	9.81E-12	6.92E-12	3.5E-12 (S)	3.19E-10	3.00E-02	.	3.00E+00	7.6E+00	.	4.5E+03	4.7E+01	6.5E+00	2.7E-17	6.5E+00	.	1.7E+03	2.0E-10	.	.
Iridium (77)	Ir-187	2.14E-11	1.49E-11	7.6E-12 (S)	7.70E-11	3.00E-02	.	3.00E+00	3.5E+00	.	1.9E+04	2.2E+01	3.0E+00	7.0E-17	3.0E+00	.	1.5E+02	9.1E-11	.	.
Iridium (77)	Ir-188	1.09E-10	7.72E-11	4.1E-11 (S)	5.62E-10	3.00E-02	.	3.00E+00	6.8E-01	.	2.6E+03	4.3E+00	5.8E-01	5.4E-17	5.8E-01	.	7.1E+00	1.8E-11	.	.
Iridium (77)	Ir-189	5.65E-11	3.87E-11	5.9E-11 (S)	1.44E-11	3.00E-02	.	3.00E+00	1.4E+00	.	1.0E+05	8.2E+00	1.2E+00	8.2E-16	1.2E+00	.	1.8E+00	3.5E-11	.	.
Iridium (77)	Ir-190	1.67E-10	1.17E-10	1.4E-10 (S)	3.57E-10	3.00E-02	.	3.00E+00	4.5E-01	.	4.0E+03	2.8E+00	3.8E-01	2.4E-16	3.8E-01	.	6.9E-01	1.2E-11	.	.
Iridium (77)	Ir-190m	9.60E-13	6.73E-13	6.2E-13 (S)	4.61E-16	3.00E-02	.	3.00E+00	7.8E+01	.	3.1E+09	4.8E+02	6.7E+01	1.7E-16	6.7E+01	.	3.0E+04	2.1E-09	.	.
Iridium (77)	Ir-190n	1.67E-11	1.18E-11	6.2E-12 (S)	9.78E-12	3.00E-02	.	3.00E+00	4.4E+00	.	1.5E+05	2.8E+01	3.8E+00	2.7E-17	3.8E+00	.	6.3E+02	1.2E-10	.	.
Iridium (77)	Ir-191m	0.00E+00	0.00E+00	0.00E+00	1.44E-11	3.00E-02	.	3.00E+00	.	.	1.0E+05	.	1.0E+05	3.1E-16	1.0E+05	.	3.7E+10	3.1E-06	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Iridium (77)	Ir-192	2.89E-10	1.99E-10	6.5E-10 (S)	1.98E-10	3.00E-02	.	3.00E+00	2.6E-01	.	7.3E+03	1.6E+00	2.2E-01	9.1E-16	2.2E-01	.	6.4E-02	7.0E-12	.	.
Iridium (77)	Ir-192m	0.00E+00	0.00E+00	0.00E+00	1.38E-14	3.00E-02	.	3.00E+00	.	.	1.0E+08	.	1.0E+08	5.7E-12	1.0E+08	.	2.2E+12	3.2E-03	.	.
Iridium (77)	Ir-192n	2.06E-10	1.42E-10	4.3E-09 (S)	1.31E-13	3.00E-02	.	3.00E+00	3.7E-01	.	1.1E+07	6.1E-01	2.3E-01	1.1E-12	2.3E-01	.	7.6E-04	9.8E-11	.	.
Iridium (77)	Ir-193m	7.75E-11	5.28E-11	1.2E-10 (S)	5.40E-14	3.00E-02	.	3.00E+00	9.9E-01	.	2.7E+07	6.0E+00	8.5E-01	4.9E-16	8.5E-01	.	1.7E+00	2.6E-11	.	.
Iridium (77)	Ir-194	3.42E-10	2.33E-10	9.2E-11 (S)	2.34E-11	3.00E-02	.	3.00E+00	2.2E-01	.	6.1E+04	1.4E+00	1.9E-01	8.5E-18	1.9E-01	.	5.0E+00	6.0E-12	.	.
Iridium (77)	Ir-194m	3.25E-10	2.29E-10	1.2E-09 (S)	5.71E-10	3.00E-02	.	3.00E+00	2.3E-01	.	2.5E+03	1.3E+00	1.9E-01	1.8E-15	1.9E-01	.	2.4E-02	6.1E-12	.	.
Iridium (77)	Ir-195	1.56E-11	1.07E-11	6.5E-12 (S)	1.09E-11	3.00E-02	.	3.00E+00	4.9E+00	.	1.3E+05	3.0E+01	4.2E+00	2.4E-17	4.2E+00	.	8.5E+02	1.3E-10	.	.
Iridium (77)	Ir-195m	2.65E-11	1.83E-11	1.2E-11 (S)	8.90E-11	3.00E-02	.	3.00E+00	2.9E+00	.	1.6E+04	1.8E+01	2.5E+00	2.2E-17	2.5E+00	.	3.3E+02	7.7E-11	.	.
Iridium (77)	Ir-196	0.00E+00	0.00E+00	0.00E+00	5.93E-11	3.00E-02	.	3.00E+00	.	.	2.4E+04	.	2.4E+04	8.1E-16	2.4E+04	.	8.5E+08	7.7E-07	.	.
Iridium (77)	Ir-196m	1.24E-11	8.81E-12	5.7E-12 (S)	6.03E-10	3.00E-02	.	3.00E+00	5.9E+00	.	2.4E+03	3.8E+01	5.1E+00	1.7E-17	5.1E+00	.	1.8E+03	1.6E-10	.	.
Potassium (19)	K-38	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.44E-01	.	1.30E+01	.	.	1.7E+03	.	1.7E+03	9.6E-17	1.7E+03	.	2.7E+07	4.2E-08	.	.
Potassium (19)	K-40	9.24E-10	6.67E-10	6.0E-09 (S)	4.23E-11	6.44E-01	1.88E+00	1.30E+01	7.8E-02	.	3.4E+04	5.1E-02	3.1E-02	1.6E-07	3.1E-02	1.9E+00	4.1E-04	5.7E-05	2.5E-02	3.5E-03
Potassium (19)	K-42	4.70E-11	3.41E-11	3.4E-11 (S)	7.73E-11	6.44E-01	.	1.30E+01	1.5E+00	.	1.9E+04	9.9E+00	1.3E+00	8.2E-18	1.3E+00	.	2.2E+02	3.7E-11	.	.
Potassium (19)	K-43	2.85E-11	2.10E-11	2.9E-11 (S)	2.37E-10	6.44E-01	.	1.30E+01	2.5E+00	.	6.1E+03	1.6E+01	2.2E+00	2.4E-17	2.2E+00	.	2.0E+02	6.2E-11	.	.
Potassium (19)	K-44	5.11E-12	3.73E-12	1.7E-12 (S)	6.56E-10	6.44E-01	.	1.30E+01	1.4E+01	.	2.2E+03	9.1E+01	1.2E+01	2.3E-18	1.2E+01	.	6.8E+04	3.5E-10	.	.
Potassium (19)	K-45	2.98E-12	2.18E-12	1.0E-12 (S)	4.99E-10	6.44E-01	.	1.30E+01	2.4E+01	.	2.9E+03	1.6E+02	2.1E+01	3.2E-18	2.1E+01	.	1.5E+05	6.2E-10	.	.
Potassium (19)	K-46	0.00E+00	0.00E+00	0.00E+00	8.11E-10	6.44E-01	.	1.30E+01	.	.	1.8E+03	.	1.8E+03	2.8E-17	1.8E+03	.	1.3E+08	5.4E-08	.	.
Krypton (36)	Kr-74	0.00E+00	0.00E+00	0.00E+00	2.56E-10	0.00E+00	.	.	.	.	5.6E+03	.	5.6E+03	9.4E-16	5.6E+03	.	.	.	.	.
Krypton (36)	Kr-75	0.00E+00	0.00E+00	0.00E+00	3.16E-10	0.00E+00	.	.	.	.	4.5E+03	.	4.5E+03	2.9E-16	4.5E+03	.	.	.	.	.
Krypton (36)	Kr-76	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	.	.	.	.	1.4E+04	.	1.4E+04	1.9E-13	1.4E+04	.	.	.	.	.
Krypton (36)	Kr-76+D	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	.	.	.	.	1.4E+04	.	1.4E+04	1.9E-13	1.4E+04	.	.	.	.	.
Krypton (36)	Kr-77	0.00E+00	0.00E+00	0.00E+00	2.52E-10	0.00E+00	.	.	.	.	5.7E+03	.	5.7E+03	6.4E-15	5.7E+03	.	.	.	.	.
Krypton (36)	Kr-79	0.00E+00	0.00E+00	0.00E+00	6.09E-11	0.00E+00	.	.	.	.	2.4E+04	.	2.4E+04	7.7E-13	2.4E+04	.	.	.	.	.
Krypton (36)	Kr-81	0.00E+00	0.00E+00	0.00E+00	2.07E-13	0.00E+00	.	.	.	.	6.9E+06	.	6.9E+06	1.3E-02	6.9E+06	.	.	.	.	.
Krypton (36)	Kr-81m	0.00E+00	0.00E+00	0.00E+00	3.03E-11	0.00E+00	.	.	.	.	4.7E+04	.	4.7E+04	1.7E-16	4.7E+04	.	.	.	.	.
Krypton (36)	Kr-83m	0.00E+00	0.00E+00	0.00E+00	5.11E-15	0.00E+00	.	.	.	.	2.8E+08	.	2.8E+08	5.0E-10	2.8E+08	.	.	.	.	.
Krypton (36)	Kr-85	0.00E+00	0.00E+00	0.00E+00	6.41E-13	0.00E+00	.	.	.	.	2.2E+06	.	2.2E+06	2.1E-07	2.2E+06	.	.	.	.	.
Krypton (36)	Kr-85m	0.00E+00	0.00E+00	0.00E+00	3.69E-11	0.00E+00	.	.	.	.	3.9E+04	.	3.9E+04	1.8E-13	3.9E+04	.	.	.	.	.
Krypton (36)	Kr-87	0.00E+00	0.00E+00	0.00E+00	2.16E-10	0.00E+00	.	.	.	.	6.7E+03	.	6.7E+03	8.7E-15	6.7E+03	.	.	.	.	.
Krypton (36)	Kr-88	0.00E+00	0.00E+00	0.00E+00	5.40E-10	0.00E+00	.	.	.	.	2.7E+03	.	2.7E+03	7.9E-15	2.7E+03	.	.	.	.	.
Krypton (36)	Kr-89	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	.	.	.	.	2.7E+03	.	2.7E+03	1.5E-16	2.7E+03	.	.	.	.	.
Lanthanum (57)	La-128	0.00E+00	0.00E+00	0.00E+00	7.13E-10	1.74E-05	.	5.30E+03	.	.	2.0E+03	.	2.0E+03	2.6E-16	2.0E+03	.	1.9E+10	6.9E-05	.	.
Lanthanum (57)	La-129	2.05E-12	1.47E-12	6.4E-13 (S)	2.23E-10	1.74E-05	.	5.30E+03	3.6E+01	.	6.4E+03	2.3E+02	3.1E+01	9.0E-18	3.1E+01	.	1.3E+08	1.1E-06	.	.
Lanthanum (57)	La-130	0.00E+00	0.00E+00	0.00E+00	5.65E-10	1.74E-05	.	5.30E+03	.	.	2.5E+03	.	2.5E+03	5.7E-16	2.5E+03	.	1.5E+10	8.8E-05	.	.
Lanthanum (57)	La-131	3.43E-12	2.43E-12	1.6E-12 (S)	1.57E-10	1.74E-05	.	5.30E+03	2.2E+01	.	9.1E+03	1.4E+02	1.9E+01	2.8E-17	1.9E+01	.	1.6E+07	6.5E-07	.	.
Lanthanum (57)	La-132	7.43E-11	5.14E-11	1.9E-11 (S)	5.14E-10	1.74E-05	.	5.30E+03	1.0E+00	.	2.8E+03	6.3E+00	8.7E-01	6.6E-18	8.7E-01	.	1.5E+05	3.1E-08	.	.
Lanthanum (57)	La-132m	5.84E-12	4.06E-12	1.7E-12 (S)	1.62E-10	1.74E-05	.	5.30E+03	1.3E+01	.	8.9E+03	8.0E+01	1.1E+01	7.0E-18	1.1E+01	.	2.3E+07	3.9E-07	.	.
Lanthanum (57)	La-133	5.45E-12	3.77E-12	1.6E-12 (S)	3.47E-11	1.74E-05	.	5.30E+03	1.4E+01	.	4.1E+04	8.5E+01	1.2E+01	7.3E-17	1.2E+01	.	2.5E+06	4.2E-07	.	.
Lanthanum (57)	La-134	0.00E+00	0.00E+00	0.00E+00	1.76E-10	1.74E-05	.	5.30E+03	.	.	8.1E+03	.	8.1E+03	1.4E-15	8.1E+03	.	6.3E+10	2.9E-04	.	.
Lanthanum (57)	La-135	5.70E-12	3.94E-12	1.4E-12 (S)	4.07E-12	1.74E-05	.	5.30E+03	1.3E+01	.	3.5E+05	8.2E+01	1.1E+01	3.6E-16	1.1E+01	.	4.9E+05	4.1E-07	.	.
Lanthanum (57)	La-136	0.00E+00	0.00E+00	0.00E+00	9.72E-11	1.74E-05	.	5.30E+03	.	.	1.5E+04	.	1.5E+04	3.9E-15	1.5E+04	.	7.5E+10	5.4E-04	.	.
Lanthanum (57)	La-137	1.37E-11	9.52E-12	3.8E-10 (F)	1.51E-12	1.74E-05	.	5.30E+03	5.5E+00	.	9.5E+05	9.6E+00	3.5E+00	3.0E-09	3.5E+00	.	1.8E+01	4.3E-04	.	.
Lanthanum (57)	La-138	1.34E-10	9.58E-11	8.2E-09 (F)	3.22E-10	1.74E-05	.	5.30E+03	5.5E-01	.	4.5E+03	9.8E-01	3.5E-01	5.1E-04	3.5E-01	.	1.9E+00	7.3E+01	.	.
Lanthanum (57)	La-140	4.29E-10	2.95E-10	1.4E-10 (S)	6.12E-10	1.74E-05	.	5.30E+03	1.8E-01	.	2.3E+03	1.1E+00	1.5E-01	1.0E-17	1.5E-01	.	3.2E+03	5.7E-09	.	.
Lanthanum (57)	La-141	7.68E-11	5.26E-11	2.2E-11 (S)	8.27E-12	1.74E-05	.	5.30E+03	9.9E-01	.	1.7E+05	6.1E+00	8.5E-01	5.6E-18	8.5E-01	.	1.8E+05	3.2E-08	.	.
Lanthanum (57)	La-142	2.14E-11	1.50E-11	6.7E-12 (S)	6.56E-10	1.74E-05	.	5.30E+03	3.5E+00	.	2.2E+03	2.2E+01	3.0E+00	7.7E-18	3.0E+00	.	1.7E+06	1.1E-07	.	.
Lanthanum (57)	La-143	4.84E-12	3.42E-12	1.6E-12 (S)	7.23E-11	1.74E-05	.	5.30E+03	1.5E+01	.	2.0E+04	9.6E+01	1.3E+01	5.3E-18	1.3E+01	.	4.7E+07	5.0E-07	.	.
Lutetium (71)	Lu-165	1.67E-12	1.20E-12	7.5E-13 (S)	2.75E-10	2.00E-03	.	5.10E+03	4.4E+01	.	5.2E+03	2.8E+02	3.7E+01	1.3E-17	3.7E+01	.	1.7E+08	1.6E-06	.	.
Lutetium (71)	Lu-167	5.09E-12	3.63E-12	2.5E-12 (S)	4.39E-10	2.00E-03	.	5.10E+03	1.4E+01	.	3.3E+03	9.1E+01	1.2E+01	2.1E-17	1.2E+01	.	1.2E+07	5.3E-07	.	.
Lutetium (71)	Lu-169	8.13E-11	5.72E-11	4.0E-11 (S)	3.35E-10	2.00E-03	.	5.10E+03	9.1E-01	.	4.3E+03	5.7E+00	7.9E-01	5.4E-17	7.9E-01	.	1.9E+04	3.4E-08	.	.
Lutetium (71)	Lu-169m	0.00E+00	0.00E+00	0.00E+00	9.09E-17	2.00E-03	.	5.10E+03	.	.	1.6E+10	.	1.6E+10	1.4E-09	1.6E+10	.	2.9E+17	6.9E+02	.	.
Lutetium (71)	Lu-170	1.38E-10	9.72E-11	5.5E-11 (S)	6.94E-10	2.00E-03	.	5.10E+03	5.4E-01	.	2.1E+03	3.4E+00	4.6E-01	4.5E-17	4.6E-01	.	7.7E+03	2.0E-08	.	.
Lutetium (71)	Lu-171	1.34E-10	9.25E-11	1.1E-10 (S)	1.54E-10	2.00E-03	.	5.10E+03	5.6E-01	.	9.3E+03	3.5E+00	4.9E-01	1.9E-16	4.9E-01	.	2.0E+03	2.1E-08	.	.
Lutetium (71)	Lu-171m	0.00E+00	0.00E+00	0.00E+00	5.27E-14	2.00E-03	.	5.10E+03	.	.	2.7E+07	.	2.7E+07	1.2E-12	2.7E+07	.	1.0E+15	1.2E+00	.	.
Lutetium (71)	Lu-172	2.17E-10	1.52E-10	1.6E-10 (S)	4.95E-10	2.00E-03	.	5.10E+03	3.4E-01	.	2.9E+03	2.1E+00	3.0E-01	9.7E-17	3.0E-01	.	1.5E+03	1.3E-08	.	.
Lutetium (71)	Lu-172m	0.00E+00	0.00E+00	0.00E+00	1.88E-16	2.00E-03	.	5.10E+03	.	.	7.6E+09	.	7.6E+09	9.6E-10	7.6E+09	.	9.9E+16	3.4E+02	.	.
Lutetium (71)	Lu-173	7.57E-11	5.22E-11	3.4E-10 (S)	3.50E-11	2.00E-03	.	5.10E+03	1.0E+00	.	4.1E+04	5.2E+00	8.4E-01	2.1E-14	8.4E-01	.	5.6E+01	3.7E-08	.	.
Lutetium (71)	Lu-174	6.14E-11	4.23E-11	4.1E-10 (S)	2.44E-11	2.00E-03	.	5.10E+03	1.2E+00	.	5.9E+04	5.2E+00	1.0E+00	6.0E-14	1.0E+00	.	2.8E+01	4.5E-08	.	.
Lutetium (71)	Lu-174m	1.38E-10	9.39E-11	4.2E-10 (S)	9.53E-12	2.00E-03	.	5.10E+03	5.6E-01	.	1.5E+05	3.2E+00	4.7E-01	3.3E-15	4.7E-01	.	1.1E+02	2.1E-08	.	.
Lutetium (71)	Lu-176	3.70E-10	2.55E-10	4.8E-09 (F)	1.13E-10	2.00E-03	.	5.10E+03	2.0E-01	.	1.3E+04	3.5E-01	1.3E-01	9.1E-05	1.3E-01	.	6.6E-01	1.3E+01	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Lutetium (71)	Lu-176m	3.32E-11	2.27E-11	1.2E-11 (S)	2.79E-12	2.00E-03	.	5.10E+03	2.3E+00	.	5.1E+05	1.4E+01	2.0E+00	1.5E-17	2.0E+00	.	4.4E+05	9.0E-08	.	.
Lutetium (71)	Lu-177	1.40E-10	9.53E-11	1.3E-10 (S)	7.92E-12	2.00E-03	.	5.10E+03	5.5E-01	.	1.8E+05	3.3E+00	4.7E-01	1.6E-16	4.7E-01	.	2.4E+03	2.1E-08	.	.
Lutetium (71)	Lu-177m	3.65E-10	2.51E-10	1.5E-09 (S)	2.31E-10	2.00E-03	.	5.10E+03	2.1E-01	.	6.2E+03	1.2E+00	1.8E-01	1.4E-15	1.8E-01	.	3.7E+01	8.1E-09	.	.
Lutetium (71)	Lu-178	3.17E-12	2.27E-12	1.4E-12 (S)	3.31E-11	2.00E-03	.	5.10E+03	2.3E+01	.	4.3E+04	1.5E+02	2.0E+01	2.0E-17	2.0E+01	.	3.4E+07	9.1E-07	.	.
Lutetium (71)	Lu-178m	2.34E-12	1.69E-12	1.5E-12 (S)	2.47E-10	2.00E-03	.	5.10E+03	3.1E+01	.	5.8E+03	2.0E+02	2.7E+01	2.2E-17	2.7E+01	.	5.6E+07	1.2E-06	.	.
Lutetium (71)	Lu-179	4.66E-11	3.19E-11	1.4E-11 (S)	7.35E-12	2.00E-03	.	5.10E+03	1.6E+00	.	2.0E+05	1.0E+01	1.4E+00	1.4E-17	1.4E+00	.	2.5E+05	6.5E-08	.	.
Lutetium (71)	Lu-180	0.00E+00	0.00E+00	0.00E+00	3.91E-10	2.00E-03	.	5.10E+03	.	.	3.7E+03	.	3.7E+03	7.4E-16	3.7E+03	.	3.1E+10	1.7E-04	.	.
Lutetium (71)	Lu-181	0.00E+00	0.00E+00	0.00E+00	1.39E-10	2.00E-03	.	5.10E+03	.	.	1.0E+04	.	1.0E+04	1.3E-15	1.0E+04	.	1.4E+11	4.8E-04	.	.
Magnesium (12)	Mg-27	0.00E+00	0.00E+00	0.00E+00	2.27E-10	3.00E-02	.	3.80E+00	.	.	6.3E+03	.	6.3E+03	3.2E-16	6.3E+03	.	2.5E+07	3.4E-08	.	.
Magnesium (12)	Mg-28	4.45E-10	3.06E-10	1.5E-10 (S)	3.53E-10	3.00E-02	.	3.80E+00	1.7E-01	.	4.1E+03	1.0E+00	1.5E-01	1.0E-18	1.5E-01	.	4.4E+00	8.3E-13	.	.
Manganese (25)	Mn-50m	0.00E+00	0.00E+00	0.00E+00	1.20E-09	2.44E-01	.	1.20E+03	.	.	1.2E+03	.	1.2E+03	2.1E-17	1.2E+03	.	7.8E+09	3.6E-06	.	.
Manganese (25)	Mn-51	7.96E-12	5.66E-12	2.7E-12 (S)	2.45E-10	2.44E-01	.	1.20E+03	9.2E+00	.	5.9E+03	5.8E+01	8.0E+00	3.7E-18	8.0E+00	.	2.0E+06	2.5E-08	.	.
Manganese (25)	Mn-52	2.45E-10	1.75E-10	1.3E-10 (S)	8.93E-10	2.44E-01	.	1.20E+03	3.0E-01	.	1.6E+03	1.9E+00	2.6E-01	2.1E-17	2.6E-01	.	3.6E+02	8.1E-10	.	.
Manganese (25)	Mn-52m	4.73E-12	3.42E-12	1.4E-12 (S)	6.22E-10	2.44E-01	.	1.20E+03	1.5E+01	.	2.3E+03	9.8E+01	1.3E+01	2.8E-18	1.3E+01	.	7.1E+06	4.1E-08	.	.
Manganese (25)	Mn-53	6.01E-12	4.17E-12	2.6E-11 (S)	0.00E+00	2.44E-01	.	1.20E+03	1.3E+01	.	.	1.3E+01	6.4E+00	1.3E-07	6.4E+00	.	7.7E+00	4.2E-03	.	.
Manganese (25)	Mn-54	8.39E-11	6.15E-11	3.3E-10 (S)	2.11E-10	2.44E-01	3.00E+02	1.20E+03	8.5E-01	.	6.8E+03	4.5E+00	7.1E-01	3.4E-15	7.1E-01	3.0E+02	1.8E+01	2.3E-09	7.6E+03	9.8E-07
Manganese (25)	Mn-56	4.01E-11	2.78E-11	1.2E-11 (S)	4.51E-10	2.44E-01	.	1.20E+03	1.9E+00	.	3.2E+03	1.2E+01	1.6E+00	2.8E-18	1.6E+00	.	1.2E+05	5.5E-09	.	.
Manganese (25)	Mn-57	0.00E+00	0.00E+00	0.00E+00	2.52E-11	2.44E-01	.	1.20E+03	.	.	5.7E+04	.	5.7E+04	9.1E-16	5.7E+04	.	4.5E+11	2.0E-04	.	.
Manganese (25)	Mn-58m	0.00E+00	0.00E+00	0.00E+00	6.28E-10	2.44E-01	.	1.20E+03	.	.	2.3E+03	.	2.3E+03	2.8E-17	2.3E+03	.	2.4E+10	8.0E-06	.	.
Molybdenum (42)	Mo-101	2.50E-12	1.82E-12	1.2E-12 (S)	3.85E-10	6.96E-01	.	4.00E+01	2.9E+01	.	3.7E+03	1.9E+02	2.5E+01	7.2E-18	2.5E+01	.	6.4E+05	5.1E-09	.	.
Molybdenum (42)	Mo-102	3.86E-12	2.81E-12	1.2E-12 (S)	4.51E-12	6.96E-01	.	4.00E+01	1.9E+01	.	3.2E+05	1.2E+02	1.6E+01	3.7E-18	1.6E+01	.	5.4E+05	3.3E-09	.	.
Molybdenum (42)	Mo-89	0.00E+00	0.00E+00	0.00E+00	3.06E-10	6.96E-01	.	4.00E+01	.	.	4.7E+03	.	4.7E+03	1.7E-16	4.7E+03	.	8.5E+08	8.5E-07	.	.
Molybdenum (42)	Mo-90	2.33E-11	1.75E-11	3.7E-11 (S)	2.01E-10	6.96E-01	.	4.00E+01	3.0E+00	.	7.1E+03	2.0E+01	2.6E+00	1.5E-17	2.6E+00	.	3.0E+03	4.7E-10	.	.
Molybdenum (42)	Mo-91	3.50E-12	2.55E-12	1.1E-12 (S)	2.42E-10	6.96E-01	.	4.00E+01	2.0E+01	.	5.9E+03	1.3E+02	1.8E+01	4.9E-18	1.8E+01	.	4.4E+05	3.3E-09	.	.
Molybdenum (42)	Mo-91m	0.00E+00	0.00E+00	0.00E+00	3.53E-10	6.96E-01	.	4.00E+01	.	.	4.1E+03	.	4.1E+03	7.8E-17	4.1E+03	.	1.4E+09	7.5E-07	.	.
Molybdenum (42)	Mo-93	1.05E-10	8.44E-11	1.5E-10 (S)	7.92E-14	6.96E-01	.	4.00E+01	6.2E-01	.	1.8E+07	4.3E-01	2.5E-01	9.8E-12	2.5E-01	.	1.0E-02	1.1E-08	.	.
Molybdenum (42)	Mo-93m	1.20E-11	9.01E-12	1.3E-11 (S)	6.03E-10	6.96E-01	.	4.00E+01	5.8E+00	.	2.4E+03	3.9E+01	5.0E+00	3.8E-17	5.0E+00	.	4.7E+03	9.5E-10	.	.
Molybdenum (42)	Mo-99	5.70E-11	4.32E-11	1.3E-10 (S)	3.69E-11	6.96E-01	.	4.00E+01	1.2E+00	.	3.9E+04	8.1E+00	1.1E+00	8.1E-17	1.1E+00	.	1.0E+02	2.1E-10	.	.
Nitrogen (7)	N-13	0.00E+00	0.00E+00	0.00E+00	2.50E-10	7.50E+00	.	5.00E-01	.	.	5.7E+03	.	5.7E+03	1.5E-16	5.7E+03	.	3.8E+06	2.6E-09	.	.
Nitrogen (7)	N-16	0.00E+00	0.00E+00	0.00E+00	1.45E-09	7.50E+00	.	5.00E-01	.	.	9.9E+02	.	9.9E+02	3.7E-19	9.9E+02	.	5.5E+07	5.6E-10	.	.
Sodium (11)	Na-22	3.41E-10	2.60E-10	2.6E-09 (S)	5.62E-10	8.70E-03	4.00E+02	3.40E+00	2.0E-01	.	2.6E+03	1.0E+00	1.7E-01	9.9E-16	1.7E-01	4.0E+02	4.2E-03	6.7E-13	1.0E+01	1.6E-09
Sodium (11)	Na-24	4.44E-11	3.32E-11	3.3E-11 (S)	1.16E-09	8.70E-03	.	3.40E+00	1.6E+00	.	1.2E+03	1.0E+01	1.4E+00	5.8E-18	1.4E+00	.	5.2E+01	6.0E-12	.	.
Niobium (41)	Nb-87	0.00E+00	0.00E+00	0.00E+00	2.98E-10	1.22E-02	.	1.50E+03	.	.	4.8E+03	.	4.8E+03	3.1E-16	4.8E+03	.	1.8E+10	3.2E-05	.	.
Niobium (41)	Nb-88	4.75E-12	3.46E-12	1.4E-12 (S)	1.07E-09	1.22E-02	.	1.50E+03	1.5E+01	.	1.3E+03	9.8E+01	1.3E+01	3.3E-18	1.3E+01	.	1.3E+07	8.6E-08	.	.
Niobium (41)	Nb-88m	0.00E+00	0.00E+00	0.00E+00	1.05E-09	1.22E-02	.	1.50E+03	.	.	1.4E+03	.	1.4E+03	1.9E-16	1.4E+03	.	2.5E+09	9.1E-06	.	.
Niobium (41)	Nb-89	3.97E-11	2.75E-11	1.1E-11 (S)	3.57E-10	1.22E-02	.	1.50E+03	1.9E+00	.	4.0E+03	1.2E+01	1.6E+00	3.5E-18	1.6E+00	.	1.9E+05	1.1E-08	.	.
Niobium (41)	Nb-89m	1.50E-11	1.06E-11	4.9E-12 (S)	3.22E-10	1.22E-02	.	1.50E+03	4.9E+00	.	4.5E+03	3.1E+01	4.2E+00	4.9E-18	4.2E+00	.	9.1E+05	2.9E-08	.	.
Niobium (41)	Nb-90	2.21E-10	1.54E-10	6.5E-11 (S)	1.14E-09	1.22E-02	.	1.50E+03	3.4E-01	.	1.3E+03	2.1E+00	2.9E-01	4.5E-18	2.9E-01	.	4.7E+03	2.0E-09	.	.
Niobium (41)	Nb-91	1.06E-11	7.23E-12	1.4E-10 (S)	4.54E-13	1.22E-02	.	1.50E+03	7.2E+00	.	3.2E+06	1.2E+01	4.5E+00	2.9E-11	4.5E+00	.	6.9E+00	1.2E-06	.	.
Niobium (41)	Nb-91m	1.06E-10	7.26E-11	3.9E-10 (S)	6.56E-12	1.22E-02	.	1.50E+03	7.2E-01	.	2.2E+05	4.3E+00	6.2E-01	9.7E-16	6.2E-01	.	1.0E+02	4.2E-09	.	.
Niobium (41)	Nb-92	1.24E-10	8.97E-11	2.0E-09 (S)	3.76E-10	1.22E-02	.	1.50E+03	5.8E-01	.	3.8E+03	1.0E+00	3.7E-01	1.2E-07	3.7E-01	.	5.6E-01	5.0E-03	.	.
Niobium (41)	Nb-92m	6.41E-11	4.57E-11	3.9E-11 (S)	2.45E-10	1.22E-02	.	1.50E+03	1.1E+00	.	5.9E+03	7.2E+00	9.9E-01	2.6E-16	9.9E-01	.	9.6E+02	6.9E-09	.	.
Niobium (41)	Nb-93m	3.29E-11	2.25E-11	1.6E-10 (S)	1.42E-14	1.22E-02	.	1.50E+03	2.3E+00	.	1.0E+08	5.5E+00	1.6E+00	2.5E-13	1.6E+00	.	4.1E+00	1.7E-08	.	.
Niobium (41)	Nb-94	3.00E-10	2.10E-10	3.6E-09 (S)	3.91E-10	1.22E-02	6.18E+00	1.50E+03	2.5E-01	.	3.7E+03	4.2E-01	1.6E-01	3.1E-11	1.6E-01	6.2E+00	2.4E-01	1.3E-06	9.3E+00	5.0E-05
Niobium (41)	Nb-94m	0.00E+00	0.00E+00	0.00E+00	1.17E-12	1.22E-02	.	1.50E+03	.	.	1.2E+06	.	1.2E+06	1.4E-13	1.2E+06	.	2.8E+12	8.7E-03	.	.
Niobium (41)	Nb-95	9.46E-11	6.63E-11	1.7E-10 (S)	1.92E-10	1.22E-02	.	1.50E+03	7.9E-01	.	7.5E+03	4.8E+00	6.8E-01	6.4E-16	6.8E-01	.	1.9E+02	4.9E-09	.	.
Niobium (41)	Nb-95m	1.56E-10	1.06E-10	1.0E-10 (S)	1.51E-11	1.22E-02	.	1.50E+03	4.9E-01	.	9.5E+04	3.0E+00	4.2E-01	4.1E-17	4.2E-01	.	1.2E+03	3.0E-09	.	.
Niobium (41)	Nb-96	1.96E-10	1.36E-10	6.6E-11 (S)	6.25E-10	1.22E-02	.	1.50E+03	3.8E-01	.	2.3E+03	2.4E+00	3.3E-01	8.8E-18	3.3E-01	.	3.4E+03	2.4E-09	.	.
Niobium (41)	Nb-97	7.55E-12	5.30E-12	3.1E-12 (S)	1.66E-10	1.22E-02	.	1.50E+03	9.9E+00	.	8.7E+03	6.2E+01	8.5E+00	1.2E-17	8.5E+00	.	1.7E+06	6.2E-08	.	.
Niobium (41)	Nb-98m	1.01E-11	7.17E-12	3.4E-12 (S)	7.26E-10	1.22E-02	.	1.50E+03	7.3E+00	.	2.0E+03	4.6E+01	6.3E+00	6.2E-18	6.3E+00	.	1.7E+06	4.7E-08	.	.
Niobium (41)	Nb-99	0.00E+00	0.00E+00	0.00E+00	4.01E-11	1.22E-02	.	1.50E+03	.	.	3.6E+04	.	3.6E+04	1.7E-16	3.6E+04	.	2.0E+12	2.7E-04	.	.
Niobium (41)	Nb-99m	0.00E+00	0.00E+00	0.00E+00	2.09E-10	1.22E-02	.	1.50E+03	.	.	6.9E+03	.	6.9E+03	3.5E-16	6.9E+03	.	3.7E+10	5.1E-05	.	.
Neodymium (60)	Nd-134	0.00E+00	0.00E+00	0.00E+00	1.27E-10	2.00E-03	.	6.50E+02	.	.	1.1E+04	.	1.1E+04	2.5E-15	1.1E+04	.	8.2E+09	5.0E-05	.	.
Neodymium (60)	Nd-135	4.16E-12	3.00E-12	1.4E-12 (S)	3.06E-10	2.00E-03	.	6.50E+02	1.7E+01	.	4.7E+03	1.1E+02	1.5E+01	5.0E-18	1.5E+01	.	7.5E+06	6.7E-08	.	.
Neodymium (60)	Nd-136	1.03E-11	7.32E-12	3.6E-12 (S)	6.03E-11	2.00E-03	.	6.50E+02	7.1E+00	.	2.4E+04	4.5E+01	6.2E+00	8.4E-18	6.2E+00	.	7.5E+05	2.7E-08	.	.
Neodymium (60)	Nd-137	5.73E-12	4.05E-12	1.9E-12 (S)	2.93E-10	2.00E-03	.	6.50E+02	1.3E+01	.	4.9E+03	8.1E+01	1.1E+01	1.2E-17	1.1E+01	.	1.8E+06	5.0E-08	.	.
Neodymium (60)	Nd-138	1.35E-10	9.26E-11	3.4E-11 (S)	5.74E-12	2.00E-03	.	6.50E+02	5.6E-01	.	2.5E+05	3.4E+00	4.8E-01	4.0E-18	4.8E-01	.	9.9E+03	2.2E-09	.	.
Neodymium (60)	Nd-139	1.98E-12	1.40E-12	6.7E-13 (S)	1.06E-10	2.00E-03	.	6.50E+02	3.7E+01	.	1.3E+04	2.3E+02	3.2E+01	2.6E-17	3.2E+01	.	6.7E+06	1.5E-07	.	.
Neodymium (60)	Nd-139m	3.89E-11	2.72E-11	1.3E-11 (S)	3.94E-10	2.00E-03	.	6.50E+02	1.9E+00	.	3.6E+03	1.2E+01	1.7E+00	1.5E-17	1.7E+00	.	3.1E+04	7.5E-09	.	.
Neodymium (60)	Nd-140	4.91E-10	3.36E-10	1.6E-10 (S)	2.23E-12	2.00E-03	.	6.50E+02	1.6E-01	.	6.4E+05	9.5E-01	1.3E-01	1.8E-17	1.3E-01	.	1.7E+02	6.1E-10	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Neodymium (60)	Nd-141	1.22E-12	8.49E-13	3.7E-13 (S)	1.43E-11	2.00E-03	.	6.50E+02	6.2E+01	.	1.0E+05	3.8E+02	5.3E+01	2.2E-16	5.3E+01	.	2.2E+06	2.4E-07	.	.
Neodymium (60)	Nd-141m	0.00E+00	0.00E+00	0.0E+00 (0)	1.74E-10	2.00E-03	.	6.50E+02	.	.	8.3E+03	.	8.3E+03	2.4E-16	8.3E+03	.	4.9E+10	3.8E-05	.	.
Neodymium (60)	Nd-144	1.06E-09	8.29E-10	2.8E-07 (F)	0.00E+00	2.00E-03	.	6.50E+02	6.3E-02	.	.	1.2E-01	4.2E-02	1.4E+00	4.2E-02	.	2.7E-02	2.5E+04	.	.
Neodymium (60)	Nd-147	2.76E-10	1.89E-10	2.5E-10 (S)	3.07E-11	2.00E-03	.	6.50E+02	2.8E-01	.	4.7E+04	1.7E+00	2.4E-01	1.1E-16	2.4E-01	.	9.2E+01	1.1E-09	.	.
Neodymium (60)	Nd-149	2.13E-11	1.47E-11	8.6E-12 (S)	8.77E-11	2.00E-03	.	6.50E+02	3.6E+00	.	1.6E+04	2.2E+01	3.1E+00	9.3E-18	3.1E+00	.	1.8E+05	1.5E-08	.	.
Neodymium (60)	Nd-151	2.73E-12	1.93E-12	1.0E-12 (S)	2.14E-10	2.00E-03	.	6.50E+02	2.7E+01	.	6.7E+03	1.7E+02	2.3E+01	8.6E-18	2.3E+01	.	1.2E+07	1.2E-07	.	.
Neodymium (60)	Nd-152	2.85E-12	2.07E-12	1.1E-12 (S)	3.91E-11	2.00E-03	.	6.50E+02	2.5E+01	.	3.7E+04	1.6E+02	2.2E+01	7.5E-18	2.2E+01	.	1.2E+07	1.1E-07	.	.
Neon (10)	Ne-19	0.00E+00	0.00E+00	0.00E+00	2.51E-10	0.00E+00	.	.	.	.	5.7E+03	.	5.7E+03	6.1E-18	5.7E+03	.	.	.	.	.
Neon (10)	Ne-24	0.00E+00	0.00E+00	0.00E+00	1.33E-10	0.00E+00	.	.	.	.	1.1E+04	.	1.1E+04	1.7E-16	1.1E+04	.	.	.	.	.
Nickel (28)	Ni-56	1.07E-10	7.66E-11	1.1E-10 (V)	4.32E-10	2.35E-02	.	2.80E+02	6.8E-01	.	3.3E+03	4.3E+00	5.9E-01	5.7E-17	5.9E-01	.	1.8E+02	4.7E-10	.	.
Nickel (28)	Ni-57	1.58E-10	1.10E-10	5.5E-11 (S)	5.08E-10	2.35E-02	.	2.80E+02	4.8E-01	.	2.8E+03	2.9E+00	4.1E-01	9.8E-18	4.1E-01	.	5.1E+02	3.3E-10	.	.
Nickel (28)	Ni-59	1.04E-11	7.34E-12	6.5E-11 (V)	3.79E-15	2.35E-02	3.00E+02	2.80E+02	7.1E+00	.	3.8E+08	1.2E+01	4.4E+00	2.7E-09	4.4E+00	3.0E+02	1.2E+00	2.1E-05	8.4E+01	1.4E-03
Nickel (28)	Ni-63	2.62E-11	1.84E-11	1.6E-10 (V)	0.00E+00	2.35E-02	5.00E+01	2.80E+02	2.8E+00	.	.	5.0E+00	1.8E+00	1.2E-12	1.8E+00	5.0E+01	5.6E-01	9.8E-09	1.5E+01	2.7E-07
Nickel (28)	Ni-65	2.71E-11	1.87E-11	1.9E-11 (V)	1.48E-10	2.35E-02	.	2.80E+02	2.8E+00	.	9.7E+03	1.7E+01	2.4E+00	4.7E-18	2.4E+00	.	4.2E+04	2.2E-09	.	.
Nickel (28)	Ni-66	7.98E-10	5.44E-10	2.7E-10 (S)	7.10E-15	2.35E-02	.	2.80E+02	9.6E-02	.	2.0E+08	5.8E-01	8.2E-02	3.5E-18	8.2E-02	.	6.7E+01	7.7E-11	.	.
Neptunium (93)	Np-232	7.33E-13	5.36E-13	1.4E-12 (S)	2.94E-10	2.52E-03	.	2.00E-01	9.7E+01	.	4.9E+03	6.3E+02	8.3E+01	5.6E-17	8.3E+01	.	2.1E+04	3.9E-10	.	.
Neptunium (93)	Np-233	1.95E-13	1.40E-13	8.4E-14 (S)	1.84E-11	2.52E-03	.	2.00E-01	3.7E+02	.	7.8E+04	2.4E+03	3.2E+02	5.3E-16	3.2E+02	.	3.4E+04	1.5E-09	.	.
Neptunium (93)	Np-234	1.06E-10	7.45E-11	4.4E-11 (S)	2.89E-10	2.52E-03	.	2.00E-01	7.0E-01	.	5.0E+03	4.4E+00	6.0E-01	1.8E-16	6.0E-01	.	3.6E-01	2.9E-12	.	.
Neptunium (93)	Np-235	1.48E-11	1.01E-11	5.5E-11 (S)	1.49E-13	2.52E-03	.	2.00E-01	5.2E+00	.	9.7E+06	2.7E+01	4.3E+00	1.1E-13	4.3E+00	.	2.9E-02	2.1E-11	.	.
Neptunium (93)	Np-235+D	1.48E-11	1.01E-11	5.5E-11 (S)	1.49E-13	2.52E-03	.	2.00E-01	5.2E+00	.	9.7E+06	2.7E+01	4.3E+00	1.1E-13	4.3E+00	.	2.9E-02	2.1E-11	.	.
Neptunium (93)	Np-236	4.93E-10	3.60E-10	9.1E-08 (F)	3.02E-11	2.52E-03	.	2.00E-01	1.5E-01	.	4.8E+04	2.6E-01	9.4E-02	3.5E-10	9.4E-02	.	3.7E-05	3.8E-09	.	.
Neptunium (93)	Np-236m	4.47E-11	3.05E-11	3.5E-10 (S)	1.02E-11	2.52E-03	.	2.00E-01	1.7E+00	.	1.4E+05	1.0E+01	1.5E+00	9.2E-17	1.5E+00	.	4.1E+00	7.0E-12	.	.
Neptunium (93)	Np-237	2.24E-09	1.68E-09	7.8E-07 (S)	4.64E-12	2.52E-03	1.50E+01	2.00E-01	3.1E-02	.	3.1E+05	5.8E-02	2.0E-02	1.1E-09	2.0E-02	1.5E+01	8.1E-06	1.2E-08	6.0E-03	8.5E-06
Neptunium (93)	Np-237+D	2.48E-09	1.85E-09	7.8E-07 (S)	5.52E-11	2.52E-03	1.50E+01	2.00E-01	2.8E-02	.	2.6E+04	5.2E-02	1.8E-02	9.7E-10	1.8E-02	1.5E+01	7.3E-06	1.0E-08	6.0E-03	8.5E-06
Neptunium (93)	Np-238	2.06E-10	1.41E-10	1.4E-10 (S)	1.49E-10	2.52E-03	.	2.00E-01	3.7E-01	.	9.6E+03	2.3E+00	3.2E-01	4.6E-17	3.2E-01	.	4.0E-01	1.5E-12	.	.
Neptunium (93)	Np-239	2.06E-10	1.41E-10	1.2E-10 (S)	3.98E-11	2.52E-03	.	2.00E-01	3.7E-01	.	3.6E+04	2.3E+00	3.2E-01	5.1E-17	3.2E-01	.	3.6E-01	1.5E-12	.	.
Neptunium (93)	Np-240	7.36E-12	5.21E-12	4.6E-12 (S)	2.60E-10	2.52E-03	.	2.00E-01	1.0E+01	.	5.5E+03	6.3E+01	8.6E+00	2.5E-17	8.6E+00	.	5.3E+02	4.2E-11	.	.
Neptunium (93)	Np-240m	0.00E+00	0.00E+00	0.00E+00	8.02E-11	2.52E-03	.	2.00E-01	.	.	1.8E+04	.	1.8E+04	6.1E-15	1.8E+04	.	9.4E+06	8.7E-08	.	.
Neptunium (93)	Np-241	9.15E-13	6.63E-13	5.2E-13 (S)	8.46E-12	2.52E-03	.	2.00E-01	7.9E+01	.	1.7E+05	5.1E+02	6.8E+01	4.5E-17	6.8E+01	.	1.9E+04	3.3E-10	.	.
Neptunium (93)	Np-242	0.00E+00	0.00E+00	0.00E+00	7.07E-11	2.52E-03	.	2.00E-01	.	.	2.0E+04	.	2.0E+04	2.1E-15	2.0E+04	.	3.5E+07	9.9E-08	.	.
Neptunium (93)	Np-242m	0.00E+00	0.00E+00	0.00E+00	2.27E-10	2.52E-03	.	2.00E-01	.	.	6.3E+03	.	6.3E+03	1.7E-15	6.3E+03	.	4.4E+06	3.1E-08	.	.
Oxygen (8)	O-14	0.00E+00	0.00E+00	0.00E+00	8.99E-10	6.00E-01	.	.	.	.	1.6E+03	.	1.6E+03	5.2E-18	1.6E+03	.	.	.	.	.
Oxygen (8)	O-15	0.00E+00	0.00E+00	0.00E+00	2.50E-10	6.00E-01	.	.	.	.	5.7E+03	.	5.7E+03	3.5E-17	5.7E+03	.	.	.	.	.
Oxygen (8)	O-19	0.00E+00	0.00E+00	0.00E+00	2.47E-10	6.00E-01	.	.	.	.	5.8E+03	.	5.8E+03	9.6E-18	5.8E+03	.	.	.	.	.
Osmium (76)	Os-180	1.42E-12	1.03E-12	7.2E-13 (S)	2.55E-11	3.00E-02	.	4.50E+02	5.1E+01	.	5.6E+04	3.3E+02	4.4E+01	3.4E-17	4.4E+01	.	8.7E+06	1.8E-07	.	.
Osmium (76)	Os-181	1.38E-11	9.69E-12	5.1E-12 (S)	3.47E-10	3.00E-02	.	4.50E+02	5.4E+00	.	4.1E+03	3.4E+01	4.6E+00	1.7E-17	4.6E+00	.	1.9E+05	1.9E-08	.	.
Osmium (76)	Os-182	1.04E-10	7.24E-11	4.1E-11 (S)	9.97E-11	3.00E-02	.	4.50E+02	7.2E-01	.	1.4E+04	4.5E+00	6.2E-01	3.0E-17	6.2E-01	.	2.0E+03	2.6E-09	.	.
Osmium (76)	Os-183	4.04E-11	2.81E-11	1.8E-11 (S)	1.46E-10	3.00E-02	.	4.50E+02	1.9E+00	.	9.8E+03	1.2E+01	1.6E+00	4.5E-17	1.6E+00	.	8.7E+03	6.7E-09	.	.
Osmium (76)	Os-183m	3.17E-11	2.23E-11	1.2E-11 (S)	2.55E-10	3.00E-02	.	4.50E+02	2.3E+00	.	5.6E+03	1.5E+01	2.0E+00	4.3E-17	2.0E+00	.	1.4E+04	8.4E-09	.	.
Osmium (76)	Os-185	7.08E-11	5.02E-11	1.6E-10 (S)	1.68E-10	3.00E-02	.	4.50E+02	1.0E+00	.	8.5E+03	6.3E+00	8.9E-01	4.4E-15	8.9E-01	.	2.8E+01	3.8E-09	.	.
Osmium (76)	Os-186	2.83E-09	2.12E-09	3.2E-07 (S)	0.00E+00	3.00E-02	.	4.50E+02	2.5E-02	.	.	4.3E-02	1.6E-02	6.0E-01	1.6E-02	.	7.1E-03	7.3E+03	.	.
Osmium (76)	Os-189m	3.91E-12	2.67E-12	8.9E-13 (S)	3.98E-16	3.00E-02	.	4.50E+02	2.0E+01	.	3.6E+09	1.2E+02	1.7E+01	2.2E-16	1.7E+01	.	2.1E+05	7.2E-08	.	.
Osmium (76)	Os-190m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	3.00E-02	.	4.50E+02	.	.	3.7E+03	.	3.7E+03	1.4E-15	3.7E+03	.	1.6E+09	1.6E-05	.	.
Osmium (76)	Os-191	1.47E-10	1.00E-10	2.0E-10 (S)	1.60E-11	3.00E-02	.	4.50E+02	5.2E-01	.	9.0E+04	3.1E+00	4.5E-01	3.7E-16	4.5E-01	.	8.6E+01	1.9E-09	.	.
Osmium (76)	Os-191m	2.49E-11	1.70E-11	1.8E-11 (S)	9.78E-13	3.00E-02	.	4.50E+02	3.1E+00	.	1.5E+06	1.9E+01	2.6E+00	7.8E-17	2.6E+00	.	1.4E+04	1.1E-08	.	.
Osmium (76)	Os-193	2.14E-10	1.46E-10	7.5E-11 (S)	1.55E-11	3.00E-02	.	4.50E+02	3.6E-01	.	9.2E+04	2.2E+00	3.1E-01	2.1E-17	3.1E-01	.	7.3E+02	1.3E-09	.	.
Osmium (76)	Os-194	6.15E-10	4.22E-10	6.9E-09 (S)	2.63E-13	3.00E-02	.	4.50E+02	1.2E-01	.	5.5E+06	4.1E-01	9.5E-02	1.1E-14	9.5E-02	.	1.4E-01	4.4E-10	.	.
Osmium (76)	Os-194+D	9.57E-10	6.55E-10	7.0E-09 (S)	2.36E-11	3.00E-02	.	4.50E+02	8.0E-02	.	6.1E+04	2.6E-01	6.1E-02	7.4E-15	6.1E-02	.	8.7E-02	2.8E-10	.	.
Osmium (76)	Os-196	8.22E-12	5.86E-12	3.4E-12 (S)	1.88E-11	3.00E-02	.	4.50E+02	8.9E+00	.	7.6E+04	5.7E+01	7.7E+00	1.0E-17	7.7E+00	.	9.4E+05	3.4E-08	.	.
Phosphorus (15)	P-30	0.00E+00	0.00E+00	0.00E+00	2.52E-10	1.74E-01	.	9.00E+01	.	.	5.7E+03	.	5.7E+03	8.4E-17	5.7E+03	.	1.9E+09	7.8E-07	.	.
Phosphorus (15)	P-32	3.32E-10	2.42E-10	3.8E-10 (S)	5.65E-13	1.74E-01	.	9.00E+01	2.2E-01	.	2.5E+06	1.4E+00	1.9E-01	2.4E-17	1.9E-01	.	7.8E+00	2.7E-11	.	.
Phosphorus (15)	P-33	3.67E-11	2.64E-11	1.7E-10 (S)	7.54E-15	1.74E-01	.	9.00E+01	2.0E+00	.	1.9E+08	1.2E+01	1.7E+00	4.1E-16	1.7E+00	.	4.0E+01	2.6E-10	.	.
Protactinium (91)	Pa-227	3.69E-11	2.62E-11	5.7E-09 (S)	3.88E-12	1.00E-02	.	2.00E+03	2.0E+00	.	3.7E+05	1.3E+01	1.7E+00	3.0E-18	1.7E+00	.	8.5E+05	3.9E-08	.	.
Protactinium (91)	Pa-228	1.38E-10	9.58E-11	6.5E-09 (S)	3.44E-10	1.00E-02	.	2.00E+03	5.5E-01	.	4.2E+03	3.4E+00	4.7E-01	2.8E-17	4.7E-01	.	6.7E+03	1.1E-08	.	.
Protactinium (91)	Pa-229	1.80E-11	1.24E-11	6.6E-10 (S)	1.27E-11	1.00E-02	.	2.00E+03	4.2E+00	.	1.1E+05	2.6E+01	3.6E+00	3.5E-16	3.6E+00	.	3.2E+04	8.4E-08	.	.
Protactinium (91)	Pa-230	1.44E-10	1.00E-10	6.2E-08 (S)	1.65E-10	1.00E-02	.	2.00E+03	5.2E-01	.	8.7E+03	3.2E+00	4.5E-01	5.1E-16	4.5E-01	.	3.4E+02	1.0E-08	.	.
Protactinium (91)	Pa-231	6.10E-09	4.66E-09	2.1E-06 (F)	7.92E-12	1.00E-02	1.50E+01	2.00E+03	1.1E-02	.	1.8E+05	2.1E-02	7.3E-03	5.7E-12	7.3E-03	1.5E+01	1.5E-02	3.1E-07	3.0E+01	6.4E-04
Protactinium (91)	Pa-232	1.36E-10	9.38E-11	1.9E-10 (S)	2.34E-10	1.00E-02	.	2.00E+03	5.6E-01	.	6.1E+03	3.4E+00	4.8E-01	4.1E-17	4.8E-01	.	4.8E+03	1.1E-08	.	.
Protactinium (91)	Pa-233	2.42E-10	1.66E-10	4.1E-10 (S)	5.05E-11	1.00E-02	.	2.00E+03	3.1E-01	.	2.8E+04	1.9E+00	2.7E-01	4.8E-16	2.7E-01	.	1.3E+02	6.3E-09	.	.
Protactinium (91)	Pa-234	8.11E-11	5.60E-11	3.2E-11 (S)	3.66E-10	1.00E-02	.	2.00E+03	9.3E-01	.	3.9E+03	5.7E+00	8.0E-01	1.5E-17	8.0E-01	.	3.8E+04	1.9E-08	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Protactinium (91)	Pa-234m	0.00E+00	0.00E+00	0.00E+00	4.92E-12	1.00E-02	.	2.00E+03	.	.	2.9E+05	.	2.9E+05	1.6E-14	2.9E+05	.	4.7E+12	6.9E-03	.	.
Protactinium (91)	Pa-235	1.73E-12	1.24E-12	8.6E-13 (S)	3.03E-13	1.00E-02	.	2.00E+03	4.2E+01	.	4.7E+06	2.7E+02	3.6E+01	4.1E-17	3.6E+01	.	2.8E+07	8.6E-07	.	.
Protactinium (91)	Pa-236	0.00E+00	0.00E+00	0.00E+00	2.39E-10	1.00E-02	.	2.00E+03	.	.	6.0E+03	.	6.0E+03	2.5E-15	6.0E+03	.	1.3E+10	1.4E-04	.	.
Protactinium (91)	Pa-237	0.00E+00	0.00E+00	0.00E+00	1.53E-10	1.00E-02	.	2.00E+03	.	.	9.4E+03	.	9.4E+03	3.8E-15	9.4E+03	.	2.0E+10	2.2E-04	.	.
Lead (82)	Pb-194	1.47E-12	1.07E-12	6.1E-13 (S)	2.72E-10	9.57E-03	.	1.50E+02	4.9E+01	.	5.3E+03	3.2E+02	4.2E+01	1.9E-17	4.2E+01	.	5.0E+06	6.2E-08	.	.
Lead (82)	Pb-195m	1.96E-12	1.43E-12	1.1E-12 (S)	4.07E-10	9.57E-03	.	1.50E+02	3.7E+01	.	3.5E+03	2.4E+02	3.1E+01	1.8E-17	3.1E+01	.	3.0E+06	4.6E-08	.	.
Lead (82)	Pb-196	2.63E-12	1.90E-12	1.3E-12 (S)	1.15E-10	9.57E-03	.	1.50E+02	2.8E+01	.	1.2E+04	1.8E+02	2.4E+01	3.4E-17	2.4E+01	.	9.1E+05	3.5E-08	.	.
Lead (82)	Pb-197	0.00E+00	0.00E+00	0.00E+00	3.94E-10	9.57E-03	.	1.50E+02	.	.	3.6E+03	.	3.6E+03	1.1E-15	3.6E+03	.	6.5E+08	5.4E-06	.	.
Lead (82)	Pb-197m	4.15E-12	2.99E-12	2.7E-12 (S)	2.87E-10	9.57E-03	.	1.50E+02	1.7E+01	.	5.0E+03	1.1E+02	1.5E+01	2.5E-17	1.5E+01	.	5.0E+05	2.3E-08	.	.
Lead (82)	Pb-198	9.81E-12	7.04E-12	4.2E-12 (S)	1.02E-10	9.57E-03	.	1.50E+02	7.4E+00	.	1.4E+04	4.7E+01	6.4E+00	3.6E-17	6.4E+00	.	6.3E+04	9.6E-09	.	.
Lead (82)	Pb-199	4.50E-12	3.22E-12	1.9E-12 (S)	2.64E-10	9.57E-03	.	1.50E+02	1.6E+01	.	5.4E+03	1.0E+02	1.4E+01	4.9E-17	1.4E+01	.	2.2E+05	2.1E-08	.	.
Lead (82)	Pb-200	6.10E-11	4.29E-11	3.5E-11 (S)	4.45E-11	9.57E-03	.	1.50E+02	1.2E+00	.	3.2E+04	7.6E+00	1.1E+00	5.3E-17	1.1E+00	.	1.2E+03	1.6E-09	.	.
Lead (82)	Pb-201	2.29E-11	1.62E-11	1.1E-11 (S)	1.84E-10	9.57E-03	.	1.50E+02	3.2E+00	.	7.8E+03	2.0E+01	2.8E+00	6.2E-17	2.8E+00	.	7.1E+03	4.2E-09	.	.
Lead (82)	Pb-201m	0.00E+00	0.00E+00	0.00E+00	8.90E-11	9.57E-03	.	1.50E+02	.	.	1.6E+04	.	1.6E+04	6.5E-16	1.6E+04	.	2.3E+10	2.5E-05	.	.
Lead (82)	Pb-202	1.22E-09	9.12E-10	3.7E-09 (S)	1.91E-15	9.57E-03	.	1.50E+02	5.7E-02	.	7.5E+08	1.0E-01	3.7E-02	4.1E-11	3.7E-02	.	5.6E-03	1.7E-07	.	.
Lead (82)	Pb-202+D	1.27E-09	9.52E-10	3.8E-09 (S)	1.09E-10	9.57E-03	.	1.50E+02	5.5E-02	.	1.3E+04	1.0E-01	3.5E-02	3.9E-11	3.5E-02	.	5.3E-03	1.6E-07	.	.
Lead (82)	Pb-202m	1.81E-11	1.29E-11	7.2E-12 (S)	4.99E-10	9.57E-03	.	1.50E+02	4.1E+00	.	2.9E+03	2.6E+01	3.5E+00	3.0E-17	3.5E+00	.	2.3E+04	5.3E-09	.	.
Lead (82)	Pb-203	4.01E-11	2.81E-11	2.3E-11 (S)	7.13E-11	9.57E-03	.	1.50E+02	1.9E+00	.	2.0E+04	1.2E+01	1.6E+00	2.0E-16	1.6E+00	.	7.3E+02	2.5E-09	.	.
Lead (82)	Pb-204m	4.76E-12	3.44E-12	1.5E-12 (S)	5.21E-10	9.57E-03	.	1.50E+02	1.5E+01	.	2.8E+03	9.8E+01	1.3E+01	3.5E-17	1.3E+01	.	2.8E+05	2.0E-08	.	.
Lead (82)	Pb-205	2.17E-11	1.67E-11	6.2E-11 (S)	1.93E-15	9.57E-03	.	1.50E+02	3.1E+00	.	7.4E+08	5.9E+00	2.0E+00	6.6E-07	2.0E+00	.	3.1E-01	2.7E-03	.	.
Lead (82)	Pb-209	9.42E-12	6.51E-12	5.6E-12 (S)	6.28E-14	9.57E-03	.	1.50E+02	8.0E+00	.	2.3E+07	4.9E+01	6.9E+00	5.6E-17	6.9E+00	.	5.0E+04	1.1E-08	.	.
Lead (82)	Pb-210	3.18E-08	2.39E-08	4.3E-07 (S)	2.46E-13	9.57E-03	5.41E-02	1.50E+02	2.2E-03	.	5.8E+06	5.3E-03	1.5E-03	7.5E-16	1.5E-03	5.4E-02	3.4E-04	4.4E-12	1.2E-02	1.6E-10
Lead (82)	Pb-211	1.57E-11	1.11E-11	1.1E-09 (S)	1.63E-11	9.57E-03	.	1.50E+02	4.7E+00	.	8.8E+04	3.0E+01	4.1E+00	6.1E-18	4.1E+00	.	1.6E+05	6.5E-09	.	.
Lead (82)	Pb-212	9.64E-10	6.80E-10	1.7E-08 (S)	3.31E-11	9.57E-03	.	1.50E+02	7.7E-02	.	4.3E+04	4.8E-01	6.6E-02	1.8E-18	6.6E-02	.	1.5E+02	1.1E-10	.	.
Lead (82)	Pb-214	1.31E-11	9.31E-12	1.1E-09 (S)	6.03E-11	9.57E-03	.	1.50E+02	5.6E+00	.	2.4E+04	3.6E+01	4.8E+00	5.5E-18	4.8E+00	.	2.6E+05	7.9E-09	.	.
Palladium (46)	Pd-100	1.47E-10	1.03E-10	7.8E-11 (S)	1.96E-11	1.00E-01	.	1.80E+02	5.1E-01	.	7.3E+04	3.2E+00	4.4E-01	4.5E-17	4.4E-01	.	1.4E+02	4.0E-10	.	.
Palladium (46)	Pd-101	1.59E-11	1.11E-11	5.1E-12 (S)	8.14E-11	1.00E-01	.	1.80E+02	4.7E+00	.	1.8E+04	2.9E+01	4.1E+00	4.1E-17	4.1E+00	.	1.4E+04	3.7E-09	.	.
Palladium (46)	Pd-103	4.94E-11	3.37E-11	4.8E-11 (S)	2.48E-13	1.00E-01	.	1.80E+02	1.6E+00	.	5.8E+06	9.3E+00	1.3E+00	6.6E-16	1.3E+00	.	9.3E+01	1.2E-09	.	.
Palladium (46)	Pd-107	1.03E-11	7.00E-12	4.7E-11 (S)	0.00E+00	1.00E-01	.	1.80E+02	7.5E+00	.	.	1.0E+01	4.3E+00	3.1E-07	4.3E+00	.	7.7E-01	1.5E-03	.	.
Palladium (46)	Pd-109	1.41E-10	9.64E-11	5.1E-11 (S)	1.16E-12	1.00E-01	.	1.80E+02	5.4E-01	.	1.2E+06	3.3E+00	4.7E-01	8.2E-18	4.7E-01	.	9.7E+02	4.6E-10	.	.
Palladium (46)	Pd-109m	0.00E+00	0.00E+00	0.00E+00	2.50E-11	1.00E-01	.	1.80E+02	.	.	5.7E+04	.	5.7E+04	5.8E-15	5.7E+04	.	2.1E+10	5.7E-05	.	.
Palladium (46)	Pd-111	3.76E-12	2.68E-12	1.8E-12 (S)	1.30E-11	1.00E-01	.	1.80E+02	1.9E+01	.	1.1E+05	1.2E+02	1.7E+01	8.6E-18	1.7E+01	.	1.2E+06	1.7E-08	.	.
Palladium (46)	Pd-112	6.82E-10	4.65E-10	1.8E-10 (S)	6.00E-14	1.00E-01	.	1.80E+02	1.1E-01	.	2.4E+07	6.8E-01	9.6E-02	2.7E-18	9.6E-02	.	1.3E+02	9.8E-11	.	.
Palladium (46)	Pd-114	0.00E+00	0.00E+00	0.00E+00	6.44E-12	1.00E-01	.	1.80E+02	.	.	2.2E+05	.	2.2E+05	1.2E-14	2.2E+05	.	1.6E+11	2.3E-04	.	.
Palladium (46)	Pd-96	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.00E-01	.	1.80E+02	.	.	4.0E+03	.	4.0E+03	1.5E-16	4.0E+03	.	3.4E+09	3.5E-06	.	.
Palladium (46)	Pd-97	0.00E+00	0.00E+00	0.00E+00	6.19E-10	1.00E-01	.	1.80E+02	.	.	2.3E+03	.	2.3E+03	1.4E-16	2.3E+03	.	1.3E+09	2.0E-06	.	.
Palladium (46)	Pd-98	4.38E-12	3.16E-12	1.5E-12 (S)	9.69E-11	1.00E-01	.	1.80E+02	1.7E+01	.	1.5E+04	1.1E+02	1.4E+01	4.9E-18	1.4E+01	.	1.4E+06	1.3E-08	.	.
Palladium (46)	Pd-99	2.84E-12	2.04E-12	9.4E-13 (S)	3.22E-10	1.00E-01	.	1.80E+02	2.6E+01	.	4.5E+03	1.6E+02	2.2E+01	9.2E-18	2.2E+01	.	1.8E+06	2.0E-08	.	.
Promethium (61)	Pm-136	0.00E+00	0.00E+00	0.00E+00	6.78E-10	1.22E-02	.	4.50E+02	.	.	2.1E+03	.	2.1E+03	1.0E-16	2.1E+03	.	5.1E+09	6.5E-06	.	.
Promethium (61)	Pm-137m	0.00E+00	0.00E+00	0.00E+00	4.35E-10	1.22E-02	.	4.50E+02	.	.	3.3E+03	.	3.3E+03	2.1E-16	3.3E+03	.	5.9E+09	1.0E-05	.	.
Promethium (61)	Pm-139	0.00E+00	0.00E+00	0.00E+00	2.32E-10	1.22E-02	.	4.50E+02	.	.	6.2E+03	.	6.2E+03	7.0E-16	6.2E+03	.	6.3E+09	2.0E-05	.	.
Promethium (61)	Pm-140	0.00E+00	0.00E+00	0.00E+00	2.63E-10	1.22E-02	.	4.50E+02	.	.	5.5E+03	.	5.5E+03	2.3E-17	5.5E+03	.	1.5E+11	1.7E-05	.	.
Promethium (61)	Pm-140m	0.00E+00	0.00E+00	0.00E+00	7.61E-10	1.22E-02	.	4.50E+02	.	.	1.9E+03	.	1.9E+03	3.1E-16	1.9E+03	.	1.4E+09	6.0E-06	.	.
Promethium (61)	Pm-141	2.42E-12	1.74E-12	7.5E-13 (S)	1.82E-10	1.22E-02	.	4.50E+02	3.0E+01	.	7.9E+03	1.9E+02	2.6E+01	1.5E-17	2.6E+01	.	5.3E+06	8.3E-08	.	.
Promethium (61)	Pm-142	0.00E+00	0.00E+00	0.00E+00	2.12E-10	1.22E-02	.	4.50E+02	.	.	6.8E+03	.	6.8E+03	1.3E-16	6.8E+03	.	4.3E+10	2.2E-05	.	.
Promethium (61)	Pm-143	3.35E-11	2.37E-11	2.5E-10 (F)	7.42E-11	1.22E-02	.	4.50E+02	2.2E+00	.	1.9E+04	1.3E+01	1.9E+00	2.0E-14	1.9E+00	.	2.1E+01	6.1E-09	.	.
Promethium (61)	Pm-144	1.27E-10	9.04E-11	1.5E-09 (F)	3.82E-10	1.22E-02	.	4.50E+02	5.8E-01	.	3.8E+03	3.2E+00	4.9E-01	7.3E-15	4.9E-01	.	4.0E+00	1.6E-09	.	.
Promethium (61)	Pm-145	2.05E-11	1.42E-11	3.4E-10 (F)	2.80E-12	1.22E-02	.	4.50E+02	3.7E+00	.	5.1E+05	8.7E+00	2.6E+00	6.9E-13	2.6E+00	.	1.9E+00	1.3E-08	.	.
Promethium (61)	Pm-146	1.59E-10	1.11E-10	2.8E-09 (F)	1.83E-10	1.22E-02	.	4.50E+02	4.7E-01	.	7.9E+03	1.7E+00	3.7E-01	3.1E-14	3.7E-01	.	5.6E-01	1.3E-09	.	.
Promethium (61)	Pm-147	6.70E-11	4.57E-11	4.3E-10 (S)	5.36E-15	1.22E-02	5.87E+02	4.50E+02	1.1E+00	.	2.7E+08	5.0E+00	9.3E-01	3.7E-14	9.3E-01	5.9E+02	2.9E+00	3.1E-09	1.8E+03	2.0E-06
Promethium (61)	Pm-148	6.84E-10	4.67E-10	2.9E-10 (S)	1.50E-10	1.22E-02	.	4.50E+02	1.1E-01	.	9.6E+03	6.8E-01	9.6E-02	2.2E-17	9.6E-02	.	5.3E+01	3.2E-10	.	.
Promethium (61)	Pm-148m	3.10E-10	2.16E-10	5.7E-10 (S)	4.95E-10	1.22E-02	.	4.50E+02	2.4E-01	.	2.9E+03	1.5E+00	2.1E-01	3.6E-16	2.1E-01	.	1.5E+01	7.0E-10	.	.
Promethium (61)	Pm-149	2.63E-10	1.79E-10	9.9E-11 (S)	3.06E-12	1.22E-02	.	4.50E+02	2.9E-01	.	4.7E+05	1.8E+00	2.5E-01	2.3E-17	2.5E-01	.	3.4E+02	8.5E-10	.	.
Promethium (61)	Pm-150	4.25E-11	2.94E-11	1.2E-11 (S)	3.82E-10	1.22E-02	.	4.50E+02	1.8E+00	.	3.8E+03	1.1E+01	1.5E+00	7.3E-18	1.5E+00	.	4.1E+04	5.2E-09	.	.
Promethium (61)	Pm-151	1.77E-10	1.21E-10	6.4E-11 (S)	7.79E-11	1.22E-02	.	4.50E+02	4.3E-01	.	1.8E+04	2.6E+00	3.7E-01	1.9E-17	3.7E-01	.	9.3E+02	1.3E-09	.	.
Promethium (61)	Pm-152	0.00E+00	0.00E+00	0.00E+00	7.51E-11	1.22E-02	.	4.50E+02	.	.	1.9E+04	.	1.9E+04	2.4E-15	1.9E+04	.	2.0E+10	6.6E-05	.	.
Promethium (61)	Pm-152m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	1.22E-02	.	4.50E+02	.	.	3.7E+03	.	3.7E+03	8.3E-16	3.7E+03	.	2.1E+09	1.3E-05	.	.
Promethium (61)	Pm-153	0.00E+00	0.00E+00	0.00E+00	1.62E-11	1.22E-02	.	4.50E+02	.	.	8.8E+04	.	8.8E+04	1.4E-14	8.8E+04	.	7.2E+10	3.1E-04	.	.
Promethium (61)	Pm-154	0.00E+00	0.00E+00	0.00E+00	4.80E-10	1.22E-02	.	4.50E+02	.	.	3.0E+03	.	3.0E+03	1.6E-16	3.0E+03	.	7.4E+09	1.0E-05	.	.
Promethium (61)	Pm-154m	0.00E+00	0.00E+00	0.00E+00	4.67E-10	1.22E-02	.	4.50E+02	.	.	3.1E+03	.	3.1E+03	2.5E-16	3.1E+03	.	4.9E+09	1.1E-05	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Polonium (84)	Po-203	5.11E-12	3.67E-12	3.1E-12 (S)	4.17E-10	2.09E-04	.	2.10E+02	1.4E+01	.	3.4E+03	9.1E+01	1.2E+01	1.8E-17	1.2E+01	.	6.7E+05	2.6E-08	.	.
Polonium (84)	Po-204	3.34E-11	2.37E-11	3.9E-11 (S)	2.84E-10	2.09E-04	.	2.10E+02	2.2E+00	.	5.1E+03	1.4E+01	1.9E+00	1.6E-17	1.9E+00	.	1.8E+04	4.1E-09	.	.
Polonium (84)	Po-205	6.06E-12	4.38E-12	2.9E-12 (S)	4.04E-10	2.09E-04	.	2.10E+02	1.2E+01	.	3.6E+03	7.7E+01	1.0E+01	4.1E-17	1.0E+01	.	2.1E+05	2.2E-08	.	.
Polonium (84)	Po-206	1.14E-09	8.70E-10	5.9E-09 (S)	2.93E-10	2.09E-04	.	2.10E+02	6.0E-02	.	4.9E+03	4.1E-01	5.2E-02	2.7E-17	5.2E-02	.	8.2E+00	1.1E-10	.	.
Polonium (84)	Po-207	1.44E-11	1.03E-11	6.7E-12 (S)	3.22E-10	2.09E-04	.	2.10E+02	5.1E+00	.	4.5E+03	3.2E+01	4.4E+00	6.2E-17	4.4E+00	.	2.5E+04	9.6E-09	.	.
Polonium (84)	Po-208	7.60E-08	5.99E-08	6.1E-07 (S)	5.14E-15	2.09E-04	.	2.10E+02	8.7E-04	.	2.8E+08	4.4E-03	7.3E-04	4.5E-17	7.3E-04	.	9.5E-04	1.6E-12	.	.
Polonium (84)	Po-209	7.54E-08	5.95E-08	7.6E-07 (S)	1.51E-12	2.09E-04	.	2.10E+02	8.8E-04	.	9.5E+05	1.9E-03	6.0E-04	1.3E-15	6.0E-04	.	1.4E-04	8.2E-12	.	.
Polonium (84)	Po-210	6.09E-08	4.80E-08	3.9E-07 (S)	2.45E-15	2.09E-04	.	2.10E+02	1.1E-03	.	5.9E+08	7.3E-03	9.5E-04	7.8E-18	9.5E-04	.	9.5E-03	2.1E-12	.	.
Polonium (84)	Po-211	0.00E+00	0.00E+00	0.00E+00	2.05E-12	2.09E-04	.	2.10E+02	.	.	7.0E+05	.	7.0E+05	2.5E-16	7.0E+05	.	1.6E+14	1.6E-03	.	.
Polonium (84)	Po-212	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.09E-04	.	2.10E+02	.	.	.	.	.	.	.	.	.	.	.	.
Polonium (84)	Po-212m	0.00E+00	0.00E+00	0.00E+00	2.22E-11	2.09E-04	.	2.10E+02	.	.	6.5E+04	.	6.5E+04	2.0E-15	6.5E+04	.	1.7E+11	1.5E-04	.	.
Polonium (84)	Po-213	0.00E+00	0.00E+00	0.00E+00	9.44E-15	2.09E-04	.	2.10E+02	.	.	1.5E+08	.	1.5E+08	4.5E-19	1.5E+08	.	4.3E+21	3.4E-01	.	.
Polonium (84)	Po-214	0.00E+00	0.00E+00	0.00E+00	2.09E-14	2.09E-04	.	2.10E+02	.	.	6.9E+07	.	6.9E+07	7.9E-18	6.9E+07	.	5.0E+19	1.6E-01	.	.
Polonium (84)	Po-215	0.00E+00	0.00E+00	0.00E+00	4.29E-14	2.09E-04	.	2.10E+02	.	.	3.3E+07	.	3.3E+07	4.2E-17	3.3E+07	.	2.2E+18	7.6E-02	.	.
Polonium (84)	Po-216	0.00E+00	0.00E+00	0.00E+00	3.85E-15	2.09E-04	.	2.10E+02	.	.	3.7E+08	.	3.7E+08	3.8E-14	3.7E+08	.	3.1E+17	8.5E-01	.	.
Polonium (84)	Po-218	0.00E+00	0.00E+00	0.00E+00	1.37E-18	2.09E-04	.	2.10E+02	.	.	1.1E+12	.	1.1E+12	1.4E-07	1.1E+12	.	6.7E+17	2.4E+03	.	.
Praseodymium (59)	Pr-134	4.35E-12	3.10E-12	1.2E-12 (S)	7.89E-10	1.74E-02	.	6.50E+02	1.7E+01	.	1.8E+03	1.1E+02	1.4E+01	4.2E-18	1.4E+01	.	8.1E+06	6.3E-08	.	.
Praseodymium (59)	Pr-134m	7.27E-12	5.17E-12	2.1E-12 (S)	5.93E-10	1.74E-02	.	6.50E+02	1.0E+01	.	2.4E+03	6.4E+01	8.7E+00	3.9E-18	8.7E+00	.	3.2E+06	3.8E-08	.	.
Praseodymium (59)	Pr-135	3.49E-12	2.50E-12	1.2E-12 (S)	2.12E-10	1.74E-02	.	6.50E+02	2.1E+01	.	6.8E+03	1.3E+02	1.8E+01	1.2E-17	1.8E+01	.	4.6E+06	8.0E-08	.	.
Praseodymium (59)	Pr-136	2.22E-12	1.61E-12	5.9E-13 (S)	5.46E-10	1.74E-02	.	6.50E+02	3.2E+01	.	2.6E+03	2.1E+02	2.8E+01	9.8E-18	2.8E+01	.	1.3E+07	1.2E-07	.	.
Praseodymium (59)	Pr-137	4.52E-12	3.16E-12	1.4E-12 (S)	8.84E-11	1.74E-02	.	6.50E+02	1.7E+01	.	1.6E+04	1.0E+02	1.4E+01	3.0E-17	1.4E+01	.	1.1E+06	6.4E-08	.	.
Praseodymium (59)	Pr-138	0.00E+00	0.00E+00	0.00E+00	2.01E-10	1.74E-02	.	6.50E+02	.	.	7.2E+03	.	7.2E+03	2.8E-16	7.2E+03	.	3.0E+10	3.2E-05	.	.
Praseodymium (59)	Pr-138m	1.61E-11	1.14E-11	4.8E-12 (S)	6.22E-10	1.74E-02	.	6.50E+02	4.6E+00	.	2.3E+03	2.9E+01	3.9E+00	1.4E-17	3.9E+00	.	1.9E+05	1.8E-08	.	.
Praseodymium (59)	Pr-139	5.86E-12	4.05E-12	1.9E-12 (S)	2.78E-11	1.74E-02	.	6.50E+02	1.3E+01	.	5.2E+04	7.9E+01	1.1E+01	8.1E-17	1.1E+01	.	2.6E+05	5.1E-08	.	.
Praseodymium (59)	Pr-140	0.00E+00	0.00E+00	0.00E+00	1.32E-10	1.74E-02	.	6.50E+02	.	.	1.1E+04	.	1.1E+04	1.0E-15	1.1E+04	.	2.0E+10	5.0E-05	.	.
Praseodymium (59)	Pr-142	3.41E-10	2.33E-10	9.1E-11 (S)	1.65E-11	1.74E-02	.	6.50E+02	2.2E-01	.	8.7E+04	1.4E+00	1.9E-01	6.2E-18	1.9E-01	.	1.0E+03	9.0E-10	.	.
Praseodymium (59)	Pr-142m	4.38E-12	2.99E-12	1.2E-12 (S)	0.00E+00	1.74E-02	.	6.50E+02	1.7E+01	.	.	1.1E+02	1.5E+01	6.1E-18	1.5E+01	.	6.3E+06	7.0E-08	.	.
Praseodymium (59)	Pr-143	3.15E-10	2.14E-10	2.6E-10 (S)	1.44E-13	1.74E-02	.	6.50E+02	2.4E-01	.	1.0E+07	1.5E+00	2.1E-01	1.2E-16	2.1E-01	.	6.6E+01	9.8E-10	.	.
Praseodymium (59)	Pr-144	3.03E-12	2.19E-12	9.7E-13 (S)	9.40E-12	1.74E-02	.	6.50E+02	2.4E+01	.	1.5E+05	1.5E+02	2.1E+01	1.0E-17	2.1E+01	.	7.4E+06	9.8E-08	.	.
Praseodymium (59)	Pr-144m	0.00E+00	0.00E+00	0.00E+00	1.31E-12	1.74E-02	.	6.50E+02	.	.	1.1E+06	.	1.1E+06	2.2E-13	1.1E+06	.	9.4E+11	5.2E-03	.	.
Praseodymium (59)	Pr-145	9.07E-11	6.19E-11	2.5E-11 (S)	5.21E-12	1.74E-02	.	6.50E+02	8.4E-01	.	2.8E+05	5.1E+00	7.2E-01	7.4E-18	7.2E-01	.	1.2E+04	3.4E-09	.	.
Praseodymium (59)	Pr-146	5.18E-12	3.73E-12	1.6E-12 (S)	2.67E-10	1.74E-02	.	6.50E+02	1.4E+01	.	5.4E+03	9.0E+01	1.2E+01	8.4E-18	1.2E+01	.	3.1E+06	5.8E-08	.	.
Praseodymium (59)	Pr-147	2.19E-12	1.58E-12	9.6E-13 (S)	1.17E-10	1.74E-02	.	6.50E+02	3.3E+01	.	1.2E+04	2.1E+02	2.9E+01	1.1E-17	2.9E+01	.	1.3E+07	1.4E-07	.	.
Praseodymium (59)	Pr-148	0.00E+00	0.00E+00	0.00E+00	2.60E-10	1.74E-02	.	6.50E+02	.	.	5.5E+03	.	5.5E+03	3.7E-16	5.5E+03	.	1.5E+10	2.7E-05	.	.
Praseodymium (59)	Pr-148m	0.00E+00	0.00E+00	0.00E+00	2.34E-10	1.74E-02	.	6.50E+02	.	.	6.1E+03	.	6.1E+03	3.6E-16	6.1E+03	.	1.9E+10	3.0E-05	.	.
Platinum (78)	Pt-184	3.62E-12	2.55E-12	1.7E-12 (S)	1.65E-10	1.00E-01	.	2.40E+01	2.0E+01	.	8.7E+03	1.3E+02	1.8E+01	1.1E-17	1.8E+01	.	2.3E+05	4.0E-09	.	.
Platinum (78)	Pt-186	1.67E-11	1.17E-11	5.7E-12 (S)	1.64E-10	1.00E-01	.	2.40E+01	4.5E+00	.	8.7E+03	2.8E+01	3.8E+00	1.8E-17	3.8E+00	.	7.1E+03	8.7E-10	.	.
Platinum (78)	Pt-187	1.36E-11	9.48E-12	5.8E-12 (S)	1.46E-10	1.00E-01	.	2.40E+01	5.5E+00	.	9.8E+03	3.4E+01	4.7E+00	2.5E-17	4.7E+00	.	7.7E+03	1.1E-09	.	.
Platinum (78)	Pt-188	1.57E-10	1.09E-10	2.1E-10 (S)	4.39E-11	1.00E-01	.	2.40E+01	4.8E-01	.	3.3E+04	2.9E+00	4.1E-01	2.2E-16	4.1E-01	.	6.4E+00	9.5E-11	.	.
Platinum (78)	Pt-189	3.80E-11	2.63E-11	1.7E-11 (S)	1.13E-10	1.00E-01	.	2.40E+01	2.0E+00	.	1.3E+04	1.2E+01	1.7E+00	4.2E-17	1.7E+00	.	6.0E+02	3.9E-10	.	.
Platinum (78)	Pt-190	1.14E-09	8.14E-10	4.1E-07 (S)	0.00E+00	1.00E-01	.	2.40E+01	6.4E-02	.	.	9.0E-02	3.7E-02	4.8E-04	3.7E-02	.	9.1E-04	3.1E-01	.	.
Platinum (78)	Pt-191	7.70E-11	5.30E-11	4.1E-11 (S)	6.44E-11	1.00E-01	.	2.40E+01	9.9E-01	.	2.2E+04	6.0E+00	8.5E-01	1.3E-16	8.5E-01	.	4.8E+01	2.0E-10	.	.
Platinum (78)	Pt-193	9.59E-12	6.54E-12	5.3E-11 (S)	1.16E-15	1.00E-01	.	2.40E+01	8.0E+00	.	1.2E+09	1.2E+01	4.9E+00	4.9E-12	4.9E+00	.	1.4E-01	3.8E-09	.	.
Platinum (78)	Pt-193m	1.21E-10	8.26E-11	1.0E-10 (S)	1.85E-12	1.00E-01	.	2.40E+01	6.3E-01	.	7.7E+05	3.8E+00	5.4E-01	1.3E-16	5.4E-01	.	2.0E+01	1.3E-10	.	.
Platinum (78)	Pt-195m	1.66E-10	1.13E-10	1.3E-10 (S)	1.31E-11	1.00E-01	.	2.40E+01	4.6E-01	.	1.1E+05	2.8E+00	4.0E-01	8.8E-17	4.0E-01	.	1.6E+01	9.4E-11	.	.
Platinum (78)	Pt-197	1.11E-10	7.56E-11	4.7E-11 (S)	4.89E-12	1.00E-01	.	2.40E+01	6.9E-01	.	2.9E+05	4.2E+00	5.9E-01	2.8E-17	5.9E-01	.	1.1E+02	1.4E-10	.	.
Platinum (78)	Pt-197m	1.57E-11	1.08E-11	7.4E-12 (S)	1.70E-11	1.00E-01	.	2.40E+01	4.8E+00	.	8.4E+04	3.0E+01	4.2E+00	1.5E-17	4.2E+00	.	1.0E+04	1.0E-09	.	.
Platinum (78)	Pt-199	3.43E-12	2.43E-12	1.9E-12 (S)	4.89E-11	1.00E-01	.	2.40E+01	2.2E+01	.	2.9E+04	1.4E+02	1.9E+01	2.2E-17	1.9E+01	.	1.4E+05	4.5E-09	.	.
Platinum (78)	Pt-200	3.00E-10	2.04E-10	9.0E-11 (S)	1.23E-11	1.00E-01	.	2.40E+01	2.6E-01	.	1.2E+05	1.6E+00	2.2E-01	6.5E-18	2.2E-01	.	6.7E+01	5.4E-11	.	.
Platinum (78)	Pt-202	1.16E-09	7.89E-10	3.4E-10 (S)	5.30E-13	1.00E-01	.	2.40E+01	6.6E-02	.	2.7E+06	4.0E-01	5.7E-02	6.0E-18	5.7E-02	.	4.9E+00	1.4E-11	.	.
Platinum (78)	Pt-202+D	1.16E-09	7.89E-10	3.4E-10 (S)	4.58E-11	1.00E-01	.	2.40E+01	6.6E-02	.	3.1E+04	4.0E-01	5.7E-02	6.0E-18	5.7E-02	.	4.9E+00	1.4E-11	.	.
Plutonium (94)	Pu-232	1.13E-11	8.00E-12	1.7E-09 (S)	1.26E-11	8.27E-06	.	5.00E+00	6.5E+00	.	1.1E+05	4.1E+01	5.6E+00	8.7E-18	5.6E+00	.	8.2E+03	3.4E-10	.	.
Plutonium (94)	Pu-234	3.25E-11	2.23E-11	2.2E-09 (S)	1.36E-11	8.27E-06	.	5.00E+00	2.3E+00	.	1.1E+05	1.4E+01	2.0E+00	4.9E-17	2.0E+00	.	1.9E+02	1.2E-10	.	.
Plutonium (94)	Pu-235	1.73E-13	1.25E-13	7.4E-14 (S)	1.88E-11	8.27E-06	.	5.00E+00	4.2E+02	.	7.6E+04	2.7E+03	3.6E+02	4.2E-16	3.6E+02	.	7.0E+05	2.2E-08	.	.
Plutonium (94)	Pu-236	2.71E-09	2.04E-09	8.0E-07 (S)	2.11E-14	8.27E-06	.	5.00E+00	2.6E-02	.	6.8E+07	1.2E-01	2.1E-02	1.5E-15	2.1E-02	.	7.0E-04	1.3E-12	.	.
Plutonium (94)	Pu-237	2.53E-11	1.74E-11	4.0E-11 (S)	9.72E-12	8.27E-06	.	5.00E+00	3.0E+00	.	1.5E+05	1.8E+01	2.6E+00	7.8E-15	2.6E+00	.	1.9E+00	1.6E-10	.	.
Plutonium (94)	Pu-238	4.58E-09	3.55E-09	1.4E-06 (F)	1.61E-14	8.27E-06	1.50E+01	5.00E+00	1.5E-02	.	8.9E+07	3.1E-02	1.0E-02	2.2E-14	1.0E-02	1.5E+01	5.7E-05	3.4E-12	8.6E-02	5.0E-09
Plutonium (94)	Pu-239	4.71E-09	3.65E-09	1.5E-06 (F)	1.96E-14	8.27E-06	1.50E+01	5.00E+00	1.4E-02	.	7.3E+07	2.8E-02	9.5E-03	5.6E-12	9.5E-03	1.5E+01	4.9E-05	7.9E-10	7.8E-02	1.3E-06
Plutonium (94)	Pu-239+D	4.71E-09	3.65E-09	1.5E-06 (F)	1.96E-14	8.27E-06	.	5.00E+00	1.4E-02	.	7.3E+07	2.8E-02	9.5E-03	5.6E-12	9.5E-03	.	4.9E-05	7.9E-10	.	.
Plutonium (94)	Pu-240	4.71E-09	3.65E-09	1.5E-06 (F)	1.58E-14	8.27E-06	1.50E+01	5.00E+00	1.4E-02	.	9.1E+07	2.8E-02	9.5E-03	1.5E-12	9.5E-03	1.5E+01	4.9E-05	2.2E-10	7.8E-02	3.4E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Plutonium (94)	Pu-241	6.17E-11	4.77E-11	2.3E-08 (F)	3.35E-16	8.27E-06	2.68E+01	5.00E+00	1.1E+00	.	4.3E+09	3.1E+00	8.1E-01	2.9E-13	8.1E-01	2.7E+01	7.4E-03	7.2E-11	2.4E-01	2.4E-09
Plutonium (94)	Pu-242	4.48E-09	3.47E-09	1.4E-06 (F)	3.35E-14	8.27E-06	1.50E+01	5.00E+00	1.5E-02	.	4.3E+07	2.9E-02	9.9E-03	9.4E-11	9.9E-03	1.5E+01	5.2E-05	1.3E-08	7.8E-02	2.0E-05
Plutonium (94)	Pu-243	1.87E-11	1.28E-11	8.6E-12 (S)	4.89E-12	8.27E-06	.	5.00E+00	4.1E+00	.	2.9E+05	2.5E+01	3.5E+00	5.0E-17	3.5E+00	.	5.8E+02	2.2E-10	.	.
Plutonium (94)	Pu-244	5.08E-09	3.88E-09	1.4E-06 (F)	5.33E-12	8.27E-06	1.50E+01	5.00E+00	1.3E-02	.	2.7E+05	2.6E-02	8.8E-03	1.8E-08	8.8E-03	1.5E+01	4.6E-05	2.5E-06	7.8E-02	4.3E-03
Plutonium (94)	Pu-244+D	5.35E-09	4.07E-09	1.4E-06 (F)	8.68E-11	8.27E-06	1.50E+01	5.00E+00	1.3E-02	.	1.7E+04	2.4E-02	8.4E-03	1.7E-08	8.4E-03	1.5E+01	4.4E-05	2.4E-06	7.8E-02	4.3E-03
Plutonium (94)	Pu-245	1.69E-10	1.15E-10	5.8E-11 (S)	9.85E-11	8.27E-06	.	5.00E+00	4.5E-01	.	1.5E+04	2.8E+00	3.9E-01	1.2E-17	3.9E-01	.	3.0E+01	2.5E-11	.	.
Plutonium (94)	Pu-246	6.80E-10	4.66E-10	5.1E-10 (S)	2.95E-11	8.27E-06	.	5.00E+00	1.1E-01	.	4.9E+04	6.8E-01	9.6E-02	7.3E-17	9.6E-02	.	3.0E-01	6.2E-12	.	.
Radium (88)	Ra-219	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	.	1.00E+00	.	.	3.6E+04	.	3.6E+04	2.6E-19	3.6E+04	.	2.4E+12	4.7E-07	.	.
Radium (88)	Ra-219+D	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	.	1.00E+00	.	.	3.6E+04	.	3.6E+04	2.6E-19	3.6E+04	.	2.4E+12	4.7E-07	.	.
Radium (88)	Ra-220	0.00E+00	0.00E+00	0.00E+00	1.14E-12	1.48E-02	.	1.00E+00	.	.	1.3E+06	.	1.3E+06	1.6E-17	1.3E+06	.	4.8E+13	1.7E-05	.	.
Radium (88)	Ra-221	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	.	1.00E+00	.	.	1.8E+05	.	1.8E+05	3.7E-15	1.8E+05	.	4.4E+09	2.4E-06	.	.
Radium (88)	Ra-221+D	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	.	1.00E+00	.	.	1.8E+05	.	1.8E+05	3.7E-15	1.8E+05	.	4.4E+09	2.4E-06	.	.
Radium (88)	Ra-222	0.00E+00	0.00E+00	0.00E+00	2.21E-12	1.48E-02	.	1.00E+00	.	.	6.5E+05	.	6.5E+05	1.8E-14	6.5E+05	.	1.2E+10	8.7E-06	.	.
Radium (88)	Ra-223	9.15E-09	6.44E-09	7.9E-07 (S)	3.13E-11	1.48E-02	.	1.00E+00	8.1E-03	.	4.6E+04	5.1E-02	7.0E-03	5.1E-18	7.0E-03	.	4.8E-03	9.4E-14	.	.
Radium (88)	Ra-223+D	9.15E-09	6.44E-09	7.9E-07 (S)	4.54E-11	1.48E-02	.	1.00E+00	8.1E-03	.	3.2E+04	5.1E-02	7.0E-03	5.1E-18	7.0E-03	.	4.8E-03	9.4E-14	.	.
Radium (88)	Ra-224	6.44E-09	4.51E-09	3.1E-07 (S)	2.46E-12	1.48E-02	.	1.00E+00	1.2E-02	4.1E-05	5.8E+05	7.2E-02	4.0E-05	9.4E-21	4.0E-05	.	8.7E-05	5.5E-16	.	.
Radium (88)	Ra-224+D	6.44E-09	4.51E-09	3.1E-07 (S)	2.62E-12	1.48E-02	.	1.00E+00	1.2E-02	.	5.5E+05	7.2E-02	1.0E-02	2.3E-18	1.0E-02	.	2.2E-02	1.4E-13	.	.
Radium (88)	Ra-225	4.15E-09	3.09E-09	7.1E-07 (S)	1.15E-12	1.48E-02	.	1.00E+00	1.7E-02	.	1.3E+06	1.1E-01	1.5E-02	1.4E-17	1.5E-02	.	7.8E-03	2.0E-13	.	.
Radium (88)	Ra-226	1.39E-08	1.04E-08	7.6E-07 (S)	1.69E-12	1.48E-02	5.00E+00	1.00E+00	5.0E-03	1.6E-05	8.5E+05	9.1E-03	1.6E-05	6.1E-16	1.6E-05	5.0E+00	2.0E-08	2.0E-14	6.0E-03	6.1E-09
Radium (88)	Ra-226+D	1.39E-08	1.04E-08	7.6E-07 (S)	4.54E-10	1.48E-02	5.00E+00	1.00E+00	5.0E-03	1.6E-05	3.2E+03	9.1E-03	1.6E-05	6.1E-16	1.6E-05	5.0E+00	2.0E-08	2.0E-14	6.0E-03	6.1E-09
Radium (88)	Ra-227	4.01E-12	2.89E-12	1.7E-11 (S)	3.38E-11	1.48E-02	.	1.00E+00	1.8E+01	.	4.3E+04	1.2E+02	1.6E+01	3.0E-17	1.6E+01	.	4.2E+03	2.1E-10	.	.
Radium (88)	Ra-228	3.85E-08	2.80E-08	1.2E-06 (S)	1.36E-14	1.48E-02	5.00E+00	1.00E+00	1.9E-03	.	1.1E+08	6.8E-03	1.5E-03	2.0E-16	1.5E-03	5.0E+00	5.8E-06	2.1E-14	2.0E-02	7.2E-11
Radium (88)	Ra-228+D	3.86E-08	2.81E-08	1.2E-06 (S)	2.20E-10	1.48E-02	5.00E+00	1.00E+00	1.9E-03	.	6.5E+03	6.8E-03	1.5E-03	2.0E-16	1.5E-03	5.0E+00	5.7E-06	2.1E-14	2.0E-02	7.2E-11
Radium (88)	Ra-230	2.31E-11	1.61E-11	9.5E-12 (S)	1.78E-11	1.48E-02	.	1.00E+00	3.2E+00	.	8.1E+04	2.0E+01	2.8E+00	1.2E-17	2.8E+00	.	3.4E+02	3.9E-11	.	.
Rubidium (37)	Rb-77	0.00E+00	0.00E+00	0.00E+00	3.85E-10	7.83E-01	.	2.10E+02	.	.	3.7E+03	.	3.7E+03	2.1E-16	3.7E+03	.	2.0E+09	3.0E-06	.	.
Rubidium (37)	Rb-78	4.47E-12	3.27E-12	1.3E-12 (S)	1.13E-09	7.83E-01	.	2.10E+02	1.6E+01	.	1.3E+03	1.0E+02	1.4E+01	3.7E-18	1.4E+01	.	1.5E+06	1.1E-08	.	.
Rubidium (37)	Rb-78m	0.00E+00	0.00E+00	0.00E+00	8.33E-10	7.83E-01	.	2.10E+02	.	.	1.7E+03	.	1.7E+03	1.5E-16	1.7E+03	.	6.0E+08	1.4E-06	.	.
Rubidium (37)	Rb-79	3.10E-12	2.26E-12	1.3E-12 (S)	3.57E-10	7.83E-01	.	2.10E+02	2.3E+01	.	4.0E+03	1.5E+02	2.0E+01	7.1E-18	2.0E+01	.	1.7E+06	1.7E-08	.	.
Rubidium (37)	Rb-80	0.00E+00	0.00E+00	0.00E+00	2.97E-10	7.83E-01	.	2.10E+02	.	.	4.8E+03	.	4.8E+03	4.3E-17	4.8E+03	.	1.7E+10	4.1E-06	.	.
Rubidium (37)	Rb-81	4.28E-12	3.16E-12	4.3E-12 (S)	1.24E-10	7.83E-01	.	2.10E+02	1.7E+01	.	1.2E+04	1.1E+02	1.4E+01	6.3E-17	1.4E+01	.	1.0E+05	1.2E-08	.	.
Rubidium (37)	Rb-81m	7.16E-13	5.26E-13	1.1E-12 (S)	5.84E-12	7.83E-01	.	2.10E+02	9.9E+01	.	2.5E+05	6.5E+02	8.6E+01	4.2E-17	8.6E+01	.	5.6E+06	7.4E-08	.	.
Rubidium (37)	Rb-82	0.00E+00	0.00E+00	0.00E+00	2.75E-10	7.83E-01	.	2.10E+02	.	.	5.2E+03	.	5.2E+03	1.1E-16	5.2E+03	.	8.2E+09	4.5E-06	.	.
Rubidium (37)	Rb-82m	1.31E-11	9.83E-12	6.8E-12 (S)	7.42E-10	7.83E-01	.	2.10E+02	5.3E+00	.	1.9E+03	3.5E+01	4.6E+00	2.9E-17	4.6E+00	.	2.4E+04	4.0E-09	.	.
Rubidium (37)	Rb-83	1.91E-10	1.45E-10	1.4E-10 (S)	1.19E-10	7.83E-01	.	2.10E+02	3.6E-01	.	1.2E+04	2.1E+00	3.1E-01	6.3E-16	3.1E-01	.	4.9E+00	2.7E-10	.	.
Rubidium (37)	Rb-84	3.21E-10	2.41E-10	2.8E-10 (S)	2.27E-10	7.83E-01	.	2.10E+02	2.2E-01	.	6.3E+03	1.4E+00	1.9E-01	1.5E-16	1.9E-01	.	7.9E+00	1.7E-10	.	.
Rubidium (37)	Rb-84m	5.36E-13	3.95E-13	4.0E-13 (S)	9.18E-11	7.83E-01	.	2.10E+02	1.3E+02	.	1.6E+04	8.7E+02	1.1E+02	3.8E-17	1.1E+02	.	1.1E+07	1.0E-07	.	.
Rubidium (37)	Rb-86	3.63E-10	2.67E-10	4.5E-10 (S)	2.46E-11	7.83E-01	.	2.10E+02	2.0E-01	.	5.8E+04	1.2E+00	1.7E-01	7.7E-17	1.7E-01	.	1.3E+01	1.5E-10	.	.
Rubidium (37)	Rb-86m	0.00E+00	0.00E+00	0.00E+00	1.34E-10	7.83E-01	.	2.10E+02	.	.	1.1E+04	.	1.1E+04	1.8E-16	1.1E+04	.	2.1E+10	9.7E-06	.	.
Rubidium (37)	Rb-87	1.98E-10	1.45E-10	1.2E-09 (S)	1.87E-14	7.83E-01	.	2.10E+02	3.6E-01	.	7.7E+07	2.1E-01	1.3E-01	5.9E-05	1.3E-01	.	2.8E-02	3.3E-01	.	.
Rubidium (37)	Rb-88	5.20E-12	3.79E-12	1.5E-12 (S)	1.79E-10	7.83E-01	.	2.10E+02	1.4E+01	.	8.0E+03	8.9E+01	1.2E+01	3.7E-18	1.2E+01	.	1.3E+06	1.1E-08	.	.
Rubidium (37)	Rb-89	2.84E-12	2.08E-12	1.1E-12 (S)	6.03E-10	7.83E-01	.	2.10E+02	2.5E+01	.	2.4E+03	1.6E+02	2.2E+01	5.7E-18	2.2E+01	.	2.8E+06	2.0E-08	.	.
Rubidium (37)	Rb-90	0.00E+00	0.00E+00	0.00E+00	5.93E-10	7.83E-01	.	2.10E+02	.	.	2.4E+03	.	2.4E+03	1.1E-16	2.4E+03	.	1.8E+09	2.3E-06	.	.
Rubidium (37)	Rb-90m	0.00E+00	0.00E+00	0.00E+00	8.99E-10	7.83E-01	.	2.10E+02	.	.	1.6E+03	.	1.6E+03	1.2E-16	1.6E+03	.	7.4E+08	1.5E-06	.	.
Rhenium (75)	Re-178	1.81E-12	1.32E-12	7.1E-13 (S)	4.51E-10	2.00E-01	.	7.50E+00	4.0E+01	.	3.2E+03	2.6E+02	3.4E+01	1.6E-17	3.4E+01	.	1.9E+05	2.3E-09	.	.
Rhenium (75)	Re-179	1.03E-12	7.51E-13	5.0E-13 (S)	2.70E-10	2.00E-01	.	7.50E+00	7.0E+01	.	5.3E+03	4.5E+02	6.0E+01	4.1E-17	6.0E+01	.	2.2E+05	4.1E-09	.	.
Rhenium (75)	Re-180	0.00E+00	0.00E+00	0.00E+00	2.99E-10	2.00E-01	.	7.50E+00	.	.	4.8E+03	.	4.8E+03	4.2E-16	4.8E+03	.	1.4E+08	3.4E-07	.	.
Rhenium (75)	Re-181	5.44E-11	3.84E-11	2.3E-11 (S)	1.93E-10	2.00E-01	.	7.50E+00	1.4E+00	.	7.4E+03	8.5E+00	1.2E+00	5.0E-17	1.2E+00	.	7.2E+01	8.3E-11	.	.
Rhenium (75)	Re-182	1.82E-10	1.29E-10	1.3E-10 (S)	4.45E-10	2.00E-01	.	7.50E+00	4.1E-01	.	3.2E+03	2.6E+00	3.5E-01	4.8E-17	3.5E-01	.	6.6E+00	2.5E-11	.	.
Rhenium (75)	Re-182m	3.45E-11	2.46E-11	1.6E-11 (S)	3.08E-10	2.00E-01	.	7.50E+00	2.1E+00	.	4.7E+03	1.3E+01	1.8E+00	5.0E-17	1.8E+00	.	1.8E+02	1.3E-10	.	.
Rhenium (75)	Re-183	1.28E-10	9.01E-11	3.4E-10 (S)	2.99E-11	2.00E-01	.	7.50E+00	5.8E-01	.	4.8E+04	3.5E+00	5.0E-01	1.8E-15	5.0E-01	.	3.6E-01	3.5E-11	.	.
Rhenium (75)	Re-184	1.19E-10	8.57E-11	2.2E-10 (S)	2.20E-10	2.00E-01	.	7.50E+00	6.1E-01	.	6.5E+03	3.8E+00	5.3E-01	1.0E-15	5.3E-01	.	7.0E-01	3.8E-11	.	.
Rhenium (75)	Re-184m	1.89E-10	1.33E-10	9.6E-10 (S)	8.96E-11	2.00E-01	.	7.50E+00	3.9E-01	.	1.6E+04	2.2E+00	3.3E-01	2.9E-15	3.3E-01	.	1.0E-01	2.4E-11	.	.
Rhenium (75)	Re-186	2.10E-10	1.46E-10	1.2E-10 (S)	4.45E-12	2.00E-01	.	7.50E+00	3.6E-01	.	3.2E+05	2.2E+00	3.1E-01	6.1E-17	3.1E-01	.	4.2E+00	2.2E-11	.	.
Rhenium (75)	Re-186m	2.84E-10	1.99E-10	4.4E-09 (S)	2.27E-12	2.00E-01	.	7.50E+00	2.6E-01	.	6.3E+05	3.0E-01	1.4E-01	5.4E-10	1.4E-01	.	1.1E-03	1.1E-07	.	.
Rhenium (75)	Re-186m+D	4.94E-10	3.45E-10	4.5E-09 (S)	6.72E-12	2.00E-01	.	7.50E+00	1.5E-01	.	2.1E+05	1.7E-01	8.0E-02	3.1E-10	8.0E-02	.	6.2E-04	6.4E-08	.	.
Rhenium (75)	Re-187	6.47E-13	4.51E-13	3.0E-12 (S)	0.00E+00	2.00E-01	.	7.50E+00	1.2E+02	.	.	1.3E+02	6.1E+01	4.9E-02	6.1E+01	.	4.7E-01	1.0E+01	.	.
Rhenium (75)	Re-188	1.91E-10	1.33E-10	6.1E-11 (S)	1.54E-11	2.00E-01	.	7.50E+00	3.9E-01	.	9.3E+04	2.4E+00	3.4E-01	1.3E-17	3.4E-01	.	2.4E+01	2.5E-11	.	.
Rhenium (75)	Re-188m	3.83E-12	2.67E-12	1.4E-12 (S)	1.22E-11	2.00E-01	.	7.50E+00	2.0E+01	.	1.2E+05	1.2E+02	1.7E+01	1.2E-17	1.7E+01	.	6.6E+04	1.2E-09	.	.
Rhenium (75)	Re-189	1.06E-10	7.34E-11	4.6E-11 (S)	1.30E-11	2.00E-01	.	7.50E+00	7.1E-01	.	1.1E+05	4.4E+00	6.1E-01	3.3E-17	6.1E-01	.	3.1E+01	4.5E-11	.	.
Rhenium (75)	Re-190	0.00E+00	0.00E+00	0.00E+00	3.31E-10	2.00E-01	.	7.50E+00	.	.	4.3E+03	.	4.3E+03	5.0E-16	4.3E+03	.	1.0E+08	3.2E-07	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Rhenium (75)	Re-190m	4.15E-11	2.92E-11	1.6E-11 (S)	2.25E-10	2.00E-01	.	7.50E+00	1.8E+00	.	6.4E+03	1.1E+01	1.5E+00	1.1E-17	1.5E+00	.	5.9E+02	1.1E-10	.	.
Rhodium (45)	Rh-100	9.23E-11	6.55E-11	2.6E-11 (S)	7.29E-10	3.00E-02	.	4.00E+00	8.0E-01	.	2.0E+03	5.0E+00	6.9E-01	1.7E-17	6.9E-01	.	2.2E+01	1.5E-11	.	.
Rhodium (45)	Rh-100m	0.00E+00	0.00E+00	0.00E+00	1.11E-11	3.00E-02	.	4.00E+00	.	.	1.3E+05	.	1.3E+05	1.2E-14	1.3E+05	.	1.1E+09	2.7E-06	.	.
Rhodium (45)	Rh-101	7.73E-11	5.54E-11	4.6E-10 (S)	6.41E-11	3.00E-02	.	4.00E+00	9.4E-01	.	2.2E+04	4.0E+00	7.6E-01	2.6E-14	7.6E-01	.	1.8E-02	1.6E-11	.	.
Rhodium (45)	Rh-101m	3.54E-11	2.47E-11	1.9E-11 (S)	6.63E-11	3.00E-02	.	4.00E+00	2.1E+00	.	2.2E+04	1.3E+01	1.8E+00	2.3E-16	1.8E+00	.	1.2E+01	3.9E-11	.	.
Rhodium (45)	Rh-102	2.41E-10	1.67E-10	7.0E-10 (S)	1.23E-10	3.00E-02	.	4.00E+00	3.1E-01	.	1.2E+04	1.8E+00	2.7E-01	1.6E-15	2.7E-01	.	3.5E-02	5.7E-12	.	.
Rhodium (45)	Rh-102m	2.98E-10	2.20E-10	1.8E-09 (S)	5.36E-10	3.00E-02	.	4.00E+00	2.4E-01	.	2.7E+03	1.0E+00	1.9E-01	7.6E-15	1.9E-01	.	3.9E-03	4.2E-12	.	.
Rhodium (45)	Rh-103m	3.58E-13	2.52E-13	2.5E-13 (S)	2.60E-14	3.00E-02	.	4.00E+00	2.1E+02	.	5.5E+07	1.3E+03	1.8E+02	2.0E-16	1.8E+02	.	1.3E+05	3.9E-09	.	.
Rhodium (45)	Rh-104	0.00E+00	0.00E+00	0.00E+00	4.17E-12	3.00E-02	.	4.00E+00	.	.	3.4E+05	.	3.4E+05	5.0E-15	3.4E+05	.	1.9E+10	7.6E-06	.	.
Rhodium (45)	Rh-104m	0.00E+00	0.00E+00	0.00E+00	4.83E-12	3.00E-02	.	4.00E+00	.	.	3.0E+05	.	3.0E+05	2.6E-14	3.0E+05	.	2.7E+09	6.6E-06	.	.
Rhodium (45)	Rh-105	9.26E-11	6.32E-11	4.3E-11 (S)	1.87E-11	3.00E-02	.	4.00E+00	8.3E-01	.	7.7E+04	5.0E+00	7.1E-01	3.1E-17	7.1E-01	.	1.3E+01	1.6E-11	.	.
Rhodium (45)	Rh-106	0.00E+00	0.00E+00	0.00E+00	5.33E-11	3.00E-02	.	4.00E+00	.	.	2.7E+04	.	2.7E+04	2.8E-16	2.7E+04	.	2.2E+09	6.0E-07	.	.
Rhodium (45)	Rh-106m	2.16E-11	1.53E-11	7.5E-12 (S)	7.26E-10	3.00E-02	.	4.00E+00	3.4E+00	.	2.0E+03	2.2E+01	2.9E+00	8.1E-18	2.9E+00	.	8.9E+02	6.6E-11	.	.
Rhodium (45)	Rh-107	1.56E-12	1.12E-12	7.8E-13 (S)	7.61E-11	3.00E-02	.	4.00E+00	4.7E+01	.	1.9E+04	3.0E+02	4.0E+01	1.8E-17	4.0E+01	.	7.4E+04	9.1E-10	.	.
Rhodium (45)	Rh-108	0.00E+00	0.00E+00	0.00E+00	8.14E-11	3.00E-02	.	4.00E+00	.	.	1.8E+04	.	1.8E+04	1.1E-16	1.8E+04	.	2.5E+09	4.0E-07	.	.
Rhodium (45)	Rh-109	0.00E+00	0.00E+00	0.00E+00	7.26E-11	3.00E-02	.	4.00E+00	.	.	2.0E+04	.	2.0E+04	5.7E-16	2.0E+04	.	5.9E+08	4.6E-07	.	.
Rhodium (45)	Rh-94	0.00E+00	0.00E+00	0.00E+00	9.85E-10	3.00E-02	.	4.00E+00	.	.	1.5E+03	.	1.5E+03	3.2E-17	1.5E+03	.	4.9E+07	2.9E-08	.	.
Rhodium (45)	Rh-95	0.00E+00	0.00E+00	0.00E+00	6.66E-10	3.00E-02	.	4.00E+00	.	.	2.2E+03	.	2.2E+03	2.0E-16	2.2E+03	.	1.7E+07	4.3E-08	.	.
Rhodium (45)	Rh-95m	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-02	.	4.00E+00	.	.	6.1E+03	.	6.1E+03	2.2E-16	6.1E+03	.	1.2E+08	1.2E-07	.	.
Rhodium (45)	Rh-96	0.00E+00	0.00E+00	0.00E+00	9.97E-10	3.00E-02	.	4.00E+00	.	.	1.4E+03	.	1.4E+03	2.7E-16	1.4E+03	.	5.8E+06	2.9E-08	.	.
Rhodium (45)	Rh-96m	0.00E+00	0.00E+00	0.00E+00	3.31E-10	3.00E-02	.	4.00E+00	.	.	4.3E+03	.	4.3E+03	1.2E-16	4.3E+03	.	1.1E+08	8.8E-08	.	.
Rhodium (45)	Rh-97	3.69E-12	2.66E-12	1.2E-12 (S)	3.63E-10	3.00E-02	.	4.00E+00	2.0E+01	.	4.0E+03	1.3E+02	1.7E+01	9.9E-18	1.7E+01	.	2.2E+04	3.5E-10	.	.
Rhodium (45)	Rh-97m	4.50E-12	3.23E-12	1.4E-12 (S)	5.90E-10	3.00E-02	.	4.00E+00	1.6E+01	.	2.4E+03	1.0E+02	1.4E+01	1.2E-17	1.4E+01	.	1.2E+04	2.9E-10	.	.
Rhodium (45)	Rh-98	0.00E+00	0.00E+00	0.00E+00	4.54E-10	3.00E-02	.	4.00E+00	.	.	3.2E+03	.	3.2E+03	5.3E-16	3.2E+03	.	1.4E+07	6.6E-08	.	.
Rhodium (45)	Rh-99	1.02E-10	7.12E-11	1.3E-10 (S)	1.33E-10	3.00E-02	.	4.00E+00	7.3E-01	.	1.1E+04	4.5E+00	6.3E-01	2.9E-16	6.3E-01	.	1.1E+00	1.3E-11	.	.
Rhodium (45)	Rh-99m	9.43E-12	6.65E-12	2.8E-12 (S)	1.59E-10	3.00E-02	.	4.00E+00	7.9E+00	.	9.0E+03	4.9E+01	6.8E+00	3.7E-17	6.8E+00	.	9.6E+02	1.4E-10	.	.
Radon (86)	Rn-207	0.00E+00	0.00E+00	0.00E+00	2.42E-10	0.00E+00	.	0.00E+00	.	.	5.9E+03	.	5.9E+03	2.2E-15	5.9E+03	.	1.2E+06	1.2E-08	.	.
Radon (86)	Rn-209	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	.	0.00E+00	.	.	4.8E+03	.	4.8E+03	5.6E-15	4.8E+03	.	3.2E+05	1.0E-08	.	.
Radon (86)	Rn-210	0.00E+00	0.00E+00	0.00E+00	1.49E-11	0.00E+00	.	0.00E+00	.	.	9.7E+04	.	9.7E+04	5.8E-13	9.7E+04	.	1.3E+06	2.0E-07	.	.
Radon (86)	Rn-211	0.00E+00	0.00E+00	0.00E+00	4.77E-10	0.00E+00	.	0.00E+00	.	.	3.0E+03	.	3.0E+03	1.1E-13	3.0E+03	.	6.5E+03	6.4E-09	.	.
Radon (86)	Rn-212	0.00E+00	0.00E+00	0.00E+00	8.43E-14	0.00E+00	.	0.00E+00	.	.	1.7E+07	.	1.7E+07	1.7E-11	1.7E+07	.	1.3E+09	3.6E-05	.	.
Radon (86)	Rn-215	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-216	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-217	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-218	0.00E+00	0.00E+00	0.00E+00	1.87E-13	0.00E+00	.	0.00E+00	.	.	7.7E+06	.	7.7E+06	1.9E-16	7.7E+06	.	2.5E+13	1.7E-05	.	.
Radon (86)	Rn-219	0.00E+00	0.00E+00	0.00E+00	1.40E-11	0.00E+00	.	0.00E+00	.	.	1.0E+05	.	1.0E+05	2.9E-16	1.0E+05	.	2.9E+09	2.3E-07	.	.
Radon (86)	Rn-219+D	0.00E+00	0.00E+00	0.00E+00	1.41E-11	0.00E+00	.	0.00E+00	.	.	1.0E+05	.	1.0E+05	2.9E-16	1.0E+05	.	2.9E+09	2.3E-07	.	.
Radon (86)	Rn-220	0.00E+00	0.00E+00	0.00E+00	1.54E-13	0.00E+00	.	0.00E+00	.	.	9.3E+06	.	9.3E+06	3.7E-13	9.3E+06	.	1.9E+10	2.1E-05	.	.
Radon (86)	Rn-222	0.00E+00	0.00E+00	8.60E-10	9.50E-14	0.00E+00	3.00E+02	0.00E+00	.	1.4E-02	1.5E+07	.	1.4E-02	3.5E-18	1.4E-02	3.0E+02	5.0E-03	3.2E-14	1.0E+02	6.7E-10
Radon (86)	Rn-222+D	0.00E+00	0.00E+00	8.60E-10	9.50E-14	0.00E+00	3.00E+02	0.00E+00	.	1.4E-02	1.5E+07	.	1.4E-02	3.5E-18	1.4E-02	3.0E+02	5.0E-03	3.2E-14	1.0E+02	6.7E-10
Radon (86)	Rn-223	0.00E+00	0.00E+00	0.00E+00	8.39E-11	0.00E+00	.	0.00E+00	.	.	1.7E+04	.	1.7E+04	1.8E-14	1.7E+04	.	1.3E+06	3.8E-08	.	.
Ruthenium (44)	Ru-103	1.42E-10	9.85E-11	2.8E-10 (S)	1.21E-10	2.61E-03	.	2.70E+02	5.3E-01	.	1.2E+04	3.2E+00	4.6E-01	5.2E-16	4.6E-01	.	2.1E+01	6.4E-10	.	.
Ruthenium (44)	Ru-105	5.63E-11	3.87E-11	2.7E-11 (V)	1.85E-10	2.61E-03	.	2.70E+02	1.4E+00	.	7.7E+03	8.3E+00	1.2E+00	6.4E-18	1.2E+00	.	1.1E+04	1.7E-09	.	.
Ruthenium (44)	Ru-106	1.65E-09	1.14E-09	6.1E-09 (S)	0.00E+00	2.61E-03	3.00E+01	2.70E+02	4.6E-02	.	.	2.5E-01	3.9E-02	4.3E-16	3.9E-02	3.0E+01	1.8E-01	5.6E-11	1.4E+02	4.3E-08
Ruthenium (44)	Ru-106+D	1.65E-09	1.14E-09	6.1E-09 (S)	5.33E-11	2.61E-03	3.00E+01	2.70E+02	4.6E-02	.	2.7E+04	2.5E-01	3.9E-02	4.3E-16	3.9E-02	3.0E+01	1.8E-01	5.6E-11	1.4E+02	4.3E-08
Ruthenium (44)	Ru-107	0.00E+00	0.00E+00	0.00E+00	8.90E-11	2.61E-03	.	2.70E+02	.	.	1.6E+04	.	1.6E+04	1.3E-15	1.6E+04	.	1.1E+10	2.4E-05	.	.
Ruthenium (44)	Ru-108	0.00E+00	0.00E+00	0.00E+00	1.44E-11	2.61E-03	.	2.70E+02	.	.	1.0E+05	.	1.0E+05	9.6E-15	1.0E+05	.	5.6E+10	1.5E-04	.	.
Ruthenium (44)	Ru-92	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.61E-03	.	2.70E+02	.	.	2.8E+03	.	2.8E+03	1.8E-16	2.8E+03	.	1.9E+09	3.5E-06	.	.
Ruthenium (44)	Ru-94	1.19E-11	8.34E-12	6.0E-12 (V)	1.26E-10	2.61E-03	.	2.70E+02	6.3E+00	.	1.1E+04	3.9E+01	5.4E+00	5.2E-18	5.4E+00	.	2.7E+05	6.9E-09	.	.
Ruthenium (44)	Ru-95	7.27E-12	5.18E-12	3.9E-12 (V)	3.13E-10	2.61E-03	.	2.70E+02	1.0E+01	.	4.6E+03	6.4E+01	8.7E+00	1.6E-17	8.7E+00	.	2.3E+05	1.1E-08	.	.
Ruthenium (44)	Ru-97	2.45E-11	1.72E-11	1.5E-11 (V)	5.46E-11	2.61E-03	.	2.70E+02	3.0E+00	.	2.6E+04	1.9E+01	2.6E+00	2.1E-16	2.6E+00	.	1.6E+03	3.5E-09	.	.
Sulfur (16)	S-35	1.89E-11	1.39E-11	1.8E-10 (S)	1.78E-15	6.00E-01	.	7.50E+00	3.8E+00	.	8.1E+08	2.2E+01	3.2E+00	2.8E-15	3.2E+00	.	1.9E+00	4.4E-11	.	.
Sulphur (16)	S-37	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.00E-01	.	7.50E+00	.	.	1.7E+03	.	1.7E+03	6.2E-17	1.7E+03	.	2.4E+07	2.4E-08	.	.
Sulphur (16)	S-38	3.40E-11	2.62E-11	3.3E-11 (S)	4.70E-10	6.00E-01	.	7.50E+00	2.0E+00	.	3.1E+03	1.4E+01	1.7E+00	2.2E-18	1.7E+00	.	7.4E+02	2.6E-11	.	.
Antimony (51)	Sb-111	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.57E-03	.	6.20E+01	.	.	3.9E+03	.	3.9E+03	1.1E-16	3.9E+03	.	1.8E+09	1.4E-06	.	.
Antimony (51)	Sb-113	0.00E+00	0.00E+00	0.00E+00	3.11E-10	1.57E-03	.	6.20E+01	.	.	4.6E+03	.	4.6E+03	6.9E-16	4.6E+03	.	4.1E+08	1.6E-06	.	.
Antimony (51)	Sb-114	0.00E+00	0.00E+00	0.00E+00	6.94E-10	1.57E-03	.	6.20E+01	.	.	2.1E+03	.	2.1E+03	1.6E-16	2.1E+03	.	3.5E+08	7.4E-07	.	.
Antimony (51)	Sb-115	1.91E-12	1.38E-12	6.6E-13 (S)	2.16E-10	1.57E-03	.	6.20E+01	3.8E+01	.	6.6E+03	2.4E+02	3.3E+01	2.4E-17	3.3E+01	.	6.0E+05	1.2E-08	.	.
Antimony (51)	Sb-116	2.10E-12	1.53E-12	6.0E-13 (S)	5.93E-10	1.57E-03	.	6.20E+01	3.4E+01	.	2.4E+03	2.2E+02	2.9E+01	1.1E-17	2.9E+01	.	1.1E+06	1.1E-08	.	.
Antimony (51)	Sb-116m	6.42E-12	4.63E-12	2.4E-12 (S)	7.92E-10	1.57E-03	.	6.20E+01	1.1E+01	.	1.8E+03	7.2E+01	9.7E+00	1.3E-17	9.7E+00	.	9.5E+04	3.5E-09	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Antimony (51)	Sb-117	2.59E-12	1.81E-12	1.2E-12 (S)	3.94E-11	1.57E-03	.	6.20E+01	2.9E+01	.	3.6E+04	1.8E+02	2.5E+01	9.6E-17	2.5E+01	.	8.7E+04	9.1E-09	.	.
Antimony (51)	Sb-118	0.00E+00	0.00E+00	0.00E+00	1.98E-10	1.57E-03	.	6.20E+01	.	.	7.3E+03	.	7.3E+03	6.1E-16	7.3E+03	.	1.2E+09	2.7E-06	.	.
Antimony (51)	Sb-118m	2.65E-11	1.89E-11	7.4E-12 (S)	6.66E-10	1.57E-03	.	6.20E+01	2.8E+00	.	2.2E+03	1.8E+01	2.4E+00	1.7E-17	2.4E+00	.	4.7E+03	8.8E-10	.	.
Antimony (51)	Sb-119	1.91E-11	1.31E-11	5.0E-12 (S)	7.01E-13	1.57E-03	.	6.20E+01	4.0E+00	.	2.0E+06	2.4E+01	3.4E+00	1.8E-16	3.4E+00	.	8.8E+02	1.3E-09	.	.
Antimony (51)	Sb-120	9.23E-13	6.70E-13	3.2E-13 (S)	1.09E-10	1.57E-03	.	6.20E+01	7.8E+01	.	1.3E+04	5.0E+02	6.7E+01	2.5E-17	6.7E+01	.	2.5E+06	2.5E-08	.	.
Antimony (51)	Sb-120m	1.68E-10	1.19E-10	9.6E-11 (S)	6.25E-10	1.57E-03	.	6.20E+01	4.4E-01	.	2.3E+03	2.8E+00	3.8E-01	7.4E-17	3.8E-01	.	2.7E+01	1.4E-10	.	.
Antimony (51)	Sb-122	4.19E-10	2.87E-10	1.6E-10 (S)	1.10E-10	1.57E-03	.	6.20E+01	1.8E-01	.	1.3E+04	1.1E+00	1.6E-01	1.5E-17	1.6E-01	.	2.3E+01	6.0E-11	.	.
Antimony (51)	Sb-122m	0.00E+00	0.00E+00	0.00E+00	9.40E-12	1.57E-03	.	6.20E+01	.	.	1.5E+05	.	1.5E+05	1.5E-14	1.5E+05	.	2.1E+10	5.8E-05	.	.
Antimony (51)	Sb-124	5.00E-10	3.47E-10	8.6E-10 (S)	4.86E-10	1.57E-03	.	6.20E+01	1.5E-01	.	3.0E+03	9.1E-01	1.3E-01	2.7E-16	1.3E-01	.	8.8E-01	5.0E-11	.	.
Antimony (51)	Sb-124m	0.00E+00	0.00E+00	0.00E+00	1.09E-10	1.57E-03	.	6.20E+01	.	.	1.3E+04	.	1.3E+04	5.0E-16	1.3E+04	.	5.0E+09	5.1E-06	.	.
Antimony (51)	Sb-124n	7.39E-13	5.33E-13	4.0E-13 (S)	2.62E-17	1.57E-03	.	6.20E+01	9.8E+01	.	5.5E+10	6.3E+02	8.5E+01	4.2E-17	8.5E+01	.	2.5E+06	3.3E-08	.	.
Antimony (51)	Sb-125	1.68E-10	1.20E-10	1.1E-09 (S)	1.04E-10	1.57E-03	3.00E+02	6.20E+01	4.4E-01	.	1.4E+04	2.0E+00	3.6E-01	1.3E-14	3.6E-01	3.0E+02	1.5E-01	1.4E-10	1.2E+02	1.2E-07
Antimony (51)	Sb-126	4.91E-10	3.42E-10	3.8E-10 (S)	6.85E-10	1.57E-03	.	6.20E+01	1.5E-01	.	2.1E+03	9.4E-01	1.3E-01	5.8E-17	1.3E-01	.	4.4E+00	5.2E-11	.	.
Antimony (51)	Sb-126m	2.63E-12	1.90E-12	9.3E-13 (S)	3.85E-10	1.57E-03	.	6.20E+01	2.8E+01	.	3.7E+03	1.8E+02	2.4E+01	1.1E-17	2.4E+01	.	7.3E+05	9.4E-09	.	.
Antimony (51)	Sb-127	3.98E-10	2.73E-10	2.2E-10 (S)	1.72E-10	1.57E-03	.	6.20E+01	1.9E-01	.	8.4E+03	1.2E+00	1.6E-01	2.3E-17	1.6E-01	.	1.7E+01	6.6E-11	.	.
Antimony (51)	Sb-128	1.47E-10	1.02E-10	4.4E-11 (S)	7.73E-10	1.57E-03	.	6.20E+01	5.1E-01	.	1.9E+03	3.2E+00	4.4E-01	6.0E-18	4.4E-01	.	4.8E+02	1.8E-10	.	.
Antimony (51)	Sb-128m	2.16E-12	1.57E-12	6.2E-13 (S)	4.77E-10	1.57E-03	.	6.20E+01	3.3E+01	.	3.0E+03	2.2E+02	2.9E+01	7.5E-18	2.9E+01	.	1.6E+06	1.1E-08	.	.
Antimony (51)	Sb-129	8.72E-11	5.99E-11	2.8E-11 (S)	3.76E-10	1.57E-03	.	6.20E+01	8.7E-01	.	3.8E+03	5.3E+00	7.5E-01	5.0E-18	7.5E-01	.	1.7E+03	3.0E-10	.	.
Antimony (51)	Sb-130	7.89E-12	5.68E-12	2.8E-12 (S)	8.27E-10	1.57E-03	.	6.20E+01	9.2E+00	.	1.7E+03	5.9E+01	7.9E+00	8.0E-18	7.9E+00	.	1.2E+05	3.2E-09	.	.
Antimony (51)	Sb-130m	0.00E+00	0.00E+00	0.00E+00	6.91E-10	1.57E-03	.	6.20E+01	.	.	2.1E+03	.	2.1E+03	3.4E-16	2.1E+03	.	1.9E+08	8.5E-07	.	.
Antimony (51)	Sb-131	1.01E-11	7.19E-12	2.7E-12 (M)	5.43E-10	1.57E-03	.	6.20E+01	7.3E+00	.	2.6E+03	4.6E+01	6.3E+00	3.7E-18	6.3E+00	.	1.6E+05	2.6E-09	.	.
Antimony (51)	Sb-133	0.00E+00	0.00E+00	0.00E+00	7.35E-10	1.57E-03	.	6.20E+01	.	.	2.0E+03	.	2.0E+03	1.3E-16	2.0E+03	.	4.6E+08	8.1E-07	.	.
Scandium (21)	Sc-42m	0.00E+00	0.00E+00	0.00E+00	1.09E-09	2.00E-03	.	2.10E+03	.	.	1.3E+03	.	1.3E+03	1.1E-17	1.3E+03	.	2.5E+10	5.9E-06	.	.
Scandium (21)	Sc-43	3.91E-11	2.70E-11	1.2E-11 (S)	2.41E-10	2.00E-03	.	2.10E+03	1.9E+00	.	6.0E+03	1.2E+01	1.7E+00	3.3E-18	1.7E+00	.	1.4E+05	7.6E-09	.	.
Scandium (21)	Sc-44	6.17E-11	4.27E-11	1.8E-11 (S)	5.43E-10	2.00E-03	.	2.10E+03	1.2E+00	.	2.6E+03	7.5E+00	1.1E+00	2.2E-18	1.1E+00	.	8.8E+04	4.9E-09	.	.
Scandium (21)	Sc-44m	5.44E-10	3.74E-10	1.9E-10 (S)	6.66E-11	2.00E-03	.	2.10E+03	1.4E-01	.	2.2E+04	8.5E-01	1.2E-01	3.7E-18	1.2E-01	.	6.8E+02	5.6E-10	.	.
Scandium (21)	Sc-46	2.39E-10	1.68E-10	6.7E-10 (S)	5.18E-10	2.00E-03	.	2.10E+03	3.1E-01	.	2.8E+03	1.9E+00	2.7E-01	2.9E-16	2.7E-01	.	4.4E+01	1.3E-09	.	.
Scandium (21)	Sc-47	1.38E-10	9.43E-11	8.3E-11 (S)	2.54E-11	2.00E-03	.	2.10E+03	5.5E-01	.	5.7E+04	3.4E+00	4.8E-01	2.1E-17	4.8E-01	.	2.0E+03	2.4E-09	.	.
Scandium (21)	Sc-48	2.78E-10	1.94E-10	1.1E-10 (S)	8.71E-10	2.00E-03	.	2.10E+03	2.7E-01	.	1.6E+03	1.7E+00	2.3E-01	5.8E-18	2.3E-01	.	1.8E+03	1.2E-09	.	.
Scandium (21)	Sc-49	7.80E-12	5.48E-12	2.9E-12 (S)	1.05E-12	2.00E-03	.	2.10E+03	9.5E+00	.	1.4E+06	6.0E+01	8.2E+00	4.5E-18	8.2E+00	.	2.9E+06	4.3E-08	.	.
Scandium (21)	Sc-50	0.00E+00	0.00E+00	0.00E+00	8.43E-10	2.00E-03	.	2.10E+03	.	.	1.7E+03	.	1.7E+03	2.9E-17	1.7E+03	.	2.0E+10	9.0E-06	.	.
Selenium (34)	Se-70	9.74E-12	6.96E-12	4.6E-12 (S)	1.72E-10	1.00E-01	.	2.00E+02	7.5E+00	.	8.3E+03	4.8E+01	6.5E+00	3.7E-18	6.5E+00	.	3.0E+05	4.6E-09	.	.
Selenium (34)	Se-71	0.00E+00	0.00E+00	0.00E+00	4.01E-10	1.00E-01	.	2.00E+02	.	.	3.6E+03	.	3.6E+03	2.4E-16	3.6E+03	.	1.4E+09	2.6E-06	.	.
Selenium (34)	Se-72	6.06E-10	4.47E-10	4.2E-10 (S)	3.19E-12	1.00E-01	.	2.00E+02	1.2E-01	.	4.5E+05	7.6E-01	1.0E-01	1.7E-17	1.0E-01	.	1.6E+01	7.4E-11	.	.
Selenium (34)	Se-73	3.07E-11	2.16E-11	2.3E-11 (S)	2.63E-10	1.00E-01	.	2.00E+02	2.4E+00	.	5.5E+03	1.5E+01	2.1E+00	1.3E-17	2.1E+00	.	9.2E+03	1.5E-09	.	.
Selenium (34)	Se-73m	3.17E-12	2.25E-12	2.1E-12 (S)	6.41E-11	1.00E-01	.	2.00E+02	2.3E+01	.	2.2E+04	1.5E+02	2.0E+01	1.1E-17	2.0E+01	.	9.5E+05	1.5E-08	.	.
Selenium (34)	Se-75	2.87E-10	2.17E-10	1.3E-10 (S)	9.09E-11	1.00E-01	.	2.00E+02	2.4E-01	.	1.6E+04	1.5E+00	2.1E-01	5.3E-16	2.1E-01	.	2.3E+00	1.6E-10	.	.
Selenium (34)	Se-77m	0.00E+00	0.00E+00	0.00E+00	2.01E-11	1.00E-01	.	2.00E+02	.	.	7.2E+04	.	7.2E+04	3.1E-16	7.2E+04	.	4.7E+11	5.6E-05	.	.
Selenium (34)	Se-79	2.48E-10	1.87E-10	5.0E-10 (S)	1.82E-15	1.00E-01	.	2.00E+02	2.8E-01	.	7.9E+08	4.1E-01	1.7E-01	4.0E-10	1.7E-01	.	3.3E-02	2.2E-06	.	.
Selenium (34)	Se-79m	0.00E+00	0.00E+00	0.00E+00	1.94E-12	1.00E-01	.	2.00E+02	.	.	7.4E+05	.	7.4E+05	4.5E-14	7.4E+05	.	3.6E+11	5.9E-04	.	.
Selenium (34)	Se-81	1.59E-12	1.15E-12	7.0E-13 (S)	2.42E-12	1.00E-01	.	2.00E+02	4.5E+01	.	5.9E+05	2.9E+02	3.9E+01	1.2E-17	3.9E+01	.	4.0E+06	3.2E-08	.	.
Selenium (34)	Se-81m	5.01E-12	3.53E-12	3.9E-12 (S)	2.99E-12	1.00E-01	.	2.00E+02	1.5E+01	.	4.8E+05	9.3E+01	1.3E+01	1.2E-17	1.3E+01	.	4.2E+05	1.0E-08	.	.
Selenium (34)	Se-83	3.76E-12	2.71E-12	1.9E-12 (S)	6.82E-10	1.00E-01	.	2.00E+02	1.9E+01	.	2.1E+03	1.2E+02	1.7E+01	6.0E-18	1.7E+01	.	1.4E+06	1.4E-08	.	.
Selenium (34)	Se-83m	0.00E+00	0.00E+00	0.00E+00	2.59E-10	1.00E-01	.	2.00E+02	.	.	5.5E+03	.	5.5E+03	1.1E-16	5.5E+03	.	9.0E+09	4.6E-06	.	.
Selenium (34)	Se-84	0.00E+00	0.00E+00	0.00E+00	1.02E-10	1.00E-01	.	2.00E+02	.	.	1.4E+04	.	1.4E+04	7.2E-16	1.4E+04	.	8.6E+09	1.2E-05	.	.
Silicon (14)	Si-31	2.54E-11	1.75E-11	8.2E-12 (S)	6.60E-13	2.00E-02	.	1.30E+02	3.0E+00	.	2.2E+06	1.8E+01	2.6E+00	2.5E-18	2.6E+00	.	2.0E+04	5.2E-10	.	.
Silicon (14)	Si-32	1.40E-10	9.61E-11	7.8E-09 (S)	5.49E-15	2.00E-02	.	1.30E+02	5.4E-01	.	2.6E+08	9.4E-01	3.4E-01	1.5E-13	3.4E-01	.	4.8E-02	5.7E-10	.	.
Silicon (14)	Si-32+D	4.72E-10	3.38E-10	8.2E-09 (S)	5.71E-13	2.00E-02	.	1.30E+02	1.5E-01	.	2.5E+06	2.8E-01	9.9E-02	4.3E-14	9.9E-02	.	1.4E-02	1.6E-10	.	.
Samarium (62)	Sm-139	0.00E+00	0.00E+00	0.00E+00	3.63E-10	2.00E-03	.	9.30E+02	.	.	4.0E+03	.	4.0E+03	2.8E-16	4.0E+03	.	1.4E+10	2.6E-05	.	.
Samarium (62)	Sm-140	7.02E-12	5.03E-12	2.0E-12 (S)	1.39E-10	2.00E-03	.	9.30E+02	1.0E+01	.	1.0E+04	6.6E+01	9.0E+00	3.7E-18	9.0E+00	.	5.3E+06	5.9E-08	.	.
Samarium (62)	Sm-141	2.63E-12	1.90E-12	7.8E-13 (S)	3.53E-10	2.00E-03	.	9.30E+02	2.8E+01	.	4.1E+03	1.8E+02	2.4E+01	6.7E-18	2.4E+01	.	2.0E+07	1.6E-07	.	.
Samarium (62)	Sm-141m	5.06E-12	3.63E-12	1.7E-12 (S)	4.89E-10	2.00E-03	.	9.30E+02	1.4E+01	.	2.9E+03	9.2E+01	1.2E+01	7.8E-18	1.2E+01	.	4.8E+06	8.2E-08	.	.
Samarium (62)	Sm-142	2.02E-11	1.42E-11	6.0E-12 (S)	2.26E-11	2.00E-03	.	9.30E+02	3.7E+00	.	6.3E+04	2.3E+01	3.2E+00	6.4E-18	3.2E+00	.	3.9E+05	2.1E-08	.	.
Samarium (62)	Sm-143	0.00E+00	0.00E+00	0.00E+00	1.28E-10	2.00E-03	.	9.30E+02	.	.	1.1E+04	.	1.1E+04	2.8E-15	1.1E+04	.	1.1E+10	7.5E-05	.	.
Samarium (62)	Sm-143m	0.00E+00	0.00E+00	0.00E+00	1.71E-10	2.00E-03	.	9.30E+02	.	.	8.4E+03	.	8.4E+03	2.6E-16	8.4E+03	.	6.7E+10	5.6E-05	.	.
Samarium (62)	Sm-145	4.49E-11	3.09E-11	1.6E-10 (F)	6.34E-12	2.00E-03	.	9.30E+02	1.7E+00	.	2.3E+05	9.2E+00	1.4E+00	2.0E-14	1.4E+00	.	2.6E+01	9.7E-09	.	.
Samarium (62)	Sm-146	1.41E-09	1.10E-09	3.7E-07 (F)	0.00E+00	2.00E-03	.	9.30E+02	4.8E-02	.	.	9.2E-02	3.1E-02	4.9E-08	3.1E-02	.	2.9E-02	1.2E-03	.	.
Samarium (62)	Sm-147	1.29E-09	1.01E-09	3.4E-07 (F)	0.00E+00	2.00E-03	1.50E+01	9.30E+02	5.2E-02	.	.	1.0E-01	3.4E-02	5.5E-05	3.4E-02	1.5E+01	3.2E-02	1.4E+00	1.4E+01	6.1E+02
Samarium (62)	Sm-148	1.11E-09	8.65E-10	2.9E-07 (F)	0.00E+00	2.00E-03	.	9.30E+02	6.0E-02	.	.	1.2E-01	4.0E-02	4.3E+00	4.0E-02	.	3.7E-02	1.1E+05	.	.
Samarium (62)	Sm-151	2.20E-11	1.51E-11	2.5E-10 (F)	1.21E-16	2.00E-03	1.00E+03	9.30E+02	3.5E+00	.	1.2E+10	6.4E+00	2.2E+00	3.2E-12	2.2E+00	1.0E+03	2.3E+00	8.8E-08	1.0E+03	3.9E-05

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Samarium (62)	Sm-153	1.90E-10	1.29E-10	8.6E-11 (S)	1.08E-11	2.00E-03	.	9.30E+02	4.1E-01	.	1.3E+05	2.4E+00	3.5E-01	2.9E-17	3.5E-01	.	1.1E+03	2.5E-09	.	.
Samarium (62)	Sm-155	1.88E-12	1.36E-12	9.1E-13 (S)	2.23E-11	2.00E-03	.	9.30E+02	3.8E+01	.	6.4E+04	2.5E+02	3.3E+01	2.3E-17	3.3E+01	.	1.3E+07	2.4E-07	.	.
Samarium (62)	Sm-156	6.01E-11	4.11E-11	2.9E-11 (S)	2.54E-11	2.00E-03	.	9.30E+02	1.3E+00	.	5.6E+04	7.7E+00	1.1E+00	1.9E-17	1.1E+00	.	1.7E+04	8.0E-09	.	.
Samarium (62)	Sm-157	0.00E+00	0.00E+00	0.00E+00	1.02E-10	2.00E-03	.	9.30E+02	.	.	1.4E+04	.	1.4E+04	3.5E-15	1.4E+04	.	1.5E+10	1.0E-04	.	.
Tin (50)	Sn-106	0.00E+00	0.00E+00	0.00E+00	2.97E-10	3.00E-01	.	1.60E+03	.	.	4.8E+03	.	4.8E+03	1.9E-16	4.8E+03	.	3.8E+10	4.1E-05	.	.
Tin (50)	Sn-108	2.01E-12	1.44E-12	6.4E-13 (S)	1.63E-10	3.00E-01	.	1.60E+03	3.6E+01	.	8.8E+03	2.3E+02	3.1E+01	6.9E-18	3.1E+01	.	4.6E+07	2.7E-07	.	.
Tin (50)	Sn-109	1.84E-12	1.33E-12	5.0E-13 (S)	5.84E-10	3.00E-01	.	1.60E+03	3.9E+01	.	2.5E+03	2.5E+02	3.4E+01	1.3E-17	3.4E+01	.	2.8E+07	3.0E-07	.	.
Tin (50)	Sn-110	7.61E-11	5.24E-11	2.0E-11 (S)	6.63E-11	3.00E-01	.	1.60E+03	1.0E+00	.	2.2E+04	6.1E+00	8.6E-01	4.6E-18	8.6E-01	.	5.3E+04	7.6E-09	.	.
Tin (50)	Sn-111	1.92E-12	1.37E-12	7.5E-13 (S)	1.21E-10	3.00E-01	.	1.60E+03	3.8E+01	.	1.2E+04	2.4E+02	3.3E+01	2.5E-17	3.3E+01	.	1.4E+07	2.9E-07	.	.
Tin (50)	Sn-113	1.74E-10	1.19E-10	4.0E-10 (S)	1.80E-12	3.00E-01	.	1.60E+03	4.4E-01	.	8.0E+05	2.4E+00	3.7E-01	1.4E-15	3.7E-01	.	3.4E+01	3.4E-09	.	.
Tin (50)	Sn-113m	2.24E-13	1.61E-13	3.2E-13 (S)	4.86E-13	3.00E-01	.	1.60E+03	3.2E+02	.	3.0E+06	2.1E+03	2.8E+02	1.3E-16	2.8E+02	.	2.0E+08	2.6E-06	.	.
Tin (50)	Sn-117m	1.74E-10	1.19E-10	2.8E-10 (S)	3.31E-11	3.00E-01	.	1.60E+03	4.4E-01	.	4.3E+04	2.6E+00	3.8E-01	1.7E-16	3.8E-01	.	2.9E+02	3.6E-09	.	.
Tin (50)	Sn-119m	8.91E-11	6.09E-11	3.3E-10 (S)	4.29E-13	3.00E-01	.	1.60E+03	8.6E-01	.	3.3E+06	4.2E+00	7.1E-01	7.1E-15	7.1E-01	.	2.6E+01	6.8E-09	.	.
Tin (50)	Sn-121	6.01E-11	4.09E-11	3.0E-11 (S)	2.17E-14	3.00E-01	.	1.60E+03	1.3E+00	.	6.6E+07	7.7E+00	1.1E+00	4.2E-17	1.1E+00	.	1.0E+04	1.1E-08	.	.
Tin (50)	Sn-121m	9.30E-11	6.38E-11	1.2E-09 (S)	2.12E-13	3.00E-01	.	1.60E+03	8.2E-01	.	6.8E+06	9.2E-01	4.3E-01	2.4E-13	4.3E-01	.	8.5E-01	1.3E-08	.	.
Tin (50)	Sn-121m+D	1.40E-10	9.55E-11	1.2E-09 (S)	2.29E-13	3.00E-01	.	1.60E+03	5.5E-01	.	6.3E+06	6.1E-01	2.9E-01	1.6E-13	2.9E-01	.	5.6E-01	8.4E-09	.	.
Tin (50)	Sn-123	5.56E-10	3.80E-10	1.3E-09 (S)	2.14E-12	3.00E-01	.	1.60E+03	1.4E-01	.	6.7E+05	7.6E-01	1.2E-01	5.3E-16	1.2E-01	.	9.5E+00	1.2E-09	.	.
Tin (50)	Sn-123m	3.05E-12	2.17E-12	1.6E-12 (S)	3.25E-11	3.00E-01	.	1.60E+03	2.4E+01	.	4.4E+04	1.5E+02	2.1E+01	2.0E-17	2.1E+01	.	7.9E+06	2.1E-07	.	.
Tin (50)	Sn-125	7.90E-10	5.39E-10	4.2E-10 (S)	8.77E-11	3.00E-01	.	1.60E+03	9.7E-02	.	1.6E+04	5.8E-01	8.3E-02	2.8E-17	8.3E-02	.	9.1E+01	8.4E-10	.	.
Tin (50)	Sn-125m	0.00E+00	0.00E+00	0.00E+00	8.49E-11	3.00E-01	.	1.60E+03	.	.	1.7E+04	.	1.7E+04	4.0E-15	1.7E+04	.	2.7E+10	1.7E-04	.	.
Tin (50)	Sn-126	1.01E-09	6.97E-10	1.1E-08 (S)	9.75E-12	3.00E-01	.	1.60E+03	7.5E-02	.	1.5E+05	7.1E-02	3.6E-02	1.1E-10	3.6E-02	.	5.8E-02	4.7E-06	.	.
Tin (50)	Sn-126+D	1.08E-09	7.47E-10	1.2E-08 (S)	4.89E-10	3.00E-01	.	1.60E+03	7.0E-02	.	2.9E+03	6.6E-02	3.4E-02	1.0E-10	3.4E-02	.	5.4E-02	4.4E-06	.	.
Tin (50)	Sn-127	3.17E-11	2.21E-11	1.3E-11 (S)	4.99E-10	3.00E-01	.	1.60E+03	2.4E+00	.	2.9E+03	1.5E+01	2.0E+00	6.4E-18	2.0E+00	.	2.4E+05	2.1E-08	.	.
Tin (50)	Sn-127m	0.00E+00	0.00E+00	0.00E+00	1.43E-10	3.00E-01	.	1.60E+03	.	.	1.0E+04	.	1.0E+04	1.0E-15	1.0E+04	.	3.7E+10	1.0E-04	.	.
Tin (50)	Sn-128	1.71E-11	1.21E-11	6.6E-12 (S)	1.38E-10	3.00E-01	.	1.60E+03	4.3E+00	.	1.0E+04	2.7E+01	3.7E+00	5.6E-18	3.7E+00	.	9.6E+05	3.8E-08	.	.
Tin (50)	Sn-129	0.00E+00	0.00E+00	0.00E+00	2.58E-10	3.00E-01	.	1.60E+03	.	.	5.6E+03	.	5.6E+03	3.2E-16	5.6E+03	.	3.8E+10	5.8E-05	.	.
Tin (50)	Sn-130	0.00E+00	0.00E+00	0.00E+00	2.28E-10	3.00E-01	.	1.60E+03	.	.	6.3E+03	.	6.3E+03	6.0E-16	6.3E+03	.	2.6E+10	6.6E-05	.	.
Tin (50)	Sn-130m	0.00E+00	0.00E+00	0.00E+00	2.26E-10	3.00E-01	.	1.60E+03	.	.	6.3E+03	.	6.3E+03	2.8E-16	6.3E+03	.	5.7E+10	6.7E-05	.	.
Strontium (38)	Sr-79	0.00E+00	0.00E+00	0.00E+00	2.89E-10	9.57E-02	.	1.00E+00	.	.	5.0E+03	.	5.0E+03	1.7E-16	5.0E+03	.	2.5E+07	2.4E-08	.	.
Strontium (38)	Sr-80	4.82E-11	3.37E-11	1.5E-11 (S)	1.05E-10	9.57E-02	.	1.00E+00	1.6E+00	.	1.4E+04	9.7E+00	1.3E+00	2.2E-18	1.3E+00	.	1.4E+02	6.5E-12	.	.
Strontium (38)	Sr-81	5.38E-12	3.86E-12	1.9E-12 (S)	3.41E-10	9.57E-02	.	1.00E+00	1.4E+01	.	4.2E+03	8.6E+01	1.2E+01	4.2E-18	1.2E+01	.	5.9E+03	5.7E-11	.	.
Strontium (38)	Sr-82	1.22E-09	8.50E-10	1.2E-09 (S)	2.22E-14	9.57E-02	.	1.00E+00	6.1E-02	.	6.5E+07	3.8E-01	5.3E-02	3.1E-17	5.3E-02	.	1.6E-02	2.6E-13	.	.
Strontium (38)	Sr-82+D	1.22E-09	8.50E-10	1.2E-09 (S)	2.75E-10	9.57E-02	.	1.00E+00	6.1E-02	.	5.2E+03	3.8E-01	5.3E-02	3.1E-17	5.3E-02	.	1.6E-02	2.6E-13	.	.
Strontium (38)	Sr-83	9.07E-11	6.32E-11	4.0E-11 (S)	2.03E-10	9.57E-02	.	1.00E+00	8.3E-01	.	7.1E+03	5.1E+00	7.1E-01	2.3E-17	7.1E-01	.	4.2E+00	3.6E-12	.	.
Strontium (38)	Sr-85	8.24E-11	6.00E-11	8.6E-11 (S)	1.21E-10	9.57E-02	.	1.00E+00	8.7E-01	.	1.2E+04	5.5E+00	7.5E-01	1.2E-15	7.5E-01	.	9.1E-02	3.9E-12	.	.
Strontium (38)	Sr-85m	6.10E-13	4.41E-13	2.5E-13 (S)	5.14E-11	9.57E-02	.	1.00E+00	1.2E+02	.	2.8E+04	7.6E+02	1.0E+02	1.2E-16	1.0E+02	.	1.7E+04	5.3E-10	.	.
Strontium (38)	Sr-87m	4.12E-12	2.90E-12	1.7E-12 (S)	7.73E-11	9.57E-02	.	1.00E+00	1.8E+01	.	1.9E+04	1.1E+02	1.6E+01	4.5E-17	1.6E+01	.	1.0E+03	8.2E-11	.	.
Strontium (38)	Sr-89	4.97E-10	3.47E-10	8.2E-10 (S)	4.51E-13	9.57E-02	.	1.00E+00	1.5E-01	.	3.2E+06	9.1E-01	1.3E-01	1.7E-16	1.3E-01	.	2.0E-02	7.0E-13	.	.
Strontium (38)	Sr-90	1.86E-09	1.51E-09	1.2E-08 (S)	6.00E-14	9.57E-02	8.00E+00	1.00E+00	3.5E-02	.	2.4E+07	7.1E-02	2.3E-02	6.2E-15	2.3E-02	8.0E+00	3.8E-05	2.7E-13	1.3E-02	9.4E-11
Strontium (38)	Sr-90+D	2.57E-09	2.00E-09	1.2E-08 (S)	1.07E-12	9.57E-02	8.00E+00	1.00E+00	2.6E-02	.	1.3E+06	5.1E-02	1.7E-02	4.7E-15	1.7E-02	8.0E+00	2.8E-05	2.0E-13	1.3E-02	9.4E-11
Strontium (38)	Sr-91	1.28E-10	8.84E-11	5.3E-11 (S)	1.81E-10	9.57E-02	.	1.00E+00	5.9E-01	.	7.9E+03	3.6E+00	5.1E-01	5.3E-18	5.1E-01	.	1.0E+01	2.8E-12	.	.
Strontium (38)	Sr-92	8.67E-11	5.97E-11	3.0E-11 (S)	3.53E-10	9.57E-02	.	1.00E+00	8.8E-01	.	4.1E+03	5.4E+00	7.5E-01	2.2E-18	7.5E-01	.	5.4E+01	4.2E-12	.	.
Strontium (38)	Sr-93	0.00E+00	0.00E+00	0.00E+00	5.87E-10	9.57E-02	.	1.00E+00	.	.	2.4E+03	.	2.4E+03	3.3E-16	2.4E+03	.	3.7E+06	1.4E-08	.	.
Strontium (38)	Sr-94	0.00E+00	0.00E+00	0.00E+00	3.82E-10	9.57E-02	.	1.00E+00	.	.	3.8E+03	.	3.8E+03	8.7E-17	3.8E+03	.	3.4E+07	2.1E-08	.	.
Tantalum (73)	Ta-170	0.00E+00	0.00E+00	0.00E+00	2.62E-10	2.00E-03	.	7.80E+02	.	.	5.5E+03	.	5.5E+03	1.2E-15	5.5E+03	.	6.0E+09	3.7E-05	.	.
Tantalum (73)	Ta-172	4.68E-12	3.36E-12	2.0E-12 (S)	4.29E-10	2.00E-03	.	7.80E+02	1.6E+01	.	3.3E+03	9.9E+01	1.3E+01	1.7E-17	1.3E+01	.	2.7E+06	9.1E-08	.	.
Tantalum (73)	Ta-173	1.84E-11	1.28E-11	7.4E-12 (S)	1.41E-10	2.00E-03	.	7.80E+02	4.1E+00	.	1.0E+04	2.5E+01	3.5E+00	2.3E-17	3.5E+00	.	1.4E+05	2.4E-08	.	.
Tantalum (73)	Ta-174	7.61E-12	5.37E-12	3.3E-12 (S)	2.45E-10	2.00E-03	.	7.80E+02	9.7E+00	.	5.9E+03	6.1E+01	8.4E+00	2.0E-17	8.4E+00	.	9.1E+05	5.7E-08	.	.
Tantalum (73)	Ta-175	3.73E-11	2.62E-11	1.3E-11 (S)	2.81E-10	2.00E-03	.	7.80E+02	2.0E+00	.	5.1E+03	1.2E+01	1.7E+00	3.7E-17	1.7E+00	.	2.0E+04	1.2E-08	.	.
Tantalum (73)	Ta-176	4.57E-11	3.23E-11	1.6E-11 (S)	5.90E-10	2.00E-03	.	7.80E+02	1.6E+00	.	2.4E+03	1.0E+01	1.4E+00	2.4E-17	1.4E+00	.	2.1E+04	9.7E-09	.	.
Tantalum (73)	Ta-177	2.35E-11	1.62E-11	1.2E-11 (S)	1.17E-11	2.00E-03	.	7.80E+02	3.2E+00	.	1.2E+05	2.0E+01	2.8E+00	3.3E-16	2.8E+00	.	6.0E+03	1.9E-08	.	.
Tantalum (73)	Ta-178	0.00E+00	0.00E+00	0.00E+00	2.58E-11	2.00E-03	.	7.80E+02	.	.	5.6E+04	.	5.6E+04	1.8E-14	5.6E+04	.	4.4E+10	3.9E-04	.	.
Tantalum (73)	Ta-178m	1.13E-11	7.96E-12	5.5E-12 (S)	2.69E-10	2.00E-03	.	7.80E+02	6.6E+00	.	5.3E+03	4.1E+01	5.7E+00	2.8E-17	5.7E+00	.	3.0E+05	4.0E-08	.	.
Tantalum (73)	Ta-179	1.27E-11	8.77E-12	4.8E-11 (S)	3.72E-12	2.00E-03	.	7.80E+02	6.0E+00	.	3.9E+05	2.9E+01	4.9E+00	1.7E-13	4.9E+00	.	3.8E+01	3.5E-08	.	.
Tantalum (73)	Ta-180	1.23E-11	8.44E-12	5.2E-12 (S)	7.51E-12	2.00E-03	.	7.80E+02	6.2E+00	.	1.9E+05	3.8E+01	5.3E+00	9.2E-17	5.3E+00	.	8.0E+04	3.8E-08	.	.
Tantalum (73)	Ta-182	3.05E-10	2.11E-10	1.0E-09 (S)	3.28E-10	2.00E-03	.	7.80E+02	2.5E-01	.	4.4E+03	1.5E+00	2.1E-01	1.3E-15	2.1E-01	.	9.5E+00	1.5E-09	.	.
Tantalum (73)	Ta-182m	7.90E-13	5.72E-13	9.7E-13 (S)	5.68E-11	2.00E-03	.	7.80E+02	9.1E+01	.	2.5E+04	5.9E+02	7.9E+01	4.5E-17	7.9E+01	.	3.7E+07	5.6E-07	.	.
Tantalum (73)	Ta-183	3.38E-10	2.31E-10	2.5E-10 (S)	6.47E-11	2.00E-03	.	7.80E+02	2.3E-01	.	2.2E+04	1.4E+00	1.9E-01	5.1E-17	1.9E-01	.	2.0E+02	1.4E-09	.	.
Tantalum (73)	Ta-184	1.37E-10	9.44E-11	4.6E-11 (S)	3.88E-10	2.00E-03	.	7.80E+02	5.5E-01	.	3.7E+03	3.4E+00	4.8E-01	9.0E-18	4.8E-01	.	6.7E+03	3.4E-09	.	.
Tantalum (73)	Ta-185	6.14E-12	4.33E-12	3.3E-12 (S)	3.44E-11	2.00E-03	.	7.80E+02	1.2E+01	.	4.2E+04	7.6E+01	1.0E+01	1.9E-17	1.0E+01	.	1.6E+06	7.6E-08	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Tantalum (73)	Ta-186	2.13E-12	1.55E-12	7.4E-13 (S)	3.50E-10	2.00E-03	.	7.80E+02	3.4E+01	.	4.1E+03	2.2E+02	2.9E+01	1.1E-17	2.9E+01	.	2.0E+07	2.1E-07	.	.
Terbium (65)	Tb-146	0.00E+00	0.00E+00	0.00E+00	9.59E-10	2.00E-03	.	6.00E+03	.	.	1.5E+03	.	1.5E+03	1.7E-17	1.5E+03	.	2.2E+11	6.6E-05	.	.
Terbium (65)	Tb-147	1.60E-11	1.13E-11	5.3E-12 (S)	5.62E-10	2.00E-03	.	6.00E+03	4.6E+00	.	2.6E+03	2.9E+01	4.0E+00	1.1E-17	4.0E+00	.	2.3E+06	1.8E-07	.	.
Terbium (65)	Tb-147m	0.00E+00	0.00E+00	0.00E+00	5.05E-10	2.00E-03	.	6.00E+03	.	.	2.8E+03	.	2.8E+03	1.5E-16	2.8E+03	.	8.6E+10	1.3E-04	.	.
Terbium (65)	Tb-148	1.23E-11	8.72E-12	4.2E-12 (S)	6.12E-10	2.00E-03	.	6.00E+03	6.0E+00	.	2.3E+03	3.8E+01	5.2E+00	9.0E-18	5.2E+00	.	4.9E+06	2.3E-07	.	.
Terbium (65)	Tb-148m	0.00E+00	0.00E+00	0.00E+00	7.83E-10	2.00E-03	.	6.00E+03	.	.	1.8E+03	.	1.8E+03	1.2E-16	1.8E+03	.	4.7E+10	8.2E-05	.	.
Terbium (65)	Tb-149	2.99E-11	2.09E-11	4.1E-10 (S)	3.47E-10	2.00E-03	.	6.00E+03	2.5E+00	.	4.1E+03	1.6E+01	2.2E+00	1.6E-17	2.2E+00	.	5.0E+05	9.7E-08	.	.
Terbium (65)	Tb-149m	0.00E+00	0.00E+00	0.00E+00	3.41E-10	2.00E-03	.	6.00E+03	.	.	4.2E+03	.	4.2E+03	5.1E-16	4.2E+03	.	5.8E+10	1.9E-04	.	.
Terbium (65)	Tb-150	3.26E-11	2.28E-11	8.6E-12 (S)	6.50E-10	2.00E-03	.	6.00E+03	2.3E+00	.	2.2E+03	1.4E+01	2.0E+00	1.2E-17	2.0E+00	.	5.4E+05	9.0E-08	.	.
Terbium (65)	Tb-150m	0.00E+00	0.00E+00	0.00E+00	6.19E-10	2.00E-03	.	6.00E+03	.	.	2.3E+03	.	2.3E+03	4.0E-16	2.3E+03	.	2.3E+10	1.1E-04	.	.
Terbium (65)	Tb-151	6.04E-11	4.22E-11	2.3E-11 (S)	2.39E-10	2.00E-03	.	6.00E+03	1.2E+00	.	6.0E+03	7.7E+00	1.1E+00	3.4E-17	1.1E+00	.	5.7E+04	4.9E-08	.	.
Terbium (65)	Tb-151m	0.00E+00	0.00E+00	0.00E+00	1.75E-11	2.00E-03	.	6.00E+03	.	.	8.2E+04	.	8.2E+04	1.0E-15	8.2E+04	.	1.1E+13	3.8E-03	.	.
Terbium (65)	Tb-152	1.36E-10	9.41E-11	3.6E-11 (S)	3.85E-10	2.00E-03	.	6.00E+03	5.6E-01	.	3.7E+03	3.4E+00	4.8E-01	1.5E-17	4.8E-01	.	2.6E+04	2.2E-08	.	.
Terbium (65)	Tb-152m	0.00E+00	0.00E+00	0.00E+00	1.80E-10	2.00E-03	.	6.00E+03	.	.	8.0E+03	.	8.0E+03	1.0E-15	8.0E+03	.	1.1E+11	3.7E-04	.	.
Terbium (65)	Tb-153	5.47E-11	3.79E-11	2.6E-11 (S)	7.38E-11	2.00E-03	.	6.00E+03	1.4E+00	.	1.9E+04	8.5E+00	1.2E+00	1.2E-16	1.2E+00	.	2.0E+04	5.5E-08	.	.
Terbium (65)	Tb-154	9.16E-11	6.46E-11	3.0E-11 (S)	6.12E-10	2.00E-03	.	6.00E+03	8.1E-01	.	2.3E+03	5.1E+00	7.0E-01	2.7E-17	7.0E-01	.	3.1E+04	3.3E-08	.	.
Terbium (65)	Tb-155	5.41E-11	3.73E-11	3.4E-11 (S)	3.41E-11	2.00E-03	.	6.00E+03	1.4E+00	.	4.2E+04	8.6E+00	1.2E+00	2.8E-16	1.2E+00	.	8.9E+03	5.7E-08	.	.
Terbium (65)	Tb-156	1.80E-10	1.26E-10	1.2E-10 (S)	4.89E-10	2.00E-03	.	6.00E+03	4.1E-01	.	2.9E+03	2.6E+00	3.6E-01	8.5E-17	3.6E-01	.	2.6E+03	1.7E-08	.	.
Terbium (65)	Tb-156m	2.87E-11	2.00E-11	2.2E-11 (S)	4.86E-12	2.00E-03	.	6.00E+03	2.6E+00	.	3.0E+05	1.6E+01	2.2E+00	1.0E-16	2.2E+00	.	8.7E+04	1.1E-07	.	.
Terbium (65)	Tb-156n	1.68E-11	1.16E-11	1.2E-11 (S)	5.18E-13	2.00E-03	.	6.00E+03	4.5E+00	.	2.8E+06	2.8E+01	3.9E+00	3.8E-17	3.9E+00	.	6.9E+05	1.8E-07	.	.
Terbium (65)	Tb-157	8.19E-12	5.63E-12	1.0E-10 (F)	5.11E-13	2.00E-03	.	6.00E+03	9.3E+00	.	2.8E+06	1.8E+01	6.1E+00	7.0E-12	6.1E+00	.	4.1E+01	1.3E-06	.	.
Terbium (65)	Tb-158	1.86E-10	1.30E-10	4.7E-09 (F)	1.98E-10	2.00E-03	.	6.00E+03	4.0E-01	.	7.2E+03	7.3E-01	2.6E-01	7.6E-13	2.6E-01	.	1.6E+00	1.3E-07	.	.
Terbium (65)	Tb-160	3.44E-10	2.37E-10	8.2E-10 (S)	2.86E-10	2.00E-03	.	6.00E+03	2.2E-01	.	5.0E+03	1.3E+00	1.9E-01	6.2E-16	1.9E-01	.	1.0E+02	9.1E-09	.	.
Terbium (65)	Tb-161	1.95E-10	1.33E-10	1.6E-10 (S)	4.51E-12	2.00E-03	.	6.00E+03	3.9E-01	.	3.2E+05	2.4E+00	3.4E-01	1.1E-16	3.4E-01	.	1.9E+03	1.6E-08	.	.
Terbium (65)	Tb-162	0.00E+00	0.00E+00	0.00E+00	2.76E-10	2.00E-03	.	6.00E+03	.	.	5.2E+03	.	5.2E+03	1.3E-15	5.2E+03	.	3.9E+10	2.5E-04	.	.
Terbium (65)	Tb-163	1.44E-12	1.05E-12	7.6E-13 (S)	1.92E-10	2.00E-03	.	6.00E+03	5.0E+01	.	7.5E+03	3.2E+02	4.3E+01	2.7E-17	4.3E+01	.	1.2E+08	2.1E-06	.	.
Terbium (65)	Tb-164	0.00E+00	0.00E+00	0.00E+00	6.25E-10	2.00E-03	.	6.00E+03	.	.	2.3E+03	.	2.3E+03	2.2E-16	2.3E+03	.	4.4E+10	1.1E-04	.	.
Terbium (65)	Tb-165	0.00E+00	0.00E+00	0.00E+00	2.20E-10	2.00E-03	.	6.00E+03	.	.	6.5E+03	.	6.5E+03	4.5E-16	6.5E+03	.	1.8E+11	3.3E-04	.	.
Technetium (43)	Tc-101	1.13E-12	8.20E-13	5.1E-13 (S)	8.17E-11	1.13E+00	.	0.00E+00	6.4E+01	.	1.8E+04	4.1E+02	5.5E+01	1.6E-17	5.5E+01	.	7.3E+03	5.6E-11	.	.
Technetium (43)	Tc-102	0.00E+00	0.00E+00	0.00E+00	2.46E-11	1.13E+00	.	0.00E+00	.	.	5.8E+04	.	5.8E+04	1.0E-16	5.8E+04	.	1.3E+09	6.0E-08	.	.
Technetium (43)	Tc-102m	0.00E+00	0.00E+00	0.00E+00	6.53E-10	1.13E+00	.	0.00E+00	.	.	2.2E+03	.	2.2E+03	1.9E-16	2.2E+03	.	9.6E+05	2.3E-09	.	.
Technetium (43)	Tc-104	5.26E-12	3.81E-12	1.5E-12 (S)	6.03E-10	1.13E+00	.	0.00E+00	1.4E+01	.	2.4E+03	8.8E+01	1.2E+01	4.4E-18	1.2E+01	.	1.2E+03	1.2E-11	.	.
Technetium (43)	Tc-105	0.00E+00	0.00E+00	0.00E+00	2.04E-10	1.13E+00	.	0.00E+00	.	.	7.1E+03	.	7.1E+03	1.1E-15	7.1E+03	.	1.8E+06	7.5E-09	.	.
Technetium (43)	Tc-91	0.00E+00	0.00E+00	0.00E+00	6.60E-10	1.13E+00	.	0.00E+00	.	.	2.2E+03	.	2.2E+03	1.2E-16	2.2E+03	.	1.3E+06	2.0E-09	.	.
Technetium (43)	Tc-91m	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.13E+00	.	0.00E+00	.	.	4.0E+03	.	4.0E+03	2.4E-16	4.0E+03	.	2.3E+06	3.7E-09	.	.
Technetium (43)	Tc-92	0.00E+00	0.00E+00	0.00E+00	9.85E-10	1.13E+00	.	0.00E+00	.	.	1.5E+03	.	1.5E+03	1.1E-16	1.5E+03	.	6.5E+05	1.4E-09	.	.
Technetium (43)	Tc-93	7.99E-12	5.73E-12	2.6E-12 (S)	4.13E-10	1.13E+00	.	0.00E+00	9.1E+00	.	3.5E+03	5.8E+01	7.9E+00	2.4E-17	7.9E+00	.	9.0E+01	7.4E-12	.	.
Technetium (43)	Tc-93m	3.29E-12	2.36E-12	1.1E-12 (S)	2.59E-10	1.13E+00	.	0.00E+00	2.2E+01	.	5.5E+03	1.4E+02	1.9E+01	1.5E-17	1.9E+01	.	8.3E+02	1.8E-11	.	.
Technetium (43)	Tc-94	2.38E-11	1.70E-11	7.8E-12 (S)	6.69E-10	1.13E+00	.	0.00E+00	3.1E+00	.	2.1E+03	2.0E+01	2.7E+00	1.4E-17	2.7E+00	.	1.7E+01	2.5E-12	.	.
Technetium (43)	Tc-94m	9.09E-12	6.47E-12	2.8E-12 (S)	5.02E-10	1.13E+00	.	0.00E+00	8.1E+00	.	2.9E+03	5.1E+01	7.0E+00	6.7E-18	7.0E+00	.	2.5E+02	6.6E-12	.	.
Technetium (43)	Tc-95	2.17E-11	1.56E-11	7.4E-12 (S)	1.98E-10	1.13E+00	.	0.00E+00	3.3E+00	.	7.3E+03	2.1E+01	2.9E+00	6.5E-17	2.9E+00	.	4.6E+00	2.8E-12	.	.
Technetium (43)	Tc-95m	6.87E-11	4.93E-11	1.3E-10 (S)	1.68E-10	1.13E+00	.	0.00E+00	1.1E+00	.	8.5E+03	6.0E+00	9.0E-01	1.5E-15	9.0E-01	.	1.9E-02	8.6E-13	.	.
Technetium (43)	Tc-96	1.27E-10	9.23E-11	5.7E-11 (S)	6.31E-10	1.13E+00	.	0.00E+00	5.7E-01	.	2.3E+03	3.6E+00	4.9E-01	5.7E-17	4.9E-01	.	1.5E-01	4.7E-13	.	.
Technetium (43)	Tc-96m	1.34E-12	9.64E-13	5.8E-13 (S)	1.07E-11	1.13E+00	.	0.00E+00	5.4E+01	.	1.3E+05	3.5E+02	4.7E+01	4.6E-17	4.7E+01	.	1.7E+03	4.5E-11	.	.
Technetium (43)	Tc-97	1.06E-11	7.33E-12	1.3E-10 (S)	1.03E-13	1.13E+00	.	0.00E+00	7.1E+00	.	1.4E+07	3.0E+00	2.1E+00	5.5E-08	2.1E+00	.	4.2E-04	3.0E-07	.	.
Technetium (43)	Tc-97m	9.33E-11	6.43E-11	3.9E-10 (S)	1.67E-13	1.13E+00	.	0.00E+00	8.1E-01	.	8.6E+06	4.2E+00	6.8E-01	1.7E-15	6.8E-01	.	9.9E-03	6.7E-13	.	.
Technetium (43)	Tc-98	2.54E-10	1.79E-10	3.2E-09 (S)	3.53E-10	1.13E+00	.	0.00E+00	2.9E-01	.	4.1E+03	1.3E-01	8.8E-02	3.7E-09	8.8E-02	.	1.8E-05	2.0E-08	.	.
Technetium (43)	Tc-99	1.08E-10	7.44E-11	1.0E-09 (S)	1.52E-14	1.13E+00	9.00E+02	0.00E+00	7.0E-01	.	9.5E+07	2.9E-01	2.1E-01	4.5E-10	2.1E-01	9.0E+02	4.1E-05	2.4E-09	1.8E-01	1.1E-05
Technetium (43)	Tc-99m	3.06E-12	2.15E-12	1.6E-12 (S)	2.88E-11	1.13E+00	.	0.00E+00	2.4E+01	.	5.0E+04	1.5E+02	2.1E+01	1.5E-16	2.1E+01	.	1.1E+02	2.1E-11	.	.
Tellurium (52)	Te-113	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	.	4.80E+02	.	.	2.5E+03	.	2.5E+03	9.5E-17	2.5E+03	.	6.7E+09	6.8E-06	.	.
Tellurium (52)	Te-114	4.48E-12	3.26E-12	2.3E-12 (V)	3.28E-10	8.70E-02	.	4.80E+02	1.6E+01	.	4.4E+03	1.0E+02	1.4E+01	4.7E-18	1.4E+01	.	4.1E+06	3.8E-08	.	.
Tellurium (52)	Te-115	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	.	4.80E+02	.	.	2.5E+03	.	2.5E+03	3.3E-16	2.5E+03	.	2.0E+09	7.0E-06	.	.
Tellurium (52)	Te-115m	0.00E+00	0.00E+00	0.00E+00	6.75E-10	8.70E-02	.	4.80E+02	.	.	2.1E+03	.	2.1E+03	3.2E-16	2.1E+03	.	1.4E+09	5.9E-06	.	.
Tellurium (52)	Te-116	3.03E-11	2.11E-11	1.1E-11 (S)	1.99E-11	8.70E-02	.	4.80E+02	2.5E+00	.	7.2E+04	1.5E+01	2.1E+00	7.3E-18	2.1E+00	.	6.5E+04	6.0E-09	.	.
Tellurium (52)	Te-117	5.58E-12	3.98E-12	2.0E-12 (V)	4.01E-10	8.70E-02	.	4.80E+02	1.3E+01	.	3.6E+03	8.3E+01	1.1E+01	1.6E-17	1.1E+01	.	8.3E+05	3.2E-08	.	.
Tellurium (52)	Te-118	6.95E-10	4.77E-10	3.4E-10 (S)	7.10E-13	8.70E-02	.	4.80E+02	1.1E-01	.	2.0E+06	6.7E-01	9.4E-02	1.9E-17	9.4E-02	.	5.0E+01	2.7E-10	.	.
Tellurium (52)	Te-118+D	6.95E-10	4.77E-10	3.4E-10 (S)	1.98E-10	8.70E-02	.	4.80E+02	1.1E-01	.	7.2E+03	6.7E-01	9.4E-02	1.9E-17	9.4E-02	.	5.0E+01	2.7E-10	.	.
Tellurium (52)	Te-119	2.59E-11	1.83E-11	8.7E-12 (S)	1.89E-10	8.70E-02	.	4.80E+02	2.9E+00	.	7.6E+03	1.8E+01	2.5E+00	5.6E-17	2.5E+00	.	1.2E+04	7.1E-09	.	.
Tellurium (52)	Te-119m	9.51E-11	6.81E-11	5.4E-11 (V)	3.85E-10	8.70E-02	.	4.80E+02	7.7E-01	.	3.7E+03	4.9E+00	6.6E-01	1.1E-16	6.6E-01	.	4.5E+02	1.9E-09	.	.
Tellurium (52)	Te-121	5.61E-11	4.08E-11	5.3E-11 (V)	1.38E-10	8.70E-02	.	4.80E+02	1.3E+00	.	1.0E+04	8.2E+00	1.1E+00	7.3E-16	1.1E+00	.	1.8E+02	3.2E-09	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Tellurium (52)	Te-121m	2.32E-10	1.75E-10	5.6E-10 (S)	4.92E-11	8.70E-02	.	4.80E+02	3.0E-01	.	2.9E+04	1.9E+00	2.6E-01	1.4E-15	2.6E-01	.	5.3E+00	7.5E-10	.	.
Tellurium (52)	Te-123	3.56E-11	2.93E-11	8.3E-11 (V)	1.23E-15	8.70E-02	.	4.80E+02	1.8E+00	.	1.2E+09	3.0E+00	1.1E+00	8.5E+00	1.1E+00	.	5.4E-01	1.1E+05	.	.
Tellurium (52)	Te-123m	1.52E-10	1.11E-10	4.8E-10 (S)	3.16E-11	8.70E-02	.	4.80E+02	4.7E-01	.	4.5E+04	2.9E+00	4.0E-01	1.7E-15	4.0E-01	.	1.1E+01	1.2E-09	.	.
Tellurium (52)	Te-125m	1.27E-10	9.00E-11	3.9E-10 (S)	1.57E-12	8.70E-02	.	4.80E+02	5.8E-01	.	9.1E+05	3.6E+00	5.0E-01	1.0E-15	5.0E-01	.	2.7E+01	1.5E-09	.	.
Tellurium (52)	Te-127	4.02E-11	2.73E-11	1.8E-11 (S)	1.26E-12	8.70E-02	.	4.80E+02	1.9E+00	.	1.1E+06	1.2E+01	1.6E+00	2.3E-17	1.6E+00	.	1.3E+04	5.1E-09	.	.
Tellurium (52)	Te-127m	3.24E-10	2.34E-10	9.4E-10 (S)	5.21E-13	8.70E-02	.	4.80E+02	2.2E-01	.	2.8E+06	1.4E+00	1.9E-01	7.5E-16	1.9E-01	.	5.6E+00	5.9E-10	.	.
Tellurium (52)	Te-129	6.60E-12	4.62E-12	3.1E-12 (V)	1.47E-11	8.70E-02	.	4.80E+02	1.1E+01	.	9.8E+04	7.0E+01	9.7E+00	1.7E-17	9.7E+00	.	6.4E+05	3.0E-08	.	.
Tellurium (52)	Te-129m	5.94E-10	4.14E-10	8.1E-10 (S)	7.86E-12	8.70E-02	.	4.80E+02	1.3E-01	.	1.8E+05	7.7E-01	1.1E-01	1.3E-16	1.1E-01	.	1.0E+01	3.4E-10	.	.
Tellurium (52)	Te-131	8.23E-12	5.85E-12	6.6E-12 (V)	1.03E-10	8.70E-02	.	4.80E+02	8.9E+00	.	1.4E+04	5.7E+01	7.7E+00	5.0E-18	7.7E+00	.	1.4E+06	2.4E-08	.	.
Tellurium (52)	Te-131m	3.14E-10	2.19E-10	2.6E-10 (V)	3.69E-10	8.70E-02	.	4.80E+02	2.4E-01	.	3.9E+03	1.5E+00	2.1E-01	9.6E-18	2.1E-01	.	5.2E+02	6.5E-10	.	.
Tellurium (52)	Te-132	6.57E-10	4.58E-10	5.7E-10 (V)	5.08E-11	8.70E-02	.	4.80E+02	1.1E-01	.	2.8E+04	7.1E-01	9.8E-02	1.2E-17	9.8E-02	.	9.7E+01	3.1E-10	.	.
Tellurium (52)	Te-133	7.28E-12	5.14E-12	5.8E-12 (V)	3.11E-10	8.70E-02	.	4.80E+02	1.0E+01	.	4.6E+03	6.4E+01	8.8E+00	2.9E-18	8.8E+00	.	3.2E+06	2.8E-08	.	.
Tellurium (52)	Te-133m	3.06E-11	2.15E-11	2.3E-11 (V)	4.77E-10	8.70E-02	.	4.80E+02	2.4E+00	.	3.0E+03	1.5E+01	2.1E+00	3.0E-18	2.1E+00	.	1.7E+05	6.7E-09	.	.
Tellurium (52)	Te-134	1.04E-11	7.46E-12	8.0E-12 (V)	2.12E-10	8.70E-02	.	4.80E+02	7.0E+00	.	6.8E+03	4.5E+01	6.1E+00	6.7E-18	6.1E+00	.	6.6E+05	2.0E-08	.	.
Thorium (90)	Th-223	0.00E+00	0.00E+00	0.00E+00	1.51E-11	1.83E-03	.	2.00E+01	.	.	9.5E+04	.	9.5E+04	4.2E-17	9.5E+04	.	1.8E+12	2.2E-05	.	.
Thorium (90)	Th-224	0.00E+00	0.00E+00	0.00E+00	5.33E-12	1.83E-03	.	2.00E+01	.	.	2.7E+05	.	2.7E+05	2.1E-16	2.7E+05	.	2.9E+12	6.1E-05	.	.
Thorium (90)	Th-226	2.50E-11	1.78E-11	4.2E-09 (S)	1.74E-12	1.83E-03	.	2.00E+01	2.9E+00	.	8.3E+05	1.9E+01	2.5E+00	3.5E-18	2.5E+00	.	1.6E+04	5.8E-10	.	.
Thorium (90)	Th-227	1.90E-09	1.30E-09	9.5E-07 (S)	2.85E-11	1.83E-03	.	2.00E+01	4.0E-02	.	5.0E+04	2.4E-01	3.4E-02	4.2E-17	3.4E-02	.	2.5E-01	8.0E-12	.	.
Thorium (90)	Th-228	4.00E-09	2.91E-09	3.6E-06 (S)	4.48E-13	1.83E-03	1.50E+01	2.00E+01	1.8E-02	.	3.2E+06	9.2E-02	1.5E-02	6.8E-16	1.5E-02	1.5E+01	2.9E-03	3.5E-12	2.9E+00	3.5E-09
Thorium (90)	Th-229	7.85E-09	6.04E-09	4.7E-06 (S)	1.81E-11	1.83E-03	1.50E+01	2.00E+01	8.7E-03	.	8.0E+04	1.7E-02	5.7E-03	9.9E-13	5.7E-03	1.5E+01	1.2E-04	5.4E-10	3.0E-01	1.4E-06
Thorium (90)	Th-229+D	1.20E-08	9.13E-09	5.4E-06 (S)	1.92E-11	1.83E-03	1.50E+01	2.00E+01	5.7E-03	.	7.5E+04	1.1E-02	3.7E-03	6.5E-13	3.7E-03	1.5E+01	7.6E-05	3.6E-10	3.0E-01	1.4E-06
Thorium (90)	Th-230	3.22E-09	2.47E-09	9.2E-07 (F)	8.14E-14	1.83E-03	1.50E+01	2.00E+01	2.1E-02	.	1.8E+07	4.0E-02	1.4E-02	2.5E-11	1.4E-02	1.5E+01	2.8E-04	1.4E-08	3.0E-01	1.5E-05
Thorium (90)	Th-231	8.69E-11	5.93E-11	4.1E-11 (S)	2.40E-12	1.83E-03	.	2.00E+01	8.8E-01	.	6.0E+05	5.4E+00	7.6E-01	5.3E-17	7.6E-01	.	9.5E+01	1.8E-10	.	.
Thorium (90)	Th-232	3.60E-09	2.73E-09	1.2E-06 (S)	4.17E-14	1.83E-03	1.50E+01	2.00E+01	1.9E-02	.	3.4E+07	3.6E-02	1.3E-02	4.2E-06	1.3E-02	1.5E+01	2.5E-04	2.3E-03	3.0E-01	2.8E+00
Thorium (90)	Th-232+D	4.22E-08	3.08E-08	2.4E-06 (S)	2.20E-10	1.83E-03	.	2.00E+01	1.7E-03	.	6.5E+03	3.1E-03	1.1E-03	3.7E-07	1.1E-03	.	2.2E-05	2.0E-04	.	.
Thorium (90)	Th-233	1.50E-12	1.07E-12	1.0E-12 (S)	8.58E-12	1.83E-03	.	2.00E+01	4.9E+01	.	1.7E+05	3.1E+02	4.2E+01	4.3E-17	4.2E+01	.	3.6E+05	1.0E-08	.	.
Thorium (90)	Th-234	9.17E-10	6.24E-10	8.3E-10 (S)	1.73E-12	1.83E-03	.	2.00E+01	8.4E-02	.	8.3E+05	5.0E-01	7.2E-02	1.2E-16	7.2E-02	.	4.0E-01	1.7E-11	.	.
Thorium (90)	Th-234+D	9.17E-10	6.24E-10	8.3E-10 (S)	6.66E-12	1.83E-03	.	2.00E+01	8.4E-02	.	2.2E+05	5.0E-01	7.2E-02	1.2E-16	7.2E-02	.	4.0E-01	1.7E-11	.	.
Thorium (90)	Th-235	0.00E+00	0.00E+00	0.00E+00	1.38E-11	1.83E-03	.	2.00E+01	.	.	1.0E+05	.	1.0E+05	3.4E-14	1.0E+05	.	2.8E+09	2.5E-05	.	.
Thorium (90)	Th-236	7.44E-12	5.28E-12	3.5E-12 (S)	8.14E-12	1.83E-03	.	2.00E+01	9.9E+00	.	1.8E+05	6.3E+01	8.5E+00	1.5E-17	8.5E+00	.	4.4E+04	2.1E-09	.	.
Titanium (22)	Ti-44	9.81E-10	6.91E-10	9.3E-09 (S)	2.64E-11	1.00E-03	.	1.00E+03	7.6E-02	.	5.4E+04	1.5E-01	5.0E-02	1.4E-14	5.0E-02	.	5.8E-02	4.3E-10	.	.
Titanium (22)	Ti-44+D	1.04E-09	7.34E-10	9.3E-09 (S)	5.68E-10	1.00E-03	.	1.00E+03	7.1E-02	.	2.5E+03	1.4E-01	4.7E-02	1.3E-14	4.7E-02	.	5.5E-02	4.0E-10	.	.
Titanium (22)	Ti-45	2.52E-11	1.74E-11	8.3E-12 (S)	2.13E-10	1.00E-03	.	1.00E+03	3.0E+00	.	6.7E+03	1.8E+01	2.6E+00	4.2E-18	2.6E+00	.	1.3E+05	5.9E-09	.	.
Titanium (22)	Ti-51	0.00E+00	0.00E+00	0.00E+00	9.09E-11	1.00E-03	.	1.00E+03	.	.	1.6E+04	.	1.6E+04	9.2E-16	1.6E+04	.	2.6E+10	4.1E-05	.	.
Titanium (22)	Ti-52	0.00E+00	0.00E+00	0.00E+00	2.88E-11	1.00E-03	.	1.00E+03	.	.	5.0E+04	.	5.0E+04	8.7E-16	5.0E+04	.	2.8E+11	1.3E-04	.	.
Thallium (81)	Tl-190	0.00E+00	0.00E+00	0.00E+00	3.22E-10	2.00E-01	.	1.50E+03	.	.	4.5E+03	.	4.5E+03	4.3E-16	4.5E+03	.	2.4E+10	6.4E-05	.	.
Thallium (81)	Tl-190m	0.00E+00	0.00E+00	0.00E+00	6.09E-10	2.00E-01	.	1.50E+03	.	.	2.4E+03	.	2.4E+03	3.3E-16	2.4E+03	.	9.0E+09	3.4E-05	.	.
Thallium (81)	Tl-194	2.90E-12	2.12E-12	1.0E-12 (S)	2.23E-10	2.00E-01	.	1.50E+03	2.5E+01	.	6.4E+03	1.6E+02	2.1E+01	2.7E-17	2.1E+01	.	9.2E+06	3.1E-07	.	.
Thallium (81)	Tl-194m	2.85E-12	2.10E-12	1.3E-12 (S)	6.22E-10	2.00E-01	.	1.50E+03	2.5E+01	.	2.3E+03	1.6E+02	2.1E+01	2.7E-17	2.1E+01	.	9.3E+06	3.1E-07	.	.
Thallium (81)	Tl-195	2.16E-12	1.60E-12	1.4E-12 (S)	3.19E-10	2.00E-01	.	1.50E+03	3.3E+01	.	4.5E+03	2.2E+02	2.8E+01	7.5E-17	2.8E+01	.	5.8E+06	4.2E-07	.	.
Thallium (81)	Tl-196	4.27E-12	3.16E-12	1.8E-12 (S)	4.86E-10	2.00E-01	.	1.50E+03	1.7E+01	.	3.0E+03	1.1E+02	1.4E+01	6.1E-17	1.4E+01	.	1.8E+06	2.1E-07	.	.
Thallium (81)	Tl-197	2.38E-12	1.74E-12	2.8E-12 (S)	1.11E-10	2.00E-01	.	1.50E+03	3.0E+01	.	1.3E+04	2.0E+02	2.6E+01	1.7E-16	2.6E+01	.	2.2E+06	3.9E-07	.	.
Thallium (81)	Tl-198	7.47E-12	5.59E-12	3.3E-12 (S)	5.27E-10	2.00E-01	.	1.50E+03	9.3E+00	.	2.7E+03	6.2E+01	8.1E+00	1.0E-16	8.1E+00	.	3.6E+05	1.2E-07	.	.
Thallium (81)	Tl-198m	4.76E-12	3.53E-12	3.7E-12 (S)	2.94E-10	2.00E-01	.	1.50E+03	1.5E+01	.	4.9E+03	9.8E+01	1.3E+01	5.6E-17	1.3E+01	.	1.6E+06	1.9E-07	.	.
Thallium (81)	Tl-199	2.81E-12	2.07E-12	3.4E-12 (S)	5.65E-11	2.00E-01	.	1.50E+03	2.5E+01	.	2.5E+04	1.7E+02	2.2E+01	3.8E-16	2.2E+01	.	7.0E+05	3.3E-07	.	.
Thallium (81)	Tl-200	2.23E-11	1.67E-11	1.1E-11 (S)	3.28E-10	2.00E-01	.	1.50E+03	3.1E+00	.	4.4E+03	2.1E+01	2.7E+00	1.7E-16	2.7E+00	.	2.5E+04	4.1E-08	.	.
Thallium (81)	Tl-201	1.38E-11	1.00E-11	1.9E-11 (S)	1.76E-11	2.00E-01	.	1.50E+03	5.2E+00	.	8.1E+04	3.4E+01	4.5E+00	7.8E-16	4.5E+00	.	1.5E+04	6.9E-08	.	.
Thallium (81)	Tl-202	5.44E-11	4.03E-11	3.7E-11 (S)	1.10E-10	2.00E-01	.	1.50E+03	1.3E+00	.	1.3E+04	8.5E+00	1.1E+00	7.9E-16	1.1E+00	.	9.1E+02	1.7E-08	.	.
Thallium (81)	Tl-204	2.22E-10	1.57E-10	1.6E-09 (S)	3.14E-13	2.00E-01	3.00E+02	1.50E+03	3.3E-01	.	4.6E+06	1.1E+00	2.6E-01	2.0E-14	2.6E-01	3.0E+02	1.8E+00	4.0E-09	2.2E+03	4.7E-06
Thallium (81)	Tl-206	0.00E+00	0.00E+00	0.00E+00	3.98E-13	2.00E-01	.	1.50E+03	.	.	3.6E+06	.	3.6E+06	6.2E-13	3.6E+06	.	1.2E+13	5.6E-02	.	.
Thallium (81)	Tl-206m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-01	.	1.50E+03	.	.	2.4E+03	.	2.4E+03	3.6E-16	2.4E+03	.	9.1E+09	3.7E-05	.	.
Thallium (81)	Tl-207	0.00E+00	0.00E+00	0.00E+00	9.21E-13	2.00E-01	.	1.50E+03	.	.	1.6E+06	.	1.6E+06	3.0E-13	1.6E+06	.	4.6E+12	2.4E-02	.	.
Thallium (81)	Tl-208	0.00E+00	0.00E+00	0.00E+00	9.34E-10	2.00E-01	.	1.50E+03	.	.	1.5E+03	.	1.5E+03	1.9E-16	1.5E+03	.	7.1E+09	2.4E-05	.	.
Thallium (81)	Tl-209	0.00E+00	0.00E+00	0.00E+00	5.62E-10	2.00E-01	.	1.50E+03	.	.	2.6E+03	.	2.6E+03	2.3E-16	2.6E+03	.	1.7E+10	4.0E-05	.	.
Thallium (81)	Tl-210	0.00E+00	0.00E+00	0.00E+00	7.26E-10	2.00E-01	.	1.50E+03	.	.	2.0E+03	.	2.0E+03	1.1E-16	2.0E+03	.	2.2E+10	3.1E-05	.	.
Thulium (69)	Tm-161	4.13E-12	2.94E-12	1.6E-12 (S)	3.25E-10	2.00E-03	.	3.30E+02	1.8E+01	.	4.4E+03	1.1E+02	1.5E+01	1.5E-17	1.5E+01	.	1.6E+06	4.1E-08	.	.
Thulium (69)	Tm-162	2.79E-12	2.02E-12	9.7E-13 (S)	5.05E-10	2.00E-03	.	3.30E+02	2.6E+01	.	2.8E+03	1.7E+02	2.2E+01	1.5E-17	2.2E+01	.	3.2E+06	6.0E-08	.	.
Thulium (69)	Tm-163	6.41E-12	4.56E-12	2.4E-12 (S)	3.31E-10	2.00E-03	.	3.30E+02	1.1E+01	.	4.3E+03	7.3E+01	9.9E+00	3.4E-17	9.9E+00	.	2.8E+05	2.7E-08	.	.
Thulium (69)	Tm-164	0.00E+00	0.00E+00	0.00E+00	1.94E-10	2.00E-03	.	3.30E+02	.	.	7.4E+03	.	7.4E+03	4.8E-16	7.4E+03	.	1.2E+10	2.0E-05	.	.
Thulium (69)	Tm-165	6.50E-11	4.51E-11	2.4E-11 (S)	1.31E-10	2.00E-03	.	3.30E+02	1.2E+00	.	1.1E+04	7.2E+00	1.0E+00	5.9E-17	1.0E+00	.	1.7E+03	2.7E-09	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Thulium (69)	Tm-166	4.19E-11	2.95E-11	1.5E-11 (S)	5.14E-10	2.00E-03	.	3.30E+02	1.8E+00	.	2.8E+03	1.1E+01	1.5E+00	2.3E-17	1.5E+00	.	1.0E+04	4.2E-09	.	.
Thulium (69)	Tm-167	1.42E-10	9.71E-11	1.4E-10 (S)	2.95E-11	2.00E-03	.	3.30E+02	5.4E-01	.	4.9E+04	3.3E+00	4.6E-01	2.0E-16	4.6E-01	.	1.1E+02	1.3E-09	.	.
Thulium (69)	Tm-168	1.74E-10	1.21E-10	5.0E-10 (S)	3.03E-10	2.00E-03	.	3.30E+02	4.3E-01	.	4.7E+03	2.6E+00	3.7E-01	1.6E-15	3.7E-01	.	8.6E+00	1.0E-09	.	.
Thulium (69)	Tm-170	3.50E-10	2.39E-10	8.9E-10 (S)	8.33E-13	2.00E-03	.	3.30E+02	2.2E-01	.	1.7E+06	1.3E+00	1.9E-01	1.2E-15	1.9E-01	.	3.1E+00	5.3E-10	.	.
Thulium (69)	Tm-171	2.76E-11	1.88E-11	1.2E-10 (S)	9.03E-14	2.00E-03	.	3.30E+02	2.8E+00	.	1.6E+07	1.3E+01	2.3E+00	7.8E-14	2.3E+00	.	7.1E+00	6.5E-09	.	.
Thulium (69)	Tm-172	4.28E-10	2.92E-10	1.6E-10 (S)	1.25E-10	2.00E-03	.	3.30E+02	1.8E-01	.	1.1E+04	1.1E+00	1.5E-01	2.0E-17	1.5E-01	.	1.3E+02	4.4E-10	.	.
Thulium (69)	Tm-173	6.64E-11	4.55E-11	2.2E-11 (S)	9.37E-11	2.00E-03	.	3.30E+02	1.1E+00	.	1.5E+04	7.0E+00	9.9E-01	1.7E-17	9.9E-01	.	6.2E+03	2.8E-09	.	.
Thulium (69)	Tm-174	0.00E+00	0.00E+00	0.00E+00	4.42E-10	2.00E-03	.	3.30E+02	.	.	3.2E+03	.	3.2E+03	6.0E-16	3.2E+03	.	1.9E+09	9.4E-06	.	.
Thulium (69)	Tm-175	1.89E-12	1.36E-12	9.2E-13 (S)	2.72E-10	2.00E-03	.	3.30E+02	3.8E+01	.	5.3E+03	2.5E+02	3.3E+01	1.7E-17	3.3E+01	.	6.8E+06	9.6E-08	.	.
Thulium (69)	Tm-176	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.00E-03	.	3.30E+02	.	.	2.8E+03	.	2.8E+03	1.8E-16	2.8E+03	.	4.7E+09	8.1E-06	.	.
Uranium (92)	U-227	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.39E-03	.	4.00E-01	.	.	5.4E+04	.	5.4E+04	2.7E-15	5.4E+04	.	2.8E+08	3.7E-07	.	.
Uranium (92)	U-228	0.00E+00	0.00E+00	0.00E+00	8.65E-13	5.39E-03	.	4.00E-01	.	.	1.7E+06	.	1.7E+06	6.8E-13	1.7E+06	.	1.0E+09	1.1E-05	.	.
Uranium (92)	U-230	8.05E-09	5.65E-09	1.5E-06 (S)	2.46E-13	5.39E-03	8.17E+11	4.00E-01	9.2E-03	.	5.8E+06	5.7E-02	8.0E-03	1.1E-17	8.0E-03	8.2E+11	1.5E-03	5.5E-14	1.6E+11	5.7E+00
Uranium (92)	U-231	8.40E-11	5.74E-11	5.7E-11 (S)	1.45E-11	5.39E-03	4.03E+12	4.00E-01	9.1E-01	.	9.9E+04	5.5E+00	7.8E-01	2.2E-16	7.8E-01	4.0E+12	7.3E-01	5.5E-12	3.8E+12	2.8E+01
Uranium (92)	U-232	1.04E-08	7.85E-09	2.5E-06 (S)	5.65E-14	5.39E-03	6.41E+08	4.00E-01	6.7E-03	.	2.5E+07	1.4E-02	4.5E-03	7.4E-15	4.5E-03	6.4E+08	3.1E-06	1.4E-13	4.4E+05	2.0E-02
Uranium (92)	U-233	2.62E-09	1.94E-09	7.7E-07 (S)	5.65E-14	5.39E-03	2.89E+05	4.00E-01	2.7E-02	.	2.5E+07	4.9E-02	1.7E-02	6.7E-11	1.7E-02	2.9E+05	1.0E-05	1.1E-09	1.7E+02	1.8E-02
Uranium (92)	U-234	2.58E-09	1.91E-09	7.5E-07 (S)	3.15E-14	5.39E-03	1.87E+05	4.00E-01	2.7E-02	.	4.6E+07	5.0E-02	1.8E-02	1.1E-10	1.8E-02	1.9E+05	1.1E-05	1.7E-09	1.1E+02	1.8E-02
Uranium (92)	U-235	2.55E-09	1.88E-09	6.8E-07 (S)	3.76E-11	5.39E-03	6.48E+01	4.00E-01	2.8E-02	.	3.8E+04	5.1E-02	1.8E-02	3.1E-07	1.8E-02	6.5E+01	1.1E-05	5.0E-06	3.9E-02	1.8E-02
Uranium (92)	U-235+D	2.64E-09	1.94E-09	6.8E-07 (S)	4.01E-11	5.39E-03	6.48E+01	4.00E-01	2.7E-02	.	3.6E+04	4.9E-02	1.7E-02	3.0E-07	1.7E-02	6.5E+01	1.0E-05	4.8E-06	3.9E-02	1.8E-02
Uranium (92)	U-235m	2.87E-16	2.06E-16	5.1E-17 (M)	0.00E+00	5.39E-03	.	4.00E-01	2.5E+05	.	.	1.6E+06	2.2E+05	2.6E-13	2.2E+05	.	4.8E+07	1.6E-06	.	.
Uranium (92)	U-236	2.43E-09	1.80E-09	6.9E-07 (S)	1.89E-14	5.39E-03	1.94E+03	4.00E-01	2.9E-02	.	7.6E+07	5.3E-02	1.9E-02	1.1E-08	1.9E-02	1.9E+03	1.1E-05	1.7E-07	1.2E+00	1.8E-02
Uranium (92)	U-237	1.97E-10	1.35E-10	2.0E-10 (S)	2.86E-11	5.39E-03	2.44E+12	4.00E-01	3.9E-01	.	5.0E+04	2.4E+00	3.3E-01	1.5E-16	3.3E-01	2.4E+12	1.9E-01	2.4E-12	1.4E+12	1.8E+01
Uranium (92)	U-238	2.34E-09	1.73E-09	6.4E-07 (S)	1.62E-14	5.39E-03	1.01E+01	4.00E-01	3.0E-02	.	8.9E+07	5.5E-02	2.0E-02	2.2E-06	2.0E-02	1.0E+01	1.2E-05	3.5E-05	6.0E-03	1.8E-02
Uranium (92)	U-238+D	3.26E-09	2.35E-09	6.4E-07 (S)	7.26E-12	5.39E-03	1.01E+01	4.00E-01	2.2E-02	.	2.0E+05	4.0E-02	1.4E-02	1.6E-06	1.4E-02	1.0E+01	8.5E-06	2.5E-05	6.0E-03	1.8E-02
Uranium (92)	U-239	2.86E-12	2.01E-12	1.7E-12 (S)	1.02E-11	5.39E-03	1.00E+15	4.00E-01	2.6E+01	.	1.4E+05	1.6E+02	2.2E+01	2.5E-17	2.2E+01	1.0E+15	5.4E+03	1.6E-10	2.4E+17	7.3E+03
Uranium (92)	U-240	2.74E-10	1.87E-10	8.4E-11 (S)	9.78E-13	5.39E-03	2.77E+13	4.00E-01	2.8E-01	.	1.5E+06	1.7E+00	2.4E-01	9.6E-18	2.4E-01	2.8E+13	1.6E+00	1.7E-12	1.9E+14	2.0E+02
Uranium (92)	U-242	3.23E-12	2.34E-12	1.4E-12 (S)	9.53E-12	5.39E-03	.	4.00E-01	2.2E+01	.	1.5E+05	1.4E+02	1.9E+01	1.6E-17	1.9E+01	.	6.5E+03	1.4E-10	.	.
Vanadium (23)	V-47	4.71E-12	3.38E-12	1.7E-12 (S)	2.45E-10	2.00E-03	.	3.00E+02	1.5E+01	.	5.9E+03	9.9E+01	1.3E+01	4.0E-18	1.3E+01	.	1.2E+06	9.5E-09	.	.
Vanadium (23)	V-48	3.19E-10	2.24E-10	2.8E-10 (S)	7.51E-10	2.00E-03	.	3.00E+02	2.3E-01	.	1.9E+03	1.4E+00	2.0E-01	4.4E-17	2.0E-01	.	2.5E+01	1.5E-10	.	.
Vanadium (23)	V-49	4.79E-12	3.27E-12	7.6E-12 (S)	0.00E+00	2.00E-03	.	3.00E+02	1.6E+01	.	.	8.6E+01	1.3E+01	6.2E-14	1.3E+01	.	8.1E+01	1.0E-08	.	.
Vanadium (23)	V-50	2.15E-10	1.60E-10	2.6E-09 (F)	3.82E-10	2.00E-03	.	3.00E+02	3.3E-01	.	3.8E+03	6.1E-01	2.1E-01	1.7E+02	2.1E-01	.	6.9E-02	1.4E+06	.	.
Vanadium (23)	V-52	0.00E+00	0.00E+00	0.00E+00	3.85E-10	2.00E-03	.	3.00E+02	.	.	3.7E+03	.	3.7E+03	1.4E-16	3.7E+03	.	2.8E+09	2.9E-06	.	.
Vanadium (23)	V-53	0.00E+00	0.00E+00	0.00E+00	2.69E-10	2.00E-03	.	3.00E+02	.	.	5.3E+03	.	5.3E+03	9.0E-17	5.3E+03	.	9.4E+09	4.3E-06	.	.
Tungsten (74)	W-177	7.37E-12	5.21E-12	3.2E-12 (S)	2.19E-10	8.00E-01	.	1.50E+02	1.0E+01	.	6.6E+03	6.3E+01	8.6E+00	4.0E-17	8.6E+00	.	9.3E+04	1.2E-08	.	.
Tungsten (74)	W-178	5.39E-11	3.71E-11	8.4E-11 (S)	2.32E-12	8.00E-01	.	1.50E+02	1.4E+00	.	6.2E+05	8.3E+00	1.2E+00	1.3E-15	1.2E+00	.	5.5E+01	1.6E-09	.	.
Tungsten (74)	W-178+D	5.39E-11	3.71E-11	8.4E-11 (S)	2.81E-11	8.00E-01	.	1.50E+02	1.4E+00	.	5.1E+04	8.3E+00	1.2E+00	1.3E-15	1.2E+00	.	5.5E+01	1.6E-09	.	.
Tungsten (74)	W-179	2.87E-13	2.05E-13	8.0E-14 (S)	7.73E-12	8.00E-01	.	1.50E+02	2.5E+02	.	1.9E+05	1.6E+03	2.2E+02	2.9E-16	2.2E+02	.	8.4E+06	3.0E-07	.	.
Tungsten (74)	W-179m	0.00E+00	0.00E+00	0.00E+00	1.05E-11	8.00E-01	.	1.50E+02	.	.	1.4E+05	.	1.4E+05	3.1E-14	1.4E+05	.	3.0E+10	1.9E-04	.	.
Tungsten (74)	W-181	1.76E-11	1.22E-11	3.1E-11 (S)	6.15E-12	8.00E-01	.	1.50E+02	4.3E+00	.	2.3E+05	2.2E+01	3.6E+00	2.2E-14	3.6E+00	.	2.9E+01	4.9E-09	.	.
Tungsten (74)	W-185	1.16E-10	7.92E-11	3.7E-10 (S)	3.66E-14	8.00E-01	.	1.50E+02	6.6E-01	.	3.9E+07	3.6E+00	5.6E-01	2.2E-15	5.6E-01	.	7.3E+00	7.8E-10	.	.
Tungsten (74)	W-185m	0.00E+00	0.00E+00	0.00E+00	4.95E-12	8.00E-01	.	1.50E+02	.	.	2.9E+05	.	2.9E+05	1.7E-14	2.9E+05	.	2.6E+11	4.1E-04	.	.
Tungsten (74)	W-187	1.37E-10	9.42E-11	5.3E-11 (S)	1.09E-10	8.00E-01	.	1.50E+02	5.5E-01	.	1.3E+04	3.4E+00	4.8E-01	2.5E-17	4.8E-01	.	4.8E+02	6.8E-10	.	.
Tungsten (74)	W-188	5.52E-10	3.77E-10	1.5E-09 (S)	4.54E-13	8.00E-01	.	1.50E+02	1.4E-01	.	3.2E+06	7.6E-01	1.2E-01	4.4E-16	1.2E-01	.	1.7E+00	1.7E-10	.	.
Tungsten (74)	W-190	6.19E-12	4.44E-12	3.9E-12 (S)	3.02E-11	8.00E-01	.	1.50E+02	1.2E+01	.	4.8E+04	7.5E+01	1.0E+01	1.1E-17	1.0E+01	.	4.8E+05	1.5E-08	.	.
Xenon (54)	Xe-120	0.00E+00	0.00E+00	0.00E+00	9.06E-11	0.00E+00	.	.	.	.	1.6E+04	.	1.6E+04	1.5E-14	1.6E+04	.	.	.	.	.
Xenon (54)	Xe-121	0.00E+00	0.00E+00	0.00E+00	3.82E-10	0.00E+00	.	.	.	.	3.8E+03	.	3.8E+03	3.6E-15	3.8E+03	.	.	.	.	.
Xenon (54)	Xe-122	0.00E+00	0.00E+00	0.00E+00	1.18E-11	0.00E+00	.	.	.	.	1.2E+05	.	1.2E+05	3.5E-12	1.2E+05	.	.	.	.	.
Xenon (54)	Xe-123	0.00E+00	0.00E+00	0.00E+00	1.57E-10	0.00E+00	.	.	.	.	9.2E+03	.	9.2E+03	2.8E-14	9.2E+03	.	.	.	.	.
Xenon (54)	Xe-125	0.00E+00	0.00E+00	0.00E+00	5.90E-11	0.00E+00	.	.	.	.	2.4E+04	.	2.4E+04	6.1E-13	2.4E+04	.	.	.	.	.
Xenon (54)	Xe-127	0.00E+00	0.00E+00	0.00E+00	6.15E-11	0.00E+00	.	.	.	.	2.3E+04	.	2.3E+04	3.1E-11	2.3E+04	.	.	.	.	.
Xenon (54)	Xe-127m	0.00E+00	0.00E+00	0.00E+00	3.57E-11	0.00E+00	.	.	.	.	4.0E+04	.	4.0E+04	1.2E-15	4.0E+04	.	.	.	.	.
Xenon (54)	Xe-129m	0.00E+00	0.00E+00	0.00E+00	4.42E-12	0.00E+00	.	.	.	.	3.2E+05	.	3.2E+05	1.1E-10	3.2E+05	.	.	.	.	.
Xenon (54)	Xe-131m	0.00E+00	0.00E+00	0.00E+00	1.62E-12	0.00E+00	.	.	.	.	8.8E+05	.	8.8E+05	3.9E-10	8.8E+05	.	.	.	.	.
Xenon (54)	Xe-133	0.00E+00	0.00E+00	0.00E+00	7.16E-12	0.00E+00	.	.	.	.	2.0E+05	.	2.0E+05	4.0E-11	2.0E+05	.	.	.	.	.
Xenon (54)	Xe-133m	0.00E+00	0.00E+00	0.00E+00	6.47E-12	0.00E+00	.	.	.	.	2.2E+05	.	2.2E+05	1.8E-11	2.2E+05	.	.	.	.	.
Xenon (54)	Xe-135	0.00E+00	0.00E+00	0.00E+00	5.96E-11	0.00E+00	.	.	.	.	2.4E+04	.	2.4E+04	3.5E-13	2.4E+04	.	.	.	.	.
Xenon (54)	Xe-135m	0.00E+00	0.00E+00	0.00E+00	1.04E-10	0.00E+00	.	.	.	.	1.4E+04	.	1.4E+04	5.6E-15	1.4E+04	.	.	.	.	.
Xenon (54)	Xe-137	0.00E+00	0.00E+00	0.00E+00	5.08E-11	0.00E+00	.	.	.	.	2.8E+04	.	2.8E+04	2.9E-15	2.8E+04	.	.	.	.	.
Xenon (54)	Xe-138	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	.	.	.	.	4.8E+03	.	4.8E+03	1.8E-15	4.8E+03	.	.	.	.	.
Yttrium (39)	Y-81	0.00E+00	0.00E+00	0.00E+00	2.87E-10	4.35E-04	.	4.70E+01	.	.	5.0E+03	.	5.0E+03	9.4E-17	5.0E+03	.	1.9E+09	9.7E-07	.	.

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	MCL (Bq/L)	K_d Distribution coefficient (L/kg)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Tap Water PRG (Bq/L)	Total PRG (mg/L)	Groundwater Risk-based Concentration (activity)	Groundwater MCL-based Concentration (activity)	SSL Risk-based (Bq/g)	SSL Risk-based (mg/kg)	SSL MCL-based (Bq/g)	SSL MCL-based (mg/kg)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	.	1.70E+03	.	.	3.6E+05	.	3.6E+05	3.3E-14	3.6E+05	.	2.8E+12	6.9E-03	.	.
Yttrium (39)	Y-83	0.00E+00	0.00E+00	0.00E+00	3.35E-10	4.35E-04	.	4.70E+01	.	.	4.3E+03	.	4.3E+03	5.0E-16	4.3E+03	.	2.7E+08	8.5E-07	.	.
Yttrium (39)	Y-83m	0.00E+00	0.00E+00	0.00E+00	2.04E-10	4.35E-04	.	4.70E+01	.	.	7.0E+03	.	7.0E+03	3.3E-16	7.0E+03	.	1.1E+09	1.4E-06	.	.
Yttrium (39)	Y-84m	1.14E-11	8.19E-12	3.4E-12 (S)	1.01E-09	4.35E-04	.	4.70E+01	6.4E+00	.	1.4E+03	4.1E+01	5.5E+00	3.6E-18	5.5E+00	.	6.2E+04	1.1E-09	.	.
Yttrium (39)	Y-85	2.89E-11	2.01E-11	8.6E-12 (S)	2.65E-10	4.35E-04	.	4.70E+01	2.6E+00	.	5.4E+03	1.6E+01	2.2E+00	6.0E-18	2.2E+00	.	6.2E+03	4.5E-10	.	.
Yttrium (39)	Y-85m	7.08E-11	4.88E-11	1.9E-11 (S)	3.41E-10	4.35E-04	.	4.70E+01	1.1E+00	.	4.2E+03	6.6E+00	9.2E-01	4.5E-18	9.2E-01	.	1.4E+03	1.9E-10	.	.
Yttrium (39)	Y-86	1.53E-10	1.07E-10	4.2E-11 (S)	9.28E-10	4.35E-04	.	4.70E+01	4.9E-01	.	1.5E+03	3.0E+00	4.2E-01	6.3E-18	4.2E-01	.	2.1E+02	8.6E-11	.	.
Yttrium (39)	Y-86m	8.88E-12	6.22E-12	2.5E-12 (S)	5.24E-11	4.35E-04	.	4.70E+01	8.4E+00	.	2.7E+04	5.2E+01	7.2E+00	5.9E-18	7.2E+00	.	6.7E+04	1.5E-09	.	.
Yttrium (39)	Y-87	9.99E-11	6.94E-11	4.0E-11 (S)	1.07E-10	4.35E-04	.	4.70E+01	7.5E-01	.	1.3E+04	4.7E+00	6.5E-01	5.3E-17	6.5E-01	.	6.0E+01	1.3E-10	.	.
Yttrium (39)	Y-87m	4.34E-11	3.00E-11	1.5E-11 (S)	7.42E-11	4.35E-04	.	4.70E+01	1.7E+00	.	1.9E+04	1.1E+01	1.5E+00	2.1E-17	1.5E+00	.	8.3E+02	3.1E-10	.	.
Yttrium (39)	Y-88	1.59E-10	1.14E-10	5.5E-10 (F)	7.23E-10	4.35E-04	.	4.70E+01	4.6E-01	.	2.0E+03	2.8E+00	3.9E-01	1.1E-15	3.9E-01	.	1.1E+00	8.3E-11	.	.
Yttrium (39)	Y-89m	0.00E+00	0.00E+00	0.00E+00	2.29E-10	4.35E-04	.	4.70E+01	.	.	6.3E+03	.	6.3E+03	2.9E-17	6.3E+03	.	1.1E+10	1.3E-06	.	.
Yttrium (39)	Y-90	7.15E-10	4.87E-10	2.3E-10 (S)	1.01E-12	4.35E-04	.	4.70E+01	1.1E-01	.	1.4E+06	6.5E-01	9.2E-02	6.3E-18	9.2E-02	.	1.1E+01	2.0E-11	.	.
Yttrium (39)	Y-90m	4.11E-11	2.82E-11	1.3E-11 (S)	1.53E-10	4.35E-04	.	4.70E+01	1.9E+00	.	9.4E+03	1.1E+01	1.6E+00	5.4E-18	1.6E+00	.	3.7E+03	3.4E-10	.	.
Yttrium (39)	Y-91	6.37E-10	4.34E-10	9.1E-10 (S)	1.27E-12	4.35E-04	.	4.70E+01	1.2E-01	.	1.1E+06	7.1E-01	1.0E-01	1.6E-16	1.0E-01	.	5.5E-01	2.2E-11	.	.
Yttrium (39)	Y-91m	1.34E-12	9.52E-13	8.2E-13 (S)	1.30E-10	4.35E-04	.	4.70E+01	5.5E+01	.	1.1E+04	3.5E+02	4.7E+01	4.2E-17	4.7E+01	.	4.2E+05	1.0E-08	.	.
Yttrium (39)	Y-92	9.79E-11	6.71E-11	2.5E-11 (S)	6.72E-11	4.35E-04	.	4.70E+01	7.8E-01	.	2.1E+04	4.8E+00	6.7E-01	2.6E-18	6.7E-01	.	1.4E+03	1.5E-10	.	.
Yttrium (39)	Y-93	2.87E-10	1.96E-10	7.2E-11 (S)	2.68E-11	4.35E-04	.	4.70E+01	2.7E-01	.	5.4E+04	1.6E+00	2.3E-01	2.6E-18	2.3E-01	.	1.7E+02	5.1E-11	.	.
Yttrium (39)	Y-94	5.24E-12	3.79E-12	1.5E-12 (S)	2.04E-10	4.35E-04	.	4.70E+01	1.4E+01	.	7.0E+03	8.9E+01	1.2E+01	4.1E-18	1.2E+01	.	2.8E+05	2.7E-09	.	.
Yttrium (39)	Y-95	2.51E-12	1.82E-12	7.4E-13 (S)	3.13E-10	4.35E-04	.	4.70E+01	2.9E+01	.	4.6E+03	1.9E+02	2.5E+01	4.8E-18	2.5E+01	.	1.1E+06	5.6E-09	.	.
Ytterbium (70)	Yb-162	2.62E-12	1.88E-12	1.0E-12 (S)	5.49E-11	2.00E-03	.	6.50E+02	2.8E+01	.	2.6E+04	1.8E+02	2.4E+01	1.4E-17	2.4E+01	.	7.8E+06	1.3E-07	.	.
Ytterbium (70)	Yb-163	1.34E-12	9.66E-13	4.5E-13 (S)	1.81E-10	2.00E-03	.	6.50E+02	5.4E+01	.	8.0E+03	3.5E+02	4.7E+01	1.7E-17	4.7E+01	.	2.6E+07	2.5E-07	.	.
Ytterbium (70)	Yb-164	1.06E-11	7.40E-12	3.5E-12 (S)	8.65E-12	2.00E-03	.	6.50E+02	7.1E+00	.	1.7E+05	4.4E+01	6.1E+00	1.5E-17	6.1E+00	.	4.9E+05	3.3E-08	.	.
Ytterbium (70)	Yb-165	0.00E+00	0.00E+00	0.00E+00	7.51E-11	2.00E-03	.	6.50E+02	.	.	1.9E+04	.	1.9E+04	6.2E-15	1.9E+04	.	1.2E+10	1.0E-04	.	.
Ytterbium (70)	Yb-166	1.65E-10	1.15E-10	7.7E-11 (S)	1.26E-11	2.00E-03	.	6.50E+02	4.5E-01	.	1.1E+05	2.8E+00	3.9E-01	4.4E-17	3.9E-01	.	7.1E+02	2.1E-09	.	.
Ytterbium (70)	Yb-167	6.08E-13	4.34E-13	4.7E-13 (S)	5.18E-11	2.00E-03	.	6.50E+02	1.2E+02	.	2.8E+04	7.7E+02	1.0E+02	6.0E-17	1.0E+02	.	3.6E+07	5.7E-07	.	.
Ytterbium (70)	Yb-169	1.84E-10	1.27E-10	3.4E-10 (S)	6.44E-11	2.00E-03	.	6.50E+02	4.1E-01	.	2.2E+04	2.5E+00	3.5E-01	5.4E-16	3.5E-01	.	4.7E+01	2.0E-09	.	.
Ytterbium (70)	Yb-175	1.15E-10	7.81E-11	8.0E-11 (S)	9.21E-12	2.00E-03	.	6.50E+02	6.7E-01	.	1.6E+05	4.0E+00	5.7E-01	1.2E-16	5.7E-01	.	5.9E+02	3.3E-09	.	.
Ytterbium (70)	Yb-177	1.39E-11	9.59E-12	6.5E-12 (S)	4.89E-11	2.00E-03	.	6.50E+02	5.4E+00	.	2.9E+04	3.3E+01	4.7E+00	1.9E-17	4.7E+00	.	2.5E+05	2.7E-08	.	.
Ytterbium (70)	Yb-178	1.49E-11	1.03E-11	6.3E-12 (S)	9.21E-12	2.00E-03	.	6.50E+02	5.1E+00	.	1.6E+05	3.1E+01	4.4E+00	1.1E-17	4.4E+00	.	3.6E+05	2.5E-08	.	.
Ytterbium (70)	Yb-179	0.00E+00	0.00E+00	0.00E+00	2.40E-10	2.00E-03	.	6.50E+02	.	.	6.0E+03	.	6.0E+03	1.7E-15	6.0E+03	.	4.6E+09	3.5E-05	.	.
Zinc (30)	Zn-60	0.00E+00	0.00E+00	0.00E+00	3.76E-10	1.57E+00	.	9.50E+02	.	.	3.8E+03	.	3.8E+03	1.1E-16	3.8E+03	.	1.4E+10	1.1E-05	.	.
Zinc (30)	Zn-61	0.00E+00	0.00E+00	0.00E+00	3.91E-10	1.57E+00	.	9.50E+02	.	.	3.7E+03	.	3.7E+03	6.6E-17	3.7E+03	.	2.2E+10	1.1E-05	.	.
Zinc (30)	Zn-62	1.95E-10	1.33E-10	7.9E-11 (S)	1.06E-10	1.57E+00	.	9.50E+02	3.9E-01	.	1.3E+04	2.4E+00	3.4E-01	2.3E-18	3.4E-01	.	5.5E+03	1.0E-09	.	.
Zinc (30)	Zn-63	6.18E-12	4.41E-12	2.2E-12 (S)	2.71E-10	1.57E+00	.	9.50E+02	1.2E+01	.	5.3E+03	7.5E+01	1.0E+01	4.9E-18	1.0E+01	.	2.4E+06	3.1E-08	.	.
Zinc (30)	Zn-65	4.14E-10	3.14E-10	2.0E-10 (F)	1.50E-10	1.57E+00	3.00E+02	9.50E+02	1.7E-01	.	9.6E+03	6.8E-01	1.3E-01	6.0E-16	1.3E-01	3.0E+02	3.4E+00	4.2E-10	7.7E+03	9.3E-07
Zinc (30)	Zn-69	2.75E-12	1.93E-12	1.8E-12 (S)	1.48E-13	1.57E+00	.	9.50E+02	2.7E+01	.	9.7E+06	1.7E+02	2.3E+01	1.8E-17	2.3E+01	.	3.7E+06	7.7E-08	.	.
Zinc (30)	Zn-69m	7.39E-11	5.05E-11	3.9E-11 (S)	1.01E-10	1.57E+00	.	9.50E+02	1.0E+00	.	1.4E+04	6.3E+00	8.9E-01	1.0E-17	8.9E-01	.	9.7E+03	2.9E-09	.	.
Zinc (30)	Zn-71	0.00E+00	0.00E+00	0.00E+00	7.98E-11	1.57E+00	.	9.50E+02	.	.	1.8E+04	.	1.8E+04	6.2E-16	1.8E+04	.	6.6E+10	6.1E-05	.	.
Zinc (30)	Zn-71m	3.79E-11	2.63E-11	1.6E-11 (S)	3.85E-10	1.57E+00	.	9.50E+02	2.0E+00	.	3.7E+03	1.2E+01	1.7E+00	5.7E-18	1.7E+00	.	6.5E+04	5.8E-09	.	.
Zinc (30)	Zn-72	2.58E-10	1.80E-10	1.7E-10 (S)	3.38E-11	1.57E+00	.	9.50E+02	2.9E-01	.	4.3E+04	1.8E+00	2.5E-01	9.9E-18	2.5E-01	.	8.1E+02	8.6E-10	.	.
Zirconium (40)	Zr-85	0.00E+00	0.00E+00	0.00E+00	3.66E-10	8.70E-04	.	4.10E+02	.	.	3.9E+03	.	3.9E+03	5.2E-16	3.9E+03	.	1.9E+09	6.9E-06	.	.
Zirconium (40)	Zr-86	1.48E-10	1.03E-10	4.4E-11 (S)	6.56E-11	8.70E-04	.	4.10E+02	5.1E-01	.	2.2E+04	3.1E+00	4.4E-01	7.3E-18	4.4E-01	.	1.7E+03	7.8E-10	.	.
Zirconium (40)	Zr-87	2.62E-11	1.82E-11	8.1E-12 (S)	2.29E-10	8.70E-04	.	4.10E+02	2.9E+00	.	6.3E+03	1.8E+01	2.5E+00	4.3E-18	2.5E+00	.	9.5E+04	4.4E-09	.	.
Zirconium (40)	Zr-88	5.81E-11	4.19E-11	3.6E-10 (S)	9.28E-11	8.70E-04	.	4.10E+02	1.2E+00	.	1.5E+04	7.8E+00	1.1E+00	2.2E-15	1.1E+00	.	3.5E+01	2.0E-09	.	.
Zirconium (40)	Zr-89	1.40E-10	9.73E-11	5.5E-11 (S)	2.91E-10	8.70E-04	.	4.10E+02	5.4E-01	.	4.9E+03	3.3E+00	4.6E-01	3.8E-17	4.6E-01	.	3.8E+02	8.5E-10	.	.
Zirconium (40)	Zr-89m	0.00E+00	0.00E+00	0.00E+00	1.58E-10	8.70E-04	.	4.10E+02	.	.	9.1E+03	.	9.1E+03	6.6E-16	9.1E+03	.	8.5E+09	1.7E-05	.	.
Zirconium (40)	Zr-93	3.80E-11	2.93E-11	4.0E-10 (F)	2.12E-19	8.70E-04	.	4.10E+02	1.8E+00	.	6.8E+12	3.4E+00	1.2E+00	1.7E-08	1.2E+00	.	4.8E-01	1.9E-04	.	.
Zirconium (40)	Zr-95	1.80E-10	1.25E-10	5.7E-10 (S)	1.84E-10	8.70E-04	.	4.10E+02	4.2E-01	.	7.8E+03	2.5E+00	3.6E-01	6.2E-16	3.6E-01	.	1.5E+01	7.0E-10	.	.
Zirconium (40)	Zr-97	4.94E-10	3.38E-10	1.4E-10 (S)	2.22E-10	8.70E-04	.	4.10E+02	1.5E-01	.	6.5E+03	9.4E-01	1.3E-01	2.6E-18	1.3E-01	.	5.1E+02	2.7E-10	.	.

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.06E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	1.3E+05	3.2E-10
Actinium (89)	Ac-224	2.18E+05	3.17E-04	1.0E-08 (S)	1.91E-05	2.07E-10	3.69E-10	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	1.5E+05	4.4E+07	1.8E+02	4.2E+02	2.5E+04	2.1E+06	5.7E+06	.	.	.	1.2E+02	2.5E-11
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.11E-06	7.34E-09	1.32E-08	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	4.8E+01	6.9E+03	3.5E+01	1.4E-01	8.1E+00	6.9E+02	1.9E+03	.	.	.	1.3E-01	2.3E-12
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	3.98E-06	7.34E-09	1.32E-08	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	4.8E+01	6.9E+03	9.8E+00	1.4E-01	8.1E+00	6.9E+02	1.9E+03	.	.	.	1.3E-01	2.3E-12
Actinium (89)	Ac-226	2.07E+00	3.35E-03	1.2E-07 (S)	1.23E-05	2.77E-09	5.11E-09	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	1.0E+03	3.6E+05	2.6E+01	3.0E+00	1.8E+02	1.5E+04	4.0E+04	.	.	.	2.6E+00	5.6E-12
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	5.36E-09	6.63E-09	7.84E-09	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	1.4E-01	2.3E+00	1.3E+01	2.7E-04	1.6E-02	1.3E+00	3.6E+00	.	.	.	2.6E-04	3.6E-12
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.09E-04	7.39E-11	1.33E-10	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	1.8E+05	1.6E+08	1.4E+01	5.3E-02	3.1E+04	2.7E+06	7.2E+06	.	.	.	1.4E+03	6.1E-12
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	7.29E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	3.8E+03	.	.	.	.	.	.	.	3.8E+03	9.5E-12
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.26E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	1.6E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.58E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	4.4E-12
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	1.2E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.63E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	6.9E+02	.	.	.	.	.	.	.	6.9E+02	8.3E-13
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.91E-04	2.23E-12	3.40E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.4E+08	1.1E+13	2.7E+02	5.8E+05	1.1E+06	2.0E+07	2.6E+06	1.2E+07	2.4E+06	.	2.7E+02	1.6E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.39E-04	2.75E-12	4.09E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.7E+08	8.1E+12	1.0E+02	4.0E+05	7.3E+05	1.4E+07	1.8E+06	8.5E+06	1.7E+06	.	1.0E+02	7.0E-13
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.71E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	2.7E+02	.	.	.	.	.	.	.	2.7E+02	1.1E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.97E-05	3.98E-12	6.57E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.2E+07	7.4E+11	8.6E+01	5.5E+04	1.0E+05	1.9E+06	2.5E+05	1.1E+06	2.3E+05	.	8.6E+01	3.1E-12
Silver (47)	Ag-104	5.26E+01	1.32E-04	1.8E-12 (S)	3.41E-04	6.23E-12	9.84E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.3E+07	6.2E+11	2.4E+01	3.3E+04	6.0E+04	1.1E+06	1.5E+05	7.0E+05	1.4E+05	.	2.4E+01	9.2E-13
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.30E-04	5.15E-12	8.08E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	3.3E+07	1.4E+12	7.3E+01	8.3E+04	1.5E+05	2.8E+06	3.8E+05	1.7E+06	3.5E+05	.	7.3E+01	1.4E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.68E-05	6.65E-11	1.12E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.4E+03	1.5E+07	1.7E-01	3.6E+00	6.6E+00	1.2E+02	1.7E+01	7.6E+01	1.5E+01	.	1.5E-01	5.1E-12
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.13E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	6.9E+05	.	.	.	.	.	.	.	6.9E+05	2.8E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	8.20E-05	2.18E-12	3.35E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.1E+08	4.2E+12	2.9E+02	2.7E+05	5.0E+05	9.3E+06	1.3E+06	5.8E+06	1.2E+06	.	2.9E+02	3.9E-12
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.53E-04	1.80E-10	2.94E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.6E+03	6.7E+07	1.3E-01	6.7E+00	1.2E+01	2.3E+02	3.1E+01	1.4E+02	2.8E+01	.	1.3E-01	8.6E-13
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.39E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.0E+05	.	.	.	.	.	.	.	1.0E+05	1.4E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.93E-04	3.01E-10	4.87E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.3E+00	1.9E+03	2.1E-04	3.4E-03	6.1E-03	1.1E-01	1.5E-02	7.1E-02	1.4E-02	.	1.8E-04	2.3E-11
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.94E-04	3.01E-10	4.87E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.3E+00	1.9E+03	2.1E-04	3.4E-03	6.1E-03	1.1E-01	1.5E-02	7.1E-02	1.4E-02	.	1.8E-04	2.3E-11
Silver (47)	Ag-109m	5.52E+01	1.26E-06	0.00E+00	2.06E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	4.2E+06	.	.	.	.	.	.	.	4.2E+06	1.6E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.61E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	3.0E+05	.	.	.	.	.	.	.	3.0E+05	7.2E-11
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	3.76E-10	6.16E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	4.1E+01	1.7E+05	4.4E-03	1.1E-01	1.9E-01	3.6E+00	4.8E-01	2.2E+00	4.4E-01	.	4.1E-03	8.6E-13
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	3.76E-10	6.16E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	4.1E+01	1.7E+05	4.4E-03	1.1E-01	1.9E-01	3.6E+00	4.8E-01	2.2E+00	4.4E-01	.	4.1E-03	8.6E-13
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	2.97E-06	3.25E-10	6.03E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.4E+03	3.6E+07	1.8E+01	4.1E+00	7.5E+00	1.4E+02	1.9E+01	8.6E+01	1.7E+01	.	1.8E+00	1.1E-11
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	3.69E-07	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.4E+06	.	.	.	.	.	.	.	1.4E+06	9.0E-10
Silver (47)	Ag-112	1.94E+01	3.57E-04	2.1E-11 (S)	9.18E-05	7.72E-11	1.40E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	3.4E+05	2.0E+10	3.3E-01	9.9E+02	1.8E+03	3.3E+04	4.5E+03	2.1E+04	4.1E+03	.	3.1E+01	3.4E-12
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.65E-06	8.71E-11	1.60E-10	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.8E+05	9.8E+09	2.0E+02	5.1E+02	9.3E+02	1.7E+04	2.3E+03	1.1E+04	2.1E+03	.	1.1E+02	2.1E-11
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.42E-05	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	2.0E+04	.	.	.	.	.	.	.	2.0E+04	1.4E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.66E-05	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	2.0E+05	.	.	.	.	.	.	.	2.0E+05	9.4E-12
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	6.41E-05	5.45E-12	9.00E-12	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	5.0E+07	1.9E+12	4.4E+02	1.3E+05	2.4E+05	4.4E+06	6.0E+05	2.8E+06	5.5E+05	.	4.4E+02	5.4E-12
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.96E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	7.1E+02	.	.	.	.	.	.	.	7.1E+02	1.2E-12
Silver (47)	Ag-117	2.97E+01	2.33E-06	0.00E+00	1.80E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	2.0E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.91E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	3.80E+02	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	9.4E+02	.	.	.	.	.	.	.	9.4E+02	1.0E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.60E-04	6.71E-10	1.19E-09	1.36E+09	4.00E-03	1.00E-01	1.50E+03	5.10E+01	5.00E-04	2.00E-04	.	.	.	5.2E-01	6.7E+02	1.1E-04	1.5E-03	2.3E-02	3.0E-01	2.0E-01	.	.	.	1.0E-04	5.2E-09
Aluminum (13)	Al-28	1.63E+01	4.26E-06	0.00E+00	2.52E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	1.50E+03	5.10E+01	5.00E-04	2.00E-04	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	3.3E-13
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.88E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-03	1.00E-01	1.50E+03	5.10E+01	5.00E-04	2.00E-04	.	.	.	.	.	4.6E+02	.	.	.	.	.	.	.	4.6E+02	4.6E-13
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.66E-05	2.00E-12	3.30E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	3.8E+07	6.1E+11	2.1E+02	1.0E+05	8.6E+02	2.7E+07	8.7E+09	3.2E+08	1.8E+08	7.0E+08	1.7E+02	1.6E-11
Americium (95)	Am-238	3.72E+01	1.86E-04	3.1E-12 (S)	1.10E-04	3.61E-12	5.85E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.6E+07	2.5E+11	5.2E+01	4.1E+04	3.6E+02	1.1E+07	3.6E+09	1.3E+08	7.2E+07	2.9E+08	4.6E+03	5.7E-12
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	1.89E-05	5.61E-11	1.02E-10	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.2E+05	4.2E+09	4.2E+01	3.6E+02	3.1E+00	9.8E+04	3.2E+07	1.2E+06	6.4E+05	2.6E+06	2.9E+00	2.6E-12
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.27E-04	1.02E-10	1.79E-10	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.7E+04	6.0E+08	1.5E+00	4.7E+01	4.0E-01	1.3E+04	4.1E+06	1.5E+05	8.2E+04	3.3E+05	3.1E-01	1.2E-12
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	7.48E-07	3.61E-09	4.98E-09	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.3E-01	5.3E+00	5.3E-02	2.9E-04	2.5E-06	7.7E-02	2.5E-01	9.1E-01	5.0E-01	2.0E+00	2.4E-06	7.1E-13
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	9.40E-07	7.14E-11	1.31E-10	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	7.2E+04	4.4E+07	6.2E+02	2.1E+02	1.8E+00	5.7E+04	1.9E+07	6.7E+05	3.7E+05	1.5E+06	1.8E+00	2.2E-12
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	2.05E-08	2.36E-09	2.81E-09	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.4E-01	6.2E+00	2.1E+00	4.7E-04	4.0E-06	1.3E-01	4.1E+01	1.5E+00	8.2E-01	3.3E+00	4.0E-06	3.8E-13
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.29E-06	2.43E-09	2.94E-09	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.3E-01	6.2E+00	3.3E-02	4.5E-04	3.9E-06	1.2E-01	4.0E+01	1.4E+00	8.0E-01	3.2E+00	3.9E-06	3.7E-13
Americium (95)	Am-243	5.54E-05	7.37E+03	1.0E-06 (F)	2.64E-06	3.62E-09	5.01E-09	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.2E-01	5.3E+00	1.5E-02	2.8E-04	2.4E-06	7.5E-02	2.4E+01	8.8E-01	4.9E-01	1.9E+00	2.4E-06	9.5E-11
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	1.80E-05	3.83E-09	5.39E-09	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.2E-01	5.3E+00	2.2E-03	2.6E-04	2.3E-06	7.1E-02	2.3E+01	8.3E-01	4.6E-01	1.8E+00	2.2E-06	1.1E-11
Americium (95)	Am-244	6.01E+00	1.15E-03	1.0E-10 (S)	9.66E-05	9.70E-11	1.76E-10	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	8.5E+04	1.2E+05	9.6E+00	2.5E+02	2.1E+00	6.7E+04	2.2E+07	7.8E+05	4.4E+05	1.7E+06	1.7E+00	1.4E-12
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.96E-06	1.97E-12	3.06E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.1E+08	8.2E+11	1.1E+04	2.8E+05	2.5E+03	7.7E+07	2.5E+10	9.0E+08	5.0E+08	2.0E+09	2.0E+03	6.7E-11
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	2.81E-06	8.71E-12	1.55E-11	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	4.7E+06	1.4E+11	1.6E+03	1.4E+04	1.2E+02	3.7E+06	1.2E+09	4.3E+07	2.4E+07	9.6E+07	1.1E+02	1.7E-11
Americium (95)	Am-246	9.34E+01	7.42E-05	4.2E-12 (S)	8.49E-05	5.15E-12	8.24E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.8E+07	4.7E+11	1.7E+02	7.2E+04	6.3E+02	2.0E+07	6.4E+09	2.3E+08	1.3E+08	5.1E+08	1.3E+02	6.8E-12
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.26E-04	2.46E-12	3.77E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	9.6E+07	2.7E+12	1.8E+02	2.4E+05	2.0E+03	6.4E+07	2.1E+10	7.5E+08	4.2E+08	1.7E+09	1.6E+02	5.4E-12
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.22E-05	1.98E-12	3.05E-12	1.36E+09	1.91E-05	2.20E-05	4.00E+00	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.3E+08	2.5E+12	2.0E+03	3.2E+05	2.8E+03	8.6E+07	2.8E+10	1.0E+09	5.6E+08	2.3E+09	1.2E+03	3.5E-11
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	1.61E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.8E+00	.	.	.	.	.	.	.	2.8E+00	8.3E-08
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.73E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.0E+01	.	.	.	.	.	.	.	3.0E+01	7.1E-13
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	1.88E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.4E+00	.	.	.	.	.	.	.	3.4E+00	1.3E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.98E-05	4.70E-11	7.79E-11	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	1.2E+01	2.3E+05	1.4E-03	.	.	.	.	.	.	.	1.4E-03	5.6E-12
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	2.10E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.0E+02	.	.	.	.	.	.	.	5.0E+02	6.1E-13
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.65E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.8E+02	.	.	.	.	.	.	.	1.8E+02	5.0E-13
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	4.89E-05	5.94E-11	1.04E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	9.8E+03	2.5E+08	1.3E+00	2.0E+01	1.5E+00	3.1E+02	4.1E+04	.	.	.	6.7E-01	6.2E-12
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	1.93E-05	8.87E-11	1.63E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	9.6E+04	2.7E+09	5.1E+01	2.1E+02	1.5E+01	3.2E+03	4.3E+05	.	.	.	1.1E+03	6.7E-12
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.58E-05	2.48E-10	4.57E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	5.1E+03	1.8E+08	3.2E+00	1.1E+01	8.2E-01	1.7E+02	2.3E+04	.	.	.	6.1E-01	2.5E-12
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	4.73E-05	2.81E-10	5.15E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	5.4E+03	1.2E+08	3.6E+00	1.1E+01	8.6E-01	1.8E+02	2.4E+04	.	.	.	6.5E-01	2.2E-12
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	8.14E-06	1.12E-10	2.06E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	9.7E+03	2.0E+08	1.5E+01	2.1E+01	1.6E+00	3.2E+02	4.3E+04	.	.	.	1.3E+00	6.3E-12
Gold (79)	Au-200	7.53E+01	9.21E-05	2.3E-12 (S)	3.53E-05	5.87E-12	9.68E-12	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.9E+07	6.9E+11	3.3E+02	3.7E+04	2.8E+03	5.7E+05	7.7E+07	.	.	.	2.9E+02	1.5E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.30E-04	1.97E-10	3.54E-10	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	2.3E+04	9.7E+08	2.2E+00	4.8E+01	3.6E+00	7.4E+02	9.9E+04	.	.	.	1.3E+00	1.6E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	4.01E-06	1.61E-12	2.51E-12	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.4E+08	3.4E+12	5.4E+03	2.5E+05	1.9E+04	3.9E+06	5.2E+08	.	.	.	6.2E+03	1.1E-10
Gold (79)	Au-202	7.59E+01	9.13E-07	0.00E+00	2.25E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	4.00E-01	2.50E+01	2.40E+02	5.00E-03	1.00E-05	.	.	.	.	.	5.2E+04	.	.	.	.	.	.	.	5.2E+04	2.7E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.56E-05	4.15E-12	6.17E-12	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.3E+08	6.4E+12	7.8E+02	3.2E+05	5.5E+04	3.1E+08	7.3E+07	.	1.8E+08	7.7E+06	7.7E+02	5.6E-12
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.78E-05	3.30E-11	5.75E-11	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.6E+06	7.9E+10	8.3E+01	4.4E+03	7.6E+02	4.2E+06	1.0E+06	.	2.4E+06	1.1E+05	7.4E+01	4.9E-12
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.55E-05	1.71E-12	2.63E-12	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	2.7E+08	1.1E+13	5.2E+02	6.7E+05	1.2E+05	6.4E+08	1.5E+08	.	3.7E+08	1.6E+07	5.2E+02	4.4E-12
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	4.64E-06	6.21E-10	1.16E-09	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	2.2E+03	1.0E+08	3.5E+01	6.7E+00	1.2E+00	6.4E+03	1.5E+03	.	3.7E+03	1.6E+02	9.5E-01	2.3E-12
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.76E-05	6.92E-12	1.21E-11	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.6E+06	2.4E+11	1.1E+02	1.6E+04	2.7E+03	1.5E+07	3.6E+06	.	8.7E+06	3.8E+05	1.1E+02	9.8E-12
Barium (56)	Ba-129m	2.81E+01	2.47E-04	2.8E-12 (S)	1.94E-04	8.43E-12	1.39E-11	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.0E+06	2.1E+11	2.2E+01	1.3E+04	2.3E+03	1.3E+07	3.1E+06	.	7.4E+06	3.2E+05	2.2E+01	2.0E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	4.99E-05	7.85E-11	1.38E-10	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	4.0E+03	5.2E+07	6.8E-01	1.1E+01	1.9E+00	1.1E+04	2.6E+03	.	6.2E+03	2.7E+02	4.8E-01	5.6E-12
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	4.51E-06	3.53E-13	5.48E-13	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.1E+09	1.1E+13	8.6E+03	2.8E+06	4.9E+05	2.7E+09	6.5E+08	.	1.6E+09	6.8E+07	8.4E+03	8.5E-11
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	3.88E-05	2.56E-10	3.54E-10	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.0E+00	1.7E+04	2.8E-03	1.1E-02	1.9E-03	1.1E+01	2.5E+00	.	6.1E+00	2.7E-01	1.0E-03	4.0E-12
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.40E-06	1.29E-10	2.44E-10	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.6E+04	5.3E+08	4.5E+01	4.8E+01	8.3E+00	4.7E+04	1.1E+04	.	2.7E+04	1.2E+03	6.1E+00	1.0E-11
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	4.58E-06	1.01E-10	1.91E-10	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	2.8E+04	9.4E+08	7.2E+01	8.3E+01	1.4E+01	8.0E+04	1.9E+04	.	4.6E+04	2.0E+03	1.0E+03	1.3E-11
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	7.26E-05	0.00E+00	0.00E+00	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	5.7E-12
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	4.70E-06	1.45E-11	2.53E-11	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	4.3E+06	1.8E+11	1.4E+03	1.2E+04	2.1E+03	1.2E+07	2.8E+06	.	6.7E+06	2.9E+05	7.9E+02	4.9E-11
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.05E-05	5.92E-10	1.09E-09	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	4.5E+02	6.7E+06	1.5E+00	1.3E+00	2.3E-01	1.3E+03	3.1E+02	.	7.4E+02	3.2E+01	1.7E-01	2.4E-12
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.14E-04	8.71E-12	1.52E-11	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	3.3E+07	1.5E+11	2.7E+02	9.1E+04	1.6E+04	8.8E+07	2.1E+07	.	5.1E+07	2.2E+06	2.7E+02	3.7E-12
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.31E-04	3.45E-12	5.73E-12	1.36E+09	8.70E-04	1.00E-03	4.00E-01	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.5E+08	5.8E+12	4.1E+02	4.0E+05	6.9E+04	3.8E+08	9.1E+07	.	2.2E+08	9.6E+06	4.0E+03	3.2E-12
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	2.03E-08	2.78E-10	5.12E-10	1.36E+09	4.00E-03	1.00E-01	9.90E+02	1.00E+02	5.00E-03	8.30E-07	.	.	.	1.2E+00	2.1E+03	2.1E+00	3.5E-03	1.8E-02	7.2E-02	1.2E+02	.	.	.	2.8E-03	1.2E-07
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.81E-06	3.28E-12	5.32E-12	1.36E+09	4.00E-03	1.00E-01	9.90E+02	1.00E+02	5.00E-03	8.30E-07	.	.	.	2.2E+04	1.7E+08	1.3E+00	5.7E+01	3.0E+02	1.2E+03	1.9E+06	.	.	.	1.2E+00	3.5E-12
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	2.14E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	2.8E+02	.	.	.	.	.	.	.	2.8E+02	2.8E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.91E-04	6.13E-12	1.00E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.5E+07	9.4E+11	5.3E+01	4.7E+04	1.1E+06	1.6E+06	8.5E+05	.	.	.	5.3E+03	2.1E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.23E-04	1.60E-11	2.71E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	3.1E+06	1.3E+11	2.3E+01	6.1E+03	1.4E+05	2.1E+05	1.1E+05	.	.	.	2.3E+03	2.7E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.41E-04	1.14E-11	1.86E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	4.7E+06	2.1E+11	1.6E+01	8.9E+03	2.1E+05	3.0E+05	1.6E+05	.	.	.	1.6E+03	1.8E-12
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	3.13E-04	7.42E-11	1.27E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.0E+05	4.7E+09	2.6E+00	2.0E+02	4.6E+03	6.8E+03	3.6E+03	.	.	.	2.5E+00	1.9E-12
Bismuth (83)	Bi-204	5.41E+00	1.28E-03	2.4E-11 (S)	3.66E-04	8.08E-11	1.36E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	9.9E+04	4.8E+05	2.5E+00	1.9E+02	4.4E+03	6.5E+03	3.5E+03	.	.	.	2.3E+00	1.7E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.22E-04	1.28E-10	2.16E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.9E+03	3.5E+07	1.2E-01	3.7E+00	8.5E+01	1.3E+02	6.7E+01	.	.	.	1.1E-01	2.7E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	4.10E-04	3.00E-10	5.15E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.0E+03	4.9E+07	1.5E-01	3.9E+00	8.9E+01	1.3E+02	7.0E+01	.	.	.	1.5E-01	1.4E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.91E-04	2.23E-10	3.91E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.4E+00	2.6E+03	3.0E-04	4.8E-03	1.1E-01	1.6E-01	8.7E-02	.	.	.	2.8E-04	5.3E-12
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.85E-04	1.46E-10	2.40E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.6E+00	2.0E+03	1.0E-04	4.9E-03	1.1E-01	1.7E-01	8.9E-02	.	.	.	9.8E-05	2.1E-08
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	7.48E-08	3.52E-10	6.49E-10	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.9E+03	8.6E+05	1.0E+03	4.1E+00	9.5E+01	1.4E+02	7.5E+01	.	.	.	3.6E+00	2.9E-11
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.77E-05	2.10E-09	3.66E-09	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.7E-01	6.7E+00	1.4E-03	3.4E-04	7.9E-03	1.2E-02	6.2E-03	.	.	.	2.5E-04	4.5E-07
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.79E-05	2.10E-09	3.66E-09	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.7E-01	6.7E+00	1.4E-03	3.4E-04	7.9E-03	1.2E-02	6.2E-03	.	.	.	2.5E-04	4.5E-07
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.14E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	5.1E+04	.	.	.	.	.	.	.	5.1E+04	1.2E-10
Bismuth (83)	Bi-212	6.02E+01	1.15E-04	2.3E-09 (S)	1.34E-05	2.73E-11	4.54E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	3.3E+06	5.5E+08	6.9E+02	6.4E+03	1.5E+05	2.2E+05	1.1E+05	.	.	.	6.2E+02	4.2E-11
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	1.55E-07	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	5.8E+05	.	.	.	.	.	.	.	5.8E+05	4.6E-09
Bismuth (83)	Bi-213	7.99E+01	8.67E-05	2.0E-09 (S)	1.47E-05	1.94E-11	3.22E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	6.2E+06	8.4E+08	8.4E+02	1.2E+04	2.7E+05	4.0E+05	2.1E+05	.	.	.	7.8E+02	4.0E-11
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	1.94E-11	3.22E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	6.2E+06	8.4E+08	8.4E+02	1.2E+04	2.7E+05	4.0E+05	2.1E+05	.	.	.	7.8E+02	4.0E-11
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	7.17E-12	1.09E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	4.2E+07	4.6E+09	1.4E+02	7.4E+04	1.7E+06	2.5E+06	1.3E+06	.	.	.	1.4E+02	3.2E-12
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	7.17E-12	1.09E-11	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	4.2E+07	4.6E+09	1.4E+02	7.4E+04	1.7E+06	2.5E+06	1.3E+06	.	.	.	1.4E+02	3.2E-12
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	2.2E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	2.2E-11
Bismuth (83)	Bi-216	1.68E+00	4.13E-06	0.00E+00	8.77E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	4.80E+02	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	7.4E-12
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	1.92E-05	1.37E-10	2.51E-10	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	5.1E+03	4.9E+07	4.1E+00	1.5E+01	.	7.5E+04	2.0E+05	.	.	.	3.2E+00	3.0E-11
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	1.03E-04	7.59E-11	1.33E-10	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	2.6E+04	1.1E+09	2.1E+00	7.4E+01	.	3.7E+05	1.0E+06	.	.	.	2.1E+00	7.0E-12
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.26E-05	4.34E-09	5.76E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.1E-01	4.1E+06	3.1E-03	2.3E-04	.	1.2E+00	3.1E+00	.	.	.	2.1E-04	2.1E-10
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.02E-06	9.78E-11	1.80E-10	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	3.5E+04	3.8E+07	7.9E+01	1.0E+02	.	5.2E+05	1.4E+06	.	.	.	4.5E+02	8.4E-11
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	1.27E-10	4.22E-11	7.27E-11	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	2.6E+02	5.0E+04	9.4E+03	7.2E-01	.	3.6E+03	9.8E+03	.	.	.	7.2E-01	4.5E-10
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.16E-04	2.22E-11	3.93E-11	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.2E+00	1.1E+10	2.5E+01	3.4E+03	.	1.7E+07	4.6E+07	.	.	.	2.5E+03	6.5E-12
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	6.50E-06	3.59E-12	6.02E-12	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	2.7E+07	5.5E+11	1.6E+03	7.3E+04	.	3.6E+08	9.8E+08	.	.	.	1.5E+03	1.1E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.82E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	5.7E-13
Bromine (35)	Br-73	1.07E+07	6.47E-06	0.00E+00	1.70E-04	0.00E+00	0.00E+00	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	9.8E+02	.	.	.	.	.	.	.	9.8E+02	1.3E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	6.41E-04	5.41E-12	7.97E-12	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	4.5E+07	1.7E+12	3.5E+01	4.2E+04	3.3E+04	3.6E+03	2.4E+03	.	.	.	3.4E+03	3.4E-13
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.52E-04	9.13E-12	1.36E-11	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	1.4E+07	4.9E+11	2.2E+01	1.4E+04	1.1E+04	1.2E+03	7.7E+02	.	.	.	2.1E+03	3.8E-13
Bromine (35)	Br-75	3.77E+01	1.84E-04	3.2E-12 (S)	1.39E-04	5.72E-12	8.68E-12	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	1.1E+07	2.4E+11	4.2E+01	1.0E+04	8.2E+03	8.8E+02	5.8E+02	.	.	.	3.7E+03	1.4E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.72E-04	5.28E-11	8.47E-11	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	1.1E+05	2.6E+09	1.6E+00	1.1E+02	8.9E+01	9.5E+00	6.3E+00	.	.	.	1.1E+00	4.2E-13
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	1.42E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.8E+07	.	.	.	.	.	.	.	1.8E+07	1.6E-10
Bromine (35)	Br-77	1.06E+03	6.51E-03	6.0E-12 (S)	3.63E-05	1.11E-11	1.72E-11	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	1.5E+05	3.7E+06	4.5E+00	1.5E+02	1.2E+02	1.3E+01	8.5E+00	.	.	.	2.3E+00	3.3E-12
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.04E-06	0.00E+00	0.00E+00	1.36E+09	4.00E-01	2.00E+00	5.50E+01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	1.3E+05	2.2E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	4.00

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.99E-04	2.01E-12	3.10E-12	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	2.9E+08	1.1E+11	2.8E+02	7.0E+05	1.8E+07	4.7E+09	1.3E+05	3.8E+05	.	4.8E+05	2.8E+02	2.0E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.45E-05	7.08E-11	1.28E-10	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	3.4E+05	2.1E+10	1.1E+02	9.7E+02	2.4E+04	6.5E+06	1.8E+06	5.2E+06	.	6.6E+06	9.8E+01	1.4E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.65E-05	1.23E-11	2.16E-11	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	4.3E+06	1.8E+11	1.0E+02	1.2E+04	3.0E+05	8.2E+07	2.2E+07	6.5E+07	.	8.3E+07	1.0E+02	7.0E-12
Cerium (58)	Ce-133m	1.24E+01	5.59E-04	9.3E-12 (S)	2.16E-04	3.22E-11	5.54E-11	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	5.6E+05	2.8E+10	8.9E+00	1.5E+03	3.8E+04	1.0E+07	2.8E+06	8.2E+06	.	1.0E+07	8.8E+00	1.8E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	3.69E-07	6.63E-10	1.22E-09	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.6E+03	7.9E+07	3.4E+02	4.8E+00	1.2E+02	3.2E+04	8.8E+03	2.6E+04	.	3.3E+04	4.5E+00	1.5E-11
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.40E-05	3.94E-11	6.74E-11	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.3E+05	6.2E+09	5.6E+00	3.4E+02	8.6E+03	2.3E+06	6.3E+05	1.9E+06	.	2.4E+06	5.5E+00	4.2E-12
Cerium (58)	Ce-137	6.75E+01	1.03E-03	1.2E-12 (S)	1.51E-06	5.29E-12	9.54E-12	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.8E+06	1.2E+11	6.9E+02	5.0E+03	1.3E+05	3.4E+07	9.3E+06	2.7E+07	.	3.4E+07	6.1E+02	2.4E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.01E-06	1.40E-10	2.59E-10	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.7E+04	6.4E+08	6.8E+01	5.0E+01	1.3E+03	3.4E+05	9.2E+04	2.7E+05	.	3.4E+05	2.8E+03	4.2E-11
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.22E-05	5.32E-11	9.55E-11	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	4.8E+02	2.1E+06	2.3E-01	1.4E+00	3.4E+01	9.2E+03	2.5E+03	7.4E+03	.	9.3E+03	2.0E-01	2.9E-11
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	6.15E-06	1.84E-10	3.40E-10	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	5.7E+02	4.5E+06	2.0E+00	1.7E+00	4.2E+01	1.1E+04	3.1E+03	9.0E+03	.	1.1E+04	8.8E-01	3.1E-11
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.91E-05	2.83E-10	5.23E-10	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.7E+03	3.5E+08	9.8E+00	2.6E+01	6.5E+02	1.7E+05	4.7E+04	1.4E+05	.	1.8E+05	7.0E+00	1.1E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.33E-06	1.40E-09	2.59E-09	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.5E+00	3.8E+04	1.0E+00	2.5E-02	6.3E-01	1.7E+02	4.6E+01	1.4E+02	.	1.7E+02	2.3E-02	7.4E-12
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.15E-06	1.40E-09	2.59E-09	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.5E+00	3.8E+04	2.2E-01	2.5E-02	6.3E-01	1.7E+02	4.6E+01	1.4E+02	.	1.7E+02	2.2E-02	6.8E-12
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.63E-05	0.00E+00	0.00E+00	1.36E+09	2.70E-03	3.10E-03	1.20E+03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	4.5E-12
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	1.64E-09	4.71E-12	7.42E-12	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	6.3E+07	4.5E+09	1.8E+07	1.6E+05	.	2.7E+08	2.2E+09	.	.	.	1.6E+05	4.0E-09
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	5.62E-09	8.34E-10	1.55E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	2.7E+03	7.9E+05	4.7E+04	8.1E+00	.	1.4E+04	1.1E+05	.	.	.	8.1E+03	2.3E-11
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	6.78E-06	3.65E-12	6.51E-12	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	7.4E+06	1.4E+11	4.5E+02	2.1E+04	.	3.6E+07	2.9E+08	.	.	.	4.4E+02	1.1E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.58E-08	1.69E-09	2.90E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	6.5E+00	2.3E+02	2.6E+01	1.8E-02	.	3.0E+01	2.4E+02	.	.	.	1.8E-02	1.1E-11
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-05	4.41E-09	5.85E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.1E-01	4.2E+06	1.1E-03	2.3E-04	.	3.9E-01	3.2E+00	.	.	.	1.9E-04	4.7E-11
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.32E-06	3.12E-09	4.46E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	3.4E-01	1.3E+01	7.0E-02	7.7E-04	.	1.3E+00	1.0E+01	.	.	.	7.6E-04	6.9E-12
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	9.78E-06	4.56E-09	6.12E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.0E-01	4.0E+00	4.0E-03	2.2E-04	.	3.7E-01	3.0E+00	.	.	.	2.1E-04	1.3E-10
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	6.15E-05	4.93E-09	8.13E-09	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	8.0E-01	4.6E+01	6.6E-03	2.1E-03	.	3.5E+00	2.9E+01	.	.	.	1.6E-03	3.0E-12
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	1.06E-08	1.78E-10	3.21E-10	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.1E+03	2.0E+04	2.1E+03	3.2E+00	.	5.3E+03	4.3E+04	.	.	.	3.2E+00	1.1E-10
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.27E-03	8.27E-08	1.46E-07	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	7.1E-01	2.1E+02	2.8E-03	2.0E-03	.	3.4E+00	2.7E+01	.	.	.	1.2E-03	1.4E-13
Californium (98)	Cf-255	4.29E+01	1.62E-04	6.1E-10 (S)	1.88E-08	5.27E-12	9.36E-12	1.36E+09	1.00E-03	1.00E-01	.	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.1E+07	1.5E+05	3.9E+05	3.2E+04	.	5.4E+07	4.4E+08	.	.	.	3.0E+04	3.4E-09
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.23E-04	0.00E+00	0.00E+00	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	.	.	1.8E+05	.	.	.	.	.	.	.	.	1.8E+05	8.3E-13
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.87E-04	6.55E-12	9.75E-12	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	2.9E+07	1.0E+12	6.1E+01	5.7E+02	2.3E+02	4.3E+03	9.7E+02	.	.	.	4.2E+01	2.4E-13
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	4.58E-08	1.20E-10	1.96E-10	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	3.2E+00	1.9E+03	8.5E-01	6.9E-05	2.8E-05	5.2E-04	1.2E-04	.	.	.	1.6E-05	4.9E-10
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	2.08E-04	7.20E-12	1.08E-11	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	2.3E+07	7.6E+11	7.3E+01	4.5E+02	1.8E+02	3.4E+03	7.6E+02	.	.	.	4.3E+01	3.3E-13
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.93E-04	5.63E-12	8.46E-12	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	1.9E+07	5.1E+11	5.2E+01	3.8E+02	1.5E+02	2.9E+03	6.5E+02	.	.	.	3.3E+01	3.8E-13
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.90E-04	0.00E+00	0.00E+00	1.36E+09	3.13E+01	3.60E+01	3.00E-01	4.70E+01	1.70E-02	2.00E-02	.	.	.	.	.	7.1E+02	.	.	.	.	.	.	.	.	7.1E+02	2.0E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	5.49E-06	9.71E-12	1.68E-11	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.7E+06	3.1E+09	7.1E+02	1.0E+04	7.2E+02	7.0E+07	1.9E+08	.	.	.	3.5E+02	6.3E-11
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.16E-05	1.79E-11	3.23E-11	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.6E+06	6.1E+10	1.5E+02	4.7E+03	3.2E+02	3.2E+07	8.6E+07	.	.	.	1.0E+02	2.2E-11
Curium (96)	Cm-240	9.37E-01	7.40E-02	3.1E-07 (S)	1.65E-09	1.37E-09	2.50E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	9.3E+01	6.3E+01	5.5E+03	2.7E-01	1.9E-02	1.8E+03	5.0E+03	.	.	.	1.8E-01	8.8E-13
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.24E-05	1.94E-10	3.51E-10	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	5.5E+02	4.9E+05	2.3E-01	1.6E+00	1.1E-01	1.1E+04	2.9E+04	.	.	.	7.1E-02	4.3E-12
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	2.12E-09	1.48E-09	2.63E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.5E+01	6.0E+02	1.1E+03	4.2E-02	2.9E-03	2.8E+02	7.7E+02	.	.	.	2.7E-03	8.2E-13
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.14E-05	3.34E-09	4.78E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.0E-01	8.2E+06	5.3E-03	4.6E-04	3.2E-05	3.1E+00	8.5E+00	.	.	.	3.0E-05	5.9E-13
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	3.79E-09	2.93E-09	4.22E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.9E-01	1.1E+01	2.0E+01	6.7E-04	4.6E-05	4.5E+00	1.2E+01	.	.	.	4.3E-05	5.3E-13
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	7.42E-06	3.66E-09	5.06E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.2E-01	5.1E+00	5.2E-03	2.7E-04	1.9E-05	1.8E+00	5.0E+00	.	.	.	1.8E-05	1.0E-10
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.86E-07	3.59E-09	4.93E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.3E-01	5.1E+00	8.0E-02	2.8E-04	1.9E-05	1.9E+00	5.1E+00	.	.	.	1.8E-05	5.9E-11
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.53E-05	3.49E-09	4.86E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.3E-01	5.6E+00	1.1E-03	2.9E-04	2.0E-05	1.9E+00	5.3E+00	.	.	.	1.8E-05	2.0E-07
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-05	3.51E-09	4.89E-09	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.3E-01	5.6E+00	1.0E-03	2.8E-04	2.0E-05	1.9E+00	5.2E+00	.	.	.	1.8E-05	1.9E-07
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.77E-04	1.61E-08	2.29E-08	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.7E-02	1.3E+06	2.2E-04	6.2E-05	4.3E-06	4.2E-01	1.1E+00	.	.	.	3.9E-06	9.5E-10
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.30E-06	3.25E-12	5.52E-12	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.6E+07	5.6E+11	3.8E+03	7.0E+04	4.8E+03	4.7E+08	1.3E+09	.	.	.	2.1E+03	1.8E-10
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.80E-03	1.17E-07	1.69E-07	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.7E-03	2.0E-01	2.2E-05	8.5E-06	5.9E-07	5.8E-02	1.6E-01	.	.	.	5.4E-07	3.1E-12
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.83E-03	1.17E-07	1.69E-07	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.7E-03	2.0E-01	2.1E-05	8.5E-06	5.9E-07	5.8E-02	1.6E-01	.	.	.	5.4E-07	3.1E-12
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.28E-05	2.32E-12	3.75E-12	1.36E+09	2.00E-05	2.30E-05	4.00E+00	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.4E+08	3.3E+12	2.6E+03	3.7E+05	2.6E+04	2.5E+09	6.9E+09	.	.	.	2.4E+03	5.3E-11
Curium (96)	Cs-54m	2.46E+05	2.82E-06	0.00E+00	5.05E-04	0.00E+00	0.00E+00	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	.	.	7.5E+02	.	.	.	.	.	.	.	.	7.5E+02	3.2E-13
Curium (96)	Cs-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.50E-04	1.81E-10	3.25E-10	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	2.6E+04	1.2E+05	2.1E+00	7.4E+01	2.5E+02	2.3E+04	2.5E+04	2.0E+04	8.1E+02	4.8E+04	2.1E+00	6.4E-13
Curium (96)	Cs-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.95E-04	3.85E-10	6.56E-10	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	1.2E+02	1.0E+06	1.0E-02	3.3E-01	1.1E+00	1.0E+02	1.1E+02	8.9E+01	3.6E+00	2.1E+02	9.8E-03	3.3E-13
Curium (96)	Cs-57	9.31E-01	7.44E-01	1.0E-10 (S)	9.59E-06	4.03E-11	7.13E-11	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	3.2E+02	1.9E+06	1.5E-01	9.0E-01	3.0E+00	2.8E+02	3.0E+02	2.4E+02	9.8E+00	5.8E+02	1.2E-01	1.4E-11
Curium (96)	Cs-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.21E-04	1.12E-10	1.92E-10	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	4.6E+02	3.5E+06	4.6E-02	1.2E+00	4.2E+00	3.9E+02	4.1E+02	3.3E+02	1.4E+01	8.0E+02	4.3E-02	1.4E-12
Curium (96)	Cs-58m	6.72E+02	1.03E-03	2.2E-12 (S)	2.71E-11	4.90E-12	9.00E-12	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	1.9E+06	6.3E+10	3.8E+07	5.3E+03	1.8E+04	1.7E+06	1.8E+06	1.4E+06	5.8E+04	3.4E+06	3.8E+03	6.4E-10
Curium (96)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.35E-04	6.03E-10	1.03E-09	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	3.2E+00	1.0E+04	6.1E-04	8.5E-03	2.9E-02	2.7E+00	2.8E+00	2.3E+00	9.3E-02	5.5E+00	5.6E-04	4.9E-13
Curium (96)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.83E-07	9.68E-14	1.45E-13	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	6.0E+05	6.3E+13	1.1E+05	1.4E+07	4.7E+07	4.4E+09	4.7E+09	3.8E+05	1.5E+08	9.0E+05	1.1E+05	3.7E-10
Curium (96)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	7.57E-06	9.51E-12	1.67E-11	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	5.5E+06	1.9E+11	7.5E+02	1.5E+04	5.1E+04	4.7E+06	5.0E+06	4.1E+06	1.6E+05	9.7E+06	7.0E+02	2.3E-11
Curium (96)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.21E-04	0.00E+00	0.00E+00	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	.	.	1.7E+03	.	.	.	.	.	.	.	.	1.7E+03	8.4E-13
Curium (96)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.66E-04	3.16E-12	4.71E-12	1.36E+09	7.40E-03	8.50E-03	4.80E+02	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	1.4E+08	6.0E+12	1.1E+02	3.2E+05	1.1E+06	1.0E+08	1.1E+08	8.7E+07	3.5E+06	2.1E+08	1.1E+02	5.1E-13
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.39E-05	2.76E-11	4.65E-11	1.36E+09	1.74E-04	2.00E-04	0.00E+00	4.00E+01	3.00E-02	4.30E-04	.	.	.	1.5E+05	3.0E+09	9.9E+00	4.1E+02	.	1.8E+03	3.5E+04	.	.	.	9.6E+00	3.2E-12
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.20E-04	5.14E-12	8.25E-12	1.36E+09	1.74E-04	2.00E-04	0.00E+00	4.00E+01	3.00E-02	4.30E-04	.	.	.	2.6E+07	9.0E+11	1.1E+02	6.7E+04	.	3.0E+05	5.7E+06	.	.	.	1.1E+02	1.2E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-06	7.18E-12	1.27E-11	1.36E+09	1.74E-04	2.00E-04	0.00E+00	4.00E+01	3.00E-02	4.30E-04	.	.	.	1.8E+04	4.2E+08	4.0E+00	5.1E+01	.	2.3E+02	4.4E+03	.	.	.	3.7E+00	4.0E-11
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	7.95E-07	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	0.00E+00	4.00E+01	3.00E-02	4.30E-04	.	.	.	.	.	2.0E+05	.	.	.	.	.	.	.	.	2.0E+05	2.1E-10
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	4.70E-06	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	0.00E+00	4.00E+01	3.00E-02	4.30E-04	.	.	.	.	.	2.0E+04	.	.	.	.	.	.	.	.	2.0E+04	3.6E-11
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.36E+09	2.52E-02	2.90E-02	1.00E+01	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	1.6E+03	.	.	.	.	.	.	.	.	1.6E+03	2.6E-12
Cesium (55)	Cs-121m

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.94E-05	2.98E-11	5.22E-11	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	4.5E+05	1.7E+10	1.5E+01	1.3E+03	1.5E+03	6.4E+04	5.7E+05	.	.	.	1.4E+03	4.5E-12
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	1.14E-09	1.72E-09	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	3.6E-01	1.5E+01	.	8.7E-04	1.0E-03	4.4E-02	3.9E-01	.	.	.	4.7E-04	6.1E-07
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.70E-05	2.20E-11	3.78E-11	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	4.0E+05	1.6E+10	1.2E+01	1.1E+03	1.3E+03	5.6E+04	5.0E+05	.	.	.	1.2E+03	5.9E-12
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.44E-05	8.67E-12	1.47E-11	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	1.3E+06	6.6E+10	3.4E+01	3.4E+03	4.1E+03	1.7E+05	1.5E+06	.	.	.	3.3E+03	1.3E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	8.71E-07	2.14E-11	3.84E-11	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	1.1E+03	7.8E+06	3.1E+00	3.2E+00	3.9E+00	1.6E+02	1.5E+03	.	.	.	1.1E+00	2.0E-10
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.65E-06	1.62E-11	2.92E-11	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.2E+06	9.0E+10	1.5E+03	6.4E+03	7.7E+03	3.2E+05	2.9E+06	.	.	.	1.1E+03	1.3E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.52E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	3.0E+05	.	.	.	.	.	.	.	3.0E+05	3.3E-10
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	1.75E-06	4.48E-10	8.32E-10	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.2E+03	6.2E+07	6.6E+01	6.6E+00	7.9E+00	3.3E+02	3.0E+03	.	.	.	3.4E+03	1.5E-11
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	6.06E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	8.3E-12
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	1.50E+03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	1.2E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	4.20E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	.	.	3.6E+04	.	.	.	.	.	.	.	3.6E+04	1.1E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	2.41E-06	3.74E-12	6.27E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	7.4E+07	2.7E+12	1.2E+04	2.0E+05	.	1.0E+07	9.0E+07	.	.	.	1.1E+04	1.8E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.17E-04	2.17E-12	3.43E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	7.3E+07	2.3E+12	1.3E+02	1.8E+05	.	9.3E+06	8.4E+07	.	.	.	1.3E+02	4.1E-12
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.20E-04	1.25E-11	2.15E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	2.2E+06	1.0E+11	2.4E+01	6.0E+03	.	3.0E+05	2.7E+06	.	.	.	2.4E+01	4.0E-12
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	9.85E-07	2.82E-13	4.65E-13	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	2.6E+08	1.3E+13	7.6E+03	6.8E+05	.	3.4E+07	3.1E+08	.	.	.	7.5E+03	4.9E-10
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	8.27E-07	3.53E-12	6.27E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	2.3E+06	1.4E+11	1.1E+03	6.6E+03	.	3.3E+05	3.0E+06	.	.	.	9.4E+02	5.1E-10
Erbium (68)	Er-167m	9.63E+04	7.19E-08	0.00E+00	8.84E-06	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	.	.	1.7E+06	.	.	.	.	.	.	.	1.7E+06	5.7E-11
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	2.58E-09	1.00E-10	1.86E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	3.6E+03	4.8E+07	1.6E+04	1.1E+01	.	5.4E+02	4.8E+03	.	.	.	1.0E+03	1.3E-10
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.76E-05	7.95E-11	1.46E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	1.4E+05	6.3E+09	3.3E+01	4.0E+02	.	2.0E+04	1.8E+05	.	.	.	3.1E+03	1.3E-11
Erbium (68)	Er-172	1.23E+03	5.63E-03	1.4E-10 (S)	5.74E-05	2.44E-10	4.47E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	6.8E+03	1.8E+08	3.3E+00	2.0E+01	.	1.0E+03	9.1E+03	.	.	.	2.8E+00	7.7E-12
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.44E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	.	2.00E-03	6.00E-05	.	.	.	.	.	4.2E+03	.	.	.	.	.	.	.	4.2E+03	5.5E-12
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.35E-05	2.53E-12	4.21E-12	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	2.1E+07	4.0E+10	1.3E+02	5.6E+04	.	2.8E+08	7.6E+08	.	.	.	1.3E+02	1.7E-11
Einsteinium (99)	Es-250	7.06E+03	9.82E-04	1.1E-10 (S)	1.35E-04	9.01E-11	1.62E-10	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.1E+05	1.4E+05	8.1E+00	3.1E+02	.	1.6E+06	4.2E+06	.	.	.	7.9E+00	5.4E-12
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.63E-05	3.47E-12	5.76E-12	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.2E+07	2.8E+10	6.4E+01	3.1E+04	.	1.6E+08	4.3E+08	.	.	.	6.4E+03	1.1E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	6.72E-06	4.18E-11	7.67E-11	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	6.0E+04	2.0E+08	4.2E+01	1.8E+02	.	8.8E+05	2.4E+06	.	.	.	3.4E+03	9.0E-11
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.38E-08	1.38E-09	2.54E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.2E+02	9.1E+01	5.7E+02	3.6E-01	.	1.8E+03	4.8E+03	.	.	.	3.5E-01	1.4E-11
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	2.21E-07	2.12E-09	3.71E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	6.1E+00	2.8E+02	6.4E+00	1.7E-02	.	8.6E+01	2.3E+02	.	.	.	1.7E-02	9.2E-12
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.16E-04	2.14E-09	3.75E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	6.1E+00	2.8E+02	1.2E-02	1.7E-02	.	8.6E+01	2.3E+02	.	.	.	7.1E-03	3.8E-12
Einsteinium (99)	Es-254m	1.54E+03	4.49E-03	4.7E-08 (S)	5.71E-05	1.12E-09	2.07E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	1.9E+03	6.9E+05	4.2E+00	5.5E+00	.	2.8E+04	7.4E+04	.	.	.	2.4E+00	7.6E-12
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.31E-08	1.12E-09	2.06E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	7.7E+01	3.2E+03	1.1E+02	2.3E-01	.	1.1E+03	3.1E+03	.	.	.	2.2E-01	1.7E-11
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	1.87E-07	6.28E-10	1.09E-09	1.36E+09	1.00E-03	1.00E-01	.	.	2.00E-05	2.00E-06	.	.	.	3.3E+05	7.8E+08	1.2E+05	9.1E+02	.	4.6E+06	1.2E+07	.	.	.	9.0E+02	3.1E-11
Europium (63)	Eu-142	9.34E+00	7.42E-08	0.00E+00	1.51E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	9.6E+04	.	.	.	.	.	.	.	9.6E+04	2.8E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.26E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	1.0E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.40E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	3.1E-12
Europium (63)	Eu-144	2.14E+00	3.23E-07	0.00E+00	1.36E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	2.4E+04	.	.	.	.	.	.	.	2.4E+04	3.2E-12
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.65E-04	9.21E-11	1.55E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	6.8E+03	1.9E+08	4.0E-01	1.8E+01	4.8E+01	9.2E+02	8.3E+03	.	.	.	3.9E-01	2.6E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	3.04E-04	1.65E-10	2.77E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.9E+03	1.7E+08	2.8E-01	1.3E+01	3.4E+01	6.6E+02	6.0E+03	.	.	.	2.7E-01	1.4E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.21E-05	7.80E-11	1.38E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.9E+03	1.9E+07	3.1E-01	5.3E+00	1.4E+01	2.7E+02	2.4E+03	.	.	.	2.9E-01	7.8E-12
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.73E-04	1.66E-10	2.76E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.2E+02	2.8E+06	2.6E-02	1.1E+00	2.9E+00	5.6E+01	5.0E+02	.	.	.	2.5E-02	1.6E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.04E-06	3.46E-11	6.28E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.1E+03	1.2E+07	1.0E+00	3.1E+00	8.1E+00	1.6E+02	1.4E+03	.	.	.	7.1E-01	7.5E-11
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.83E-04	1.52E-10	2.48E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.6E+00	1.0E+01	3.0E-04	9.3E-03	2.4E-02	4.7E-01	4.2E+00	.	.	.	2.9E-04	4.5E-12
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.55E-06	9.57E-11	1.77E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	6.7E+04	3.3E+09	1.3E+02	2.0E+02	5.1E+02	9.9E+03	8.9E+04	.	.	.	6.8E+03	4.2E-11
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.46E-04	2.25E-10	3.94E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.7E+00	2.4E+03	6.2E-04	1.0E-02	2.7E-02	5.2E-01	4.7E+00	.	.	.	5.7E-04	3.3E-12
Europium (63)	Eu-152m	6.52E+03	1.06E-03	3.2E-11 (S)	3.63E-05	1.17E-10	2.16E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	7.5E+04	4.3E+05	2.8E+01	2.2E+02	5.8E+02	1.1E+04	1.0E+05	.	.	.	2.4E+03	1.1E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	4.07E-06	1.67E-12	2.89E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.3E+07	9.9E+11	1.4E+03	9.0E+04	2.4E+05	4.5E+06	4.1E+07	.	.	.	1.4E+03	1.1E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.58E-04	3.83E-10	6.86E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.0E+00	3.2E+03	8.2E-04	8.7E-03	2.3E-02	4.4E-01	3.9E+00	.	.	.	7.3E-04	2.7E-12
Europium (63)	Eu-154m	7.92E+01	8.75E-05	3.0E-13 (S)	3.03E-06	6.92E-13	1.13E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.7E+08	5.5E+12	4.0E+03	4.5E+05	1.2E+06	2.3E+07	2.1E+08	.	.	.	4.0E+03	1.5E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	3.38E-06	7.64E-11	1.40E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.6E+01	5.9E+04	6.7E-02	7.6E-02	2.0E-01	3.8E+00	3.4E+01	.	.	.	3.0E-02	6.2E-11
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.66E-04	5.28E-10	9.64E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.3E+02	8.2E+06	1.6E-01	1.3E+00	3.3E+00	6.3E+01	5.7E+02	.	.	.	1.3E-01	2.4E-12
Europium (63)	Eu-157	4.00E+00	1.73E-03	4.6E-11 (S)	2.98E-05	1.48E-10	2.72E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.7E+04	1.8E+05	2.1E+01	1.1E+02	2.8E+02	5.4E+03	4.9E+04	.	.	.	1.6E+01	1.2E-11
Europium (63)	Eu-158	7.34E+03	8.75E-05	9.1E-12 (S)	1.69E-04	7.90E-12	1.28E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.5E+07	5.4E+11	7.3E+01	4.0E+04	1.0E+05	2.0E+06	1.8E+07	.	.	.	7.3E+03	2.8E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.13E-05	4.62E-12	7.74E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.30E+02	2.00E-03	6.00E-05	.	.	.	6.5E+07	2.5E+12	9.9E+02	1.7E+05	4.5E+05	8.7E+06	7.8E+07	.	.	.	9.9E+02	1.5E-11
Fluorine (9)	F-17	3.39E+03	2.04E-06	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-02	1.00E-01	1.50E+02	1.00E+01	2.00E-02	7.00E-03	.	.	.	.	.	4.4E+03	.	.	.	.	.	.	.	4.4E+03	4.2E-13
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.16E-04	3.38E-12	4.98E-12	1.36E+09	2.00E-02	1.00E-01	1.50E+02	1.00E+01	2.00E-02	7.00E-03	.	.	.	1.7E+07	2.2E+11	4.9E+01	3.6E+04	3.0E+05	2.0E+05	1.5E+05	.	.	.	4.9E+03	5.1E-13
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.30E-05	2.78E-10	5.10E-10	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	3.6E+04	1.9E+09	1.4E+01	1.1E+02	2.8E+02	1.0E+03	1.1E+05	1.9E+04	1.1E+03	1.2E+03	1.1E+03	1.5E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	4.7E+02	.	.	.	.	.	.	.	4.7E+02	1.1E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	4.04E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	5.5E+02	.	.	.	.	.	.	.	5.5E+02	3.9E-13
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.29E-14	3.13E-11	5.12E-11	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	1.2E+02	1.3E+06	3.0E-07	3.2E-01	8.7E-01	3.1E+00	3.4E+02	5.8E+01	3.4E+00	3.8E+00	1.9E-01	8.2E-11
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.57E-04	3.01E-10	5.16E-10	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	2.7E+02	3.0E+06	5.6E-02	7.5E-01	2.0E+00	7.3E+00	7.9E+02	1.4E+02	8.0E+00	8.9E+00	5.0E-02	1.0E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	4.77E-10	6.74E-09	9.40E-09	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	6.6E-02	5.0E+02	9.0E+01	1.5E-04	4.0E-04	1.4E-03	1.6E-01	2.7E-02	1.6E-03	1.7E-03	8.9E-05	2.2E-08
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.35E-04	7.34E-09	1.04E-08	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	6.0E-02	4.0E+02	1.2E-04	1.4E-04	3.6E-04	1.3E-03	1.4E-01	2.4E-02	1.4E-03	1.6E-03	4.8E-05	1.2E-08
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.84E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	5.1E+02	.	.	.	.	.	.	.	5.1E+02	9.9E-13
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	6.00E-05	0.00E+00	0.00E+00	1.36E+09	1.74E-04	2.00E-04	8.80E+02	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	8.3E+03	.	.	.	.	.	.	.	8.3E+03	3.1E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.42E-05	1.53E-11	2.77E-11	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	1.0E+06	1.4E+09	1.2E+02	3.0E+03	.	1.5E+06	1.0E+07	.	.	.	1.2E+02	5.1E-11
Fermium (100)	Fm-252	2.39E+03	2.90E-03	3.5E-08 (S)	3.60E-08	7.22E-10	1.34E-09	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	4.4E+03	1.5E+06	1.0E+04	1.3E+01	.	6.6E+03	4.5E+04	.	.	.	1.3E+03	2.7E-11
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	4.51E-06	2.73E-10	5.05E-10	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	4.1E+03	4.3E+05	2.9E-01	1.2E+01	.	6.2E+03	4.2E+04	.	.	.	8.6E+00	5.0E-11
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	9.47E-07	8.77E-11	1.59E-10	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	2.9E+05	6.7E+07	3.1E+03	8.5E+02	.	4.3E+05	2.9E+06	.	.	.	6.6E+02	1.7E-10
Fermium (100)	Fm-255	3.02E+03	2.29E-03	2.7E-08 (S)	1.06E-07	6.55E-10	1.21E-09	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	6.2E+03	2.4E+06	4.4E+03	1.8E+01	.	9.2E+03	6.2E+04	.	.	.	1.8E+03	3.0E-11
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.67E-03	3.68E-09	6.29E-09	1.36E+09	2.00E-03	1.00E-01	.	.	2.00E-04	8.00E-06	.	.	.	9.1E+03	2.0E+07	2.1E+00	2.5E+01	.	1.3E+04	8.5E+04	.	.	.	2.0E+00	4.2E-13

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	4.35E-06	6.01E-11	1.09E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.4E+02	9.5E+05	3.7E-01	6.9E-01	9.4E+00	3.5E+01	3.1E+02	.	.	.	2.3E-01	6.6E-11
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.14E-06	1.29E-10	2.38E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.4E+04	1.6E+09	9.9E+01	1.0E+02	1.4E+03	5.1E+03	4.6E+04	.	.	.	4.8E+02	4.5E-11
Gadolinium (64)	Gd-162	4.34E+00	1.60E-05	0.00E+00	4.73E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	1.0E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.64E-05	1.31E-11	2.04E-11	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	3.3E+06	8.0E+10	5.4E+01	3.2E+03	2.7E+01	3.7E+02	1.9E+03	.	.	.	1.7E+03	8.0E-13
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.71E-04	3.63E-12	5.37E-12	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	8.9E+07	3.3E+12	1.7E+02	8.4E+04	6.9E+02	9.5E+03	5.0E+04	.	.	.	1.4E+02	9.2E-13
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.10E-11	2.66E-10	4.70E-10	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	4.9E+01	7.0E+04	1.3E+05	5.5E-02	4.5E-04	6.3E-03	3.3E-02	.	.	.	4.1E-04	5.9E-14
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.13E-04	2.77E-10	4.88E-10	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	4.8E+01	7.0E+04	1.3E-02	5.3E-02	4.4E-04	6.0E-03	3.2E-02	.	.	.	3.9E-04	5.5E-14
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.20E-04	2.95E-11	4.80E-11	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	8.0E+04	1.7E+09	2.0E+00	8.3E+01	6.8E-01	9.4E+00	5.0E+01	.	.	.	4.8E-01	4.1E-13
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.11E-11	2.50E-12	4.43E-12	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.2E+05	3.1E+05	3.1E+06	1.4E+02	1.1E+00	1.6E+01	8.4E+01	.	.	.	1.0E+00	6.5E-12
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	3.82E-06	3.15E-12	4.70E-12	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	2.3E+07	3.8E+11	1.8E+03	2.2E+04	1.8E+02	2.5E+03	1.3E+04	.	.	.	1.5E+02	5.0E-12
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.30E-04	4.45E-11	7.18E-11	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.9E+05	3.4E+09	6.4E+00	1.9E+02	1.6E+00	2.2E+01	1.1E+02	.	.	.	1.2E+00	3.2E-13
Germanium (32)	Ge-78	4.14E+01	1.67E-04	6.9E-12 (S)	2.98E-05	1.03E-11	1.52E-11	1.36E+09	4.00E-01	4.00E+00	2.50E+01	4.00E+03	2.00E-01	1.00E-02	.	.	.	6.8E+06	1.3E+11	2.1E+02	6.3E+03	5.2E+01	7.2E+02	3.8E+03	.	.	.	3.9E+03	1.4E-12
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	1.76E-12	2.43E-12	1.70E+01	4.80E+00	2.40E+01	0.00E+00	1.00E+00	1.20E-02	1.00E-02	.	.	.	6.4E+02	7.2E-03	.	7.3E-02	.	1.9E-01	5.9E-02	.	.	.	5.7E-03	5.9E-13
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.85E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	7.3E-12
Hafnium (72)	Hf-169	1.12E+01	6.16E-06	0.00E+00	7.07E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	7.2E-12
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.39E-05	6.85E-11	1.20E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	7.9E+04	2.8E+09	1.3E+01	2.2E+02	2.6E+02	5.5E+04	3.0E+05	.	.	.	1.2E+03	1.0E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	1.99E-10	3.54E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.6E+01	3.4E+04	1.4E-01	7.4E-02	8.8E-02	1.9E+01	1.0E+02	.	.	.	3.1E-02	2.8E-11
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	1.99E-10	3.54E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.6E+01	3.4E+04	1.4E-01	7.4E-02	8.8E-02	1.9E+01	1.0E+02	.	.	.	3.1E-02	2.8E-11
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	3.50E-05	4.06E-11	7.18E-11	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	8.9E+04	3.1E+09	1.1E+01	2.5E+02	3.0E+02	6.3E+04	3.4E+05	.	.	.	1.0E+03	1.4E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	2.16E-09	2.77E-09	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.2E-01	1.9E+01	.	4.6E-04	5.4E-04	1.2E-01	6.2E-01	.	.	.	2.5E-04	2.4E+02
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.47E-05	7.49E-11	1.33E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	6.8E+02	5.3E+06	1.6E-01	1.9E+00	2.3E+00	4.8E+02	2.6E+03	.	.	.	1.4E-03	1.3E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.36E-04	7.72E-12	1.24E-11	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.4E+07	2.8E+11	4.7E+01	3.6E+04	4.3E+04	9.2E+06	5.0E+07	.	.	.	4.6E+03	2.2E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-04	4.64E-10	7.73E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.2E+00	9.1E+02	2.4E-04	3.2E-03	3.8E-03	8.1E-01	4.4E+00	.	.	.	2.1E-04	3.2E-12
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.44E-05	2.61E-10	4.70E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	5.3E+02	4.8E+06	1.7E-01	1.5E+00	1.8E+00	3.9E+02	2.1E+03	.	.	.	1.4E-01	4.7E-12
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.05E-04	2.82E-11	4.94E-11	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	5.6E+05	1.9E+10	1.6E-01	1.5E+03	1.8E+03	3.9E+05	2.1E+06	.	.	.	1.6E+03	5.0E-12
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.78E-05	2.52E-10	4.59E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	3.2E+02	2.2E+06	1.6E-01	9.3E-01	1.1E+00	2.4E+02	1.3E+03	.	.	.	1.2E-01	7.2E-12
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.46E-05	1.72E-10	2.58E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.4E+00	5.9E+02	1.6E-03	5.7E-03	6.8E-03	1.5E+00	7.8E+00	.	.	.	1.0E-03	4.8E-06
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.87E-04	4.77E-10	8.05E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	7.7E-01	5.3E+02	2.1E-04	2.1E-03	2.5E-03	5.2E-01	2.8E+00	.	.	.	1.7E-04	8.0E-07
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-04	4.64E-12	7.62E-12	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.9E+07	3.7E+11	9.1E+01	5.0E+04	6.0E+04	1.3E+07	6.9E+07	.	.	.	9.1E+02	5.4E-12
Hafnium (72)	Hf-183	5.69E+01	1.22E-04	4.9E-12 (S)	9.21E-05	9.35E-12	1.61E-11	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	8.8E+06	2.4E+11	9.6E+01	2.4E+04	2.9E+04	6.1E+06	3.3E+07	.	.	.	9.5E+02	5.9E-12
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.18E-05	1.14E-10	2.08E-10	1.36E+09	3.00E-03	1.00E-01	2.50E+03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.8E+05	7.8E+09	1.0E+02	5.1E+02	6.1E+02	1.3E+05	7.0E+05	.	.	.	7.6E+03	1.8E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.43E-05	2.12E-12	3.39E-12	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.3E+08	5.5E+11	2.0E+03	1.6E+05	1.8E+05	1.0E+06	5.4E+06	.	3.2E+07	.	1.9E+03	3.9E-11
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.77E-04	6.70E-12	1.12E-11	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.6E+07	5.2E+10	6.3E+01	2.0E+04	2.3E+04	1.3E+05	6.8E+05	.	4.0E+06	.	6.2E+03	3.2E-12
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.3E-11 (V)	2.36E-05	3.71E-11	6.45E-11	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	4.8E+05	2.9E+09	8.2E+01	6.3E+02	7.2E+02	4.0E+03	2.1E+04	.	1.3E+05	.	6.5E+01	1.9E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	1.01E-04	1.78E-11	3.13E-11	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.3E+06	4.3E+09	2.4E+01	1.7E+03	1.9E+03	1.1E+04	5.7E+04	.	3.3E+05	.	2.4E+03	5.6E-12
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	1.02E-04	1.78E-11	3.13E-11	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.3E+06	4.3E+05	2.4E+01	1.7E+03	1.9E+03	1.1E+04	5.7E+04	.	3.3E+05	.	2.4E+03	5.5E-12
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.25E-04	7.89E-11	1.40E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	9.1E+04	4.0E+08	6.4E+00	1.2E+02	1.4E+02	7.8E+02	4.1E+03	.	2.4E+04	.	5.7E+00	4.2E-12
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	9.75E-11	1.08E-10	1.69E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	3.8E+00	2.7E+03	4.1E+02	4.4E-03	5.1E-03	2.8E-02	1.5E-01	.	8.9E-01	.	2.2E-03	5.1E-10
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.29E-04	1.70E-10	2.75E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.3E+00	2.7E+03	3.1E-04	2.8E-03	3.2E-03	1.8E-02	9.6E-02	.	5.6E-01	.	2.5E-04	6.0E-11
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	1.94E-05	2.11E-11	3.81E-11	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	3.8E+05	9.0E+08	4.6E+01	5.1E+02	5.8E+02	3.3E+03	1.7E+04	.	1.0E+05	.	3.9E+03	2.5E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	1.97E-05	1.31E-10	2.40E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.5E+04	4.2E+07	1.1E+01	2.1E+01	2.4E+01	1.3E+02	7.1E+02	.	4.1E+03	.	5.4E+00	1.4E-11
Mercury (80)	Hg-197	9.35E+02	7.41E-03	4.2E-10 (V)	3.28E-06	6.03E-11	1.11E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.1E+04	4.7E+07	4.4E+01	2.9E+01	3.3E+01	1.8E+02	9.8E+02	.	5.8E+03	.	1.1E+03	4.3E-11
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	7.04E-06	1.21E-10	2.23E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.8E+04	1.0E+08	5.6E+01	3.9E+01	4.5E+01	2.5E+02	1.3E+03	.	7.8E+03	.	1.4E+03	2.1E-11
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.54E-05	2.53E-12	4.11E-12	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	5.2E+07	1.1E+11	8.6E+02	6.3E+04	7.2E+04	4.0E+05	2.1E+06	.	1.3E+07	.	8.4E+02	3.8E-11
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.49E-05	1.21E-10	2.20E-10	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	6.1E+02	1.7E+06	3.4E-01	8.3E-01	9.6E-01	5.3E+00	2.8E+01	.	1.7E+02	.	1.8E-01	1.3E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	6.66E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	9.2E-10
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.31E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	5.3E+03	.	.	.	.	.	.	.	5.3E+03	4.7E-11
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.57E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	6.30E+03	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	5.5E+02	.	.	.	.	.	.	.	5.5E+02	1.7E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.32E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	1.9E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	3.8E-12
Holmium (67)	Ho-153m	3.10E+04	2.24E-05	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	5.0E+02	.	.	.	.	.	.	.	5.0E+02	3.8E-12
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.29E-04	2.53E-12	3.77E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.0E+08	9.5E+12	2.1E+02	4.9E+05	9.4E+06	2.4E+07	2.2E+08	.	.	.	2.1E+02	2.0E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.87E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	6.3E+02	.	.	.	.	.	.	.	6.3E+02	1.6E-12
Holmium (67)	Ho-155	7.59E+01	9.13E-05	1.7E-12 (S)	6.94E-05	4.32E-12	7.16E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.6E+07	9.6E+11	1.7E+02	7.0E+04	1.4E+06	3.5E+06	3.2E+07	.	.	.	1.7E+02	6.7E-12
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.63E-04	9.32E-12	1.52E-11	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.1E+07	4.1E+11	3.8E+01	2.8E+04	5.4E+05	1.4E+06	1.3E+07	.	.	.	3.8E+02	1.8E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.09E-05	6.30E-13	9.80E-13	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	7.3E+08	2.7E+13	7.3E+02	1.8E+06	3.5E+07	9.2E+07	8.3E+08	.	.	.	7.3E+02	7.7E-12
Holmium (67)	Ho-159	1.10E+00	6.29E-05	3.6E-13 (S)	3.38E-05	7.12E-13	1.10E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.5E+08	6.4E+12	5.1E+02	6.1E+05	1.2E+07	3.1E+07	2.8E+08	.	.	.	5.0E+02	1.4E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	2.07E-04	1.45E-12	2.18E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.6E+08	4.9E+12	1.1E+02	3.9E+05	7.6E+06	2.0E+07	1.8E+08	.	.	.	1.1E+02	2.3E-12
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	1.46E-06	1.92E-12	3.38E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.8E+07	8.1E+11	1.8E+03	5.1E+04	9.8E+05	2.5E+06	2.3E+07	.	.	.	2.5E+03	3.1E-10
Holmium (67)	Ho-162	2.43E+02	2.85E-05	1.6E-13 (S)	1.58E-05	2.16E-13	3.24E-13	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.9E+05	3.3E+11	2.4E+03	4.5E+06	8.7E+07	2.2E+08	2.0E+09	.	.	.	2.4E+03	3.1E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.50E-05	2.71E-12	4.45E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.0E+07	8.1E+11	1.3E+02	8.0E+04	1.5E+06	4.0E+06	3.6E+07	.	.	.	1.3E+02	7.5E-12
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	7.11E-13	1.28E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.9E+02	1.6E+05	.	1.4E+00	2.7E+01	7.0E+01	6.3E+02	.	.	.	1.3E+00	2.7E-06
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	7.48E-07	6.58E-13	1.04E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.0E+08	5.6E+12	2.6E+04	7.6E+05	1.5E+07	3.8E+07	3.4E+08	.	.	.	2.5E+04	6.4E-10
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	9.75E-07	1.61E-12	2.71E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	8.8E+07	2.0E+12	1.5E+04	2.4E+05	4.6E+06	1.2E+07	1.1E+08	.	.	.	1.4E+04	4.7E-10
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.25E-06	3.66E-10	6.79E-10	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	8.3E+03	4.4E+08	1.1E+02	2.5E+01	4.8E+02	1.2E+03	1.1E+04	.	.	.	1.9E+03	2.7E-11
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.93E-04	3.19E-10	5.40E-10	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.2E+00	2.6E+02	2.0E-04	3.1E-03	6.1E-02	1.6E-01	1.4E+00	.	.	.	1.9E-04	1.1E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.91E-

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Indium (49)	In-110	1.24E+01	5.59E-04	7.5E-12 (S)	3.88E-04	2.89E-11	4.69E-11	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	6.6E+05	3.5E+1C	4.9E+00	1.7E+03	4.3E+01	4.3E+04	2.3E+05	.	.	.	4.4E+0C	7.6E-13
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.96E-04	1.08E-11	1.81E-11	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	7.2E+06	3.3E+11	4.2E+01	1.9E+04	4.8E+02	4.9E+05	2.6E+06	.	.	.	3.8E+03	1.5E-12
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	3.85E-05	5.03E-11	8.83E-11	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	2.5E+04	8.1E+08	3.6E+00	7.1E+01	1.8E+00	1.8E+03	9.7E+03	.	.	.	1.2E+0C	2.8E-12
Indium (49)	In-111m	4.73E+0(	1.46E-05	0.00E+0C	5.55E-05	0.00E+0C	0.00E+0C	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	6.0E-12
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	3.11E-05	6.54E-13	9.85E-13	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	6.1E+08	1.6E+13	1.2E+03	1.5E+06	3.7E+04	3.7E+07	2.0E+08	.	.	.	1.2E+03	1.0E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	1.87E-06	1.23E-12	1.94E-12	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	2.3E+08	3.6E+12	1.5E+04	5.7E+05	1.4E+04	1.4E+07	7.8E+07	.	.	.	7.2E+03	8.8E-11
Indium (49)	In-113m	3.66E+0!	1.89E-04	1.5E-12 (S)	2.88E-05	3.71E-12	6.41E-12	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.4E+07	5.1E+11	2.2E+02	3.9E+04	9.8E+02	9.8E+05	5.3E+06	.	.	.	1.6E+02	9.8E-12
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	6.34E-07	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	7.4E+05	.	.	.	.	.	.	.	7.4E+05	5.4E-10
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	7.95E-06	9.85E-10	1.81E-09	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	7.0E+01	7.9E+05	9.9E-01	2.0E-01	5.2E-03	5.2E+00	2.8E+01	.	.	.	5.0E-03	2.2E-13
Indium (49)	In-114m+D	5.11E+0(	1.36E-01	1.4E-09 (S)	8.55E-06	9.85E-10	1.81E-09	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	7.0E+01	7.9E+05	9.2E-01	2.0E-01	5.2E-03	5.2E+00	2.8E+01	.	.	.	5.0E-03	2.2E-13
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	7.42E-09	1.17E-09	1.51E-09	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	4.1E-01	4.8E+02	5.8E+00	8.4E-04	2.1E-05	2.1E-02	1.2E-01	.	.	.	2.1E-05	2.9E+00
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.71E-05	1.76E-11	3.19E-11	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.1E+06	4.5E+10	1.2E+02	3.0E+03	7.6E+01	7.7E+04	4.1E+05	.	.	.	4.6E+03	7.6E-12
Indium (49)	In-116m	6.69E+0!	1.04E-04	2.5E-12 (S)	3.31E-04	6.14E-12	9.81E-12	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.7E+07	5.6E+11	3.1E+01	4.3E+04	1.1E+03	1.1E+06	5.9E+06	.	.	.	3.0E+03	1.0E-12
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.86E-05	2.62E-12	4.19E-12	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	5.0E+07	1.1E+12	1.7E+02	1.3E+05	3.2E+03	3.2E+06	1.7E+07	.	.	.	1.6E+02	4.2E-12
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.06E-06	1.73E-11	3.09E-11	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	2.5E+06	9.8E+10	5.4E+02	7.2E+03	1.8E+02	1.8E+05	9.8E+05	.	.	.	1.3E+02	9.6E-12
Indium (49)	In-118	4.37E+04	1.59E-07	0.00E+00	1.26E-05	0.00E+0C	0.00E+0C	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	5.4E+05	.	.	.	.	.	.	.	5.4E+05	2.8E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.63E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	3.6E+02	.	.	.	.	.	.	.	3.6E+02	9.8E-13
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	9.56E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	3.7E-12
Indium (49)	In-119m	2.02E+0(	3.42E-05	9.5E-13 (S)	8.93E-06	2.79E-12	4.26E-12	1.36E+0!	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.2E+08	4.5E+12	3.5E+03	2.9E+05	7.2E+03	7.2E+06	3.9E+07	.	.	.	2.3E+03	2.7E-11
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.18E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.2E+04	.	.	.	.	.	.	.	1.2E+04	3.1E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.45E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-03	1.00E-01	4.80E+02	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	2.0E+04	.	.	.	.	.	.	.	2.0E+04	4.9E-11
Iridium (77)	Ir-180	2.43E+0!	2.85E-06	0.00E+0C	1.88E-04	0.00E+0C	0.00E+0C	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	2.9E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.66E-04	4.07E-12	6.42E-12	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	9.4E+07	3.5E+12	2.3E+02	2.1E+05	3.7E+04	9.4E+06	2.5E+09	.	.	.	2.2E+02	3.3E-12
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.47E-04	6.47E-12	1.08E-11	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.4E+07	4.8E+11	6.6E+01	3.5E+04	6.0E+03	1.5E+06	4.1E+08	.	.	.	6.5E+03	3.7E-12
Iridium (77)	Ir-184	1.96E+0!	3.53E-04	9.9E-12 (S)	2.41E-04	2.82E-11	4.88E-11	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.0E+0E	4.2E+1C	1.3E+01	2.5E+03	4.3E+02	1.1E+05	3.0E+07	.	.	.	1.2E+03	2.2E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.06E-04	6.14E-11	1.09E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	9.6E+04	3.8E+09	6.2E+00	2.5E+02	4.3E+01	1.1E+04	2.9E+06	.	.	.	5.3E+0C	4.5E-12
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	2.03E-04	9.64E-11	1.69E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	5.4E+04	2.3E+09	2.8E+00	1.4E+02	2.4E+01	6.0E+03	1.6E+06	.	.	.	2.4E+0C	2.4E-12
Iridium (77)	Ir-186m	3.16E+0!	2.19E-04	3.5E-12 (S)	1.58E-04	9.81E-12	1.66E-11	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.7E+0E	1.9E+11	3.1E+01	1.2E+04	2.0E+03	5.1E+05	1.4E+08	.	.	.	3.0E+03	3.5E-12
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.47E-05	2.14E-11	3.82E-11	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	3.8E+05	1.6E+10	2.6E+01	9.7E+02	1.7E+02	4.3E+04	1.2E+07	.	.	.	2.2E+03	1.4E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.82E-04	1.09E-10	1.85E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.0E+04	7.5E+08	8.0E-01	4.8E+01	8.3E+00	2.1E+03	5.7E+05	.	.	.	7.2E-01	1.8E-12
Iridium (77)	Ir-189	1.92E+0!	3.62E-02	5.9E-11 (S)	4.32E-06	5.65E-11	1.04E-10	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.6E+03	6.9E+07	6.9E+00	1.2E+01	2.1E+00	5.4E+02	1.4E+05	.	.	.	1.4E+00	2.7E-11
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.68E-04	1.67E-10	2.89E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.8E+03	3.2E+07	2.0E-01	4.6E+00	8.0E-01	2.0E+02	5.5E+04	.	.	.	1.5E-01	2.6E-12
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.92E-11	9.60E-13	1.66E-12	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	8.1E+07	1.8E+12	4.4E+08	2.0E+05	3.5E+04	8.9E+06	2.4E+09	.	.	.	3.0E+04	2.0E-09
Iridium (77)	Ir-190n	1.97E+0!	3.52E-04	6.2E-13 (S)	2.46E-06	1.67E-13	2.85E-13	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.7E+0E	6.7E+1C	1.2E+03	4.2E+03	7.3E+02	1.9E+05	5.0E+07	.	.	.	4.1E+02	7.8E-11
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	4.32E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	1.6E+06	.	.	.	.	.	.	.	1.6E+0E	1.3E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.15E-05	2.89E-10	5.22E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.6E+02	1.1E+06	5.8E-02	4.2E-01	7.4E-02	1.9E+01	5.0E+03	.	.	.	3.0E-02	3.3E-12
Iridium (77)	Ir-192m	2.51E+0!	2.76E-06	0.00E+0C	4.83E-09	0.00E+0C	0.00E+0C	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	8.1E+07	.	.	.	.	.	.	.	8.1E+07	1.2E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	3.16E-08	2.06E-10	3.72E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.8E+00	1.3E+03	1.3E+00	4.6E-03	8.0E-04	2.0E-01	5.5E+01	.	.	.	6.8E-04	8.8E-11
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	1.25E-08	7.75E-11	1.44E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.1E+03	4.2E+07	3.0E+03	1.1E+01	1.9E+00	4.9E+02	1.3E+05	.	.	.	1.6E+00	2.5E-11
Iridium (77)	Ir-194	3.15E+0!	2.20E-03	9.2E-11 (S)	1.11E-05	3.42E-10	6.34E-10	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.2E+04	7.2E+08	4.4E+01	3.3E+01	5.7E+00	1.5E+03	3.9E+05	.	.	.	4.4E+00	5.2E-12
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.73E-04	3.25E-10	5.60E-10	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	6.6E+01	2.6E+05	8.4E-03	1.6E-01	2.8E-02	7.2E+00	1.9E+03	.	.	.	6.2E-03	1.6E-12
Iridium (77)	Ir-195	2.44E+03	2.85E-04	6.5E-12 (S)	3.04E-06	1.56E-11	2.81E-11	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.1E+06	7.9E+10	1.2E+03	5.6E+03	9.7E+02	2.5E+05	6.6E+07	.	.	.	4.9E+02	7.7E-11
Iridium (77)	Ir-195m	1.60E+0!	4.34E-04	1.2E-11 (S)	4.01E-05	2.65E-11	4.80E-11	1.36E+0!	3.00E-02	2.00E-01	3.00E+0C	1.00E+01	2.00E-03	2.00E-06	.	.	.	8.3E+05	2.8E+1C	6.2E+01	2.2E+03	3.7E+02	9.5E+04	2.6E+07	.	.	.	5.2E+03	1.2E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.89E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	2.3E+04	.	.	.	.	.	.	.	2.3E+04	2.0E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.88E-04	1.24E-11	2.05E-11	1.36E+09	3.00E-02	2.00E-01	3.00E+00	1.00E+01	2.00E-03	2.00E-06	.	.	.	5.3E+06	1.6E+11	2.3E+01	1.3E+04	2.2E+03	5.5E+05	1.5E+08	.	.	.	2.3E+03	2.0E-12
Potassium (19)	K-38	4.77E+0(	1.45E-05	0.00E+0C	4.35E-04	0.00E+0C	0.00E+0C	1.36E+0!	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+0(	.	.	1.7E+02	.	.	.	.	.	.	.	1.7E+02	2.6E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	2.16E-05	9.24E-10	1.58E-09	1.36E+09	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	3.9E-01	8.7E+02	1.8E-03	3.1E-04	2.3E-06	2.0E-03	1.5E-03	.	.	7.5E-03	2.2E-06	3.2E-07
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.98E-05	4.70E-11	7.79E-11	1.36E+09	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	1.6E+05	3.1E+09	1.9E+01	1.2E+02	8.8E-01	7.8E+02	5.9E+02	.	.	2.9E+03	8.3E-01	1.4E-13
Potassium (19)	K-43	2.72E+0!	2.55E-03	2.9E-11 (S)	1.14E-04	2.85E-11	4.57E-11	1.36E+0!	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+0(	1.5E+05	2.0E+05	3.7E+00	1.1E+02	8.0E-01	7.1E+02	5.4E+02	.	.	2.6E+03	6.5E-01	2.0E-13
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.35E-04	5.11E-12	7.58E-12	1.36E+09	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	5.4E+07	2.1E+12	7.6E+01	3.7E+04	2.7E+02	2.4E+05	1.8E+05	.	.	8.9E+05	5.9E+03	3.1E-13
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.52E-04	2.98E-12	4.41E-12	1.36E+09	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	1.2E+08	4.3E+12	4.8E+02	8.1E+04	5.9E+02	5.3E+05	4.0E+05	.	.	2.0E+06	1.1E+03	4.4E-13
Potassium (19)	K-46	2.08E+0!	3.33E-06	0.00E+0C	4.13E-04	0.00E+0C	0.00E+0C	1.36E+0!	6.44E-01	7.40E-01	1.30E+01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+0(	.	.	7.8E+02	.	.	.	.	.	.	.	7.8E+02	3.3E-13
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.1E+02	.	.	.	.	.	.	.	4.1E+02	1.9E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.49E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	8.8E+02	.	.	.	.	.	.	.	8.8E+02	1.5E-12
Krypton (36)	Kr-76	4.10E+0!	1.69E-03	0.00E+0C	4.58E-05	0.00E+0C	0.00E+0C	1.36E+0!	0.00E+0C	0.00E+0C	.	0.00E+0C	0.00E+0C	0.00E+0C	.	.	.	.	.	1.4E+01	.	.	.	.	.	.	.	1.4E+01	5.0E-12
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.4E+01	.	.	.	.	.	.	.	1.4E+01	5.0E-12
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.17E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.5E+01	.	.	.	.	.	.	.	6.5E+01	2.0E-12
Krypton (36)	Kr-79	1.73E+0!	4.00E-03	0.00E+0C	2.89E-05	0.00E+0C	0.00E+0C	1.36E+0!	0.00E+0C	0.00E+0C	.	0.00E+0C	0.00E+0C	0.00E+0C	.	.	.	.	.	9.3E+00	.	.	.	.	.	.	.	9.3E+00	8.2E-12
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	8.80E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.4E-01	.	.	.	.	.	.	.	4.4E-01	3.5E-05
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.24E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.1E+05	.	.	.	.	.	.	.	2.1E+05	2.0E-11
Krypton (36)	Kr-83m	3.32E+0!	2.09E-04	0.00E+0C	3.38E-10	0.00E+0C	0.00E+0C	1.36E+0!	0.00E+0C	0.00E+0C	.	0.00E+0C	0.00E+0C	0.00E+0C	.	.	.	.	.	1.5E+07	.	.	.	.	.	.	.	1.5E+07	7.4E-07
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	2.87E-07	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.8E-01	.	.	.	.	.	.	.	3.8E-01	9.6E-10
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.47E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.4E+02	.	.	.	.	.	.	.	1.4E+02	1.7E-11
Krypton (36)	Kr-87	4.77E+0!	1.45E-04	0.00E+0C	1.08E-04	0.00E+0C	0.00E+0C	1.36E+0!	0.00E+0C	0.00E+0C	.	0.00E+0C	0.00E+0C	0.00E+0C	.	.	.	.	.	6.8E+01	.	.	.	.	.	.	.	6.8E+01	2.4E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.75E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.2E+01	.	.	.	.	.	.	.	1.2E+01	9.6E-13
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.65E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.8E+02	.	.	.	.	.	.	.	6.8E+02	1.0E-12
Lanthanum (57)	La-128	7.03E+0(	9.86E-06	0.00E+0C	3.50E-04	0.00E+0C	0.00E+0C	1.36E+0!	1.74E-05	2.00E-05	5.30E+03	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	3.1E+02	.	.	.	.	.	.	.	3.1E+02	1.1E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.06E-04	2.05E-12	3.22E-12	1.36E+09	1.74E-05	2.00E-05	5.30E+03	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	2.4E+08	1.0E+13	4.6E+02	6.1E+05	4.5E+07	6.4E+08	3.8E+08	.	6.5E+07	1.4E+09	4.6E+02	3.7E-12
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.77E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-05	2.00E-05	5.30E+03	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	2.3E+02	.	.	.	.	.	.	.	2.3E+02	1.4E-12
Lanthanum (57)	La-131	6.17E+0!	1.12E-04	1.6E-12 (S)	7.35E-05	3.43E-12	5.65E-12	1.36E+0!	1.74E-05	2.00E-05	5.30E+03	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	2.7E+07	8.3E+11	1.3E+02	7.2E+04	5.3E+06	7.5E+07	4.4E+07	.	7.6E+06	1.7E+08	1.3E+02	5.3E-12
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.55E-04	7.43E-11	1.33E-10	1.36E+09	1.74E-05	2.00E-05	5.30E+03	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	2.4E+05	1.4E+10	7.7E+00	6.8E+02	5.0E+04	7.1E+05

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.93E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	5.10E+03	.	2.00E-03	6.00E-05	.	.	.	.	.	5.1E+02	.	.	.	.	.	.	.	5.1E+02	2.8E-12
Lutetium (71)	Lu-181	1.04E+01	6.66E-06	0.00E+00	6.56E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	5.10E+03	.	2.00E-03	6.00E-05	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	8.3E-12
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.14E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	1.00E-01	3.80E+00	3.70E+01	3.00E-03	8.00E-03	.	.	.	.	.	5.2E+02	.	.	.	.	.	.	.	5.2E+02	7.1E-13
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.77E-04	4.45E-10	8.29E-10	1.36E+09	3.00E-02	1.00E-01	3.80E+00	3.70E+01	3.00E-03	8.00E-03	.	.	.	8.7E+03	4.2E+08	2.5E+00	2.3E+01	1.4E+00	8.7E+02	8.8E+01	.	.	.	8.5E-01	1.6E-13
Manganese (25)	Mn-50m	2.08E+01	3.33E-06	0.00E+00	6.00E-04	0.00E+00	0.00E+00	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	5.4E+02	.	.	.	.	.	.	.	5.4E+02	2.5E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.18E-04	7.96E-12	1.30E-11	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	1.5E+07	6.1E+11	1.0E+02	2.0E+04	1.0E+05	4.5E+06	1.8E+07	2.2E+06	1.2E+08	1.1E+07	1.0E+02	1.3E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.51E-04	2.45E-10	4.10E-10	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	2.7E+03	7.5E+07	1.6E+01	3.8E+00	1.9E+01	8.4E+02	3.3E+03	4.1E+02	2.3E+04	2.1E+03	1.5E-01	3.3E-13
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	3.11E-04	4.73E-12	7.20E-12	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	6.0E+07	5.2E+12	8.6E+01	2.5E+04	3.8E+05	1.7E+07	6.5E+07	8.0E+06	4.6E+08	4.4E+07	8.6E+03	5.0E-13
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	6.01E-12	1.10E-11	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	5.6E+01	2.0E+05	.	8.6E-02	4.3E-01	1.9E+01	7.4E+01	9.1E+00	5.2E+02	4.7E+01	7.0E-02	3.9E-05
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	1.05E-04	8.39E-11	1.33E-10	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	1.5E+02	5.2E+05	1.2E-02	2.0E-01	1.0E+00	4.4E+01	1.7E+02	2.1E+01	1.2E+03	1.1E+02	1.1E-02	1.4E-12
Manganese (25)	Mn-56	2.35E+01	2.94E-04	1.2E-11 (S)	2.28E-04	4.01E-11	7.10E-11	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	8.2E+05	4.2E+10	1.6E+01	1.2E+03	6.1E+03	2.7E+05	1.0E+06	1.3E+05	7.3E+06	6.6E+05	1.6E+03	7.3E-13
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.19E-05	0.00E+00	0.00E+00	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	3.3E+04	.	.	.	.	.	.	.	.	3.3E+04	1.4E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	3.19E-04	0.00E+00	0.00E+00	1.36E+09	2.44E-01	2.80E-01	1.20E+03	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	1.6E+03	.	.	.	.	.	.	.	.	1.6E+03	5.5E-13
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.92E-04	2.50E-12	3.69E-12	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.7E+08	4.3E+12	2.0E+02	1.1E+05	4.3E+06	1.4E+07	3.4E+06	.	7.3E+06	4.1E+06	2.0E+02	1.6E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	1.84E-06	3.86E-12	5.74E-12	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.4E+08	5.6E+12	2.7E+04	9.1E+04	3.6E+06	1.2E+07	2.9E+06	.	6.1E+06	3.4E+06	2.0E+04	1.3E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.49E-04	0.00E+00	0.00E+00	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	1.8E-12
Molybdenum (42)	Mo-90	1.09E+01	6.35E-04	3.7E-11 (S)	9.31E-05	2.33E-11	3.54E-11	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	7.7E+05	6.2E+05	1.8E+01	5.1E+02	2.0E+04	6.6E+04	1.6E+04	.	3.4E+04	1.9E+04	1.7E+03	2.8E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.17E-04	3.50E-12	5.20E-12	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.1E+08	4.7E+12	3.1E+02	7.3E+04	2.9E+06	9.5E+06	2.3E+06	.	4.9E+06	2.8E+06	3.1E+02	2.3E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.76E-04	0.00E+00	0.00E+00	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	1.6E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+01	1.5E-10 (S)	5.74E-09	1.05E-10	1.31E-10	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	4.8E+06	3.5E+04	6.8E+00	2.6E-03	1.0E-01	3.4E-01	8.2E-02	.	1.7E-01	9.8E-02	2.3E-03	2.4E-09
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	3.03E-04	1.20E-11	1.79E-11	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.2E+06	1.4E+10	4.5E+00	8.0E+02	3.2E+04	1.0E+05	2.5E+04	.	5.4E+04	3.0E+04	4.5E+00	9.2E-13
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.78E-05	5.70E-11	8.96E-11	1.36E+09	6.96E-01	8.00E-01	4.00E+01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	2.6E+04	1.5E+08	8.0E+00	1.8E+01	7.0E+02	2.3E+03	5.5E+02	.	1.2E+03	6.6E+02	5.3E+00	1.1E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	7.50E+00	2.00E+01	5.00E-01	1.50E+05	1.00E-02	1.00E-02	.	.	.	.	.	5.2E+02	.	.	.	.	.	.	.	5.2E+02	3.6E-13
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	7.04E-04	0.00E+00	0.00E+00	1.36E+09	7.50E+00	2.00E+01	5.00E-01	1.50E+05	1.00E-02	1.00E-02	.	.	.	.	.	6.7E+03	.	.	.	.	.	.	.	6.7E+03	6.8E-14
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.79E-04	3.41E-10	5.14E-10	1.36E+09	8.70E-03	1.00E-02	3.40E+00	7.60E+01	1.50E-02	1.30E-02	.	7.00E+00	4.00E+00	1.3E+01	2.1E+04	1.5E-03	3.0E-02	7.2E-04	2.7E-01	8.5E-02	.	4.6E-02	1.6E-01	4.7E-04	7.5E-14
Sodium (11)	Na-24	4.06E+01	1.71E-03	3.3E-11 (S)	5.93E-04	4.44E-11	6.82E-11	1.36E+09	8.70E-03	1.00E-02	3.40E+00	7.60E+01	1.50E-02	1.30E-02	.	7.00E+00	4.00E+00	1.5E+05	2.6E+05	1.1E+00	3.5E+02	8.5E+00	3.2E+03	1.0E+03	.	5.4E+02	1.9E+03	9.4E-01	1.1E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.40E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	1.1E+03	.	.	.	.	.	.	.	.	1.1E+03	1.9E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	5.27E-04	4.75E-12	7.09E-12	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	8.8E+07	3.8E+12	7.4E+01	2.0E+05	5.5E+05	1.0E+11	1.8E+10	5.5E+08	7.2E+09	4.3E+09	7.4E+02	5.0E-13
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	5.21E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	1.4E+02	.	.	.	.	.	.	.	.	1.4E+02	5.1E-13
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.76E-04	3.97E-11	7.00E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.1E+06	5.5E+10	2.6E+01	2.9E+03	7.8E+03	1.5E+09	2.6E+08	7.8E+06	1.0E+08	6.1E+07	2.6E+03	1.5E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.55E-04	1.50E-11	2.52E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	5.4E+06	2.4E+11	5.5E+01	1.4E+04	3.8E+04	7.3E+09	1.3E+09	3.8E+07	5.0E+08	3.0E+08	5.5E+03	1.7E-12
Niobium (41)	Nb-90	4.16E+01	1.67E-03	6.5E-11 (S)	5.74E-04	2.21E-10	3.90E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	2.6E+04	1.4E+05	1.1E+00	7.2E+01	1.9E+02	3.7E+07	6.4E+06	1.9E+05	2.5E+06	1.5E+06	1.1E+00	4.6E-13
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	1.93E-07	1.06E-11	1.95E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	3.3E+01	4.0E+04	2.0E-01	9.2E-02	2.5E-01	4.8E+04	8.2E+03	2.5E+02	3.3E+03	2.0E+03	5.0E-02	8.7E-09
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.28E-06	1.06E-10	1.97E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	5.2E+02	2.2E+06	2.0E+00	1.5E+00	4.1E+00	7.8E+05	1.3E+05	4.0E+03	5.3E+04	3.2E+04	7.0E-01	3.0E-11
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.87E-04	1.24E-10	2.02E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	3.1E+06	2.6E+03	2.1E-04	7.7E-03	2.1E-02	4.0E+03	6.9E+02	2.1E+01	2.7E+02	1.6E+02	2.0E-04	1.8E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.23E-04	6.41E-11	1.06E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	5.8E+03	1.4E+08	3.1E-01	1.5E+01	4.0E+01	7.7E+06	1.3E+06	4.0E+04	5.3E+05	3.2E+05	3.0E-01	2.2E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	1.03E-09	3.29E-11	6.08E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	2.1E+01	6.7E+04	7.9E+01	6.1E-02	1.6E-01	3.1E+04	5.4E+03	1.6E+02	2.2E+03	1.3E+03	4.4E-02	1.9E-10
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.95E-04	3.00E-10	5.24E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.2E+06	1.5E+03	2.0E-04	3.2E-03	8.6E-03	1.7E+03	2.8E+02	8.6E+05	1.1E+02	6.8E+01	1.8E-04	9.8E-10
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.62E-07	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	1.6E+05	.	.	.	.	.	.	.	.	1.6E+05	5.0E-10
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	9.53E-05	9.46E-11	1.64E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.1E+03	8.8E+06	1.2E-01	2.9E+00	7.9E+00	1.5E+06	2.6E+05	7.9E+03	1.0E+05	6.2E+04	1.1E-01	2.8E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.44E-06	1.56E-10	2.88E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	6.0E+01	1.5E+08	1.7E+01	1.7E+01	4.6E+01	8.9E+06	1.5E+06	4.6E+04	6.1E+05	3.7E+05	7.2E+00	1.9E-11
Niobium (41)	Nb-96	2.60E+02	2.67E-04	6.6E-11 (S)	3.10E-04	1.96E-10	3.46E-10	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.9E+04	8.3E+08	1.3E+00	5.1E+01	1.4E+02	2.6E+07	4.5E+06	1.4E+05	1.8E+06	1.1E+06	1.3E+00	9.0E-13
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	8.14E-05	7.55E-12	1.28E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	9.8E+06	3.4E+11	9.6E+01	2.6E+04	6.9E+04	1.3E+10	2.3E+09	6.9E+07	9.1E+08	5.4E+08	9.6E+03	3.6E-12
Niobium (41)	Nb-98m	7.10E+01	9.76E-05	3.4E-12 (S)	3.66E-04	1.01E-11	1.62E-11	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.1E+07	4.4E+11	3.0E+01	2.7E+04	7.3E+04	1.4E+10	2.4E+09	7.3E+07	9.5E+08	5.7E+08	3.0E+03	8.0E-13
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.46E-05	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	1.5E+05	.	.	.	.	.	.	.	.	1.5E+05	2.0E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	1.06E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	1.50E+03	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	2.0E+03	.	.	.	.	.	.	.	.	2.0E+03	2.8E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.71E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	.	.	1.2E+03	.	.	.	.	.	.	.	.	1.2E+03	7.0E-12
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.45E-04	4.16E-12	6.44E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.1E+08	4.3E+12	3.1E+02	2.8E+05	9.5E+05	1.4E+07	1.3E+08	.	2.6E+07	1.6E+10	3.1E+02	2.8E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.64E-05	1.03E-11	1.72E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.0E+07	4.2E+11	4.2E+02	2.8E+04	9.4E+04	1.4E+06	1.3E+07	.	2.6E+06	1.5E+09	4.1E+02	1.5E-11
Neodymium (60)	Nd-137	9.46E+01	7.32E-05	1.9E-12 (S)	1.43E-04	5.73E-12	9.55E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.5E+07	1.1E+12	1.0E+02	6.5E+04	2.2E+05	3.3E+06	3.0E+07	.	6.1E+06	3.6E+05	1.0E+02	2.9E-12
Neodymium (60)	Nd-138	1.20E-03	5.76E+02	2.4E-11 (S)	1.85E-06	1.35E-10	2.47E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.2E+05	7.5E+09	1.0E+03	3.5E+02	1.2E+03	1.8E+04	1.6E+05	.	3.3E+04	2.0E+07	1.9E+03	5.7E-11
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	5.11E-05	1.98E-12	3.25E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	9.4E+07	3.9E+12	3.7E+02	2.5E+05	8.3E+05	1.2E+07	1.1E+08	.	2.3E+07	1.4E+10	3.7E+02	8.1E-12
Neodymium (60)	Nd-139m	1.10E+01	6.28E-04	1.3E-11 (S)	1.95E-04	3.89E-11	6.77E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	4.1E+05	1.8E+11	8.8E+00	1.1E+03	3.8E+03	5.7E+04	5.1E+05	.	1.0E+05	6.3E+07	8.7E+00	2.1E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	3.03E-07	4.91E-10	9.04E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.1E+03	9.7E+07	3.8E+02	6.1E+00	2.1E+01	3.1E+02	2.7E+03	.	5.6E+02	3.4E+05	4.5E+00	1.6E-11
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.25E-06	1.22E-12	2.10E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.9E+07	1.4E+12	6.0E+02	7.9E+04	2.7E+05	4.0E+06	3.6E+07	.	7.3E+06	4.4E+09	6.0E+02	6.7E-11
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.62E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	.	.	6.3E+03	.	.	.	.	.	.	.	6.3E+03	4.9E-12
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	1.06E-09	1.45E-09	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	4.3E-01	1.9E+01	.	9.4E-04	3.2E-03	4.7E-02	4.2E-01	.	8.7E-02	5.2E+01	7.0E-04	6.5E+02
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.32E-05	2.76E-10	5.11E-10	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.1E+03	1.9E+07	2.7E+00	3.3E+00	1.1E+01	1.7E+02	1.5E+03	.	3.1E+02	1.8E+05	1.3E+00	1.6E-11
Neodymium (60)	Nd-149	1.51E+03	1.97E-04	8.6E-12 (S)	3.91E-05	2.13E-11	3.82E-11	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.3E+04	8.6E+10	1.4E+02	1.0E+03	2.2E+04	3.3E+05	3.0E+06	.	6.1E+05	3.6E+04	1.4E+02	1.1E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	1.04E-04	2.73E-12	4.53E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.6E+08	5.9E+12	4.4E+02	4.3E+05	1.4E+06	2.1E+07	1.9E+08	.	3.9E+07	2.4E+10	4.4E+02	4.4E-12
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.74E-05	2.85E-12	4.29E-12	1.36E+09	2.00E-03	1.00E-01	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.9E+08	6.0E+12	2.8E+03	4.4E+05	1.5E+06	2.2E+07	2.0E+08	.	4.1E+07	2.5E+10	2.8E+03

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.12E-05	9.57E-10	1.76E-09	1.36E+09	3.00E-02	2.00E-01	4.50E+02	.	2.00E-03	1.00E-04	.	.	.	1.6E+00	3.5E+03	1.6E-02	4.4E-03	.	1.9E-01	1.0E+00	.	.	.	3.4E-03	1.1E-11
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.14E-06	8.22E-12	1.32E-11	1.36E+09	3.00E-02	2.00E-01	4.50E+02	.	2.00E-03	1.00E-04	.	.	.	2.0E+07	6.5E+11	2.0E+03	4.5E+04	.	2.0E+06	1.1E+07	.	.	.	1.9E+03	6.9E-11
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.21E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-01	2.00E-01	9.00E+01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	7.4E-13
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	2.55E-07	3.32E-10	5.79E-10	1.36E+09	1.74E-01	2.00E-01	9.00E+01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	7.6E+02	9.9E+06	1.2E+02	1.3E+00	7.1E-04	3.1E+00	2.3E+00	2.6E+01	.	4.5E+01	7.1E-04	2.5E-15
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	1.00E-09	3.67E-11	6.47E-11	1.36E+09	1.74E-01	2.00E-01	9.00E+01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	3.8E+03	1.3E+07	1.7E+04	6.5E+00	3.6E-03	1.6E+01	1.2E+01	1.3E+02	.	2.3E+02	3.6E-03	2.3E-14
Protactinium (91)	Pa-227	9.51E+01	7.29E-05	5.7E-09 (S)	1.13E-06	3.69E-11	6.00E-11	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	3.9E+06	3.5E+08	1.3E+04	9.9E+03	1.1E+06	2.1E+08	5.6E+07	.	.	.	5.6E+03	2.6E-10
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.67E-04	1.38E-10	2.44E-10	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	2.8E+04	9.0E+06	2.6E+00	7.7E+01	8.3E+03	1.6E+06	4.3E+05	.	.	.	2.5E+00	4.0E-12
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	3.91E-06	1.80E-11	3.26E-11	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.3E+05	5.4E+07	6.7E+01	3.6E+02	3.9E+04	7.5E+06	2.0E+06	.	.	.	5.6E+03	1.5E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.95E-05	1.44E-10	2.55E-10	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.4E+03	4.9E+04	2.8E-01	3.9E+00	4.2E+02	8.1E+04	2.2E+04	.	.	.	2.6E-03	8.1E-12
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.44E-06	6.10E-09	8.05E-09	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	7.7E-02	2.5E+00	1.1E-02	1.6E-04	1.7E-02	3.3E+00	8.8E-01	.	.	.	1.5E-04	3.3E-09
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.16E-04	1.36E-10	2.43E-10	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	2.0E+04	2.1E+08	2.6E+00	5.5E+01	5.9E+03	1.1E+06	3.1E+05	.	.	.	2.5E+00	5.7E-12
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.17E-05	2.42E-10	4.45E-10	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	5.2E+02	4.8E+06	6.7E-01	1.5E+00	1.6E+02	3.1E+04	8.4E+03	.	.	.	4.6E-03	2.2E-11
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.79E-04	8.11E-11	1.45E-10	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.6E+05	5.9E+09	7.8E+00	4.3E+02	4.6E+04	8.9E+06	2.4E+06	.	.	.	7.7E+00	3.9E-12
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.45E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	2.0E+05	.	.	.	.	.	.	.	2.0E+05	2.9E-10
Protactinium (91)	Pa-235	1.49E+00	4.66E-05	8.6E-13 (S)	1.20E-07	1.73E-12	2.67E-12	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.4E+08	3.6E+12	1.9E+05	3.3E+05	3.6E+07	6.9E+09	1.9E+09	.	.	.	1.2E+05	3.7E-09
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.20E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	5.2E+02	.	.	.	.	.	.	.	5.2E+02	5.9E-12
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.57E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-02	1.00E-01	2.00E+03	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	8.6E+02	.	.	.	.	.	.	.	8.6E+02	9.4E-12
Lead (82)	Pb-194	3.04E+01	2.28E-05	6.1E-13 (S)	1.32E-04	1.47E-12	2.20E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.4E+08	1.1E+11	3.6E+02	8.0E+05	2.6E+06	1.5E+08	1.5E+08	.	.	.	3.6E+02	4.4E-12
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.95E-04	1.96E-12	2.96E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.0E+08	4.7E+12	1.9E+02	4.8E+05	1.5E+06	9.2E+07	9.2E+07	.	.	.	1.9E+02	3.0E-12
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.05E-05	2.63E-12	4.13E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	5.9E+07	1.6E+12	3.0E+02	1.4E+05	4.6E+05	2.8E+07	2.8E+07	.	.	.	3.0E+02	1.2E-11
Lead (82)	Pb-197	4.55E+00	1.52E-05	0.00E+00	1.95E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	.	.	3.6E+02	.	.	.	.	.	.	.	3.6E+02	3.0E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.35E-04	4.15E-12	6.57E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.2E+07	6.7E+11	9.7E+01	7.9E+04	2.5E+05	1.5E+07	1.5E+07	.	.	.	9.7E+01	4.4E-12
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.39E-05	9.81E-12	1.61E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.9E+06	1.3E+11	8.9E+01	9.9E+03	3.2E+04	1.9E+06	1.9E+06	.	.	.	8.8E+01	1.3E-11
Lead (82)	Pb-199	4.05E+01	1.71E-04	1.9E-12 (S)	1.29E-04	4.50E-12	7.32E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.4E+07	4.4E+11	4.9E+01	3.5E+04	1.1E+05	6.7E+06	6.7E+06	.	.	.	4.8E+01	4.6E-12
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	1.61E-05	6.10E-11	1.06E-10	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	6.6E+04	1.7E+09	2.7E+01	1.8E+02	5.7E+02	3.4E+04	3.4E+04	.	.	.	2.3E+01	3.1E-11
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.55E-05	2.29E-11	3.92E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	4.1E+05	1.3E+10	1.2E+01	1.1E+03	3.5E+03	2.1E+05	2.1E+05	.	.	.	1.2E+03	7.0E-12
Lead (82)	Pb-201m	3.58E+01	1.93E-06	0.00E+00	4.26E-05	0.00E+00	0.00E+00	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	.	.	1.3E+04	.	.	.	.	.	.	.	1.3E+04	1.4E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.08E-11	1.22E-09	1.66E-09	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.7E-01	1.4E+03	4.8E+02	7.9E-04	2.5E-03	1.5E-01	1.5E-01	.	.	.	6.0E-04	1.8E-08
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.89E-05	1.27E-09	1.74E-09	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.6E-01	1.4E+03	7.9E-04	7.6E-04	2.4E-03	1.5E-01	1.5E-01	.	.	.	3.3E-04	9.9E-09
Lead (82)	Pb-202m	1.72E+01	4.03E-04	7.2E-12 (S)	2.45E-04	1.81E-11	3.01E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.4E+06	5.0E+10	1.1E+01	3.7E+03	1.2E+04	7.1E+05	7.1E+05	.	.	.	1.1E+03	2.5E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	2.96E-05	4.01E-11	7.03E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	4.1E+04	1.1E+09	6.1E+00	1.1E+02	3.6E+02	2.2E+04	2.2E+04	.	.	.	5.7E+00	1.9E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.58E-04	4.76E-12	7.44E-12	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.8E+07	7.8E+11	3.3E+01	4.4E+04	1.4E+05	8.5E+06	8.5E+06	.	.	.	3.3E+01	2.4E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-13 (S)	8.17E-11	2.17E-11	3.16E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.0E+01	8.5E+04	3.4E+02	4.4E-02	1.4E-01	8.6E+00	8.6E+00	.	.	.	3.4E+02	2.9E-04
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	1.45E-08	9.42E-12	1.69E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.7E+06	7.0E+10	2.2E+05	7.6E+03	2.5E+04	1.5E+06	1.5E+06	.	.	.	5.6E+03	1.2E-09
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	4.01E-08	3.18E-08	4.64E-08	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.3E-02	2.1E+01	1.7E+00	5.3E-05	1.7E-04	1.0E-02	1.0E-02	.	.	.	4.0E-05	5.2E-13
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.86E-06	1.57E-11	2.58E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	9.7E+06	1.9E+05	2.0E+03	2.5E+04	8.0E+04	4.8E+06	4.8E+06	.	.	.	1.8E+03	7.3E-11
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.34E-05	9.64E-10	1.71E-09	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	8.3E+03	6.9E+06	6.6E+01	2.3E+01	7.4E+01	4.4E+03	4.4E+03	.	.	.	1.4E+03	9.8E-12
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.69E-05	1.31E-11	2.14E-11	1.36E+09	9.57E-03	1.10E-02	1.50E+02	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.6E+07	2.6E+09	7.8E+02	4.0E+04	1.3E+05	7.7E+06	7.7E+06	.	.	.	7.6E+02	2.3E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	5.46E-06	1.47E-10	2.55E-10	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	6.8E+03	1.9E+08	2.0E+01	1.4E+01	1.8E+02	4.6E+03	2.5E+03	.	.	.	7.7E+00	2.1E-11
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.91E-05	1.59E-11	2.79E-11	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	6.4E+05	3.0E+10	2.8E+01	1.3E+03	1.7E+04	4.4E+05	2.4E+05	.	.	.	2.8E+03	7.6E-12
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	3.06E-08	4.94E-11	9.15E-11	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	4.0E+03	6.6E+07	7.5E+02	8.7E+00	1.1E+02	2.9E+03	1.6E+03	.	.	.	7.9E+00	1.1E-10
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-13 (S)	0.00E+00	1.03E-11	1.91E-11	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	3.1E+04	1.1E+05	7.0E-02	9.0E-01	2.4E+01	1.3E+03	1.3E+03	.	.	.	6.4E-02	1.3E-04
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	3.44E-07	1.41E-10	2.62E-10	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	4.2E+04	1.8E+09	2.0E+03	9.1E+01	1.2E+03	3.1E+04	1.6E+04	.	.	.	8.0E+02	3.8E-11
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.02E-05	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	1.2E+04	.	.	.	.	.	.	.	1.2E+04	3.2E-11
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.41E-06	3.76E-12	6.05E-12	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	6.4E+07	1.9E+12	3.8E+03	1.2E+05	1.5E+06	4.0E+07	2.2E+07	.	.	.	3.6E+03	5.0E-11
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	5.11E-09	6.82E-10	1.26E-09	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	5.7E+03	3.3E+08	8.7E+04	1.2E+01	1.6E+02	4.1E+03	2.2E+03	.	.	.	1.1E+03	8.4E-12
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	2.69E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	8.7E+04	.	.	.	.	.	.	.	8.7E+04	1.3E-10
Palladium (46)	Pd-96	1.79E+01	3.87E-06	0.00E+00	1.74E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	1.7E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	3.07E-04	0.00E+00	0.00E+00	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	5.9E+02	.	.	.	.	.	.	.	5.9E+02	9.5E-13
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-05	4.38E-12	6.77E-12	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	7.6E+07	2.9E+12	7.2E+02	1.4E+05	1.4E+06	4.6E+07	2.5E+07	.	.	.	7.1E+02	6.6E-12
Palladium (46)	Pd-99	1.70E+04	4.77E-05	9.4E-13 (S)	1.57E-04	2.84E-12	4.46E-12	1.36E+09	1.00E-01	5.00E-01	1.80E+02	1.00E+01	2.00E-04	1.00E-04	.	.	.	9.5E+07	3.8E+12	1.0E+03	1.7E+05	2.2E+06	5.9E+07	3.1E+07	.	.	.	1.7E+03	1.9E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	9.5E+02	.	.	.	.	.	.	.	9.5E+02	1.2E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.07E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	2.0E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	3.7E-12
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.28E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	2.9E+04	.	.	.	.	.	.	.	2.9E+04	3.3E-12
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.76E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	2.5E+02	.	.	.	.	.	.	.	2.5E+02	1.1E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.90E-05	2.42E-12	3.73E-12	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.2E+08	4.9E+12	3.0E+02	2.7E+05	2.2E+06	1.9E+07	1.7E+08	.	1.5E+05	2.9E+08	3.0E+02	4.8E-12
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	1.03E-04	0.00E+00	0.00E+00	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	8.1E+03	.	.	.	.	.	.	.	8.1E+03	4.1E-12
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.60E-05	3.35E-11	5.68E-11	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	4.2E+02	8.2E+05	1.4E+00	1.1E+00	8.8E+00	7.3E+01	6.7E+02	.	5.8E+03	1.2E+03	3.9E+02	1.1E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.87E-04	1.27E-10	2.10E-10	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	8.2E+01	9.8E+04	5.8E-03	2.1E-01	1.7E+00	1.4E+01	1.3E+02	.	1.1E+03	2.2E+02	5.6E-03	2.2E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	4.26E-07	2.05E-11	3.67E-11	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	3.4E+01	3.1E+04	1.8E-01	9.2E-02	7.5E-01	6.2E+00	5.6E+01	.	4.9E+02	9.8E+01	5.6E-02	4.0E-10
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.84E-05	1.59E-10	2.79E-10	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.1E+01	9.6E+03	2.2E-03	3.0E-02	2.5E-01	2.0E+00	1.9E+01	.	1.6E+02	3.2E+01	2.0E-03	4.6E-12
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	8.71E-10	6.70E-11	1.24E-10	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	5.3E+01	1.3E+05	4.7E+02	1.5E-01	1.2E+00	1.0E+01	9.2E+01	.	8.0E+02	1.6E+02	1.3E-01	1.4E-10
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	7.57E-05	6.84E-10	1.26E-09	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	9.3E+02	3.5E+07	9.6E-01	2.6E+00	2.1E+01	1.8E+02	1.6E+03	.	1.4E+04	2.8E+03	6.8E-01	4.1E-12
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.42E-04	3.10E-10	5.45E-10	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	2.8E+02	2.3E+06	3.9E-02	7.5E-01	6.1E+00	5.1E+01	4.6E+02	.	4.0E+03	8.0E+02	3.7E-02	1.7E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.38E-06	2.63E-10	4.88E-10	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	5.8E+01	2.4E+08	1.3E+02	1.7E+01	1.4E+02	1.1E+03	1.0E+04	.	8.8E+04	1.8E+04	1.3E+03	3.3E-11
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.91E-04	4.25E-11	7.54E-11	1.36E+09	1.22E-02	1.40E-02	4.50E+02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	7.5E+05	3.8E+

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.83E-06	3.03E-12	4.61E-12	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.1E+08	4.6E+12	6.8E+03	2.6E+05	9.4E+05	1.8E+07	1.6E+08	.	9.3E+07	1.1E+05	6.5E+03	8.7E-11
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	3.35E-07	0.00E+00	0.00E+00	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	1.3E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.56E-06	9.07E-11	1.67E-10	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.5E+05	8.5E+09	6.1E+02	4.2E+02	1.5E+03	2.8E+04	2.6E+05	.	1.5E+05	1.8E+06	2.1E+02	5.9E-11
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.34E-04	5.18E-12	8.01E-12	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	4.7E+07	1.9E+12	1.7E+02	1.1E+05	3.9E+05	7.3E+06	6.7E+07	.	3.9E+07	4.7E+08	1.7E+02	3.3E-12
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.52E-05	2.19E-12	3.38E-12	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	2.0E+08	5.9E+12	7.6E+02	4.6E+05	1.7E+06	3.1E+07	2.8E+08	.	1.7E+08	2.0E+09	7.6E+02	8.0E-12
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.30E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	3.4E-12
Praseodymium (59)	Pr-148m	1.81E+04	3.82E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	1.74E-02	2.00E-02	6.50E+02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	4.0E-12
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.07E-05	3.62E-12	6.11E-12	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	8.6E+07	2.6E+12	4.6E+02	1.7E+05	.	5.7E+07	3.0E+07	.	.	.	4.6E+03	7.8E-12
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.70E-05	1.67E-11	2.89E-11	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	2.5E+06	1.1E+11	5.9E+01	5.0E+03	.	1.7E+06	9.1E+05	.	.	.	5.8E+03	7.2E-12
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.56E-05	1.36E-11	2.39E-11	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	2.7E+06	9.3E+10	6.1E+01	5.5E+03	.	1.9E+06	9.9E+05	.	.	.	6.0E+03	8.5E-12
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.66E-05	1.57E-10	2.79E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	2.2E+03	2.5E+07	2.3E+00	4.6E+00	.	1.5E+03	8.2E+02	.	.	.	1.5E+00	2.2E-11
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.05E-05	3.80E-11	6.80E-11	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	2.0E+05	6.8E+09	1.7E+01	4.2E+02	.	1.4E+05	7.7E+04	.	.	.	1.6E+03	1.1E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	1.14E-09	1.94E-09	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	3.2E-01	1.3E+01	.	6.3E-04	.	2.1E-01	1.1E-01	.	.	.	6.3E-04	2.2E-01
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.62E-05	7.70E-11	1.39E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	1.6E+04	4.6E+08	5.3E+00	3.4E+01	.	1.1E+04	6.1E+03	.	.	.	4.6E+00	1.9E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.18E-11	9.59E-12	1.78E-11	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	4.5E+01	1.3E+05	9.7E+02	9.8E-02	.	3.3E+01	1.8E+01	.	.	.	9.7E-02	2.6E-09
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	4.48E-07	1.21E-10	2.25E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	6.5E+01	1.2E+08	2.0E+02	1.4E+01	.	4.7E+03	2.5E+03	.	.	.	1.3E+03	8.3E-11
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	3.44E-06	1.66E-10	3.06E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	5.1E+03	1.1E+08	2.8E+01	1.1E+01	.	3.7E+03	2.0E+03	.	.	.	7.8E+00	4.7E-11
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	1.55E-06	1.11E-10	2.05E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	3.7E+04	1.4E+09	3.0E+02	7.9E+01	.	2.7E+04	1.4E+04	.	.	.	6.2E+03	7.8E-11
Platinum (78)	Pt-197m	3.82E+02	1.82E-04	7.4E-12 (S)	6.44E-06	1.57E-11	2.85E-11	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	3.3E+06	1.1E+11	9.2E+02	7.0E+03	.	2.4E+06	1.3E+06	.	.	.	8.1E+02	8.1E-11
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.32E-05	3.43E-12	5.64E-12	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	5.2E+07	1.3E+12	7.9E+02	9.9E+04	.	3.4E+07	1.8E+07	.	.	.	7.8E+02	2.6E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	4.26E-06	3.00E-10	5.54E-10	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	2.2E+04	1.1E+09	1.8E+02	4.7E+01	.	1.6E+04	8.4E+03	.	.	.	3.7E+03	2.9E-11
Platinum (78)	Pt-202	1.38E+00	5.02E-03	3.4E-10 (S)	2.40E-07	1.16E-09	2.15E-09	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	1.6E+03	8.4E+07	9.9E+02	3.4E+00	.	1.2E+03	6.2E+02	.	.	.	3.4E+00	9.6E-12
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.27E-05	1.16E-09	2.15E-09	1.36E+09	1.00E-01	5.00E-01	2.40E+01	.	2.00E-04	1.00E-04	.	.	.	1.6E+03	8.4E+07	9.4E+00	3.4E+00	.	1.2E+03	6.2E+02	.	.	.	2.5E+00	7.1E-12
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	4.04E-06	1.13E-11	1.83E-11	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.5E+07	1.3E+09	4.1E+03	3.8E+04	4.7E+00	4.7E+09	1.4E+08	2.6E+08	1.3E+08	6.7E+08	4.7E+00	2.0E-13
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	4.39E-06	3.25E-11	5.88E-11	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	2.9E+05	6.7E+07	2.4E+02	8.5E+02	1.0E-01	1.0E+08	3.1E+06	5.7E+06	3.0E+06	1.5E+07	1.0E-01	6.9E-14
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	6.44E-06	1.73E-13	2.64E-13	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.4E+09	4.1E+13	3.5E+03	3.3E+06	4.1E+02	4.1E+11	1.2E+10	2.2E+10	1.2E+10	5.9E+10	3.7E+02	1.2E-11
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	3.09E-09	2.71E-09	4.01E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.5E+00	6.4E+01	1.2E+02	3.6E-03	4.4E-07	4.4E+02	1.3E+01	2.4E+01	1.3E+01	6.3E+01	4.4E-07	8.3E-16
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	3.09E-06	2.53E-11	4.60E-11	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	3.0E+03	2.9E+07	2.8E+00	8.8E+00	1.1E-03	1.1E+06	3.3E+04	6.0E+04	3.1E+04	1.6E+05	1.1E-03	9.0E-14
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	1.87E-09	4.58E-09	6.07E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.2E-01	4.3E+00	2.4E+01	2.5E-04	3.1E-08	3.1E+01	9.4E-01	1.7E+00	9.0E-01	4.5E+00	3.1E-08	1.8E-15
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	4.71E-09	6.16E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.0E-01	3.5E+00	6.9E+00	2.1E-04	2.6E-08	2.6E+01	7.8E-01	1.4E+00	7.5E-01	3.7E+00	2.6E-08	4.2E-13
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	4.71E-09	6.16E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.0E-01	3.5E+00	6.9E+00	2.1E-04	2.6E-08	2.6E+01	7.8E-01	1.4E+00	7.5E-01	3.7E+00	2.6E-08	4.2E-13
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	1.93E-09	4.71E-09	6.17E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.0E-01	3.5E+00	2.0E-01	2.1E-04	2.6E-08	2.6E+01	7.8E-01	1.4E+00	7.5E-01	3.7E+00	2.6E-08	1.2E-13
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.10E-10	6.17E-11	7.35E-11	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.9E+01	5.1E+02	8.0E+02	3.7E-02	4.5E-06	4.5E+03	1.3E+02	2.5E+02	1.3E+02	6.4E+02	4.5E-06	4.4E-14
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.18E-08	4.48E-09	5.86E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.1E-01	3.7E+00	3.3E+00	2.2E-04	2.8E-08	2.7E+01	8.2E-01	1.5E+00	7.8E-01	3.9E+00	2.8E-08	7.0E-12
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	1.49E-06	1.87E-11	3.43E-11	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.9E+05	3.0E+10	1.3E+03	2.6E+03	3.2E-01	3.2E+08	9.6E+06	1.8E+07	9.2E+06	4.6E+07	3.2E-01	1.2E-13
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.67E-06	5.08E-09	6.98E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.9E-02	3.7E+00	1.5E-02	2.0E-04	2.4E-08	2.4E+01	7.2E-01	1.3E+00	6.9E-01	3.5E+00	2.4E-08	1.3E-09
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	4.26E-05	5.35E-09	7.48E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.3E-02	3.7E+00	9.1E-04	1.9E-04	2.3E-08	2.3E+01	6.9E-01	1.3E+00	6.6E-01	3.3E+00	2.3E-08	1.3E-09
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.67E-05	1.69E-10	3.10E-10	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	4.6E+04	2.1E+09	1.9E+01	1.4E+02	1.7E-02	1.7E+07	5.0E+05	9.2E+05	4.8E+05	2.4E+06	1.7E-02	1.4E-14
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.10E-05	6.80E-10	1.24E-09	1.36E+09	8.27E-06	9.50E-06	5.00E+00	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	4.7E+02	9.6E+06	3.3E+00	1.4E+00	1.7E-04	1.7E+05	5.1E+03	9.2E+03	4.8E+03	2.4E+04	1.7E-04	3.5E-15
Radium (88)	Ra-219	2.19E+05	3.17E-10	0.00E+00	1.78E-05	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	1.9E+08	.	.	.	.	.	.	.	1.9E+08	3.7E-11
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	1.9E+08	.	.	.	.	.	.	.	1.9E+08	3.7E-11
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.40E-07	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	3.5E+09	.	.	.	.	.	.	.	3.5E+09	1.2E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	2.86E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	4.2E+05	.	.	.	.	.	.	.	4.2E+05	2.3E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	2.87E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	4.2E+05	.	.	.	.	.	.	.	4.2E+05	2.3E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.00E-06	0.00E+00	0.00E+00	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	8.9E+05	.	.	.	.	.	.	.	8.9E+05	6.6E-10
Radium (88)	Ra-223	2.21E+03	3.13E-02	7.9E-07 (S)	1.23E-05	9.15E-09	1.62E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.4E+01	5.9E+03	2.8E+00	9.1E-02	1.3E-02	7.2E+00	8.8E+00	.	.	.	1.1E-02	2.1E-13
Radium (88)	Ra-223+D	2.21E+03	3.13E-02	7.9E-07 (S)	1.87E-05	9.15E-09	1.62E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.4E+01	5.9E+03	1.8E+00	9.1E-02	1.3E-02	7.2E+00	8.8E+00	.	.	.	1.1E-02	2.1E-13
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.06E-06	6.44E-09	1.15E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.5E+02	4.7E+04	1.0E+02	4.1E-01	5.6E-02	3.2E+01	3.9E+01	.	.	.	4.9E-02	3.1E-13
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-06	6.44E-09	1.15E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.5E+02	4.7E+04	9.4E+01	4.1E-01	5.6E-02	3.2E+01	3.9E+01	.	.	.	4.9E-02	3.1E-13
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	1.65E-07	4.15E-09	6.55E-09	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	6.4E+01	5.0E+03	1.6E+02	1.5E-01	2.1E-02	1.2E+01	1.5E+01	.	.	.	1.9E-02	4.8E-13
Radium (88)	Ra-226	1.60E+03	1.60E+03	7.6E-07 (S)	6.75E-07	1.39E-08	1.83E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.4E-02	7.0E+00	5.3E-02	6.9E-05	9.4E-06	5.4E-03	6.6E-03	.	.	.	8.2E-06	8.3E-12
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.26E-04	1.39E-08	1.83E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.4E-02	6.9E+00	1.7E-04	6.9E-05	9.4E-06	5.4E-03	6.6E-03	.	.	.	7.9E-06	8.0E-12
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.51E-05	4.01E-12	6.33E-12	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.4E+07	1.1E+11	8.8E+02	8.1E+04	1.1E+04	6.5E+06	7.9E+06	.	.	.	8.1E+02	4.1E-11
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	9.28E-10	3.85E-08	5.35E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	5.6E-02	2.2E+01	2.0E+02	1.2E-04	1.6E-05	9.5E-03	1.2E-02	.	.	.	1.4E-05	5.3E-14
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.09E-04	3.86E-08	5.36E-08	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	5.6E-02	2.2E+01	1.7E-03	1.2E-04	1.6E-05	9.4E-03	1.1E-02	.	.	.	1.4E-05	5.2E-14
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	7.32E-06	2.31E-11	4.07E-11	1.36E+09	1.48E-02	1.70E-02	1.00E+00	4.00E+00	1.70E-03	3.80E-04	.	.	.	2.4E+06	8.7E+10	8.3E+02	6.4E+03	8.8E+02	5.1E+05	6.2E+05	.	.	.	4.0E+02	4.5E-11
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.84E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	8.1E+02	.	.	.	.	.	.	.	8.1E+02	1.3E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.65E-04	4.47E-12	6.59E-12	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	7.8E+07	3.3E+12	5.7E+01	4.6E+04	4.1E+03	2.0E+05	1.6E+05	.	.	.	5.6E+01	4.1E-13
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	4.13E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	2.4E+02	.	.	.	.	.	.	.	2.4E+02	5.7E-13
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.70E-04	3.10E-12	4.59E-12	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	8.6E+07	2.5E+12	1.4E+02	9.0E-01	1.2E+04	4.6E+03	2.2E+05	1.8E+05	.	.	.	1.4E+02	1.3E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.44E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	7.1E+03	.	.	.	.	.	.	.	7.1E+03	1.7E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.93E-05	4.28E-12	6.60E-12	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	5.0E+06	6.5E+10	3.5E+01	3.1E+03	2.7E+02	1.3E+04	1.1E+04	.	.	.	3.0E+03	3.6E-12
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.66E-06	7.16E-13	1.10E-12	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	2.7E+08	2.4E+12	7.0E+03	1.7E+05	1.5E+04	7.2E+05	5.7E+05	.	.	.	4.5E+03	6.0E-11
Rubidium (37)	Rb-82	2.86E+03	2.42E-06	0.00E+00	1.33E-04	0.00E+00	0.00E+00	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	3.3E+03	.	.	.	.	.	.	.	3.3E+03	1.9E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.69E-04	1.31E-11	1.96E-11	1.36E+09	7.83E-01	9.00E-01	2.10E+02	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.2E+06	2.9E+10	3.9E+00	7.1E+02	6.4E+01	3.1E+03	2.5E+03	.	.	.	3.7E+00	6.2E-13

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	1.04E-06	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	.	1.3E+05	3.0E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.46E-06	9.26E-11	1.71E-10	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.5E+04	8.4E+08	3.1E+01	6.6E+01	1.5E+01	2.9E+03	3.2E+03	.	.	.	8.9E+00	1.1E-11
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.63E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	4.3E+04	.	.	.	.	.	.	.	.	4.3E+04	1.2E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.60E-04	2.16E-11	3.66E-11	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.9E+06	7.8E+10	1.2E+01	4.6E+03	1.1E+03	2.0E+05	2.2E+05	.	.	.	1.2E+03	8.7E-13
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-05	1.56E-12	2.39E-12	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.7E+08	4.5E+12	7.5E+02	3.9E+05	8.9E+04	1.7E+07	1.8E+07	.	.	.	7.4E+02	9.2E-12
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.94E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	5.1E+04	.	.	.	.	.	.	.	.	5.1E+04	8.2E-12
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.28E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.3E+04	.	.	.	.	.	.	.	.	1.3E+04	1.0E-11
Rhodium (45)	Rh-94	3.10E+02	2.24E-06	0.00E+00	4.95E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	9.7E+02	.	.	.	.	.	.	.	.	9.7E+02	5.7E-11
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	3.4E+02	.	.	.	.	.	.	.	.	3.4E+02	8.6E-13
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.17E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	.	2.5E+03	2.4E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.95E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.1E+02	.	.	.	.	.	.	.	.	1.1E+02	5.8E-13
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.65E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.3E+03	.	.	.	.	.	.	.	.	2.3E+03	1.7E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.77E-04	3.69E-12	5.78E-12	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	5.1E+07	2.0E+12	1.0E+02	1.2E+05	2.7E+04	5.1E+06	5.5E+06	.	.	.	1.0E+02	1.6E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.97E-04	4.50E-12	7.15E-12	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.7E+07	1.2E+12	4.1E+01	6.3E+04	1.5E+04	2.8E+06	3.0E+06	.	.	.	4.1E+01	9.8E-13
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.23E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.9E+02	.	.	.	.	.	.	.	.	2.9E+02	1.3E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.25E-05	1.02E-10	1.81E-10	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.2E+03	2.6E+07	3.9E-01	5.5E+00	1.3E+00	2.4E+02	2.6E+02	.	.	.	2.8E-01	3.5E-12
Rhodium (45)	Rh-99m	1.29E+01	5.37E-04	2.8E-12 (S)	7.67E-05	9.43E-12	1.60E-11	1.36E+09	3.00E-02	2.00E-01	4.00E+00	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.0E+06	9.8E+10	2.6E+01	4.9E+03	1.1E+03	2.2E+05	2.3E+05	.	.	.	2.5E+03	3.8E-12
Radon (86)	Rh-207	3.94E+04	1.76E-05	0.00E+00	1.16E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.3E+02	.	.	.	.	.	.	.	.	5.3E+02	5.4E-12
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.46E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.4E+02	.	.	.	.	.	.	.	.	1.4E+02	4.3E-12
Radon (86)	Rn-210	2.53E+01	2.74E-04	0.00E+00	7.07E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.5E+02	.	.	.	.	.	.	.	.	5.5E+02	8.9E-11
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.35E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.7E+00	.	.	.	.	.	.	.	.	2.7E+00	2.7E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	4.17E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.7E+05	.	.	.	.	.	.	.	.	5.7E+05	1.5E-08
Radon (86)	Rn-215	9.50E+11	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+01	1.11E-09	0.00E+00	9.15E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.1E+10	.	.	.	.	.	.	.	.	1.1E+10	7.2E-09
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.34E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.3E+06	.	.	.	.	.	.	.	.	1.3E+06	1.0E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.37E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.3E+06	.	.	.	.	.	.	.	.	1.3E+06	1.0E-10
Radon (86)	Rn-220	3.93E+01	1.76E-06	0.00E+00	7.48E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	8.1E+06	.	.	.	.	.	.	.	.	8.1E+06	8.8E-09
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	1.6E+07	2.2E+03	.	.	.	.	.	.	.	.	2.2E+03	1.5E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	1.6E+07	2.2E+03	.	.	.	.	.	.	.	.	2.2E+03	1.5E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	4.01E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.8E+02	.	.	.	.	.	.	.	.	5.8E+02	1.7E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.81E-05	1.42E-10	2.55E-10	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	6.3E+02	4.8E+06	1.7E-01	1.8E+00	4.6E+00	7.3E+01	7.0E+03	3.2E+02	2.4E+00	9.5E+03	1.4E-01	4.4E-12
Ruthenium (44)	Ru-105	1.37E+03	5.09E-04	2.7E-11 (V)	9.03E-05	5.63E-11	1.02E-10	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	3.3E+05	1.1E+10	2.3E-01	9.6E+02	2.5E+03	3.9E+04	3.8E+06	1.7E+05	1.3E+03	5.1E+06	2.2E+03	3.3E-12
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	1.65E-09	3.02E-09	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	5.6E+06	2.3E+04	.	1.6E-02	4.2E-02	6.6E-01	6.4E+01	2.9E+06	2.1E-02	8.6E+01	7.4E-03	2.3E-12
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.63E-05	1.65E-09	3.02E-09	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	5.6E+00	2.3E+04	4.0E-02	1.6E-02	4.2E-02	6.6E-01	6.4E+01	2.9E+00	2.1E-02	8.6E+01	6.3E-03	1.9E-12
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.39E-05	0.00E+00	0.00E+00	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	3.4E+03	.	.	.	.	.	.	.	.	3.4E+03	7.3E-12
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	5.55E-06	0.00E+00	0.00E+00	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	2.2E+04	.	.	.	.	.	.	.	.	2.2E+04	5.8E-11
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.46E-04	0.00E+00	0.00E+00	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	6.3E+02	.	.	.	.	.	.	.	.	6.3E+02	1.1E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	6.03E-05	1.19E-11	2.07E-11	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	8.4E+06	2.5E+11	1.8E+02	2.3E+04	6.0E+04	9.6E+05	9.2E+07	4.2E+06	3.1E+04	1.2E+08	1.8E+02	4.6E-12
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.54E-04	7.27E-12	1.20E-11	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	7.6E+06	2.0E+11	3.7E+01	2.0E+04	5.2E+04	8.2E+05	7.9E+07	3.6E+06	2.7E+04	1.1E+08	3.7E+01	1.8E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.36E-05	2.45E-11	4.27E-11	1.36E+09	2.61E-03	3.00E-03	2.70E+02	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	5.1E+04	1.2E+09	5.8E+00	1.4E+02	3.6E+02	5.8E+03	5.5E+05	2.5E+04	1.9E+02	7.5E+05	5.3E+00	1.1E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	2.36E-10	1.89E-11	3.18E-11	1.36E+09	6.00E-01	2.00E+00	7.50E+00	1.00E+03	2.00E-01	7.90E-03	.	.	.	2.3E+03	3.4E+06	2.0E+04	1.8E+00	2.4E-02	5.1E-01	3.4E+00	.	.	.	2.2E-02	5.2E-13
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	4.39E-04	0.00E+00	0.00E+00	1.36E+09	6.00E-01	2.00E+00	7.50E+00	1.00E+03	2.00E-01	7.90E-03	.	.	.	.	.	2.5E+02	.	.	.	.	.	.	.	.	2.5E+02	2.5E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.42E-04	3.40E-11	5.01E-11	1.36E+09	6.00E-01	2.00E+00	7.50E+00	1.00E+03	2.00E-01	7.90E-03	.	.	.	1.1E+06	1.4E+10	1.4E+01	7.6E+02	9.8E+00	2.1E+02	1.4E+03	.	.	.	5.5E+00	1.9E-13
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.75E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	2.6E+03	.	.	.	.	.	.	.	.	2.6E+03	1.9E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.50E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	5.6E+02	.	.	.	.	.	.	.	.	5.6E+02	2.3E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.47E-04	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	4.7E+02	.	.	.	.	.	.	.	.	4.7E+02	9.9E-13
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	1.04E-04	1.91E-12	2.97E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	9.5E+07	3.6E+12	1.7E+02	2.4E+05	2.1E+05	2.7E+07	2.3E+08	.	.	.	1.7E+02	3.3E-12
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.99E-04	2.10E-12	3.13E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.8E+08	8.1E+12	1.2E+02	4.4E+05	3.8E+05	4.9E+07	4.2E+08	.	.	.	1.2E+02	1.2E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.8E-12 (S)	3.94E-04	6.42E-12	1.01E-11	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.5E+07	5.3E+11	2.4E+01	3.7E+04	3.3E+04	4.2E+06	3.6E+07	.	.	.	2.4E+01	8.8E-13
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.58E-05	2.59E-12	4.46E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.2E+07	3.8E+11	2.1E+02	3.3E+04	2.9E+04	3.7E+06	3.2E+07	.	.	.	2.1E+02	2.2E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.53E-05	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	1.6E+03	.	.	.	.	.	.	.	.	1.6E+03	3.7E-12
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.31E-04	2.65E-11	4.35E-11	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	6.9E+05	3.4E+10	5.7E+00	1.8E+03	1.6E+03	2.0E+05	1.8E+06	.	.	.	5.6E+00	1.1E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	6.94E-08	1.91E-11	3.51E-11	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.1E+05	6.7E+09	3.5E+03	3.3E+02	2.9E+02	3.7E+04	3.2E+05	.	.	.	1.5E+02	2.1E-10
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.24E-05	9.23E-13	1.39E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	4.1E+08	1.5E+13	6.8E+02	9.9E+05	8.6E+05	1.1E+08	9.6E+08	.	.	.	6.8E+02	6.9E-12
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	3.10E-04	1.68E-10	2.81E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	3.9E+03	9.6E+07	2.2E-01	1.0E+01	9.1E+00	1.2E+03	1.0E+04	.	.	.	2.1E-01	1.1E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.36E-05	4.19E-10	7.74E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	3.0E+03	1.2E+08	2.7E+00	8.8E+00	7.7E+00	9.9E+02	8.5E+03	.	.	.	1.6E+00	4.1E-12
Antimony (51)	Sb-122m	8.69E+00	7.97E-06	0.00E+00	2.07E-06	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	6.5E+04	.	.	.	.	.	.	.	.	6.5E+04	1.8E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.45E-04	5.00E-10	8.96E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.2E+02	1.0E+06	2.7E-02	3.3E-01	2.9E-01	3.8E+01	3.2E+02	.	.	.	2.3E-02	1.3E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.30E-05	0.00E+00	0.00E+00	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	6.9E+03	.	.	.	.	.	.	.	.	6.9E+03	7.0E-12
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	2.60E-12	7.39E-13	1.15E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	3.9E+08	9.5E+12	1.1E+10	9.7E+05	8.5E+05	1.1E+08	9.4E+08	.	.	.	4.5E+05	6.0E-09
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.95E-05	1.68E-10	2.90E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.2E+01	4.8E+04	7.8E-03	5.9E-02	5.2E-02	6.7E+00	5.8E+01	.	.	.	6.1E-03	5.9E-12
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.38E-04	4.91E-10	8.71E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	5.8E+02	1.1E+07	9.4E-02	1.7E+00	1.4E+00	1.9E+02	1.6E+03	.	.	.	8.4E-02	1.0E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.87E-04	2.63E-12	3.99E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.2E+08	4.3E+12	1.6E+02	2.9E+05	2.5E+05	3.2E+07	2.8E+08	.	.	.	1.6E+02	2.0E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	8.36E-05	3.98E-10	7.32E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.2E+03	6.2E+07	1.2E+00	6.6E+00	5.7E+00	7.4E+02	6.4E+03	.	.	.	8.7E-01	3.3E-12
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.82E-04	1.47E-10	2.60E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	6.4E+04	3.2E+09	2.7E+00	1.8E+02	1.6E+02	2.0E+04	1.8E+05	.	.	.	2.6E+00	9.8E-13
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.34E-04	2.16E-12	3.23E-12	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.7E+08	1.2E+11	2.3E+02	6.4E+05	5.6E+05	7.3E+07	6.2E+08	.	.	.	2.3E+02	1.6E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.88E-04	8.72E-11	1.58E-10	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.2E+05	1.0E+10	1.1E+01	6.3E+02	5.5E+02	7.1E+04	6.1E+05	.	.	.	1.1E+02	2.0E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	4.07E-04	7.89E-12	1.24E-11	1.36E+09	1.57E-03	1.80E-03	6.20E+01	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.8E+07	7.0E+11	3.5E+01	4.6E+04	4.1E+04	5.2E+06	4.5E+07	.	.	.	3.5E+01	9.6E-13
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.44E-04	0.00E+00	0.00E+00	1.36E+09

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.73E-04	2.63E-12	4.01E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.2E+08	9.6E+12	3.2E+02	5.4E+05	1.0E+07	2.7E+07	2.4E+08	.	.	.	3.2E+02	2.4E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.40E-04	5.06E-12	7.99E-12	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	5.0E+07	2.0E+12	1.0E+02	1.3E+05	2.5E+06	6.4E+06	5.7E+07	.	.	.	1.0E+02	1.8E-12
Samarium (62)	Sm-142	5.02E+0	1.38E-04	6.0E-12 (S)	1.00E-05	2.02E-11	3.46E-11	1.36E+0	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.6E+0	1.8E+11	7.7E+02	9.9E+03	1.9E+05	5.0E+05	4.5E+06	.	.	.	7.1E+02	3.9E-11
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	6.15E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	7.0E-12
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	8.49E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	6.0E+03	.	.	.	.	.	.	.	6.0E+03	5.1E-12
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	1.01E-06	4.49E-11	8.13E-11	1.36E+0	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.3E+02	9.9E+05	1.1E+00	6.6E-01	1.3E+01	3.3E+01	3.0E+02	.	.	.	4.0E-01	1.5E-10
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	1.41E-09	1.93E-09	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.2E-01	1.4E+01	.	7.0E-04	1.4E-02	3.5E-02	3.2E-01	.	.	.	6.5E-04	2.8E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	1.29E-09	1.76E-09	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.5E-01	1.5E+01	.	7.7E-04	1.5E-02	3.9E-02	3.5E-01	.	.	.	7.1E-04	3.1E-02
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+0	1.11E-09	1.51E-09	1.36E+0	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.1E-01	1.8E+01	.	8.8E-04	1.7E-02	4.5E-02	4.0E-01	.	.	.	8.2E-04	2.4E+03
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	1.04E-11	2.20E-11	4.05E-11	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.8E+01	2.4E+04	4.3E+03	5.2E-02	1.0E+00	2.6E+00	2.4E+01	.	.	.	4.9E-02	1.8E-09
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	3.00E-06	1.90E-10	3.51E-10	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	9.2E+03	3.2E+08	6.7E+01	2.7E+01	5.3E+02	1.4E+03	1.2E+04	.	.	.	1.8E+03	4.2E-11
Samarium (62)	Sm-155	1.63E+0	4.24E-05	9.1E-13 (S)	7.57E-06	1.88E-12	2.90E-12	1.36E+0	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.4E+08	3.8E+12	3.3E+03	3.4E+05	6.7E+06	1.7E+07	1.6E+08	.	.	.	3.3E+03	6.1E-11
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	9.78E-06	6.01E-11	1.10E-10	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.5E+05	4.7E+09	1.0E+02	4.3E+02	8.3E+03	2.1E+04	1.9E+05	.	.	.	8.1E+03	3.8E-11
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	9.30E+02	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	1.0E-11
Tin (50)	Sn-106	1.90E+0	3.65E-06	0.00E+0	1.43E-04	0.00E+0	0.00E+0	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	2.2E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.54E-05	2.01E-12	3.22E-12	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.7E+08	1.2E+13	7.3E+02	3.3E+05	1.9E+05	2.1E+06	5.6E+06	.	.	.	7.2E+02	4.3E-12
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.95E-04	1.84E-12	2.85E-12	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.8E+08	8.4E+12	1.1E+02	2.0E+05	1.2E+05	1.3E+06	3.5E+06	.	.	.	1.1E+02	1.1E-12
Tin (50)	Sn-110	1.48E+0	4.69E-04	2.0E-11 (S)	2.94E-05	7.61E-11	1.38E-10	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.7E+05	1.6E+1	7.8E+01	3.6E+02	2.1E+02	2.3E+03	6.2E+03	.	.	.	4.8E+03	6.9E-12
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.96E-05	1.92E-12	3.11E-12	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	8.2E+07	2.9E+12	2.7E+02	1.0E+05	5.9E+04	6.4E+05	1.7E+06	.	.	.	2.7E+02	5.5E-12
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	6.15E-07	1.74E-10	3.17E-10	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.7E+02	1.2E+06	5.5E+00	2.3E-01	1.4E-01	1.5E+00	4.0E+00	.	.	.	8.0E-02	8.0E-12
Tin (50)	Sn-113m	1.70E+0	4.07E-05	3.2E-13 (S)	6.06E-08	2.24E-13	3.52E-13	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.2E+05	1.1E+13	4.3E+05	1.4E+06	8.4E+05	9.1E+06	2.4E+07	.	.	.	2.3E+05	3.0E-09
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.27E-05	1.74E-10	3.20E-10	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.4E+03	1.4E+07	2.2E+00	2.0E+00	1.2E+00	1.3E+01	3.3E+01	.	.	.	5.2E-01	6.4E-12
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	4.23E-08	8.91E-11	1.65E-10	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.3E+02	5.5E+05	3.2E+01	1.8E-01	1.1E-01	1.2E+00	3.1E+00	.	.	.	6.2E-02	1.7E-11
Tin (50)	Sn-121	2.25E+0	3.09E-03	3.0E-11 (S)	3.60E-09	6.01E-11	1.11E-10	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	5.0E+04	1.6E+0	1.1E+05	6.9E-03	4.1E+01	4.5E+02	1.2E+03	.	.	.	2.4E+03	2.5E-11
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	2.41E-08	9.30E-11	1.71E-10	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.9E+00	6.1E+03	2.2E+00	6.7E-03	4.0E-03	4.3E-02	1.1E-01	.	.	.	2.3E-03	3.5E-11
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	2.69E-08	1.40E-10	2.57E-10	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	3.3E+00	5.9E+03	1.9E+00	4.5E-03	2.7E-03	2.9E-02	7.6E-02	.	.	.	1.5E-03	2.3E-11
Tin (50)	Sn-123	1.96E+0	3.54E-01	1.3E-09 (S)	1.05E-06	5.56E-10	1.03E-09	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.7E+01	3.3E+05	2.9E+00	6.5E-02	3.9E-02	4.2E-01	1.1E+00	.	.	.	2.2E-02	2.7E-12
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.26E-05	3.05E-12	4.94E-12	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.6E+07	1.2E+12	1.1E+03	5.5E+04	3.3E+04	3.6E+05	9.4E+05	.	.	.	1.1E+03	2.8E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.42E-05	7.90E-10	1.46E-09	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.5E+02	1.3E+07	9.2E-01	6.2E-01	3.7E-01	4.0E+00	1.1E+01	.	.	.	1.7E-01	1.6E-12
Tin (50)	Sn-125m	3.83E+0	1.81E-05	0.00E+0	3.91E-05	0.00E+0	0.00E+0	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	9.6E-12
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	2.69E-06	1.01E-09	1.81E-09	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	3.4E-01	4.6E+02	1.4E-02	4.6E-04	2.7E-04	2.9E-03	7.8E-03	.	.	.	1.6E-04	1.3E-08
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.37E-04	1.08E-09	1.94E-09	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	3.2E-01	4.6E+02	1.6E-04	4.3E-04	2.6E-04	2.8E-03	7.3E-03	.	.	.	7.8E-05	6.3E-09
Tin (50)	Sn-127	2.89E+00	2.40E-04	1.3E-11 (S)	2.50E-04	1.17E-11	5.59E-11	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.3E+0	4.9E+1	1.8E+01	1.7E+03	1.0E+03	1.1E+04	2.9E+04	.	.	.	1.7E+03	1.5E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.97E-05	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	5.5E-12
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.44E-05	1.71E-11	2.88E-11	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	5.3E+06	2.0E+11	1.5E+02	6.7E+03	4.0E+03	4.3E+04	1.1E+05	.	.	.	1.4E+02	5.6E-12
Tin (50)	Sn-129	1.63E+0	4.24E-06	0.00E+0	1.28E-04	0.00E+0	0.00E+0	1.36E+0	3.00E-01	1.00E+0	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	3.0E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.08E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	3.6E-12
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.12E-04	0.00E+00	0.00E+00	1.36E+09	3.00E-01	1.00E+00	1.60E+03	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	3.5E-12
Tin (50)	Sn-79	1.62E+0	4.28E-06	0.00E+0	1.37E-04	0.00E+0	0.00E+0	1.36E+0	9.57E-02	1.10E-01	1.00E+0	2.90E+0	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	1.7E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	5.05E-05	4.82E-11	8.36E-11	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.0E+06	4.8E+10	1.1E+02	2.1E+03	5.1E+02	2.1E+05	5.7E+04	4.6E+05	1.1E+06	1.3E+05	8.3E+03	3.8E-12
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.62E-04	5.38E-12	8.54E-12	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	4.8E+07	1.8E+12	1.6E+02	8.9E+04	2.2E+04	9.1E+06	2.5E+06	2.0E+07	4.9E+07	5.6E+06	1.5E+02	1.5E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	1.29E-09	1.22E-09	2.21E-09	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.1E+02	1.7E+0	1.2E+04	2.4E-01	5.8E-02	2.4E+01	6.6E+00	5.3E+01	1.3E+02	1.5E+01	4.6E-02	7.4E-13
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.33E-04	1.22E-09	2.21E-09	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.1E+02	1.7E+06	1.2E-01	2.4E-01	5.8E-02	2.4E+01	6.6E+00	5.3E+01	1.3E+02	1.5E+01	3.3E-02	5.3E-13
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.97E-05	9.07E-11	1.62E-10	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	2.9E+04	9.8E+08	2.9E+00	6.0E+01	1.5E+01	6.2E+03	1.7E+03	1.3E+04	3.3E+04	3.8E+03	2.3E+00	2.0E-12
Strontium (38)	Sr-85	3.90E+0	1.78E-01	8.6E-11 (S)	5.81E-05	8.24E-11	1.24E-10	1.36E+0	9.57E-02	1.10E-01	1.00E+0	2.90E+0	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	7.8E+02	9.6E+0	1.0E-01	1.4E+0	3.4E-01	1.4E+02	3.8E+01	3.1E+02	7.6E+02	8.8E+01	7.5E-02	3.2E-12
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.20E-05	6.10E-13	9.51E-13	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.4E+08	4.6E+12	3.8E+02	2.6E+05	6.3E+04	2.6E+07	7.1E+06	5.7E+07	1.4E+08	1.6E+07	3.8E+02	1.2E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.60E-05	4.12E-12	7.05E-12	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	7.6E+06	2.7E+11	9.3E+01	1.5E+04	3.7E+03	1.6E+06	4.2E+05	3.4E+06	8.5E+06	9.7E+05	9.0E+03	7.0E-12
Strontium (38)	Sr-89	5.01E+0	1.38E-01	8.2E-10 (S)	1.96E-07	4.97E-10	9.00E-10	1.36E+0	9.57E-02	1.10E-01	1.00E+0	2.90E+0	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.4E+02	1.3E+0	4.0E+01	2.9E-01	7.2E-02	3.0E+01	8.1E+0	6.5E+01	1.6E+02	1.9E+01	5.7E-02	2.0E-12
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	1.31E-08	1.86E-09	2.33E-09	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	4.2E-01	7.1E+02	5.1E+00	6.1E-04	1.5E-04	6.3E-02	1.7E-02	1.4E-01	3.4E-01	3.9E-02	1.2E-04	8.6E-13
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	5.27E-07	2.57E-09	3.66E-09	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	2.6E-01	7.0E+02	1.1E-01	4.4E-04	1.1E-04	4.5E-02	1.2E-02	9.8E-02	2.4E-01	2.8E-02	8.6E-05	6.2E-13
Strontium (38)	Sr-91	6.80E+02	1.13E-03	5.3E-11 (S)	9.03E-05	1.28E-10	2.33E-10	1.36E+0	9.57E-02	1.10E-01	1.00E+0	2.90E+0	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	6.7E+04	2.5E+05	1.1E+01	1.4E+02	3.5E+01	1.5E+04	4.0E+03	3.2E+04	8.0E+04	9.1E+03	7.8E+00	2.2E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.81E-04	8.67E-11	1.58E-10	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	3.6E+05	1.6E+10	2.0E+01	7.7E+02	1.9E+02	7.9E+04	2.1E+04	1.7E+05	4.3E+05	4.9E+04	1.7E+03	1.4E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.94E-04	0.00E+00	0.00E+00	1.36E+09	9.57E-02	1.10E-01	1.00E+00	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	2.6E+02	.	.	.	.	.	.	.	2.6E+02	9.5E-13
Strontium (38)	Sr-94	2.90E+0	2.39E-06	0.00E+0	1.94E-04	0.00E+0	0.00E+0	1.36E+0	9.57E-02	1.10E-01	1.00E+0	2.90E+0	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	1.5E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.26E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	.	.	6.6E+02	.	.	.	.	.	.	.	6.6E+02	4.1E-12
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	2.10E-04	4.68E-12	7.37E-12	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	3.3E+07	1.0E+12	7.3E+01	8.4E+04	3.4E+05	1.7E+09	4.6E+08	.	.	.	7.3E+03	2.5E-12
Tantalum (73)	Ta-173	1.93E+0	3.58E-04	7.4E-12 (S)	6.56E-05	1.84E-11	3.26E-11	1.36E+0	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	1.5E+0	5.5E+1	4.6E+01	4.2E+03	1.7E+04	8.4E+07	2.3E+07	.	.	.	4.5E+03	7.8E-12
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.17E-04	7.61E-12	1.28E-11	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	1.0E+07	3.4E+11	7.1E+01	2.8E+04	1.1E+05	5.6E+08	1.5E+08	.	.	.	7.0E+03	4.5E-12
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.36E-04	3.73E-11	6.44E-11	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	2.2E+05	9.3E+09	2.5E+00	6.1E+02	2.5E+03	1.2E+07	3.2E+06	.	.	.	6.5E+02	3.8E-12
Tantalum (73)	Ta-176	7.50E+0	9.24E-04	1.6E-11 (S)	2.99E-04	4.57E-11	7.76E-11	1.36E+0	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	2.4E+05	1.0E+1	3.9E+00	6.5E+02	2.7E+03	1.3E+07	3.5E+06	.	.	.	3.9E+00	1.8E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	3.28E-06	2.35E-11	4.27E-11	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	6.2E+04	1.8E+09	5.1E+01	1.8E+02	7.4E+02	3.6E+06	9.9E+05	.	.	.	3.8E+03	1.2E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.05E-05	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	.	.	5.8E+03	.	.	.	.	.	.	.	5.8E+03	5.1E-11
Tantalum (73)	Ta-178m	2.57E+0	2.69E-04	5.5E-12 (S)	1.17E-04	1.13E-11	1.92E-11	1.36E+0	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	3.3E+0	9.8E+1	3.4E+01	9.0E+03	3.7E+04	1.8E+08	4.9E+07	.	.	.	3.4E+03	4.5E-12
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	7.57E-07	1.27E-11	2.31E-11	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	4.1E+02	1.7E+06	7.8E-01	1.2E+00	4.8E+00	2.4E+04	6.5E+03	.	.	.	4.3E-01	3.9E-10
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	1.64E-06	1.23E-11	2.25E-11	1.36E+09	2.00E-03	1.00E-01	7.80E+02	1.00E+02	5.00E-06	5.00E-06	.	.	.	8.2E+05	3.0E+10	7.0E+02	2.4E+03	9.8E+03	4.8E+07	1.3E+07	.	.	.	5.1E+02	2.4E-10
Tantalum (73)	Ta-182	2.21E+0	3.14E-01	1.0E-09 (S)	1.63E-04	3.05E-10	5.47E-10	1.36E+0	2.00E-03	1.00E-01

Radionuclides		Slope Factors and Isotope-specific Information															Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	3.02E-04	5.26E-12	8.01E-12	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	6.2E+07	2.8E+12	1.0E+02	2.8E+04	.	3.7E+07	9.7E+05	1.1E+08	1.2E+07	2.3E+05	1.0E+02	1.0E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.81E-05	0.00E+00	0.00E+00	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	7.6E+02	.	.	.	.	.	.	.	7.6E+02	3.2E-12
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.31E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	5.4E+02	.	.	.	.	.	.	.	5.4E+02	8.2E-13
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.73E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	9.9E+02	.	.	.	.	.	.	.	9.9E+02	1.6E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.86E-04	0.00E+00	0.00E+00	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	2.7E+02	.	.	.	.	.	.	.	2.7E+02	5.7E-13
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	2.10E-04	7.99E-12	1.31E-11	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.2E+06	1.8E+11	1.6E+01	2.1E+03	.	2.7E+06	7.1E+04	8.0E+06	8.4E+05	1.7E+04	1.6E+03	1.3E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.30E-04	3.29E-12	5.37E-12	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.9E+05	1.5E+12	1.0E+02	1.9E+04	.	2.5E+07	6.5E+05	7.4E+07	7.8E+06	1.6E+05	9.9E+02	1.2E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.31E-04	2.38E-11	3.93E-11	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	7.9E+05	3.3E+10	5.8E+00	3.9E+02	.	5.0E+05	1.3E+04	1.5E+06	1.6E+05	3.2E+03	5.7E+03	8.4E-13
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.48E-04	9.09E-12	1.49E-11	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.2E+07	5.2E+11	4.4E+01	5.8E+03	.	7.4E+06	2.0E+05	2.2E+07	2.3E+06	4.7E+04	4.3E+03	1.1E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.81E-05	2.17E-11	3.60E-11	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	2.1E+05	8.6E+05	4.8E+00	1.0E+02	.	1.4E+05	3.6E+03	4.1E+05	4.3E+04	8.5E+02	4.5E+00	2.8E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	8.08E-05	6.87E-11	1.13E-10	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	9.1E+02	7.0E+06	7.9E-02	4.5E-01	.	5.8E+02	1.5E+01	1.7E+03	1.8E+02	3.7E+00	6.6E-02	2.9E-12
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	3.14E-04	1.27E-10	2.06E-10	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	7.1E+03	2.2E+08	2.9E-01	3.5E+00	.	4.5E+03	1.2E+02	1.3E+04	1.4E+03	2.8E+01	2.7E-01	8.4E-13
Technetium (43)	Tc-96m	7.07E+01	9.80E-05	5.8E-13 (S)	5.33E-06	1.34E-12	2.18E-12	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	8.1E+07	2.6E+12	2.1E+03	3.9E+04	.	5.1E+07	1.4E+06	1.5E+08	1.6E+07	3.2E+05	1.9E+03	5.1E-11
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	7.73E-09	1.06E-11	1.90E-11	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.3E+01	4.0E+04	5.0E+00	1.8E-02	.	2.3E+01	6.1E-01	6.8E+01	7.2E+00	1.4E-01	1.5E-02	1.1E-05
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	2.79E-08	9.33E-11	1.70E-10	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.1E+02	1.5E+06	1.6E+02	2.2E-01	.	2.9E+02	7.7E+00	8.7E+02	9.2E+01	1.8E+00	1.9E-01	1.3E-11
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.74E-04	2.54E-10	4.38E-10	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.4E+00	1.6E+03	2.2E-04	7.3E-04	.	9.5E-01	2.5E-02	2.9E+00	3.0E-01	6.0E-03	1.6E-04	1.9E-07
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	2.24E-09	1.08E-10	1.96E-10	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.2E+00	5.1E+03	1.7E+01	1.7E-03	.	2.2E+00	5.9E-02	6.7E+00	7.1E-01	1.4E-02	1.5E-03	8.8E-08
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.07E-05	3.06E-12	5.37E-12	1.36E+09	1.13E+00	1.30E+00	0.00E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.7E+06	1.3E+11	1.5E+02	2.5E+03	.	3.2E+06	8.5E+04	9.6E+06	1.0E+06	2.0E+04	1.4E+02	2.6E-11
Technetium (43)	Tc-113	2.14E+05	3.23E-06	0.00E+00	2.86E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	1.2E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.63E-04	4.48E-12	6.75E-12	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.8E+07	2.2E+12	2.3E+02	1.6E+05	3.5E+05	3.0E+06	1.7E+07	.	2.9E+06	6.9E+05	2.3E+02	2.1E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.86E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	3.4E+02	.	.	.	.	.	.	.	3.4E+02	1.2E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.38E-04	0.00E+00	0.00E+00	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	2.5E+02	.	.	.	.	.	.	.	2.5E+02	1.0E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	7.98E-06	3.03E-11	5.34E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.1E+06	4.7E+10	4.7E+02	2.4E+03	5.3E+03	4.6E+04	2.6E+05	.	4.4E+04	1.0E+04	3.5E+02	3.2E-11
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	2.00E-04	5.58E-12	9.17E-12	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.6E+07	6.1E+11	4.5E+01	3.2E+04	7.0E+04	6.0E+05	3.3E+06	.	5.8E+05	1.4E+05	4.5E+03	1.7E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	7.35E-08	6.95E-10	1.30E-09	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.1E+02	2.6E+07	8.9E+02	1.8E+00	4.0E+00	3.5E+01	1.9E+02	.	3.3E+01	7.9E+00	1.0E+03	5.5E-12
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.53E-05	6.95E-10	1.30E-09	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.1E+02	2.6E+07	6.8E-01	1.8E+00	4.0E+00	3.5E+01	1.9E+02	.	3.3E+01	7.9E+00	4.1E-01	2.2E-12
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	9.31E-05	2.59E-11	4.46E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.1E+05	9.1E+09	6.3E+00	4.4E+02	9.7E+02	8.3E+03	4.6E+04	.	8.0E+03	1.9E+03	6.1E+00	3.7E-12
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.91E-04	9.51E-11	1.59E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.4E+03	2.1E+08	4.4E-01	1.7E+01	3.7E+01	3.2E+02	1.8E+03	.	3.1E+02	7.3E+01	4.2E-01	1.8E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.66E-05	5.61E-11	9.13E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	3.6E+03	5.2E+07	3.1E-01	7.0E+00	1.6E+01	1.3E+02	7.5E+02	.	1.3E+02	3.1E+01	2.8E-01	5.1E-12
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.12E-05	2.32E-10	3.67E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.1E+02	6.2E+05	1.2E-01	2.1E-01	4.7E-01	4.0E+00	2.2E+01	.	3.9E+00	9.2E-01	5.9E-02	8.5E-12
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	1.27E-10	3.56E-11	4.29E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.4E+01	6.3E+04	3.0E+02	2.1E-02	4.7E-02	4.0E-01	2.2E+00	.	3.9E-01	9.1E-02	1.2E-02	2.4E+03
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.21E-05	1.52E-10	2.61E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.0E+02	9.3E+05	2.7E-01	4.2E-01	9.2E-01	8.0E+00	4.4E+01	.	7.7E+00	1.8E+00	1.3E-01	1.4E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	1.87E-07	1.27E-10	2.30E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	4.8E+02	2.4E+06	3.7E-01	1.0E+00	2.3E+00	2.0E+01	1.1E+02	.	1.9E+01	4.5E+00	5.7E-01	3.1E-11
Tellurium (52)	Te-127	6.49E+01	3.07E-03	1.8E-11 (S)	5.68E-07	4.02E-11	7.58E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.1E+05	7.4E+05	1.8E-03	4.8E+02	1.1E+03	9.2E+03	5.1E+04	.	8.9E+03	2.1E+03	2.8E+03	8.8E-11
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	7.23E-08	3.24E-10	5.77E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.0E+02	5.2E+05	5.0E+01	2.1E-01	4.7E-01	4.1E+00	2.3E+01	.	3.9E+00	9.3E-01	1.2E-01	1.3E-11
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.94E-06	6.60E-12	1.13E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.2E+07	3.6E+11	1.2E+03	2.4E+04	5.3E+04	4.5E+05	2.5E+06	.	4.4E+05	1.0E+05	1.1E+03	5.1E-11
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.76E-06	5.94E-10	1.10E-09	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.7E+02	2.0E+06	3.1E+00	3.8E-01	8.4E-01	7.2E+00	4.0E+01	.	7.0E+00	1.6E+00	2.0E-03	6.6E-12
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.80E-05	8.23E-12	1.46E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.5E+07	4.6E+11	4.7E+02	5.3E+04	1.2E+05	1.0E+06	5.6E+06	.	9.7E+05	2.3E+05	4.6E+02	8.1E-12
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.82E-04	3.14E-10	5.79E-10	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.7E+03	1.6E+08	1.7E+00	1.9E+01	4.3E+01	3.7E+02	2.0E+03	.	3.5E+02	8.4E+01	1.5E+00	1.9E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.11E-05	6.57E-10	1.22E-09	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.6E+03	2.9E+07	5.8E+00	3.6E+00	8.0E+00	6.9E+01	3.8E+02	.	6.6E+01	1.6E+01	1.5E+00	4.8E-12
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.54E-04	7.28E-12	1.35E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	5.4E+07	1.0E+12	2.9E+02	1.2E+05	2.7E+05	2.3E+06	1.3E+07	.	2.2E+06	5.2E+05	2.9E+02	2.6E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.37E-04	3.06E-11	5.76E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.8E+06	6.0E+10	4.8E-01	6.4E+03	1.4E+04	1.2E+05	6.8E+05	.	1.2E+05	2.8E+04	4.2E+03	1.7E-12
Tellurium (52)	Te-134	8.71E+01	7.95E-05	8.0E-12 (V)	1.01E-04	1.04E-11	1.77E-11	1.36E+09	8.70E-02	1.00E-01	4.80E+02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.2E+07	2.3E+11	1.3E+02	2.5E+04	5.5E+04	4.8E+05	2.7E+06	.	4.6E+05	1.1E+05	1.3E+02	4.0E-12
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	4.99E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	1.1E+07	.	.	.	.	.	.	.	1.1E+07	1.3E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.17E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	1.5E+07	.	.	.	.	.	.	.	1.5E+07	3.1E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	6.37E-07	2.50E-11	3.94E-11	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	7.5E+06	6.0E+08	2.9E+04	1.9E+04	3.3E+04	1.1E+07	1.4E+08	.	.	.	8.5E+03	3.1E-10
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.20E-05	1.90E-09	3.48E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	9.7E+01	3.0E+03	1.7E+00	2.8E-01	4.9E-01	1.7E+02	2.1E+03	.	.	.	1.6E-01	5.3E-12
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	1.52E-07	4.00E-09	6.57E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.4E+00	2.1E+01	3.7E+00	3.6E-03	6.3E-03	2.1E+00	2.6E+01	.	.	.	2.3E-03	2.8E-12
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	6.06E-06	7.85E-09	1.04E-08	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	6.0E-02	1.1E+00	6.4E-03	1.3E-04	2.2E-04	7.4E-02	9.3E-01	.	.	.	7.9E-05	3.7E-10
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	6.22E-06	1.20E-08	1.69E-08	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	3.7E-02	9.7E-01	6.2E-03	8.3E-05	1.4E-04	4.9E-02	6.1E-01	.	.	.	5.2E-05	2.4E-10
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (S)	2.28E-08	3.22E-09	4.49E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.4E-01	5.7E+00	1.7E-00	3.1E-04	5.4E-04	1.8E-01	2.3E+00	.	.	.	2.2E-04	9.5E-09
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	6.72E-07	8.69E-11	1.61E-10	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	3.7E+04	1.2E+05	5.5E+02	1.1E+02	1.9E+02	6.4E+04	8.0E+05	.	.	.	6.1E+03	1.2E-10
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	9.69E-09	3.60E-09	4.97E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.2E-01	4.5E+00	4.0E+00	2.8E-04	4.8E-04	1.6E-01	2.0E+00	.	.	.	1.7E-04	1.6E-03
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.09E-04	4.22E-08	5.86E-08	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.1E-02	2.2E+00	3.5E-04	2.3E-05	4.1E-05	1.4E-02	1.7E-01	.	.	.	1.4E-05	1.3E-04
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.88E-06	1.50E-12	2.34E-12	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.7E+08	3.4E+12	6.5E+03	4.3E+05	7.5E+05	2.5E+08	3.2E+09	.	.	.	6.4E+03	1.8E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	4.80E-07	9.17E-10	1.69E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.5E+02	2.6E+06	3.4E+01	4.5E-01	7.9E-01	2.7E+02	3.3E+03	.	.	.	2.8E-03	1.2E-11
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	2.93E-06	9.17E-10	1.69E-09	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.5E+02	2.6E+06	5.5E+00	4.5E-01	7.9E-01	2.7E+02	3.3E+03	.	.	.	2.7E-03	1.2E-11
Thorium (90)	Th-235	5.13E+00	1.35E-05	0.00E+00	6.69E-06	0.00E+00	0.00E+00	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	1.2E+04	.	.	.	.	.	.	.	1.2E+04	1.1E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.57E-06	7.44E-12	1.21E-11	1.36E+09	1.83E-03	2.10E-03	2.00E+01	6.00E+00	2.30E-04	5.00E-06	.	.	.	2.0E+07	5.8E+11	4.2E+03	5.2E+04	9.0E+04	3.0E+07	3.8E+08	.	.	.	3.7E+03	1.8E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	6.69E-06	9.81E-10	1.71E-09	1.36E+09	1.00E-03	1.00E-01	1.00E+03	1.90E+02	2.00E-02	1.00E-02	.	.	.	4.5E-01	7.0E+02	7.2E-03	1.3E-03	3.5E-03	6.3E-03	3.4E-03	.	.	.	6.0E-04	4.4E-12
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.75E-04	1.04E-09	1.82E-09	1.36E+09	1.00E-03	1.00E-01	1.00E+03	1.90E+02	2.00E-02	1.00E-02	.	.	.	4.3E-01	7.0E+02	1.8E-04	1.2E-03	3.3E-03	6.0E-03	3.2E-03	.	.	.	1.4E-04	1.0E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	1.03E-04	2.52E-11	4.47E-11	1.36E+09	1.00E-03	1.00E-01	1.00E+03	1.90E+02	2.00E-02	1.00E-02	.	.	.	1.1E+06	5.0E+10	3.0E+01	3.1E+03	8.5E+03	1.6E+04	8.4E+03

Radionuclides		Slope Factors and Isotope-specific Information																Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Food Ingestion Slope Factor (risk/Bq)	Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Wet Soil-to-plant transfer factor (L/kg)	Dry Soil-to-plant transfer factor (L/kg)	Distribution coefficient (L/kg)	Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Produce Consumption PRG (Bq/g)	Fish Consumption PRG (Bq/g)	Beef Consumption PRG (Bq/g)	Dairy Consumption PRG (Bq/g)	Swine Consumption PRG (Bq/g)	Poultry Consumption PRG (Bq/g)	Egg Consumption PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	0.00E+00	1.36E+09	1.00E-03	1.00E-01	1.70E+03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.6E+05	.	.	.	.	.	.	.	1.6E+05	4.0E-10
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	8.30E-08	8.05E-09	1.43E-08	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	2.1E+01	1.7E+03	2.3E+02	5.9E-02	1.3E-02	2.0E+01	1.2E+00	7.3E-01	8.4E-01	1.1E+00	1.0E-02	3.7E-13
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	4.48E-06	8.40E-11	1.54E-10	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	9.7E+03	2.2E+08	2.1E+01	2.8E+01	6.2E+00	9.7E+03	5.7E+02	3.4E+02	4.0E+02	5.4E+02	3.9E+00	2.9E-11
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	1.47E-08	1.04E-08	1.45E-08	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	5.2E-02	2.5E+00	3.2E+00	1.1E-04	2.5E-05	4.0E-02	2.3E-03	1.4E-03	1.6E-03	2.2E-03	2.0E-05	8.8E-13
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	1.92E-08	2.62E-09	4.06E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.5E-01	6.9E+00	2.0E+00	3.7E-04	8.2E-05	1.3E-01	7.6E-03	4.6E-03	5.3E-03	7.2E-03	6.4E-05	6.7E-09
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	6.85E-09	2.58E-09	4.01E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.5E-01	7.0E+00	5.7E+00	3.8E-04	8.4E-05	1.3E-01	7.8E-03	4.7E-03	5.4E-03	7.3E-03	6.5E-05	1.1E-08
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.49E-05	2.55E-09	3.99E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.6E-01	7.8E+00	2.6E-03	3.8E-04	8.5E-05	1.3E-01	7.8E-03	4.7E-03	5.4E-03	7.4E-03	6.5E-05	3.0E-05
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.56E-05	2.64E-09	4.15E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.5E-01	7.8E+00	2.5E-03	3.7E-04	8.2E-05	1.3E-01	7.6E-03	4.5E-03	5.2E-03	7.2E-03	6.2E-05	2.9E-05
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	2.87E-16	4.46E-16	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-01	4.40E-02	7.50E-01	1.10E+00	7.8E+11	5.8E+16	.	1.9E+06	4.2E+08	6.6E+11	3.9E+10	2.3E+10	2.7E+10	3.7E+10	3.3E+08	1.1E-05
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	3.35E-09	2.43E-09	3.77E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.6E-01	7.6E+00	1.2E+01	4.0E-04	8.9E-05	1.4E-01	8.2E-03	4.9E-03	5.7E-03	7.8E-03	6.9E-05	1.1E-06
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.01E-05	1.97E-10	3.62E-10	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	2.6E+03	4.0E+07	5.8E+00	7.4E+00	1.6E+00	2.6E+03	1.5E+02	9.1E+01	1.1E+02	1.4E+02	1.1E+00	1.3E-11
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	3.35E-09	2.34E-09	3.63E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.7E-01	8.2E+00	1.2E+01	4.2E-04	9.2E-05	1.4E-01	8.5E-03	5.1E-03	5.9E-03	8.1E-03	7.2E-05	2.1E-04
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.22E-06	3.26E-09	5.32E-09	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.2E-01	8.2E+00	1.2E-02	3.0E-04	6.6E-05	1.0E-01	6.1E-03	3.7E-03	4.2E-03	5.8E-03	5.2E-05	1.5E-04
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	3.22E-06	2.86E-12	4.84E-12	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	8.0E+07	2.0E+12	7.5E+03	2.1E+05	4.7E+04	7.4E+07	4.3E+06	2.6E+06	3.0E+06	4.1E+06	6.2E+03	1.9E-10
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	3.12E-07	2.74E-10	5.04E-10	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	2.1E+04	1.1E+05	2.1E+03	6.1E+01	1.4E+01	2.1E+04	1.3E+03	7.5E+02	8.7E+02	1.2E+03	1.1E+01	1.1E-11
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.10E-06	3.23E-12	4.91E-12	1.36E+09	5.39E-03	6.20E-03	4.00E-01	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.1E+08	3.3E+12	8.2E+03	2.6E+05	5.8E+04	9.1E+07	5.4E+06	3.2E+06	3.7E+06	5.1E+06	6.9E+03	1.5E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.18E-04	4.21E-12	7.43E-12	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	3.7E+07	1.4E+12	1.5E+02	9.4E+04	1.5E+05	9.5E+05	5.1E+06	.	.	.	1.5E+03	1.2E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.79E-04	3.19E-10	5.54E-10	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	7.1E+02	1.2E+07	6.5E-02	2.0E+00	3.2E+00	2.0E+01	1.1E+02	.	.	.	6.1E-02	3.6E-13
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	4.79E-12	8.88E-12	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	2.1E+03	2.1E+07	.	6.3E+00	1.0E+01	6.4E+01	3.5E+02	.	.	.	3.6E+00	4.5E-10
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.95E-04	2.15E-10	3.19E-10	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	1.6E+00	1.7E+03	1.7E-04	3.8E-03	6.2E-03	3.9E-02	2.1E-01	.	.	.	1.5E-04	3.2E+03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.98E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	.	.	7.6E+02	.	.	.	.	.	.	.	7.6E+02	7.9E-13
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.35E-04	0.00E+00	0.00E+00	1.36E+09	2.00E-03	1.00E-01	3.00E+02	9.70E+01	1.00E-02	5.00E-04	.	.	.	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	1.2E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-04	7.37E-12	1.25E-11	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	5.5E+06	1.8E+11	4.3E+01	3.7E+03	9.7E+02	4.4E+03	2.4E+05	.	.	.	4.0E+03	5.0E-12
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	4.86E-07	5.39E-11	9.83E-11	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	3.0E+03	2.9E+07	3.7E+01	2.1E+00	5.6E-01	2.5E+00	1.4E+02	.	.	.	3.7E-01	1.1E-11
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.10E-05	5.39E-11	9.83E-11	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	3.0E+03	2.9E+07	1.7E+00	2.1E+00	5.6E-01	2.5E+00	1.4E+02	.	.	.	3.1E-01	9.1E-12
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	1.59E-06	2.87E-13	4.55E-13	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	5.4E+08	2.6E+13	9.5E+03	3.4E+05	8.9E+04	4.0E+05	2.2E+07	.	.	.	8.2E+03	2.9E-10
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	3.28E-06	0.00E+00	0.00E+00	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	.	.	2.7E+04	.	.	.	.	.	.	.	2.7E+04	1.6E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	1.29E-06	1.76E-11	3.19E-11	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	1.6E+03	1.4E+07	2.5E+00	1.2E+00	3.1E-01	1.4E+00	7.7E+01	.	.	.	1.9E-01	3.2E-11
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	7.61E-09	1.16E-10	2.16E-10	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	3.9E+02	1.9E+06	6.9E+02	2.8E-01	7.5E-02	3.4E-01	1.9E+01	.	.	.	5.0E-02	5.4E-12
Tungsten (74)	W-185m	2.28E+01	3.04E-06	0.00E+00	1.63E-06	0.00E+00	0.00E+00	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	.	.	2.2E+05	.	.	.	.	.	.	.	2.2E+05	3.4E-10
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.18E-05	1.37E-10	2.53E-10	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	2.5E+04	1.0E+09	7.7E+00	1.8E+01	4.8E+00	2.2E+01	1.2E+03	.	.	.	2.3E+00	3.2E-12
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	1.90E-07	5.52E-10	1.03E-09	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	8.7E+01	5.0E+05	3.0E+01	6.4E-02	1.7E-02	7.6E-02	4.3E+00	.	.	.	1.1E-02	1.1E-12
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	9.75E-06	6.19E-12	9.72E-12	1.36E+09	8.00E-01	3.00E+00	1.50E+02	1.20E+03	4.00E-02	1.90E-04	.	.	.	3.1E+07	6.6E+11	1.9E+03	1.9E+04	5.1E+03	2.3E+04	1.3E+06	.	.	.	1.2E+03	3.7E-11
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.23E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.3E+02	.	.	.	.	.	.	.	3.3E+02	8.5E-12
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.89E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	7.4E+02	.	.	.	.	.	.	.	7.4E+02	1.9E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	4.95E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	9.4E+01	.	.	.	.	.	.	.	9.4E+01	7.4E-11
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.45E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.1E+01	.	.	.	.	.	.	.	6.1E+01	5.0E-12
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.53E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.2E+01	.	.	.	.	.	.	.	2.2E+01	1.5E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.57E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.2E-01	.	.	.	.	.	.	.	4.2E-01	1.5E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.30E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.8E+04	.	.	.	.	.	.	.	3.8E+04	2.9E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.15E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.8E+01	.	.	.	.	.	.	.	3.8E+01	3.4E-10
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	3.91E-07	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	8.4E+01	.	.	.	.	.	.	.	8.4E+01	1.0E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	1.82E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.1E+01	.	.	.	.	.	.	.	4.1E+01	2.2E-10
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.50E-06	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	7.1E+01	.	.	.	.	.	.	.	7.1E+01	1.6E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.62E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.9E+01	.	.	.	.	.	.	.	3.9E+01	1.5E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.99E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	7.4E+02	.	.	.	.	.	.	.	7.4E+02	8.1E-12
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.49E-05	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.9E+03	.	.	.	.	.	.	.	5.9E+03	1.7E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.51E-04	0.00E+00	0.00E+00	1.36E+09	0.00E+00	0.00E+00	.	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.6E+02	.	.	.	.	.	.	.	2.6E+02	2.7E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.35E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	1.8E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.63E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	4.9E+02	.	.	.	.	.	.	.	4.9E+02	1.5E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.69E-05	0.00E+00	0.00E+00	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	2.6E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	5.05E-04	1.14E-11	1.81E-11	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.3E+07	5.7E+11	2.8E+01	3.2E+04	2.0E+04	2.2E+06	2.0E+07	.	3.4E+07	3.4E+08	2.8E+07	5.0E-13
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.28E-04	2.89E-11	5.10E-11	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.1E+06	5.5E+10	2.7E+01	3.1E+03	1.9E+03	2.1E+05	1.9E+06	.	3.3E+06	3.3E+07	2.7E+03	2.0E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.68E-04	7.08E-11	1.28E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	2.4E+05	1.4E+10	1.2E+01	7.0E+02	4.3E+02	4.8E+04	4.3E+05	.	7.4E+05	7.4E+06	1.1E+03	1.5E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.67E-04	1.53E-10	2.66E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	3.8E+04	2.1E+09	1.4E+00	1.1E+02	6.5E+01	7.3E+03	6.6E+04	.	1.1E+05	1.1E+06	1.3E+00	5.3E-13
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.25E-05	8.88E-12	1.54E-11	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.2E+07	6.4E+11	5.2E+02	3.4E+04	2.1E+04	2.3E+06	2.1E+07	.	3.6E+07	3.6E+08	5.0E+02	1.1E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	5.11E-05	9.99E-11	1.77E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.1E+04	4.0E+08	2.3E+00	3.0E+01	1.9E+01	2.1E+03	1.9E+04	.	3.2E+04	3.2E+05	1.9E+00	4.3E-12
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.44E-05	4.34E-11	7.78E-11	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.4E+05	6.3E+09	2.0E+01	4.2E+02	2.5E+02	2.8E+04	2.6E+05	.	4.4E+05	4.4E+06	1.8E+03	6.7E-12
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.69E-04	1.59E-10	2.60E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	2.3E+02	9.0E+05	9.9E-03	5.9E-01	3.6E-01	4.0E+01	3.7E+02	.	6.3E+02	6.3E+03	9.5E-03	6.9E-13
Yttrium (39)	Y-89m	1.40E+04	4.97E-07	0.00E+00	1.15E-04	0.00E+00	0.00E+00	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	1.9E+04	.	.	.	.	.	.	.	1.9E+04	2.3E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	5.14E-07	7.15E-10	1.33E-09	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.8E+03	8.8E+07	2.8E+02	5.3E+00	3.2E+00	3.6E+02	3.2E+03	.	5.6E+03	5.6E+04	2.0E+00	3.6E-12
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-05	4.11E-11	7.53E-11	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	6.3E+05	3.1E+10	4.2E+01	1.8E+03	1.1E+03	1.2E+05	1.1E+06	.	2.0E+06	2.0E+07	3.9E+03	3.6E-12
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.15E-07	6.37E-10	1.18E-09	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	9.1E+01	1.0E+06	1.1E+01	2.7E-01	1.7E-01	1.8E+01	1.7E+02	.	2.9E+02	2.9E+03	1.0E-01	4.1E-12
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.31E-05	1.34E-12	2.20E-12	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	8.3E+07	1.9E+12	1.8E+02	2.2E+05	1.3E+05	1.5E+07	1.3E+08	.	2.3E+08	2.3E+09	1.8E+02	4.3E-12
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.41E-05	9.79E-11	1.78E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	2.4E+05	1.4E+10	7.8E+01	7.0E+02	4.3E+02	4.7E+04	4.3E+05	.	7.4E+05	7.4E+06	6.0E+02	6.3E-12
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.34E-05	2.87E-10	5.30E-10	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	2.8E+04	1.7E+05	6.9E+01	8.3E+01	5.1E+01	5.6E+03	5.1E+04	.	8.8E+04	8.8E+05	2.1E+01	6.5E-12
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	1.03E-04	5.24E-12	7.99E-12	1.36E+09	4.35E-04	5.00E-04	4.70E+01	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	6.1E+07	2.7E

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.22E-09	.	8.1E+07	8.1E+07	.	1.2E+01	1.2E+01
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	2.30E-08	3.2E+01	9.9E+04	3.2E+01	3.7E-04	1.1E+00	3.7E-04
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.39E-09	5.1E-03	1.9E+04	5.1E-03	5.0E-06	1.9E+01	5.0E-06
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	4.54E-09	5.1E-03	5.8E+03	5.1E-03	5.0E-06	5.7E+00	5.0E-06
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.38E-08	2.7E-01	1.6E+04	2.7E-01	3.2E-05	1.9E+00	3.2E-05
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	8.52E-12	1.7E-06	5.4E+03	1.7E-06	9.6E-07	3.1E+03	9.6E-07
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.02E-07	1.1E+02	1.0E+04	1.1E+02	2.9E-03	2.6E-01	2.9E-03
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	6.69E-08	.	2.8E+06	2.8E+06	.	3.9E-01	3.9E-01
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.51E-08	.	1.1E+06	1.1E+06	.	5.8E-01	5.8E-01
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.43E-07	.	1.3E+06	1.3E+06	.	1.8E-01	1.8E-01
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.68E-08	.	2.8E+06	2.8E+06	.	4.6E-01	4.6E-01
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.35E-07	.	5.1E+05	5.1E+05	.	7.8E-02	7.8E-02
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.81E-07	8.0E+06	1.9E+05	1.8E+05	6.1E+00	1.4E-01	1.4E-01
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.07E-07	5.9E+06	7.2E+04	7.1E+04	5.3E+00	6.4E-02	6.3E-02
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.48E-07	.	2.0E+05	2.0E+05	.	1.0E-01	1.0E-01
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.56E-08	5.4E+05	6.0E+04	5.4E+04	2.4E+00	2.7E-01	2.5E-01
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.16E-07	4.6E+05	1.7E+04	1.7E+04	2.2E+00	8.3E-02	8.0E-02
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.14E-07	1.0E+06	5.3E+04	5.0E+04	2.4E+00	1.2E-01	1.2E-01
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.59E-08	1.1E+01	1.1E+02	1.0E+01	4.5E-02	4.7E-01	4.1E-02
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.11E-10	.	4.7E+08	4.7E+08	.	2.3E+02	2.3E+02
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	7.86E-08	3.1E+06	2.0E+05	1.9E+05	5.1E+00	3.3E-01	3.1E-01
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.28E-07	4.9E+01	9.7E+01	3.3E+01	4.0E-02	7.9E-02	2.7E-02
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.37E-09	.	6.8E+07	6.8E+07	.	1.1E+01	1.1E+01
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	1.4E-03	1.5E-01	1.4E-03	1.4E-03	1.4E-01	1.3E-03
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	1.4E-03	1.5E-01	1.4E-03	1.4E-03	1.4E-01	1.3E-03
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	3.63E-10	.	1.6E+09	1.6E+09	.	7.2E+01	7.2E+01
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.45E-09	.	2.1E+08	2.1E+08	.	5.9E+00	5.9E+00
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.3E-01	3.2E+00	1.2E-01	3.1E-03	8.0E-02	3.0E-03
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.3E-01	3.2E+00	1.2E-01	3.1E-03	8.0E-02	3.0E-03
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	3.05E-09	2.6E+01	1.2E+04	2.6E+01	1.9E-02	8.6E+00	1.9E-02
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	4.10E-10	.	8.6E+08	8.6E+08	.	6.4E+01	6.4E+01
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	8.46E-08	1.4E+04	2.4E+04	9.0E+03	1.9E-01	3.1E-01	1.2E-01
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.55E-09	7.2E+03	1.4E+05	6.8E+03	1.6E-01	3.0E+00	1.5E-01
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.38E-08	.	1.4E+07	1.4E+07	.	1.1E+00	1.1E+00
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.38E-08	.	1.5E+08	1.5E+08	.	7.7E-01	7.7E-01
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	5.96E-08	1.4E+06	3.2E+05	2.6E+05	1.9E+00	4.4E-01	3.6E-01
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.70E-07	.	5.2E+05	5.2E+05	.	9.6E-02	9.6E-02
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.65E-07	.	1.9E+06	1.9E+06	.	1.6E-01	1.6E-01
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.73E-07	.	6.7E+05	6.7E+05	.	9.6E-02	9.6E-02
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.28E-07	4.9E-04	7.9E-02	4.9E-04	4.9E-04	7.9E-02	4.9E-04
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.26E-07	.	7.5E+05	7.5E+05	.	1.2E-01	1.2E-01
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.70E-07	.	3.4E+05	3.4E+05	.	1.5E-01	1.5E-01
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.88E-08	4.5E+05	1.3E+05	1.0E+05	2.2E+00	6.7E-01	5.2E-01
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.04E-07	1.9E+05	3.7E+04	3.1E+04	1.3E+00	2.5E-01	2.1E-01
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	2.30E-08	3.1E+03	2.3E+04	2.8E+03	1.5E-01	1.1E+00	1.3E-01
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.19E-07	4.4E+02	1.0E+03	3.1E+02	9.3E-02	2.2E-01	6.5E-02
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	1.57E-09	3.9E-06	1.7E+01	3.9E-06	3.8E-06	1.7E+01	3.8E-06
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	1.33E-09	3.2E+01	3.0E+05	3.2E+01	2.1E-03	2.0E+01	2.1E-03
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	4.35E-11	4.6E-06	6.6E+02	4.6E-06	4.2E-06	6.0E+02	4.2E-06
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.68E-09	4.6E-06	1.7E+01	4.6E-06	4.2E-06	1.6E+01	4.2E-06
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	4.61E-09	3.9E-06	5.7E+00	3.9E-06	3.9E-06	5.7E+00	3.9E-06
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	2.27E-08	3.9E-06	1.2E+00	3.9E-06	3.9E-06	1.2E+00	3.9E-06
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.09E-08	9.0E+02	6.9E+03	8.0E+02	3.7E-02	2.9E-01	3.3E-02
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.93E-09	6.0E+05	7.6E+06	5.6E+05	1.1E+00	1.4E+01	1.0E+00
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	3.28E-09	1.0E+05	9.4E+05	9.1E+04	8.5E-01	7.9E+00	7.7E-01
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.20E-08	3.5E+05	1.2E+05	8.8E+04	9.2E-01	3.2E-01	2.4E-01
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.16E-07	2.0E+06	1.3E+05	1.2E+05	3.4E+00	2.3E-01	2.1E-01
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.39E-08	1.9E+06	1.2E+06	7.2E+05	2.9E+00	1.9E+00	1.1E+00
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	5.24E-11	.	5.2E+02	5.2E+02	.	5.0E+02	5.0E+02
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.57E-07	.	2.2E+04	2.2E+04	.	1.7E-01	1.7E-01
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	5.84E-11	.	6.6E+02	6.6E+02	.	4.5E+02	4.5E+02
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.60E-08	1.7E-01	1.1E+00	1.5E-01	1.1E-01	7.2E-01	9.9E-02
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	1.91E-07	.	3.7E+05	3.7E+05	.	1.4E-01	1.4E-01
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.41E-07	.	1.3E+05	1.3E+05	.	1.1E-01	1.1E-01
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.45E-07	.	3.4E+05	3.4E+05	.	5.9E-02	5.9E-02
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.31E-07	3.2E+06	1.9E+05	1.8E+05	3.4E+00	2.0E-01	1.9E-01
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.08E-07	2.7E+05	1.4E+04	1.4E+04	9.8E-01	5.1E-02	4.9E-02
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.44E-08	3.3E+02	1.5E+03	2.7E+02	9.0E-02	4.0E-01	7.3E-02
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.07E-07	3.0E+02	1.2E+03	2.4E+02	3.2E-02	1.3E-01	2.5E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	3.57E-10	3.6E+00	9.2E+03	3.6E+00	2.9E-02	7.3E+01	2.9E-02
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	8.58E-08	8.5E+00	1.7E+02	8.1E+00	1.5E-02	3.0E-01	1.4E-02
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	4.92E-08	3.2E+02	5.0E+03	3.0E+02	3.4E-02	5.3E-01	3.2E-02
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.72E-10	4.8E+02	1.7E+05	4.8E+02	7.6E-02	2.7E+01	7.6E-02
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.58E-07	8.6E+04	2.6E+04	2.0E+04	5.3E-01	1.6E-01	1.3E-01
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.39E-09	.	9.6E+06	9.6E+06	.	5.9E+00	5.9E+00
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.63E-07	.	1.6E+05	1.6E+05	.	9.9E-02	9.9E-02
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.32E-07	3.3E+04	1.1E+05	2.6E+04	6.0E-02	2.0E-01	4.6E-02
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	2.85E-07	8.5E+04	4.4E+04	2.9E+04	1.8E-01	9.2E-02	6.1E-02
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.38E-07	2.6E+03	1.5E+04	2.2E+03	1.9E-02	1.1E-01	1.6E-02
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.57E-07	1.1E+04	1.1E+04	5.4E+03	7.2E-02	7.3E-02	3.6E-02
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.61E-07	6.9E+02	4.5E+03	6.0E+02	1.5E-02	1.0E-01	1.3E-02
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.57E-07	1.2E+02	2.2E+03	1.1E+02	3.9E-03	7.3E-02	3.7E-03
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	3.08E-09	1.2E+01	2.9E+05	1.2E+01	3.6E-04	8.5E+00	3.6E-04
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	3.63E-09	1.2E+01	2.4E+05	1.2E+01	3.6E-04	7.2E+00	3.6E-04
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.90E-11	.	1.2E+16	1.2E+16	.	1.4E+03	1.4E+03
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	2.32E-10	.	3.3E+14	3.3E+14	.	1.1E+02	1.1E+02
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.64E-11	.	2.7E+13	2.7E+13	.	9.9E+02	9.9E+02
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	8.33E-13	.	1.8E+13	1.8E+13	.	3.1E+04	3.1E+04
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.05E-08	.	2.0E+06	2.0E+06	.	5.2E-01	5.2E-01
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.73E-07	4.8E+06	2.1E+05	2.0E+05	3.5E+00	1.5E-01	1.4E-01
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.26E-07	.	3.6E+05	3.6E+05	.	2.1E-01	2.1E-01
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	2.95E-07	1.1E+06	3.0E+04	2.9E+04	3.4E+00	8.8E-02	8.6E-02
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.41E-08	5.5E+04	3.1E+04	2.0E+04	7.2E-01	4.1E-01	2.6E-01
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.37E-07	2.8E+04	5.4E+03	4.5E+03	5.7E-01	1.1E-01	9.2E-02
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.57E-08	4.9E+03	2.3E+04	4.0E+03	3.5E-01	1.7E+00	2.9E-01
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	2.09E-08	.	2.8E+08	2.8E+08	.	1.2E+00	1.2E+00
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.22E-07	1.2E+03	1.4E+03	6.4E+02	1.9E-01	2.1E-01	1.0E-01
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	6.44E-09	1.2E+00	2.2E+02	1.2E+00	2.2E-02	4.0E+00	2.1E-02
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	2.12E-08	.	3.5E+07	3.5E+07	.	1.2E+00	1.2E+00
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	5.08E-08	1.8E+02	8.4E+02	1.5E+02	1.1E-01	5.1E-01	9.1E-02
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	2.37E-08	2.0E+03	2.8E+04	1.9E+03	8.0E-02	1.1E+00	7.5E-02
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.51E-08	1.3E+02	2.2E+03	1.3E+02	3.6E-02	5.8E-01	3.4E-02
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	5.46E-08	8.6E+01	2.1E+03	8.3E+01	1.9E-02	4.8E-01	1.9E-02
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	9.75E-09	1.4E+02	8.6E+03	1.4E+02	4.5E-02	2.7E+00	4.4E-02
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.28E-08	5.1E+05	2.4E+05	1.6E+05	1.7E+00	7.9E-01	5.4E-01
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.23E-07	7.2E+02	1.5E+03	4.9E+02	5.5E-02	1.2E-01	3.7E-02
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	3.98E-09	2.5E+06	3.7E+06	1.5E+06	4.4E+00	6.6E+00	2.6E+00
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.10E-08	.	3.8E+07	3.8E+07	.	1.2E+00	1.2E+00
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.34E-08	4.7E+06	5.4E+05	4.9E+05	3.5E+00	4.1E-01	3.7E-01
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.47E-08	5.8E+04	5.9E+04	2.9E+04	4.0E-01	4.0E-01	2.0E-01
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.20E-08	8.0E+06	3.6E+05	3.5E+05	7.0E+00	3.2E-01	3.0E-01
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	5.18E-09	7.5E+01	2.1E+04	7.5E+01	1.8E-02	5.0E+00	1.8E-02
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.63E-08	1.8E+05	7.8E+04	5.4E+04	1.6E+00	7.2E-01	5.0E-01
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.83E-07	1.6E+05	1.6E+04	1.5E+04	1.4E+00	1.4E-01	1.3E-01
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	5.02E-08	3.9E+01	4.6E+02	3.6E+01	4.4E-02	5.2E-01	4.0E-02
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	6.41E-09	7.8E+06	4.1E+06	2.7E+06	7.8E+00	4.1E+00	2.7E+00
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	4.04E-08	1.2E-02	1.8E+00	1.2E-02	4.3E-03	6.5E-01	4.3E-03
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.93E-09	3.9E+02	2.7E+04	3.9E+02	6.3E-02	4.4E+00	6.2E-02
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	5.11E-09	6.9E+02	4.3E+04	6.8E+02	8.2E-02	5.1E+00	8.1E-02
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	6.82E-08	.	2.2E+06	2.2E+06	.	3.8E-01	3.8E-01
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	5.36E-09	1.3E+05	8.5E+05	1.2E+05	7.6E-01	4.9E+00	6.6E-01
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.00E-08	4.9E+00	1.0E+03	4.9E+00	6.2E-03	1.3E+00	6.2E-03
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.08E-07	1.1E+06	1.9E+05	1.6E+05	1.4E+00	2.4E-01	2.0E-01
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.22E-07	4.3E+06	2.9E+05	2.7E+05	3.1E+00	2.1E-01	2.0E-01
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	6.41E-11	1.5E-03	4.1E+02	1.5E-03	1.5E-03	4.1E+02	1.5E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.59E-09	1.3E+02	8.9E+02	1.1E+02	6.6E-01	4.7E+00	5.8E-01
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	1.99E-07	.	2.0E+05	2.0E+05	.	1.3E-01	1.3E-01
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.78E-07	6.9E+05	3.8E+04	3.6E+04	1.7E+00	9.4E-02	8.9E-02
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.07E-07	9.6E+04	1.7E+04	1.4E+04	7.2E-01	1.3E-01	1.1E-01
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.22E-07	1.6E+05	1.1E+04	1.1E+04	1.1E+00	8.1E-02	7.5E-02
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	2.88E-07	3.4E+03	1.9E+03	1.2E+03	1.7E-01	9.1E-02	5.9E-02
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.41E-07	3.5E+03	1.7E+03	1.1E+03	1.6E-01	7.6E-02	5.2E-02
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.04E-07	2.6E+01	8.5E+01	2.0E+01	3.9E-02	1.3E-01	3.0E-02
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	3.85E-07	3.6E+01	1.1E+02	2.7E+01	2.2E-02	6.8E-02	1.7E-02
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.79E-07	1.9E-03	2.2E-01	1.9E-03	1.3E-03	1.5E-01	1.3E-03
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.47E-07	1.4E-03	7.5E-02	1.4E-03	1.4E-03	7.5E-02	1.4E-03
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	1.43E-10	6.3E-01	3.7E+05	6.3E-01	3.1E-04	1.8E+02	3.1E-04
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.86E-08	4.9E-06	9.1E-01	4.9E-06	4.9E-06	9.1E-01	4.9E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.88E-08	4.9E-06	9.0E-01	4.9E-06	4.9E-06	9.0E-01	4.9E-06
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.18E-09	.	3.4E+07	3.4E+07	.	5.0E+00	5.0E+00
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	4.1E+02	5.0E+05	4.1E+02	1.7E-03	2.1E+00	1.7E-03
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	4.1E+02	5.0E+05	4.1E+02	1.7E-03	2.1E+00	1.7E-03
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	2.41E-10	.	2.2E+08	2.2E+08	.	1.1E+02	1.1E+02
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	6.2E+02	5.8E+05	6.2E+02	1.9E-03	1.8E+00	1.9E-03
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	6.2E+02	5.8E+05	6.2E+02	1.9E-03	1.8E+00	1.9E-03
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	3.4E+03	1.1E+05	3.3E+03	4.6E-03	1.4E-01	4.5E-03
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	3.4E+03	1.1E+05	3.3E+03	4.6E-03	1.4E-01	4.5E-03
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.88E-08	.	1.7E+06	1.7E+06	.	9.0E-01	9.0E-01
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.89E-08	.	1.7E+06	1.7E+06	.	9.0E-01	9.0E-01
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.43E-08	.	2.1E+06	2.1E+06	.	3.1E-01	3.1E-01
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	2.29E-08	3.6E+01	2.3E+03	3.6E+01	1.8E-02	1.1E+00	1.7E-02
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	9.69E-08	8.4E+02	1.5E+03	5.4E+02	1.5E-01	2.7E-01	9.6E-02
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.48E-08	3.0E-06	1.8E+00	3.0E-06	3.0E-06	1.8E+00	3.0E-06
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.49E-09	2.8E+01	4.9E+04	2.8E+01	2.7E-03	4.7E+00	2.7E-03
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	3.06E-13	3.7E-02	2.6E+06	3.7E-02	1.2E-03	8.5E+04	1.2E-03
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.06E-07	8.0E+03	1.9E+04	5.6E+03	1.1E-01	2.5E-01	7.4E-02
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	8.39E-09	4.0E+05	8.1E+05	2.7E+05	1.5E+00	3.1E+00	1.0E+00
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.53E-07	.	8.2E+05	8.2E+05	.	7.4E-02	7.4E-02
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.63E-07	.	6.9E+05	6.9E+05	.	1.6E-01	1.6E-01
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	5.87E-07	1.2E+06	2.5E+04	2.5E+04	2.2E+00	4.4E-02	4.4E-02
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.08E-07	3.6E+05	1.6E+04	1.6E+04	1.1E+00	5.1E-02	4.9E-02
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.35E-07	1.8E+05	2.9E+04	2.5E+04	1.2E+00	1.9E-01	1.7E-01
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.41E-07	1.9E+03	1.1E+03	7.1E+02	1.3E-01	7.6E-02	4.8E-02
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	2.27E-09	.	7.7E+09	7.7E+09	.	1.1E+01	1.1E+01
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.53E-08	2.8E+03	3.1E+03	1.5E+03	6.5E-01	7.4E-01	3.4E-01
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.44E-09	.	6.2E+07	6.2E+07	.	1.8E+01	1.8E+01
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.17E-07	.	5.0E+05	5.0E+05	.	2.2E-01	2.2E-01
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.03E-09	4.5E+06	2.4E+06	1.6E+06	5.5E+00	2.9E+00	1.9E+00
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	5.14E-10	2.3E+04	2.8E+06	2.2E+04	4.1E-01	5.1E+01	4.1E-01
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.09E-07	5.5E+02	5.8E+02	2.8E+02	8.0E-02	8.4E-02	4.1E-02
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.53E-10	.	1.8E+08	1.8E+08	.	7.4E+01	7.4E+01
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.80E-10	1.1E+05	3.0E+06	1.1E+05	1.1E+00	3.0E+01	1.0E+00
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.26E-07	8.7E+05	5.3E+04	5.0E+04	1.9E+00	1.2E-01	1.1E-01
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.31E-07	.	1.9E+05	1.9E+05	.	7.9E-02	7.9E-02
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	8.58E-09	.	1.5E+07	1.5E+07	.	3.0E+00	3.0E+00
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	1.99E-07	.	6.0E+06	6.0E+06	.	1.3E-01	1.3E-01
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.15E-07	.	.	.	.	.	.
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	1.16E-12	.	.	.	.	.	.
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	2.4E-01	.	2.4E-01	2.4E-01	.	2.4E-01
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	6.19E-12	6.9E-01	2.6E+05	6.9E-01	1.1E-02	4.2E+03	1.1E-02
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.28E-07	3.6E+01	4.6E+02	3.3E+01	1.6E-02	2.0E-01	1.5E-02
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.29E-07	.	1.0E+05	1.0E+05	.	6.1E-02	6.1E-02
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	2.97E-07	.	9.4E+05	9.4E+05	.	8.8E-02	8.8E-02
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.44E-08	.	7.3E+05	7.3E+05	.	2.8E-01	2.8E-01
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.56E-07	.	2.0E+05	2.0E+05	.	1.0E-01	1.0E-01
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.54E-08	2.6E+05	2.6E+05	1.3E+05	1.0E+00	1.0E+00	5.1E-01
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.57E-07	7.5E+05	4.4E+04	4.1E+04	2.9E+00	1.7E-01	1.6E-01
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	1.16E-09	1.7E+04	8.4E+05	1.7E+04	4.6E-01	2.3E+01	4.5E-01
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	4.99E-10	1.4E-01	1.1E+03	1.4E-01	6.5E-03	5.2E+01	6.5E-03
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	3.00E-08	9.7E+05	2.6E+05	2.1E+05	3.2E+00	8.7E-01	6.9E-01
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.02E-11	1.3E-03	2.6E+03	1.3E-03	1.3E-03	2.5E+03	1.3E-03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	4.73E-11	2.5E-03	1.3E+03	2.5E-03	1.1E-03	5.5E+02	1.1E-03
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.17E-08	1.2E+02	5.5E+03	1.2E+02	2.7E-02	1.2E+00	2.7E-02
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.20E-09	1.1E+00	1.4E+03	1.1E+00	4.9E-03	6.2E+00	4.9E-03
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.30E-07	2.1E+04	2.0E+04	1.0E+04	2.2E-01	2.0E-01	1.0E-01
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.53E-07	1.6E+04	7.4E+03	5.1E+03	2.2E-01	1.0E-01	7.0E-02
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	3.19E-11	1.9E+05	2.4E+08	1.9E+05	6.7E-01	8.2E+02	6.7E-01
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.03E-07	.	7.0E+05	7.0E+05	.	1.3E-01	1.3E-01
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	2.84E-07	.	6.1E+05	6.1E+05	.	9.2E-02	9.2E-02
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.36E-08	1.3E+06	3.1E+05	2.5E+05	2.0E+00	4.9E-01	3.9E-01
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.88E-07	8.1E+06	2.0E+05	1.9E+05	5.7E+00	1.4E-01	1.4E-01
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.71E-08	1.5E+04	6.7E+04	1.2E+04	2.2E-01	9.6E-01	1.8E-01
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.68E-08	1.3E+05	6.9E+04	4.5E+04	8.7E-01	4.6E-01	3.0E-01
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.02E-07	2.1E+04	6.4E+03	4.9E+03	4.2E-01	1.3E-01	9.8E-02
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	9.12E-10	5.8E+01	9.2E+04	5.8E+01	1.8E-02	2.9E+01	1.8E-02
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.09E-08	4.6E+03	3.9E+03	2.1E+03	3.3E-01	2.9E-01	1.5E-01
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	2.00E-09	8.7E+04	3.5E+05	7.0E+04	3.2E+00	1.3E+01	2.6E+00
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.54E-09	4.7E+02	4.0E+04	4.7E+02	6.7E-02	5.7E+00	6.6E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.47E-08	1.5E+00	1.3E+02	1.5E+00	2.1E-02	1.8E+00	2.0E-02
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	7.57E-09	3.3E+00	1.1E+03	3.3E+00	1.1E-02	3.4E+00	1.1E-02
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.94E-08	2.6E+02	6.5E+03	2.5E+02	3.5E-02	8.9E-01	3.4E-02
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.75E-09	2.8E-02	5.3E+02	2.8E-02	7.9E-04	1.5E+01	7.9E-04
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.31E-09	2.8E-02	1.5E+02	2.8E-02	7.9E-04	4.1E+00	7.9E-04
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.12E-08	.	1.4E+06	1.4E+06	.	2.9E-01	2.9E-01
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	8.52E-12	3.3E+03	2.3E+09	3.3E+03	4.4E-03	3.1E+03	4.4E-03
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	1.07E-11	5.8E-01	1.7E+07	5.8E-01	8.6E-05	2.4E+03	8.6E-05
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	8.77E-09	1.1E+05	2.3E+05	7.3E+04	1.4E+00	3.0E+00	9.3E-01
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.89E-11	1.7E-04	1.6E+04	1.7E-04	5.6E-06	5.3E+02	5.6E-06
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-08	3.1E-06	7.5E-01	3.1E-06	2.9E-06	7.2E-01	2.9E-06
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.22E-09	9.2E-06	5.1E+01	9.2E-06	3.8E-06	2.1E+01	3.8E-06
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	1.19E-08	2.9E-06	2.2E+00	2.9E-06	2.9E-06	2.2E+00	2.9E-06
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	5.65E-08	3.4E-05	4.8E+00	3.4E-05	3.2E-06	4.6E-01	3.2E-06
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	4.20E-11	1.5E-02	3.5E+05	1.5E-02	2.6E-05	6.2E+02	2.6E-05
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.09E-06	1.6E-04	2.1E+00	1.6E-04	9.4E-07	1.2E-02	9.4E-07
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	5.49E-11	1.1E+03	8.1E+07	1.1E+03	6.3E-03	4.7E+02	6.3E-03
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.18E-07	.	1.3E+08	1.3E+08	.	2.2E-01	2.2E-01
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.64E-07	7.4E+05	4.5E+04	4.2E+04	1.6E+00	9.9E-02	9.3E-02
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	9.34E-11	1.4E-03	2.8E+02	1.4E-03	1.4E-03	2.8E+02	1.4E-03
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	1.87E-07	5.6E+05	5.5E+04	5.0E+04	1.4E+00	1.4E-01	1.3E-01
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.77E-07	3.8E+05	3.9E+04	3.5E+04	1.4E+00	1.5E-01	1.3E-01
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.36E-07	.	5.2E+05	5.2E+05	.	4.9E-02	4.9E-02
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	7.45E-09	2.3E+03	3.5E+05	2.3E+03	2.2E-02	3.5E+00	2.2E-02
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.59E-08	4.5E+04	8.4E+04	2.9E+04	5.4E-01	1.0E+00	3.5E-01
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	9.34E-12	4.6E-03	1.0E+06	4.6E-03	1.2E-05	2.8E+03	1.2E-05
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.33E-08	3.6E-01	1.5E+02	3.6E-01	1.2E-03	4.9E-01	1.2E-03
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	7.95E-12	4.4E-04	2.0E+05	4.4E-04	7.1E-06	3.3E+03	7.1E-06
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.32E-08	6.0E-06	3.1E+00	6.0E-06	3.9E-06	2.0E+00	3.9E-06
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	8.52E-12	7.9E-06	6.0E+03	7.9E-06	4.0E-06	3.1E+03	4.0E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	9.78E-09	3.8E-06	2.7E+00	3.8E-06	3.7E-06	2.7E+00	3.7E-06
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.54E-10	3.8E-06	5.8E+01	3.8E-06	3.7E-06	5.7E+01	3.7E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.47E-08	4.1E-06	7.5E-01	4.1E-06	4.1E-06	7.5E-01	4.1E-06
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-08	4.1E-06	7.1E-01	4.1E-06	4.1E-06	7.1E-01	4.1E-06
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.63E-07	9.9E-07	1.6E-01	9.9E-07	9.9E-07	1.6E-01	9.9E-07
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.24E-09	4.2E+05	2.6E+06	3.6E+05	1.8E+00	1.2E+01	1.6E+00
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.65E-06	1.4E-07	1.6E-02	1.4E-07	1.4E-07	1.6E-02	1.4E-07
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.69E-06	1.4E-07	1.5E-02	1.4E-07	1.4E-07	1.5E-02	1.4E-07
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.25E-08	2.4E+06	1.8E+06	1.0E+06	2.8E+00	2.1E+00	1.2E+00
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	4.67E-07	.	5.5E+05	5.5E+05	.	5.6E-02	5.6E-02
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.33E-07	8.6E+02	1.6E+03	5.5E+02	6.2E-02	1.1E-01	4.0E-02
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.51E-07	7.4E-01	7.6E+00	6.8E-01	5.7E-03	5.8E-02	5.2E-03
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	1.23E-08	1.4E+00	7.9E+01	1.4E+00	3.8E-02	2.1E+00	3.8E-02
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.13E-07	2.6E+00	3.3E+01	2.4E+00	1.8E-02	2.3E-01	1.7E-02
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	1.20E-13	4.7E+04	5.8E+09	4.7E+04	1.7E+00	2.2E+05	1.7E+00
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.04E-07	7.5E-03	4.5E-01	7.4E-03	1.4E-03	8.6E-02	1.4E-03
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.86E-10	4.6E+07	7.5E+07	2.9E+07	3.3E+01	5.4E+01	2.1E+01
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	9.37E-09	1.4E+05	4.1E+05	1.0E+05	9.3E-01	2.8E+00	6.9E-01
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.00E-07	.	1.3E+06	1.3E+06	.	1.3E-01	1.3E-01
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.31E-07	4.4E+06	8.2E+04	8.1E+04	4.2E+00	7.9E-02	7.7E-02
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.70E-08	2.2E+03	6.2E+03	1.6E+03	2.0E-01	5.5E-01	1.5E-01
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.17E-07	6.6E+05	7.6E+04	6.9E+04	1.9E+00	2.2E-01	2.0E-01
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-09	3.1E+02	2.7E+03	2.8E+02	8.5E-01	7.4E+00	7.7E-01
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	8.87E-10	.	1.2E+08	1.2E+08	.	2.9E+01	2.9E+01
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	7.57E-09	.	8.4E+06	8.4E+06	.	3.4E+00	3.4E+00
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.34E-07	.	1.1E+06	1.1E+06	.	1.9E-01	1.9E-01
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.34E-07	.	1.4E+06	1.4E+06	.	1.9E-01	1.9E-01
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.22E-07	.	5.3E+05	5.3E+05	.	2.1E-01	2.1E-01
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.34E-07	.	5.5E+06	5.5E+06	.	1.9E-01	1.9E-01
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.49E-08	1.0E+06	9.9E+04	9.1E+04	3.2E+00	3.1E-01	2.8E-01
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.32E-07	.	1.8E+06	1.8E+06	.	2.0E-01	2.0E-01
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.64E-08	5.0E+04	2.2E+04	1.5E+04	1.3E+00	5.6E-01	3.9E-01
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.01E-07	.	1.0E+06	1.0E+06	.	2.6E-01	2.6E-01
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.82E-08	4.2E+03	7.0E+03	2.6E+03	5.5E-01	9.2E-01	3.4E-01
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.59E-08	2.7E+06	2.3E+05	2.1E+05	5.4E+00	4.7E-01	4.3E-01
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	4.77E-09	.	2.3E+07	2.3E+07	.	5.5E+00	5.5E+00
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	4.92E-10	8.0E+02	5.5E+04	7.9E+02	7.7E-01	5.3E+01	7.6E-01
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	7.98E-08	2.2E+02	5.1E+02	1.5E+02	1.4E-01	3.3E-01	9.8E-02
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.79E-07	2.7E-02	2.0E+00	2.7E-02	2.0E-03	1.5E-01	2.0E-03
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.89E-09	6.7E+04	1.2E+06	6.3E+04	8.0E-01	1.4E+01	7.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	8.80E-12	4.2E-03	3.0E+03	4.2E-03	4.2E-03	3.0E+03	4.2E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	1.86E-07	1.5E+06	3.9E+04	3.8E+04	5.6E+00	1.4E-01	1.4E-01
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.49E-07	1.1E+01	8.1E+01	9.4E+00	1.4E-02	1.0E-01	1.2E-02
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	4.39E-11	1.9E-03	9.1E+02	1.9E-03	1.3E-03	5.9E+02	1.3E-03
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.44E-08	1.9E-03	6.2E-01	1.9E-03	1.3E-03	4.0E-01	1.3E-03
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	2.93E-07	6.7E+05	3.9E+04	3.7E+04	1.5E+00	8.9E-02	8.4E-02
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	4.83E-08	.	2.7E+06	2.7E+06	.	5.4E-01	5.4E-01
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	3.98E-08	.	1.0E+06	1.0E+06	.	6.6E-01	6.6E-01
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.25E-07	.	1.6E+06	1.6E+06	.	1.2E-01	1.2E-01
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.37E-07	.	8.5E+08	8.5E+08	.	1.9E-01	1.9E-01
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.67E-07	.	1.7E+06	1.7E+06	.	1.6E-01	1.6E-01
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	4.80E-07	1.5E+06	3.3E+04	3.3E+04	2.4E+00	5.4E-02	5.3E-02
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.34E-08	4.5E+04	2.0E+04	1.4E+04	6.1E-01	2.8E-01	1.9E-01
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.15E-07	.	3.4E+05	3.4E+05	.	2.3E-01	2.3E-01
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.09E-08	6.2E+03	2.4E+04	4.9E+03	3.2E-01	1.2E+00	2.6E-01
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.24E-08	.	6.0E+06	6.0E+06	.	2.1E+00	2.1E+00
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.21E-08	2.4E+02	8.5E+03	2.4E+02	6.2E-02	2.2E+00	6.0E-02
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.31E-08	.	2.1E+06	2.1E+06	.	4.1E-01	4.1E-01
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	7.95E-08	.	1.4E+06	1.4E+06	.	3.3E-01	3.3E-01
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	1.92E-07	.	4.7E+05	4.7E+05	.	1.4E-01	1.4E-01
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.96E-08	.	1.8E+06	1.8E+06	.	8.8E-01	8.8E-01
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.60E-07	2.5E+05	1.3E+05	8.7E+04	3.1E-01	1.6E-01	1.1E-01
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.93E-08	5.9E+04	9.1E+04	3.6E+04	5.7E-01	8.9E-01	3.5E-01
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.66E-08	1.3E+04	1.0E+04	5.7E+03	3.3E-01	2.7E-01	1.5E-01
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	1.1E-05	.	1.1E-05	1.1E-05	.	1.1E-05
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.48E-08	1.2E+04	8.6E+03	5.0E+03	4.9E-01	3.5E-01	2.0E-01
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.60E-08	4.9E+04	2.2E+04	1.5E+04	1.6E+00	7.2E-01	5.0E-01
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	2.27E-09	5.8E+00	8.1E+02	5.7E+00	8.2E-02	1.1E+01	8.2E-02
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.87E-09	6.6E+04	9.4E+05	6.2E+04	6.4E-01	9.1E+00	6.0E-01
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.72E-09	.	1.8E+08	1.8E+08	.	1.5E+01	1.5E+01
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	3.00E-09	4.6E+01	2.6E+04	4.6E+01	1.5E-02	8.7E+00	1.5E-02
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	5.93E-08	.	1.0E+06	1.0E+06	.	4.4E-01	4.4E-01
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-08	.	1.0E+06	1.0E+06	.	6.1E-01	6.1E-01
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	5.40E-09	.	1.9E+07	1.9E+07	.	4.8E+00	4.8E+00
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	4.01E-09	2.0E+06	4.9E+06	1.4E+06	2.7E+00	6.5E+00	1.9E+00
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.10E-07	1.7E+06	9.6E+04	9.0E+04	4.2E+00	2.4E-01	2.2E-01
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.13E-07	7.3E+04	1.7E+04	1.4E+04	9.7E-01	2.3E-01	1.9E-01
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	2.25E-09	9.3E+06	2.2E+06	1.8E+06	4.8E+01	1.2E+01	9.3E+00
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	2.06E-09	1.0E+05	3.0E+05	7.5E+04	4.3E+00	1.3E+01	3.2E+00
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	9.91E-09	.	1.0E+09	1.0E+09	.	2.6E+00	2.6E+00
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	1.24E-11	3.5E+01	2.3E+06	3.5E+01	3.3E-02	2.1E+03	3.3E-02
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.98E-08	4.6E+03	2.1E+04	3.8E+03	1.4E-01	6.6E-01	1.2E-01
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.62E-08	1.3E+02	2.3E+03	1.3E+02	2.7E-02	4.6E-01	2.6E-02
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.31E-08	.	2.8E+06	2.8E+06	.	2.8E-01	2.8E-01
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.45E-08	3.0E+04	8.4E+04	2.2E+04	2.1E-01	5.9E-01	1.5E-01
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.32E-07	1.0E+03	5.6E+03	8.5E+02	3.6E-02	2.0E-01	3.0E-02
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.31E-08	2.1E+04	4.5E+04	1.4E+04	1.9E-01	4.1E-01	1.3E-01
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	8.77E-09	1.5E+02	2.2E+04	1.5E+02	2.0E-02	3.0E+00	2.0E-02
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.69E-11	6.7E-03	3.5E+05	6.7E-03	1.4E-05	7.1E+02	1.4E-05
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	3.41E-10	2.0E-04	2.8E+03	2.0E-04	5.5E-06	7.6E+01	5.5E-06
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.06E-07	2.0E-04	9.0E+00	2.0E-04	5.5E-06	2.5E-01	5.5E-06
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.36E-08	5.1E-01	3.0E+03	5.1E-01	8.3E-05	4.9E-01	8.2E-05
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.12E-11	2.4E-03	7.3E+04	2.4E-03	9.4E-06	2.9E+02	9.4E-06
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	2.92E-10	5.7E+02	5.1E+07	5.7E+02	1.0E-03	8.9E+01	1.0E-03
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.42E-07	.	6.8E+07	6.8E+07	.	1.8E-01	1.8E-01
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.01E-07	.	7.7E+05	7.7E+05	.	6.5E-02	6.5E-02
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.32E-07	.	1.1E+06	1.1E+06	.	2.0E-01	2.0E-01
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.28E-07	.	1.7E+07	1.7E+07	.	2.0E-01	2.0E-01
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.52E-07	1.4E+02	2.9E+02	9.6E+01	8.3E-02	1.7E-01	5.6E-02
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	2.81E-07	1.2E+02	2.0E+02	7.7E+01	5.6E-02	9.3E-02	3.5E-02
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.11E-08	1.4E+01	2.1E+02	1.3E+01	3.3E-02	5.1E-01	3.1E-02
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.56E-07	2.1E+00	1.9E+01	1.9E+00	1.1E-02	1.0E-01	1.0E-02
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.92E-09	9.0E+00	5.8E+02	8.8E+00	8.3E-02	5.3E+00	8.1E-02
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.75E-07	7.5E-04	2.1E-01	7.5E-04	5.3E-04	1.5E-01	5.2E-04
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.49E-09	2.4E+03	9.0E+04	2.4E+03	1.3E-01	4.7E+00	1.3E-01
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.37E-07	1.8E-03	4.5E-01	1.7E-03	7.5E-04	1.9E-01	7.4E-04
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.41E-08	3.1E+03	2.0E+04	2.7E+03	1.2E-01	7.6E-01	1.0E-01
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	6.34E-09	7.3E+05	6.2E+05	3.4E+05	4.8E+00	4.1E+00	2.2E+00
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.47E-07	2.3E-03	6.0E-01	2.3E-03	6.9E-04	1.8E-01	6.9E-04
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	5.11E-09	4.1E+06	1.6E+06	1.2E+06	1.3E+01	5.1E+00	3.6E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	5.21E-09	4.4E-02	2.9E+01	4.3E-02	7.5E-03	5.0E+00	7.4E-03
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.51E-07	6.0E+00	1.1E+02	5.7E+00	9.0E-03	1.7E-01	8.6E-03
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	3.05E-08	1.4E+03	1.4E+04	1.2E+03	8.5E-02	8.6E-01	7.7E-02
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.55E-07	4.0E+05	5.3E+04	4.7E+04	1.3E+00	1.7E-01	1.5E-01
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.19E-08	1.9E+06	6.6E+05	4.9E+05	2.3E+00	8.2E-01	6.1E-01
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.16E-07	.	3.1E+06	3.1E+06	.	2.3E-01	2.3E-01
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.11E-07	1.6E+05	3.1E+04	2.6E+04	1.2E+00	2.3E-01	2.0E-01
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.24E-08	1.4E+03	9.3E+03	1.2E+03	4.8E-02	3.2E-01	4.2E-02
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.34E-07	.	3.3E+05	3.3E+05	.	1.9E-01	1.9E-01
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	3.69E-07	.	4.1E+05	4.1E+05	.	7.1E-02	7.1E-02
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.65E-17	9.8E-01	1.6E+10	9.8E-01	9.7E-02	1.6E+09	9.7E-02
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.43E-07	2.2E+00	4.1E+01	2.1E+00	9.7E-03	1.8E-01	9.2E-03
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	2.88E-12	3.7E-04	9.1E+03	3.7E-04	3.7E-04	9.1E+03	3.7E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.04E-07	2.9E-04	8.6E-02	2.9E-04	2.9E-04	8.6E-02	2.9E-04
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.69E-07	.	3.8E+05	3.8E+05	.	1.5E-01	1.5E-01
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	5.74E-08	.	5.8E+06	5.8E+06	.	4.5E-01	4.5E-01
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.58E-08	9.9E+02	7.5E+04	9.8E+02	2.2E-02	1.6E+00	2.1E-02
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	4.10E-11	1.1E+00	6.1E+06	1.1E+00	1.1E-04	6.4E+02	1.1E-04
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	5.68E-09	3.1E-01	1.5E+04	3.1E-01	9.3E-05	4.6E+00	9.3E-05
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	8.80E-10	4.9E+01	2.2E+06	4.9E+01	6.5E-04	3.0E+01	6.5E-04
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	2.13E-10	1.8E+00	1.5E+06	1.8E+00	1.5E-04	1.2E+02	1.5E-04
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.54E-06	1.5E+01	1.6E+03	1.5E+01	1.6E-04	1.7E-02	1.6E-04
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.49E-08	5.1E-04	1.8E+02	5.1E-04	5.1E-06	1.7E+00	5.1E-06
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.33E-07	4.9E+03	1.4E+05	4.8E+03	6.8E-03	2.0E-01	6.6E-03
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.94E-10	.	2.9E+12	2.9E+12	.	6.6E+01	6.6E+01
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	8.55E-10	.	9.7E+08	9.7E+08	.	3.0E+01	3.0E+01
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	1.09E-09	.	7.7E+08	7.7E+08	.	2.4E+01	2.4E+01
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	3.11E-09	.	2.5E+07	2.5E+07	.	8.4E+00	8.4E+00
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	3.14E-09	.	2.5E+07	2.5E+07	.	8.3E+00	8.3E+00
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.96E-08	2.5E+03	1.4E+06	2.5E+03	2.5E-03	1.3E+00	2.5E-03
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	4.80E-09	2.3E+03	3.6E+06	2.3E+03	3.5E-03	5.4E+00	3.5E-03
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.53E-08	.	1.7E+06	1.7E+06	.	4.0E-01	4.0E-01
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.92E-08	.	3.1E+06	3.1E+06	.	5.3E-01	5.3E-01
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.17E-07	.	3.5E+05	3.5E+05	.	6.3E-02	6.3E-02
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.31E-07	4.6E+06	1.9E+05	1.8E+05	4.8E+00	2.0E-01	1.9E-01
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.16E-07	1.6E+03	2.1E+03	9.1E+02	6.2E-02	8.3E-02	3.5E-02
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.63E-08	4.1E+02	4.9E+03	3.8E+02	1.3E-01	1.6E+00	1.2E-01
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.08E-07	2.3E+05	5.2E+04	4.2E+04	1.1E+00	2.4E-01	2.0E-01
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.18E-09	3.2E+06	1.5E+07	2.6E+06	4.6E+00	2.2E+01	3.8E+00
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.35E-07	1.1E+03	1.3E+03	5.9E+02	6.2E-02	7.8E-02	3.4E-02
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-08	1.1E+04	3.4E+04	8.2E+03	2.2E-01	6.8E-01	1.6E-01
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	3.94E-07	.	1.2E+05	1.2E+05	.	6.6E-02	6.6E-02
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.20E-07	.	2.7E+06	2.7E+06	.	2.2E-01	2.2E-01
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.46E-07	.	8.4E+05	8.4E+05	.	1.1E-01	1.1E-01
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.07E-07	.	7.9E+05	7.9E+05	.	2.4E-01	2.4E-01
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.02E-07	3.0E+06	5.5E+04	5.4E+04	4.7E+00	8.6E-02	8.5E-02
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	7.79E-08	.	3.4E+06	3.4E+06	.	3.3E-01	3.3E-01
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	2.11E-08	1.2E+00	2.6E+02	1.2E+00	5.6E-03	1.2E+00	5.5E-03
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.59E-07	6.2E+02	1.0E+03	3.9E+02	9.7E-02	1.6E-01	6.1E-02
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	1.1E-05	.	1.1E-05	9.4E-06	.	9.4E-06
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.62E-08	4.3E+01	5.1E+02	4.0E+01	4.0E-02	4.6E-01	3.7E-02
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	1.2E-05	.	1.2E-05	1.2E-05	.	1.2E-05
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	5.18E-09	2.7E+00	4.1E+02	2.7E+00	3.3E-02	5.0E+00	3.3E-02
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	1.6E-05	.	1.6E-05	1.6E-05	.	1.6E-05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	7.35E-09	7.0E-01	1.5E+02	7.0E-01	1.7E-02	3.5E+00	1.7E-02
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.49E-09	1.2E+03	6.2E+04	1.2E+03	9.1E-02	4.7E+00	8.9E-02
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.64E-08	.	9.7E+05	9.7E+05	.	5.6E-01	5.6E-01
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.48E-08	5.9E+04	3.7E+04	2.3E+04	5.5E-01	3.5E-01	2.1E-01
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.64E-07	2.4E+06	1.2E+05	1.2E+05	3.1E+00	1.6E-01	1.5E-01
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.35E-13	5.1E-02	7.2E+06	5.1E-02	1.4E-03	1.9E+05	1.4E-03
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.08E-07	5.1E-02	9.0E+00	5.1E-02	1.4E-03	2.4E-01	1.4E-03
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.11E-07	1.2E+03	1.5E+03	6.6E+02	2.0E-01	2.3E-01	1.1E-01
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.37E-13	2.3E+03	1.7E+08	2.3E+03	2.6E+00	1.9E+05	2.6E+00
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	4.04E-09	2.8E+05	1.1E+06	2.2E+05	1.6E+00	6.5E+00	1.3E+00
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.25E-07	2.5E+03	4.5E+03	1.6E+03	1.2E-01	2.1E-01	7.4E-02
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	3.06E-08	9.2E+04	1.4E+05	5.6E+04	5.6E-01	8.5E-01	3.4E-01
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.82E-08	.	2.7E+06	2.7E+06	.	3.8E-01	3.8E-01
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	6.97E-08	.	1.7E+06	1.7E+06	.	3.7E-01	3.7E-01
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.58E-08	2.1E+03	8.6E+03	1.7E+03	1.4E-01	5.7E-01	1.1E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	2.5E-02	5.3E+01	2.5E-02	1.7E-03	3.6E+00	1.7E-03
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	2.5E-02	5.3E+01	2.5E-02	1.7E-03	3.6E+00	1.7E-03
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	4.01E-08	2.3E+03	6.7E+03	1.7E+03	2.2E-01	6.5E-01	1.7E-01
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	1.4E-05	.	1.4E-05	1.4E-05	.	1.4E-05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.66E-08	3.9E+00	1.0E+02	3.8E+00	2.7E-02	7.1E-01	2.6E-02
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.46E-07	2.1E+05	3.0E+04	2.6E+04	7.3E-01	1.1E-01	9.3E-02
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-07	6.7E-04	1.6E-01	6.6E-04	4.4E-04	1.1E-01	4.4E-04
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.81E-08	3.6E+00	1.1E+02	3.4E+00	8.8E-03	2.7E-01	8.5E-03
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.07E-07	1.4E+04	1.1E+04	6.1E+03	3.2E-01	2.4E-01	1.4E-01
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.81E-08	1.6E+00	1.1E+02	1.6E+00	6.7E-03	4.5E-01	6.6E-03
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.59E-08	4.3E-04	1.0E+00	4.3E-04	4.3E-04	1.0E+00	4.3E-04
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.78E-07	3.9E-04	1.5E-01	3.9E-04	3.9E-04	1.5E-01	3.9E-04
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-07	2.7E+05	6.2E+04	5.0E+04	1.1E+00	2.6E-01	2.1E-01
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	8.80E-08	1.8E+05	6.7E+04	4.9E+04	7.9E-01	3.0E-01	2.2E-01
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.42E-08	5.7E+03	6.3E+04	5.3E+03	9.8E-02	1.1E+00	8.9E-02
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.89E-08	4.0E+05	1.0E+06	2.9E+05	5.5E-01	1.4E+00	3.9E-01
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.70E-07	3.8E+04	4.4E+04	2.0E+04	1.3E-01	1.5E-01	7.1E-02
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.73E-08	2.1E+03	4.8E+04	2.0E+03	4.3E-02	9.6E-01	4.1E-02
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	9.66E-08	.	.	.	.	.	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	9.72E-08	3.1E+03	1.7E+04	2.7E+03	4.9E-02	2.7E-01	4.1E-02
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.18E-07	.	.	.	.	.	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	8.52E-13	.	.	.	.	.	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.22E-07	.	.	.	.	.	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	2.06E-08	.	.	.	.	.	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	2.09E-08	.	.	.	.	.	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	5.71E-09	.	.	.	.	.	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	9.09E-09	.	.	.	.	.	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.83E-08	.	.	.	.	.	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.59E-08	.	.	.	.	.	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	8.08E-10	.	9.0E+07	9.0E+07	.	3.2E+01	3.2E+01
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.34E-08	.	3.5E+06	3.5E+06	.	1.9E+00	1.9E+00
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.25E-07	.	4.0E+05	4.0E+05	.	8.0E-02	8.0E-02
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.18E-07	.	1.4E+06	1.4E+06	.	1.2E-01	1.2E-01
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.16E-07	.	1.6E+06	1.6E+06	.	2.3E-01	2.3E-01
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.18E-07	.	3.5E+05	3.5E+05	.	2.2E-01	2.2E-01
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.17E-07	7.0E+06	1.5E+05	1.5E+05	5.7E+00	1.2E-01	1.2E-01
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.76E-07	.	4.4E+05	4.4E+05	.	9.5E-02	9.5E-02
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.82E-08	7.1E+05	1.2E+05	1.0E+05	2.3E+00	3.8E-01	3.3E-01
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.48E-07	3.0E+05	2.7E+04	2.5E+04	1.1E+00	1.1E-01	9.6E-02
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.15E-08	1.9E+07	4.9E+05	4.8E+05	1.7E+01	4.2E-01	4.1E-01
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.79E-08	4.7E+06	3.0E+05	2.9E+05	1.1E+01	6.9E-01	6.5E-01
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	1.94E-07	3.6E+06	7.6E+04	7.5E+04	6.3E+00	1.3E-01	1.3E-01
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	3.07E-09	5.9E+05	8.3E+05	3.5E+05	6.1E+00	8.5E+00	3.5E+00
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.63E-08	2.4E+07	1.6E+06	1.5E+06	2.5E+01	1.6E+00	1.5E+00
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.28E-08	6.0E+05	9.0E+04	7.8E+04	2.7E+00	4.2E-01	3.6E-01
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	1.2E-01	.	1.2E-01	1.2E-01	.	1.2E-01
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	1.71E-09	4.1E+06	7.7E+06	2.7E+06	8.1E+00	1.5E+01	5.3E+00
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	2.41E-09	1.5E+06	4.1E+06	1.1E+06	3.8E+00	1.1E+01	2.8E+00
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.44E-09	3.2E+02	6.9E+04	3.2E+02	3.5E-02	7.6E+00	3.5E-02
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.85E-07	1.9E-04	1.4E-01	1.9E-04	1.9E-04	1.4E-01	1.9E-04
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.98E-08	4.5E+04	5.1E+04	2.4E+04	5.7E-01	6.6E-01	3.0E-01
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.02E-07	.	1.2E+06	1.2E+06	.	2.6E-01	2.6E-01
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	3.44E-10	.	5.0E+08	5.0E+08	.	7.6E+01	7.6E+01
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	1.98E-07	.	7.0E+05	7.0E+05	.	1.3E-01	1.3E-01
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.35E-07	2.6E+05	1.2E+05	8.1E+04	2.5E-01	1.1E-01	7.6E-02
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.35E-07	.	1.0E+05	1.0E+05	.	6.0E-02	6.0E-02
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.02E-07	6.7E+05	2.0E+05	1.5E+05	8.8E-01	2.6E-01	2.0E-01
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.25E-07	.	.	.	.	.	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.13E-07	.	.	.	.	.	.
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.26E-08	.	.	.	.	.	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.10E-07	.	9.6E+05	9.6E+05	.	2.4E-01	2.4E-01
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.62E-08	.	.	.	.	.	.
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.30E-07	.	.	.	.	.	.
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	7.67E-10	.	.	.	.	.	.
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	4.83E-08	.	.	.	.	.	.
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	7.89E-09	.	.	.	.	.	.
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	5.93E-10	.	.	.	.	.	.
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.46E-07	.	.	.	.	.	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.21E-08	.	3.5E+06	3.5E+06	.	2.1E+00	2.1E+00
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.26E-08	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.64E-07	.	.	.	.	.	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	3.79E-08	.	.	.	.	.	.
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.01E-08	.	.	.	.	.	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.06E-07	.	.	.	.	.	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.97E-08	.	3.6E+06	3.6E+06	.	8.8E-01	8.8E-01
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	1.93E-07	.	.	.	.	.	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.31E-07	.	1.1E+06	1.1E+06	.	7.9E-02	7.9E-02
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.27E-07	.	3.3E+05	3.3E+05	.	1.2E-01	1.2E-01
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.13E-07	.	1.5E+05	1.5E+05	.	6.3E-02	6.3E-02
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.41E-07	.	2.1E+05	2.1E+05	.	7.6E-02	7.6E-02
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.82E-07	1.1E+06	6.4E+04	6.1E+04	2.4E+00	1.4E-01	1.3E-01
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.61E-07	4.4E+05	1.4E+04	1.4E+04	1.8E+00	5.7E-02	5.5E-02
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.44E-07	7.0E+05	2.8E+04	2.7E+04	1.9E+00	7.6E-02	7.3E-02
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.26E-08	8.4E+04	2.1E+04	1.7E+04	1.5E+00	3.6E-01	2.9E-01
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	6.94E-08	.	4.1E+06	4.1E+06	.	3.8E-01	3.8E-01
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.60E-07	2.5E+04	3.6E+03	3.1E+03	5.1E-01	7.2E-02	6.4E-02
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.84E-07	2.4E+05	3.0E+04	2.7E+04	1.2E+00	1.4E-01	1.3E-01
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	4.20E-08	6.0E+02	2.2E+03	4.7E+02	1.7E-01	6.2E-01	1.3E-01
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.30E-08	.	9.3E+05	9.3E+05	.	4.9E-01	4.9E-01
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	2.97E-08	1.1E+07	8.5E+05	7.9E+05	1.2E+01	8.8E-01	8.2E-01
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	2.33E-09	2.6E+06	7.9E+06	2.0E+06	3.7E+00	1.1E+01	2.8E+00
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.84E-08	3.7E+05	1.3E+05	9.9E+04	2.5E+00	9.2E-01	6.7E-01
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	7.13E-10	.	4.4E+08	4.4E+08	.	3.7E+01	3.7E+01
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	8.08E-09	5.8E-01	6.6E+02	5.8E-01	2.8E-03	3.2E+00	2.8E-03
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.77E-09	5.8E-01	6.1E+02	5.8E-01	2.8E-03	3.0E+00	2.8E-03
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	2.87E-11	3.5E-04	9.1E+02	3.5E-04	3.5E-04	9.1E+02	3.5E-04
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.72E-08	3.3E+04	8.2E+04	2.4E+04	6.1E-01	1.5E+00	4.4E-01
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.00E-07	4.1E+05	2.3E+04	2.2E+04	1.5E+00	8.7E-02	8.2E-02
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.73E-08	8.2E+05	1.1E+05	1.0E+05	2.4E+00	3.4E-01	3.0E-01
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.63E-09	7.2E+04	3.4E+05	5.9E+04	5.7E-01	2.7E+00	4.7E-01
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.16E-08	.	3.9E+08	3.9E+08	.	2.2E+00	2.2E+00
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.31E-07	.	2.6E+05	2.6E+05	.	7.9E-02	7.9E-02
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	8.90E-08	.	1.8E+06	1.8E+06	.	2.9E-01	2.9E-01
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.36E-09	3.3E+06	2.5E+06	1.4E+06	4.1E+00	3.1E+00	1.8E+00
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.10E-07	.	9.0E+06	9.0E+06	.	2.4E-01	2.4E-01
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.54E-09	.	1.3E+07	1.3E+07	.	3.5E+00	3.5E+00
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.81E-07	.	1.4E+06	1.4E+06	.	1.4E-01	1.4E-01
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.61E-07	2.6E+06	1.6E+05	1.5E+05	2.7E+00	1.6E-01	1.5E-01
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.39E-07	3.6E+05	4.7E+04	4.2E+04	1.4E+00	1.9E-01	1.7E-01
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.28E-07	3.1E+04	9.0E+03	6.9E+03	3.9E-01	1.1E-01	8.8E-02
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.00E-07	2.8E+03	4.4E+03	1.7E+03	1.7E-01	2.6E-01	1.0E-01
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	1.93E-07	1.7E+03	2.0E+03	9.1E+02	1.2E-01	1.3E-01	6.2E-02
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.48E-07	1.4E+05	2.2E+04	1.9E+04	1.1E+00	1.8E-01	1.5E-01
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.53E-08	1.2E+04	1.7E+04	7.0E+03	5.1E-01	7.4E-01	3.0E-01
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.59E-07	5.5E+02	5.9E+02	2.9E+02	9.5E-02	1.0E-01	4.9E-02
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	6.44E-09	5.1E+01	3.1E+03	5.0E+01	6.6E-02	4.0E+00	6.5E-02
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.64E-07	2.4E+01	1.4E+02	2.0E+01	2.7E-02	1.6E-01	2.3E-02
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.98E-13	1.3E+06	2.9E+10	1.3E+06	6.2E+00	1.3E+05	6.2E+00
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	4.32E-09	4.9E+04	4.7E+05	4.5E+04	6.3E-01	6.0E+00	5.7E-01
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	6.44E-09	.	7.2E+08	7.2E+08	.	4.0E+00	4.0E+00
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.09E-08	8.1E-01	3.9E+01	8.0E-01	5.9E-03	2.9E-01	5.8E-03
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	6.25E-12	.	4.2E+10	4.2E+10	.	4.2E+03	4.2E+03
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	6.56E-11	9.6E-04	4.2E+02	9.6E-04	9.1E-04	4.0E+02	9.1E-04
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	2.39E-11	3.1E+01	1.0E+06	3.1E+01	3.2E-02	1.1E+03	3.2E-02
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.09E-08	5.3E+02	3.0E+04	5.2E+02	4.2E-02	2.4E+00	4.1E-02
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.63E-07	1.9E-01	5.9E+00	1.9E-01	3.3E-03	9.9E-02	3.2E-03
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	4.89E-09	5.8E+04	5.2E+05	5.2E+04	6.0E-01	5.3E+00	5.4E-01
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.07E-08	2.0E+04	4.1E+04	1.4E+04	3.2E-01	6.4E-01	2.1E-01
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.76E-08	.	1.6E+07	1.6E+07	.	9.4E-01	9.4E-01
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.78E-07	1.2E+05	1.6E+04	1.4E+04	6.8E-01	9.4E-02	8.2E-02
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	3.98E-07	.	1.3E+05	1.3E+05	.	6.6E-02	6.6E-02
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	1.96E-08	6.4E-04	1.3E+00	6.4E-04	6.4E-04	1.3E+00	6.4E-04
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.60E-08	2.3E+03	1.4E+04	1.9E+03	1.1E-01	7.2E-01	9.9E-02
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.09E-07	1.4E+03	2.6E+03	9.3E+02	1.3E-01	2.4E-01	8.5E-02
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.04E-07	1.5E+06	5.7E+04	5.5E+04	2.3E+00	8.6E-02	8.3E-02
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.30E-07	3.2E+06	9.5E+04	9.3E+04	3.8E+00	1.1E-01	1.1E-01
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	3.76E-07	.	5.8E+05	5.8E+05	.	6.9E-02	6.9E-02
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.18E-07	.	2.8E+05	2.8E+05	.	2.2E-01	2.2E-01
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.45E-07	.	6.1E+05	6.1E+05	.	1.8E-01	1.8E-01
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	9.3E+03	9.3E+03	.	5.7E-01	5.7E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	9.3E+03	9.3E+03	.	5.7E-01	5.7E-01
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.16E-07	.	4.4E+04	4.4E+04	.	2.3E-01	2.3E-01
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.81E-08	.	6.4E+03	6.4E+03	.	9.3E-01	9.3E-01
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	9.47E-11	.	2.8E+02	2.8E+02	.	2.8E+02	2.8E+02
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.38E-08	.	1.3E+08	1.3E+08	.	1.9E+00	1.9E+00
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	2.20E-12	.	1.6E+09	1.6E+09	.	1.2E+04	1.2E+04
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	3.19E-10	.	2.3E+02	2.3E+02	.	8.2E+01	8.2E+01
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.68E-08	.	8.4E+04	8.4E+04	.	1.6E+00	1.6E+00
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	9.97E-08	.	5.0E+04	5.0E+04	.	2.6E-01	2.6E-01
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.49E-07	.	9.0E+03	9.0E+03	.	1.0E-01	1.0E-01
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.43E-07	.	5.0E+05	5.0E+05	.	1.1E-01	1.1E-01
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.28E-07	.	2.2E+05	2.2E+05	.	7.9E-02	7.9E-02
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.03E-07	7.6E+06	3.2E+05	3.1E+05	6.1E+00	2.5E-01	2.4E-01
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.60E-07	.	1.7E+05	1.7E+05	.	1.0E-01	1.0E-01
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.23E-08	6.1E+05	8.9E+04	7.8E+04	2.5E+00	3.6E-01	3.1E-01
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.37E-07	1.0E+04	5.6E+03	3.6E+03	2.0E-01	1.1E-01	7.1E-02
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.45E-08	1.3E+06	2.1E+05	1.8E+05	2.2E+00	3.5E-01	3.0E-01
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.60E-08	1.5E+05	1.0E+05	6.1E+04	2.5E+00	1.6E+00	9.9E-01
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.14E-08	.	7.2E+05	7.2E+05	.	3.2E-01	3.2E-01
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.82E-09	3.4E+04	1.8E+05	2.8E+04	2.7E+00	1.4E+01	2.3E+00
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.48E-08	.	8.6E+05	8.6E+05	.	5.8E-01	5.8E-01
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	6.44E-10	1.0E-02	4.1E+01	1.0E-02	1.0E-02	4.0E+01	1.0E-02
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.49E-07	4.7E-04	1.8E-01	4.7E-04	4.7E-04	1.8E-01	4.7E-04
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	2.82E-07	1.7E+02	5.6E+02	1.3E+02	2.8E-02	9.2E-02	2.2E-02
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	3.98E-09	1.1E+04	4.1E+05	1.0E+04	1.7E-01	6.6E+00	1.7E-01
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.03E-07	9.2E+04	1.4E+04	1.2E+04	5.8E-01	8.6E-02	7.5E-02
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.35E-08	2.4E+06	8.0E+05	6.0E+05	2.4E+00	7.8E-01	5.9E-01
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.27E-07	7.0E+06	2.8E+05	2.7E+05	5.1E+00	2.1E-01	2.0E-01
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.03E-07	4.3E+05	3.6E+04	3.4E+04	1.5E+00	1.3E-01	1.2E-01
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.55E-07	6.9E+02	1.2E+03	4.4E+02	9.7E-02	1.7E-01	6.1E-02
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	3.91E-14	.	3.6E+12	3.6E+12	.	6.7E+05	6.7E+05
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.19E-07	3.5E+02	4.1E+02	1.9E+02	7.0E-02	8.2E-02	3.8E-02
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.07E-08	4.5E+01	4.5E+02	4.1E+01	3.7E-02	3.7E-01	3.3E-02
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	2.32E-11	.	1.2E+10	1.2E+10	.	1.1E+03	1.1E+03
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.28E-07	3.6E+01	1.7E+02	3.0E+01	2.4E-02	1.1E-01	2.0E-02
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	8.14E-14	.	1.3E+12	1.3E+12	.	3.2E+05	3.2E+05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.57E-08	2.3E-01	3.3E+01	2.3E-01	1.1E-02	1.7E+00	1.1E-02
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.11E-08	8.0E-02	2.0E+01	7.9E-02	9.5E-03	2.4E+00	9.5E-03
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	4.23E-09	6.5E-01	4.4E+02	6.5E-01	9.1E-03	6.2E+00	9.1E-03
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	5.14E-08	8.1E-04	5.1E-01	8.1E-04	8.1E-04	5.1E-01	8.1E-04
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	1.30E-09	2.1E+04	1.3E+06	2.1E+04	3.2E-01	2.0E+01	3.1E-01
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.60E-09	4.7E+01	1.1E+04	4.7E+01	3.1E-02	7.2E+00	3.1E-02
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	1.06E-07	1.6E-01	1.6E+01	1.6E-01	2.5E-03	2.5E-01	2.5E-03
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.53E-08	1.4E+06	8.7E+05	5.4E+05	2.8E+00	1.7E+00	1.1E+00
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.13E-07	1.6E+06	1.5E+05	1.3E+05	2.6E+00	2.3E-01	2.1E-01
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.44E-09	1.4E+04	4.0E+05	1.4E+04	2.7E-01	7.6E+00	2.6E-01
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.80E-07	.	3.7E+05	3.7E+05	.	1.4E-01	1.4E-01
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.41E-08	.	1.7E+06	1.7E+06	.	4.1E-01	4.1E-01
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.05E-07	.	3.8E+05	3.8E+05	.	2.5E-01	2.5E-01
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.63E-07	3.1E+02	1.9E+03	2.6E+02	2.6E-02	1.6E-01	2.3E-02
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	5.52E-07	.	3.9E+05	3.9E+05	.	4.7E-02	4.7E-02
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.13E-07	4.5E+05	7.3E+04	6.3E+04	1.4E+00	2.3E-01	2.0E-01
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.13E-07	5.5E+01	1.1E+02	3.7E+01	3.1E-02	6.3E-02	2.1E-02
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	2.87E-07	1.9E+06	6.3E+04	6.1E+04	2.7E+00	9.1E-02	8.8E-02
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	1.5E-01	.	1.5E-01	1.5E-01	.	1.5E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	9.72E-08	3.8E-01	8.7E+00	3.7E-01	1.2E-02	2.7E-01	1.1E-02
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.08E-07	3.1E+04	1.2E+04	8.5E+03	3.2E-01	1.3E-01	9.1E-02
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.18E-08	.	2.3E+07	2.3E+07	.	2.2E+00	2.2E+00
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	2.90E-07	.	1.2E+06	1.2E+06	.	9.0E-02	9.0E-02
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.77E-07	3.2E+06	1.5E+05	1.4E+05	3.2E+00	1.5E-01	1.4E-01
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	2.10E-09	4.1E+06	1.6E+07	3.3E+06	3.2E+00	1.2E+01	2.5E+00
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.41E-07	.	1.3E+06	1.3E+06	.	1.8E-01	1.8E-01
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.21E-08	4.6E+03	1.2E+04	3.3E+03	1.1E-01	2.8E-01	7.7E-02
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.12E-07	3.5E+06	2.2E+05	2.1E+05	3.7E+00	2.3E-01	2.2E-01
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.63E-07	.	2.2E+06	2.2E+06	.	1.6E-01	1.6E-01
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	3.38E-11	2.6E-02	7.7E+02	2.6E-02	2.6E-02	7.7E+02	2.6E-02
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	2.78E-07	1.0E+04	3.3E+03	2.5E+03	2.9E-01	9.4E-02	7.1E-02
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.70E-08	1.1E+02	5.6E+03	1.1E+02	3.0E-02	1.5E+00	2.9E-02
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.15E-07	.	3.3E+05	3.3E+05	.	2.3E-01	2.3E-01
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	6.63E-07	.	4.8E+06	4.8E+06	.	3.9E-02	3.9E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.58E-07	1.6E-02	1.1E+00	1.5E-02	1.5E-03	1.0E-01	1.4E-03
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.36E-07	1.9E+03	7.9E+02	5.6E+02	1.2E-01	4.9E-02	3.4E-02
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.37E-07	.	7.4E+05	7.4E+05	.	1.9E-01	1.9E-01
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	4.92E-07	2.8E+06	5.3E+04	5.2E+04	2.8E+00	5.3E-02	5.2E-02
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	4.83E-07	.	1.0E+05	1.0E+05	.	5.4E-02	5.4E-02
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.64E-07	4.1E+04	1.9E+04	1.3E+04	3.4E-01	1.6E-01	1.1E-01
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.48E-07	1.7E+05	3.9E+04	3.2E+04	7.9E-01	1.8E-01	1.4E-01
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.24E-07	9.9E+02	8.3E+02	4.5E+02	6.0E-02	5.0E-02	2.7E-02
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	2.07E-10	2.9E-02	1.3E+02	2.9E-02	2.9E-02	1.3E+02	2.9E-02
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.03E-09	1.6E+00	1.4E+03	1.6E+00	9.8E-03	8.6E+00	9.8E-03
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.74E-07	1.9E-03	1.5E-01	1.9E-03	1.9E-03	1.5E-01	1.9E-03
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.13E-07	1.0E+02	2.3E+02	7.0E+01	1.0E-01	2.3E-01	7.0E-02
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	6.03E-12	5.0E-02	9.1E+03	5.0E-02	2.4E-02	4.3E+03	2.4E-02
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.81E-07	1.1E-03	1.4E-01	1.1E-03	1.1E-03	1.4E-01	1.1E-03
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.36E-10	.	1.1E+08	1.1E+08	.	4.9E+01	4.9E+01
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	8.87E-08	6.5E+00	8.5E+01	6.0E+00	2.2E-02	2.9E-01	2.1E-02
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.88E-09	1.1E+02	1.1E+04	1.1E+02	3.8E-02	3.8E+00	3.8E-02
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	2.87E-07	6.1E+02	9.4E+02	3.7E+02	5.9E-02	9.1E-02	3.6E-02
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	7.64E-08	2.5E+05	6.9E+04	5.4E+04	1.3E+00	3.4E-01	2.7E-01
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.35E-07	3.2E+05	2.2E+04	2.1E+04	1.1E+00	7.8E-02	7.3E-02
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.84E-08	.	8.3E+07	8.3E+07	.	1.4E+00	1.4E+00
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	9.69E-08	.	1.5E+06	1.5E+06	.	2.7E-01	2.7E-01
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.81E-08	.	7.7E+05	7.7E+05	.	4.5E-01	4.5E-01
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.41E-07	3.2E+06	2.2E+05	2.0E+05	2.7E+00	1.9E-01	1.7E-01
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.75E-08	3.1E+05	2.7E+05	1.5E+05	1.1E+00	9.5E-01	5.0E-01
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.35E-07	7.9E+05	7.3E+04	6.7E+04	2.1E+00	1.9E-01	1.8E-01
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	2.56E-09	5.5E+03	4.9E+05	5.5E+03	1.1E-01	1.0E+01	1.1E-01
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	4.89E-08	2.8E+06	2.6E+05	2.4E+05	5.8E+00	5.3E-01	4.9E-01
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.82E-07	1.3E+04	6.3E+03	4.3E+03	3.0E-01	1.4E-01	9.7E-02
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	9.56E-10	7.1E+01	8.2E+04	7.1E+01	2.4E-02	2.7E+01	2.4E-02
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.50E-09	1.0E+06	3.9E+05	2.8E+05	1.0E+01	4.0E+00	2.9E+00
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.02E-08	.	4.6E+06	4.6E+06	.	3.3E-01	3.3E-01
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	1.4E-05	.	1.4E-05	1.4E-05	.	1.4E-05
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.40E-08	1.4E+01	1.7E+03	1.4E+01	1.5E-02	1.9E+00	1.5E-02
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	4.01E-08	6.3E+04	9.1E+04	3.7E+04	4.5E-01	6.5E-01	2.7E-01
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	9.88E-08	4.3E+06	3.1E+05	2.9E+05	3.7E+00	2.6E-01	2.5E-01
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.79E-08	4.4E+06	1.9E+06	1.3E+06	3.4E+00	1.5E+00	1.0E+00
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.16E-07	.	1.1E+07	1.1E+07	.	2.3E-01	2.3E-01
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.15E-08	.	1.8E+06	1.8E+06	.	4.2E-01	4.2E-01
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	1.98E-07	.	.	.	.	.	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.34E-07	.	.	.	.	.	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.75E-12	.	.	.	.	.	.
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	6.85E-08	.	.	.	.	.	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	5.55E-12	.	.	.	.	.	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.35E-07	2.8E+06	1.9E+05	1.8E+05	2.8E+00	1.9E-01	1.8E-01
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	8.27E-09	1.8E+07	1.3E+06	1.2E+06	4.6E+01	3.2E+00	3.0E+00
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.33E-07	2.0E+02	4.5E+02	1.4E+02	8.8E-02	2.0E-01	6.1E-02
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	1.8E+00	1.0E+04	1.8E+00	7.0E-02	4.0E+02	7.0E-02
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	1.8E+00	1.0E+04	1.8E+00	7.0E-02	4.0E+02	7.0E-02
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.36E-08	4.3E-05	1.9E+00	4.3E-05	4.3E-05	1.9E+00	4.3E-05
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	4.61E-09	1.2E+02	6.1E+04	1.2E+02	1.1E-02	5.7E+00	1.1E-02
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	2.07E-09	5.0E-06	1.3E+01	5.0E-06	5.0E-06	1.3E+01	5.0E-06
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.52E-08	5.0E-06	1.0E+00	5.0E-06	5.0E-06	1.0E+00	5.0E-06
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	6.88E-08	1.3E+02	1.8E+03	1.2E+02	2.7E-02	3.8E-01	2.6E-02
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.81E-08	1.4E+02	6.2E+03	1.3E+02	3.2E-02	1.4E+00	3.1E-02
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.20E-07	2.0E+05	5.1E+04	4.1E+04	8.4E-01	2.2E-01	1.7E-01
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.69E-08	.	1.4E+06	1.4E+06	.	7.1E-01	7.1E-01
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.88E-09	7.9E+06	7.0E+06	3.7E+06	7.5E+00	6.7E+00	3.5E+00
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.28E-08	.	5.3E+06	5.3E+06	.	7.9E-01	7.9E-01
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.05E-07	.	6.6E+05	6.6E+05	.	2.5E-01	2.5E-01
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.17E-07	.	7.7E+05	7.7E+05	.	6.3E-02	6.3E-02
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.16E-07	.	1.6E+06	1.6E+06	.	2.3E-01	2.3E-01
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.14E-07	.	7.5E+06	7.5E+06	.	2.3E-01	2.3E-01
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	1.15E-08	3.6E+06	1.5E+06	1.1E+06	5.3E+00	2.3E+00	1.6E+00
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.60E-07	1.1E+05	2.3E+04	1.9E+04	7.6E-01	1.6E-01	1.3E-01
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.54E-08	1.0E+03	6.3E+03	8.9E+02	9.5E-02	5.7E-01	8.1E-02
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.66E-08	4.1E+03	7.3E+03	2.6E+03	2.2E-01	3.9E-01	1.4E-01
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.18E-07	7.7E+03	5.4E+03	3.2E+03	3.1E-01	2.2E-01	1.3E-01
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	7.73E-08	2.6E+00	3.6E+01	2.4E+00	2.4E-02	3.4E-01	2.3E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	1.2E-05	.	1.2E-05	1.2E-05	.	1.2E-05
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.71E-13	1.8E+05	6.4E+09	1.8E+05	4.3E+00	1.5E+05	4.3E+00
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.78E-07	.	2.2E+05	2.2E+05	.	1.5E-01	1.5E-01
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	7.13E-09	1.3E+01	2.4E+03	1.3E+01	1.9E-02	3.7E+00	1.9E-02
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	4.32E-10	4.0E+03	1.1E+06	4.0E+03	2.2E-01	6.0E+01	2.1E-01
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	7.13E-09	4.1E+02	2.9E+04	4.1E+02	5.1E-02	3.7E+00	5.0E-02
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	1.14E-10	2.6E-03	1.1E+03	2.6E-03	5.6E-04	2.3E+02	5.6E-04
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.10E-08	2.6E-03	1.1E+01	2.6E-03	5.5E-04	2.4E+00	5.5E-04
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.65E-09	4.8E+05	1.3E+06	3.5E+05	1.1E+00	3.0E+00	8.3E-01
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.16E-07	.	1.3E+06	1.3E+06	.	2.2E-01	2.2E-01
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	3.60E-10	7.3E+00	5.1E+04	7.3E+00	1.0E-02	7.2E+01	1.0E-02
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	5.87E-12	9.3E+00	1.8E+06	9.3E+00	2.3E-02	4.4E+03	2.3E-02
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.74E-09	2.6E+02	5.7E+06	2.6E+02	6.8E-04	1.5E+01	6.8E-04
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.58E-07	6.6E+00	1.8E+03	6.6E+00	6.0E-04	1.7E-01	6.0E-04
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	5.68E-09	4.0E+01	3.1E+04	4.0E+01	5.9E-03	4.6E+00	5.9E-03
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.57E-08	3.6E-02	2.0E+02	3.6E-02	6.3E-05	3.4E-01	6.3E-05
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.63E-09	1.9E-06	7.2E+00	1.9E-06	1.9E-06	7.2E+00	1.9E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.08E-07	1.6E+02	1.9E+03	1.5E+02	2.0E-02	2.4E-01	1.9E-02
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.31E-08	3.5E+00	4.2E+02	3.5E+00	9.3E-03	1.1E+00	9.3E-03
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.69E-07	4.3E+03	5.6E+03	2.4E+03	1.2E-01	1.5E-01	6.7E-02
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.40E-09	.	1.4E+08	1.4E+08	.	1.1E+01	1.1E+01
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.99E-10	2.7E+06	7.8E+07	2.6E+06	4.5E+00	1.3E+02	4.3E+00
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.10E-07	.	3.8E+05	3.8E+05	.	2.4E-01	2.4E-01
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.07E-08	.	6.2E+05	6.2E+05	.	3.7E-01	3.7E-01
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.25E-07	7.7E+06	2.5E+05	2.4E+05	6.4E+00	2.1E-01	2.0E-01
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.87E-07	3.4E+06	1.4E+05	1.3E+05	3.5E+00	1.4E-01	1.3E-01
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.27E-08	1.2E+06	1.9E+05	1.7E+05	3.0E+00	4.9E-01	4.3E-01
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.82E-07	.	2.6E+05	2.6E+05	.	1.4E-01	1.4E-01
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.32E-07	4.9E+05	6.7E+04	5.9E+04	1.5E+00	2.0E-01	1.7E-01
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.64E-08	9.4E+04	5.7E+04	3.5E+04	9.3E-01	5.6E-01	3.5E-01
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.22E-07	3.3E+05	3.5E+04	3.1E+04	2.0E+00	2.1E-01	1.9E-01
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	2.00E-08	1.2E+03	1.5E+04	1.2E+03	1.1E-01	1.3E+00	1.0E-01
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.43E-08	9.5E+03	8.1E+03	4.4E+03	3.6E-01	3.1E-01	1.7E-01
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.10E-08	.	9.1E+06	9.1E+06	.	6.4E-01	6.4E-01
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.20E-13	1.0E-03	3.2E+04	1.0E-03	1.0E-03	3.2E+04	1.0E-03
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.95E-08	1.0E-03	5.3E-01	1.0E-03	1.0E-03	5.3E-01	1.0E-03
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.30E-07	3.7E+04	7.8E+03	6.4E+03	5.4E-01	1.1E-01	9.4E-02
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	3.25E-08	7.9E+02	3.8E+03	6.5E+02	1.7E-01	8.0E-01	1.4E-01
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.40E-07	5.8E+05	2.4E+04	2.3E+04	2.7E+00	1.1E-01	1.0E-01
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.33E-13	6.3E-02	3.1E+04	6.3E-02	6.3E-02	3.1E+04	6.3E-02
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	4.61E-11	5.1E+04	4.2E+07	5.1E+04	6.9E-01	5.7E+02	6.9E-01
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	1.06E-10	1.6E-05	4.3E+02	1.6E-05	9.0E-06	2.5E+02	9.0E-06
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.54E-09	1.4E+03	1.4E+06	1.4E+03	3.5E-03	3.5E+00	3.5E-03
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.51E-08	5.1E+00	4.0E+04	5.1E+00	2.2E-04	1.7E+00	2.2E-04
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.75E-08	1.9E+03	5.1E+05	1.9E+03	3.6E-03	9.5E-01	3.6E-03
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	8.74E-09	1.4E+02	8.3E+03	1.4E+02	4.9E-02	3.0E+00	4.9E-02
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.76E-08	2.2E+04	2.0E+04	1.0E+04	7.6E-01	6.9E-01	3.6E-01
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	1.06E-10	4.8E+01	1.5E+05	4.8E+01	8.1E-02	2.5E+02	8.1E-02
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	8.1E-02	.	8.1E-02	8.1E-02	.	8.1E-02
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	5.62E-10	1.3E+03	8.2E+05	1.3E+03	7.6E-02	4.6E+01	7.5E-02
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.14E-08	.	7.1E+06	7.1E+06	.	2.3E+00	2.3E+00
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.09E-09	1.4E+06	2.7E+06	9.1E+05	2.2E+00	4.3E+00	1.5E+00
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	2.84E-11	2.4E+02	1.1E+07	2.4E+02	2.1E-02	9.2E+02	2.1E-02
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	3.00E-09	.	5.2E+07	5.2E+07	.	8.7E+00	8.7E+00
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.65E-07	.	1.1E+06	1.1E+06	.	1.6E-01	1.6E-01
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	2.85E-07	.	4.3E+05	4.3E+05	.	9.1E-02	9.1E-02
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-08	2.1E+06	4.8E+05	3.9E+05	2.6E+00	5.9E-01	4.8E-01
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.49E-07	2.8E+06	1.2E+05	1.1E+05	4.1E+00	1.8E-01	1.7E-01
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.13E-07	.	6.8E+05	6.8E+05	.	8.3E-02	8.3E-02
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.01E-07	.	7.9E+05	7.9E+05	.	1.3E-01	1.3E-01
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.07E-07	.	8.5E+05	8.5E+05	.	2.4E-01	2.4E-01
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.22E-07	.	2.0E+07	2.0E+07	.	2.1E-01	2.1E-01
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.50E-07	.	1.8E+05	1.8E+05	.	7.4E-02	7.4E-02
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.39E-08	3.6E+06	2.2E+05	2.0E+05	5.2E+00	3.1E-01	2.9E-01
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	9.81E-08	.	5.7E+06	5.7E+06	.	2.7E-01	2.7E-01
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.41E-08	6.0E-01	2.9E+01	5.9E-01	1.6E-02	7.6E-01	1.5E-02
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.76E-07	7.2E-02	4.1E+00	7.1E-02	2.6E-03	1.5E-01	2.5E-03
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	1.21E-09	2.3E-02	4.3E+01	2.3E-02	1.1E-02	2.2E+01	1.1E-02
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.43E-08	7.0E-03	1.6E+00	7.0E-03	1.4E-03	3.1E-01	1.4E-03
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	3.88E-12	9.4E-02	7.1E+04	9.4E-02	8.9E-03	6.7E+03	8.9E-03

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	6.94E-08	2.6E+01	7.1E+02	2.5E+01	1.4E-02	3.8E-01	1.3E-02
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.28E-07	1.7E+00	2.8E+01	1.6E+00	6.8E-03	1.1E-01	6.4E-03
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.45E-09	1.8E+02	8.3E+04	1.8E+02	3.9E-02	1.8E+01	3.9E-02
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.76E-07	2.8E+04	1.3E+04	9.1E+03	3.1E-01	1.5E-01	1.0E-01
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.57E-08	5.2E+02	6.3E+03	4.8E+02	6.1E-02	7.3E-01	5.6E-02
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.47E-08	.	2.7E+06	2.7E+06	.	7.5E-01	7.5E-01
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.78E-07	.	2.8E+05	2.8E+05	.	1.5E-01	1.5E-01
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	7.42E-09	.	9.8E+06	9.8E+06	.	3.5E+00	3.5E+00
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.22E-07	.	9.9E+05	9.9E+05	.	1.2E-01	1.2E-01
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.15E-07	.	6.6E+05	6.6E+05	.	1.2E-01	1.2E-01
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	1.92E-07	5.0E+05	5.4E+04	4.9E+04	1.3E+00	1.4E-01	1.2E-01
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.30E-07	6.8E+03	1.4E+04	4.5E+03	9.8E-02	2.0E-01	6.6E-02
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.86E-07	1.9E+05	2.1E+04	1.9E+04	1.3E+00	1.4E-01	1.3E-01
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.35E-07	7.5E-01	2.2E+02	7.5E-01	6.5E-04	1.9E-01	6.5E-04
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.49E-07	2.4E+04	7.3E+03	5.6E+03	5.8E-01	1.8E-01	1.3E-01
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.36E-12	6.1E-05	1.1E+05	6.1E-05	6.3E-06	1.1E+04	6.3E-06
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	6.97E-10	5.8E-06	4.3E+01	5.8E-06	5.1E-06	3.7E+01	5.1E-06
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.13E-12	7.2E-04	1.7E+06	7.2E-04	9.8E-06	2.3E+04	9.8E-06
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	9.47E-10	.	4.7E+10	4.7E+10	.	2.8E+01	2.8E+01
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.03E-08	.	4.9E+07	4.9E+07	.	2.5E+00	2.5E+00
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.35E-12	.	1.2E+18	1.2E+18	.	6.0E+03	6.0E+03
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	9.66E-12	.	1.4E+16	1.4E+16	.	2.7E+03	2.7E+03
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	1.97E-11	.	6.5E+14	6.5E+14	.	1.3E+03	1.3E+03
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.78E-12	.	8.8E+13	8.8E+13	.	1.5E+04	1.5E+04
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.07E-15	.	1.1E+14	1.1E+14	.	2.4E+07	2.4E+07
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.63E-07	4.2E+06	9.5E+04	9.3E+04	3.2E+00	7.2E-02	7.0E-02
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.73E-07	1.6E+06	8.2E+04	7.8E+04	1.8E+00	9.5E-02	9.1E-02
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	9.75E-08	2.0E+06	1.6E+05	1.5E+05	3.3E+00	2.7E-01	2.5E-01
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.52E-07	7.3E+06	1.2E+05	1.1E+05	6.5E+00	1.0E-01	1.0E-01
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.07E-08	5.2E+05	1.2E+05	9.8E+04	2.7E+00	6.4E-01	5.2E-01
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.28E-08	.	2.8E+06	2.8E+06	.	2.8E-01	2.8E-01
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	2.87E-07	9.2E+04	1.0E+04	9.4E+03	8.1E-01	9.1E-02	8.2E-02
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.27E-08	1.1E+05	1.1E+05	5.6E+04	2.0E+00	2.1E+00	1.0E+00
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.09E-08	.	1.8E+06	1.8E+06	.	4.3E-01	4.3E-01
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	7.76E-09	5.4E+02	4.3E+04	5.3E+02	4.2E-02	3.4E+00	4.2E-02
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	3.3E+06	.	3.3E+06	3.3E+00	.	3.3E+00
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	1.00E-10	1.1E+01	1.9E+05	1.1E+01	1.5E-02	2.6E+02	1.5E-02
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.54E-09	3.4E+06	4.8E+06	2.0E+06	4.0E+00	5.7E+00	2.4E+00
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	5.74E-10	.	9.2E+07	9.2E+07	.	4.5E+01	4.5E+01
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.50E-09	6.3E+03	4.2E+05	6.2E+03	1.5E-01	1.0E+01	1.5E-01
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.24E-07	1.4E+06	1.3E+05	1.2E+05	2.4E+00	2.1E-01	1.9E-01
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.40E-08	4.4E+06	5.3E+05	4.7E+05	4.0E+00	4.8E-01	4.3E-01
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.21E-07	.	1.4E+06	1.4E+06	.	2.2E-01	2.2E-01
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.08E-07	.	1.8E+06	1.8E+06	.	2.4E-01	2.4E-01
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.54E-08	1.9E+06	2.9E+05	2.5E+05	2.3E+00	3.5E-01	3.0E-01
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.54E-08	7.9E+04	4.0E+04	2.7E+04	6.8E-01	3.5E-01	2.3E-01
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.69E-08	6.8E+04	4.0E+04	2.5E+04	6.6E-01	3.9E-01	2.5E-01
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.98E-08	1.8E+01	1.3E+03	1.8E+01	1.8E-02	1.3E+00	1.8E-02
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.18E-08	5.0E+03	1.1E+04	3.5E+03	2.2E-01	5.0E-01	1.6E-01
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	9.5E-06	.	9.5E-06	9.5E-06	.	9.5E-06
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.93E-08	3.4E+02	3.2E+03	3.1E+02	9.3E-02	8.9E-01	8.5E-02
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.05E-13	9.4E-02	6.7E+04	9.4E-02	7.2E-02	5.2E+04	7.2E-02
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	8.24E-10	8.8E+01	7.4E+04	8.7E+01	3.7E-02	3.2E+01	3.7E-02
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	5.84E-09	7.8E+01	1.1E+04	7.7E+01	3.1E-02	4.5E+00	3.1E-02
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	2.21E-09	1.0E+03	1.4E+05	9.9E+02	8.2E-02	1.2E+01	8.1E-02
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	7.73E-09	7.9E+04	5.1E+05	6.9E+04	5.2E-01	3.4E+00	4.5E-01
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.26E-08	9.8E+05	5.5E+05	3.5E+05	2.1E+00	1.2E+00	7.4E-01
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	5.55E-09	8.3E+02	9.1E+04	8.2E+02	4.3E-02	4.7E+00	4.2E-02
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	3.38E-10	6.2E+01	4.3E+05	6.2E+01	1.1E-02	7.7E+01	1.1E-02
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.14E-08	6.2E+01	6.7E+03	6.1E+01	1.1E-02	1.2E+00	1.1E-02
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	5.65E-09	9.8E+02	2.0E+06	9.8E+02	2.3E-03	4.6E+00	2.3E-03
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	6.09E-09	4.9E+01	1.2E+05	4.9E+01	1.8E-03	4.3E+00	1.8E-03
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	8.49E-09	3.0E+07	1.8E+06	1.7E+06	5.2E+01	3.1E+00	2.9E+00
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	9.15E-12	4.7E-05	2.8E+04	4.7E-05	4.8E-06	2.8E+03	4.8E-06
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	4.35E-09	2.1E+01	1.3E+03	2.1E+01	9.6E-02	6.0E+00	9.4E-02
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	6.91E-12	3.2E-06	4.4E+03	3.2E-06	2.7E-06	3.8E+03	2.7E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	2.6E-06	3.0E+03	2.6E-06	2.6E-06	3.0E+03	2.6E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	2.6E-06	3.0E+03	2.6E-06	2.6E-06	3.0E+03	2.6E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	6.82E-12	2.6E-06	3.8E+03	2.6E-06	2.6E-06	3.8E+03	2.6E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.50E-13	3.7E-04	3.9E+05	3.7E-04	1.7E-04	1.7E+05	1.7E-04
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.50E-11	2.7E-06	1.7E+03	2.7E-06	2.7E-06	1.7E+03	2.7E-06
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	2.20E-09	2.2E+04	5.8E+05	2.1E+04	4.5E-01	1.2E+01	4.3E-01
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.46E-09	2.7E-06	1.1E+01	2.7E-06	2.7E-06	1.1E+01	2.7E-06
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	3.98E-08	2.7E-06	6.6E-01	2.7E-06	2.7E-06	6.6E-01	2.7E-06
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.54E-08	1.5E+03	1.3E+04	1.4E+03	6.7E-02	5.7E-01	6.0E-02
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.33E-08	7.1E+00	1.8E+03	7.1E+00	7.6E-03	2.0E+00	7.6E-03
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	1.2E+11	1.2E+11	.	1.4E+00	1.4E+00
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	1.2E+11	1.2E+11	.	1.4E+00	1.4E+00
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.24E-10	.	2.4E+12	2.4E+12	.	5.0E+01	5.0E+01
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	2.3E+08	2.3E+08	.	7.2E+00	7.2E+00
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	2.3E+08	2.3E+08	.	7.2E+00	7.2E+00
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.01E-09	.	5.9E+08	5.9E+08	.	2.6E+01	2.6E+01
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.42E-08	4.3E-03	1.6E+03	4.3E-03	4.9E-06	1.8E+00	4.9E-06
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	2.07E-08	4.3E-03	1.1E+03	4.3E-03	4.9E-06	1.3E+00	4.9E-06
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-09	3.5E-02	6.4E+04	3.5E-02	1.3E-05	2.3E+01	1.3E-05
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.20E-09	3.5E-02	6.0E+04	3.5E-02	1.3E-05	2.2E+01	1.3E-05
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	4.99E-10	3.7E-03	3.6E+04	3.7E-03	5.5E-06	5.2E+01	5.5E-06
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	7.70E-10	5.1E-06	3.4E+01	5.1E-06	5.1E-06	3.4E+01	5.1E-06
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.09E-07	5.1E-06	1.3E-01	5.1E-06	5.1E-06	1.2E-01	5.1E-06
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.55E-08	8.1E+04	5.8E+05	7.1E+04	2.3E-01	1.7E+00	2.1E-01
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	5.81E-12	1.6E-05	2.2E+04	1.6E-05	3.3E-06	4.5E+03	3.3E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.02E-07	1.6E-05	1.2E+00	1.6E-05	3.3E-06	2.6E-01	3.3E-06
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	8.11E-09	6.4E+04	5.0E+05	5.7E+04	4.1E-01	3.2E+00	3.6E-01
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.77E-07	.	5.7E+05	5.7E+05	.	1.5E-01	1.5E-01
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.21E-07	2.4E+06	4.1E+04	4.1E+04	2.9E+00	5.0E-02	4.9E-02
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	3.85E-07	.	1.7E+05	1.7E+05	.	6.8E-02	6.8E-02
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.64E-07	1.9E+06	1.0E+05	9.6E+04	2.9E+00	1.6E-01	1.5E-01
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.37E-07	.	5.0E+06	5.0E+06	.	1.9E-01	1.9E-01
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.68E-08	4.8E+04	2.4E+04	1.6E+04	9.0E-01	4.6E-01	3.0E-01
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.68E-09	1.8E+06	4.6E+06	1.3E+06	3.7E+00	9.7E+00	2.7E+00
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.27E-07	.	2.4E+06	2.4E+06	.	2.1E-01	2.1E-01
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.41E-07	2.1E+04	2.9E+03	2.5E+03	5.7E-01	7.6E-02	6.7E-02
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.46E-08	3.2E+00	5.6E+01	3.1E+00	2.8E-02	4.8E-01	2.6E-02
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.05E-07	4.2E+00	7.7E+01	4.0E+00	1.4E-02	2.5E-01	1.3E-02
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.20E-08	7.0E+06	4.5E+05	4.2E+05	9.7E+00	6.2E-01	5.8E-01
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.15E-08	4.7E+00	1.2E+03	4.6E+00	8.6E-03	2.3E+00	8.5E-03
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.19E-08	.	6.0E+06	6.0E+06	.	4.2E-01	4.2E-01
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	1.46E-11	3.2E-03	1.8E+03	3.2E-03	3.2E-03	1.8E+03	3.2E-03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	8.33E-08	2.1E+06	2.6E+05	2.3E+05	2.5E+00	3.1E-01	2.8E-01
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	2.78E-07	3.5E+06	9.0E+04	8.8E+04	3.7E+00	9.4E-02	9.1E-02
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	2.74E-07	.	5.3E+05	5.3E+05	.	9.5E-02	9.5E-02
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.17E-07	.	2.1E+05	2.1E+05	.	6.3E-02	6.3E-02
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.08E-07	6.0E+06	1.4E+05	1.4E+05	5.5E+00	1.3E-01	1.2E-01
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.24E-07	5.7E+06	1.6E+05	1.5E+05	7.7E+00	2.1E-01	2.0E-01
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.38E-07	.	1.1E+06	1.1E+06	.	1.9E-01	1.9E-01
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.84E-08	2.1E+03	3.6E+03	1.3E+03	1.7E-01	3.0E-01	1.1E-01
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.05E-07	1.2E+02	4.8E+02	9.4E+01	3.1E-02	1.3E-01	2.5E-02
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.42E-07	4.5E+03	3.5E+03	2.0E+03	2.4E-01	1.8E-01	1.0E-01
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	1.34E-08	1.7E+00	2.8E+02	1.7E+00	1.1E-02	1.9E+00	1.1E-02
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.01E-07	4.6E+00	6.9E+01	4.3E+00	1.7E-02	2.6E-01	1.6E-02
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.10E-08	2.4E-01	3.8E+01	2.4E-01	4.0E-03	6.4E-01	4.0E-03
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	2.04E-09	8.9E+01	3.5E+04	8.9E+01	3.3E-02	1.3E+01	3.3E-02
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	9.97E-10	8.7E-04	2.6E+01	8.7E-04	8.7E-04	2.6E+01	8.7E-04
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	3.03E-09	8.5E-04	8.6E+00	8.5E-04	8.5E-04	8.6E+00	8.5E-04
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	1.3E+00	.	1.3E+00	1.3E+00	.	1.3E+00
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	7.13E-09	9.0E+02	5.2E+04	8.8E+02	6.3E-02	3.7E+00	6.2E-02
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	5.40E-09	2.1E+06	3.8E+06	1.4E+06	2.7E+00	4.8E+00	1.7E+00
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	6.00E-09	8.4E+02	4.3E+04	8.3E+02	8.4E-02	4.3E+00	8.3E-02
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.52E-07	.	8.1E+05	8.1E+05	.	1.7E-01	1.7E-01
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.04E-07	1.8E+04	1.9E+04	9.4E+03	2.4E-01	2.5E-01	1.2E-01
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.38E-07	1.7E+03	9.0E+02	5.9E+02	1.5E-01	7.7E-02	5.1E-02
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.08E-09	.	1.6E+07	1.6E+07	.	5.1E+00	5.1E+00
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.91E-08	7.0E-02	7.5E+00	6.9E-02	8.3E-03	9.0E-01	8.2E-03
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.05E-08	4.7E+02	2.0E+03	3.8E+02	2.0E-01	8.6E-01	1.6E-01
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.65E-08	2.7E-01	2.3E+01	2.7E-01	5.5E-03	4.6E-01	5.4E-03
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.47E-07	1.6E-02	7.8E-01	1.6E-02	2.1E-03	1.1E-01	2.1E-03
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	1.11E-11	4.1E+06	6.1E+08	4.0E+06	1.6E+01	2.3E+03	1.6E+01
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.08E-09	.	2.6E+08	2.6E+08	.	1.3E+01	1.3E+01
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	2.12E-09	.	4.1E+07	4.1E+07	.	1.2E+01	1.2E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.58E-09	6.2E+02	2.1E+04	6.0E+02	9.0E-02	3.0E+00	8.7E-02
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.49E-08	.	3.1E+07	3.1E+07	.	1.0E+00	1.0E+00
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.35E-07	5.8E+04	8.7E+03	7.5E+03	5.2E-01	7.8E-02	6.8E-02
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-08	3.3E+06	5.0E+05	4.4E+05	5.0E+00	7.5E-01	6.5E-01
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.79E-08	.	3.6E+07	3.6E+07	.	6.9E-01	6.9E-01
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.35E-08	.	8.5E+06	8.5E+06	.	7.8E-01	7.8E-01
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.54E-07	.	7.1E+05	7.1E+05	.	5.7E-02	5.7E-02
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.07E-07	.	2.5E+05	2.5E+05	.	8.5E-02	8.5E-02
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.09E-07	.	1.8E+06	1.8E+06	.	2.4E-01	2.4E-01
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.61E-07	.	8.3E+04	8.3E+04	.	5.7E-02	5.7E-02
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.53E-07	.	1.6E+06	1.6E+06	.	1.7E-01	1.7E-01
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.67E-07	1.5E+06	7.4E+04	7.1E+04	3.1E+00	1.6E-01	1.5E-01
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.72E-07	8.7E+05	3.0E+04	2.9E+04	2.8E+00	9.6E-02	9.3E-02
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.10E-07	.	2.1E+05	2.1E+05	.	1.2E-01	1.2E-01
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.12E-08	1.9E+01	2.7E+02	1.8E+01	3.0E-02	4.3E-01	2.8E-02
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.32E-08	7.2E+04	1.8E+04	1.5E+04	1.4E+00	3.6E-01	2.8E-01
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.11E-07	.	3.7E+05	3.7E+05	.	2.3E-01	2.3E-01
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.39E-07	.	9.6E+04	9.6E+04	.	1.9E-01	1.9E-01
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	6.85E-09	.	3.9E+05	3.9E+05	.	3.8E+00	3.8E+00
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.19E-07	.	2.0E+03	2.0E+03	.	1.2E-01	1.2E-01
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	3.88E-11	.	4.1E+08	4.1E+08	.	6.7E+02	6.7E+02
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	8.62E-11	.	7.6E+12	7.6E+12	.	3.0E+02	3.0E+02
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.44E-09	.	8.9E+08	8.9E+08	.	4.0E+00	4.0E+00
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.47E-09	.	8.9E+08	8.9E+08	.	4.0E+00	4.0E+00
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.10E-11	.	5.8E+09	5.8E+09	.	3.7E+02	3.7E+02
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.2E+01	1.6E+06	1.2E+01	4.5E-03	5.9E+02	4.5E-03
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.2E+01	1.6E+06	1.2E+01	4.5E-03	5.9E+02	4.5E-03
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	3.88E-08	.	4.0E+05	4.0E+05	.	6.7E-01	6.7E-01
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.59E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	8.55E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.49E-08	1.7E-02	2.8E+01	1.7E-02	6.4E-04	1.0E+00	6.4E-04
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.13E-08	.	2.5E+06	2.5E+06	.	6.3E-01	6.3E-01
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	6.60E-09	.	1.3E+07	1.3E+07	.	4.0E+00	4.0E+00
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.38E-07	.	4.4E+05	4.4E+05	.	1.1E-01	1.1E-01
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	5.78E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.44E-07	1.5E+05	2.7E+04	2.3E+04	9.9E-01	1.8E-01	1.5E-01
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.49E-08	.	.	.	.	.	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	1.33E-12	.	.	.	.	.	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	3.94E-07	.	1.9E+05	1.9E+05	.	6.6E-02	6.6E-02
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.17E-07	9.9E+03	1.0E+04	5.1E+03	1.2E-01	1.2E-01	5.9E-02
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.69E-07	.	1.8E+06	1.8E+06	.	1.5E-01	1.5E-01
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.44E-07	.	4.0E+05	4.0E+05	.	1.8E-01	1.8E-01
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.22E-07	.	3.4E+05	3.4E+05	.	8.1E-02	8.1E-02
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	9.94E-08	2.7E+06	1.2E+05	1.1E+05	5.9E+00	2.6E-01	2.5E-01
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.74E-07	5.9E+06	8.8E+04	8.6E+04	6.4E+00	9.5E-02	9.4E-02
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.63E-07	3.9E+05	1.7E+04	1.7E+04	1.6E+00	7.2E-02	6.9E-02
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.79E-08	2.8E+05	1.3E+05	8.7E+04	3.2E+00	1.5E+00	1.0E+00
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.12E-08	.	1.2E+06	1.2E+06	.	2.9E-01	2.9E-01
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.07E-07	2.5E+04	4.1E+03	3.5E+03	5.2E-01	8.5E-02	7.3E-02
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	2.99E-10	4.9E+03	5.6E+05	4.9E+03	7.7E-01	8.7E+01	7.7E-01
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.02E-08	1.1E+07	4.8E+05	4.6E+05	1.2E+01	5.2E-01	5.0E-01
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	2.88E-07	7.1E+01	1.6E+02	4.9E+01	4.0E-02	9.0E-02	2.8E-02
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.08E-08	9.0E+01	1.9E+03	8.6E+01	2.4E-02	5.1E-01	2.3E-02
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	4.13E-09	.	2.2E+07	2.2E+07	.	6.3E+00	6.3E+00
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.24E-07	7.5E-01	2.0E+01	7.2E-01	4.5E-03	1.2E-01	4.3E-03
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.02E-08	.	4.9E+06	4.9E+06	.	5.2E-01	5.2E-01
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	1.11E-14	7.0E+06	1.7E+12	7.0E+06	9.7E+00	2.3E+06	9.7E+00
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.80E-08	3.6E-02	5.5E+00	3.5E-02	3.5E-03	5.4E-01	3.5E-03
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.16E-07	8.3E+00	6.8E+01	7.4E+00	1.0E-02	8.3E-02	9.0E-03
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.77E-07	3.1E+06	1.1E+05	1.1E+05	4.1E+00	1.5E-01	1.4E-01
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	7.92E-08	4.6E+01	8.6E+02	4.3E+01	1.7E-02	3.3E-01	1.6E-02
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.57E-07	2.4E+03	2.0E+03	1.1E+03	8.8E-02	7.3E-02	4.0E-02
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.20E-07	8.8E+06	1.7E+05	1.6E+05	6.3E+00	1.2E-01	1.2E-01
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.74E-07	7.6E+03	8.3E+03	4.0E+03	1.4E-01	1.5E-01	7.2E-02
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	3.82E-07	5.1E+05	2.5E+04	2.4E+04	1.4E+00	6.8E-02	6.5E-02
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.19E-07	.	1.9E+05	1.9E+05	.	8.2E-02	8.2E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.51E-07	9.0E+05	6.6E+04	6.1E+04	1.4E+00	1.0E-01	9.7E-02
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.41E-07	.	4.5E+05	4.5E+05	.	7.6E-02	7.6E-02
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.02E-07	.	7.3E+05	7.3E+05	.	5.2E-02	5.2E-02
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.11E-07	2.0E+04	1.5E+04	8.5E+03	3.2E-01	2.4E-01	1.4E-01
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.50E-07	1.3E+04	6.4E+03	4.3E+03	2.2E-01	1.0E-01	7.1E-02
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.06E-08	8.5E+01	3.5E+03	8.3E+01	2.1E-02	8.5E-01	2.0E-02
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.39E-07	7.0E-01	1.3E+01	6.6E-01	5.8E-03	1.1E-01	5.5E-03
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	1.15E-08	1.4E+02	6.8E+03	1.4E+02	4.7E-02	2.3E+00	4.6E-02
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.01E-07	2.0E+02	3.6E+02	1.3E+02	3.6E-02	6.5E-02	2.3E-02
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	6.09E-10	3.4E+05	1.1E+07	3.3E+05	1.3E+00	4.3E+01	1.3E+00
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	3.91E-07	.	5.7E+05	5.7E+05	.	6.7E-02	6.7E-02
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	7.89E-08	3.0E+05	1.2E+05	8.4E+04	8.4E-01	3.3E-01	2.4E-01
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.86E-07	.	4.3E+05	4.3E+05	.	1.4E-01	1.4E-01
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	1.38E-09	1.1E+01	2.3E+04	1.1E+01	9.2E-03	1.9E+01	9.2E-03
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.21E-07	5.7E+03	7.3E+03	3.2E+03	1.7E-01	2.2E-01	9.4E-02
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	2.96E-08	6.8E+05	3.2E+05	2.2E+05	1.9E+00	8.8E-01	6.0E-01
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	4.13E-08	2.5E+00	5.3E+01	2.3E+00	2.9E-02	6.3E-01	2.8E-02
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	9.12E-09	.	1.4E+08	1.4E+08	.	2.9E+00	2.9E+00
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	1.35E-12	7.7E-03	1.9E+04	7.7E-03	7.7E-03	1.9E+04	7.7E-03
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	8.68E-10	.	1.1E+08	1.1E+08	.	3.0E+01	3.0E+01
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.20E-09	4.3E+06	1.7E+07	3.5E+06	5.5E+00	2.2E+01	4.4E+00
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	1.34E-09	2.5E+05	4.9E+06	2.4E+05	9.9E-01	1.9E+01	9.4E-01
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.14E-07	1.3E+06	5.4E+04	5.2E+04	2.0E+00	8.3E-02	8.0E-02
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.20E-07	.	2.7E+06	2.7E+06	.	2.2E-01	2.2E-01
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.70E-08	.	2.6E+06	2.6E+06	.	5.5E-01	5.5E-01
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	3.85E-10	4.4E+04	6.3E+06	4.3E+04	4.7E-01	6.8E+01	4.7E-01
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	4.26E-12	5.5E-04	6.8E+03	5.5E-04	4.9E-04	6.1E+03	4.9E-04
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	3.63E-10	5.2E-04	8.0E+01	5.2E-04	4.7E-04	7.2E+01	4.7E-04
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.67E-07	.	8.9E+05	8.9E+05	.	1.6E-01	1.6E-01
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.37E-08	1.9E+06	4.0E+05	3.3E+05	1.9E+00	4.1E-01	3.4E-01
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.63E-07	7.1E+06	2.3E+05	2.2E+05	5.0E+00	1.6E-01	1.5E-01
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.26E-07	1.4E+06	7.4E+04	7.1E+04	2.2E+00	1.2E-01	1.1E-01
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.03E-08	1.3E+05	5.1E+05	1.0E+05	6.5E-01	2.5E+00	5.2E-01
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	5.90E-08	.	7.4E+05	7.4E+05	.	4.4E-01	4.4E-01
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	7.89E-08	.	4.4E+06	4.4E+06	.	3.3E-01	3.3E-01
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	2.74E-09	7.3E-01	2.8E+02	7.3E-01	2.5E-02	9.5E+00	2.5E-02
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	1.0E-05	.	1.0E-05	1.0E-05	.	1.0E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	1.1E-05	.	1.1E-05	1.1E-05	.	1.1E-05
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	1.3E-05	.	1.3E-05	1.3E-05	.	1.3E-05
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	5.14E-14	1.8E-02	5.9E+05	1.8E-02	1.5E-02	5.1E+05	1.5E-02
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	4.83E-09	2.3E+02	2.8E+04	2.3E+02	4.5E-02	5.4E+00	4.4E-02
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	1.01E-08	2.8E+06	1.7E+06	1.0E+06	4.2E+00	2.6E+00	1.6E+00
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	1.15E-08	3.4E+03	5.8E+04	3.2E+03	1.3E-01	2.3E+00	1.3E-01
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-08	.	1.0E+06	1.0E+06	.	5.6E-01	5.6E-01
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.37E-07	.	1.4E+06	1.4E+06	.	1.9E-01	1.9E-01
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.45E-08	8.6E+06	5.0E+05	4.7E+05	6.1E+00	3.5E-01	3.3E-01
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.69E-07	6.2E+06	7.8E+04	7.8E+04	7.7E+00	9.7E-02	9.6E-02
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	3.04E-08	1.2E+04	5.1E+04	9.5E+03	2.0E-01	8.6E-01	1.6E-01
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.59E-08	2.1E+06	1.9E+05	1.8E+05	5.1E+00	4.7E-01	4.3E-01
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	8.08E-10	8.5E-01	2.8E+03	8.5E-01	9.7E-03	3.2E+01	9.7E-03
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	2.07E-10	8.2E+06	8.6E+07	7.5E+06	1.2E+01	1.3E+02	1.1E+01
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.51E-08	1.0E+01	1.3E+03	1.0E+01	1.4E-02	1.7E+00	1.4E-02
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	1.82E-10	4.0E-01	4.9E+03	4.0E-01	1.2E-02	1.4E+02	1.2E-02
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	1.67E-11	1.2E+03	1.4E+07	1.2E+03	1.3E-01	1.6E+03	1.3E-01
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	9.25E-11	4.5E-03	3.8E+02	4.5E-03	3.3E-03	2.8E+02	3.3E-03
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	1.05E-10	4.4E-03	3.3E+02	4.4E-03	3.2E-03	2.5E+02	3.2E-03
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.06E-09	2.4E-01	1.9E+03	2.4E-01	3.1E-03	2.5E+01	3.1E-03
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.48E-08	8.7E+05	6.4E+05	3.7E+05	2.4E+00	1.8E+00	1.0E+00
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.07E-08	9.6E+00	6.7E+02	9.5E+00	9.1E-03	6.4E-01	9.0E-03
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-08	.	1.0E+06	1.0E+06	.	6.7E-01	6.7E-01
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	4.32E-09	3.4E-04	6.0E+00	3.4E-04	3.4E-04	6.0E+00	3.4E-04
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.26E-07	3.4E-04	1.2E-01	3.3E-04	3.4E-04	1.2E-01	3.3E-04
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.30E-07	3.6E+04	1.3E+04	9.6E+03	3.1E-01	1.1E-01	8.3E-02
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.63E-08	.	1.4E+06	1.4E+06	.	3.9E-01	3.9E-01
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.34E-08	1.4E+05	1.0E+05	6.0E+04	5.8E-01	4.1E-01	2.4E-01
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.19E-07	.	1.4E+06	1.4E+06	.	2.2E-01	2.2E-01
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.04E-07	.	9.8E+05	9.8E+05	.	2.5E-01	2.5E-01
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.05E-07	.	2.1E+06	2.1E+06	.	2.5E-01	2.5E-01
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.33E-07	.	1.3E+06	1.3E+06	.	2.0E-01	2.0E-01
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	4.86E-08	3.5E+04	7.4E+04	2.4E+04	2.6E-01	5.4E-01	1.7E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.57E-07	1.3E+06	1.1E+05	1.0E+05	2.0E+00	1.7E-01	1.5E-01
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	9.53E-12	1.3E+00	1.1E+06	1.3E+00	3.2E-03	2.7E+03	3.2E-03
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.27E-07	1.3E+00	8.2E+01	1.3E+00	3.2E-03	2.1E-01	3.1E-03
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.37E-08	7.2E+02	2.1E+03	5.3E+02	9.6E-02	2.8E-01	7.1E-02
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.55E-08	7.0E+00	7.3E+01	6.4E+00	4.5E-02	4.7E-01	4.1E-02
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.35E-08	3.4E+06	2.4E+05	2.2E+05	1.6E+01	1.1E+00	1.0E+00
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.53E-08	2.0E+05	6.4E+04	4.8E+04	2.3E+00	7.4E-01	5.6E-01
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	2.87E-10	9.5E-01	1.8E+04	9.5E-01	4.7E-03	9.1E+01	4.7E-03
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	4.42E-11	5.2E-04	9.2E+02	5.2E-04	3.4E-04	5.9E+02	3.4E-04
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	6.63E-10	5.1E-04	6.1E+01	5.1E-04	3.3E-04	3.9E+01	3.3E-04
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	8.36E-08	1.9E+03	7.9E+03	1.5E+03	7.3E-02	3.1E-01	5.9E-02
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.64E-07	1.2E+04	1.5E+04	6.5E+03	1.3E-01	1.6E-01	7.1E-02
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.72E-07	.	1.9E+05	1.9E+05	.	9.6E-02	9.6E-02
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.76E-07	.	1.7E+06	1.7E+06	.	1.5E-01	1.5E-01
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.21E-07	.	4.6E+05	4.6E+05	.	2.2E-01	2.2E-01
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	1.98E-07	7.5E+05	5.2E+04	4.9E+04	1.9E+00	1.3E-01	1.2E-01
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.47E-08	4.0E+04	3.1E+04	1.8E+04	5.2E-01	4.0E-01	2.3E-01
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.13E-07	2.5E+05	4.9E+04	4.1E+04	1.2E+00	2.3E-01	1.9E-01
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.29E-07	6.9E+03	4.7E+03	2.8E+03	3.0E-01	2.0E-01	1.2E-01
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.73E-07	7.4E+03	2.9E+03	2.1E+03	2.5E-01	9.5E-02	6.9E-02
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	5.18E-09	1.4E+03	2.2E+04	1.3E+03	3.2E-01	5.0E+00	3.0E-01
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.17E-08	.	3.5E+06	3.5E+06	.	2.2E+00	2.2E+00
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.23E-07	7.2E+04	2.2E+04	1.7E+04	7.0E-01	2.1E-01	1.6E-01
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	1.63E-09	1.2E+00	2.4E+02	1.2E+00	8.0E-02	1.6E+01	8.0E-02
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	3.31E-09	2.2E+04	2.3E+05	2.0E+04	7.5E-01	7.9E+00	6.8E-01
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.52E-07	3.4E-01	1.5E+01	3.3E-01	3.9E-03	1.7E-01	3.8E-03
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.57E-08	3.7E+06	9.3E+05	7.4E+05	4.0E+00	1.0E+00	8.1E-01
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.93E-08	3.1E+01	1.8E+03	3.1E+01	1.6E-02	8.9E-01	1.5E-02
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.78E-07	2.3E+03	4.1E+03	1.5E+03	8.3E-02	1.5E-01	5.3E-02
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.57E-08	3.4E+05	4.9E+05	2.0E+05	1.2E+00	1.7E+00	6.8E-01
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.61E-07	7.2E+06	2.2E+05	2.2E+05	5.2E+00	1.6E-01	1.6E-01
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.45E-07	.	2.2E+06	2.2E+06	.	5.9E-02	5.9E-02
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.58E-07	1.1E+05	1.5E+04	1.3E+04	7.4E-01	1.0E-01	8.9E-02
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.33E-07	.	8.7E+05	8.7E+05	.	1.1E-01	1.1E-01
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	2.81E-07	2.2E+05	2.2E+04	2.0E+04	9.2E-01	9.3E-02	8.4E-02
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.60E-07	.	4.8E+05	4.8E+05	.	7.2E-02	7.2E-02
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.60E-07	5.6E+02	9.6E+03	5.3E+02	9.5E-03	1.6E-01	9.0E-03
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.57E-07	.	5.8E+05	5.8E+05	.	1.7E-01	1.7E-01
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.00E-07	3.2E+04	6.1E+03	5.1E+03	4.5E-01	8.7E-02	7.3E-02
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.85E-07	.	2.3E+05	2.3E+05	.	9.2E-02	9.2E-02
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.10E-07	2.3E+03	3.3E+03	1.4E+03	1.7E-01	2.4E-01	9.8E-02
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	8.02E-09	.	1.1E+08	1.1E+08	.	3.3E+00	3.3E+00
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.77E-07	1.5E+03	2.0E+03	8.6E+02	1.1E-01	1.5E-01	6.2E-02
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-08	.	1.1E+06	1.1E+06	.	3.2E-01	3.2E-01
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.38E-08	6.4E+02	3.3E+03	5.4E+02	1.5E-01	7.7E-01	1.2E-01
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	2.83E-07	1.5E+03	1.0E+03	6.1E+02	1.3E-01	9.2E-02	5.4E-02
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.53E-08	2.2E+02	3.2E+03	2.0E+02	1.1E-01	1.7E+00	1.1E-01
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.26E-07	6.3E+01	2.2E+02	4.9E+01	3.3E-02	1.2E-01	2.6E-02
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	2.11E-09	1.8E+03	1.2E+05	1.7E+03	1.8E-01	1.2E+01	1.7E-01
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	2.28E-10	1.5E+04	5.2E+06	1.5E+04	3.3E-01	1.1E+02	3.3E-01
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	2.21E-10	4.7E-02	1.4E+02	4.7E-02	3.9E-02	1.2E+02	3.9E-02
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.15E-08	9.0E-04	3.1E-01	8.9E-04	8.3E-04	2.8E-01	8.3E-04
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.32E-07	6.6E-01	2.8E+01	6.5E-01	4.7E-03	2.0E-01	4.6E-03
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	1.99E-09	3.6E+01	1.9E+04	3.6E+01	2.5E-02	1.3E+01	2.5E-02
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.27E-07	.	3.9E+05	3.9E+05	.	2.1E-01	2.1E-01
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	8.80E-08	3.8E+06	2.2E+05	2.1E+05	5.1E+00	3.0E-01	2.8E-01
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	2.88E-07	.	4.4E+05	4.4E+05	.	9.0E-02	9.0E-02
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.02E-07	.	1.8E+06	1.8E+06	.	2.6E-01	2.6E-01
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.76E-08	7.7E+06	7.1E+05	6.5E+05	7.5E+00	6.9E-01	6.4E-01
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.18E-08	.	3.6E+08	3.6E+08	.	2.2E+00	2.2E+00
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.01E-07	.	2.9E+05	2.9E+05	.	8.7E-02	8.7E-02
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	2.78E-07	2.1E+06	7.5E+04	7.2E+04	2.6E+00	9.4E-02	9.0E-02
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.37E-08	.	5.3E+05	5.3E+05	.	2.8E-01	2.8E-01
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.05E-07	.	4.0E+05	4.0E+05	.	8.5E-02	8.5E-02
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.64E-07	.	7.0E+05	7.0E+05	.	1.6E-01	1.6E-01
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.54E-07	.	2.0E+05	2.0E+05	.	5.7E-02	5.7E-02
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	1.91E-07	1.3E+05	1.2E+04	1.1E+04	1.5E+00	1.4E-01	1.3E-01
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.19E-07	1.1E+06	7.3E+04	6.9E+04	3.4E+00	2.2E-01	2.1E-01
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.09E-07	2.5E+04	4.2E+03	3.6E+03	4.9E-01	8.4E-02	7.2E-02
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.31E-07	3.8E+05	3.2E+04	2.9E+04	1.4E+00	1.1E-01	1.0E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.12E-08	6.3E+03	3.5E+03	2.2E+03	5.2E-01	2.9E-01	1.8E-01
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	7.73E-08	5.1E+00	5.6E+01	4.7E+00	3.1E-02	3.4E-01	2.8E-02
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	2.91E-07	1.6E+02	2.1E+02	9.1E+01	6.8E-02	9.0E-02	3.9E-02
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	4.92E-09	1.9E+06	1.5E+06	8.4E+05	6.7E+00	5.3E+00	3.0E+00
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	4.39E-11	3.0E-02	5.9E+02	3.0E-02	3.0E-02	5.9E+02	3.0E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	7.26E-11	1.1E+00	4.0E+04	1.1E+00	9.8E-03	3.6E+02	9.8E-03
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.63E-07	1.2E-03	1.6E-01	1.2E-03	1.2E-03	1.6E-01	1.2E-03
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	1.18E-11	3.7E-03	2.2E+03	3.7E-03	3.7E-03	2.2E+03	3.7E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.30E-08	9.5E+04	8.1E+04	4.4E+04	2.4E+00	2.0E+00	1.1E+00
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.65E-07	.	8.4E+05	8.4E+05	.	9.8E-02	9.8E-02
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.51E-07	1.6E+06	1.7E+05	1.5E+05	1.7E+00	1.7E-01	1.6E-01
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.65E-07	.	2.5E+05	2.5E+05	.	9.8E-02	9.8E-02
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.11E-07	.	1.8E+05	1.8E+05	.	8.4E-02	8.4E-02
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	9.03E-09	.	.	.	.	.	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	1.85E-07	4.5E+05	3.3E+04	3.1E+04	1.9E+00	1.4E-01	1.3E-01
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	3.03E-10	1.9E+01	1.5E+05	1.9E+01	1.1E-02	8.6E+01	1.1E-02
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.15E-08	1.9E+01	4.8E+02	1.8E+01	1.1E-02	2.8E-01	1.1E-02
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	8.71E-08	6.7E+03	4.5E+03	2.7E+03	4.4E-01	3.0E-01	1.8E-01
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.77E-07	1.5E+02	3.2E+02	1.0E+02	7.1E-02	1.5E-01	4.8E-02
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.34E-08	.	.	.	.	.	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.25E-08	.	.	.	.	.	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	5.27E-13	.	.	.	.	.	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.43E-08	.	.	.	.	.	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	6.75E-10	.	.	.	.	.	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.96E-10	.	.	.	.	.	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	2.24E-10	.	.	.	.	.	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.82E-09	.	.	.	.	.	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.63E-09	.	.	.	.	.	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.77E-08	.	.	.	.	.	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.70E-07	.	.	.	.	.	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.32E-08	.	.	.	.	.	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.44E-07	.	.	.	.	.	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.19E-07	.	.	.	.	.	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	9.75E-08	.	.	.	.	.	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	6.78E-09	.	5.6E+09	5.6E+09	.	3.8E+00	3.8E+00
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.42E-09	.	9.0E+09	9.0E+09	.	1.1E+01	1.1E+01
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	7.86E-10	4.4E+02	1.6E+07	4.4E+02	9.3E-04	3.3E+01	9.3E-04
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.30E-08	2.2E-03	1.1E+03	2.2E-03	4.1E-06	2.0E+00	4.1E-06
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	2.01E-10	1.6E-05	1.9E+03	1.6E-05	1.1E-06	1.3E+02	1.1E-06
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	8.11E-09	8.2E-07	3.2E+00	8.2E-07	8.2E-07	3.2E+00	8.2E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	8.62E-09	7.1E-07	3.0E+00	7.1E-07	7.1E-07	3.0E+00	7.1E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	3.63E-11	4.2E-06	7.2E+02	4.2E-06	4.2E-06	7.2E+02	4.2E-06
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	1.07E-09	9.0E+02	2.3E+05	9.0E+02	9.5E-02	2.4E+01	9.5E-02
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	1.84E-11	3.3E-06	1.4E+03	3.3E-06	3.3E-06	1.4E+03	3.3E-06
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.02E-07	1.6E-06	2.6E-01	1.6E-06	1.6E-06	2.6E-01	1.6E-06
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.98E-09	2.5E+06	4.3E+06	1.6E+06	3.8E+00	6.6E+00	2.4E+00
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	7.70E-10	1.9E+00	1.4E+04	1.9E+00	4.6E-03	3.4E+01	4.6E-03
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	3.16E-09	1.9E+00	3.5E+03	1.9E+00	4.6E-03	8.3E+00	4.6E-03
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.47E-09	.	8.3E+06	8.3E+06	.	4.0E+00	4.0E+00
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.76E-09	4.2E+05	2.7E+06	3.7E+05	1.1E+00	6.9E+00	9.4E-01
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	1.17E-08	5.2E-04	2.8E+00	5.2E-04	4.2E-04	2.2E+00	4.2E-04
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.62E-07	5.2E-04	1.2E-01	5.2E-04	4.1E-04	1.0E-01	4.1E-04
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	9.81E-08	3.6E+04	2.1E+04	1.3E+04	4.6E-01	2.7E-01	1.7E-01
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.20E-08	.	1.6E+06	1.6E+06	.	6.2E-01	6.2E-01
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.31E-08	.	1.7E+07	1.7E+07	.	2.0E+00	2.0E+00
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.48E-07	.	9.9E+05	9.9E+05	.	1.8E-01	1.8E-01
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.81E-07	.	3.7E+05	3.7E+05	.	9.3E-02	9.3E-02
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.03E-07	1.7E+06	1.1E+05	1.1E+05	3.8E+00	2.5E-01	2.4E-01
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.86E-07	1.3E+06	4.1E+04	3.9E+04	2.9E+00	9.1E-02	8.8E-02
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.46E-07	5.9E+05	3.7E+04	3.5E+04	2.8E+00	1.8E-01	1.7E-01
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.24E-07	2.8E+05	1.5E+04	1.5E+04	2.1E+00	1.2E-01	1.1E-01
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.08E-08	1.2E+05	4.4E+04	3.2E+04	1.4E+00	5.1E-01	3.8E-01
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.42E-07	5.3E+04	4.9E+03	4.5E+03	1.2E+00	1.1E-01	9.8E-02
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.35E-07	1.4E+05	2.5E+04	2.1E+04	1.1E+00	1.9E-01	1.6E-01
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.58E-08	3.7E+04	3.3E+04	1.7E+04	1.1E+00	1.0E+00	5.3E-01
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.52E-07	3.2E+03	1.6E+03	1.1E+03	3.5E-01	1.7E-01	1.1E-01
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	7.86E-09	6.8E+02	1.1E+04	6.4E+02	2.1E-01	3.3E+00	1.9E-01
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	5.02E-08	8.7E+01	4.3E+02	7.2E+01	1.0E-01	5.2E-01	8.7E-02
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	1.64E-10	1.7E-02	1.2E+03	1.7E-02	2.4E-03	1.6E+02	2.4E-03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	2.54E-10	.	3.6E+08	3.6E+08	.	1.0E+02	1.0E+02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.76E-07	.	3.7E+05	3.7E+05	.	9.4E-02	9.4E-02
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.89E-10	.	1.6E+08	1.6E+08	.	5.3E+01	5.3E+01
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.29E-07	.	2.9E+05	2.9E+05	.	6.1E-02	6.1E-02
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.59E-07	.	6.8E+05	6.8E+05	.	1.0E-01	1.0E-01
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.35E-07	.	8.7E+05	8.7E+05	.	7.8E-02	7.8E-02
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.49E-07	1.2E+06	8.4E+04	7.9E+04	2.5E+00	1.7E-01	1.6E-01
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.32E-07	2.7E+06	7.5E+04	7.3E+04	4.0E+00	1.1E-01	1.1E-01
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.53E-07	2.2E+05	2.3E+04	2.1E+04	1.6E+00	1.7E-01	1.5E-01
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	8.96E-08	.	2.1E+06	2.1E+06	.	2.9E-01	2.9E-01
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	6.00E-08	1.3E+03	3.5E+03	9.5E+02	1.6E-01	4.3E-01	1.2E-01
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.37E-07	8.4E+03	3.5E+03	2.5E+03	2.7E-01	1.1E-01	7.8E-02
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.33E-08	3.1E+01	2.1E+03	3.0E+01	2.8E-02	2.0E+00	2.8E-02
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.39E-07	8.4E-01	2.0E+01	8.1E-01	7.7E-03	1.9E-01	7.4E-03
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	4.07E-10	3.4E-01	5.0E+03	3.4E-01	4.4E-03	6.4E+01	4.4E-03
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	3.94E-11	4.8E-01	9.5E+03	4.8E-01	3.3E-02	6.6E+02	3.3E-02
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	5.78E-08	9.0E+01	1.7E+03	8.5E+01	2.4E-02	4.5E-01	2.2E-02
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.32E-08	5.2E+03	1.8E+04	4.0E+03	1.8E-01	6.0E-01	1.4E-01
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.03E-07	.	3.5E+05	3.5E+05	.	1.3E-01	1.3E-01
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.25E-07	4.0E+06	2.0E+05	1.9E+05	4.2E+00	2.1E-01	2.0E-01
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.38E-07	.	8.6E+05	8.6E+05	.	1.1E-01	1.1E-01
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.20E-08	.	2.9E+07	2.9E+07	.	2.2E+00	2.2E+00
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.91E-10	.	1.1E+08	1.1E+08	.	6.7E+01	6.7E+01
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	1.11E-10	1.3E-03	1.1E+05	1.3E-03	2.6E-06	2.4E+02	2.6E-06
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	6.47E-09	1.6E+02	9.7E+03	1.6E+02	6.7E-02	4.0E+00	6.6E-02
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	2.50E-11	1.9E-06	1.3E+03	1.9E-06	1.5E-06	1.0E+03	1.5E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	2.53E-11	5.0E-06	1.0E+03	5.0E-06	5.0E-06	1.0E+03	5.0E-06
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	1.39E-11	5.1E-06	1.9E+03	5.1E-06	5.1E-06	1.9E+03	5.1E-06
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.71E-08	5.7E-06	1.5E+00	5.7E-06	5.7E-06	1.5E+00	5.7E-06
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.81E-08	5.7E-06	1.4E+00	5.7E-06	5.7E-06	1.4E+00	5.7E-06
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	4.3E+10	.	4.3E+10	7.6E+04	.	7.6E+04
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	8.27E-12	5.6E-06	3.2E+03	5.6E-06	5.6E-06	3.2E+03	5.6E-06
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.29E-08	2.9E+01	3.0E+03	2.9E+01	1.9E-02	2.0E+00	1.9E-02
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	7.07E-12	6.0E-06	3.7E+03	6.0E-06	6.0E-06	3.7E+03	6.0E-06
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.44E-09	6.0E-06	7.6E+00	6.0E-06	6.0E-06	7.6E+00	6.0E-06
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	4.61E-09	1.5E+06	3.5E+06	1.0E+06	2.3E+00	5.7E+00	1.7E+00
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	4.45E-10	8.0E+02	1.0E+06	8.0E+02	4.6E-02	5.9E+01	4.6E-02
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.39E-09	2.4E+06	5.2E+06	1.6E+06	2.8E+00	5.9E+00	1.9E+00
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.13E-07	1.0E+06	1.0E+05	9.4E+04	2.3E+00	2.3E-01	2.1E-01
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.47E-07	8.6E+00	4.8E+01	7.3E+00	1.4E-02	7.5E-02	1.2E-02
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	1.6E+01	.	1.6E+01	5.1E-01	.	5.1E-01
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.76E-07	1.3E-03	1.2E-01	1.2E-03	1.5E-03	1.5E-01	1.5E-03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.79E-07	.	5.7E+05	5.7E+05	.	1.5E-01	1.5E-01
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.24E-07	.	1.9E+06	1.9E+06	.	2.1E-01	2.1E-01
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-07	1.3E+05	2.9E+04	2.4E+04	1.2E+00	2.6E-01	2.1E-01
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	1.01E-09	2.2E+01	1.2E+04	2.2E+01	4.6E-02	2.6E+01	4.6E-02
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.27E-08	2.2E+01	9.6E+02	2.1E+01	4.6E-02	2.1E+00	4.5E-02
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	3.38E-09	1.9E+07	3.0E+06	2.6E+06	4.8E+01	7.7E+00	6.7E+00
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	4.70E-09	.	1.3E+07	1.3E+07	.	5.5E+00	5.5E+00
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	2.70E-09	1.1E+01	8.1E+02	1.0E+01	1.3E-01	9.7E+00	1.2E-01
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	2.47E-11	1.4E+00	1.4E+05	1.4E+00	1.0E-02	1.1E+03	1.0E-02
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	2.23E-09	.	1.1E+08	1.1E+08	.	1.2E+01	1.2E+01
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.02E-08	7.5E+02	5.3E+03	6.6E+02	7.4E-02	5.2E-01	6.4E-02
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	2.12E-10	3.7E-01	1.8E+04	3.7E-01	2.6E-03	1.2E+02	2.6E-03
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	1.36E-08	4.8E+05	9.3E+05	3.2E+05	1.0E+00	1.9E+00	6.6E-01
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.17E-08	.	2.3E+05	2.3E+05	.	6.3E-01	6.3E-01
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.76E-07	.	5.4E+04	5.4E+04	.	1.5E-01	1.5E-01
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	5.40E-09	.	5.8E+04	5.8E+04	.	4.8E+00	4.8E+00
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.20E-08	.	4.2E+04	4.2E+04	.	3.6E-01	3.6E-01
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.70E-08	.	1.4E+04	1.4E+04	.	9.7E-01	9.7E-01
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.80E-08	.	2.6E+02	2.6E+02	.	9.3E-01	9.3E-01
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.61E-08	.	2.0E+07	2.0E+07	.	1.6E+00	1.6E+00
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.95E-09	.	1.5E+04	1.5E+04	.	1.3E+01	1.3E+01
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	7.20E-10	.	3.1E+04	3.1E+04	.	3.6E+01	3.6E+01
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	3.16E-09	.	1.6E+04	1.6E+04	.	8.3E+00	8.3E+00
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.95E-09	.	4.1E+04	4.1E+04	.	8.8E+00	8.8E+00
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.73E-08	.	2.5E+04	2.5E+04	.	9.6E-01	9.6E-01
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.77E-08	.	5.2E+05	5.2E+05	.	5.5E-01	5.5E-01
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.38E-08	.	4.2E+06	4.2E+06	.	1.1E+00	1.1E+00
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.39E-07	.	1.9E+05	1.9E+05	.	1.9E-01	1.9E-01
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.32E-07	.	2.4E+06	2.4E+06	.	2.0E-01	2.0E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	1.0E+08	1.0E+08	.	1.4E+01	1.4E+01
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.54E-07	.	3.5E+05	3.5E+05	.	1.7E-01	1.7E-01
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.40E-08	.	1.4E+06	1.4E+06	.	2.8E-01	2.8E-01
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	4.67E-07	4.2E+05	2.1E+04	2.0E+04	1.1E+00	5.6E-02	5.3E-02
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.22E-07	4.1E+04	1.9E+04	1.3E+04	4.5E-01	2.1E-01	1.4E-01
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.57E-07	1.0E+04	8.3E+03	4.6E+03	2.1E-01	1.7E-01	9.2E-02
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.29E-07	1.5E+03	1.0E+03	6.0E+02	9.2E-02	6.1E-02	3.7E-02
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.40E-08	4.7E+05	3.3E+05	1.9E+05	1.6E+00	1.1E+00	6.4E-01
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	4.92E-08	2.9E+02	1.6E+03	2.5E+02	9.7E-02	5.3E-01	8.2E-02
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.41E-08	4.6E+03	1.4E+04	3.5E+03	2.5E-01	7.6E-01	1.9E-01
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.35E-07	6.6E-01	7.4E+00	6.1E-01	7.0E-03	7.8E-02	6.4E-03
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.06E-07	.	1.4E+07	1.4E+07	.	2.5E-01	2.5E-01
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	6.19E-10	6.4E+01	1.6E+05	6.4E+01	1.7E-02	4.2E+01	1.7E-02
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-08	2.3E+04	2.8E+04	1.3E+04	3.0E-01	3.7E-01	1.6E-01
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.69E-10	7.4E-01	6.7E+03	7.4E-01	4.3E-03	3.9E+01	4.3E-03
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.00E-08	1.4E+06	1.3E+05	1.2E+05	4.7E+00	4.3E-01	4.0E-01
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.13E-08	1.1E+04	5.7E+04	8.9E+03	1.5E-01	8.3E-01	1.3E-01
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.26E-08	1.3E+03	5.0E+04	1.3E+03	5.4E-02	2.1E+00	5.2E-02
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	9.44E-08	2.0E+06	2.2E+05	1.9E+05	2.6E+00	2.8E-01	2.5E-01
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.45E-07	7.4E+06	2.6E+05	2.5E+05	5.2E+00	1.8E-01	1.7E-01
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.48E-08	2.9E+06	8.1E+05	6.3E+05	3.7E+00	1.0E+00	8.2E-01
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.30E-08	1.1E+07	4.1E+05	4.0E+05	8.6E+00	3.1E-01	3.0E-01
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	3.82E-09	2.2E+05	1.3E+06	1.8E+05	1.1E+00	6.8E+00	9.6E-01
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.44E-08	.	1.1E+06	1.1E+06	.	7.6E-01	7.6E-01
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	5.52E-09	2.2E+02	2.0E+04	2.1E+02	5.0E-02	4.7E+00	5.0E-02
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	2.32E-08	6.8E+06	9.4E+05	8.2E+05	8.2E+00	1.1E+00	9.9E-01
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.88E-08	3.6E+00	2.9E+02	3.6E+00	1.1E-02	9.0E-01	1.1E-02
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.23E-09	1.2E+02	1.5E+04	1.2E+02	4.8E-02	6.2E+00	4.8E-02
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.25E-08	7.6E+04	1.5E+05	5.0E+04	6.0E-01	1.2E+00	3.9E-01
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.26E-09	1.2E+05	1.2E+06	1.1E+05	6.1E-01	6.1E+00	5.5E-01
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.10E-07	.	4.3E+05	4.3E+05	.	2.4E-01	2.4E-01
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.73E-07	.	9.2E+05	9.2E+05	.	1.5E-01	1.5E-01
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.81E-07	.	1.4E+06	1.4E+06	.	1.4E-01	1.4E-01
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	4.89E-08	1.3E+03	1.4E+04	1.2E+03	4.9E-02	5.3E-01	4.5E-02
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.25E-07	6.7E+05	7.9E+04	7.1E+04	1.8E+00	2.1E-01	1.9E-01
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	6.91E-08	7.8E-01	1.6E+01	7.5E-01	1.9E-02	3.8E-01	1.8E-02
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	1.03E-10	5.7E+05	6.6E+07	5.6E+05	2.2E+00	2.5E+02	2.2E+00
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.64E-08	1.8E+03	9.9E+03	1.5E+03	1.0E-01	5.6E-01	8.5E-02
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.69E-08	.	4.2E+06	4.2E+06	.	7.1E-01	7.1E-01
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.78E-07	1.5E+04	9.0E+03	5.6E+03	2.4E-01	1.5E-01	9.2E-02
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.52E-08	1.2E+02	8.9E+03	1.2E+02	2.3E-02	1.7E+00	2.3E-02
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.69E-07	.	2.9E+05	2.9E+05	.	1.5E-01	1.5E-01
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	3.00E-08	1.3E+03	1.3E+04	1.2E+03	8.8E-02	8.7E-01	8.0E-02
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.06E-07	6.9E+04	3.6E+04	2.3E+04	4.7E-01	2.5E-01	1.6E-01
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.26E-08	1.3E+00	7.4E+01	1.3E+00	1.1E-02	6.1E-01	1.0E-02
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.34E-07	2.2E+02	6.0E+02	1.6E+02	7.0E-02	1.9E-01	5.1E-02
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.29E-08	.	1.3E+06	1.3E+06	.	3.6E-01	3.6E-01
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	2.03E-16	9.8E-03	1.3E+08	9.8E-03	9.8E-03	1.3E+08	9.8E-03
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	8.46E-08	1.1E+00	4.9E+01	1.0E+00	6.7E-03	3.1E-01	6.6E-03
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.03E-07	4.1E+02	3.7E+03	3.7E+02	2.8E-02	2.5E-01	2.5E-02

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Actinium (89)	Ac-223+D	0.00E+00	0.00E+00	0.00E+00	4.86E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	1.9E+05	.	.	.	.	.	.	.	1.9E+05	1.7E-14
Actinium (89)	Ac-224	1.44E-10	1.0E-08 (S)	2.07E-10	5.08E-11	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	2.2E-01	.	1.8E+04	3.4E-01	1.7E-01	2.1E+03	4.5E+03	.	.	.	7.4E-02	5.5E-19
Actinium (89)	Ac-225	5.11E-09	7.7E-07 (S)	7.34E-09	3.08E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	6.2E-03	.	3.0E+05	9.7E-03	4.7E-03	5.8E+01	1.3E+02	.	.	.	2.1E-03	1.3E-18
Actinium (89)	Ac-225+D	5.11E-09	7.7E-07 (S)	7.34E-09	1.00E-11	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	6.2E-03	.	9.1E+04	9.7E-03	4.7E-03	5.8E+01	1.3E+02	.	.	.	2.1E-03	1.3E-18
Actinium (89)	Ac-226	1.88E-09	1.2E-07 (S)	2.77E-09	3.03E-11	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	1.7E-02	.	3.0E+04	2.6E-02	1.2E-02	1.5E+02	3.3E+02	.	.	.	5.6E-03	4.4E-19
Actinium (89)	Ac-227	5.43E-09	4.0E-06 (S)	6.63E-09	1.92E-14	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	5.9E-03	.	4.8E+07	4.0E-03	5.2E-03	6.4E+01	1.4E+02	.	.	.	1.6E-03	8.4E-16
Actinium (89)	Ac-228	5.09E-11	1.3E-09 (S)	7.39E-11	2.20E-10	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	6.3E-01	.	4.1E+03	9.6E-01	4.7E-01	5.7E+03	1.3E+04	.	.	.	2.1E-01	3.5E-18
Actinium (89)	Ac-230	0.00E+00	0.00E+00	0.00E+00	1.44E-10	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	6.3E+03	.	.	.	.	.	.	.	6.3E+03	5.8E-16
Actinium (89)	Ac-231	0.00E+00	0.00E+00	0.00E+00	9.88E-11	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	9.3E+03	.	.	.	.	.	.	.	9.3E+03	3.2E-15
Actinium (89)	Ac-232	0.00E+00	0.00E+00	0.00E+00	3.10E-10	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.9E+03	.	.	.	.	.	.	.	2.9E+03	2.7E-16
Actinium (89)	Ac-233	0.00E+00	0.00E+00	0.00E+00	1.23E-10	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	7.4E+03	.	.	.	.	.	.	.	7.4E+03	8.3E-16
Silver (47)	Ag-100m	0.00E+00	0.00E+00	0.00E+00	7.26E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	5.6E-17
Silver (47)	Ag-101	1.61E-12	6.4E-13 (S)	2.23E-12	3.94E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.0E+01	.	2.3E+03	3.2E+01	2.1E+00	1.3E+03	1.4E+02	1.6E+03	4.3E+02	.	1.8E+00	3.9E-19
Silver (47)	Ag-102	2.01E-12	7.4E-13 (S)	2.75E-12	8.80E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.6E+01	.	1.0E+03	2.6E+01	1.7E+00	1.0E+03	1.1E+02	1.3E+03	3.5E+02	.	1.4E+00	3.7E-19
Silver (47)	Ag-102m	0.00E+00	0.00E+00	0.00E+00	5.36E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	2.6E-16
Silver (47)	Ag-103	2.83E-12	1.6E-12 (S)	3.98E-12	2.08E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.1E+01	.	4.4E+03	1.8E+01	1.2E+00	7.1E+02	7.8E+01	9.2E+02	2.4E+02	.	9.9E-01	1.3E-18
Silver (47)	Ag-104	4.50E-12	1.8E-12 (S)	6.23E-12	6.88E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	7.1E+00	.	1.3E+03	1.1E+01	7.6E-01	4.5E+02	5.0E+01	5.9E+02	1.5E+02	.	6.3E-01	9.0E-19
Silver (47)	Ag-104m	3.70E-12	1.6E-12 (S)	5.15E-12	4.64E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	8.6E+00	.	2.0E+03	1.4E+01	9.1E-01	5.5E+02	6.0E+01	7.1E+02	1.8E+02	.	7.6E-01	5.3E-19
Silver (47)	Ag-105	4.73E-11	8.5E-11 (S)	6.65E-11	1.21E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	6.7E-01	.	7.5E+03	1.1E+00	7.1E-02	4.3E+01	4.6E+00	5.5E+01	1.4E+01	.	5.9E-02	7.3E-17
Silver (47)	Ag-105m	0.00E+00	0.00E+00	0.00E+00	2.42E-13	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	3.8E+06	.	.	.	.	.	.	.	3.8E+06	5.6E-13
Silver (47)	Ag-106	1.57E-12	7.6E-13 (S)	2.18E-12	1.70E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.0E+01	.	5.4E+03	3.3E+01	2.2E+00	1.3E+03	1.4E+02	1.7E+03	4.4E+02	.	1.8E+00	9.0E-19
Silver (47)	Ag-106m	1.29E-10	9.5E-11 (S)	1.80E-10	7.10E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	2.5E-01	.	1.3E+03	3.9E-01	2.6E-02	1.6E+01	1.7E+00	2.0E+01	5.3E+00	.	2.2E-02	5.5E-18
Silver (47)	Ag-108	0.00E+00	0.00E+00	0.00E+00	4.95E-12	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.8E+05	.	.	.	.	.	.	.	1.8E+05	9.3E-15
Silver (47)	Ag-108m	2.19E-10	2.8E-09 (S)	3.01E-10	3.98E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.5E-01	.	2.3E+03	6.7E-02	1.6E-02	9.4E+00	1.0E+00	1.2E+01	3.2E+00	.	1.1E-02	5.4E-14
Silver (47)	Ag-108m+D	2.19E-10	2.8E-09 (S)	3.01E-10	3.98E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.5E-01	.	2.3E+03	6.7E-02	1.6E-02	9.4E+00	1.0E+00	1.2E+01	3.2E+00	.	1.1E-02	5.4E-14
Silver (47)	Ag-109m	0.00E+00	0.00E+00	0.00E+00	8.17E-13	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.1E+06	.	.	.	.	.	.	.	1.1E+06	1.6E-14
Silver (47)	Ag-110	0.00E+00	0.00E+00	0.00E+00	9.18E-12	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.0E+05	.	.	.	.	.	.	.	1.0E+05	8.9E-16
Silver (47)	Ag-110m	2.71E-10	1.2E-09 (S)	3.76E-10	7.04E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.2E-01	.	1.3E+03	1.7E-01	1.3E-02	7.5E+00	8.2E-01	9.7E+00	2.5E+00	.	1.0E-02	8.1E-17
Silver (47)	Ag-110m+D	2.71E-10	1.2E-09 (S)	3.76E-10	7.04E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.2E-01	.	1.3E+03	1.7E-01	1.3E-02	7.5E+00	8.2E-01	9.7E+00	2.5E+00	.	1.0E-02	8.1E-17
Silver (47)	Ag-111	2.22E-10	2.0E-10 (S)	3.25E-10	6.56E-12	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	1.4E-01	.	1.4E+05	2.2E-01	1.4E-02	8.7E+00	9.5E-01	1.1E+01	2.9E+00	.	1.2E-02	2.9E-18
Silver (47)	Ag-111m	0.00E+00	0.00E+00	0.00E+00	9.03E-13	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.0E+06	.	.	.	.	.	.	.	1.0E+06	2.4E-14
Silver (47)	Ag-112	5.31E-11	2.1E-11 (S)	7.72E-11	1.82E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	6.0E-01	.	5.0E+03	9.2E-01	6.1E-02	3.7E+01	4.0E+00	4.7E+01	1.2E+01	.	5.1E-02	2.1E-19
Silver (47)	Ag-113	5.95E-11	2.4E-11 (S)	8.71E-11	1.84E-11	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	5.4E-01	.	5.0E+04	8.2E-01	5.4E-02	3.2E+01	3.5E+00	4.2E+01	1.1E+01	.	4.5E-02	3.3E-19
Silver (47)	Ag-113m	0.00E+00	0.00E+00	0.00E+00	5.18E-11	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.8E+04	.	.	.	.	.	.	.	1.8E+04	4.5E-16
Silver (47)	Ag-114	0.00E+00	0.00E+00	0.00E+00	7.23E-11	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.3E+04	.	.	.	.	.	.	.	1.3E+04	2.2E-17
Silver (47)	Ag-115	3.85E-12	2.0E-12 (S)	5.45E-12	1.29E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	8.3E+00	.	7.1E+03	1.3E+01	8.6E-01	5.2E+02	5.7E+01	6.7E+02	1.7E+02	.	7.2E-01	3.3E-19
Silver (47)	Ag-116	0.00E+00	0.00E+00	0.00E+00	5.84E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	9.6E-17
Silver (47)	Ag-117	0.00E+00	0.00E+00	0.00E+00	3.57E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	7.3E-17
Silver (47)	Ag-99	0.00E+00	0.00E+00	0.00E+00	5.90E-10	4.00E-03	1.10E+02	3.00E-03	6.00E-03	2.00E-02	2.00E+00	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	6.3E-17
Aluminum (13)	Al-26	4.67E-10	7.9E-09 (S)	6.71E-10	7.10E-10	4.00E-03	5.10E+01	5.00E-04	2.00E-04	.	.	.	6.8E-02	.	1.3E+03	3.0E-02	1.5E-02	2.5E+01	1.4E+01	.	.	.	8.7E-03	1.7E-11
Aluminum (13)	Al-28	0.00E+00	0.00E+00	0.00E+00	4.89E-10	4.00E-03	5.10E+01	5.00E-04	2.00E-04	.	.	.	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	2.3E-17
Aluminum (13)	Al-29	0.00E+00	0.00E+00	0.00E+00	3.69E-10	4.00E-03	5.10E+01	5.00E-04	2.00E-04	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	9.3E-17
Americium (95)	Am-237	1.42E-12	1.7E-12 (S)	2.00E-12	8.52E-11	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.2E+01	.	1.1E+04	3.6E+01	1.1E+00	8.5E+03	2.2E+06	2.1E+05	1.6E+05	6.3E+05	1.0E+00	3.4E-18
Americium (95)	Am-238	2.58E-12	3.1E-12 (S)	3.61E-12	2.25E-10	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.2E+01	.	4.1E+03	2.0E+01	6.0E-01	4.7E+03	1.2E+06	1.2E+05	8.8E+04	3.5E+05	5.5E-01	2.5E-18
Americium (95)	Am-239	3.84E-11	2.5E-11 (S)	5.61E-11	5.08E-11	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	8.3E-01	.	1.8E+04	1.3E+00	3.8E-02	3.0E+02	7.9E+04	7.6E+03	5.6E+03	2.3E+04	3.6E-02	1.2E-18
Americium (95)	Am-240	7.14E-11	4.2E-11 (S)	1.02E-10	2.58E-10	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	4.5E-01	.	3.5E+03	7.0E-01	2.1E-02	1.7E+02	4.3E+04	4.2E+03	3.1E+03	1.2E+04	2.0E-02	2.8E-18
Americium (95)	Am-241	2.80E-09	1.0E-06 (F)	3.61E-09	3.57E-12	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.1E-02	.	2.6E+05	5.7E-03	6.0E-04	4.7E+00	1.2E+03	1.2E+02	8.8E+01	3.5E+02	5.2E-04	5.6E-15
Americium (95)	Am-242	4.88E-11	1.8E-09 (S)	7.14E-11	2.93E-12	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	6.5E-01	.	3.1E+05	1.0E+00	3.0E-02	2.4E+02	6.2E+04	6.0E+03	4.4E+03	1.8E+04	2.8E-02	1.3E-18
Americium (95)	Am-242m	1.91E-09	9.3E-07 (F)	2.36E-09	9.94E-14	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.7E-02	.	9.2E+06	8.9E-03	9.1E-04	7.2E+00	1.9E+03	1.8E+02	1.3E+02	5.4E+02	7.9E-04	2.8E-15
Americium (95)	Am-242m+D	1.96E-09	9.3E-07 (F)	2.43E-09	3.69E-12	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.6E-02	.	2.5E+05	8.7E-03	8.9E-04	7.0E+00	1.8E+03	1.8E+02	1.3E+02	5.2E+02	7.7E-04	2.7E-15
Americium (95)	Am-243	2.80E-09	1.0E-06 (F)	3.62E-09	1.04E-11	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.1E-02	.	8.8E+04	5.5E-03	6.0E-04	4.7E+00	1.2E+03	1.2E+02	8.7E+01	3.5E+02	5.1E-04	9.5E-14
Americium (95)	Am-243+D	2.94E-09	1.0E-06 (F)	3.83E-09	5.02E-11	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.1E-02	.	1.8E+04	5.2E-03	5.6E-04	4.4E+00	1.2E+03	1.1E+02	8.3E+01	3.3E+02	4.9E-04	9.0E-14
Americium (95)	Am-244	6.67E-11	1.0E-10 (S)	9.70E-11	1.97E-10	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	4.8E-01	.	4.6E+03	7.3E-01	2.2E-02	1.8E+02	4.6E+04	4.4E+03	3.3E+03	1.3E+04	2.1E-02	6.0E-19
Americium (95)	Am-244m	1.41E-12	3.6E-12 (S)	1.97E-12	4.04E-12	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.3E+01	.	2.3E+05	3.6E+01	1.1E+00	8.6E+03	2.2E+06	2.2E+05	1.6E+05	6.4E+05	1.0E+00	1.3E-18
Americium (95)	Am-245	6.01E-12	4.5E-12 (S)	8.71E-12	7.20E-12	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	5.3E+00	.	1.3E+05	8.2E+00	2.5E-01	1.9E+03	5.1E+05	4.9E+04	3.6E+04	1.5E+05	2.3E-01	1.4E-18
Americium (95)	Am-246	3.67E-12	4.2E-12 (S)	5.15E-12	1.78E-10	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	8.7E+00	.	5.1E+03	1.4E+01	4.2E-01	3.3E+03	8.6E+05	8.3E+04	6.1E+04	2.5E+05	3.9E-01	7.3E-19
Americium (95)	Am-246m	1.78E-12	1.1E-12 (S)	2.46E-12	2.51E-10	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	1.8E+01	.	3.6E+03	2.9E+01	8.8E-01	6.9E+03	1.8E+06	1.7E+05	1.3E+05	5.2E+05	8.1E-01	9.9E-19
Americium (95)	Am-247	1.43E-12	1.3E-12 (S)	1.98E-12	3.04E-11	1.91E-05	2.40E+02	5.00E-04	4.20E-07	1.70E-04	6.00E-03	3.00E-03	2.2E+01	.	3.0E+04	3.6E+01	1.1E+00	8.6E+03	2.2E+06	2.2E+05	1.6E+05	6.4E+05	1.0E+00	1.1E-18
Argon (18)	Ar-37	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Argon (18)	Ar-39	0.00E+00	0.00E+00	0.00E+00	7.13E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.3E+07	.	.	.	.	.	.	.	1.3E+07	1.4E-05
Argon (18)	Ar-41	0.00E+00	0.00E+00	0.00E+00	3.38E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.7E+03	.	.	.	.	.	.	.	2.7E+03	2.4E-15
Argon (18)	Ar-42	0.00E+00	0.00E+00	0.00E+00	8.02E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.1E+07	.	.	.	.	.	.	.	1.1E+07	1.6E-06
Argon (18)	Ar-42+D	3.41E-11	3.4E-11 (G)	4.70E-11	7.73E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	9.3E-01	.	1.2E+04	.	.	.	.	.	.	.	9.3E-01	1.3E-13
Argon (18)	Ar-43	0.00E+00	0.00E+00	0.00E+00	4.13E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.2E+03	.	.	.	.	.	.	.	2.2E+03	1.0E-16
Argon (18)	Ar-44	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	1.8E-16
Arsenic (33)	As-68	0.00E+00	0.00E+00	0.00E+00	9.66E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	.	.	9.5E+02	.	.	.	.	.	.	.	9.5E+02	3.2E-17
Arsenic (33)	As-69	2.68E-12	1.1E-12 (S)	3.72E-12	2.84E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	1.2E+01	.	3.2E+03	1.9E+01	4.2E-01	1.1E+02	5.0E+03	.	.	.	4.0E-01	8.2E-20
Arsenic (33)	As-70	8.89E-12	4.0E-12 (S)	1.24E-11	1.10E-09	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	3.6E+00	.	8.3E+02	5.7E+00	1.3E-01	3.4E+01	1.5E+03	.	.	.	1.2E-01	8.7E-20
Arsenic (33)	As-71	6.08E-11	4.3E-11 (S)	8.78E-11	1.40E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	5.2E-01	.	6.5E+03	8.1E-01	1.8E-02	4.8E+00	2.1E+02	.	.	.	1.7E-02	9.2E-19
Arsenic (33)	As-72	2.78E-10	1.2E-10 (S)	4.06E-10	4.48E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	1.1E-01	.	2.0E+03	1.8E-01	3.9E-03	1.0E+00	4.6E+01	.	.	.	3.6E-03	8.1E-20
Arsenic (33)	As-73	4.24E-11	1.4E-10 (S)	6.18E-11	8.20E-13	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	7.5E-01	.	1.1E+06	1.1E+00	2.5E-02	6.9E+00	3.0E+02	.	.	.	2.4E-02	4.0E-17
Arsenic (33)	As-74	1.80E-10	2.6E-10 (S)	2.60E-10	1.87E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	1.8E-01	.	4.9E+03	2.7E-01	6.0E-03	1.6E+00	7.1E+01	.	.	.	5.7E-03	2.1E-18
Arsenic (33)	As-76	2.59E-10	1.2E-10 (S)	3.79E-10	1.06E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	1.2E-01	.	8.6E+03	1.9E-01	4.1E-03	1.1E+00	4.9E+01	.	.	.	3.9E-03	9.1E-20
Arsenic (33)	As-77	6.68E-11	5.1E-11 (S)	9.81E-11	2.08E-12	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	4.8E-01	.	4.4E+05	7.3E-01	1.6E-02	4.3E+00	1.9E+02	.	.	.	1.5E-02	5.3E-19
Arsenic (33)	As-78	1.59E-11	7.2E-12 (S)	2.28E-11	3.41E-10	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	2.0E+00	.	2.7E+03	3.1E+00	6.9E-02	1.9E+01	8.1E+02	.	.	.	6.5E-02	9.1E-20
Arsenic (33)	As-79	0.00E+00	0.00E+00	0.00E+00	9.25E-12	8.00E-02	3.30E+02	2.00E-02	1.00E-04	.	.	.	.	.	9.9E+04	.	.	.	.	.	.	.	9.9E+04	1.4E-14
Astatine (85)	At-204	0.00E+00	0.00E+00	0.00E+00	5.71E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	5.9E-16
Astatine (85)	At-205	3.88E-12	6.5E-11 (S)	5.29E-12	2.87E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	8.2E+00	.	3.2E+03	1.3E+01	.	1.6E+02	3.5E+01	.	.	.	4.3E+00	4.6E-18
Astatine (85)	At-206	4.46E-12	2.2E-11 (S)	6.09E-12	6.19E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	7.1E+00	.	1.5E+03	1.2E+01	.	1.4E+02	3.0E+01	.	.	.	3.8E+00	4.7E-18
Astatine (85)	At-207	1.76E-11	2.0E-10 (S)	2.41E-11	5.14E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	1.8E+00	.	1.8E+03	3.0E+00	.	3.5E+01	7.7E+00	.	.	.	9.5E-01	4.2E-18
Astatine (85)	At-208	6.44E-12	5.3E-11 (S)	8.74E-12	7.70E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	4.9E+00	.	1.2E+03	8.2E+00	.	9.7E+01	2.1E+01	.	.	.	2.6E+00	1.0E-17
Astatine (85)	At-209	3.05E-11	2.5E-10 (S)	4.17E-11	5.68E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	1.0E+00	.	1.6E+03	1.7E+00	.	2.0E+01	4.4E+00	.	.	.	5.5E-01	7.4E-18
Astatine (85)	At-210	7.30E-11	9.8E-10 (S)	9.98E-11	7.73E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	4.4E-01	.	1.2E+03	7.1E-01	.	8.5E+00	1.9E+00	.	.	.	2.3E-01	4.6E-18
Astatine (85)	At-211	9.10E-10	1.1E-08 (S)	1.25E-09	6.91E-12	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	3.5E-02	.	1.3E+05	5.7E-02	.	6.8E-01	1.5E-01	.	.	.	1.8E-02	3.3E-19

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Astatine (85)	At-211+D	9.10E-10	1.1E-08 (S)	1.25E-09	8.11E-12	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	3.5E-02	.	1.1E+05	5.7E-02	.	6.8E-01	1.5E-01	.	.	.	1.8E-02	3.3E-19
Astatine (85)	At-215	0.00E+00	0.00E+00	0.00E+00	4.13E-14	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	2.2E+07	.	.	.	.	.	.	.	2.2E+07	1.6E-18
Astatine (85)	At-216	0.00E+00	0.00E+00	0.00E+00	5.18E-13	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	1.8E+06	.	.	.	.	.	.	.	1.8E+06	3.8E-19
Astatine (85)	At-217	0.00E+00	0.00E+00	0.00E+00	5.78E-14	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	1.6E+07	.	.	.	.	.	.	.	1.6E+07	3.6E-16
Astatine (85)	At-218	0.00E+00	0.00E+00	0.00E+00	1.39E-15	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	6.6E+08	.	.	.	.	.	.	.	6.6E+08	7.1E-13
Astatine (85)	At-219	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Astatine (85)	At-220	0.00E+00	0.00E+00	0.00E+00	1.10E-10	2.00E-01	.	1.00E-02	1.00E-02	.	.	.	.	.	8.3E+03	.	.	.	.	.	.	.	8.3E+03	1.3E-15
Gold (79)	Au-186	2.56E-12	1.1E-12 (S)	3.57E-12	3.76E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.2E+01	.	2.4E+03	2.0E+01	6.0E-01	4.8E+02	5.2E+04	.	.	.	5.6E-01	2.2E-19
Gold (79)	Au-187	0.00E+00	0.00E+00	0.00E+00	2.73E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	.	.	3.3E+03	.	.	.	.	.	.	.	3.3E+03	1.0E-15
Gold (79)	Au-190	2.75E-12	1.2E-12 (S)	3.81E-12	6.41E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.2E+01	.	1.4E+03	1.9E+01	5.7E-01	4.5E+02	4.9E+04	.	.	.	5.2E-01	8.4E-19
Gold (79)	Au-191	8.12E-12	5.4E-12 (S)	1.16E-11	1.40E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	3.9E+00	.	6.5E+03	6.1E+00	1.9E-01	1.5E+02	1.6E+04	.	.	.	1.7E-01	1.2E-18
Gold (79)	Au-192	1.70E-11	6.7E-12 (S)	2.41E-11	5.14E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.9E+00	.	1.8E+03	3.0E+00	8.9E-02	7.0E+01	7.7E+03	.	.	.	8.3E-02	9.3E-19
Gold (79)	Au-193	1.85E-11	1.1E-11 (S)	2.69E-11	3.47E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.7E+00	.	2.6E+04	2.6E+00	8.0E-02	6.3E+01	6.9E+03	.	.	.	7.4E-02	3.0E-18
Gold (79)	Au-193m	0.00E+00	0.00E+00	0.00E+00	4.58E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	.	.	2.0E+04	.	.	.	.	.	.	.	2.0E+04	4.9E-17
Gold (79)	Au-194	4.35E-11	2.1E-11 (S)	6.17E-11	2.66E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	7.3E-01	.	3.4E+03	1.2E+00	3.5E-02	2.8E+01	3.0E+03	.	.	.	3.2E-02	2.8E-18
Gold (79)	Au-195	4.19E-11	1.8E-10 (S)	6.11E-11	1.45E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	7.6E-01	.	6.3E+04	1.1E+00	3.5E-02	2.8E+01	3.0E+03	.	.	.	3.3E-02	3.4E-16
Gold (79)	Au-195m	0.00E+00	0.00E+00	0.00E+00	4.64E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	.	.	2.0E+04	.	.	.	.	.	.	.	2.0E+04	3.9E-16
Gold (79)	Au-196	4.15E-11	3.5E-11 (S)	5.94E-11	1.11E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	7.7E-01	.	8.3E+03	1.2E+00	3.6E-02	2.9E+01	3.1E+03	.	.	.	3.4E-02	1.2E-17
Gold (79)	Au-196m	6.07E-11	4.8E-11 (S)	8.87E-11	5.24E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	5.2E-01	.	1.7E+04	8.0E-01	2.4E-02	1.9E+01	2.1E+03	.	.	.	2.3E-02	5.0E-19
Gold (79)	Au-198	1.70E-10	1.1E-10 (S)	2.48E-10	9.78E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.9E-01	.	9.3E+03	2.9E-01	8.7E-03	6.8E+00	7.5E+02	.	.	.	8.1E-03	1.2E-18
Gold (79)	Au-198m	1.92E-10	2.0E-10 (S)	2.81E-10	1.20E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	1.7E-01	.	7.6E+03	2.5E-01	7.7E-03	6.0E+00	6.6E+02	.	.	.	7.1E-03	9.1E-19
Gold (79)	Au-199	7.63E-11	8.7E-11 (S)	1.12E-10	2.15E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	4.2E-01	.	4.3E+04	6.4E-01	1.9E-02	1.5E+01	1.7E+03	.	.	.	1.8E-02	3.2E-18
Gold (79)	Au-200	4.15E-12	2.3E-12 (S)	5.87E-12	7.10E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	7.7E+00	.	1.3E+04	1.2E+01	3.7E-01	2.9E+02	3.2E+04	.	.	.	3.4E-01	6.5E-19
Gold (79)	Au-200m	1.37E-10	7.0E-11 (S)	1.97E-10	4.86E-10	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	2.3E-01	.	1.9E+03	3.6E-01	1.1E-02	8.6E+00	9.4E+02	.	.	.	1.0E-02	4.5E-19
Gold (79)	Au-201	1.15E-12	8.7E-13 (S)	1.61E-12	8.52E-12	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	2.8E+01	.	1.1E+05	4.4E+01	1.3E+00	1.1E+03	1.2E+05	.	.	.	1.2E+00	1.3E-18
Gold (79)	Au-202	0.00E+00	0.00E+00	0.00E+00	4.51E-11	1.00E-01	2.40E+02	5.00E-03	1.00E-05	.	.	.	.	.	2.0E+04	.	.	.	.	.	.	.	2.0E+04	3.9E-16
Barium (56)	Ba-124	3.02E-12	1.1E-12 (S)	4.15E-12	1.38E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.1E+01	.	6.6E+03	1.7E+01	1.0E+02	1.5E+04	2.8E+03	.	2.4E+04	1.1E+03	6.1E+00	1.6E-18
Barium (56)	Ba-126	2.30E-11	9.7E-12 (S)	3.30E-11	1.41E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.4E+00	.	6.5E+03	2.2E+00	1.3E+01	1.8E+03	3.5E+02	.	3.0E+03	1.3E+02	7.9E-01	2.0E-18
Barium (56)	Ba-127	1.24E-12	5.5E-13 (S)	1.71E-12	1.78E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	2.6E+01	.	5.1E+03	4.2E+01	2.5E+02	3.5E+04	6.8E+03	.	5.8E+04	2.6E+03	1.5E+01	4.7E-18
Barium (56)	Ba-128	4.24E-10	2.1E-10 (S)	6.21E-10	1.14E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	7.5E-02	.	8.0E+04	1.1E-01	6.9E-01	9.8E+01	1.9E+01	.	1.6E+02	7.0E+00	4.2E-02	3.7E-18
Barium (56)	Ba-129	4.83E-12	2.4E-12 (S)	6.92E-12	7.89E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	6.6E+00	.	1.2E+04	1.0E+01	6.2E+01	8.8E+03	1.7E+03	.	1.4E+04	6.3E+02	3.7E+00	1.3E-17
Barium (56)	Ba-129m	6.02E-12	2.8E-12 (S)	8.43E-12	3.98E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.3E+00	.	2.3E+03	8.5E+00	5.1E+01	7.2E+03	1.4E+03	.	1.2E+04	5.2E+02	3.0E+00	1.0E-17
Barium (56)	Ba-131	5.48E-11	8.8E-11 (S)	7.85E-11	1.10E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.8E-01	.	8.3E+03	9.0E-01	5.5E+00	7.7E+02	1.5E+02	.	1.3E+03	5.6E+01	3.3E-01	1.4E-16
Barium (56)	Ba-131m	2.54E-13	4.9E-13 (S)	3.53E-13	1.44E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.3E+02	.	6.4E+04	2.0E+02	1.2E+03	1.7E+05	3.3E+04	.	2.8E+05	1.2E+04	7.2E+01	2.7E-17
Barium (56)	Ba-133	1.86E-10	8.9E-10 (S)	2.56E-10	8.87E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.7E-01	.	1.0E+04	1.3E-01	1.7E+00	2.4E+02	4.5E+01	.	3.9E+02	1.7E+01	7.0E-02	1.0E-14
Barium (56)	Ba-133m	8.82E-11	6.1E-11 (S)	1.29E-10	1.30E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	3.6E-01	.	7.0E+04	5.5E-01	3.3E+00	4.7E+02	9.0E+01	.	7.7E+02	3.4E+01	2.0E-01	1.2E-17
Barium (56)	Ba-135m	6.91E-11	4.7E-11 (S)	1.01E-10	1.12E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	4.6E-01	.	8.2E+04	7.1E-01	4.3E+00	6.0E+02	1.1E+02	.	9.9E+02	4.3E+01	2.6E-01	1.2E-17
Barium (56)	Ba-137m	0.00E+00	0.00E+00	0.00E+00	1.48E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	.	.	6.2E+03	.	.	.	.	.	.	.	6.2E+03	4.3E-16
Barium (56)	Ba-139	1.01E-11	5.1E-12 (S)	1.45E-11	1.15E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	3.2E+00	.	8.0E+04	4.9E+00	3.0E+01	4.2E+03	8.0E+02	.	6.9E+03	3.0E+02	1.8E+00	4.1E-18
Barium (56)	Ba-140	4.06E-10	6.2E-10 (S)	5.92E-10	4.35E-11	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	7.8E-02	.	2.1E+04	1.2E-01	7.3E-01	1.0E+02	2.0E+01	.	1.7E+02	7.4E+00	4.4E-02	2.2E-17
Barium (56)	Ba-141	6.07E-12	2.9E-12 (S)	8.71E-12	2.35E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	5.2E+00	.	3.9E+03	8.2E+00	5.0E+01	7.0E+03	1.3E+03	.	1.1E+04	5.0E+02	3.0E+00	1.5E-18
Barium (56)	Ba-142	2.44E-12	1.2E-12 (S)	3.45E-12	2.65E-10	8.70E-04	1.20E+00	1.40E-04	1.60E-04	.	1.90E-02	8.70E-01	1.3E+01	.	3.4E+03	2.1E+01	1.2E+02	1.8E+04	3.4E+03	.	2.9E+04	1.3E+03	7.4E+00	2.2E-18
Beryllium (4)	Be-10	1.90E-10	2.5E-09 (S)	2.78E-10	8.77E-14	4.00E-03	1.00E+02	5.00E-03	8.30E-07	.	.	.	1.7E-01	.	1.0E+07	7.1E-02	1.9E-02	6.1E+00	8.0E+03	.	.	.	1.4E-02	2.1E-11
Beryllium (4)	Be-7	2.36E-12	5.8E-12 (S)	3.28E-12	1.22E-11	4.00E-03	1.00E+02	5.00E-03	8.30E-07	.	.	.	1.3E+01	.	7.5E+04	2.1E+01	1.6E+00	5.2E+02	6.8E+05	.	.	.	1.3E+00	1.4E-16
Bismuth (83)	Bi-197	0.00E+00	0.00E+00	0.00E+00	4.32E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	7.6E-16
Bismuth (83)	Bi-200	4.36E-12	2.2E-12 (S)	6.13E-12	6.03E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	7.3E+00	.	1.5E+03	1.2E+01	5.6E+00	6.9E+02	3.0E+02	.	.	.	2.5E+00	3.5E-18
Bismuth (83)	Bi-201	1.13E-11	5.4E-12 (S)	1.60E-11	4.48E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.8E+00	.	2.0E+03	4.5E+00	2.2E+00	2.7E+02	1.2E+02	.	.	.	9.5E-01	4.1E-18
Bismuth (83)	Bi-202	8.16E-12	3.5E-12 (S)	1.14E-11	6.94E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	3.9E+00	.	1.3E+03	6.3E+00	3.0E+00	3.7E+02	1.6E+02	.	.	.	1.3E+00	5.4E-18
Bismuth (83)	Bi-203	5.23E-11	2.3E-11 (S)	7.42E-11	6.25E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	6.1E-01	.	1.5E+03	9.6E-01	4.6E-01	5.7E+01	2.5E+01	.	.	.	2.0E-01	5.8E-18
Bismuth (83)	Bi-204	5.72E-11	2.4E-11 (S)	8.08E-11	7.42E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	5.6E-01	.	1.2E+03	8.8E-01	4.3E-01	5.3E+01	2.3E+01	.	.	.	1.9E-01	5.1E-18
Bismuth (83)	Bi-205	9.08E-11	1.0E-10 (S)	1.28E-10	4.42E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	3.5E-01	.	2.1E+03	5.5E-01	2.7E-01	3.3E+01	1.4E+01	.	.	.	1.2E-01	1.1E-16
Bismuth (83)	Bi-206	2.11E-10	1.7E-10 (S)	3.00E-10	8.33E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.5E-01	.	1.1E+03	2.4E-01	1.1E-01	1.4E+01	6.2E+00	.	.	.	5.1E-02	1.8E-17
Bismuth (83)	Bi-207	1.55E-10	3.0E-09 (S)	2.23E-10	3.88E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.1E-01	.	2.4E+03	8.7E-02	1.5E-01	1.9E+01	8.3E+00	.	.	.	4.4E-02	3.1E-14
Bismuth (83)	Bi-208	1.05E-10	2.7E-09 (S)	1.46E-10	7.54E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	3.0E-01	.	1.2E+03	1.1E-01	2.4E-01	2.9E+01	1.3E+01	.	.	.	5.9E-02	4.7E-10
Bismuth (83)	Bi-210	2.41E-10	1.2E-08 (S)	3.52E-10	2.11E-13	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.3E-01	.	4.3E+06	2.0E-01	9.8E-02	1.2E+01	5.3E+00	.	.	.	4.3E-02	1.3E-17
Bismuth (83)	Bi-210m	1.50E-09	7.9E-07 (S)	2.10E-09	6.25E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.1E-02	.	1.5E+04	7.5E-03	1.6E-02	2.0E+00	8.8E-01	.	.	.	4.1E-03	2.7E-10
Bismuth (83)	Bi-210m+D	1.50E-09	7.9E-07 (S)	2.10E-09	6.28E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.1E-02	.	1.5E+04	7.5E-03	1.6E-02	2.0E+00	8.8E-01	.	.	.	4.1E-03	2.7E-10
Bismuth (83)	Bi-211	0.00E+00	0.00E+00	0.00E+00	1.13E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	8.1E+04	.	.	.	.	.	.	.	8.1E+04	7.2E-15
Bismuth (83)	Bi-212	1.94E-11	2.3E-09 (S)	2.73E-11	2.68E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.6E+00	.	3.4E+04	2.6E+00	1.3E+00	1.6E+02	6.8E+01	.	.	.	5.5E-01	1.4E-18
Bismuth (83)	Bi-212+D	1.94E-11	2.3E-09 (S)	2.73E-11	2.68E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	1.6E+00	.	3.4E+04	2.6E+00	1.3E+00	1.6E+02	6.8E+01	.	.	.	5.5E-01	1.4E-18
Bismuth (83)	Bi-212n	0.00E+00	0.00E+00	0.00E+00	3.72E-13	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	2.5E+06	.	.	.	.	.	.	.	2.5E+06	7.2E-13
Bismuth (83)	Bi-213	1.37E-11	2.0E-09 (S)	1.94E-11	3.12E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.3E+00	.	2.9E+04	3.7E+00	1.8E+00	2.2E+02	9.6E+01	.	.	.	7.8E-01	1.5E-18
Bismuth (83)	Bi-213+D	1.37E-11	2.0E-09 (S)	1.94E-11	3.12E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	2.3E+00	.	2.9E+04	3.7E+00	1.8E+00	2.2E+02	9.6E+01	.	.	.	7.8E-01	1.5E-18
Bismuth (83)	Bi-214	5.19E-12	8.4E-10 (S)	7.17E-12	3.91E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	6.1E+00	.	2.3E+03	9.9E+00	4.8E+00	5.9E+02	2.6E+02	.	.	.	2.1E+00	1.8E-18
Bismuth (83)	Bi-214+D	5.19E-12	8.4E-10 (S)	7.17E-12	3.91E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	6.1E+00	.	2.3E+03	9.9E+00	4.8E+00	5.9E+02	2.6E+02	.	.	.	2.1E+00	1.8E-18
Bismuth (83)	Bi-215	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	4.7E-15
Bismuth (83)	Bi-215+D	0.00E+00	0.00E+00	0.00E+00	6.25E-11	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	4.7E-15
Bismuth (83)	Bi-216	0.00E+00	0.00E+00	0.00E+00	1.83E-10	1.00E-01	1.50E+01	2.00E-03	1.00E-03	.	.	.	.	.	5.0E+03	.	.	.	.	.	.	.	5.0E+03	4.6E-16
Berkelium (97)	Bk-245	9.37E-11	2.2E-10 (S)	1.37E-10	5.05E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	3.4E-01	.	1.8E+04	5.2E-01	.	3.1E+03	6.8E+03	.	.	.	2.1E-01	7.1E-17
Berkelium (97)	Bk-246	5.30E-11	2.6E-11 (S)	7.59E-11	2.10E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	6.0E-01	.	4.3E+03	9.4E-01	.	5.6E+03	1.2E+04	.	.	.	3.7E-01	4.6E-17
Berkelium (97)	Bk-247	3.37E-09	1.3E-06 (F)	4.34E-09	3.25E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	9.5E-03	.	2.8E+04	4.6E-03	.	9.8E+01	2.1E+02	.	.	.	3.1E-03	1.1E-13
Berkelium (97)	Bk-248m	6.68E-11	1.4E-09 (S)	9.78E-11	1.20E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	4.8E-01	.	7.6E+04	7.3E-01	.	4.3E+03	9.5E+03	.	.	.	2.9E-01	2.0E-17
Berkelium (97)	Bk-249	2.98E-11	3.2E-09 (F)	4.22E-11	5.14E-16	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	1.1E+00	.	1.8E+09	1.5E+00	.	1.0E+04	2.2E+04	.	.	.	6.2E-01	1.5E-14
Berkelium (97)	Bk-250	1.54E-11	3.7E-11 (S)	2.22E-11	2.30E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	2.1E+00	.	4.0E+03	3.2E+00	.	1.9E+04	4.2E+04	.	.	.	1.3E+00	1.2E-17
Berkelium (97)	Bk-251	2.52E-12	2.5E-12 (S)	3.59E-12	1.85E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	1.3E+01	.	4.9E+04	2.0E+01	.	1.2E+05	2.6E+05	.	.	.	7.7E+00	2.1E-17
Bromine (35)	Br-72	0.00E+00	0.00E+00	0.00E+00	7.67E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	2.2E-17
Bromine (35)	Br-73	0.00E+00	0.00E+00	0.00E+00	3.53E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	1.3E-16
Bromine (35)	Br-74	3.96E-12	1.8E-12 (S)	5.41E-12	1.27E-09	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	8.0E+00	.	7.2E+02	1.3E+01	1.1E+00	3.1E+00	1.7E+00	.	.	.	4.9E-01	1.8E-19
Bromine (35)	Br-74m	6.69E-12	3.4E-12 (S)	9.13E-12	1.10E-09	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	4.8E+00	.	8.3E+02	7.8E+00	6.2E-01	1.9E+00	1.0E+00	.	.	.	2.9E-01	1.9E-19
Bromine (35)	Br-75	4.19E-12	3.2E-12 (S)	5.72E-12	2.93E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	7.6E+00	.	3.1E+03	1.2E+01	9.9E-01	3.0E+00	1.6E+00	.	.	.	4.6E-01	6.6E-19
Bromine (35)	Br-76	3.88E-11	3.1E-11 (S)	5.28E-11	7.42E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	8.2E-01	.	1.2E+03	1.3E+00	1.1E-01	3.2E-01	1.8E-01	.	.	.	5.0E-02	7.3E-19
Bromine (35)	Br-76m	0.00E+00	0.00E+00	0.00E+00	5.14E-12	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.8E+05	.	.	.	.	.	.	.	1.8E+05	5.8E-17
Bromine (35)	Br-77	8.29E-12	6.0E-12 (S)	1.11E-11	7.70E-11	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	3.8E+00	.	1.2E+04	6.4E+00	5.1E-01	1.5E+00	8.4E-01	.	.	.	2.4E-01	1.2E-17
Bromine (35)	Br-77m	0.00E+00	0.00E+00	0.00E+00	3.22E-12	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	2.8E+05	.	.	.	.	.	.	.	2.8E+05	1.8E-14

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Bromine (35)	Br-78	0.00E+00	0.00E+00	0.00E+00	2.54E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	3.6E-16
Bromine (35)	Br-80	1.29E-12	7.0E-13 (S)	1.77E-12	1.94E-11	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	2.5E+01	.	4.7E+04	4.0E+01	3.2E+00	9.6E+00	5.2E+00	.	.	.	1.5E+00	4.2E-19
Bromine (35)	Br-80m	7.64E-12	9.4E-12 (S)	1.05E-11	1.20E-12	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	4.2E+00	.	7.6E+05	6.8E+00	5.4E-01	1.6E+00	8.8E-01	.	.	.	2.5E-01	1.1E-18
Bromine (35)	Br-82	4.66E-11	4.8E-11 (S)	6.26E-11	6.72E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	6.8E-01	.	1.4E+03	1.1E+00	9.1E-02	2.7E-01	1.5E-01	.	.	.	4.2E-02	1.4E-18
Bromine (35)	Br-82m	0.00E+00	0.00E+00	0.00E+00	7.57E-13	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.2E+06	.	.	.	.	.	.	.	1.2E+06	1.2E-13
Bromine (35)	Br-83	2.31E-12	3.6E-12 (S)	3.18E-12	1.84E-12	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	1.4E+01	.	5.0E+05	2.2E+01	1.8E+00	5.3E+00	2.9E+00	.	.	.	8.3E-01	2.0E-18
Bromine (35)	Br-84	4.00E-12	2.0E-12 (S)	5.48E-12	4.89E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	8.0E+00	.	1.9E+03	1.3E+01	1.0E+00	3.1E+00	1.7E+00	.	.	.	4.8E-01	2.5E-19
Bromine (35)	Br-84m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	1.3E-16
Bromine (35)	Br-85	0.00E+00	0.00E+00	0.00E+00	1.82E-11	4.00E-01	9.10E+01	5.00E-01	2.00E-01	.	.	.	.	.	5.0E+04	.	.	.	.	.	.	.	5.0E+04	2.4E-15
Carbon (6)	C-10	0.00E+00	0.00E+00	0.00E+00	4.32E-10	5.50E+00	4.00E+05	3.10E-02	1.20E-02	.	.	.	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	1.3E-18
Carbon (6)	C-11	1.10E-12	7.9E-13 (S)	1.51E-12	2.50E-10	5.50E+00	4.00E+05	3.10E-02	1.20E-02	.	.	.	2.9E+01	.	3.7E+03	4.7E+01	8.6E-04	1.8E+02	1.0E+02	.	.	.	8.6E-04	3.8E-23
Carbon (6)	C-14	4.20E-11	4.6E-10 (S)	5.40E-11	1.57E-15	5.50E+00	4.00E+05	3.10E-02	1.20E-02	.	.	.	7.6E-01	1.7E-02	5.8E+08	2.3E-02	2.4E-05	5.1E+00	2.9E+00	.	.	.	2.4E-05	2.0E-16
Calcium (20)	Ca-41	1.12E-11	1.6E-11 (S)	1.38E-11	0.00E+00	5.00E-01	1.20E+01	1.30E-02	1.00E-02	2.00E-03	4.40E-02	4.40E-01	2.8E+00	.	.	6.1E-01	3.1E+00	4.7E+01	1.3E+01	2.6E+03	3.1E+03	6.3E+02	4.2E-01	1.8E-10
Calcium (20)	Ca-45	6.67E-11	3.5E-10 (S)	9.09E-11	7.95E-15	5.00E-01	1.20E+01	1.30E-02	1.00E-02	2.00E-03	4.40E-02	4.40E-01	4.8E-01	.	1.1E+08	6.6E-01	4.7E-01	7.2E+00	2.0E+00	4.0E+02	4.7E+02	9.5E+01	1.6E-01	3.3E-16
Calcium (20)	Ca-47	2.06E-10	2.4E-10 (S)	2.96E-10	2.77E-10	5.00E-01	1.20E+01	1.30E-02	1.00E-02	2.00E-03	4.40E-02	4.40E-01	1.5E-01	.	3.3E+03	2.4E-01	1.5E-01	2.2E+00	6.3E-01	1.2E+02	1.5E+02	2.9E+01	5.1E-02	3.1E-18
Calcium (20)	Ca-49	0.00E+00	0.00E+00	0.00E+00	9.31E-10	5.00E-01	1.20E+01	1.30E-02	1.00E-02	2.00E-03	4.40E-02	4.40E-01	.	.	9.8E+02	.	.	.	.	.	.	.	9.8E+02	8.3E-17
Cadmium (48)	Cd-101	0.00E+00	0.00E+00	0.00E+00	6.44E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	3.8E-17
Cadmium (48)	Cd-102	0.00E+00	0.00E+00	0.00E+00	2.05E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	.	.	4.5E+03	.	.	.	.	.	.	.	4.5E+03	4.9E-16
Cadmium (48)	Cd-103	0.00E+00	0.00E+00	0.00E+00	5.52E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	2.5E-16
Cadmium (48)	Cd-104	8.30E-12	3.8E-12 (S)	1.19E-11	5.55E-11	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	3.8E+00	.	1.6E+04	6.0E+00	2.2E-01	1.2E+02	8.2E+02	4.1E+02	9.4E+01	3.2E+03	2.0E-01	2.3E-19
Cadmium (48)	Cd-105	2.93E-12	1.4E-12 (S)	4.10E-12	3.38E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	1.1E+01	.	2.7E+03	1.7E+01	6.3E-01	3.6E+02	2.4E+03	1.2E+03	2.7E+02	9.3E+03	5.7E-01	6.6E-19
Cadmium (48)	Cd-107	9.53E-12	8.5E-12 (S)	1.39E-11	2.57E-12	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	3.3E+00	.	3.6E+05	5.1E+00	1.9E-01	1.1E+02	7.0E+02	3.5E+02	8.0E+01	2.7E+03	1.7E-01	1.4E-18
Cadmium (48)	Cd-109	1.35E-10	5.9E-10 (S)	1.81E-10	1.14E-12	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	2.4E-01	.	8.0E+05	2.3E-01	1.4E-02	8.1E+00	5.4E+01	2.7E+01	6.2E+00	2.1E+02	1.3E-02	1.8E-16
Cadmium (48)	Cd-111m	8.83E-13	1.2E-12 (S)	1.24E-12	6.56E-11	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	3.6E+01	.	1.4E+04	5.7E+01	2.1E+00	1.2E+03	7.9E+03	3.9E+03	9.0E+02	3.1E+04	1.9E+00	2.0E-18
Cadmium (48)	Cd-113	6.13E-10	3.0E-09 (F)	7.79E-10	1.31E-14	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	5.2E-02	.	7.0E+07	8.3E-03	3.3E-03	1.9E+00	1.3E+01	6.2E+00	1.4E+00	4.9E+01	2.3E-03	2.0E-01
Cadmium (48)	Cd-113m	7.84E-10	3.6E-09 (F)	9.92E-10	6.97E-14	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	4.1E-02	.	1.3E+07	1.1E-02	2.6E-03	1.5E+00	9.8E+00	4.9E+00	1.1E+00	3.8E+01	2.0E-03	3.3E-16
Cadmium (48)	Cd-115	2.40E-10	1.4E-10 (S)	3.52E-10	4.70E-11	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	1.3E-01	.	1.9E+04	2.0E-01	7.4E-03	4.2E+00	2.8E+01	1.4E+01	3.2E+00	1.1E+02	6.7E-03	4.9E-19
Cadmium (48)	Cd-115m	4.59E-10	7.9E-10 (S)	6.63E-10	8.93E-12	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	6.9E-02	.	1.0E+05	1.0E-01	3.9E-03	2.2E+00	1.5E+01	7.3E+00	1.7E+00	5.7E+01	3.5E-03	5.2E-18
Cadmium (48)	Cd-117	3.69E-11	1.8E-11 (S)	5.35E-11	2.81E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	8.6E-01	.	3.3E+03	1.3E+00	4.8E-02	2.7E+01	1.8E+02	9.1E+01	2.1E+01	7.1E+02	4.4E-02	1.5E-19
Cadmium (48)	Cd-117m	3.30E-11	1.8E-11 (S)	4.75E-11	5.46E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	9.7E-01	.	1.7E+03	1.5E+00	5.4E-02	3.1E+01	2.1E+02	1.0E+02	2.4E+01	8.0E+02	5.0E-02	2.3E-19
Cadmium (48)	Cd-118	1.16E-11	5.8E-12 (S)	1.64E-11	4.26E-14	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	2.7E+00	.	2.1E+07	4.3E+00	1.6E-01	8.9E+01	6.0E+02	3.0E+02	6.8E+01	2.3E+03	1.4E-01	1.7E-19
Cadmium (48)	Cd-119	0.00E+00	0.00E+00	0.00E+00	4.39E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	1.3E-16
Cadmium (48)	Cd-119m	0.00E+00	0.00E+00	0.00E+00	6.15E-10	7.66E-01	2.00E+02	5.80E-03	1.90E-04	1.50E-02	1.70E+00	1.00E-01	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	7.7E-17
Cerium (58)	Ce-130	3.89E-12	1.9E-12 (S)	5.40E-12	1.17E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.2E+00	.	7.8E+03	1.3E+01	3.8E+00	7.9E+04	1.7E+04	1.4E+05	.	2.3E+05	2.2E+00	1.3E-18
Cerium (58)	Ce-131	1.45E-12	6.8E-13 (S)	2.01E-12	4.07E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	2.2E+01	.	2.2E+03	3.5E+01	1.0E+01	2.1E+05	4.6E+04	3.6E+05	.	6.1E+05	5.8E+00	1.5E-18
Cerium (58)	Ce-132	4.87E-11	1.8E-11 (S)	7.08E-11	5.96E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	6.5E-01	.	1.5E+04	1.0E+00	2.9E-01	6.0E+03	1.3E+03	1.0E+04	.	1.7E+04	1.7E-01	9.2E-19
Cerium (58)	Ce-133	8.59E-12	4.4E-12 (S)	1.23E-11	1.24E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	3.7E+00	.	7.4E+03	5.8E+00	1.7E+00	3.5E+04	7.5E+03	5.9E+04	.	1.0E+05	9.6E-01	2.5E-18
Cerium (58)	Ce-133m	2.26E-11	9.3E-12 (S)	3.22E-11	4.39E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.4E+00	.	2.1E+03	2.2E+00	6.4E-01	1.3E+04	2.9E+03	2.3E+04	.	3.8E+04	3.7E-01	2.8E-18
Cerium (58)	Ce-134	4.53E-10	2.1E-10 (S)	6.63E-10	2.11E-12	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	7.0E-02	.	4.3E+05	1.1E-01	3.1E-02	6.4E+02	1.4E+02	1.1E+03	.	1.9E+03	1.8E-02	2.2E-18
Cerium (58)	Ce-135	2.77E-11	1.2E-11 (S)	3.94E-11	1.98E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.2E+00	.	4.6E+03	1.8E+00	5.3E-01	1.1E+04	2.4E+03	1.9E+04	.	3.1E+04	3.0E-01	8.5E-18
Cerium (58)	Ce-137	3.64E-12	1.2E-12 (S)	5.29E-12	4.45E-12	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.8E+00	.	2.1E+05	1.3E+01	3.9E+00	8.0E+04	1.8E+04	1.4E+05	.	2.3E+05	2.3E+00	3.3E-17
Cerium (58)	Ce-137m	9.55E-11	5.8E-11 (S)	1.40E-10	1.00E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	3.3E-01	.	9.1E+04	5.1E-01	1.5E-01	3.0E+03	6.6E+02	5.2E+03	.	8.8E+03	8.5E-02	4.8E-18
Cerium (58)	Ce-139	3.67E-11	1.9E-10 (S)	5.32E-11	3.25E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	8.7E-01	.	2.8E+04	1.3E+00	3.9E-01	8.0E+03	1.7E+03	1.4E+04	.	2.3E+04	2.2E-01	1.2E-15
Cerium (58)	Ce-141	1.26E-10	3.7E-10 (S)	1.84E-10	1.68E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	2.5E-01	.	5.5E+04	3.8E-01	1.1E-01	2.3E+03	5.0E+02	4.0E+03	.	6.7E+03	6.5E-02	8.4E-17
Cerium (58)	Ce-143	1.94E-10	1.1E-10 (S)	2.83E-10	6.41E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	1.6E-01	.	1.4E+04	2.5E-01	7.3E-02	1.5E+03	3.3E+02	2.6E+03	.	4.3E+03	4.2E-02	2.4E-18
Cerium (58)	Ce-144	9.52E-10	4.9E-09 (S)	1.40E-09	3.88E-12	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	3.3E-02	.	2.4E+05	4.6E-02	1.5E-02	3.0E+02	6.6E+01	5.2E+02	.	8.8E+02	8.4E-03	9.8E-17
Cerium (58)	Ce-144+D	9.54E-10	4.9E-09 (S)	1.40E-09	1.33E-11	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	3.3E-02	.	6.9E+04	4.6E-02	1.5E-02	3.0E+02	6.6E+01	5.2E+02	.	8.8E+02	8.4E-03	9.8E-17
Cerium (58)	Ce-145	0.00E+00	0.00E+00	0.00E+00	1.98E-10	2.70E-03	2.50E+01	2.00E-05	2.00E-05	1.00E-04	.	3.10E-03	.	.	4.6E+03	.	.	.	.	.	.	.	4.6E+03	4.0E-16
Californium (98)	Cf-244	3.37E-12	8.7E-10 (S)	4.71E-12	2.00E-14	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	9.5E+00	.	4.6E+07	1.5E+01	4.4E+00	3.0E+04	2.0E+05	.	.	.	2.5E+00	2.3E-18
Californium (98)	Cf-246	5.69E-10	4.5E-08 (S)	8.34E-10	2.43E-14	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	5.6E-02	.	3.8E+07	8.5E-02	2.5E-02	1.7E+02	1.1E+03	.	.	.	1.4E-02	1.5E-18
Californium (98)	Cf-247	2.52E-12	2.8E-12 (S)	3.65E-12	1.95E-11	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.3E+01	.	4.7E+04	2.0E+01	5.7E+00	3.9E+04	2.5E+05	.	.	.	3.3E+00	3.0E-17
Californium (98)	Cf-248	1.20E-09	6.9E-07 (S)	1.69E-09	1.07E-13	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	2.7E-02	.	8.5E+06	3.7E-02	1.2E-02	8.4E+01	5.5E+02	.	.	.	6.8E-03	1.6E-16
Californium (98)	Cf-249	3.43E-09	1.3E-06 (F)	4.41E-09	7.83E-11	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	9.3E-03	.	1.2E+04	4.6E-03	4.7E-03	3.2E+01	2.1E+02	.	.	.	1.9E-03	1.7E-14
Californium (98)	Cf-250	2.41E-09	1.0E-06 (S)	3.12E-09	2.66E-12	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	1.3E-02	.	3.4E+05	9.8E-03	6.6E-03	4.5E+01	3.0E+02	.	.	.	3.0E-03	1.0E-15
Californium (98)	Cf-251	3.54E-09	1.3E-06 (F)	4.56E-09	2.62E-11	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	9.0E-03	.	3.5E+04	4.4E-03	4.5E-03	3.1E+01	2.0E+02	.	.	.	1.8E-03	4.2E-14
Californium (98)	Cf-252	3.60E-09	1.2E-06 (S)	4.93E-09	1.23E-10	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	8.8E-03	.	7.4E+03	1.1E-02	4.2E-03	2.9E+01	1.9E+02	.	.	.	2.2E-03	1.6E-16
Californium (98)	Cf-253	1.24E-10	1.5E-07 (S)	1.78E-10	9.25E-14	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	2.6E-01	.	9.9E+06	4.0E-01	1.2E-01	7.9E+02	5.2E+03	.	.	.	6.7E-02	8.5E-17
Californium (98)	Cf-254	5.76E-08	4.1E-06 (S)	8.27E-08	4.54E-09	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	5.5E-04	.	2.0E+02	8.4E-04	2.5E-04	1.7E+00	1.1E+01	.	.	.	1.4E-04	6.2E-19
Californium (98)	Cf-255	3.65E-12	6.1E-10 (S)	5.27E-12	7.61E-14	1.00E-03	2.50E+01	6.00E-05	2.00E-06	.	.	.	8.7E+00	.	1.2E+07	1.4E+01	3.9E+00	2.7E+04	1.8E+05	.	.	.	2.3E+00	9.7E-18
Chlorine (17)	Cl-34	0.00E+00	0.00E+00	0.00E+00	2.55E-10	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	6.1E-19
Chlorine (17)	Cl-34m	4.79E-12	2.4E-12 (S)	6.55E-12	5.71E-10	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	6.7E+00	.	1.6E+03	1.1E+01	1.7E+00	7.6E+01	1.4E+01	.	.	.	1.1E+00	2.3E-19
Chlorine (17)	Cl-36	8.91E-11	2.7E-09 (S)	1.20E-10	1.44E-13	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	3.6E-01	.	6.4E+06	1.9E-03	9.2E-02	4.2E+00	7.7E-01	.	.	.	1.9E-03	2.1E-12
Chlorine (17)	Cl-38	5.25E-12	2.7E-12 (S)	7.20E-12	4.04E-10	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	6.1E+00	.	2.3E+03	9.9E+00	1.5E+00	6.9E+01	1.3E+01	.	.	.	9.9E-01	2.8E-19
Chlorine (17)	Cl-39	4.12E-12	2.7E-12 (S)	5.63E-12	3.82E-10	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	7.7E+00	.	2.4E+03	1.3E+01	2.0E+00	8.9E+01	1.6E+01	.	.	.	1.3E+00	5.4E-19
Chlorine (17)	Cl-40	0.00E+00	0.00E+00	0.00E+00	1.16E-09	3.13E+01	4.70E+01	1.70E-02	2.00E-02	.	.	.	.	.	7.9E+02	.	.	.	.	.	.	.	7.9E+02	8.4E-18
Curium (96)	Cm-238	6.79E-12	1.7E-10 (S)	9.71E-12	1.66E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	4.7E+00	.	5.5E+04	7.3E+00	1.8E+00	4.4E+04	9.6E+04	.	.	.	1.1E+00	7.4E-18
Curium (96)	Cm-239	1.23E-11	7.2E-12 (S)	1.79E-11	5.71E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.6E+00	.	1.6E+04	4.0E+00	9.6E-01	2.4E+04	5.2E+04	.	.	.	6.0E-01	4.9E-18
Curium (96)	Cm-240	9.44E-10	3.1E-07 (S)	1.37E-09	2.16E-14	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.4E-02	.	4.2E+07	5.1E-02	1.3E-02	3.1E+02	6.8E+02	.	.	.	7.8E-03	1.4E-17
Curium (96)	Cm-241	1.34E-10	3.3E-09 (S)	1.94E-10	1.16E-10	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.4E-01	.	7.9E+03	3.6E-01	8.9E-02	2.2E+03	4.8E+03	.	.	.	5.5E-02	1.2E-16
Curium (96)	Cm-242	1.04E-09	5.4E-07 (S)	1.48E-09	1.85E-14	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.1E-02	.	4.9E+07	4.5E-02	1.2E-02	2.9E+02	6.3E+02	.	.	.	7.1E-03	8.0E-17
Curium (96)	Cm-243	2.57E-09	9.9E-07 (S)	3.34E-09	2.90E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.2E-02	.	3.2E+04	7.5E-03	5.2E-03	1.3E+02	2.8E+02	.	.	.	2.5E-03	1.8E-15
Curium (96)	Cm-244	2.26E-09	9.6E-07 (S)	2.93E-09	1.95E-14	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.4E-02	.	4.7E+07	9.5E-03	5.9E-03	1.4E+02	3.2E+02	.	.	.	2.9E-03	1.3E-15
Curium (96)	Cm-245	2.83E-09	1.0E-06 (F)	3.66E-09	2.17E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.1E-02	.	4.2E+04	5.5E-03	4.7E-03	1.2E+02	2.5E+02	.	.	.	2.1E-03	4.5E-13
Curium (96)	Cm-246	2.79E-09	1.0E-06 (F)	3.59E-09	9.85E-13	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.1E-02	.	9.3E+05	5.6E-03	4.8E-03	1.2E+02	2.6E+02	.	.	.	2.1E-03	2.6E-13
Curium (96)	Cm-247	2.69E-09	9.4E-07 (F)	3.49E-09	7.61E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.2E-02	.	1.2E+04	5.8E-03	4.9E-03	1.2E+02	2.7E+02	.	.	.	2.2E-03	8.7E-10
Curium (96)	Cm-247+D	2.70E-09	9.4E-07 (F)	3.51E-09	8.08E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.2E-02	.	1.1E+04	5.7E-03	4.9E-03	1.2E+02	2.6E+02	.	.	.	2.2E-03	8.6E-10
Curium (96)	Cm-248	1.23E-08	3.9E-06 (F)	1.61E-08	3.53E-10	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	2.6E-03	.	2.6E+03	1.2E-03	1.1E-03	2.6E+01	5.8E+01	.	.	.	4.7E-04	4.2E-12
Curium (96)	Cm-249	2.28E-12	2.1E-12 (S)	3.25E-12	4.83E-12	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.4E+01	.	1.9E+05	2.2E+01	5.3E+00	1.3E+05	2.9E+05	.	.	.	3.3E+00	1.0E-17
Curium (96)	Cm-250	8.90E-08	2.7E-05 (F)	1.17E-07	3.60E-09	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.6E-04	.	2.5E+02	1.7E-04	1.5E-04	3.6E+00	7.9E+00	.	.	.	6.5E-05	1.4E-14
Curium (96)	Cm-250+D	8.91E-08	2.7E-05 (F)	1.17E-07	3.66E-09	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	3.6E-04	.	2.5E+02	1.7E-04	1.5E-04	3.6E+00	7.9E+00	.	.	.	6.5E-05	1.4E-14
Curium (96)	Cm-251	1.65E-12	1.4E-12 (S)	2.32E-12	2.72E-11	2.00E-05	3.00E+01	2.00E-05	2.00E-06	.	.	.	1.9E+01	.	3.4E+04	3.1E+01	7.4E+00	1.8E+05	4.0E+05	.	.	.	4.6E+00	3.8E-18
Cobalt (27)	Co-54m	0.00E+00	0.00E+00	0.00E+00	1.01E-09	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	.

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Cobalt (27)	Co-57	2.81E-11	1.0E-10 (S)	4.03E-11	2.72E-11	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	1.1E+00	.	3.4E+04	1.6E+00	1.7E-01	4.9E+02	4.2E+02	9.0E+02	4.9E+01	2.9E+03	1.3E-01	5.9E-16
Cobalt (27)	Co-58	7.95E-11	2.1E-10 (S)	1.12E-10	2.44E-10	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	4.0E-01	.	3.7E+03	6.2E-01	6.1E-02	1.8E+02	1.5E+02	3.3E+02	1.7E+01	1.0E+03	4.8E-02	5.7E-17
Cobalt (27)	Co-58m	3.37E-12	2.2E-12 (S)	4.90E-12	2.82E-16	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	9.5E+00	.	3.2E+09	1.5E+01	1.4E+00	4.0E+03	3.4E+03	7.4E+03	4.0E+02	2.4E+04	1.1E+00	6.9E-18
Cobalt (27)	Co-60	4.26E-10	2.7E-09 (S)	6.03E-10	6.60E-10	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	7.5E-02	.	1.4E+03	6.9E-02	1.1E-02	3.3E+01	2.8E+01	6.0E+01	3.2E+00	1.9E+02	8.6E-03	2.8E-16
Cobalt (27)	Co-60m	7.02E-14	1.2E-13 (S)	9.68E-14	1.06E-12	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	4.5E+02	.	8.6E+05	7.4E+02	7.0E+01	2.0E+05	1.7E+05	3.8E+05	2.0E+04	1.2E+06	5.6E+01	6.9E-18
Cobalt (27)	Co-61	6.62E-12	4.2E-12 (S)	9.51E-12	2.06E-11	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	4.8E+00	.	4.4E+04	7.5E+00	7.2E-01	2.1E+03	1.8E+03	3.8E+03	2.1E+02	1.2E+04	5.7E-01	6.8E-19
Cobalt (27)	Co-62	0.00E+00	0.00E+00	0.00E+00	4.32E-10	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	3.9E-17
Cobalt (27)	Co-62m	2.30E-12	9.1E-13 (S)	3.16E-12	7.16E-10	7.40E-03	7.60E+01	4.30E-04	1.10E-04	2.00E-03	9.70E-01	3.30E-02	1.4E+01	.	1.3E+03	2.3E+01	2.2E+00	6.2E+03	5.3E+03	1.2E+04	6.2E+02	3.6E+04	1.7E+00	2.9E-19
Chromium (24)	Cr-48	1.96E-11	1.9E-11 (S)	2.76E-11	1.03E-10	1.74E-04	4.00E+01	3.00E-02	4.30E-04	.	.	.	1.6E+00	.	8.9E+03	2.6E+00	4.7E-01	1.0E+01	1.6E+02	.	.	.	3.1E-01	3.8E-18
Chromium (24)	Cr-49	3.67E-12	2.0E-12 (S)	5.14E-12	2.55E-10	1.74E-04	4.00E+01	3.00E-02	4.30E-04	.	.	.	8.7E+00	.	3.6E+03	1.4E+01	2.5E+00	5.5E+01	8.4E+02	.	.	.	1.7E+00	6.8E-19
Chromium (24)	Cr-51	5.00E-12	4.5E-12 (S)	7.18E-12	7.67E-12	1.74E-04	4.00E+01	3.00E-02	4.30E-04	.	.	.	6.4E+00	.	1.2E+05	9.8E+00	1.8E+00	3.9E+01	6.0E+02	.	.	.	1.2E+00	4.8E-16
Chromium (24)	Cr-55	0.00E+00	0.00E+00	0.00E+00	1.51E-12	1.74E-04	4.00E+01	3.00E-02	4.30E-04	.	.	.	.	.	6.0E+05	.	.	.	.	.	.	.	6.0E+05	2.3E-14
Chromium (24)	Cr-56	0.00E+00	0.00E+00	0.00E+00	1.68E-11	1.74E-04	4.00E+01	3.00E-02	4.30E-04	.	.	.	.	.	5.4E+04	.	.	.	.	.	.	.	5.4E+04	3.6E-15
Cesium (55)	Cs-121	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	1.9E-16
Cesium (55)	Cs-121m	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	1.5E-16
Cesium (55)	Cs-123	0.00E+00	0.00E+00	0.00E+00	2.65E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	3.4E+03	.	.	.	.	.	.	.	3.4E+03	4.9E-16
Cesium (55)	Cs-124	0.00E+00	0.00E+00	0.00E+00	2.91E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	3.9E-17
Cesium (55)	Cs-125	1.68E-12	1.2E-12 (S)	2.29E-12	1.85E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	1.9E+01	.	5.0E+03	3.1E+01	9.0E-02	1.7E+02	1.8E+02	1.6E+02	3.1E+02	4.2E+03	9.0E-02	9.9E-20
Cesium (55)	Cs-126	0.00E+00	0.00E+00	0.00E+00	2.86E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	3.2E+03	.	.	.	.	.	.	.	3.2E+03	1.3E-16
Cesium (55)	Cs-127	1.80E-12	3.0E-12 (S)	2.42E-12	1.01E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	1.8E+01	.	9.1E+03	2.9E+01	8.6E-02	1.6E+02	1.7E+02	1.5E+02	2.9E+02	3.9E+03	8.5E-02	8.0E-19
Cesium (55)	Cs-128	0.00E+00	0.00E+00	0.00E+00	2.19E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	4.2E+03	.	.	.	.	.	.	.	4.2E+03	3.8E-16
Cesium (55)	Cs-129	4.98E-12	7.0E-12 (S)	6.66E-12	6.15E-11	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	6.4E+00	.	1.5E+04	1.1E+01	3.1E-02	5.8E+01	6.1E+01	5.5E+01	1.1E+02	1.4E+03	3.1E-02	1.5E-18
Cesium (55)	Cs-130	1.22E-12	7.2E-13 (S)	1.66E-12	1.21E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	2.6E+01	.	7.5E+03	4.3E+01	1.2E-01	2.3E+02	2.4E+02	2.2E+02	4.2E+02	5.7E+03	1.2E-01	9.3E-20
Cesium (55)	Cs-130m	0.00E+00	0.00E+00	0.00E+00	1.07E-11	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	8.5E+04	.	.	.	.	.	.	.	8.5E+04	7.6E-15
Cesium (55)	Cs-131	5.03E-12	5.0E-12 (S)	6.74E-12	1.16E-12	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	6.3E+00	.	7.9E+05	1.1E+01	3.1E-02	5.7E+01	6.0E+01	5.4E+01	1.0E+02	1.4E+03	3.0E-02	1.1E-17
Cesium (55)	Cs-132	4.01E-11	2.8E-11 (S)	5.25E-11	1.74E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	7.9E-01	.	5.3E+03	1.4E+00	3.9E-03	7.3E+00	7.7E+00	6.9E+00	1.3E+01	1.8E+02	3.9E-03	9.5E-19
Cesium (55)	Cs-134	1.14E-09	1.9E-09 (S)	1.40E-09	3.88E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	2.8E-02	.	2.4E+03	3.9E-02	1.5E-04	2.8E-01	2.9E-01	2.6E-01	5.0E-01	6.8E+00	1.5E-04	4.2E-18
Cesium (55)	Cs-134m	1.12E-12	4.8E-12 (S)	1.51E-12	4.20E-12	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	2.8E+01	.	2.2E+05	4.7E+01	1.4E-01	2.6E+02	2.7E+02	2.4E+02	4.7E+02	6.3E+03	1.4E-01	6.3E-19
Cesium (55)	Cs-135	1.70E-10	9.1E-10 (S)	2.11E-10	1.13E-14	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	1.9E-01	.	8.1E+07	8.9E-02	9.8E-04	1.8E+00	1.9E+00	1.7E+00	3.3E+00	4.5E+01	9.6E-04	3.1E-11
Cesium (55)	Cs-135m	1.22E-12	6.9E-13 (S)	1.65E-12	4.04E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	2.6E+01	.	2.3E+03	4.3E+01	1.3E-01	2.3E+02	2.4E+02	2.2E+02	4.3E+02	5.8E+03	1.2E-01	1.8E-19
Cesium (55)	Cs-136	2.33E-10	2.8E-10 (S)	3.03E-10	5.40E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	1.4E-01	.	1.7E+03	2.3E-01	6.8E-04	1.3E+00	1.3E+00	1.2E+00	2.3E+00	3.1E+01	6.8E-04	3.4E-19
Cesium (55)	Cs-137	8.24E-10	3.0E-09 (S)	1.01E-09	6.06E-14	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	3.9E-02	.	1.5E+07	2.3E-02	2.0E-04	3.8E-01	4.0E-01	3.6E-01	7.0E-01	9.4E+00	2.0E-04	8.6E-17
Cesium (55)	Cs-137+D	8.24E-10	3.0E-09 (S)	1.01E-09	1.39E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	3.9E-02	.	6.6E+03	2.3E-02	2.0E-04	3.8E-01	4.0E-01	3.6E-01	7.0E-01	9.4E+00	2.0E-04	8.6E-17
Cesium (55)	Cs-138	4.48E-12	2.5E-12 (S)	6.13E-12	6.31E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	7.1E+00	.	1.4E+03	1.2E+01	3.4E-02	6.3E+01	6.6E+01	5.9E+01	1.1E+02	1.6E+03	3.3E-02	3.0E-20
Cesium (55)	Cs-138m	0.00E+00	0.00E+00	0.00E+00	1.05E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	8.7E+03	.	.	.	.	.	.	.	8.7E+03	6.9E-16
Cesium (55)	Cs-139	0.00E+00	0.00E+00	0.00E+00	8.55E-11	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	2.7E-15
Cesium (55)	Cs-140	0.00E+00	0.00E+00	0.00E+00	4.86E-10	2.52E-02	2.50E+03	2.20E-02	4.60E-03	2.00E-01	2.70E+00	4.00E-01	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	5.5E-17
Copper (29)	Cu-57	0.00E+00	0.00E+00	0.00E+00	2.96E-10	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	1.1E-19
Copper (29)	Cu-59	0.00E+00	0.00E+00	0.00E+00	3.63E-10	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	4.0E-17
Copper (29)	Cu-60	3.79E-12	1.6E-12 (S)	5.22E-12	1.04E-09	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	8.4E+00	.	8.8E+02	1.4E+01	4.3E-01	1.6E+02	1.8E+02	6.4E+02	7.3E+02	1.5E+03	4.0E-01	1.1E-19
Copper (29)	Cu-61	1.21E-11	6.3E-12 (S)	1.75E-11	2.03E-10	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	2.6E+00	.	4.5E+03	4.1E+00	1.3E-01	4.9E+01	5.3E+01	1.9E+02	2.2E+02	4.3E+02	1.2E-01	2.8E-19
Copper (29)	Cu-62	0.00E+00	0.00E+00	0.00E+00	2.48E-10	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	.	.	3.7E+03	.	.	.	.	.	.	.	3.7E+03	4.4E-16
Copper (29)	Cu-64	1.75E-11	1.2E-11 (S)	2.55E-11	4.54E-11	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	1.8E+00	.	2.0E+04	2.8E+00	8.8E-02	3.3E+01	3.6E+01	1.3E+02	1.5E+02	3.0E+02	8.1E-02	7.8E-19
Copper (29)	Cu-66	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	.	.	3.5E+04	.	.	.	.	.	.	.	3.5E+04	2.3E-15
Copper (29)	Cu-67	5.09E-11	6.2E-11 (S)	7.42E-11	2.65E-11	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	6.3E-01	.	3.4E+04	9.6E-01	3.0E-02	1.1E+01	1.2E+01	4.5E+01	5.1E+01	1.0E+02	2.8E-02	1.4E-18
Copper (29)	Cu-69	0.00E+00	0.00E+00	0.00E+00	1.36E-10	5.00E-02	2.30E+02	1.00E-02	2.00E-03	2.20E-02	5.00E-01	5.00E-01	.	.	6.7E+03	.	.	.	.	.	.	.	6.7E+03	2.6E-16
Dysprosium (66)	Dy-148	0.00E+00	0.00E+00	0.00E+00	1.73E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	5.3E+03	.	.	.	.	.	.	.	5.3E+03	5.1E-16
Dysprosium (66)	Dy-149	0.00E+00	0.00E+00	0.00E+00	4.17E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	2.2E+03	.	.	.	.	.	.	.	2.2E+03	2.7E-16
Dysprosium (66)	Dy-150	0.00E+00	0.00E+00	0.00E+00	6.44E-11	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.4E+04	.	.	.	.	.	.	.	1.4E+04	3.0E-15
Dysprosium (66)	Dy-151	1.46E-12	1.3E-11 (S)	2.04E-12	3.47E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.2E+01	.	2.6E+03	3.5E+01	3.9E-01	2.1E+03	1.5E+04	.	.	.	3.8E-01	2.0E-19
Dysprosium (66)	Dy-152	1.45E-11	6.7E-12 (S)	2.09E-11	6.44E-11	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.2E+00	.	1.4E+04	3.4E+00	3.8E-02	2.0E+02	1.5E+03	.	.	.	3.7E-02	1.6E-19
Dysprosium (66)	Dy-153	2.08E-11	1.2E-11 (S)	2.98E-11	2.10E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	1.5E+00	.	4.3E+03	2.4E+00	2.7E-02	1.4E+02	1.0E+03	.	.	.	2.6E-02	3.0E-19
Dysprosium (66)	Dy-154	8.64E-10	3.5E-07 (S)	1.14E-09	0.00E+00	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	3.7E-02	.	.	1.8E-02	7.0E-04	3.7E+00	2.7E+01	.	.	.	6.6E-04	3.2E-11
Dysprosium (66)	Dy-155	1.55E-11	7.8E-12 (S)	2.20E-11	1.63E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.1E+00	.	5.6E+03	3.2E+00	3.6E-02	1.9E+02	1.4E+03	.	.	.	3.5E-02	6.4E-19
Dysprosium (66)	Dy-157	6.12E-12	2.4E-12 (S)	8.67E-12	7.89E-11	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	5.2E+00	.	1.2E+04	8.2E+00	9.2E-02	4.9E+02	3.6E+03	.	.	.	8.9E-02	1.4E-18
Dysprosium (66)	Dy-159	1.47E-11	4.7E-11 (S)	2.14E-11	5.24E-12	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.2E+00	.	1.7E+05	3.2E+00	3.7E-02	2.0E+02	1.4E+03	.	.	.	3.6E-02	2.4E-16
Dysprosium (66)	Dy-165	1.12E-11	6.1E-12 (S)	1.62E-11	6.19E-12	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	2.8E+00	.	1.5E+05	4.4E+00	4.9E-02	2.6E+02	1.9E+03	.	.	.	4.8E-02	2.2E-19
Dysprosium (66)	Dy-165m	0.00E+00	0.00E+00	0.00E+00	3.79E-12	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	2.4E+05	.	.	.	.	.	.	.	2.4E+05	9.9E-15
Dysprosium (66)	Dy-166	3.05E-10	2.5E-10 (S)	4.48E-10	6.78E-12	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	1.0E-01	.	1.3E+05	1.6E-01	1.8E-03	9.5E+00	6.9E+01	.	.	.	1.7E-03	2.8E-19
Dysprosium (66)	Dy-167	0.00E+00	0.00E+00	0.00E+00	1.29E-10	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	7.1E+03	.	.	.	.	.	.	.	7.1E+03	1.4E-15
Dysprosium (66)	Dy-168	0.00E+00	0.00E+00	0.00E+00	9.37E-11	2.00E-03	6.50E+02	2.00E-03	6.00E-05	.	.	.	.	.	9.8E+03	.	.	.	.	.	.	.	9.8E+03	2.8E-15
Erbium (68)	Er-154	0.00E+00	0.00E+00	0.00E+00	1.20E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	7.6E+04	.	.	.	.	.	.	.	7.6E+04	8.6E-15
Erbium (68)	Er-156	2.64E-12	1.5E-12 (S)	3.74E-12	9.12E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.2E+01	.	1.0E+05	1.9E+01	.	1.1E+03	8.3E+03	.	.	.	7.3E+00	4.4E-18
Erbium (68)	Er-159	1.57E-12	9.3E-13 (S)	2.17E-12	2.40E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.0E+01	.	3.8E+03	3.3E+01	.	2.0E+03	1.4E+04	.	.	.	1.2E+01	1.4E-17
Erbium (68)	Er-161	8.80E-12	4.0E-12 (S)	1.25E-11	2.46E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.6E+00	.	3.7E+03	5.7E+00	.	3.4E+02	2.5E+03	.	.	.	2.2E+00	1.3E-17
Erbium (68)	Er-163	2.00E-13	8.1E-14 (S)	2.82E-13	5.18E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.6E+02	.	1.8E+05	2.5E+02	.	1.5E+04	1.1E+05	.	.	.	9.7E+01	2.3E-16
Erbium (68)	Er-165	2.45E-12	9.0E-13 (S)	3.53E-12	4.73E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.3E+01	.	1.9E+05	2.0E+01	.	1.2E+03	8.8E+03	.	.	.	7.9E+00	1.6E-16
Erbium (68)	Er-167m	0.00E+00	0.00E+00	0.00E+00	2.18E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	4.2E+04	.	.	.	.	.	.	.	4.2E+04	5.2E-17
Erbium (68)	Er-169	6.83E-11	1.2E-10 (S)	1.00E-10	1.63E-14	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	4.7E-01	.	5.6E+07	7.1E-01	.	4.2E+01	3.1E+02	.	.	.	2.8E-01	1.3E-16
Erbium (68)	Er-171	5.44E-11	2.7E-11 (S)	7.95E-11	8.71E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	5.9E-01	.	1.0E+04	9.0E-01	.	5.3E+01	3.9E+02	.	.	.	3.5E-01	5.3E-18
Erbium (68)	Er-172	1.67E-10	1.4E-10 (S)	2.44E-10	1.23E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.9E-01	.	7.4E+03	2.9E-01	.	1.7E+01	1.3E+02	.	.	.	1.1E-01	1.1E-17
Erbium (68)	Er-173	0.00E+00	0.00E+00	0.00E+00	2.03E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	4.5E+03	.	.	.	.	.	.	.	4.5E+03	2.2E-16
Einsteinium (99)	Es-249	1.79E-12	1.9E-11 (S)	2.53E-12	9.69E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	1.8E+01	.	9.4E+03	2.8E+01	.	1.7E+05	3.7E+05	.	.	.	1.1E+01	5.5E-17
Einsteinium (99)	Es-250	6.22E-11	1.1E-10 (S)	9.01E-11	2.88E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	5.1E-01	.	3.2E+03	7.9E-01	.	4.7E+03	1.0E+04	.	.	.	3.1E-01	7.9E-18
Einsteinium (99)	Es-250m	2.47E-12	2.1E-11 (S)	3.47E-12	1.37E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	1.3E+01	.	6.7E+03	2.1E+01	.	1.2E+05	2.7E+05	.	.	.	7.9E+00	5.2E-17
Einsteinium (99)	Es-251	2.86E-11	1.9E-10 (S)	4.18E-11	1.95E-11	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	1.1E+00	.	4.7E+04	1.7E+00	.	1.0E+04	2.2E+04	.	.	.	6.7E-01	6.6E-17
Einsteinium (99)	Es-253	9.40E-10	2.9E-07 (S)	1.38E-09	8.08E-14	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	3.4E-02	.	1.1E+07	5.1E-02	.	3.1E+02	6.7E+02	.	.	.	2.0E-02	3.0E-17
Einsteinium (99)	Es-254	1.50E-09	7.0E-07 (S)	2.12E-09	7.70E-13	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	2.1E-02	.	1.2E+06	3.0E-02	.	2.0E+02	4.4E+02	.	.	.	1.3E-02	2.5E-16
Einsteinium (99)	Es-254+D	1.52E-09	7.0E-07 (S)	2.14E-09	2.30E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	2.1E-02	.	4.0E+03	3.0E-02	.	2.0E+02	4.3E+02	.	.	.	1.2E-02	2.5E-16
Einsteinium (99)	Es-254m	7.63E-10	4.7E-08 (S)	1.12E-09	1.17E-10	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	4.2E-02	.	7.8E+03	6.4E-02	.	3.8E+02	8.3E+02	.	.	.	2.5E-02	3.0E-18
Einsteinium (99)	Es-255	7.69E-10	4.1E-07 (S)	1.12E-09	1.92E-13	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	4.1E-02	.	4.8E+06	6.3E-02	.	3.8E+02	8.3E+02	.	.	.	2.5E-02	7.2E-17
Einsteinium (99)	Es-256	4.39E-10	3.9E-09 (S)	6.28E-10	4.70E-13	1.00E-03	.	2.00E-05	2.00E-06	.	.	.	7.3E-02	.	1.9E+06	1.1E-01	.	6.8E+02	1.5E+03	.	.	.	4.4E-02	5.7E-20
Europium (63)	Eu-142	0.00E+00	0.00E+00	0.00E+00	3.07E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	3.3E-18
Europium (63)	Eu-142m	0.00E+00	0.00E+00	0.00E+00	8.65E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	3.6E-17

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Europium (63)	Eu-143	0.00E+00	0.00E+00	0.00E+00	2.85E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	3.2E+03	.	.	.	.	.	.	.	3.2E+03	2.3E-16
Europium (63)	Eu-144	0.00E+00	0.00E+00	0.00E+00	2.77E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	.	.	3.3E+03	.	.	.	.	.	.	.	3.3E+03	1.6E-17
Europium (63)	Eu-145	6.52E-11	4.7E-11 (S)	9.21E-11	3.28E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.9E-01	.	2.8E+03	7.7E-01	4.3E-02	4.6E+01	3.4E+02	.	.	.	3.8E-02	9.2E-18
Europium (63)	Eu-146	1.17E-10	6.9E-11 (S)	1.65E-10	6.09E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.7E-01	.	1.5E+03	4.3E-01	2.4E-02	2.6E+01	1.9E+02	.	.	.	2.1E-02	4.0E-18
Europium (63)	Eu-147	5.43E-11	1.2E-10 (S)	7.80E-11	1.11E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	5.9E-01	.	8.2E+03	9.1E-01	5.1E-02	5.4E+01	4.0E+02	.	.	.	4.5E-02	4.5E-17
Europium (63)	Eu-148	1.19E-10	3.5E-10 (F)	1.66E-10	5.55E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.7E-01	.	1.6E+03	4.2E-01	2.4E-02	2.6E+01	1.9E+02	.	.	.	2.1E-02	4.8E-17
Europium (63)	Eu-149	2.38E-11	4.7E-11 (S)	3.46E-11	1.10E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.3E+00	.	8.3E+04	2.0E+00	1.2E-01	1.2E+02	8.9E+02	.	.	.	1.0E-01	4.0E-16
Europium (63)	Eu-150	1.09E-10	7.3E-09 (F)	1.52E-10	3.82E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.9E-01	.	2.4E+03	1.6E-01	2.6E-02	2.8E+01	2.0E+02	.	.	.	2.1E-02	1.2E-14
Europium (63)	Eu-150m	6.53E-11	3.0E-11 (S)	9.57E-11	1.19E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.9E-01	.	7.7E+04	7.4E-01	4.2E-02	4.4E+01	3.2E+02	.	.	.	3.6E-02	8.3E-19
Europium (63)	Eu-152	1.58E-10	5.2E-09 (F)	2.25E-10	2.97E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.0E-01	.	3.1E+03	1.3E-01	1.8E-02	1.9E+01	1.4E+02	.	.	.	1.4E-02	3.1E-15
Europium (63)	Eu-152m	8.02E-11	3.2E-11 (S)	1.17E-10	7.38E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	4.0E-01	.	1.2E+04	6.1E-01	3.4E-02	3.6E+01	2.6E+02	.	.	.	3.0E-02	5.0E-19
Europium (63)	Eu-152n	1.16E-12	8.0E-13 (S)	1.67E-12	1.42E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	2.7E+01	.	6.4E+04	4.3E+01	2.4E+00	2.5E+03	1.9E+04	.	.	.	2.1E+00	6.0E-18
Europium (63)	Eu-154	2.66E-10	5.6E-09 (F)	3.83E-10	3.19E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	1.2E-01	.	2.9E+03	9.2E-02	1.0E-02	1.1E+01	8.1E+01	.	.	.	8.7E-03	1.2E-15
Europium (63)	Eu-154m	4.91E-13	3.0E-13 (S)	6.92E-13	1.16E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	6.5E+01	.	7.9E+04	1.0E+02	5.8E+00	6.1E+03	4.5E+04	.	.	.	5.0E+00	7.0E-18
Europium (63)	Eu-155	5.24E-11	5.2E-10 (S)	7.64E-11	1.17E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	6.1E-01	.	7.8E+04	5.7E-01	5.2E-02	5.6E+01	4.0E+02	.	.	.	4.4E-02	3.4E-15
Europium (63)	Eu-156	3.62E-10	4.3E-10 (S)	5.28E-10	3.28E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	8.8E-02	.	2.8E+03	1.3E-01	7.5E-03	8.0E+00	5.9E+01	.	.	.	6.6E-03	4.4E-18
Europium (63)	Eu-157	1.01E-10	4.6E-11 (S)	1.48E-10	6.63E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	3.2E-01	.	1.4E+04	4.8E-01	2.7E-02	2.9E+01	2.1E+02	.	.	.	2.4E-02	6.6E-19
Europium (63)	Eu-158	5.62E-12	3.1E-12 (S)	7.90E-12	3.38E-10	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	5.7E+00	.	2.7E+03	9.0E+00	5.0E-01	5.4E+02	3.9E+03	.	.	.	4.4E-01	6.3E-19
Europium (63)	Eu-159	3.25E-12	1.7E-12 (S)	4.62E-12	6.94E-11	2.00E-03	1.30E+02	2.00E-03	6.00E-05	.	.	.	9.8E+00	.	1.3E+04	1.5E+01	8.6E-01	9.2E+02	6.7E+03	.	.	.	7.5E-01	4.3E-19
Fluorine (9)	F-17	0.00E+00	0.00E+00	0.00E+00	2.50E-10	2.00E-02	1.00E+01	2.00E-02	7.00E-03	.	.	.	.	.	3.7E+03	.	.	.	.	.	.	.	3.7E+03	1.3E-17
Fluorine (9)	F-18	2.54E-12	3.2E-12 (S)	3.38E-12	2.42E-10	2.00E-02	1.00E+01	2.00E-02	7.00E-03	.	.	.	1.3E+01	.	3.8E+03	2.1E+01	1.5E+01	1.3E+02	7.8E+01	.	.	.	4.7E+00	1.8E-18
Iron (26)	Fe-52	1.91E-10	8.1E-11 (S)	2.78E-10	1.80E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	1.7E-01	.	5.1E+03	2.6E-01	1.1E-02	2.2E+00	1.9E+02	8.7E+01	6.8E+00	7.6E+00	9.8E-03	5.0E-20
Iron (26)	Fe-53	0.00E+00	0.00E+00	0.00E+00	2.90E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	2.8E-16
Iron (26)	Fe-53m	0.00E+00	0.00E+00	0.00E+00	7.95E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	3.0E-17
Iron (26)	Fe-55	2.32E-11	4.0E-11 (F)	3.13E-11	3.66E-20	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	1.4E+00	.	2.5E+13	1.7E+00	9.7E-02	1.9E+01	1.7E+03	7.8E+02	6.1E+01	6.8E+01	8.5E-02	1.3E-15
Iron (26)	Fe-59	2.13E-10	4.0E-10 (S)	3.01E-10	3.11E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	1.5E-01	.	2.9E+03	2.3E-01	1.0E-02	2.0E+00	1.8E+02	8.1E+01	6.3E+00	7.0E+00	9.0E-03	6.7E-18
Iron (26)	Fe-60	5.06E-09	1.0E-08 (F)	6.74E-09	3.76E-15	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	6.3E-03	.	2.4E+08	3.0E-03	4.5E-04	9.0E-02	7.9E+00	3.6E+00	2.8E-01	3.1E-01	3.7E-04	3.4E-12
Iron (26)	Fe-60+D	5.49E-09	1.3E-08 (F)	7.34E-09	6.60E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	5.8E-03	.	1.4E+03	2.7E-03	4.1E-04	8.3E-02	7.2E+00	3.3E+00	2.6E-01	2.9E-01	3.4E-04	3.1E-12
Iron (26)	Fe-61	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	1.8E-16
Iron (26)	Fe-62	0.00E+00	0.00E+00	0.00E+00	1.25E-10	1.74E-04	1.70E+02	1.40E-02	3.50E-05	3.00E-03	1.00E+00	1.80E+00	.	.	7.3E+03	.	.	.	.	.	.	.	7.3E+03	1.0E-16
Fermium (100)	Fm-251	1.05E-11	1.8E-10 (S)	1.53E-11	3.47E-11	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	3.0E+00	.	2.6E+04	4.7E+00	.	2.8E+03	1.5E+04	.	.	.	1.8E+00	2.9E-17
Fermium (100)	Fm-252	4.92E-10	3.5E-08 (S)	7.22E-10	9.06E-14	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	6.5E-02	.	1.0E+07	9.9E-02	.	5.9E+01	3.2E+02	.	.	.	3.9E-02	3.0E-18
Fermium (100)	Fm-253	1.87E-10	4.1E-08 (S)	2.73E-10	1.26E-11	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	1.7E-01	.	7.3E+04	2.6E-01	.	1.6E+02	8.5E+02	.	.	.	1.0E-01	2.2E-17
Fermium (100)	Fm-254	6.02E-11	5.9E-09 (S)	8.77E-11	1.91E-12	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	5.3E-01	.	4.8E+05	8.1E-01	.	4.8E+02	2.6E+03	.	.	.	3.2E-01	3.1E-18
Fermium (100)	Fm-255	4.46E-10	2.7E-08 (S)	6.55E-10	4.86E-13	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	7.1E-02	.	1.9E+06	1.1E-01	.	6.5E+01	3.5E+02	.	.	.	4.3E-02	2.6E-18
Fermium (100)	Fm-256	2.58E-09	2.4E-08 (S)	3.68E-09	3.35E-09	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	1.2E-02	.	2.7E+02	1.9E-02	.	1.2E+01	6.3E+01	.	.	.	7.5E-03	6.0E-20
Fermium (100)	Fm-257	1.31E-09	7.6E-07 (S)	1.88E-09	3.28E-11	2.00E-03	.	2.00E-04	8.00E-06	.	.	.	2.4E-02	.	2.8E+04	3.6E-02	.	2.3E+01	1.2E+02	.	.	.	1.5E-02	1.1E-16
Francium (87)	Fr-212	4.80E-11	5.7E-10 (S)	6.53E-11	2.90E-10	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	6.6E-01	.	3.2E+03	1.1E+00	.	4.3E+00	3.6E+00	.	.	.	3.4E-01	2.8E-19
Francium (87)	Fr-219	0.00E+00	0.00E+00	0.00E+00	8.58E-13	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	1.1E+06	.	.	.	.	.	.	.	1.1E+06	1.5E-17
Francium (87)	Fr-220	0.00E+00	0.00E+00	0.00E+00	1.91E-12	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	4.8E+05	.	.	.	.	.	.	.	4.8E+05	9.5E-15
Francium (87)	Fr-220+D	0.00E+00	0.00E+00	0.00E+00	2.42E-12	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	3.8E+05	.	.	.	.	.	.	.	3.8E+05	7.5E-15
Francium (87)	Fr-221	0.00E+00	0.00E+00	0.00E+00	6.85E-12	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	1.3E+05	2.9E-14
Francium (87)	Fr-221+D	0.00E+00	0.00E+00	0.00E+00	6.91E-12	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	1.3E+05	2.8E-14
Francium (87)	Fr-222	3.93E-11	1.6E-09 (S)	5.37E-11	4.26E-11	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	8.1E-01	.	2.1E+04	1.3E+00	.	5.3E+00	4.3E+00	.	.	.	4.2E-01	2.6E-19
Francium (87)	Fr-223	1.99E-10	1.1E-09 (S)	2.73E-10	1.06E-11	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	1.6E-01	.	8.6E+04	2.6E-01	.	1.0E+00	8.5E-01	.	.	.	8.2E-02	7.9E-20
Francium (87)	Fr-224	0.00E+00	0.00E+00	0.00E+00	1.42E-10	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	6.5E+03	.	.	.	.	.	.	.	6.5E+03	9.5E-16
Francium (87)	Fr-227	0.00E+00	0.00E+00	0.00E+00	1.07E-10	3.00E-02	.	3.00E-02	8.00E-03	.	.	.	.	.	8.5E+03	.	.	.	.	.	.	.	8.5E+03	9.4E-16
Gallium (31)	Ga-64	0.00E+00	0.00E+00	0.00E+00	9.06E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	3.3E-17
Gallium (31)	Ga-65	1.68E-12	8.0E-13 (S)	2.32E-12	2.85E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	1.9E+01	.	3.2E+03	3.1E+01	.	1.2E+04	8.0E+04	.	.	.	1.2E+01	2.3E-18
Gallium (31)	Ga-66	1.74E-10	6.2E-11 (S)	2.53E-10	6.88E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	1.8E-01	.	1.3E+03	2.8E-01	.	1.1E+02	7.3E+02	.	.	.	1.1E-01	8.2E-19
Gallium (31)	Ga-67	2.86E-11	2.9E-11 (S)	4.15E-11	3.60E-11	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	1.1E+00	.	2.5E+04	1.7E+00	.	6.8E+02	4.5E+03	.	.	.	6.7E-01	4.2E-17
Gallium (31)	Ga-68	7.58E-12	3.6E-12 (S)	1.08E-11	2.34E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	4.2E+00	.	3.9E+03	6.6E+00	.	2.6E+03	1.7E+04	.	.	.	2.6E+00	2.3E-18
Gallium (31)	Ga-70	1.40E-12	8.3E-13 (S)	1.95E-12	2.36E-12	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	2.3E+01	.	3.9E+05	3.7E+01	.	1.5E+04	9.5E+04	.	.	.	1.4E+01	4.1E-18
Gallium (31)	Ga-72	1.53E-10	6.3E-11 (S)	2.21E-10	7.26E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	2.1E-01	.	1.3E+03	3.2E-01	.	1.3E+02	8.4E+02	.	.	.	1.3E-01	1.5E-18
Gallium (31)	Ga-73	3.77E-11	1.8E-11 (S)	5.50E-11	8.39E-11	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	8.5E-01	.	1.1E+04	1.3E+00	.	5.1E+02	3.4E+03	.	.	.	5.1E-01	2.1E-18
Gallium (31)	Ga-74	0.00E+00	0.00E+00	0.00E+00	8.55E-10	3.00E-03	.	3.00E-04	1.00E-05	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	1.3E-16
Gadolinium (64)	Gd-142	0.00E+00	0.00E+00	0.00E+00	2.61E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	1.1E-16
Gadolinium (64)	Gd-143m	0.00E+00	0.00E+00	0.00E+00	5.33E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	8.9E-17
Gadolinium (64)	Gd-144	0.00E+00	0.00E+00	0.00E+00	2.33E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	5.0E-16
Gadolinium (64)	Gd-145	1.96E-12	8.2E-13 (S)	2.70E-12	6.53E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.6E+01	.	1.4E+03	2.6E+01	7.7E+00	1.6E+03	1.1E+04	.	.	.	4.3E+00	2.8E-18
Gadolinium (64)	Gd-145m	0.00E+00	0.00E+00	0.00E+00	1.69E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	5.4E+03	.	.	.	.	.	.	.	5.4E+03	2.2E-16
Gadolinium (64)	Gd-146	1.34E-10	6.9E-10 (S)	1.94E-10	4.73E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.4E-01	.	1.9E+04	3.6E-01	1.1E-01	2.2E+01	1.6E+02	.	.	.	6.1E-02	1.2E-16
Gadolinium (64)	Gd-147	6.91E-11	4.0E-11 (S)	9.83E-11	3.47E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.6E-01	.	2.6E+03	7.2E-01	2.1E-01	4.3E+01	3.1E+02	.	.	.	1.2E-01	8.0E-18
Gadolinium (64)	Gd-148	1.13E-09	4.1E-07 (S)	1.47E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.8E-02	.	.	1.5E-02	1.4E-02	2.9E+00	2.1E+01	.	.	.	5.7E-03	6.6E-15
Gadolinium (64)	Gd-149	7.11E-11	9.7E-11 (S)	1.03E-10	1.22E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.5E-01	.	7.5E+03	6.9E-01	2.0E-01	4.1E+01	3.0E+02	.	.	.	1.2E-01	4.5E-17
Gadolinium (64)	Gd-150	1.02E-09	3.3E-07 (S)	1.32E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.1E-02	.	.	1.5E-02	1.6E-02	3.2E+00	2.3E+01	.	.	.	6.2E-03	1.7E-10
Gadolinium (64)	Gd-151	3.55E-11	1.2E-10 (S)	5.17E-11	1.16E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	9.0E-01	.	7.9E+04	1.3E+00	4.0E-01	8.2E+01	6.0E+02	.	.	.	2.3E-01	1.2E-15
Gadolinium (64)	Gd-152	8.02E-10	2.5E-07 (F)	1.04E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.0E-02	.	.	1.9E-02	2.0E-02	4.1E+00	3.0E+01	.	.	.	7.8E-03	1.3E-02
Gadolinium (64)	Gd-153	4.14E-11	2.3E-10 (S)	6.01E-11	1.66E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	7.7E-01	.	5.5E+04	1.1E+00	3.4E-01	7.1E+01	5.1E+02	.	.	.	1.9E-01	2.0E-15
Gadolinium (64)	Gd-159	8.77E-11	4.3E-11 (S)	1.29E-10	1.19E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.6E-01	.	7.7E+04	5.5E-01	1.6E-01	3.3E+01	2.4E+02	.	.	.	9.2E-02	3.2E-18
Gadolinium (64)	Gd-162	0.00E+00	0.00E+00	0.00E+00	1.01E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	9.1E+03	.	.	.	.	.	.	.	9.1E+03	2.4E-15
Germanium (32)	Ge-66	9.86E-12	7.0E-12 (S)	1.31E-11	1.63E-10	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	3.2E+00	.	5.6E+03	5.4E+00	9.9E-03	3.2E+00	1.4E+01	.	.	.	9.8E-03	1.7E-20
Germanium (32)	Ge-67	2.65E-12	1.2E-12 (S)	3.63E-12	3.57E-10	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.2E+01	.	2.6E+03	2.0E+01	3.6E-02	1.2E+01	5.1E+01	.	.	.	3.5E-02	8.8E-21
Germanium (32)	Ge-68	1.88E-10	2.8E-09 (S)	2.66E-10	3.11E-16	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.7E-01	.	2.9E+09	2.1E-01	4.9E-04	1.6E-01	7.0E-01	.	.	.	4.8E-04	2.5E-18
Germanium (32)	Ge-68+D	1.96E-10	2.8E-09 (S)	2.77E-10	2.34E-10	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.6E-01	.	3.9E+03	2.0E-01	4.7E-04	1.5E-01	6.7E-01	.	.	.	4.6E-04	2.4E-18
Germanium (32)	Ge-69	2.16E-11	2.0E-11 (S)	2.95E-11	2.41E-10	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.5E+00	.	3.8E+03	2.4E+00	4.4E-03	1.4E+00	6.3E+00	.	.	.	4.3E-03	1.4E-19
Germanium (32)	Ge-71	1.76E-12	1.5E-12 (S)	2.50E-12	3.16E-16	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.8E+01	.	2.9E+09	2.8E+01	5.2E-02	1.7E+01	7.4E+01	.	.	.	5.1E-02	1.2E-17
Germanium (32)	Ge-75	2.35E-12	2.4E-12 (S)	3.15E-12	8.71E-12	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	1.4E+01	.	1.0E+05	2.3E+01	4.1E-02	1.3E+01	5.9E+01	.	.	.	4.1E-02	5.0E-20
Germanium (32)	Ge-77	3.30E-11	3.3E-11 (S)	4.45E-11	2.70E-10	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	9.7E-01	.	3.4E+03	1.6E+00	2.9E-03	9.5E-01	4.2E+00	.	.	.	2.9E-03	3.0E-20
Germanium (32)	Ge-78	7.93E-12	6.9E-12 (S)	1.03E-11	6.69E-11	4.00E-01	4.00E+03	2.00E-01	1.00E-02	.	.	.	4.0E+00	.	1.4E+04	6.9E+00	1.3E-02	4.1E+00	1.8E+01	.	.	.	1.2E-02	1.7E-20
Hydrogen (1)	H-3	1.37E-12	2.3E-11 (S)	1.76E-12	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hafnium (72)	Hf-167	0.00E+00	0.00E+00	0.00E+00	1.48E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	.	.	6.2E+03	.	.	.	.	.	.	.	6.2E+03	4.2E-16
Hafnium (72)	Hf-169	0.00E+00	0.00E+00	0.00E+00	1.52E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	.	.	6.0E+03	.	.	.	.	.	.	.	6.0E+03	6.5E-16
Hafnium (72)	Hf-170	4.79E-11	2.8E-11 (S)	6.85E-11	1.00E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	6.7E-01	.	9.1E+03	1.0E+00	6.9E-03	3.1E+02	1.4E+03	.	.	.	6.8E-03	2.2E-19

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Hafnium (72)	Hf-172	1.39E-10	2.3E-09 (S)	1.99E-10	1.66E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.3E-01	.	5.5E+04	2.8E-01	2.4E-03	1.1E+02	4.7E+02	.	.	.	2.3E-03	7.7E-17
Hafnium (72)	Hf-172+D	1.39E-10	2.3E-09 (S)	1.99E-10	1.66E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.3E-01	.	5.5E+04	2.8E-01	2.4E-03	1.1E+02	4.7E+02	.	.	.	2.3E-03	7.7E-17
Hafnium (72)	Hf-173	2.82E-11	1.7E-11 (S)	4.06E-11	8.84E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.1E+00	.	1.0E+04	1.8E+00	1.2E-02	5.2E+02	2.3E+03	.	.	.	1.1E-02	5.5E-19
Hafnium (72)	Hf-174	1.72E-09	2.7E-07 (S)	2.16E-09	0.00E+00	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.9E-02	.	.	9.2E-03	2.2E-04	9.8E+00	4.3E+01	.	.	.	2.1E-04	7.6E-03
Hafnium (72)	Hf-175	5.20E-11	1.4E-10 (S)	7.49E-11	8.02E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	6.1E-01	.	1.1E+04	9.3E-01	6.3E-03	2.8E+02	1.2E+03	.	.	.	6.2E-03	2.1E-17
Hafnium (72)	Hf-177m	5.52E-12	5.3E-12 (S)	7.72E-12	5.36E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	5.8E+00	.	1.7E+03	9.2E+00	6.1E-02	2.7E+03	1.2E+04	.	.	.	6.0E-02	1.1E-19
Hafnium (72)	Hf-178m	3.31E-10	8.8E-09 (F)	4.64E-10	5.36E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	9.6E-02	.	1.7E+03	5.3E-02	1.0E-03	4.6E+01	2.0E+02	.	.	.	9.8E-04	5.6E-16
Hafnium (72)	Hf-179m	1.80E-10	4.4E-10 (S)	2.61E-10	2.15E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.8E-01	.	4.3E+03	2.7E-01	1.8E-03	8.1E+01	3.6E+02	.	.	.	1.8E-03	2.3E-18
Hafnium (72)	Hf-180m	1.96E-11	1.2E-11 (S)	2.82E-11	2.34E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.6E+00	.	3.9E+03	2.5E+00	1.7E-02	7.5E+02	3.3E+03	.	.	.	1.6E-02	1.9E-19
Hafnium (72)	Hf-181	1.73E-10	5.8E-10 (S)	2.52E-10	1.27E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	1.8E-01	.	7.2E+03	2.8E-01	1.9E-03	8.4E+01	3.7E+02	.	.	.	1.8E-03	4.0E-18
Hafnium (72)	Hf-182	1.28E-10	8.9E-09 (F)	1.72E-10	5.68E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	2.5E-01	.	1.6E+04	1.2E-01	2.7E-03	1.2E+02	5.4E+02	.	.	.	2.6E-03	4.5E-10
Hafnium (72)	Hf-182+D	3.39E-10	9.9E-09 (F)	4.77E-10	3.85E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	9.4E-02	.	2.4E+03	4.2E-02	9.9E-04	4.4E+01	1.9E+02	.	.	.	9.5E-04	1.6E-10
Hafnium (72)	Hf-182m	3.29E-12	3.4E-12 (S)	4.64E-12	2.18E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	9.7E+00	.	4.2E+03	1.5E+01	1.0E-01	4.6E+03	2.0E+04	.	.	.	1.0E-01	2.2E-19
Hafnium (72)	Hf-183	6.53E-12	4.9E-12 (S)	9.35E-12	1.91E-10	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	4.9E+00	.	4.8E+03	7.6E+00	5.0E-02	2.3E+03	9.9E+03	.	.	.	4.9E-02	1.1E-19
Hafnium (72)	Hf-184	7.82E-11	4.0E-11 (S)	1.14E-10	5.30E-11	3.00E-03	1.10E+03	4.00E-04	2.00E-05	.	.	.	4.1E-01	.	1.7E+04	6.3E-01	4.1E-03	1.9E+02	8.1E+02	.	.	.	4.1E-03	3.6E-20
Mercury (80)	Hg-190	1.52E-12	7.0E-12 (V)	2.12E-12	4.20E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.1E+01	.	2.2E+04	3.4E+01	4.0E-02	4.0E+02	1.7E+03	.	3.0E+04	.	4.0E-02	3.0E-20
Mercury (80)	Hg-191m	4.74E-12	2.9E-11 (V)	6.70E-12	3.72E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	6.7E+00	.	2.5E+03	1.1E+01	1.3E-02	1.3E+02	5.5E+02	.	9.4E+03	.	1.3E-02	2.4E-20
Mercury (80)	Hg-192	2.60E-11	9.1E-11 (V)	3.71E-11	6.03E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.2E+00	.	1.5E+04	1.9E+00	2.3E-03	2.3E+01	1.0E+02	.	1.7E+03	.	2.3E-03	2.5E-20
Mercury (80)	Hg-193	1.24E-11	7.9E-11 (V)	1.78E-11	2.10E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.6E+00	.	4.3E+03	4.0E+00	4.8E-03	4.8E+01	2.1E+02	.	3.6E+03	.	4.8E-03	4.1E-20
Mercury (80)	Hg-193+D	1.24E-11	7.9E-11 (V)	1.78E-11	2.12E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.6E+00	.	4.3E+03	4.0E+00	4.8E-03	4.8E+01	2.1E+02	.	3.6E+03	.	4.8E-03	4.1E-20
Mercury (80)	Hg-193m	5.48E-11	2.7E-10 (V)	7.89E-11	2.57E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	5.8E-01	.	3.6E+03	9.0E-01	1.1E-03	1.1E+01	4.7E+01	.	8.0E+02	.	1.1E-03	2.9E-20
Mercury (80)	Hg-194	7.87E-11	2.0E-09 (S)	1.08E-10	1.98E-15	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	4.0E-01	.	4.6E+08	1.0E-01	7.9E-04	7.9E+00	3.4E+01	.	5.9E+02	.	7.8E-04	6.9E-15
Mercury (80)	Hg-194+D	1.22E-10	2.0E-09 (S)	1.70E-10	2.66E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.6E-01	.	3.4E+03	6.6E-02	5.0E-04	5.0E+00	2.2E+01	.	3.7E+02	.	4.9E-04	4.4E-15
Mercury (80)	Hg-195	1.45E-11	1.4E-10 (V)	2.11E-11	4.51E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	2.2E+00	.	2.0E+04	3.4E+00	4.0E-03	4.0E+01	1.8E+02	.	3.0E+03	.	4.0E-03	9.7E-20
Mercury (80)	Hg-195m	8.97E-11	7.3E-10 (V)	1.31E-10	4.58E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	3.6E-01	.	2.0E+04	5.4E-01	6.5E-04	6.5E+00	2.8E+01	.	4.8E+02	.	6.5E-04	6.2E-20
Mercury (80)	Hg-197	4.13E-11	4.2E-10 (V)	6.03E-11	1.29E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	7.7E-01	.	7.1E+04	1.2E+00	1.4E-03	1.4E+01	6.2E+01	.	1.0E+03	.	1.4E-03	2.1E-19
Mercury (80)	Hg-197m	8.24E-11	5.3E-10 (V)	1.21E-10	2.01E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	3.9E-01	.	4.5E+04	5.9E-01	7.0E-04	7.0E+00	3.1E+01	.	5.2E+02	.	7.0E-04	3.9E-20
Mercury (80)	Hg-199m	1.79E-12	1.6E-11 (V)	2.53E-12	4.04E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	1.8E+01	.	2.3E+04	2.8E+01	3.4E-02	3.4E+02	1.5E+03	.	2.5E+04	.	3.3E-02	5.6E-20
Mercury (80)	Hg-203	8.34E-11	6.6E-10 (V)	1.21E-10	5.68E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	3.8E-01	.	1.6E+04	5.7E-01	7.0E-04	7.0E+00	3.1E+01	.	5.2E+02	.	7.0E-04	1.9E-18
Mercury (80)	Hg-205	0.00E+00	0.00E+00	0.00E+00	1.62E-12	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	5.7E+05	.	.	.	.	.	.	.	5.7E+05	1.2E-13
Mercury (80)	Hg-206	0.00E+00	0.00E+00	0.00E+00	2.92E-11	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	3.1E+04	.	.	.	.	.	.	.	3.1E+04	1.0E-14
Mercury (80)	Hg-207	0.00E+00	0.00E+00	0.00E+00	7.07E-10	3.00E-01	6.10E+03	1.00E-02	5.00E-04	.	3.00E-02	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	1.5E-16
Holmium (67)	Ho-150	0.00E+00	0.00E+00	0.00E+00	4.73E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	7.3E-17
Holmium (67)	Ho-153	0.00E+00	0.00E+00	0.00E+00	2.52E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	2.2E-16
Holmium (67)	Ho-153m	0.00E+00	0.00E+00	0.00E+00	2.57E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	1.0E-15
Holmium (67)	Ho-154	1.84E-12	6.8E-13 (S)	2.53E-12	4.70E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.7E+01	.	1.9E+03	2.8E+01	8.2E+00	1.7E+03	1.2E+04	.	.	.	4.6E+00	1.6E-18
Holmium (67)	Ho-154m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	1.4E-16
Holmium (67)	Ho-155	3.06E-12	1.7E-12 (S)	4.32E-12	1.48E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.0E+01	.	6.2E+03	1.6E+01	4.8E+00	9.8E+02	7.2E+03	.	.	.	2.7E+00	4.0E-18
Holmium (67)	Ho-156	6.63E-12	3.4E-12 (S)	9.32E-12	5.36E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	4.8E+00	.	1.7E+03	7.6E+00	2.2E+00	4.6E+02	3.3E+03	.	.	.	1.3E+00	2.2E-18
Holmium (67)	Ho-157	4.54E-13	2.3E-13 (S)	6.30E-13	1.35E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	7.0E+01	.	6.8E+03	1.1E+02	3.3E+01	6.7E+03	4.9E+04	.	.	.	1.9E+01	7.2E-18
Holmium (67)	Ho-159	5.15E-13	3.6E-13 (S)	7.12E-13	8.33E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	6.2E+01	.	1.1E+04	1.0E+02	2.9E+01	6.0E+03	4.3E+04	.	.	.	1.6E+01	1.7E-17
Holmium (67)	Ho-160	1.06E-12	6.1E-13 (S)	1.45E-12	4.20E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.0E+01	.	2.2E+03	4.9E+01	1.4E+01	2.9E+03	2.1E+04	.	.	.	8.0E+00	6.5E-18
Holmium (67)	Ho-161	1.33E-12	6.4E-13 (S)	1.92E-12	7.04E-12	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.4E+01	.	1.3E+05	3.7E+01	1.1E+01	2.2E+03	1.6E+04	.	.	.	6.2E+00	2.9E-17
Holmium (67)	Ho-162	1.57E-13	1.6E-13 (S)	2.16E-13	3.57E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.0E+02	.	2.6E+04	3.3E+02	9.6E+01	2.0E+04	1.4E+05	.	.	.	5.4E+01	2.6E-17
Holmium (67)	Ho-162m	1.93E-12	1.4E-12 (S)	2.71E-12	1.36E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.7E+01	.	6.7E+03	2.6E+01	7.6E+00	1.6E+03	1.1E+04	.	.	.	4.3E+00	9.3E-18
Holmium (67)	Ho-163	4.89E-13	3.2E-11 (F)	7.11E-13	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	6.5E+01	.	.	2.8E+01	2.9E+01	6.0E+03	4.3E+04	.	.	.	1.2E+01	9.0E-10
Holmium (67)	Ho-164	4.72E-13	4.7E-13 (S)	6.58E-13	3.88E-12	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	6.7E+01	.	2.4E+05	1.1E+02	3.1E+01	6.5E+03	4.7E+04	.	.	.	1.8E+01	1.7E-17
Holmium (67)	Ho-164m	1.13E-12	1.0E-12 (S)	1.61E-12	5.55E-12	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.8E+01	.	1.6E+05	4.4E+01	1.3E+01	2.6E+03	1.9E+04	.	.	.	7.3E+00	9.0E-18
Holmium (67)	Ho-166	2.49E-10	1.1E-10 (S)	3.66E-10	7.35E-12	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.3E-01	.	1.2E+05	1.9E-01	5.7E-02	1.2E+01	8.4E+01	.	.	.	3.3E-02	1.7E-18
Holmium (67)	Ho-166m	2.24E-10	2.1E-08 (F)	3.19E-10	4.01E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.4E-01	.	2.3E+03	6.3E-02	6.5E-02	1.3E+01	9.7E+01	.	.	.	2.6E-02	5.4E-13
Holmium (67)	Ho-167	1.04E-11	6.8E-12 (S)	1.50E-11	8.71E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.1E+00	.	1.0E+04	4.8E+00	1.4E+00	2.8E+02	2.1E+03	.	.	.	7.9E-01	4.8E-18
Holmium (67)	Ho-168	0.00E+00	0.00E+00	0.00E+00	2.21E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	4.1E+03	.	.	.	.	.	.	.	4.1E+03	4.1E-16
Holmium (67)	Ho-168m	0.00E+00	0.00E+00	0.00E+00	7.89E-13	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	1.2E+06	.	.	.	.	.	.	.	1.2E+06	8.4E-14
Holmium (67)	Ho-170	0.00E+00	0.00E+00	0.00E+00	4.29E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	2.0E-16
Iodine (53)	I-118	1.36E-11	1.6E-11 (V)	1.92E-11	5.08E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	2.3E+00	.	1.8E+03	3.7E+00	9.0E-01	6.6E+01	1.8E+01	9.3E+01	1.1E+04	8.3E+01	5.3E-01	1.7E-19
Iodine (53)	I-118m	0.00E+00	0.00E+00	0.00E+00	9.40E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	.	.	9.7E+02	.	.	.	.	.	.	.	9.7E+02	1.9E-16
Iodine (53)	I-119	2.48E-12	4.4E-12 (V)	3.44E-12	2.21E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.3E+01	.	4.1E+03	2.1E+01	5.0E+00	3.7E+02	1.0E+02	5.2E+02	6.3E+04	4.6E+02	2.9E+00	1.3E-18
Iodine (53)	I-120	2.07E-11	2.6E-11 (V)	2.87E-11	7.04E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.5E+00	.	1.3E+03	2.5E+00	6.0E-01	4.4E+01	1.2E+01	6.2E+01	7.6E+03	5.5E+01	3.5E-01	6.8E-19
Iodine (53)	I-120m	9.75E-12	1.3E-11 (V)	1.34E-11	8.96E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	3.3E+00	.	1.0E+03	5.3E+00	1.3E+00	9.5E+01	2.6E+01	1.3E+02	1.6E+04	1.2E+02	7.5E-01	9.4E-19
Iodine (53)	I-121	5.53E-12	7.3E-12 (V)	7.59E-12	9.28E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	5.8E+00	.	9.9E+03	9.4E+00	2.3E+00	1.7E+02	4.5E+01	2.3E+02	2.9E+04	2.1E+02	1.3E+00	4.0E-18
Iodine (53)	I-122	0.00E+00	0.00E+00	0.00E+00	2.38E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	.	.	3.8E+03	.	.	.	.	.	.	.	3.8E+03	3.4E-16
Iodine (53)	I-123	1.91E-11	2.3E-11 (V)	2.71E-11	3.57E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.7E+00	.	2.6E+04	2.6E+00	6.4E-01	4.7E+01	1.3E+01	6.6E+01	8.1E+03	5.8E+01	3.7E-01	7.2E-18
Iodine (53)	I-124	1.12E-09	1.2E-09 (V)	1.59E-09	2.81E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	2.8E-02	.	3.2E+03	4.5E-02	1.1E-02	8.0E-01	2.2E-01	1.1E+00	1.4E+02	1.0E+00	6.4E-03	9.3E-19
Iodine (53)	I-125	6.91E-10	7.5E-10 (V)	9.34E-10	1.80E-12	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	4.6E-02	.	5.1E+05	7.5E-02	1.8E-02	1.4E+00	3.7E-01	1.9E+00	2.3E+02	1.7E+00	1.1E-02	2.2E-17
Iodine (53)	I-126	2.38E-09	2.6E-09 (V)	3.35E-09	1.05E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.3E-02	.	8.7E+03	2.1E-02	5.1E-03	3.8E-01	1.0E-01	5.3E-01	6.5E+01	4.7E-01	3.0E-03	1.4E-18
Iodine (53)	I-128	2.19E-12	5.6E-12 (V)	3.01E-12	1.69E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.5E+01	.	5.4E+04	2.4E+01	5.7E+00	4.2E+02	1.1E+02	5.9E+02	7.2E+04	5.3E+02	3.3E+00	2.1E-18
Iodine (53)	I-129	4.08E-09	4.4E-09 (V)	5.32E-09	1.39E-12	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	7.8E-03	.	6.6E+05	3.8E-03	3.2E-03	2.4E-01	6.5E-02	3.3E-01	4.1E+01	3.0E-01	1.4E-03	2.9E-10
Iodine (53)	I-130	1.63E-10	1.9E-10 (V)	2.31E-10	5.33E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	2.0E-01	.	1.7E+03	3.1E-01	7.5E-02	5.5E+00	1.5E+00	7.7E+00	9.4E+02	6.9E+00	4.4E-02	8.3E-19
Iodine (53)	I-130m	0.00E+00	0.00E+00	0.00E+00	2.63E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	.	.	3.5E+04	.	.	.	.	.	.	.	3.5E+04	7.9E-15
Iodine (53)	I-131	1.23E-09	1.4E-09 (V)	1.75E-09	9.28E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	2.6E-02	.	9.9E+03	4.1E-02	9.9E-03	7.2E-01	2.0E-01	1.0E+00	1.2E+02	9.1E-01	5.8E-03	1.7E-18
Iodine (53)	I-132	2.26E-11	3.1E-11 (V)	3.14E-11	5.74E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	1.4E+00	.	1.6E+03	2.3E+00	5.5E-01	4.0E+01	1.1E+01	5.7E+01	6.9E+03	5.0E+01	3.2E-01	1.1E-18
Iodine (53)	I-132m	5.16E-12	1.1E-11 (V)	7.06E-12	8.24E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	6.2E+00	.	1.1E+04	1.0E+01	2.4E+00	1.8E+02	4.9E+01	2.5E+02	3.1E+04	2.2E+02	1.4E+00	3.1E-18
Iodine (53)	I-133	3.93E-10	4.4E-10 (V)	5.62E-10	1.52E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	8.1E-02	.	6.0E+03	1.3E-01	3.1E-02	2.3E+00	6.1E-01	3.2E+00	3.9E+02	2.8E+00	1.8E-02	5.9E-19
Iodine (53)	I-134	6.38E-12	1.2E-11 (V)	8.76E-12	6.63E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	5.0E+00	.	1.4E+03	8.1E+00	2.0E+00	1.4E+02	3.9E+01	2.0E+02	2.5E+04	1.8E+02	1.1E+00	1.6E-18
Iodine (53)	I-134m	0.00E+00	0.00E+00	0.00E+00	6.47E-11	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	.	.	1.4E+04	.	.	.	.	.	.	.	1.4E+04	1.3E-15
Iodine (53)	I-135	7.77E-11	9.3E-11 (V)	1.10E-10	4.17E-10	5.48E-04	3.00E+01	6.70E-03	5.40E-03	4.10E-02	8.70E-03	2.40E+00	4.1E-01	.	2.2E+03	6.5E-01	1.6E-01	1.2E+01	3.1E+00	1.6E+01	2.0E+03	1.4E+01	9.2E-02	9.6E-19
Indium (49)	In-103	0.00E+00	0.00E+00	0.00E+00	7.16E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	2.6E-17
Indium (49)	In-105	0.00E+00	0.00E+00	0.00E+00	4.92E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	2.0E-16
Indium (49)	In-106	0.00E+00	0.00E+00	0.00E+00	8.93E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	1.3E-16
Indium (49)	In-106m	0.00E+00	0.00E+00	0.00E+00	7.42E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	1.3E-16
Indium (49)	In-107	2.88E-12	1.6E-12 (S)	4.05E-12	3.98E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.1E+01	.	2.3E+03	1.8E+01	1.3E-02	5.2E+02	2.3E+03	.	.	.	1.3E-02	8.7E-21
Indium (49)	In-108	5.51E-12	2.2E-12 (S)	7.63E-12	1.00E-09	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	5.8E+00	.	9.1E+02	9.3E+00	6.8E-03	2.8E+02	1.2E+03	.	.	.	6.8E-03	8.4E-21
Indium (49)	In-108m	4.86E-12	2.0E-12 (S)	6.78E-12	7.48E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	6.6E+00	.	1.2E+03	1.1E+01	7.6E-03	3.1E+02	1.4E+03	.	.	.	7.6E-03	6.4E-21
Indium (49)	In-109	5.72E-12	2.7E-12 (S)	8.11E-12	1.58E-10	3.00E-03

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Indium (49)	In-109m	0.00E+00	0.00E+00	0.00E+00	1.51E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	6.1E+03	.	.	.	.	.	.	.	6.1E+03	1.7E-16
Indium (49)	In-110	2.08E-11	7.5E-12 (S)	2.89E-11	7.79E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.5E+00	.	1.2E+03	2.5E+00	1.8E-03	7.3E+01	3.2E+02	.	.	.	1.8E-03	1.1E-20
Indium (49)	In-110m	7.64E-12	3.4E-12 (S)	1.08E-11	3.98E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	4.2E+00	.	2.3E+03	6.6E+00	4.8E-03	2.0E+02	8.6E+02	.	.	.	4.8E-03	7.2E-21
Indium (49)	In-111	3.51E-11	2.3E-11 (S)	5.03E-11	9.21E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	9.1E-01	.	9.9E+03	1.4E+00	1.0E-03	4.2E+01	1.8E+02	.	.	.	1.0E-03	9.1E-20
Indium (49)	In-111m	0.00E+00	0.00E+00	0.00E+00	1.15E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	7.9E+03	.	.	.	.	.	.	.	7.9E+03	1.3E-15
Indium (49)	In-112	4.75E-13	3.3E-13 (S)	6.54E-13	6.44E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	6.7E+01	.	1.4E+04	1.1E+02	7.9E-02	3.2E+03	1.4E+04	.	.	.	7.9E-02	2.6E-20
Indium (49)	In-112m	8.84E-13	1.0E-12 (S)	1.23E-12	5.14E-12	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	3.6E+01	.	1.8E+05	5.8E+01	4.2E-02	1.7E+03	7.5E+03	.	.	.	4.2E-02	1.9E-20
Indium (49)	In-113m	2.59E-12	1.5E-12 (S)	3.71E-12	6.19E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.2E+01	.	1.5E+04	1.9E+01	1.4E-02	5.7E+02	2.5E+03	.	.	.	1.4E-02	3.1E-20
Indium (49)	In-114	0.00E+00	0.00E+00	0.00E+00	1.29E-12	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	7.1E+05	.	.	.	.	.	.	.	7.1E+05	1.9E-14
Indium (49)	In-114m	6.78E-10	1.4E-09 (S)	9.85E-10	1.76E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	4.7E-02	.	5.2E+04	7.1E-02	5.3E-05	2.2E+00	9.4E+00	.	.	.	5.2E-05	8.4E-20
Indium (49)	In-114m+D	6.78E-10	1.4E-09 (S)	9.85E-10	1.88E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	4.7E-02	.	4.9E+04	7.1E-02	5.3E-05	2.2E+00	9.4E+00	.	.	.	5.2E-05	8.4E-20
Indium (49)	In-115	9.17E-10	1.1E-08 (F)	1.17E-09	3.82E-14	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	3.5E-02	.	2.4E+07	1.7E-02	4.4E-05	1.8E+00	7.9E+00	.	.	.	4.4E-05	2.3E-04
Indium (49)	In-115m	1.21E-11	6.3E-12 (S)	1.76E-11	3.76E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	2.6E+00	.	2.4E+04	4.0E+00	2.9E-03	1.2E+02	5.3E+02	.	.	.	2.9E-03	1.8E-20
Indium (49)	In-116m	4.41E-12	2.5E-12 (S)	6.14E-12	6.50E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	7.2E+00	.	1.4E+03	1.2E+01	8.4E-03	3.5E+02	1.5E+03	.	.	.	8.4E-03	1.0E-20
Indium (49)	In-117	1.87E-12	1.6E-12 (S)	2.62E-12	1.68E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.7E+01	.	5.4E+03	2.7E+01	2.0E-02	8.1E+02	3.5E+03	.	.	.	2.0E-02	2.0E-20
Indium (49)	In-117m	1.20E-11	6.7E-12 (S)	1.73E-11	2.09E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	2.7E+00	.	4.4E+04	4.1E+00	3.0E-03	1.2E+02	5.4E+02	.	.	.	3.0E-03	8.0E-21
Indium (49)	In-118	0.00E+00	0.00E+00	0.00E+00	2.43E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	3.8E+04	.	.	.	.	.	.	.	3.8E+04	7.3E-17
Indium (49)	In-118m	0.00E+00	0.00E+00	0.00E+00	7.20E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	1.3E-16
Indium (49)	In-119	0.00E+00	0.00E+00	0.00E+00	1.93E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	4.7E+03	.	.	.	.	.	.	.	4.7E+03	2.7E-16
Indium (49)	In-119m	2.02E-12	9.5E-13 (S)	2.79E-12	1.78E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	1.6E+01	.	5.1E+04	2.6E+01	1.9E-02	7.6E+02	3.3E+03	.	.	.	1.9E-02	7.8E-21
Indium (49)	In-121	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	3.5E-17
Indium (49)	In-121m	0.00E+00	0.00E+00	0.00E+00	1.58E-11	3.00E-03	1.00E+04	4.00E-03	2.00E-04	.	.	.	.	.	5.8E+04	.	.	.	.	.	.	.	5.8E+04	5.4E-15
Iridium (77)	Ir-180	0.00E+00	0.00E+00	0.00E+00	3.94E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	1.2E-16
Iridium (77)	Ir-182	2.92E-12	1.4E-12 (S)	4.07E-12	3.50E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.1E+01	.	2.6E+03	1.8E+01	1.3E+01	1.0E+03	2.3E+05	.	.	.	4.4E+00	2.4E-18
Iridium (77)	Ir-183	4.58E-12	2.7E-12 (S)	6.47E-12	3.03E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	7.0E+00	.	3.0E+03	1.1E+01	8.0E+00	6.6E+02	1.4E+05	.	.	.	2.8E+00	5.8E-18
Iridium (77)	Ir-184	1.97E-11	9.9E-12 (S)	2.82E-11	4.95E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.6E+00	.	1.8E+03	2.5E+00	1.8E+00	1.5E+02	3.3E+04	.	.	.	6.4E-01	4.3E-18
Iridium (77)	Ir-185	4.26E-11	2.3E-11 (S)	6.14E-11	2.18E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	7.5E-01	.	4.2E+03	1.2E+00	8.4E-01	6.9E+01	1.5E+04	.	.	.	2.9E-01	9.3E-18
Iridium (77)	Ir-186	6.72E-11	3.3E-11 (S)	9.64E-11	4.20E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.7E-01	.	2.2E+03	7.4E-01	5.4E-01	4.4E+01	9.6E+03	.	.	.	1.9E-01	6.9E-18
Iridium (77)	Ir-186m	6.92E-12	3.5E-12 (S)	9.81E-12	3.19E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.6E+00	.	2.9E+03	7.3E+00	5.3E+00	4.3E+02	9.5E+04	.	.	.	1.8E+00	7.7E-18
Iridium (77)	Ir-187	1.49E-11	7.6E-12 (S)	2.14E-11	7.70E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.1E+00	.	1.2E+04	3.3E+00	2.4E+00	2.0E+02	4.3E+04	.	.	.	8.4E-01	2.0E-17
Iridium (77)	Ir-188	7.72E-11	4.1E-11 (S)	1.09E-10	5.62E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.1E-01	.	1.6E+03	6.5E-01	4.7E-01	3.9E+01	8.5E+03	.	.	.	1.6E-01	1.5E-17
Iridium (77)	Ir-189	3.87E-11	5.9E-11 (S)	5.65E-11	1.44E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	8.2E-01	.	6.4E+04	1.3E+00	9.2E-01	7.5E+01	1.6E+04	.	.	.	3.2E-01	2.3E-16
Iridium (77)	Ir-190	1.17E-10	1.4E-10 (S)	1.67E-10	3.57E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.7E-01	.	2.6E+03	4.2E-01	3.1E-01	2.5E+01	5.6E+03	.	.	.	1.1E-01	6.8E-17
Iridium (77)	Ir-190m	6.73E-13	6.2E-13 (S)	9.60E-13	4.61E-16	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	4.7E+01	.	2.0E+09	7.4E+01	5.4E+01	4.4E+03	9.7E+05	.	.	.	1.9E+01	4.7E-17
Iridium (77)	Ir-190n	1.18E-11	6.2E-12 (S)	1.67E-11	9.78E-12	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.7E+00	.	9.3E+04	4.3E+00	3.1E+00	2.5E+02	5.6E+04	.	.	.	1.1E+00	7.5E-18
Iridium (77)	Ir-191m	0.00E+00	0.00E+00	0.00E+00	1.44E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	6.4E+04	.	.	.	.	.	.	.	6.4E+04	2.0E-16
Iridium (77)	Ir-192	1.99E-10	6.5E-10 (S)	2.89E-10	1.98E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.6E-01	.	4.6E+03	2.4E-01	1.8E-01	1.5E+01	3.2E+03	.	.	.	6.2E-02	2.5E-16
Iridium (77)	Ir-192m	0.00E+00	0.00E+00	0.00E+00	1.38E-14	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	6.6E+07	.	.	.	.	.	.	.	6.6E+07	3.6E-12
Iridium (77)	Ir-192n	1.42E-10	4.3E-09 (S)	2.06E-10	1.31E-13	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	2.2E-01	.	7.0E+06	9.3E-02	2.5E-01	2.1E+01	4.5E+03	.	.	.	5.2E-02	2.5E-13
Iridium (77)	Ir-193m	5.28E-11	1.2E-10 (S)	7.75E-11	5.40E-14	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	6.0E-01	.	1.7E+07	9.2E-01	6.7E-01	5.5E+01	1.2E+04	.	.	.	2.3E-01	1.4E-16
Iridium (77)	Ir-194	2.33E-10	9.2E-11 (S)	3.42E-10	2.34E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.4E-01	.	3.9E+04	2.1E-01	1.5E-01	1.2E+01	2.7E+03	.	.	.	5.3E-02	2.4E-18
Iridium (77)	Ir-194m	2.29E-10	1.2E-09 (S)	3.25E-10	5.71E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.4E-01	.	1.6E+03	2.0E-01	1.6E-01	1.3E+01	2.9E+03	.	.	.	5.4E-02	5.1E-16
Iridium (77)	Ir-195	1.07E-11	6.5E-12 (S)	1.56E-11	1.09E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	3.0E+00	.	8.4E+04	4.6E+00	3.3E+00	2.7E+02	5.9E+04	.	.	.	1.2E+00	6.7E-18
Iridium (77)	Ir-195m	1.83E-11	1.2E-11 (S)	2.65E-11	8.90E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	1.7E+00	.	1.0E+04	2.7E+00	2.0E+00	1.6E+02	3.5E+04	.	.	.	6.8E-01	6.0E-18
Iridium (77)	Ir-196	0.00E+00	0.00E+00	0.00E+00	5.93E-11	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	5.2E-16
Iridium (77)	Ir-196m	8.81E-12	5.7E-12 (S)	1.24E-11	6.03E-10	3.00E-02	1.00E+01	2.00E-03	2.00E-06	.	.	.	3.6E+00	.	1.5E+03	5.7E+00	4.2E+00	3.4E+02	7.5E+04	.	.	.	1.4E+00	4.7E-18
Potassium (19)	K-38	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	6.1E-17
Potassium (19)	K-40	6.67E-10	6.0E-09 (S)	9.24E-10	4.23E-11	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	4.8E-02	.	2.2E+04	7.8E-03	1.8E-04	4.6E-01	2.9E-01	.	.	4.1E+00	1.7E-04	8.8E-10
Potassium (19)	K-42	3.41E-11	3.4E-11 (S)	4.70E-11	7.73E-11	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	9.3E-01	.	1.2E+04	1.5E+00	3.4E-03	9.0E+00	5.6E+00	.	.	8.1E+01	3.4E-03	2.1E-20
Potassium (19)	K-43	2.10E-11	2.9E-11 (S)	2.85E-11	2.37E-10	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	1.5E+00	.	3.9E+03	2.5E+00	5.7E-03	1.5E+01	9.3E+00	.	.	1.3E+02	5.6E-03	6.4E-20
Potassium (19)	K-44	3.73E-12	1.7E-12 (S)	5.11E-12	6.56E-10	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	8.5E+00	.	1.4E+03	1.4E+01	3.2E-02	8.3E+01	5.2E+01	.	.	7.4E+02	3.1E-02	6.0E-21
Potassium (19)	K-45	2.18E-12	1.0E-12 (S)	2.98E-12	4.99E-10	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	1.5E+01	.	1.8E+03	2.4E+01	5.4E-02	1.4E+02	8.9E+01	.	.	1.3E+03	5.4E-02	8.3E-21
Potassium (19)	K-46	0.00E+00	0.00E+00	0.00E+00	8.11E-10	6.44E-01	3.20E+03	2.00E-02	7.00E-03	.	.	1.00E+00	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	1.8E-17
Krypton (36)	Kr-74	0.00E+00	0.00E+00	0.00E+00	2.56E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	6.0E-16
Krypton (36)	Kr-75	0.00E+00	0.00E+00	0.00E+00	3.16E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.9E+03	.	.	.	.	.	.	.	2.9E+03	1.8E-16
Krypton (36)	Kr-76	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	9.1E+03	.	.	.	.	.	.	.	9.1E+03	1.2E-13
Krypton (36)	Kr-76+D	0.00E+00	0.00E+00	0.00E+00	1.01E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	9.1E+03	.	.	.	.	.	.	.	9.1E+03	1.2E-13
Krypton (36)	Kr-77	0.00E+00	0.00E+00	0.00E+00	2.52E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	4.1E-15
Krypton (36)	Kr-79	0.00E+00	0.00E+00	0.00E+00	6.09E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	4.9E-13
Krypton (36)	Kr-81	0.00E+00	0.00E+00	0.00E+00	2.07E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.4E+06	.	.	.	.	.	.	.	4.4E+06	8.5E-03
Krypton (36)	Kr-81m	0.00E+00	0.00E+00	0.00E+00	3.03E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.0E+04	.	.	.	.	.	.	.	3.0E+04	1.1E-16
Krypton (36)	Kr-83m	0.00E+00	0.00E+00	0.00E+00	5.11E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.8E+08	.	.	.	.	.	.	.	1.8E+08	3.2E-10
Krypton (36)	Kr-85	0.00E+00	0.00E+00	0.00E+00	6.41E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.4E+06	.	.	.	.	.	.	.	1.4E+06	1.4E-07
Krypton (36)	Kr-85m	0.00E+00	0.00E+00	0.00E+00	3.69E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.5E+04	.	.	.	.	.	.	.	2.5E+04	1.1E-13
Krypton (36)	Kr-87	0.00E+00	0.00E+00	0.00E+00	2.16E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.2E+03	.	.	.	.	.	.	.	4.2E+03	5.6E-15
Krypton (36)	Kr-88	0.00E+00	0.00E+00	0.00E+00	5.40E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	5.0E-15
Krypton (36)	Kr-89	0.00E+00	0.00E+00	0.00E+00	5.24E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.7E+03	.	.	.	.	.	.	.	1.7E+03	9.7E-17
Lanthanum (57)	La-128	0.00E+00	0.00E+00	0.00E+00	7.13E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	1.7E-16
Lanthanum (57)	La-129	1.47E-12	6.4E-13 (S)	2.05E-12	2.23E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	2.2E+01	.	4.1E+03	3.5E+01	6.8E+00	3.2E+04	1.5E+04	.	9.3E+03	2.1E+05	4.5E+00	1.3E-18
Lanthanum (57)	La-130	0.00E+00	0.00E+00	0.00E+00	5.65E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	3.6E-16
Lanthanum (57)	La-131	2.43E-12	1.6E-12 (S)	3.43E-12	1.57E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	1.3E+01	.	5.8E+03	2.1E+01	4.1E+00	1.9E+04	9.0E+03	.	5.5E+03	1.2E+05	2.7E+00	4.1E-18
Lanthanum (57)	La-132	5.14E-11	1.9E-11 (S)	7.43E-11	5.14E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	6.2E-01	.	1.8E+03	9.6E-01	1.9E-01	8.8E+02	4.2E+02	.	2.6E+02	5.7E+03	1.3E-01	9.4E-19
Lanthanum (57)	La-132m	4.06E-12	1.7E-12 (S)	5.84E-12	1.62E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	7.8E+00	.	5.6E+03	1.2E+01	2.4E+00	1.1E+04	5.3E+03	.	3.3E+03	7.2E+04	1.6E+00	1.0E-18
Lanthanum (57)	La-133	3.77E-12	1.6E-12 (S)	5.45E-12	3.47E-11	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	8.5E+00	.	2.6E+04	1.3E+01	2.6E+00	1.2E+04	5.7E+03	.	3.5E+03	7.8E+04	1.7E+00	1.1E-17
Lanthanum (57)	La-134	0.00E+00	0.00E+00	0.00E+00	1.76E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	5.2E+03	.	.	.	.	.	.	.	5.2E+03	8.8E-16
Lanthanum (57)	La-135	3.94E-12	1.4E-12 (S)	5.70E-12	4.07E-12	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	8.1E+00	.	2.2E+05	1.3E+01	2.5E+00	1.1E+04	5.4E+03	.	3.3E+03	7.4E+04	1.6E+00	5.1E-17
Lanthanum (57)	La-136	0.00E+00	0.00E+00	0.00E+00	9.72E-11	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	.	.	9.4E+03	.	.	.	.	.	.	.	9.4E+03	2.5E-15
Lanthanum (57)	La-137	9.52E-12	3.8E-10 (F)	1.37E-11	1.51E-12	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	3.3E+00	.	6.1E+05	1.5E+00	1.0E+00	4.8E+03	2.3E+03	.	1.4E+03	3.1E+04	5.1E-01	4.3E-10
Lanthanum (57)	La-138	9.58E-11	8.2E-09 (F)	1.34E-10	3.22E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	3.3E-01	.	2.8E+03	1.5E-01	1.0E-01	4.9E+02	2.3E+02	.	1.4E+02	3.2E+03	5.2E-02	7.6E-05
Lanthanum (57)	La-140	2.95E-10	1.4E-10 (S)	4.29E-10	6.12E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	1.1E-01	.	1.5E+03	1.7E-01	3.3E-02	1.5E+02	7.2E+01	.	4.4E+01	9.9E+02	2.2E-02	1.5E-18
Lanthanum (57)	La-141	5.26E-11	2.2E-11 (S)	7.68E-11	8.27E-12	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	6.1E-01	.	1.1E+05	9.3E-01	1.8E-01	8.5E+02	4.0E+02	.	2.5E+02	5.5E+03	1.2E-01	8.0E-19
Lanthanum (57)	La-142	1.50E-11	6.7E-12 (S)	2.14E-11	6.56E-10	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	2.1E+00	.	1.4E+03	3.3E+00	6.5E-01	3.1E+03	1.4E+03	.	8.9E+02	2.0E+04	4.3E-01	1.1E-18
Lanthanum (57)	La-143	3.42E-12	1.6E-12 (S)	4.84E-12	7.23E-11	1.74E-05	3.70E+01	1.30E-04	6.00E-05	.	1.00E-01	9.00E-03	9.3E+00	.	1.3E+04	1.5E+01	2.9E+00	1.3E+04	6.4E+03	.	3.9E+03	8.7E+04	1.9E+00	7.7E-19
Lutetium (71)	Lu-165	1.20E-12	7.5E-13 (S)	1.67E-12	2.75E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.7E+01	.	3.3E+03	4.3E+01	.	2.5E+03	1.9E+04	.	.	.	1.6E+01	5.7E-18

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Lutetium (71)	Lu-167	3.63E-12	2.5E-12 (S)	5.09E-12	4.39E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	8.8E+00	.	2.1E+03	1.4E+01	.	8.3E+02	6.1E+03	.	.	.	5.3E+00	9.1E-18
Lutetium (71)	Lu-169	5.72E-11	4.0E-11 (S)	8.13E-11	3.35E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	5.6E-01	.	2.7E+03	8.8E-01	.	5.2E+01	3.8E+02	.	.	.	3.4E-01	2.3E-17
Lutetium (71)	Lu-169m	0.00E+00	0.00E+00	0.00E+00	9.09E-17	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	1.0E+10	.	.	.	.	.	.	.	1.0E+10	8.9E-10
Lutetium (71)	Lu-170	9.72E-11	5.5E-11 (S)	1.38E-10	6.94E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.3E-01	.	1.3E+03	5.2E-01	.	3.1E+01	2.2E+02	.	.	.	2.0E-01	1.9E-17
Lutetium (71)	Lu-171	9.25E-11	1.1E-10 (S)	1.34E-10	1.54E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.4E-01	.	5.9E+03	5.3E-01	.	3.2E+01	2.3E+02	.	.	.	2.1E-01	8.3E-17
Lutetium (71)	Lu-171m	0.00E+00	0.00E+00	0.00E+00	5.27E-14	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	1.7E+07	.	.	.	.	.	.	.	1.7E+07	7.7E-13
Lutetium (71)	Lu-172	1.52E-10	1.6E-10 (S)	2.17E-10	4.95E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.1E-01	.	1.8E+03	3.3E-01	.	2.0E+01	1.4E+02	.	.	.	1.3E-01	4.2E-17
Lutetium (71)	Lu-172m	0.00E+00	0.00E+00	0.00E+00	1.88E-16	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	4.9E+09	.	.	.	.	.	.	.	4.9E+09	6.1E-10
Lutetium (71)	Lu-173	5.22E-11	3.4E-10 (S)	7.57E-11	3.50E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	6.1E-01	.	2.6E+04	7.9E-01	.	5.6E+01	4.1E+02	.	.	.	3.4E-01	8.4E-15
Lutetium (71)	Lu-174	4.23E-11	4.1E-10 (S)	6.14E-11	2.44E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	7.5E-01	.	3.8E+04	8.0E-01	.	6.9E+01	5.0E+02	.	.	.	3.9E-01	2.3E-14
Lutetium (71)	Lu-174m	9.39E-11	4.2E-10 (S)	1.38E-10	9.53E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.4E-01	.	9.6E+04	4.9E-01	.	3.1E+01	2.2E+02	.	.	.	2.0E-01	1.4E-15
Lutetium (71)	Lu-176	2.55E-10	4.8E-09 (F)	3.70E-10	1.13E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.2E-01	.	8.1E+03	5.4E-02	.	1.1E+01	8.4E+01	.	.	.	3.8E-02	2.6E-05
Lutetium (71)	Lu-176m	2.27E-11	1.2E-11 (S)	3.32E-11	2.79E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.4E+00	.	3.3E+05	2.1E+00	.	1.3E+02	9.3E+02	.	.	.	8.4E-01	6.4E-18
Lutetium (71)	Lu-177	9.53E-11	1.3E-10 (S)	1.40E-10	7.92E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.3E-01	.	1.2E+05	5.1E-01	.	3.0E+01	2.2E+02	.	.	.	2.0E-01	6.7E-17
Lutetium (71)	Lu-177m	2.51E-10	1.5E-09 (S)	3.65E-10	2.31E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.3E-01	.	4.0E+03	1.8E-01	.	1.2E+01	8.5E+01	.	.	.	7.5E-02	6.0E-16
Lutetium (71)	Lu-178	2.27E-12	1.4E-12 (S)	3.17E-12	3.31E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.4E+01	.	2.8E+04	2.2E+01	.	1.3E+03	9.8E+03	.	.	.	8.6E+00	8.6E-18
Lutetium (71)	Lu-178m	1.69E-12	1.5E-12 (S)	2.34E-12	2.47E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.9E+01	.	3.7E+03	3.0E+01	.	1.8E+03	1.3E+04	.	.	.	1.2E+01	9.3E-18
Lutetium (71)	Lu-179	3.19E-11	1.4E-11 (S)	4.66E-11	7.35E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.0E+00	.	1.2E+05	1.5E+00	.	9.1E+01	6.6E+02	.	.	.	6.0E-01	5.8E-18
Lutetium (71)	Lu-180	0.00E+00	0.00E+00	0.00E+00	3.91E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	4.7E-16
Lutetium (71)	Lu-181	0.00E+00	0.00E+00	0.00E+00	1.39E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	6.6E+03	.	.	.	.	.	.	.	6.6E+03	8.2E-16
Magnesium (12)	Mg-27	0.00E+00	0.00E+00	0.00E+00	2.27E-10	3.00E-02	3.70E+01	3.00E-03	8.00E-03	.	.	.	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	2.0E-16
Magnesium (12)	Mg-28	3.06E-10	1.5E-10 (S)	4.45E-10	3.53E-10	3.00E-02	3.70E+01	3.00E-03	8.00E-03	.	.	.	1.0E-01	.	2.6E+03	1.6E-01	3.1E-02	6.4E+00	5.2E-01	.	.	.	2.0E-02	1.4E-19
Manganese (25)	Mn-50m	0.00E+00	0.00E+00	0.00E+00	1.20E-09	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	7.6E+02	.	.	.	.	.	.	.	7.6E+02	1.3E-17
Manganese (25)	Mn-51	5.66E-12	2.7E-12 (S)	7.96E-12	2.45E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	5.6E+00	.	3.7E+03	9.0E+00	2.7E-01	1.8E+03	5.7E+03	1.7E+03	1.3E+05	1.1E+04	2.5E-01	1.2E-19
Manganese (25)	Mn-52	1.75E-10	1.3E-10 (S)	2.45E-10	8.93E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	1.8E-01	.	1.0E+03	2.9E-01	8.8E-03	5.8E+01	1.8E+02	5.6E+01	4.1E+03	3.7E+02	8.2E-03	6.7E-19
Manganese (25)	Mn-52m	3.42E-12	1.4E-12 (S)	4.73E-12	6.22E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	9.3E+00	.	1.5E+03	1.5E+01	4.6E-01	3.0E+03	9.6E+03	2.9E+03	2.1E+05	1.9E+04	4.2E-01	9.1E-20
Manganese (25)	Mn-53	4.17E-12	2.6E-11 (S)	6.01E-12	0.00E+00	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	7.6E+00	.	.	2.0E+00	3.6E-01	2.4E+03	7.5E+03	2.3E+03	1.7E+05	1.5E+04	2.9E-01	5.9E-09
Manganese (25)	Mn-54	6.15E-11	3.3E-10 (S)	8.39E-11	2.11E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	5.2E-01	.	4.3E+03	6.9E-01	2.6E-02	1.7E+02	5.4E+02	1.6E+02	1.2E+04	1.1E+03	2.4E-02	1.1E-16
Manganese (25)	Mn-56	2.78E-11	1.2E-11 (S)	4.01E-11	4.51E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	1.1E+00	.	2.0E+03	1.8E+00	5.4E-02	3.5E+02	1.1E+03	3.4E+02	2.5E+04	2.3E+03	5.0E-02	8.5E-20
Manganese (25)	Mn-57	0.00E+00	0.00E+00	0.00E+00	2.52E-11	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	3.6E+04	.	.	.	.	.	.	.	3.6E+04	5.8E-16
Manganese (25)	Mn-58m	0.00E+00	0.00E+00	0.00E+00	6.28E-10	2.44E-01	2.40E+02	6.00E-04	4.10E-05	5.30E-03	1.90E-03	4.20E-02	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	1.8E-17
Molybdenum (42	Mo-101	1.82E-12	1.2E-12 (S)	2.50E-12	3.85E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.8E+01	.	2.4E+03	2.9E+01	1.1E+02	3.4E+03	6.7E+02	.	4.2E+03	2.4E+03	9.6E+00	2.8E-18
Molybdenum (42)	Mo-102	2.81E-12	1.2E-12 (S)	3.86E-12	4.51E-12	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.1E+01	.	2.0E+05	1.8E+01	7.1E+01	2.2E+03	4.4E+02	.	2.7E+03	1.5E+03	6.2E+00	1.4E-18
Molybdenum (42)	Mo-89	0.00E+00	0.00E+00	0.00E+00	3.06E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	1.1E-16
Molybdenum (42	Mo-90	1.75E-11	3.7E-11 (S)	2.33E-11	2.01E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.8E+00	.	4.5E+03	3.1E+00	1.2E+01	3.6E+02	7.2E+01	.	4.5E+02	2.6E+02	1.0E+00	6.0E-18
Molybdenum (42)	Mo-91	2.55E-12	1.1E-12 (S)	3.50E-12	2.42E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	1.2E+01	.	3.8E+03	2.0E+01	7.8E+01	2.4E+03	4.8E+02	.	3.0E+03	1.7E+03	6.9E+00	1.9E-18
Molybdenum (42)	Mo-91m	0.00E+00	0.00E+00	0.00E+00	3.53E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	5.0E-17
Molybdenum (42	Mo-93	8.44E-11	1.5E-10 (S)	1.05E-10	7.92E-14	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	3.8E-01	.	1.2E+07	6.6E-02	2.6E+00	8.1E+01	1.6E+01	.	1.0E+02	5.7E+01	5.4E-02	2.1E-12
Molybdenum (42)	Mo-93m	9.01E-12	1.3E-11 (S)	1.20E-11	6.03E-10	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	3.5E+00	.	1.5E+03	5.9E+00	2.3E+01	7.1E+02	1.4E+02	.	8.8E+02	5.0E+02	2.0E+00	1.5E-17
Molybdenum (42)	Mo-99	4.32E-11	1.3E-10 (S)	5.70E-11	3.69E-11	6.96E-01	1.90E+00	1.00E-03	1.10E-03	.	1.80E-01	6.40E-01	7.4E-01	.	2.5E+04	1.2E+00	4.8E+00	1.5E+02	3.0E+01	.	1.9E+02	1.0E+02	4.1E-01	3.2E-17
Nitrogen (7)	N-13	0.00E+00	0.00E+00	0.00E+00	2.50E-10	7.50E+00	1.50E+05	1.00E-02	1.00E-02	.	.	.	.	.	3.7E+03	.	.	.	.	.	.	.	3.7E+03	9.3E-17
Nitrogen (7)	N-16	0.00E+00	0.00E+00	0.00E+00	1.45E-09	7.50E+00	1.50E+05	1.00E-02	1.00E-02	.	.	.	.	.	6.3E+02	.	.	.	.	.	.	.	6.3E+02	2.4E-19
Sodium (11)	Na-22	2.60E-10	2.6E-09 (S)	3.41E-10	5.62E-10	8.70E-03	7.60E+01	1.50E-02	1.30E-02	.	7.00E+00	4.00E+00	1.2E-01	.	1.6E+03	1.5E-01	2.0E-02	1.7E+00	4.2E-01	.	8.0E-01	2.8E+00	1.4E-02	8.6E-17
Sodium (11)	Na-24	3.32E-11	3.3E-11 (S)	4.44E-11	1.16E-09	8.70E-03	7.60E+01	1.50E-02	1.30E-02	.	7.00E+00	4.00E+00	9.6E-01	.	7.9E+02	1.6E+00	1.5E-01	1.3E+01	3.2E+00	.	6.1E+00	2.1E+01	1.1E-01	4.8E-19
Niobium (41)	Nb-87	0.00E+00	0.00E+00	0.00E+00	2.98E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	2.0E-16
Niobium (41)	Nb-88	3.46E-12	1.4E-12 (S)	4.75E-12	1.07E-09	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	9.2E+00	.	8.6E+02	1.5E+01	3.6E-01	6.9E+06	9.5E+05	7.7E+04	1.3E+06	8.0E+05	3.4E-01	8.6E-20
Niobium (41)	Nb-88m	0.00E+00	0.00E+00	0.00E+00	1.05E-09	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	8.7E+02	.	.	.	.	.	.	.	8.7E+02	1.2E-16
Niobium (41)	Nb-89	2.75E-11	1.1E-11 (S)	3.97E-11	3.57E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.2E+00	.	2.6E+03	1.8E+00	4.3E-02	8.2E+05	1.1E+05	9.2E+03	1.6E+05	9.6E+04	4.1E-02	8.8E-20
Niobium (41)	Nb-89m	1.06E-11	4.9E-12 (S)	1.50E-11	3.22E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	3.0E+00	.	2.8E+03	4.8E+00	1.1E-01	2.2E+06	3.0E+05	2.4E+04	4.2E+05	2.5E+05	1.1E-01	1.3E-19
Niobium (41)	Nb-90	1.54E-10	6.5E-11 (S)	2.21E-10	1.14E-09	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	2.1E-01	.	8.0E+02	3.2E-01	7.8E-03	1.5E+05	2.0E+04	1.7E+03	2.9E+04	1.7E+04	7.3E-03	1.1E-19
Niobium (41)	Nb-91	7.23E-12	1.4E-10 (S)	1.06E-11	4.54E-13	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	4.4E+00	.	2.0E+06	1.9E+00	1.6E-01	3.1E+06	4.3E+05	3.4E+04	6.0E+05	3.6E+05	1.4E-01	9.3E-13
Niobium (41)	Nb-91m	7.26E-11	3.9E-10 (S)	1.06E-10	6.56E-12	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	4.4E-01	.	1.4E+05	6.6E-01	1.6E-02	3.1E+05	4.3E+04	3.4E+03	6.0E+04	3.6E+04	1.5E-02	2.4E-17
Niobium (41)	Nb-92	8.97E-11	2.0E-09 (S)	1.24E-10	3.76E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	3.6E-01	.	2.4E+03	1.6E-01	1.4E-02	2.6E+05	3.6E+04	2.9E+03	5.1E+04	3.1E+04	1.2E-02	4.1E-09
Niobium (41)	Nb-92m	4.57E-11	3.9E-11 (S)	6.41E-11	2.45E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	7.0E-01	.	3.7E+03	1.1E+00	2.7E-02	5.1E+05	7.1E+04	5.7E+03	9.9E+04	5.9E+04	2.5E-02	6.7E-18
Niobium (41)	Nb-93m	2.25E-11	1.6E-10 (S)	3.29E-11	1.42E-14	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.4E+00	.	6.4E+07	8.5E-01	5.2E-02	9.9E+05	1.4E+05	1.1E+04	1.9E+05	1.2E+05	4.8E-02	7.4E-15
Niobium (41)	Nb-94	2.10E-10	3.6E-09 (S)	3.00E-10	3.91E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	1.5E-01	.	2.3E+03	6.5E-02	5.7E-03	1.1E+05	1.5E+04	1.2E+03	2.1E+04	1.3E+04	5.1E-03	1.0E-12
Niobium (41)	Nb-94m	0.00E+00	0.00E+00	0.00E+00	1.17E-12	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	7.8E+05	.	.	.	.	.	.	.	7.8E+05	9.1E-14
Niobium (41)	Nb-95	6.63E-11	1.7E-10 (S)	9.46E-11	1.92E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	4.8E-01	.	4.8E+03	7.4E-01	1.8E-02	3.5E+05	4.8E+04	3.9E+03	6.7E+04	4.0E+04	1.7E-02	1.6E-17
Niobium (41)	Nb-95m	1.06E-10	1.0E-10 (S)	1.56E-10	1.51E-11	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	3.0E-01	.	6.1E+04	4.6E-01	1.1E-02	2.1E+05	2.9E+04	2.3E+03	4.1E+04	2.4E+04	1.0E-02	1.0E-18
Niobium (41)	Nb-96	1.36E-10	6.6E-11 (S)	1.96E-10	6.25E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	2.3E-01	.	1.5E+03	3.6E-01	8.8E-03	1.7E+05	2.3E+04	1.9E+03	3.2E+04	1.9E+04	8.3E-03	2.2E-19
Niobium (41)	Nb-97	5.30E-12	3.1E-12 (S)	7.55E-12	1.66E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	6.0E+00	.	5.5E+03	9.4E+00	2.3E-01	4.3E+06	6.0E+05	4.8E+04	8.4E+05	5.0E+05	2.2E-01	3.0E-19
Niobium (41)	Nb-98m	7.17E-12	3.4E-12 (S)	1.01E-11	7.26E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	4.4E+00	.	1.3E+03	7.1E+00	1.7E-01	3.2E+06	4.5E+05	3.6E+04	6.3E+05	3.8E+05	1.6E-01	1.6E-19
Niobium (41)	Nb-99	0.00E+00	0.00E+00	0.00E+00	4.01E-11	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	2.3E+04	.	.	.	.	.	.	.	2.3E+04	1.1E-16
Niobium (41)	Nb-99m	0.00E+00	0.00E+00	0.00E+00	2.09E-10	1.22E-02	3.00E+02	2.60E-07	4.10E-07	2.00E-04	3.00E-04	1.00E-03	.	.	4.4E+03	.	.	.	.	.	.	.	4.4E+03	2.2E-16
Neodymium (60)	Nd-134	0.00E+00	0.00E+00	0.00E+00	1.27E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	.	.	7.2E+03	.	.	.	.	.	.	.	7.2E+03	1.6E-15
Neodymium (60)	Nd-135	3.00E-12	1.4E-12 (S)	4.16E-12	3.06E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.1E+01	.	3.0E+03	1.7E+01	1.2E+00	1.0E+03	7.4E+03	.	5.1E+03	3.0E+06	1.0E+00	3.4E-19
Neodymium (60)	Nd-136	7.32E-12	3.6E-12 (S)	1.03E-11	6.03E-11	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	4.4E+00	.	1.5E+04	6.9E+00	5.0E-01	4.1E+02	3.0E+03	.	2.0E+03	1.2E+06	4.2E-01	5.7E-19
Neodymium (60)	Nd-137	4.05E-12	1.9E-12 (S)	5.73E-12	2.93E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	7.9E+00	.	3.1E+03	1.2E+01	9.0E-01	7.4E+02	5.4E+03	.	3.7E+03	2.2E+06	7.6E-01	7.9E-19
Neodymium (60)	Nd-138	9.26E-11	3.4E-11 (S)	1.35E-10	5.74E-12	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	3.4E-01	.	1.6E+05	5.3E-01	3.8E-02	3.1E+01	2.3E+02	.	1.6E+02	9.4E+04	3.2E-02	2.7E-19
Neodymium (60)	Nd-139	1.40E-12	6.7E-13 (S)	1.98E-12	1.06E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.3E+01	.	8.6E+03	3.6E+01	2.6E+00	2.1E+03	1.6E+04	.	1.1E+04	6.4E+06	2.2E+00	1.8E-18
Neodymium (60)	Nd-139m	2.72E-11	1.3E-11 (S)	3.89E-11	3.94E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.2E+00	.	2.3E+03	1.8E+00	1.3E-01	1.1E+02	7.9E+02	.	5.4E+02	3.3E+05	1.1E-01	1.0E-18
Neodymium (60)	Nd-140	3.36E-10	1.6E-10 (S)	4.91E-10	2.23E-12	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	9.5E-02	.	4.1E+05	1.4E-01	1.1E-02	8.6E+00	6.3E+01	.	4.3E+01	2.6E+04	8.9E-03	1.2E-18
Neodymium (60)	Nd-141	8.49E-13	3.7E-13 (S)	1.22E-12	1.43E-11	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	3.8E+01	.	6.4E+04	5.8E+01	4.2E+00	3.5E+03	2.5E+04	.	1.7E+04	1.0E+07	3.6E+00	1.5E-17
Neodymium (60)	Nd-141m	0.00E+00	0.0E+00 (0)	0.00E+00	1.74E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	.	.	5.3E+03	.	.	.	.	.	.	.	5.3E+03	1.5E-16
Neodymium (60)	Nd-144	8.29E-10	2.8E-07 (F)	1.06E-09	0.00E+00	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	3.8E-02	.	.	1.9E-02	4.9E-03	4.0E+00	2.9E+01	.	2.0E+01	1.2E+04	3.5E-03	1.2E-01
Neodymium (60)	Nd-147	1.89E-10	2.5E-10 (S)	2.76E-10	3.07E-11	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.7E-01	.	3.0E+04	2.6E-01	1.9E-02	1.5E+01	1.1E+02	.	7.6E+01	4.6E+04	1.6E-02	7.3E-18
Neodymium (60)	Nd-149	1.47E-11	8.6E-12 (S)	2.13E-11	8.77E-11	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	2.2E+00	.	1.0E+04	3.3E+00	2.4E-01	2.0E+02	1.5E+03	.	9.9E+02	6.0E+05	2.0E-01	6.2E-19
Neodymium (60)	Nd-151	1.93E-12	1.0E-12 (S)	2.73E-12	2.14E-10	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.7E+01	.	4.3E+03	2.6E+01	1.9E+00	1.6E+03	1.1E+04	.	7.7E+03	4.6E+06	1.6E+00	5.9E-19
Neodymium (60)	Nd-152	2.07E-12	1.1E-12 (S)	2.85E-12	3.91E-11	2.00E-03	1.00E+02	2.00E-03	6.00E-05	.	9.00E-02	3.00E-04	1.5E+01	.	2.3E+04	2.5E+01	1.8E+00	1.5E+03	1.1E+04	.	7.4E+03	4.4E+06	1.5E+00	5.2E-19
Neon (10)	Ne-19	0.00E+00	0.00E+00	0.00E+00	2.51E-10	0.00E+00	.	0.00E+00	0.00E+00	.	.	.	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	3.9E-18
Neon (10)	Ne-24	0.00E+00	0.00E+00	0.00E+00	1.33E-10	0.00E+00	.	0.00E+00	0.00E+00	.	.	.	.	.	6.8E+03	.	.	.	.	.	.	.	6.8E+03	1.1E-16
Nickel (28)	Ni-56	7.66E-11	1.1E-10 (V)	1.07E-10	4.32E-10	2.35E-02

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Nickel (28)	Ni-63	1.84E-11	1.6E-10 (V)	2.62E-11	0.00E+00	2.35E-02	2.10E+01	5.00E-03	9.50E-04	.	.	.	1.7E+00	.	.	7.7E-01	9.4E-01	6.5E+01	7.5E+01	.	.	.	3.4E-01	2.2E-13
Nickel (28)	Ni-65	1.87E-11	1.9E-11 (V)	2.71E-11	1.48E-10	2.35E-02	2.10E+01	5.00E-03	9.50E-04	.	.	.	1.7E+00	.	6.2E+03	2.6E+00	9.1E-01	6.3E+01	7.2E+01	.	.	.	4.8E-01	9.2E-19
Nickel (28)	Ni-66	5.44E-10	2.7E-10 (S)	7.98E-10	7.10E-15	2.35E-02	2.10E+01	5.00E-03	9.50E-04	.	.	.	5.9E-02	.	1.3E+08	8.9E-02	3.1E-02	2.1E+00	2.4E+00	.	.	.	1.6E-02	6.9E-19
Neptunium (93)	Np-232	5.36E-13	1.4E-12 (S)	7.33E-13	2.94E-10	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	5.9E+01	.	3.1E+03	9.7E+01	2.4E+01	1.2E+04	2.5E+05	.	.	.	1.4E+01	9.6E-18
Neptunium (93)	Np-233	1.40E-13	8.4E-14 (S)	1.95E-13	1.84E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	2.3E+02	.	5.0E+04	3.7E+02	8.8E+01	4.4E+04	9.5E+05	.	.	.	5.4E+01	9.0E-17
Neptunium (93)	Np-234	7.45E-11	4.4E-11 (S)	1.06E-10	2.89E-10	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	4.3E-01	.	3.2E+03	6.7E-01	1.6E-01	8.0E+01	1.7E+03	.	.	.	1.0E-01	2.9E-17
Neptunium (93)	Np-235	1.01E-11	5.5E-11 (S)	1.48E-11	1.49E-13	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	3.2E+00	.	6.2E+06	4.2E+00	1.2E+00	5.7E+02	1.3E+04	.	.	.	7.1E-01	1.9E-14
Neptunium (93)	Np-235+D	1.01E-11	5.5E-11 (S)	1.48E-11	1.49E-13	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	3.2E+00	.	6.2E+06	4.2E+00	1.2E+00	5.7E+02	1.3E+04	.	.	.	7.1E-01	1.9E-14
Neptunium (93)	Np-236	3.60E-10	9.1E-08 (F)	4.93E-10	3.02E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	8.8E-02	.	3.0E+04	4.0E-02	3.5E-02	1.7E+01	3.8E+02	.	.	.	1.5E-02	5.8E-11
Neptunium (93)	Np-236m	3.05E-11	3.5E-10 (S)	4.47E-11	1.02E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	1.0E+00	.	9.0E+04	1.6E+00	3.9E-01	1.9E+02	4.1E+03	.	.	.	2.4E-01	1.5E-17
Neptunium (93)	Np-237	1.68E-09	7.8E-07 (S)	2.24E-09	4.64E-12	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	1.9E-02	.	2.0E+05	8.9E-03	7.7E-03	3.8E+00	8.3E+01	.	.	.	3.4E-03	1.8E-10
Neptunium (93)	Np-237+D	1.85E-09	7.8E-07 (S)	2.48E-09	5.52E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	1.7E-02	.	1.7E+04	8.0E-03	7.0E-03	3.4E+00	7.5E+01	.	.	.	3.1E-03	1.6E-10
Neptunium (93)	Np-238	1.41E-10	1.4E-10 (S)	2.06E-10	1.49E-10	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	2.3E-01	.	6.1E+03	3.5E-01	8.4E-02	4.1E+01	9.0E+02	.	.	.	5.2E-02	7.4E-18
Neptunium (93)	Np-239	1.41E-10	1.2E-10 (S)	2.06E-10	3.98E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	2.3E-01	.	2.3E+04	3.5E-01	8.4E-02	4.1E+01	9.0E+02	.	.	.	5.2E-02	8.3E-18
Neptunium (93)	Np-240	5.21E-12	4.6E-12 (S)	7.36E-12	2.60E-10	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	6.1E+00	.	3.5E+03	9.7E+00	2.3E+00	1.2E+03	2.5E+04	.	.	.	1.4E+00	4.2E-18
Neptunium (93)	Np-240m	0.00E+00	0.00E+00	0.00E+00	8.02E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	3.9E-15
Neptunium (93)	Np-241	6.63E-13	5.2E-13 (S)	9.15E-13	8.46E-12	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	4.8E+01	.	1.1E+05	7.8E+01	1.9E+01	9.3E+03	2.0E+05	.	.	.	1.2E+01	7.6E-18
Neptunium (93)	Np-242	0.00E+00	0.00E+00	0.00E+00	7.07E-11	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	.	.	1.3E+04	.	.	.	.	.	.	.	1.3E+04	1.4E-15
Neptunium (93)	Np-242m	0.00E+00	0.00E+00	0.00E+00	2.27E-10	2.52E-03	3.00E+01	1.00E-03	1.00E-05	.	.	.	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	1.1E-15
Oxygen (8)	O-14	0.00E+00	0.00E+00	0.00E+00	8.99E-10	6.00E-01	.	2.00E-01	2.00E-02	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	3.3E-18
Oxygen (8)	O-15	0.00E+00	0.00E+00	0.00E+00	2.50E-10	6.00E-01	.	2.00E-01	2.00E-02	.	.	.	.	.	3.7E+03	.	.	.	.	.	.	.	3.7E+03	2.2E-17
Oxygen (8)	O-19	0.00E+00	0.00E+00	0.00E+00	2.47E-10	6.00E-01	.	2.00E-01	2.00E-02	.	.	.	.	.	3.7E+03	.	.	.	.	.	.	.	3.7E+03	6.1E-18
Osmium (76)	Os-180	1.03E-12	7.2E-13 (S)	1.42E-12	2.55E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	3.1E+01	.	3.6E+04	5.0E+01	.	3.0E+03	1.3E+04	.	.	.	1.9E+01	1.4E-17
Osmium (76)	Os-181	9.69E-12	5.1E-12 (S)	1.38E-11	3.47E-10	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	3.3E+00	.	2.6E+03	5.2E+00	.	3.1E+02	1.3E+03	.	.	.	2.0E+00	7.5E-18
Osmium (76)	Os-182	7.24E-11	4.1E-11 (S)	1.04E-10	9.97E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	4.4E-01	.	9.2E+03	6.9E-01	.	4.1E+01	1.8E+02	.	.	.	2.7E-01	1.3E-17
Osmium (76)	Os-183	2.81E-11	1.8E-11 (S)	4.04E-11	1.46E-10	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	1.1E+00	.	6.3E+03	1.8E+00	.	1.1E+02	4.6E+02	.	.	.	6.8E-01	1.9E-17
Osmium (76)	Os-183m	2.23E-11	1.2E-11 (S)	3.17E-11	2.55E-10	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	1.4E+00	.	3.6E+03	2.2E+00	.	1.3E+02	5.9E+02	.	.	.	8.7E-01	1.9E-17
Osmium (76)	Os-185	5.02E-11	1.6E-10 (S)	7.08E-11	1.68E-10	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	6.3E-01	.	5.4E+03	9.7E-01	.	6.0E+01	2.6E+02	.	.	.	3.8E-01	1.9E-15
Osmium (76)	Os-186	2.12E-09	3.2E-07 (S)	2.83E-09	0.00E+00	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	1.5E-02	.	.	6.5E-03	.	1.5E+00	6.6E+00	.	.	.	4.5E-03	1.8E-01
Osmium (76)	Os-189m	2.67E-12	8.9E-13 (S)	3.91E-12	3.98E-16	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	1.2E+01	.	2.3E+09	1.8E+01	.	1.1E+03	4.7E+03	.	.	.	7.2E+00	9.3E-17
Osmium (76)	Os-190m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	8.7E-16
Osmium (76)	Os-191	1.00E-10	2.0E-10 (S)	1.47E-10	1.60E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	3.2E-01	.	5.7E+04	4.8E-01	.	2.9E+01	1.3E+02	.	.	.	1.9E-01	1.6E-16
Osmium (76)	Os-191m	1.70E-11	1.8E-11 (S)	2.49E-11	9.78E-13	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	1.9E+00	.	9.3E+05	2.9E+00	.	1.7E+02	7.4E+02	.	.	.	1.1E+00	3.3E-17
Osmium (76)	Os-193	1.46E-10	7.5E-11 (S)	2.14E-10	1.55E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	2.2E-01	.	5.9E+04	3.3E-01	.	2.0E+01	8.7E+01	.	.	.	1.3E-01	9.0E-18
Osmium (76)	Os-194	4.22E-10	6.9E-09 (S)	6.15E-10	2.63E-13	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	7.5E-02	.	3.5E+06	6.3E-02	.	6.9E+00	3.0E+01	.	.	.	3.4E-02	4.1E-15
Osmium (76)	Os-194+D	6.55E-10	7.0E-09 (S)	9.57E-10	2.36E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	4.9E-02	.	3.9E+04	4.0E-02	.	4.4E+00	1.9E+01	.	.	.	2.2E-02	2.6E-15
Osmium (76)	Os-196	5.86E-12	3.4E-12 (S)	8.22E-12	1.88E-11	3.00E-02	.	2.00E-03	1.00E-04	.	.	.	5.4E+00	.	4.9E+04	8.7E+00	.	5.2E+02	2.3E+03	.	.	.	3.3E+00	4.5E-18
Phosphorus (15)	P-30	0.00E+00	0.00E+00	0.00E+00	2.52E-10	1.74E-01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	.	.	3.6E+03	.	.	.	.	.	.	.	3.6E+03	5.4E-17
Phosphorus (15)	P-32	2.42E-10	3.8E-10 (S)	3.32E-10	5.65E-13	1.74E-01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	1.3E-01	.	1.6E+06	2.1E-01	1.1E-05	4.6E-01	2.8E-01	8.1E+00	.	1.8E+01	1.1E-05	1.4E-21
Phosphorus (15)	P-33	2.64E-11	1.7E-10 (S)	3.67E-11	7.54E-15	1.74E-01	1.40E+05	5.50E-02	2.00E-02	2.70E-02	.	6.40E-01	1.2E+00	.	1.2E+08	1.9E+00	1.0E-04	4.2E+00	2.5E+00	7.4E+01	.	1.6E+02	1.0E-04	2.4E-20
Protactinium (91)	Pa-227	2.62E-11	5.7E-09 (S)	3.69E-11	3.88E-12	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.2E+00	.	2.4E+05	1.9E+00	1.4E+00	4.6E+04	1.0E+04	.	.	.	4.9E-01	8.4E-19
Protactinium (91)	Pa-228	9.58E-11	6.5E-09 (S)	1.38E-10	3.44E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	3.3E-01	.	2.7E+03	5.2E-01	3.7E-01	1.2E+04	2.7E+03	.	.	.	1.3E-01	7.8E-18
Protactinium (91)	Pa-229	1.24E-11	6.6E-10 (S)	1.80E-11	1.27E-11	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	2.6E+00	.	7.2E+04	4.0E+00	2.9E+00	9.4E+04	2.1E+04	.	.	.	1.0E+00	9.9E-17
Protactinium (91)	Pa-230	1.00E-10	6.2E-08 (S)	1.44E-10	1.65E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	3.2E-01	.	5.5E+03	4.9E-01	3.6E-01	1.2E+04	2.6E+03	.	.	.	1.3E-01	1.4E-16
Protactinium (91)	Pa-231	4.66E-09	2.1E-06 (F)	6.10E-09	7.92E-12	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	6.8E-03	.	1.2E+05	3.2E-03	8.5E-03	2.8E+02	6.1E+01	.	.	.	1.7E-03	1.4E-12
Protactinium (91)	Pa-232	9.38E-11	1.9E-10 (S)	1.36E-10	2.34E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	3.4E-01	.	3.9E+03	5.2E-01	3.8E-01	1.2E+04	2.7E+03	.	.	.	1.3E-01	1.2E-17
Protactinium (91)	Pa-233	1.66E-10	4.1E-10 (S)	2.42E-10	5.05E-11	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	1.9E-01	.	1.8E+04	2.9E-01	2.1E-01	7.0E+03	1.5E+03	.	.	.	7.5E-02	1.3E-16
Protactinium (91)	Pa-234	5.60E-11	3.2E-11 (S)	8.11E-11	3.66E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	5.7E-01	.	2.5E+03	8.8E-01	6.4E-01	2.1E+04	4.6E+03	.	.	.	2.2E-01	4.2E-18
Protactinium (91)	Pa-234m	0.00E+00	0.00E+00	0.00E+00	4.92E-12	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	1.9E+05	.	.	.	.	.	.	.	1.9E+05	1.0E-14
Protactinium (91)	Pa-235	1.24E-12	8.6E-13 (S)	1.73E-12	3.03E-13	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	2.6E+01	.	3.0E+06	4.1E+01	3.0E+01	9.8E+05	2.1E+05	.	.	.	1.0E+01	1.2E-17
Protactinium (91)	Pa-236	0.00E+00	0.00E+00	0.00E+00	2.39E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	3.8E+03	.	.	.	.	.	.	.	3.8E+03	1.6E-15
Protactinium (91)	Pa-237	0.00E+00	0.00E+00	0.00E+00	1.53E-10	1.00E-02	1.00E+01	5.00E-06	5.00E-06	.	.	.	.	.	6.0E+03	.	.	.	.	.	.	.	6.0E+03	2.4E-15
Lead (82)	Pb-194	1.07E-12	6.1E-13 (S)	1.47E-12	2.72E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.0E+01	.	3.4E+03	4.8E+01	1.4E+01	8.2E+03	6.6E+03	.	.	.	7.9E+00	3.7E-18
Lead (82)	Pb-195m	1.43E-12	1.1E-12 (S)	1.96E-12	4.07E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.2E+01	.	2.2E+03	3.6E+01	1.1E+01	6.2E+03	5.0E+03	.	.	.	6.0E+00	3.4E-18
Lead (82)	Pb-196	1.90E-12	1.3E-12 (S)	2.63E-12	1.15E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.7E+01	.	7.9E+03	2.7E+01	7.9E+00	4.6E+03	3.7E+03	.	.	.	4.5E+00	6.4E-18
Lead (82)	Pb-197	0.00E+00	0.00E+00	0.00E+00	3.94E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	7.2E-16
Lead (82)	Pb-197m	2.99E-12	2.7E-12 (S)	4.15E-12	2.87E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.1E+01	.	3.2E+03	1.7E+01	5.0E+00	2.9E+03	2.4E+03	.	.	.	2.8E+00	4.7E-18
Lead (82)	Pb-198	7.04E-12	4.2E-12 (S)	9.81E-12	1.02E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	4.5E+00	.	9.0E+03	7.3E+00	2.1E+00	1.2E+03	1.0E+03	.	.	.	1.2E+00	6.7E-18
Lead (82)	Pb-199	3.22E-12	1.9E-12 (S)	4.50E-12	2.64E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	9.9E+00	.	3.5E+03	1.6E+01	4.6E+00	2.7E+03	2.2E+03	.	.	.	2.6E+00	9.2E-18
Lead (82)	Pb-200	4.29E-11	3.5E-11 (S)	6.10E-11	4.45E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	7.4E-01	.	2.1E+04	1.2E+00	3.4E-01	2.0E+02	1.6E+02	.	.	.	1.9E-01	9.9E-18
Lead (82)	Pb-201	1.62E-11	1.1E-11 (S)	2.29E-11	1.84E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.0E+00	.	5.0E+03	3.1E+00	9.0E-01	5.3E+02	4.3E+02	.	.	.	5.2E-01	1.1E-17
Lead (82)	Pb-201m	0.00E+00	0.00E+00	0.00E+00	8.90E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	.	.	1.0E+04	.	.	.	.	.	.	.	1.0E+04	4.1E-16
Lead (82)	Pb-202	9.12E-10	3.7E-09 (S)	1.22E-09	1.91E-15	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.5E-02	.	4.8E+08	1.6E-02	1.7E-02	9.9E+00	8.0E+00	.	.	.	6.7E-03	7.3E-12
Lead (82)	Pb-202+D	9.52E-10	3.8E-09 (S)	1.27E-09	1.09E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.3E-02	.	8.4E+03	1.5E-02	1.6E-02	9.5E+00	7.7E+00	.	.	.	6.4E-03	7.0E-12
Lead (82)	Pb-202m	1.29E-11	7.2E-12 (S)	1.81E-11	4.99E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.5E+00	.	1.8E+03	3.9E+00	1.1E+00	6.7E+02	5.4E+02	.	.	.	6.5E-01	5.5E-18
Lead (82)	Pb-203	2.81E-11	2.3E-11 (S)	4.01E-11	7.13E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.1E+00	.	1.3E+04	1.8E+00	5.2E-01	3.0E+02	2.4E+02	.	.	.	3.0E-01	3.7E-17
Lead (82)	Pb-204m	3.44E-12	1.5E-12 (S)	4.76E-12	5.21E-10	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	9.3E+00	.	1.8E+03	1.5E+01	4.3E+00	2.5E+03	2.1E+03	.	.	.	2.5E+00	6.7E-18
Lead (82)	Pb-205	1.67E-11	6.2E-11 (S)	2.17E-11	1.93E-15	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.9E+00	.	4.7E+08	9.0E-01	9.5E-01	5.6E+02	4.5E+02	.	.	.	3.7E-01	1.2E-07
Lead (82)	Pb-209	6.51E-12	5.6E-12 (S)	9.42E-12	6.28E-14	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	4.9E+00	.	1.5E+07	7.6E+00	2.2E+00	1.3E+03	1.0E+03	.	.	.	1.3E+00	1.0E-17
Lead (82)	Pb-210	2.39E-08	4.3E-07 (S)	3.18E-08	2.46E-13	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	1.3E-03	.	3.7E+06	8.1E-04	6.5E-04	3.8E-01	3.1E-01	.	.	.	2.8E-04	1.4E-16
Lead (82)	Pb-211	1.11E-11	1.1E-09 (S)	1.57E-11	1.63E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	2.9E+00	.	5.6E+04	4.5E+00	1.3E+00	7.7E+02	6.2E+02	.	.	.	7.5E-01	1.1E-18
Lead (82)	Pb-212	6.80E-10	1.7E-08 (S)	9.64E-10	3.31E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	4.7E-02	.	2.8E+04	7.4E-02	2.1E-02	1.3E+01	1.0E+01	.	.	.	1.2E-02	3.3E-19
Lead (82)	Pb-214	9.31E-12	1.1E-09 (S)	1.31E-11	6.03E-11	9.57E-03	2.50E+01	7.00E-04	1.90E-04	.	.	.	3.4E+00	.	1.5E+04	5.4E+00	1.6E+00	9.3E+02	7.5E+02	.	.	.	9.0E-01	1.0E-18
Palladium (46)	Pd-100	1.03E-10	7.8E-11 (S)	1.47E-10	1.96E-11	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	3.1E-01	.	4.7E+04	4.8E-01	3.5E-01	2.9E+02	1.3E+02	.	.	.	1.2E-01	1.3E-17
Palladium (46)	Pd-101	1.11E-11	5.1E-12 (S)	1.59E-11	8.14E-11	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	2.9E+00	.	1.1E+04	4.5E+00	3.3E+00	2.7E+03	1.2E+03	.	.	.	1.1E+00	1.2E-17
Palladium (46)	Pd-103	3.37E-11	4.8E-11 (S)	4.94E-11	2.48E-13	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	9.5E-01	.	3.7E+06	1.4E+00	1.0E+00	8.6E+02	3.8E+02	.	.	.	3.7E-01	1.8E-16
Palladium (46)	Pd-107	7.00E-12	4.7E-11 (S)	1.03E-11	0.00E+00	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	4.6E+00	.	.	1.5E+00	5.0E+00	4.1E+03	1.8E+03	.	.	.	9.3E-01	6.7E-08
Palladium (46)	Pd-109	9.64E-11	5.1E-11 (S)	1.41E-10	1.16E-12	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	3.3E-01	.	7.9E+05	5.1E-01	3.7E-01	3.0E+02	1.3E+02	.	.	.	1.3E-01	2.3E-18
Palladium (46)	Pd-109m	0.00E+00	0.00E+00	0.00E+00	2.50E-11	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	3.7E+04	.	.	.	.	.	.	.	3.7E+04	3.7E-15
Palladium (46)	Pd-111	2.68E-12	1.8E-12 (S)	3.76E-12	1.30E-11	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	1.2E+01	.	7.0E+04	1.9E+01	1.4E+01	1.1E+04	4.9E+03	.	.	.	4.8E+00	2.4E-18
Palladium (46)	Pd-112	4.65E-10	1.8E-10 (S)	6.82E-10	6.00E-14	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	6.9E-02	.	1.5E+07	1.0E-01	7.6E-02	6.2E+01	2.7E+01	.	.	.	2.7E-02	7.5E-19
Palladium (46)	Pd-114	0.00E+00	0.00E+00	0.00E+00	6.44E-12	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	1.4E+05	.	.	.	.	.	.	.	1.4E+05	7.7E-15
Palladium (46)	Pd-96	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	9.9E-17
Palladium (46)	Pd-97	0.00E+00	0.00E+00	0.00E+00	6.19E-10	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	8.8E-17

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Palladium (46)	Pd-98	3.16E-12	1.5E-12 (S)	4.38E-12	9.69E-11	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	1.0E+01	.	9.4E+03	1.6E+01	1.2E+01	9.7E+03	4.2E+03	.	.	.	4.1E+00	1.4E-18
Palladium (46)	Pd-99	2.04E-12	9.4E-13 (S)	2.84E-12	3.22E-10	1.00E-01	1.00E+01	2.00E-04	1.00E-04	.	.	.	1.6E+01	.	2.8E+03	2.5E+01	1.8E+01	1.5E+04	6.5E+03	.	.	.	6.3E+00	2.6E-18
Promethium (61)	Pm-136	0.00E+00	0.00E+00	0.00E+00	6.78E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	6.4E-17
Promethium (61)	Pm-137m	0.00E+00	0.00E+00	0.00E+00	4.35E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	1.4E-16
Promethium (61)	Pm-139	0.00E+00	0.00E+00	0.00E+00	2.32E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	4.5E-16
Promethium (61)	Pm-140	0.00E+00	0.00E+00	0.00E+00	2.63E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	1.5E-17
Promethium (61)	Pm-140m	0.00E+00	0.00E+00	0.00E+00	7.61E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	2.0E-16
Promethium (61)	Pm-141	1.74E-12	7.5E-13 (S)	2.42E-12	1.82E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.8E+01	.	5.0E+03	2.9E+01	7.1E+00	1.8E+03	1.3E+04	.	3.9E+05	7.9E+04	4.4E+00	2.5E-18
Promethium (61)	Pm-142	0.00E+00	0.00E+00	0.00E+00	2.12E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	4.3E+03	.	.	.	.	.	.	.	4.3E+03	8.1E-17
Promethium (61)	Pm-143	2.37E-11	2.5E-10 (F)	3.35E-11	7.42E-11	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.3E+00	.	1.2E+04	1.9E+00	5.1E-01	1.3E+02	9.2E+02	.	2.8E+04	5.7E+03	3.1E-01	3.3E-15
Promethium (61)	Pm-144	9.04E-11	1.5E-09 (F)	1.27E-10	3.82E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	3.5E-01	.	2.4E+03	4.9E-01	1.4E-01	3.3E+01	2.4E+02	.	7.5E+03	1.5E+03	8.1E-02	1.2E-15
Promethium (61)	Pm-145	1.42E-11	3.4E-10 (F)	2.05E-11	2.80E-12	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	2.2E+00	.	3.3E+05	1.3E+00	8.4E-01	2.1E+02	1.5E+03	.	4.6E+04	9.3E+03	4.2E-01	1.1E-13
Promethium (61)	Pm-146	1.11E-10	2.8E-09 (F)	1.59E-10	1.83E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	2.9E-01	.	5.0E+03	2.6E-01	1.1E-01	2.7E+01	1.9E+02	.	6.0E+03	1.2E+03	6.0E-02	5.0E-15
Promethium (61)	Pm-147	4.57E-11	4.3E-10 (S)	6.70E-11	5.36E-15	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	7.0E-01	.	1.7E+08	7.7E-01	2.6E-01	6.3E+01	4.6E+02	.	1.4E+04	2.8E+03	1.5E-01	6.0E-15
Promethium (61)	Pm-148	4.67E-10	2.9E-10 (S)	6.84E-10	1.50E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	6.8E-02	.	6.1E+03	1.0E-01	2.5E-02	6.2E+00	4.5E+01	.	1.4E+03	2.8E+02	1.6E-02	3.5E-18
Promethium (61)	Pm-148m	2.16E-10	5.7E-10 (S)	3.10E-10	4.95E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.5E-01	.	1.8E+03	2.3E-01	5.6E-02	1.4E+01	1.0E+02	.	3.1E+03	6.1E+02	3.4E-02	5.9E-17
Promethium (61)	Pm-149	1.79E-10	9.9E-11 (S)	2.63E-10	3.06E-12	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.8E-01	.	3.0E+05	2.7E-01	6.6E-02	1.6E+01	1.2E+02	.	3.6E+03	7.2E+02	4.1E-02	3.8E-18
Promethium (61)	Pm-150	2.94E-11	1.2E-11 (S)	4.25E-11	3.82E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	1.1E+00	.	2.4E+03	1.7E+00	4.1E-01	1.0E+02	7.3E+02	.	2.2E+04	4.5E+03	2.5E-01	1.2E-18
Promethium (61)	Pm-151	1.21E-10	6.4E-11 (S)	1.77E-10	7.79E-11	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	2.6E-01	.	1.2E+04	4.0E-01	9.7E-02	2.4E+01	1.7E+02	.	5.4E+03	1.1E+03	6.0E-02	3.1E-18
Promethium (61)	Pm-152	0.00E+00	0.00E+00	0.00E+00	7.51E-11	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.2E+04	.	.	.	.	.	.	.	1.2E+04	1.5E-15
Promethium (61)	Pm-152m	0.00E+00	0.00E+00	0.00E+00	3.88E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	5.3E-16
Promethium (61)	Pm-153	0.00E+00	0.00E+00	0.00E+00	1.62E-11	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	5.6E+04	.	.	.	.	.	.	.	5.6E+04	8.9E-15
Promethium (61)	Pm-154	0.00E+00	0.00E+00	0.00E+00	4.80E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	1.0E-16
Promethium (61)	Pm-154m	0.00E+00	0.00E+00	0.00E+00	4.67E-10	1.22E-02	3.00E+01	2.00E-03	6.00E-05	.	2.00E-03	2.00E-02	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	1.6E-16
Polonium (84)	Po-203	3.67E-12	3.1E-12 (S)	5.11E-12	4.17E-10	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	8.7E+00	.	2.2E+03	1.4E+01	2.8E+00	3.3E+02	1.7E+03	.	1.5E+02	2.4E+02	1.8E+00	2.6E-18
Polonium (84)	Po-204	2.37E-11	3.9E-11 (S)	3.34E-11	2.84E-10	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	1.3E+00	.	3.2E+03	2.1E+00	4.3E-01	5.1E+01	2.6E+02	.	2.4E+01	3.7E+01	2.8E-01	2.3E-18
Polonium (84)	Po-205	4.38E-12	2.9E-12 (S)	6.06E-12	4.04E-10	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	7.3E+00	.	2.3E+03	1.2E+01	2.4E+00	2.8E+02	1.5E+03	.	1.3E+02	2.0E+02	1.5E+00	6.1E-18
Polonium (84)	Po-206	8.70E-10	5.9E-09 (S)	1.14E-09	2.93E-10	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	3.7E-02	.	3.1E+03	6.2E-02	1.3E-02	1.5E+00	7.7E+00	.	6.9E-01	1.1E+00	7.9E-03	4.1E-18
Polonium (84)	Po-207	1.03E-11	6.7E-12 (S)	1.44E-11	3.22E-10	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	3.1E+00	.	2.8E+03	4.9E+00	1.0E+00	1.2E+02	6.1E+02	.	5.5E+01	8.5E+01	6.4E-01	9.1E-18
Polonium (84)	Po-208	5.99E-08	6.1E-07 (S)	7.60E-08	5.14E-15	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	5.3E-04	.	1.8E+08	6.7E-04	1.9E-04	2.2E-02	1.2E-01	.	1.0E-02	1.6E-02	1.1E-04	7.1E-18
Polonium (84)	Po-209	5.95E-08	7.6E-07 (S)	7.54E-08	1.51E-12	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	5.4E-04	.	6.0E+05	2.8E-04	1.9E-04	2.3E-02	1.2E-01	.	1.0E-02	1.6E-02	9.2E-05	2.0E-16
Polonium (84)	Po-210	4.80E-08	3.9E-07 (S)	6.09E-08	2.45E-15	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	6.6E-04	.	3.7E+08	1.1E-03	2.4E-04	2.8E-02	1.5E-01	.	1.3E-02	2.0E-02	1.5E-04	1.2E-18
Polonium (84)	Po-211	0.00E+00	0.00E+00	0.00E+00	2.05E-12	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	4.5E+05	.	.	.	.	.	.	.	4.5E+05	1.6E-16
Polonium (84)	Po-212	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	.	.	.	.	.	.	.	.	.	.
Polonium (84)	Po-212m	0.00E+00	0.00E+00	0.00E+00	2.22E-11	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	4.1E+04	.	.	.	.	.	.	.	4.1E+04	1.3E-15
Polonium (84)	Po-213	0.00E+00	0.00E+00	0.00E+00	9.44E-15	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	9.7E+07	.	.	.	.	.	.	.	9.7E+07	2.8E-19
Polonium (84)	Po-214	0.00E+00	0.00E+00	0.00E+00	2.09E-14	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	4.4E+07	.	.	.	.	.	.	.	4.4E+07	5.1E-18
Polonium (84)	Po-215	0.00E+00	0.00E+00	0.00E+00	4.29E-14	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	2.1E+07	.	.	.	.	.	.	.	2.1E+07	2.7E-17
Polonium (84)	Po-216	0.00E+00	0.00E+00	0.00E+00	3.85E-15	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	2.4E+08	.	.	.	.	.	.	.	2.4E+08	2.4E-14
Polonium (84)	Po-218	0.00E+00	0.00E+00	0.00E+00	1.37E-18	2.09E-04	3.60E+01	5.00E-03	2.10E-04	.	2.40E+00	3.10E+00	.	.	6.7E+11	.	.	.	.	.	.	.	6.7E+11	8.9E-08
Praseodymium (59)	Pr-134	3.10E-12	1.2E-12 (S)	4.35E-12	7.89E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.0E+01	.	1.2E+03	1.6E+01	1.2E+00	9.8E+02	7.1E+03	.	1.5E+04	1.7E+05	1.0E+00	2.9E-19
Praseodymium (59)	Pr-134m	5.17E-12	2.1E-12 (S)	7.27E-12	5.93E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	6.2E+00	.	1.5E+03	9.8E+00	7.1E-01	5.8E+02	4.3E+03	.	8.7E+03	1.0E+05	6.0E-01	2.7E-19
Praseodymium (59)	Pr-135	2.50E-12	1.2E-12 (S)	3.49E-12	2.12E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.3E+01	.	4.3E+03	2.0E+01	1.5E+00	1.2E+03	8.9E+03	.	1.8E+04	2.2E+05	1.2E+00	8.0E-19
Praseodymium (59)	Pr-136	1.61E-12	5.9E-13 (S)	2.22E-12	5.46E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	2.0E+01	.	1.7E+03	3.2E+01	2.3E+00	1.9E+03	1.4E+04	.	2.9E+04	3.4E+05	2.0E+00	6.9E-19
Praseodymium (59)	Pr-137	3.16E-12	1.4E-12 (S)	4.52E-12	8.84E-11	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.0E+01	.	1.0E+04	1.6E+01	1.1E+00	9.4E+02	6.8E+03	.	1.4E+04	1.7E+05	9.6E-01	2.0E-18
Praseodymium (59)	Pr-138	0.00E+00	0.00E+00	0.00E+00	2.01E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	4.6E+03	.	.	.	.	.	.	.	4.6E+03	1.8E-16
Praseodymium (59)	Pr-138m	1.14E-11	4.8E-12 (S)	1.61E-11	6.22E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	2.8E+00	.	1.5E+03	4.4E+00	3.2E-01	2.6E+02	1.9E+03	.	3.9E+03	4.7E+04	2.7E-01	9.4E-19
Praseodymium (59)	Pr-139	4.05E-12	1.9E-12 (S)	5.86E-12	2.78E-11	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	7.9E+00	.	3.3E+04	1.2E+01	8.8E-01	7.2E+02	5.3E+03	.	1.1E+04	1.3E+05	7.4E-01	5.4E-18
Praseodymium (59)	Pr-140	0.00E+00	0.00E+00	0.00E+00	1.32E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	6.9E+03	.	.	.	.	.	.	.	6.9E+03	6.5E-16
Praseodymium (59)	Pr-142	2.33E-10	9.1E-11 (S)	3.41E-10	1.65E-11	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.4E-01	.	5.5E+04	2.1E-01	1.5E-02	1.2E+01	9.1E+01	.	1.9E+02	2.2E+03	1.3E-02	4.1E-19
Praseodymium (59)	Pr-142m	2.99E-12	1.2E-12 (S)	4.38E-12	0.00E+00	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.1E+01	.	.	1.6E+01	1.2E+00	9.7E+02	7.1E+03	.	1.4E+04	1.7E+05	1.0E+00	4.1E-19
Praseodymium (59)	Pr-143	2.14E-10	2.6E-10 (S)	3.15E-10	1.44E-13	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.5E-01	.	6.4E+06	2.3E-01	1.6E-02	1.3E+01	9.8E+01	.	2.0E+02	2.4E+03	1.4E-02	7.6E-18
Praseodymium (59)	Pr-144	2.19E-12	9.7E-13 (S)	3.03E-12	9.40E-12	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	1.5E+01	.	9.7E+04	2.4E+01	1.7E+00	1.4E+03	1.0E+04	.	2.1E+04	2.5E+05	1.4E+00	7.0E-19
Praseodymium (59)	Pr-144m	0.00E+00	0.00E+00	0.00E+00	1.31E-12	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	7.0E+05	.	.	.	.	.	.	.	7.0E+05	1.4E-13
Praseodymium (59)	Pr-145	6.19E-11	2.5E-11 (S)	9.07E-11	5.21E-12	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	5.1E-01	.	1.8E+05	7.9E-01	5.7E-02	4.7E+01	3.4E+02	.	7.0E+02	8.4E+03	4.8E-02	4.9E-19
Praseodymium (59)	Pr-146	3.73E-12	1.6E-12 (S)	5.18E-12	2.67E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	8.5E+00	.	3.4E+03	1.4E+01	1.0E+00	8.2E+02	6.0E+03	.	1.2E+04	1.5E+05	8.4E-01	5.8E-19
Praseodymium (59)	Pr-147	1.58E-12	9.6E-13 (S)	2.19E-12	1.17E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	2.0E+01	.	7.8E+03	3.3E+01	2.4E+00	1.9E+03	1.4E+04	.	2.9E+04	3.5E+05	2.0E+00	7.7E-19
Praseodymium (59)	Pr-148	0.00E+00	0.00E+00	0.00E+00	2.60E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	2.3E-16
Praseodymium (59)	Pr-148m	0.00E+00	0.00E+00	0.00E+00	2.34E-10	1.74E-02	1.00E+02	2.00E-03	6.00E-05	.	3.00E-02	5.00E-03	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	2.3E-16
Platinum (78)	Pt-184	2.55E-12	1.7E-12 (S)	3.62E-12	1.65E-10	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	1.2E+01	.	5.5E+03	2.0E+01	.	1.2E+04	5.1E+03	.	.	.	7.6E+00	4.8E-18
Platinum (78)	Pt-186	1.17E-11	5.7E-12 (S)	1.67E-11	1.64E-10	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	2.7E+00	.	5.6E+03	4.3E+00	.	2.5E+03	1.1E+03	.	.	.	1.7E+00	7.6E-18
Platinum (78)	Pt-187	9.48E-12	5.8E-12 (S)	1.36E-11	1.46E-10	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	3.4E+00	.	6.3E+03	5.2E+00	.	3.1E+03	1.4E+03	.	.	.	2.0E+00	1.1E-17
Platinum (78)	Pt-188	1.09E-10	2.1E-10 (S)	1.57E-10	4.39E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	2.9E-01	.	2.1E+04	4.5E-01	.	2.7E+02	1.2E+02	.	.	.	1.8E-01	9.6E-17
Platinum (78)	Pt-189	2.63E-11	1.7E-11 (S)	3.80E-11	1.13E-10	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	1.2E+00	.	8.1E+03	1.9E+00	.	1.1E+03	4.9E+02	.	.	.	7.3E-01	1.8E-17
Platinum (78)	Pt-190	8.14E-10	4.1E-07 (S)	1.14E-09	0.00E+00	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	3.9E-02	.	.	1.4E-02	.	3.7E+01	1.6E+01	.	.	.	1.0E-02	1.3E-04
Platinum (78)	Pt-191	5.30E-11	4.1E-11 (S)	7.70E-11	6.44E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	6.0E-01	.	1.4E+04	9.2E-01	.	5.5E+02	2.4E+02	.	.	.	3.6E-01	5.5E-17
Platinum (78)	Pt-193	6.54E-12	5.3E-11 (S)	9.59E-12	1.16E-15	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	4.9E+00	.	7.9E+08	1.9E+00	.	4.4E+03	1.9E+03	.	.	.	1.4E+00	1.4E-12
Platinum (78)	Pt-193m	8.26E-11	1.0E-10 (S)	1.21E-10	1.85E-12	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	3.9E-01	.	4.9E+05	5.9E-01	.	3.5E+02	1.5E+02	.	.	.	2.3E-01	5.5E-17
Platinum (78)	Pt-195m	1.13E-10	1.3E-10 (S)	1.66E-10	1.31E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	2.8E-01	.	7.0E+04	4.3E-01	.	2.6E+02	1.1E+02	.	.	.	1.7E-01	3.8E-17
Platinum (78)	Pt-197	7.56E-11	4.7E-11 (S)	1.11E-10	4.89E-12	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	4.2E-01	.	1.9E+05	6.4E-01	.	3.8E+02	1.7E+02	.	.	.	2.5E-01	1.2E-17
Platinum (78)	Pt-197m	1.08E-11	7.4E-12 (S)	1.57E-11	1.70E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	2.9E+00	.	5.4E+04	4.5E+00	.	2.7E+03	1.2E+03	.	.	.	1.8E+00	6.6E-18
Platinum (78)	Pt-199	2.43E-12	1.9E-12 (S)	3.43E-12	4.89E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	1.3E+01	.	1.9E+04	2.1E+01	.	1.2E+04	5.4E+03	.	.	.	8.0E+00	9.7E-18
Platinum (78)	Pt-200	2.04E-10	9.0E-11 (S)	3.00E-10	1.23E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	1.6E-01	.	7.4E+04	2.4E-01	.	1.4E+02	6.2E+01	.	.	.	9.4E-02	2.8E-18
Platinum (78)	Pt-202	7.89E-10	3.4E-10 (S)	1.16E-09	5.30E-13	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	4.0E-02	.	1.7E+06	6.1E-02	.	3.7E+01	1.6E+01	.	.	.	2.4E-02	2.6E-18
Platinum (78)	Pt-202+D	7.89E-10	3.4E-10 (S)	1.16E-09	4.58E-11	1.00E-01	.	2.00E-04	1.00E-04	.	.	.	4.0E-02	.	2.0E+04	6.1E-02	.	3.7E+01	1.6E+01	.	.	.	2.4E-02	2.6E-18
Plutonium (94)	Pu-232	8.00E-12	1.7E-09 (S)	1.13E-11	1.26E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	4.0E+00	.	7.3E+04	6.3E+00	2.2E-03	6.8E+05	1.6E+04	8.1E+04	5.6E+04	2.8E+05	2.2E-03	3.4E-21
Plutonium (94)	Pu-234	2.23E-11	2.2E-09 (S)	3.25E-11	1.36E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.4E+00	.	6.7E+04	2.2E+00	7.6E-04	2.4E+05	5.7E+03	2.8E+04	1.9E+04	9.8E+04	7.6E-04	1.8E-20
Plutonium (94)	Pu-235	1.25E-13	7.4E-14 (S)	1.73E-13	1.88E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	2.5E+02	.	4.9E+04	4.1E+02	1.4E-01	4.5E+07	1.1E+06	5.3E+06	3.7E+06	1.8E+07	1.4E-01	1.7E-19
Plutonium (94)	Pu-236	2.04E-09	8.0E-07 (S)	2.71E-09	2.11E-14	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.6E-02	.	4.3E+07	1.9E-02	9.1E-06	2.8E+03	6.8E+01	3.4E+02	2.3E+02	1.2E+03	9.1E-06	6.4E-19
Plutonium (94)	Pu-237	1.74E-11	4.0E-11 (S)	2.53E-11	9.72E-12	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	1.8E+00	.	9.4E+04	2.8E+00	9.7E-04	3.1E+05	7.3E+03	3.6E+04	2.5E+04	1.3E+05	9.7E-04	3.0E-18
Plutonium (94)	Pu-238	3.55E-09	1.4E-06 (F)	4.58E-09	1.61E-14	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	9.0E-03	.	5.7E+07	4.7E-03	5.4E-06	1.7E+03	4.0E+01	2.0E+02	1.4E+02	6.9E+02	5.4E-06	1.2E-17
Plutonium (94)	Pu-239	3.65E-09	1.5E-06 (F)	4.71E-09	1.96E-14	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.7E-03	.	4.7E+07	4.3E-03	5.2E-06	1.6E+03	3.9E+01	1.9E+02	1.3E+02	6.7E+02	5.2E-06	3.1E-15
Plutonium (94)	Pu-239+D	3.65E-09	1.5E-06 (F)	4.71E-09	1.96E-14	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.7E-03	.	4.7E+07

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Plutonium (94)	Pu-241	4.77E-11	2.3E-08 (F)	6.17E-11	3.35E-16	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	6.7E-01	.	2.7E+09	4.8E-01	4.0E-04	1.3E+05	3.0E+03	1.5E+04	1.0E+04	5.1E+04	4.0E-04	1.4E-16
Plutonium (94)	Pu-242	3.47E-09	1.4E-06 (F)	4.48E-09	3.35E-14	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	9.2E-03	.	2.7E+07	4.5E-03	5.5E-06	1.7E+03	4.1E+01	2.0E+02	1.4E+02	7.1E+02	5.5E-06	5.2E-14
Plutonium (94)	Pu-243	1.28E-11	8.6E-12 (S)	1.87E-11	4.89E-12	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	2.5E+00	.	1.9E+05	3.8E+00	1.3E-03	4.1E+05	9.9E+03	4.9E+04	3.4E+04	1.7E+05	1.3E-03	1.9E-20
Plutonium (94)	Pu-244	3.88E-09	1.4E-06 (F)	5.08E-09	5.33E-12	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	8.2E-03	.	1.7E+05	4.0E-03	4.9E-06	1.5E+03	3.7E+01	1.8E+02	1.2E+02	6.2E+02	4.8E-06	9.8E-12
Plutonium (94)	Pu-244+D	4.07E-09	1.4E-06 (F)	5.35E-09	8.68E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	7.8E-03	.	1.1E+04	3.8E-03	4.6E-06	1.4E+03	3.5E+01	1.7E+02	1.2E+02	5.9E+02	4.6E-06	9.3E-12
Plutonium (94)	Pu-245	1.15E-10	5.8E-11 (S)	1.69E-10	9.85E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	2.8E-01	.	9.3E+03	4.2E-01	1.5E-04	4.6E+04	1.1E+03	5.4E+03	3.7E+03	1.9E+04	1.5E-04	4.4E-21
Plutonium (94)	Pu-246	4.66E-10	5.1E-10 (S)	6.80E-10	2.95E-11	8.27E-06	2.10E+04	1.10E-06	1.00E-05	8.00E-05	3.00E-03	1.20E-03	6.8E-02	.	3.1E+04	1.0E-01	3.6E-05	1.1E+04	2.7E+02	1.3E+03	9.3E+02	4.7E+03	3.6E-05	2.7E-20
Radium (88)	Ra-219	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	2.3E+04	.	.	.	.	.	.	.	2.3E+04	1.6E-19
Radium (88)	Ra-219+D	0.00E+00	0.00E+00	0.00E+00	4.04E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	2.3E+04	.	.	.	.	.	.	.	2.3E+04	1.6E-19
Radium (88)	Ra-220	0.00E+00	0.00E+00	0.00E+00	1.14E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	8.0E+05	.	.	.	.	.	.	.	8.0E+05	1.0E-17
Radium (88)	Ra-221	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	1.1E+05	.	.	.	.	.	.	.	1.1E+05	2.3E-15
Radium (88)	Ra-221+D	0.00E+00	0.00E+00	0.00E+00	7.95E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	1.1E+05	.	.	.	.	.	.	.	1.1E+05	2.3E-15
Radium (88)	Ra-222	0.00E+00	0.00E+00	0.00E+00	2.21E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	.	.	4.1E+05	.	.	.	.	.	.	.	4.1E+05	1.1E-14
Radium (88)	Ra-223	6.44E-09	7.9E-07 (S)	9.15E-09	3.13E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	4.9E-03	.	2.9E+04	7.8E-03	1.4E-02	5.5E-01	5.3E-01	.	.	.	2.5E-03	1.8E-18
Radium (88)	Ra-223+D	6.44E-09	7.9E-07 (S)	9.15E-09	4.54E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	4.9E-03	.	2.0E+04	7.8E-03	1.4E-02	5.5E-01	5.3E-01	.	.	.	2.5E-03	1.8E-18
Radium (88)	Ra-224	4.51E-09	3.1E-07 (S)	6.44E-09	2.46E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	7.1E-03	2.5E-05	3.7E+05	1.1E-02	2.0E-02	7.8E-01	7.6E-01	.	.	.	2.5E-05	5.8E-21
Radium (88)	Ra-224+D	4.51E-09	3.1E-07 (S)	6.44E-09	2.62E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	7.1E-03	.	3.5E+05	1.1E-02	2.0E-02	7.8E-01	7.6E-01	.	.	.	3.5E-03	8.2E-19
Radium (88)	Ra-225	3.09E-09	7.1E-07 (S)	4.15E-09	1.15E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.0E-02	.	8.0E+05	1.7E-02	3.1E-02	1.2E+00	1.2E+00	.	.	.	5.3E-03	5.0E-18
Radium (88)	Ra-226	1.04E-08	7.6E-07 (S)	1.39E-08	1.69E-12	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.1E-03	1.0E-05	5.4E+05	1.4E-03	9.3E-03	3.6E-01	3.5E-01	.	.	.	1.0E-05	3.8E-16
Radium (88)	Ra-226+D	1.04E-08	7.6E-07 (S)	1.39E-08	4.54E-10	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	3.1E-03	1.0E-05	2.0E+03	1.4E-03	9.3E-03	3.6E-01	3.5E-01	.	.	.	1.0E-05	3.8E-16
Radium (88)	Ra-227	2.89E-12	1.7E-11 (S)	4.01E-12	3.38E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.1E+01	.	2.7E+04	1.8E+01	3.2E+01	1.2E+03	1.2E+03	.	.	.	5.6E+00	1.1E-17
Radium (88)	Ra-228	2.80E-08	1.2E-06 (S)	3.85E-08	1.36E-14	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.1E-03	.	6.7E+07	1.0E-03	3.4E-03	1.3E-01	1.3E-01	.	.	.	4.6E-04	6.3E-17
Radium (88)	Ra-228+D	2.81E-08	1.2E-06 (S)	3.86E-08	2.20E-10	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	1.1E-03	.	4.1E+03	1.0E-03	3.4E-03	1.3E-01	1.3E-01	.	.	.	4.6E-04	6.3E-17
Radium (88)	Ra-230	1.61E-11	9.5E-12 (S)	2.31E-11	1.78E-11	1.48E-02	4.00E+00	1.70E-03	3.80E-04	.	.	.	2.0E+00	.	5.1E+04	3.1E+00	5.6E+00	2.2E+02	2.1E+02	.	.	.	9.8E-01	4.1E-18
Rubidium (37)	Rb-77	0.00E+00	0.00E+00	0.00E+00	3.85E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	1.4E-16
Rubidium (37)	Rb-78	3.27E-12	1.3E-12 (S)	4.47E-12	1.13E-09	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	9.7E+00	.	8.1E+02	1.6E+01	2.4E-02	6.3E+01	4.1E+01	.	.	.	2.4E-02	6.4E-21
Rubidium (37)	Rb-78m	0.00E+00	0.00E+00	0.00E+00	8.33E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	9.7E-17
Rubidium (37)	Rb-79	2.26E-12	1.3E-12 (S)	3.10E-12	3.57E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.4E+01	.	2.6E+03	2.3E+01	3.4E-02	9.1E+01	6.0E+01	.	.	.	3.4E-02	1.2E-20
Rubidium (37)	Rb-80	0.00E+00	0.00E+00	0.00E+00	2.97E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	2.7E-17
Rubidium (37)	Rb-81	3.16E-12	4.3E-12 (S)	4.28E-12	1.24E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.0E+01	.	7.4E+03	1.7E+01	2.5E-02	6.6E+01	4.3E+01	.	.	.	2.5E-02	1.1E-19
Rubidium (37)	Rb-81m	5.26E-13	1.1E-12 (S)	7.16E-13	5.84E-12	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	6.1E+01	.	1.6E+05	1.0E+02	1.5E-01	4.0E+02	2.6E+02	.	.	.	1.5E-01	7.2E-20
Rubidium (37)	Rb-82	0.00E+00	0.00E+00	0.00E+00	2.75E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	3.3E+03	.	.	.	.	.	.	.	3.3E+03	6.8E-17
Rubidium (37)	Rb-82m	9.83E-12	6.8E-12 (S)	1.31E-11	7.42E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	3.2E+00	.	1.2E+03	5.4E+00	8.1E-03	2.2E+01	1.4E+01	.	.	.	8.0E-03	5.0E-20
Rubidium (37)	Rb-83	1.45E-10	1.4E-10 (S)	1.91E-10	1.19E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	2.2E-01	.	7.7E+03	3.3E-01	5.5E-04	1.5E+00	9.7E-01	.	.	.	5.5E-04	1.1E-18
Rubidium (37)	Rb-84	2.41E-10	2.8E-10 (S)	3.21E-10	2.27E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.3E-01	.	4.0E+03	2.1E-01	3.3E-04	8.8E-01	5.8E-01	.	.	.	3.3E-04	2.6E-19
Rubidium (37)	Rb-84m	3.95E-13	4.0E-13 (S)	5.36E-13	9.18E-11	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	8.1E+01	.	1.0E+04	1.3E+02	2.0E-01	5.3E+02	3.5E+02	.	.	.	2.0E-01	6.6E-20
Rubidium (37)	Rb-86	2.67E-10	4.5E-10 (S)	3.63E-10	2.46E-11	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.2E-01	.	3.7E+04	1.9E-01	2.9E-04	7.8E-01	5.1E-01	.	.	.	2.9E-04	1.3E-19
Rubidium (37)	Rb-86m	0.00E+00	0.00E+00	0.00E+00	1.34E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	6.8E+03	.	.	.	.	.	.	.	6.8E+03	1.2E-16
Rubidium (37)	Rb-87	1.45E-10	1.2E-09 (S)	1.98E-10	1.87E-14	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	2.2E-01	.	4.9E+07	3.2E-02	5.3E-04	1.4E+00	9.4E-01	.	.	.	5.2E-04	2.3E-07
Rubidium (37)	Rb-88	3.79E-12	1.5E-12 (S)	5.20E-12	1.79E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	8.4E+00	.	5.1E+03	1.4E+01	2.0E-02	5.4E+01	3.6E+01	.	.	.	2.0E-02	6.2E-21
Rubidium (37)	Rb-89	2.08E-12	1.1E-12 (S)	2.84E-12	6.03E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	1.5E+01	.	1.5E+03	2.5E+01	3.7E-02	1.0E+02	6.5E+01	.	.	.	3.7E-02	9.8E-21
Rubidium (37)	Rb-90	0.00E+00	0.00E+00	0.00E+00	5.93E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	7.2E-17
Rubidium (37)	Rb-90m	0.00E+00	0.00E+00	0.00E+00	8.99E-10	7.83E-01	4.90E+03	3.00E-02	1.00E-02	.	.	.	.	.	1.0E+03	.	.	.	.	.	.	.	1.0E+03	7.8E-17
Rhenium (75)	Re-178	1.32E-12	7.1E-13 (S)	1.81E-12	4.51E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	2.4E+01	.	2.0E+03	3.9E+01	.	4.7E+02	5.1E+02	.	.	.	1.4E+01	6.5E-18
Rhenium (75)	Re-179	7.51E-13	5.0E-13 (S)	1.03E-12	2.70E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	4.2E+01	.	3.4E+03	6.9E+01	.	8.2E+02	9.0E+02	.	.	.	2.5E+01	1.7E-17
Rhenium (75)	Re-180	0.00E+00	0.00E+00	0.00E+00	2.99E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	2.6E-16
Rhenium (75)	Re-181	3.84E-11	2.3E-11 (S)	5.44E-11	1.93E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	8.3E-01	.	4.7E+03	1.3E+00	.	1.6E+01	1.7E+01	.	.	.	4.8E-01	2.0E-17
Rhenium (75)	Re-182	1.29E-10	1.3E-10 (S)	1.82E-10	4.45E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	2.5E-01	.	2.1E+03	3.9E-01	.	4.7E+00	5.1E+00	.	.	.	1.4E-01	2.0E-17
Rhenium (75)	Re-182m	2.46E-11	1.6E-11 (S)	3.45E-11	3.08E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	1.3E+00	.	3.0E+03	2.1E+00	.	2.5E+01	2.7E+01	.	.	.	7.5E-01	2.1E-17
Rhenium (75)	Re-183	9.01E-11	3.4E-10 (S)	1.28E-10	2.99E-11	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	3.5E-01	.	3.1E+04	5.3E-01	.	6.6E+00	7.2E+00	.	.	.	2.0E-01	7.3E-16
Rhenium (75)	Re-184	8.57E-11	2.2E-10 (S)	1.19E-10	2.20E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	3.7E-01	.	4.2E+03	5.8E-01	.	7.1E+00	7.8E+00	.	.	.	2.1E-01	4.3E-16
Rhenium (75)	Re-184m	1.33E-10	9.6E-10 (S)	1.89E-10	8.96E-11	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	2.4E-01	.	1.0E+04	3.4E-01	.	4.5E+00	4.9E+00	.	.	.	1.3E-01	1.2E-15
Rhenium (75)	Re-186	1.46E-10	1.2E-10 (S)	2.10E-10	4.45E-12	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	2.2E-01	.	2.1E+05	3.4E-01	.	4.0E+00	4.4E+00	.	.	.	1.2E-01	2.5E-17
Rhenium (75)	Re-186m	1.99E-10	4.4E-09 (S)	2.84E-10	2.27E-12	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	1.6E-01	.	4.0E+05	4.6E-02	.	3.0E+00	3.3E+00	.	.	.	3.5E-02	1.3E-10
Rhenium (75)	Re-186m+D	3.45E-10	4.5E-09 (S)	4.94E-10	6.72E-12	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	9.2E-02	.	1.4E+05	2.6E-02	.	1.7E+00	1.9E+00	.	.	.	2.0E-02	7.7E-11
Rhenium (75)	Re-187	4.51E-13	3.0E-12 (S)	6.47E-13	0.00E+00	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	7.1E+01	.	.	2.0E+01	.	1.3E+03	1.4E+03	.	.	.	1.5E+01	1.2E-02
Rhenium (75)	Re-188	1.33E-10	6.1E-11 (S)	1.91E-10	1.54E-11	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	2.4E-01	.	5.9E+04	3.7E-01	.	4.4E+00	4.9E+00	.	.	.	1.4E-01	5.2E-18
Rhenium (75)	Re-188m	2.67E-12	1.4E-12 (S)	3.83E-12	1.22E-11	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	1.2E+01	.	7.5E+04	1.9E+01	.	2.2E+02	2.4E+02	.	.	.	6.8E+00	4.7E-18
Rhenium (75)	Re-189	7.34E-11	4.6E-11 (S)	1.06E-10	1.30E-11	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	4.3E-01	.	7.0E+04	6.7E-01	.	8.0E+00	8.7E+00	.	.	.	2.5E-01	1.3E-17
Rhenium (75)	Re-190	0.00E+00	0.00E+00	0.00E+00	3.31E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	.	.	2.8E+03	.	.	.	.	.	.	.	2.8E+03	3.2E-16
Rhenium (75)	Re-190m	2.92E-11	1.6E-11 (S)	4.15E-11	2.25E-10	2.00E-01	.	1.00E-02	2.00E-03	.	.	.	1.1E+00	.	4.1E+03	1.7E+00	.	2.0E+01	2.2E+01	.	.	.	6.3E-01	4.5E-18
Rhodium (45)	Rh-100	6.55E-11	2.6E-11 (S)	9.23E-11	7.29E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	4.9E-01	.	1.3E+03	7.7E-01	5.6E-01	4.6E+01	4.0E+01	.	.	.	1.9E-01	4.8E-18
Rhodium (45)	Rh-100m	0.00E+00	0.00E+00	0.00E+00	1.11E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	8.3E+04	.	.	.	.	.	.	.	8.3E+04	7.5E-15
Rhodium (45)	Rh-101	5.54E-11	4.6E-10 (S)	7.73E-11	6.41E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	5.8E-01	.	1.4E+04	6.2E-01	6.7E-01	5.5E+01	4.8E+01	.	.	.	2.0E-01	7.1E-15
Rhodium (45)	Rh-101m	2.47E-11	1.9E-11 (S)	3.54E-11	6.63E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.3E+00	.	1.4E+04	2.0E+00	1.5E+00	1.2E+02	1.0E+02	.	.	.	5.1E-01	6.3E-17
Rhodium (45)	Rh-102	1.67E-10	7.0E-10 (S)	2.41E-10	1.23E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.9E-01	.	7.4E+03	2.7E-01	2.1E-01	1.8E+01	1.5E+01	.	.	.	7.3E-02	4.4E-16
Rhodium (45)	Rh-102m	2.20E-10	1.8E-09 (S)	2.98E-10	5.36E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.4E-01	.	1.7E+03	1.5E-01	1.7E-01	1.4E+01	1.2E+01	.	.	.	5.2E-02	2.0E-15
Rhodium (45)	Rh-103m	2.52E-13	2.5E-13 (S)	3.58E-13	2.60E-14	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.3E+02	.	3.5E+07	2.0E+02	1.4E+02	1.2E+04	1.0E+04	.	.	.	5.0E+01	5.7E-17
Rhodium (45)	Rh-104	0.00E+00	0.00E+00	0.00E+00	4.17E-12	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.2E+05	.	.	.	.	.	.	.	2.2E+05	3.2E-15
Rhodium (45)	Rh-104m	0.00E+00	0.00E+00	0.00E+00	4.83E-12	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.9E+05	.	.	.	.	.	.	.	1.9E+05	1.7E-14
Rhodium (45)	Rh-105	6.32E-11	4.3E-11 (S)	9.26E-11	1.87E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	5.0E-01	.	4.9E+04	7.7E-01	5.6E-01	4.6E+01	4.0E+01	.	.	.	2.0E-01	8.6E-18
Rhodium (45)	Rh-106	0.00E+00	0.00E+00	0.00E+00	5.33E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.7E+04	.	.	.	.	.	.	.	1.7E+04	1.8E-16
Rhodium (45)	Rh-106m	1.53E-11	7.5E-12 (S)	2.16E-11	7.26E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.1E+00	.	1.3E+03	3.3E+00	2.4E+00	2.0E+02	1.7E+02	.	.	.	8.2E-01	2.3E-18
Rhodium (45)	Rh-107	1.12E-12	7.8E-13 (S)	1.56E-12	7.61E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	2.8E+01	.	1.2E+04	4.6E+01	3.3E+01	2.7E+03	2.4E+03	.	.	.	1.1E+01	5.2E-18
Rhodium (45)	Rh-108	0.00E+00	0.00E+00	0.00E+00	8.14E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	6.7E-17
Rhodium (45)	Rh-109	0.00E+00	0.00E+00	0.00E+00	7.26E-11	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.3E+04	.	.	.	.	.	.	.	1.3E+04	3.6E-16
Rhodium (45)	Rh-94	0.00E+00	0.00E+00	0.00E+00	9.85E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	9.3E+02	.	.	.	.	.	.	.	9.3E+02	2.0E-17
Rhodium (45)	Rh-95	0.00E+00	0.00E+00	0.00E+00	6.66E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	1.3E-16
Rhodium (45)	Rh-95m	0.00E+00	0.00E+00	0.00E+00	2.37E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	3.9E+03	.	.	.	.	.	.	.	3.9E+03	1.4E-16
Rhodium (45)	Rh-96	0.00E+00	0.00E+00	0.00E+00	9.97E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	9.2E+02	.	.	.	.	.	.	.	9.2E+02	1.7E-16
Rhodium (45)	Rh-96m	0.00E+00	0.00E+00	0.00E+00	3.31E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.8E+03	.	.	.	.	.	.	.	2.8E+03	7.9E-17
Rhodium (45)	Rh-97	2.66E-12	1.2E-12 (S)	3.69E-12	3.63E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	1.2E+01	.	2.5E+03	1.9E+01	1.4E+01	1.2E+03	1.0E+03	.	.	.	4.8E+00	2.8E-18
Rhodium (45)	Rh-97m	3.23E-12	1.4E-12 (S)	4.50E-12	5.90E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	9.9E+00	.	1.5E+03	1.6E+01	1.1E+01	9.4E+02	8.2E+02	.	.	.	3.9E+00	3.5E-18
Rhodium (45)	Rh-98	0.00E+00	0.00E+00	0.00E+00	4.54E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	.	.	2.0E+03	.	.	.	.	.	.	.	2.0E+03	3.4E-16

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Rhodium (45)	Rh-99	7.12E-11	1.3E-10 (S)	1.02E-10	1.33E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	4.5E-01	.	6.9E+03	6.9E-01	5.1E-01	4.2E+01	3.6E+01	.	.	.	1.8E-01	7.9E-17
Rhodium (45)	Rh-99m	6.65E-12	2.8E-12 (S)	9.43E-12	1.59E-10	3.00E-02	1.00E+01	2.00E-03	5.00E-04	.	.	.	4.8E+00	.	5.7E+03	7.6E+00	5.5E+00	4.5E+02	3.9E+02	.	.	.	1.9E+00	1.0E-17
Radon (86)	Rn-207	0.00E+00	0.00E+00	0.00E+00	2.42E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.8E+03	.	.	.	.	.	.	.	3.8E+03	1.4E-15
Radon (86)	Rn-209	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	3.6E-15
Radon (86)	Rn-210	0.00E+00	0.00E+00	0.00E+00	1.49E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.2E+04	.	.	.	.	.	.	.	6.2E+04	3.7E-13
Radon (86)	Rn-211	0.00E+00	0.00E+00	0.00E+00	4.77E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.9E+03	.	.	.	.	.	.	.	1.9E+03	7.0E-14
Radon (86)	Rn-212	0.00E+00	0.00E+00	0.00E+00	8.43E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.1E+07	.	.	.	.	.	.	.	1.1E+07	1.1E-11
Radon (86)	Rn-215	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-216	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-217	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Radon (86)	Rn-218	0.00E+00	0.00E+00	0.00E+00	1.87E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	4.9E+06	.	.	.	.	.	.	.	4.9E+06	1.2E-16
Radon (86)	Rn-219	0.00E+00	0.00E+00	0.00E+00	1.40E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.5E+04	.	.	.	.	.	.	.	6.5E+04	1.9E-16
Radon (86)	Rn-219+D	0.00E+00	0.00E+00	0.00E+00	1.41E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	6.5E+04	.	.	.	.	.	.	.	6.5E+04	1.9E-16
Radon (86)	Rn-220	0.00E+00	0.00E+00	0.00E+00	1.54E-13	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.9E+06	.	.	.	.	.	.	.	5.9E+06	2.4E-13
Radon (86)	Rn-222	0.00E+00	8.60E-10	0.00E+00	9.50E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	9.0E-03	9.6E+06	.	.	.	.	.	.	.	9.0E-03	2.2E-18
Radon (86)	Rn-222+D	0.00E+00	8.60E-10	0.00E+00	9.50E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	9.0E-03	9.6E+06	.	.	.	.	.	.	.	9.0E-03	2.2E-18
Radon (86)	Rn-223	0.00E+00	0.00E+00	0.00E+00	8.39E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	1.2E-14
Ruthenium (44)	Ru-103	9.85E-11	2.8E-10 (S)	1.42E-10	1.21E-10	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	3.2E-01	.	7.5E+03	4.9E-01	6.6E-02	1.8E+01	1.4E+03	1.7E+02	1.7E+00	6.7E+03	4.8E-02	5.5E-17
Ruthenium (44)	Ru-105	3.87E-11	2.7E-11 (V)	5.63E-11	1.85E-10	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	8.2E-01	.	4.9E+03	1.3E+00	1.7E-01	4.6E+01	3.5E+03	4.3E+02	4.2E+00	1.7E+04	1.2E-01	6.7E-19
Ruthenium (44)	Ru-106	1.14E-09	6.1E-09 (S)	1.65E-09	0.00E+00	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	2.8E-02	.	.	3.8E-02	5.7E-03	1.6E+00	1.2E+02	1.5E+01	1.4E-01	5.8E+02	4.1E-03	4.6E-17
Ruthenium (44)	Ru-106+D	1.14E-09	6.1E-09 (S)	1.65E-09	5.33E-11	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	2.8E-02	.	1.7E+04	3.8E-02	5.7E-03	1.6E+00	1.2E+02	1.5E+01	1.4E-01	5.8E+02	4.1E-03	4.6E-17
Ruthenium (44)	Ru-107	0.00E+00	0.00E+00	0.00E+00	8.90E-11	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	1.0E+04	.	.	.	.	.	.	.	1.0E+04	8.1E-16
Ruthenium (44)	Ru-108	0.00E+00	0.00E+00	0.00E+00	1.44E-11	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	6.3E+04	.	.	.	.	.	.	.	6.3E+04	6.1E-15
Ruthenium (44)	Ru-92	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	1.2E-16
Ruthenium (44)	Ru-94	8.34E-12	6.0E-12 (V)	1.19E-11	1.26E-10	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	3.8E+00	.	7.3E+03	6.0E+00	7.9E-01	2.2E+02	1.7E+04	2.0E+03	2.0E+01	8.0E+04	5.7E-01	5.5E-19
Ruthenium (44)	Ru-95	5.18E-12	3.9E-12 (V)	7.27E-12	3.13E-10	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	6.2E+00	.	2.9E+03	9.8E+00	1.3E+00	3.5E+02	2.7E+04	3.3E+03	3.3E+01	1.3E+05	9.3E-01	1.7E-18
Ruthenium (44)	Ru-97	1.72E-11	1.5E-11 (V)	2.45E-11	5.46E-11	2.61E-03	5.50E+01	3.30E-03	9.40E-06	3.00E-03	8.00E+00	4.00E-03	1.9E+00	.	1.7E+04	2.9E+00	3.8E-01	1.0E+02	8.1E+03	9.9E+02	9.7E+00	3.9E+04	2.8E-01	2.2E-17
Sulfur (16)	S-35	1.39E-11	1.8E-10 (S)	1.89E-11	1.78E-15	6.00E-01	1.00E+03	2.00E-01	7.90E-03	.	.	.	2.3E+00	.	5.1E+08	3.4E+00	2.7E-02	2.2E+00	1.2E+01	.	.	.	2.6E-02	2.3E-17
Sulphur (16)	S-37	0.00E+00	0.00E+00	0.00E+00	8.58E-10	6.00E-01	1.00E+03	2.00E-01	7.90E-03	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	3.9E-17
Sulphur (16)	S-38	2.62E-11	3.3E-11 (S)	3.40E-11	4.70E-10	6.00E-01	1.00E+03	2.00E-01	7.90E-03	.	.	.	1.2E+00	.	1.9E+03	2.1E+00	1.5E-02	1.2E+00	6.9E+00	.	.	.	1.5E-02	1.9E-20
Antimony (51)	Sb-111	0.00E+00	0.00E+00	0.00E+00	3.66E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	6.8E-17
Antimony (51)	Sb-113	0.00E+00	0.00E+00	0.00E+00	3.11E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	2.9E+03	.	.	.	.	.	.	.	2.9E+03	4.4E-16
Antimony (51)	Sb-114	0.00E+00	0.00E+00	0.00E+00	6.94E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	1.0E-16
Antimony (51)	Sb-115	1.38E-12	6.6E-13 (S)	1.91E-12	2.16E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.3E+01	.	4.2E+03	3.7E+01	7.3E+00	3.7E+03	2.6E+04	.	.	.	4.8E+00	3.5E-18
Antimony (51)	Sb-116	1.53E-12	6.0E-13 (S)	2.10E-12	5.93E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.1E+01	.	1.5E+03	3.4E+01	6.7E+00	3.4E+03	2.3E+04	.	.	.	4.4E+00	1.6E-18
Antimony (51)	Sb-116m	4.63E-12	2.4E-12 (S)	6.42E-12	7.92E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	6.9E+00	.	1.2E+03	1.1E+01	2.2E+00	1.1E+03	7.6E+03	.	.	.	1.4E+00	2.0E-18
Antimony (51)	Sb-117	1.81E-12	1.2E-12 (S)	2.59E-12	3.94E-11	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.8E+01	.	2.3E+04	2.8E+01	5.4E+00	2.7E+03	1.9E+04	.	.	.	3.6E+00	1.4E-17
Antimony (51)	Sb-118	0.00E+00	0.00E+00	0.00E+00	1.98E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	4.6E+03	.	.	.	.	.	.	.	4.6E+03	3.9E-16
Antimony (51)	Sb-118m	1.89E-11	7.4E-12 (S)	2.65E-11	6.66E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.7E+00	.	1.4E+03	2.7E+00	5.3E-01	2.7E+02	1.8E+03	.	.	.	3.5E-01	2.4E-18
Antimony (51)	Sb-119	1.31E-11	5.0E-12 (S)	1.91E-11	7.01E-13	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.4E+00	.	1.3E+06	3.7E+00	7.3E-01	3.7E+02	2.6E+03	.	.	.	4.9E-01	2.6E-17
Antimony (51)	Sb-120	6.70E-13	3.2E-13 (S)	9.23E-13	1.09E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	4.8E+01	.	8.4E+03	7.7E+01	1.5E+01	7.7E+03	5.3E+04	.	.	.	1.0E+01	3.8E-18
Antimony (51)	Sb-120m	1.19E-10	9.6E-11 (S)	1.68E-10	6.25E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.7E-01	.	1.5E+03	4.2E-01	8.3E-02	4.2E+01	2.9E+02	.	.	.	5.5E-02	1.1E-17
Antimony (51)	Sb-122	2.87E-10	1.6E-10 (S)	4.19E-10	1.10E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.1E-01	.	8.3E+03	1.7E-01	3.3E-02	1.7E+01	1.2E+02	.	.	.	2.2E-02	2.1E-18
Antimony (51)	Sb-122m	0.00E+00	0.00E+00	0.00E+00	9.40E-12	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	9.7E+04	.	.	.	.	.	.	.	9.7E+04	9.8E-15
Antimony (51)	Sb-124	3.47E-10	8.6E-10 (S)	5.00E-10	4.86E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	9.2E-02	.	1.9E+03	1.4E-01	2.8E-02	1.4E+01	9.8E+01	.	.	.	1.9E-02	3.9E-17
Antimony (51)	Sb-124m	0.00E+00	0.00E+00	0.00E+00	1.09E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	8.4E+03	.	.	.	.	.	.	.	8.4E+03	3.2E-16
Antimony (51)	Sb-124n	5.33E-13	4.0E-13 (S)	7.39E-13	2.62E-17	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	6.0E+01	.	3.5E+10	9.6E+01	1.9E+01	9.6E+03	6.6E+04	.	.	.	1.2E+01	6.2E-18
Antimony (51)	Sb-125	1.20E-10	1.1E-09 (S)	1.68E-10	1.04E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.7E-01	.	8.8E+03	3.1E-01	8.3E-02	4.2E+01	2.9E+02	.	.	.	5.2E-02	1.9E-15
Antimony (51)	Sb-126	3.42E-10	3.8E-10 (S)	4.91E-10	6.85E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	9.3E-02	.	1.3E+03	1.4E-01	2.8E-02	1.4E+01	9.9E+01	.	.	.	1.9E-02	8.4E-18
Antimony (51)	Sb-126m	1.90E-12	9.3E-13 (S)	2.63E-12	3.85E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.7E+01	.	2.4E+03	2.7E+01	5.3E+00	2.7E+03	1.9E+04	.	.	.	3.5E+00	1.7E-18
Antimony (51)	Sb-127	2.73E-10	2.2E-10 (S)	3.98E-10	1.72E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	1.2E-01	.	5.3E+03	1.8E-01	3.5E-02	1.8E+01	1.2E+02	.	.	.	2.3E-02	3.3E-18
Antimony (51)	Sb-128	1.02E-10	4.4E-11 (S)	1.47E-10	7.73E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	3.1E-01	.	1.2E+03	4.8E-01	9.5E-02	4.8E+01	3.3E+02	.	.	.	6.3E-02	8.6E-19
Antimony (51)	Sb-128m	1.57E-12	6.2E-13 (S)	2.16E-12	4.77E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	2.0E+01	.	1.9E+03	3.3E+01	6.5E+00	3.3E+03	2.3E+04	.	.	.	4.3E+00	1.1E-18
Antimony (51)	Sb-129	5.99E-11	2.8E-11 (S)	8.72E-11	3.76E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	5.3E-01	.	2.4E+03	8.2E-01	1.6E-01	8.1E+01	5.6E+02	.	.	.	1.1E-01	7.2E-19
Antimony (51)	Sb-130	5.68E-12	2.8E-12 (S)	7.89E-12	8.27E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	5.6E+00	.	1.1E+03	9.0E+00	1.8E+00	9.0E+02	6.2E+03	.	.	.	1.2E+00	1.2E-18
Antimony (51)	Sb-130m	0.00E+00	0.00E+00	0.00E+00	6.91E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	2.1E-16
Antimony (51)	Sb-131	7.19E-12	2.7E-12 (M)	1.01E-11	5.43E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	4.4E+00	.	1.7E+03	7.1E+00	1.4E+00	7.0E+02	4.8E+03	.	.	.	9.2E-01	5.5E-19
Antimony (51)	Sb-133	0.00E+00	0.00E+00	0.00E+00	7.35E-10	1.57E-03	3.70E+01	1.20E-03	3.80E-05	.	.	.	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	8.2E-17
Scandium (21)	Sc-42m	0.00E+00	0.00E+00	0.00E+00	1.09E-09	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	.	.	8.4E+02	.	.	.	.	.	.	.	8.4E+02	7.2E-18
Scandium (21)	Sc-43	2.70E-11	1.2E-11 (S)	3.91E-11	2.41E-10	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	1.2E+00	.	3.8E+03	1.8E+00	7.0E-02	1.1E+02	7.9E+02	.	.	.	6.3E-02	1.3E-19
Scandium (21)	Sc-44	4.27E-11	1.8E-11 (S)	6.17E-11	5.43E-10	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	7.5E-01	.	1.7E+03	1.2E+00	4.4E-02	6.9E+01	5.0E+02	.	.	.	4.0E-02	8.3E-20
Scandium (21)	Sc-44m	3.74E-10	1.9E-10 (S)	5.44E-10	6.66E-11	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	8.5E-02	.	1.4E+04	1.3E-01	5.0E-03	7.8E+00	5.7E+01	.	.	.	4.6E-03	1.4E-19
Scandium (21)	Sc-46	1.68E-10	6.7E-10 (S)	2.39E-10	5.18E-10	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	1.9E-01	.	1.8E+03	2.9E-01	1.1E-02	1.8E+01	1.3E+02	.	.	.	1.0E-02	1.1E-17
Scandium (21)	Sc-47	9.43E-11	8.3E-11 (S)	1.38E-10	2.54E-11	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	3.4E-01	.	3.6E+04	5.2E-01	2.0E-02	3.1E+01	2.2E+02	.	.	.	1.8E-02	8.0E-19
Scandium (21)	Sc-48	1.94E-10	1.1E-10 (S)	2.78E-10	8.71E-10	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	1.6E-01	.	1.0E+03	2.6E-01	9.8E-03	1.5E+01	1.1E+02	.	.	.	8.9E-03	2.2E-19
Scandium (21)	Sc-49	5.48E-12	2.9E-12 (S)	7.80E-12	1.05E-12	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	5.8E+00	.	8.7E+05	9.1E+00	3.5E-01	5.4E+02	4.0E+03	.	.	.	3.2E-01	1.8E-19
Scandium (21)	Sc-50	0.00E+00	0.00E+00	0.00E+00	8.43E-10	2.00E-03	1.90E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.1E+03	.	.	.	.	.	.	.	1.1E+03	1.8E-17
Selenium (34)	Se-70	6.96E-12	4.6E-12 (S)	9.74E-12	1.72E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	4.6E+00	.	5.3E+03	7.3E+00	8.9E-03	8.7E+00	4.8E+01	2.3E+01	2.0E+01	2.4E+01	8.8E-03	5.0E-21
Selenium (34)	Se-71	0.00E+00	0.00E+00	0.00E+00	4.01E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	1.5E-16
Selenium (34)	Se-72	4.47E-10	4.2E-10 (S)	6.06E-10	3.19E-12	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	7.1E-02	.	2.9E+05	1.2E-01	1.4E-04	1.4E-01	7.7E-01	3.8E-01	3.2E-01	3.9E-01	1.4E-04	2.4E-20
Selenium (34)	Se-73	2.16E-11	2.3E-11 (S)	3.07E-11	2.63E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	1.5E+00	.	3.5E+03	2.3E+00	2.8E-03	2.8E+00	1.5E+01	7.4E+00	6.4E+00	7.7E+00	2.8E-03	1.7E-20
Selenium (34)	Se-73m	2.25E-12	2.1E-12 (S)	3.17E-12	6.41E-11	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	1.4E+01	.	1.4E+04	2.2E+01	2.7E-02	2.7E+01	1.5E+02	7.2E+01	6.2E+01	7.5E+01	2.7E-02	1.6E-20
Selenium (34)	Se-75	2.17E-10	1.3E-10 (S)	2.87E-10	9.09E-11	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	1.5E-01	.	1.0E+04	2.3E-01	3.0E-04	3.0E-01	1.6E+00	7.9E-01	6.8E-01	8.3E-01	3.0E-04	7.6E-19
Selenium (34)	Se-77m	0.00E+00	0.00E+00	0.00E+00	2.01E-11	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	.	.	4.6E+04	.	.	.	.	.	.	.	4.6E+04	2.0E-16
Selenium (34)	Se-79	1.87E-10	5.0E-10 (S)	2.48E-10	1.82E-15	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	1.7E-01	.	5.0E+08	6.3E-02	3.5E-04	3.4E-01	1.9E+00	9.2E-01	7.9E-01	9.6E-01	3.4E-04	8.3E-13
Selenium (34)	Se-79m	0.00E+00	0.00E+00	0.00E+00	1.94E-12	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	.	.	4.7E+05	.	.	.	.	.	.	.	4.7E+05	2.9E-14
Selenium (34)	Se-81	1.15E-12	7.0E-13 (S)	1.59E-12	2.42E-12	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	2.8E+01	.	3.8E+05	4.5E+01	5.4E-02	5.3E+01	2.9E+02	1.4E+02	1.2E+02	1.5E+02	5.4E-02	1.6E-20
Selenium (34)	Se-81m	3.53E-12	3.9E-12 (S)	5.01E-12	2.99E-12	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	9.0E+00	.	3.1E+05	1.4E+01	1.7E-02	1.7E+01	9.3E+01	4.5E+01	3.9E+01	4.7E+01	1.7E-02	1.6E-20
Selenium (34)	Se-83	2.71E-12	1.9E-12 (S)	3.76E-12	6.82E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	1.2E+01	.	1.3E+03	1.9E+01	2.3E-02	2.3E+01	1.2E+02	6.1E+01	5.2E+01	6.3E+01	2.3E-02	8.3E-21
Selenium (34)	Se-83m	0.00E+00	0.00E+00	0.00E+00	2.59E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	6.7E-17
Selenium (34)	Se-84	0.00E+00	0.00E+00	0.00E+00	1.02E-10	1.00E-01	6.00E+03	1.00E-01	4.00E-03	3.20E-01	9.70E+00	1.60E+01	.	.	8.9E+03	.	.	.	.	.	.	.	8.9E+03	4.6E-16
Silicon (14)	Si-31	1.75E-11	8.2E-12 (S)	2.54E-11	6.60E-13	2.00E-02	.	3.00E-04	2.00E-05	.	.	.	1.8E+00	.	1.4E+06	2.8E+00	.	1.1E+03	3.7E+03	.	.	.	1.1E+00	1.1E-18
Silicon (14)	Si-32	9.61E-11	7.8E-09 (S)	1.40E-10	5.49E-15	2.00E-02	.	3.00E-04	2.00E-05	.	.	.	3.3E-01	.	1.7E+08	1.4E-01	.	2.0E+02	6.6E+02	.	.	.	1.0E-01	4.4E-14
Silicon (14)	Si-32+D	3.38E-10	8.2E-09 (S)	4.72E-10	5.71E-13	2.00E-02	.	3.00E-04	2.00E-05	.	.	.	9.4E-02	.	1.6E+06	4.3E-02	.	6.0E+01	2.0E+02	.	.	.	2.9E-02	1.3E-14

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Samarium (62)	Sm-139	0.00E+00	0.00E+00	0.00E+00	3.63E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	1.8E-16
Samarium (62)	Sm-140	5.03E-12	2.0E-12 (S)	7.02E-12	1.39E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	6.3E+00	.	6.6E+03	1.0E+01	2.9E+00	6.0E+02	4.4E+03	.	.	.	1.7E+00	6.9E-19
Samarium (62)	Sm-141	1.90E-12	7.8E-13 (S)	2.63E-12	3.53E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.7E+01	.	2.6E+03	2.7E+01	7.9E+00	1.6E+03	1.2E+04	.	.	.	4.5E+00	1.3E-18
Samarium (62)	Sm-141m	3.63E-12	1.7E-12 (S)	5.06E-12	4.89E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	8.8E+00	.	1.9E+03	1.4E+01	4.1E+00	8.4E+02	6.1E+03	.	.	.	2.3E+00	1.5E-18
Samarium (62)	Sm-142	1.42E-11	6.0E-12 (S)	2.02E-11	2.26E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.2E+00	.	4.0E+04	3.5E+00	1.0E+00	2.1E+02	1.5E+03	.	.	.	5.8E-01	1.2E-18
Samarium (62)	Sm-143	0.00E+00	0.00E+00	0.00E+00	1.28E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	7.1E+03	.	.	.	.	.	.	.	7.1E+03	1.8E-15
Samarium (62)	Sm-143m	0.00E+00	0.00E+00	0.00E+00	1.71E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	5.3E+03	.	.	.	.	.	.	.	5.3E+03	1.7E-16
Samarium (62)	Sm-145	3.09E-11	1.6E-10 (F)	4.49E-11	6.34E-12	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	1.0E+00	.	1.4E+05	1.4E+00	4.6E-01	9.5E+01	6.9E+02	.	.	.	2.6E-01	3.6E-15
Samarium (62)	Sm-146	1.10E-09	3.7E-07 (F)	1.41E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.9E-02	.	.	1.4E-02	1.5E-02	3.0E+00	2.2E+01	.	.	.	5.8E-03	9.0E-09
Samarium (62)	Sm-147	1.01E-09	3.4E-07 (F)	1.29E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.2E-02	.	.	1.5E-02	1.6E-02	3.3E+00	2.4E+01	.	.	.	6.3E-03	1.0E-05
Samarium (62)	Sm-148	8.65E-10	2.9E-07 (F)	1.11E-09	0.00E+00	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	3.7E-02	.	.	1.8E-02	1.9E-02	3.8E+00	2.8E+01	.	.	.	7.3E-03	7.9E-01
Samarium (62)	Sm-151	1.51E-11	2.5E-10 (F)	2.20E-11	1.21E-16	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.1E+00	.	7.6E+09	9.8E-01	9.4E-01	1.9E+02	1.4E+03	.	.	.	3.9E-01	5.5E-13
Samarium (62)	Sm-153	1.29E-10	8.6E-11 (S)	1.90E-10	1.08E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.5E-01	.	8.4E+04	3.7E-01	1.1E-01	2.2E+01	1.6E+02	.	.	.	6.3E-02	5.3E-18
Samarium (62)	Sm-155	1.36E-12	9.1E-13 (S)	1.88E-12	2.23E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	2.3E+01	.	4.1E+04	3.8E+01	1.1E+01	2.3E+03	1.6E+04	.	.	.	6.2E+00	4.3E-18
Samarium (62)	Sm-156	4.11E-11	2.9E-11 (S)	6.01E-11	2.54E-11	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	7.8E-01	.	3.6E+04	1.2E+00	3.4E-01	7.1E+01	5.1E+02	.	.	.	2.0E-01	3.4E-18
Samarium (62)	Sm-157	0.00E+00	0.00E+00	0.00E+00	1.02E-10	2.00E-03	2.50E+01	2.00E-03	6.00E-05	.	.	.	.	.	9.0E+03	.	.	.	.	.	.	.	9.0E+03	2.2E-15
Tin (50)	Sn-106	0.00E+00	0.00E+00	0.00E+00	2.97E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	3.1E+03	.	.	.	.	.	.	.	3.1E+03	1.2E-16
Tin (50)	Sn-108	1.44E-12	6.4E-13 (S)	2.01E-12	1.63E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.2E+01	.	5.6E+03	3.5E+01	8.6E-02	4.2E+02	9.2E+02	.	.	.	8.5E-02	1.9E-20
Tin (50)	Sn-109	1.33E-12	5.0E-13 (S)	1.84E-12	5.84E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.4E+01	.	1.6E+03	3.9E+01	9.4E-02	4.6E+02	1.0E+03	.	.	.	9.3E-02	3.6E-20
Tin (50)	Sn-110	5.24E-11	2.0E-11 (S)	7.61E-11	6.63E-11	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	6.1E-01	.	1.4E+04	9.4E-01	2.3E-03	1.1E+01	2.4E+01	.	.	.	2.3E-03	1.2E-20
Tin (50)	Sn-111	1.37E-12	7.5E-13 (S)	1.92E-12	1.21E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.3E+01	.	7.5E+03	3.7E+01	9.0E-02	4.4E+02	9.7E+02	.	.	.	8.9E-02	6.9E-20
Tin (50)	Sn-113	1.19E-10	4.0E-10 (S)	1.74E-10	1.80E-12	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.7E-01	.	5.1E+05	3.7E-01	9.9E-04	4.9E+00	1.1E+01	.	.	.	9.8E-04	3.6E-18
Tin (50)	Sn-113m	1.61E-13	3.2E-13 (S)	2.24E-13	4.86E-13	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.0E+02	.	1.9E+06	3.2E+02	7.7E-01	3.8E+03	8.3E+03	.	.	.	7.7E-01	3.7E-19
Tin (50)	Sn-117m	1.19E-10	2.8E-10 (S)	1.74E-10	3.31E-11	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.7E-01	.	2.8E+04	4.0E-01	9.9E-04	4.9E+00	1.1E+01	.	.	.	9.9E-04	4.5E-19
Tin (50)	Sn-119m	6.09E-11	3.3E-10 (S)	8.91E-11	4.29E-13	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	5.2E-01	.	2.1E+06	6.4E-01	1.9E-03	9.5E+00	2.1E+01	.	.	.	1.9E-03	1.9E-17
Tin (50)	Sn-121	4.09E-11	3.0E-11 (S)	6.01E-11	2.17E-14	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	7.8E-01	.	4.2E+07	1.2E+00	2.9E-03	1.4E+01	3.1E+01	.	.	.	2.9E-03	1.1E-19
Tin (50)	Sn-121m	6.38E-11	1.2E-09 (S)	9.30E-11	2.12E-13	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	5.0E-01	.	4.3E+06	1.4E-01	1.9E-03	9.1E+00	2.0E+01	.	.	.	1.8E-03	1.0E-15
Tin (50)	Sn-121m+D	9.55E-11	1.2E-09 (S)	1.40E-10	2.29E-13	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	3.3E-01	.	4.0E+06	9.4E-02	1.2E-03	6.1E+00	1.3E+01	.	.	.	1.2E-03	6.7E-16
Tin (50)	Sn-123	3.80E-10	1.3E-09 (S)	5.56E-10	2.14E-12	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	8.4E-02	.	4.3E+05	1.2E-01	3.1E-04	1.5E+00	3.3E+00	.	.	.	3.1E-04	1.4E-18
Tin (50)	Sn-123m	2.17E-12	1.6E-12 (S)	3.05E-12	3.25E-11	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.5E+01	.	2.8E+04	2.3E+01	5.7E-02	2.8E+02	6.1E+02	.	.	.	5.6E-02	5.5E-20
Tin (50)	Sn-125	5.39E-10	4.2E-10 (S)	7.90E-10	8.77E-11	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	5.9E-02	.	1.0E+04	9.0E-02	2.2E-04	1.1E+00	2.3E+00	.	.	.	2.2E-04	7.4E-20
Tin (50)	Sn-125m	0.00E+00	0.00E+00	0.00E+00	8.49E-11	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	2.5E-15
Tin (50)	Sn-126	6.97E-10	1.1E-08 (S)	1.01E-09	9.75E-12	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.6E-02	.	9.4E+04	1.1E-02	1.7E-04	8.4E-01	1.8E+00	.	.	.	1.7E-04	5.0E-13
Tin (50)	Sn-126+D	7.47E-10	1.2E-08 (S)	1.08E-09	4.89E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	4.3E-02	.	1.9E+03	1.0E-02	1.6E-04	7.9E-01	1.7E+00	.	.	.	1.6E-04	4.7E-13
Tin (50)	Sn-127	2.21E-11	1.3E-11 (S)	3.17E-11	4.99E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	1.4E+00	.	1.8E+03	2.2E+00	5.4E-03	2.7E+01	5.9E+01	.	.	.	5.4E-03	1.7E-20
Tin (50)	Sn-127m	0.00E+00	0.00E+00	0.00E+00	1.43E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	6.4E+03	.	.	.	.	.	.	.	6.4E+03	6.6E-16
Tin (50)	Sn-128	1.21E-11	6.6E-12 (S)	1.71E-11	1.38E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	2.6E+00	.	6.6E+03	4.2E+00	1.0E-02	5.0E+01	1.1E+02	.	.	.	1.0E-02	1.5E-20
Tin (50)	Sn-129	0.00E+00	0.00E+00	0.00E+00	2.58E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	2.0E-16
Tin (50)	Sn-130	0.00E+00	0.00E+00	0.00E+00	2.28E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	3.8E-16
Tin (50)	Sn-130m	0.00E+00	0.00E+00	0.00E+00	2.26E-10	3.00E-01	3.00E+03	1.00E-02	1.00E-03	.	.	.	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	1.8E-16
Strontium [38]	Sr-79	0.00E+00	0.00E+00	0.00E+00	2.89E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	3.2E+03	.	.	.	.	.	.	.	3.2E+03	1.1E-16
Strontium (38)	Sr-80	3.37E-11	1.5E-11 (S)	4.82E-11	1.05E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	9.5E-01	.	8.7E+03	1.5E+00	3.7E+00	1.4E+02	3.0E+01	6.1E+02	2.0E+03	2.3E+02	4.9E-01	8.2E-19
Strontium (38)	Sr-81	3.86E-12	1.9E-12 (S)	5.38E-12	3.41E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	8.3E+00	.	2.7E+03	1.3E+01	3.3E+01	1.2E+03	2.7E+02	5.4E+03	1.8E+04	2.0E+03	4.3E+00	1.5E-18
Strontium (38)	Sr-82	8.50E-10	1.2E-09 (S)	1.22E-09	2.22E-14	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	3.7E-02	.	4.1E+07	5.8E-02	1.5E-01	5.4E+00	1.2E+00	2.4E+01	7.8E+01	8.9E+00	1.9E-02	1.1E-17
Strontium (38)	Sr-82+D	8.50E-10	1.2E-09 (S)	1.22E-09	2.75E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	3.7E-02	.	3.3E+03	5.8E-02	1.5E-01	5.4E+00	1.2E+00	2.4E+01	7.8E+01	8.9E+00	1.9E-02	1.1E-17
Strontium (38)	Sr-83	6.32E-11	4.0E-11 (S)	9.07E-11	2.03E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	5.0E-01	.	4.5E+03	7.9E-01	2.0E+00	7.2E+01	1.6E+01	3.2E+02	1.0E+03	1.2E+02	2.6E-01	8.3E-18
Strontium (38)	Sr-85	6.00E-11	8.6E-11 (S)	8.24E-11	1.21E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	5.3E-01	.	7.6E+03	8.4E-01	2.2E+00	7.9E+01	1.7E+01	3.5E+02	1.2E+03	1.3E+02	2.8E-01	4.3E-16
Strontium (38)	Sr-85m	4.41E-13	2.5E-13 (S)	6.10E-13	5.14E-11	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	7.2E+01	.	1.8E+04	1.2E+02	2.9E+02	1.1E+04	2.3E+03	4.8E+04	1.6E+05	1.8E+04	3.8E+01	4.3E-17
Strontium (38)	Sr-87m	2.90E-12	1.7E-12 (S)	4.12E-12	7.73E-11	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.1E+01	.	1.2E+04	1.7E+01	4.3E+01	1.6E+03	3.5E+02	7.1E+03	2.3E+04	2.6E+03	5.7E+00	1.6E-17
Strontium (38)	Sr-89	3.47E-10	8.2E-10 (S)	4.97E-10	4.51E-13	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	9.2E-02	.	2.0E+06	1.4E-01	3.6E-01	1.3E+01	2.9E+00	5.9E+01	1.9E+02	2.2E+01	4.7E-02	6.0E-17
Strontium (38)	Sr-90	1.51E-09	1.2E-08 (S)	1.86E-09	6.00E-14	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	2.1E-02	.	1.5E+07	1.1E-02	9.6E-02	3.5E+00	7.7E-01	1.6E+01	5.1E+01	5.8E+00	6.6E-03	1.8E-15
Strontium (38)	Sr-90+D	2.00E-09	1.2E-08 (S)	2.57E-09	1.07E-12	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	1.6E-02	.	8.5E+05	7.9E-03	6.9E-02	2.5E+00	5.6E-01	1.1E+01	3.7E+01	4.2E+00	4.8E-03	1.3E-15
Strontium (38)	Sr-91	8.84E-11	5.3E-11 (S)	1.28E-10	1.81E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	3.6E-01	.	5.1E+03	5.6E-01	1.4E+00	5.1E+01	1.1E+01	2.3E+02	7.4E+02	8.5E+01	1.8E-01	1.9E-18
Strontium (38)	Sr-92	5.97E-11	3.0E-11 (S)	8.67E-11	3.53E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	5.3E-01	.	2.6E+03	8.2E-01	2.1E+00	7.5E+01	1.6E+01	3.4E+02	1.1E+03	1.3E+02	2.7E-01	7.9E-19
Strontium (38)	Sr-93	0.00E+00	0.00E+00	0.00E+00	5.87E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	2.1E-16
Strontium (38)	Sr-94	0.00E+00	0.00E+00	0.00E+00	3.82E-10	9.57E-02	2.90E+00	1.30E-03	1.30E-03	2.50E-03	2.00E-02	3.50E-01	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	5.6E-17
Tantalum (73)	Ta-170	0.00E+00	0.00E+00	0.00E+00	2.62E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	.	.	3.5E+03	.	.	.	.	.	.	.	3.5E+03	7.9E-16
Tantalum (73)	Ta-172	3.36E-12	2.0E-12 (S)	4.68E-12	4.29E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	9.5E+00	.	2.1E+03	1.5E+01	1.1E+00	3.6E+05	7.9E+04	.	.	.	9.3E-01	1.2E-18
Tantalum (73)	Ta-173	1.28E-11	7.4E-12 (S)	1.84E-11	1.41E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	2.5E+00	.	6.5E+03	3.9E+00	2.8E-01	9.2E+04	2.0E+04	.	.	.	2.4E-01	1.5E-18
Tantalum (73)	Ta-174	5.37E-12	3.3E-12 (S)	7.61E-12	2.45E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	5.9E+00	.	3.7E+03	9.4E+00	6.8E-01	2.2E+05	4.9E+04	.	.	.	5.7E-01	1.3E-18
Tantalum (73)	Ta-175	2.62E-11	1.3E-11 (S)	3.73E-11	2.81E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	1.2E+00	.	3.3E+03	1.9E+00	1.4E-01	4.6E+04	9.9E+03	.	.	.	1.2E-01	2.5E-18
Tantalum (73)	Ta-176	3.23E-11	1.6E-11 (S)	4.57E-11	5.90E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	9.9E-01	.	1.5E+03	1.6E+00	1.1E-01	3.7E+04	8.1E+03	.	.	.	9.5E-02	1.6E-18
Tantalum (73)	Ta-177	1.62E-11	1.2E-11 (S)	2.35E-11	1.17E-11	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	2.0E+00	.	7.8E+04	3.0E+00	2.2E-01	7.2E+04	1.6E+04	.	.	.	1.9E-01	2.2E-17
Tantalum (73)	Ta-178	0.00E+00	0.00E+00	0.00E+00	2.58E-11	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	.	.	3.5E+04	.	.	.	.	.	.	.	3.5E+04	1.2E-14
Tantalum (73)	Ta-178m	7.96E-12	5.5E-12 (S)	1.13E-11	2.69E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	4.0E+00	.	3.4E+03	6.3E+00	4.6E-01	1.5E+05	3.3E+04	.	.	.	3.9E-01	1.9E-18
Tantalum (73)	Ta-179	8.77E-12	4.8E-11 (S)	1.27E-11	3.72E-12	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	3.6E+00	.	2.5E+05	4.5E+00	4.1E-01	1.3E+05	2.9E+04	.	.	.	3.4E-01	1.1E-14
Tantalum (73)	Ta-180	8.44E-12	5.2E-12 (S)	1.23E-11	7.51E-12	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	3.8E+00	.	1.2E+05	5.8E+00	4.2E-01	1.4E+05	3.0E+04	.	.	.	3.6E-01	6.2E-18
Tantalum (73)	Ta-182	2.11E-10	1.0E-09 (S)	3.05E-10	3.28E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	1.5E-01	.	2.8E+03	2.2E-01	1.7E-02	5.6E+03	1.2E+03	.	.	.	1.4E-02	8.4E-17
Tantalum (73)	Ta-182m	5.72E-13	9.7E-13 (S)	7.90E-13	5.68E-11	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	5.6E+01	.	1.6E+04	9.0E+01	6.6E+00	2.1E+06	4.7E+05	.	.	.	5.5E+00	3.1E-18
Tantalum (73)	Ta-183	2.31E-10	2.5E-10 (S)	3.38E-10	6.47E-11	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	1.4E-01	.	1.4E+04	2.1E-01	1.5E-02	5.0E+03	1.1E+03	.	.	.	1.3E-02	3.4E-18
Tantalum (73)	Ta-184	9.44E-11	4.6E-11 (S)	1.37E-10	3.88E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	3.4E-01	.	2.4E+03	5.2E-01	3.8E-02	1.2E+04	2.7E+03	.	.	.	3.2E-02	6.0E-19
Tantalum (73)	Ta-185	4.33E-12	3.3E-12 (S)	6.14E-12	3.44E-11	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	7.4E+00	.	2.7E+04	1.2E+01	8.4E-01	2.8E+05	6.0E+04	.	.	.	7.1E-01	1.3E-18
Tantalum (73)	Ta-186	1.55E-12	7.4E-13 (S)	2.13E-12	3.50E-10	2.00E-03	1.00E+02	5.00E-06	5.00E-06	.	.	.	2.1E+01	.	2.6E+03	3.3E+01	2.4E+00	8.0E+05	1.7E+05	.	.	.	2.0E+00	7.9E-19
Terbium (65)	Tb-146	0.00E+00	0.00E+00	0.00E+00	9.59E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	9.5E+02	.	.	.	.	.	.	.	9.5E+02	1.1E-17
Terbium (65)	Tb-147	1.13E-11	5.3E-12 (S)	1.60E-11	5.62E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	2.8E+00	.	1.6E+03	4.5E+00	7.9E-02	2.7E+02	1.9E+03	.	.	.	7.5E-02	2.2E-19
Terbium (65)	Tb-147m	0.00E+00	0.00E+00	0.00E+00	5.05E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	9.8E-17
Terbium (65)	Tb-148	8.72E-12	4.2E-12 (S)	1.23E-11	6.12E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	3.7E+00	.	1.5E+03	5.8E+00	1.0E-01	3.5E+02	2.5E+03	.	.	.	9.8E-02	1.7E-19
Terbium (65)	Tb-148m	0.00E+00	0.00E+00	0.00E+00	7.83E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.2E+03	.	.	.	.	.	.	.	1.2E+03	7.5E-17
Terbium (65)	Tb-149	2.09E-11	4.1E-10 (S)	2.99E-11	3.47E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	1.5E+00	.	2.6E+03	2.4E+00	4.2E-02	1.4E+02	1.0E+03	.	.	.	4.0E-02	2.9E-19
Terbium (65)	Tb-149m	0.00E+00	0.00E+00	0.00E+00	3.41E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	2.7E+03	.	.	.	.	.	.	.	2.7E+03	3.3E-16
Terbium (65)	Tb-150	2.28E-11	8.6E-12 (S)	3.26E-11	6.50E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	1.4E+00	.	1.4E+03	2.2E+00	3.9E-02	1.3E+02	9.5E+02	.	.	.	3.7E-02	2.3E-19
Terbium (65)	Tb-150m	0.00E+00	0.00E+00	0.00E+00	6.19E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	2.5E-16
Terbium (65)	Tb-151	4.22E-11	2.3E-11 (S)	6.04E-11	2.39E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	7.5E-01	.	3.8E+03	1.2E+00	2.1E-02	7.0E+01	5.1E+02	.	.	.	2.0E-02	6.3E-19
Terbium (65)	Tb-151m	0.00E+00	0.00E+00	0.00E+00	1.75E-11	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	5.2E+04	.	.	.	.	.	.	.	5.2E+04	6.5E-16

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Terbium (65)	Tb-152	9.41E-11	3.6E-11 (S)	1.36E-10	3.85E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	3.4E-01	.	2.4E+03	5.2E-01	9.3E-03	3.1E+01	2.3E+02	.	.	.	8.9E-03	2.8E-19
Terbium (65)	Tb-152m	0.00E+00	0.00E+00	0.00E+00	1.80E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	5.1E+03	.	.	.	.	.	.	.	5.1E+03	6.4E-16
Terbium (65)	Tb-153	3.79E-11	2.6E-11 (S)	5.47E-11	7.38E-11	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	8.4E-01	.	1.2E+04	1.3E+00	2.3E-02	7.8E+01	5.7E+02	.	.	.	2.2E-02	2.2E-18
Terbium (65)	Tb-154	6.46E-11	3.0E-11 (S)	9.16E-11	6.12E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	4.9E-01	.	1.5E+03	7.8E-01	1.4E-02	4.6E+01	3.4E+02	.	.	.	1.3E-02	5.2E-19
Terbium (65)	Tb-155	3.73E-11	3.4E-11 (S)	5.41E-11	3.41E-11	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	8.5E-01	.	2.7E+04	1.3E+00	2.3E-02	7.8E+01	5.7E+02	.	.	.	2.2E-02	5.2E-18
Terbium (65)	Tb-156	1.26E-10	1.2E-10 (S)	1.80E-10	4.89E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	2.5E-01	.	1.9E+03	4.0E-01	7.0E-03	2.4E+01	1.7E+02	.	.	.	6.7E-03	1.6E-18
Terbium (65)	Tb-156m	2.00E-11	2.2E-11 (S)	2.87E-11	4.86E-12	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	1.6E+00	.	1.9E+05	2.5E+00	4.4E-02	1.5E+02	1.1E+03	.	.	.	4.2E-02	1.9E-18
Terbium (65)	Tb-156n	1.16E-11	1.2E-11 (S)	1.68E-11	5.18E-13	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	2.7E+00	.	1.8E+06	4.2E+00	7.5E-02	2.5E+02	1.8E+03	.	.	.	7.2E-02	7.0E-19
Terbium (65)	Tb-157	5.63E-12	1.0E-10 (F)	8.19E-12	5.11E-13	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	5.7E+00	.	1.8E+06	2.7E+00	1.5E-01	5.2E+02	3.8E+03	.	.	.	1.4E-01	1.6E-13
Terbium (65)	Tb-158	1.30E-10	4.7E-09 (F)	1.86E-10	1.98E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	2.5E-01	.	4.6E+03	1.1E-01	6.8E-03	2.3E+01	1.7E+02	.	.	.	6.2E-03	1.8E-14
Terbium (65)	Tb-160	2.37E-10	8.2E-10 (S)	3.44E-10	2.86E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	1.3E-01	.	3.2E+03	2.0E-01	3.7E-03	1.2E+01	9.0E+01	.	.	.	3.5E-03	1.2E-17
Terbium (65)	Tb-161	1.33E-10	1.6E-10 (S)	1.95E-10	4.51E-12	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	2.4E-01	.	2.0E+05	3.6E-01	6.5E-03	2.2E+01	1.6E+02	.	.	.	6.2E-03	2.0E-18
Terbium (65)	Tb-162	0.00E+00	0.00E+00	0.00E+00	2.76E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	3.3E+03	.	.	.	.	.	.	.	3.3E+03	8.0E-16
Terbium (65)	Tb-163	1.05E-12	7.6E-13 (S)	1.44E-12	1.92E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	3.0E+01	.	4.8E+03	4.9E+01	8.8E-01	2.9E+03	2.1E+04	.	.	.	8.4E-01	5.2E-19
Terbium (65)	Tb-164	0.00E+00	0.00E+00	0.00E+00	6.25E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	1.4E-16
Terbium (65)	Tb-165	0.00E+00	0.00E+00	0.00E+00	2.20E-10	2.00E-03	4.10E+02	2.00E-03	6.00E-05	.	.	.	.	.	4.1E+03	.	.	.	.	.	.	.	4.1E+03	2.9E-16
Technetium (43)	Tc-101	8.20E-13	5.1E-13 (S)	1.13E-12	8.17E-11	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.9E+01	.	1.1E+04	6.3E+01	2.3E+01	7.5E+04	1.6E+03	4.3E+05	5.6E+04	1.1E+03	1.2E+01	3.3E-18
Technetium (43)	Tc-102	0.00E+00	0.00E+00	0.00E+00	2.46E-11	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	3.7E+04	.	.	.	.	.	.	.	3.7E+04	6.6E-17
Technetium (43)	Tc-102m	0.00E+00	0.00E+00	0.00E+00	6.53E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	1.2E-16
Technetium (43)	Tc-104	3.81E-12	1.5E-12 (S)	5.26E-12	6.03E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	8.4E+00	.	1.5E+03	1.4E+01	4.9E+00	1.6E+04	3.5E+02	9.2E+04	1.2E+04	2.4E+02	2.5E+00	9.3E-19
Technetium (43)	Tc-105	0.00E+00	0.00E+00	0.00E+00	2.04E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	4.5E+03	.	.	.	.	.	.	.	4.5E+03	7.1E-16
Technetium (43)	Tc-91	0.00E+00	0.00E+00	0.00E+00	6.60E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	7.8E-17
Technetium (43)	Tc-91m	0.00E+00	0.00E+00	0.00E+00	3.57E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	2.6E+03	.	.	.	.	.	.	.	2.6E+03	1.5E-16
Technetium (43)	Tc-92	0.00E+00	0.00E+00	0.00E+00	9.85E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	.	.	9.3E+02	.	.	.	.	.	.	.	9.3E+02	7.2E-17
Technetium (43)	Tc-93	5.73E-12	2.6E-12 (S)	7.99E-12	4.13E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	5.6E+00	.	2.2E+03	8.9E+00	3.2E+00	1.1E+04	2.3E+02	6.1E+04	7.9E+03	1.6E+02	1.6E+00	4.9E-18
Technetium (43)	Tc-93m	2.36E-12	1.1E-12 (S)	3.29E-12	2.59E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.3E+01	.	3.5E+03	2.2E+01	7.9E+00	2.6E+04	5.6E+02	1.5E+05	1.9E+04	3.9E+02	4.0E+00	3.2E-18
Technetium (43)	Tc-94	1.70E-11	7.8E-12 (S)	2.38E-11	6.69E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.9E+00	.	1.4E+03	3.0E+00	1.1E+00	3.6E+03	7.8E+01	2.0E+04	2.7E+03	5.3E+01	5.5E-01	3.0E-18
Technetium (43)	Tc-94m	6.47E-12	2.8E-12 (S)	9.09E-12	5.02E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.9E+00	.	1.8E+03	7.8E+00	2.8E+00	9.3E+03	2.0E+02	5.3E+04	7.0E+03	1.4E+02	1.4E+00	1.4E-18
Technetium (43)	Tc-95	1.56E-11	7.4E-12 (S)	2.17E-11	1.98E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	2.0E+00	.	4.6E+03	3.3E+00	1.2E+00	3.9E+03	8.5E+01	2.2E+04	2.9E+03	5.8E+01	6.0E-01	1.4E-17
Technetium (43)	Tc-95m	4.93E-11	1.3E-10 (S)	6.87E-11	1.68E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	6.5E-01	.	5.4E+03	9.2E-01	3.8E-01	1.2E+03	2.7E+01	7.1E+03	9.2E+02	1.8E+01	1.9E-01	3.1E-16
Technetium (43)	Tc-96	9.23E-11	5.7E-11 (S)	1.27E-10	6.31E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.5E-01	.	1.4E+03	5.6E-01	2.0E-01	6.7E+02	1.5E+01	3.8E+03	5.0E+02	1.0E+01	1.0E-01	1.2E-17
Technetium (43)	Tc-96m	9.64E-13	5.8E-13 (S)	1.34E-12	1.07E-11	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	3.3E+01	.	8.5E+04	5.3E+01	1.9E+01	6.3E+04	1.4E+03	3.6E+05	4.7E+04	9.5E+02	9.7E+00	9.5E-18
Technetium (43)	Tc-97	7.33E-12	1.3E-10 (S)	1.06E-11	1.03E-13	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.3E+00	.	8.9E+06	4.6E-01	2.4E+00	8.0E+03	1.7E+02	4.6E+04	6.0E+03	1.2E+02	3.5E-01	9.2E-09
Technetium (43)	Tc-97m	6.43E-11	3.9E-10 (S)	9.33E-11	1.67E-13	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	5.0E-01	.	5.5E+06	6.4E-01	2.8E-01	9.1E+02	2.0E+01	5.2E+03	6.8E+02	1.4E+01	1.4E-01	3.4E-16
Technetium (43)	Tc-98	1.79E-10	3.2E-09 (S)	2.54E-10	3.53E-10	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.8E-01	.	2.6E+03	1.9E-02	1.0E-01	3.3E+02	7.3E+00	1.9E+03	2.5E+02	5.0E+00	1.5E-02	6.3E-10
Technetium (43)	Tc-99	7.44E-11	1.0E-09 (S)	1.08E-10	1.52E-14	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	4.3E-01	.	6.0E+07	4.5E-02	2.4E-01	7.9E+02	1.7E+01	4.5E+03	5.9E+02	1.2E+01	3.5E-02	7.5E-11
Technetium (43)	Tc-99m	2.15E-12	1.6E-12 (S)	3.06E-12	2.88E-11	1.13E+00	2.00E+01	1.00E-04	1.00E-03	1.50E-04	3.00E-02	3.00E+00	1.5E+01	.	3.2E+04	2.3E+01	8.5E+00	2.8E+04	6.1E+02	1.6E+05	2.1E+04	4.1E+02	4.3E+00	3.0E-17
Tellurium (52)	Te-113	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	6.0E-17
Tellurium (52)	Te-114	3.26E-12	2.3E-12 (V)	4.48E-12	3.28E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	9.8E+00	.	2.8E+03	1.6E+01	7.7E-01	2.7E+02	1.2E+03	.	7.1E+02	1.7E+02	6.8E-01	2.3E-19
Tellurium (52)	Te-115	0.00E+00	0.00E+00	0.00E+00	5.74E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	2.1E-16
Tellurium (52)	Te-115m	0.00E+00	0.00E+00	0.00E+00	6.75E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	.	.	1.4E+03	.	.	.	.	.	.	.	1.4E+03	2.1E-16
Tellurium (52)	Te-116	2.11E-11	1.1E-11 (S)	3.03E-11	1.99E-11	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.5E+00	.	4.6E+04	2.4E+00	1.1E-01	4.0E+01	1.8E+02	.	1.0E+02	2.5E+01	1.0E-01	3.4E-19
Tellurium (52)	Te-117	3.98E-12	2.0E-12 (V)	5.58E-12	4.01E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	8.0E+00	.	2.3E+03	1.3E+01	6.2E-01	2.2E+02	9.8E+02	.	5.7E+02	1.3E+02	5.4E-01	7.8E-19
Tellurium (52)	Te-118	4.77E-10	3.4E-10 (S)	6.95E-10	7.10E-13	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	6.7E-02	.	1.3E+06	1.0E-01	5.0E-03	1.7E+00	7.8E+00	.	4.6E+00	1.1E+00	4.4E-03	8.8E-19
Tellurium (52)	Te-118+D	4.77E-10	3.4E-10 (S)	6.95E-10	1.98E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	6.7E-02	.	4.6E+03	1.0E-01	5.0E-03	1.7E+00	7.8E+00	.	4.6E+00	1.1E+00	4.4E-03	8.8E-19
Tellurium (52)	Te-119	1.83E-11	8.7E-12 (S)	2.59E-11	1.89E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.7E+00	.	4.8E+03	2.8E+00	1.3E-01	4.7E+01	2.1E+02	.	1.2E+02	2.9E+01	1.2E-01	2.7E-18
Tellurium (52)	Te-119m	6.81E-11	5.4E-11 (V)	9.51E-11	3.85E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	4.7E-01	.	2.4E+03	7.5E-01	3.6E-02	1.3E+01	5.7E+01	.	3.3E+01	7.8E+00	3.2E-02	5.1E-18
Tellurium (52)	Te-121	4.08E-11	5.3E-11 (V)	5.61E-11	1.38E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	7.8E-01	.	6.6E+03	1.3E+00	6.1E-02	2.2E+01	9.7E+01	.	5.6E+01	1.3E+01	5.4E-02	3.6E-17
Tellurium (52)	Te-121m	1.75E-10	5.6E-10 (S)	2.32E-10	4.92E-11	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.8E-01	.	1.9E+04	2.8E-01	1.5E-02	5.2E+00	2.4E+01	.	1.4E+01	3.2E+00	1.3E-02	6.9E-17
Tellurium (52)	Te-123	2.93E-11	8.3E-11 (V)	3.56E-11	1.23E-15	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.1E+00	.	7.4E+08	4.5E-01	9.7E-02	3.4E+01	1.5E+02	.	8.9E+01	2.1E+01	7.4E-02	5.7E-01
Tellurium (52)	Te-123m	1.11E-10	4.8E-10 (S)	1.52E-10	3.16E-11	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	2.9E-01	.	2.9E+04	4.4E-01	2.3E-02	8.0E+00	3.6E+01	.	2.1E+01	4.9E+00	2.0E-02	8.3E-17
Tellurium (52)	Te-125m	9.00E-11	3.9E-10 (S)	1.27E-10	1.57E-12	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	3.5E-01	.	5.8E+05	5.5E-01	2.7E-02	9.5E+00	4.3E+01	.	2.5E+01	5.9E+00	2.4E-02	4.9E-17
Tellurium (52)	Te-127	2.73E-11	1.8E-11 (S)	4.02E-11	1.26E-12	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.2E+00	.	7.3E+05	1.8E+00	8.6E-02	3.0E+01	1.4E+02	.	7.9E+01	1.9E+01	7.6E-02	1.1E-18
Tellurium (52)	Te-127m	2.34E-10	9.4E-10 (S)	3.24E-10	5.21E-13	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.4E-01	.	1.8E+06	2.1E-01	1.1E-02	3.7E+00	1.7E+01	.	9.8E+00	2.3E+00	9.4E-03	3.7E-17
Tellurium (52)	Te-129	4.62E-12	3.1E-12 (V)	6.60E-12	1.47E-11	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	6.9E+00	.	6.2E+04	1.1E+01	5.2E-01	1.8E+02	8.3E+02	.	4.8E+02	1.1E+02	4.6E-01	8.2E-19
Tellurium (52)	Te-129m	4.14E-10	8.1E-10 (S)	5.94E-10	7.86E-12	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	7.7E-02	.	1.2E+05	1.2E-01	5.8E-03	2.0E+00	9.2E+00	.	5.3E+00	1.3E+00	5.1E-03	6.3E-18
Tellurium (52)	Te-131	5.85E-12	6.6E-12 (V)	8.23E-12	1.03E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	5.4E+00	.	8.9E+03	8.7E+00	4.2E-01	1.5E+02	6.6E+02	.	3.8E+02	9.1E+01	3.7E-01	2.4E-19
Tellurium (52)	Te-131m	2.19E-10	2.6E-10 (V)	3.14E-10	3.69E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.5E-01	.	2.5E+03	2.3E-01	1.1E-02	3.9E+00	1.7E+01	.	1.0E+01	2.4E+00	9.7E-03	4.5E-19
Tellurium (52)	Te-132	4.58E-10	5.7E-10 (V)	6.57E-10	5.08E-11	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	7.0E-02	.	1.8E+04	1.1E-01	5.3E-03	1.8E+00	8.3E+00	.	4.8E+00	1.1E+00	4.6E-03	5.6E-19
Tellurium (52)	Te-133	5.14E-12	5.8E-12 (V)	7.28E-12	3.11E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	6.2E+00	.	2.9E+03	9.8E+00	4.7E-01	1.7E+02	7.5E+02	.	4.3E+02	1.0E+02	4.2E-01	1.4E-19
Tellurium (52)	Te-133m	2.15E-11	2.3E-11 (V)	3.06E-11	4.77E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	1.5E+00	.	1.9E+03	2.3E+00	1.1E-01	4.0E+01	1.8E+02	.	1.0E+02	2.4E+01	9.9E-02	1.4E-19
Tellurium (52)	Te-134	7.46E-12	8.0E-12 (V)	1.04E-11	2.12E-10	8.70E-02	1.50E+02	7.00E-03	3.40E-04	.	6.00E-01	5.10E+00	4.3E+00	.	4.3E+03	6.9E+00	3.3E-01	1.2E+02	5.2E+02	.	3.0E+02	7.2E+01	2.9E-01	3.2E-19
Thorium (90)	Th-223	0.00E+00	0.00E+00	0.00E+00	1.51E-11	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	6.1E+04	.	.	.	.	.	.	.	6.1E+04	2.7E-17
Thorium (90)	Th-224	0.00E+00	0.00E+00	0.00E+00	5.33E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	1.7E+05	.	.	.	.	.	.	.	1.7E+05	1.3E-16
Thorium (90)	Th-226	1.78E-11	4.2E-09 (S)	2.50E-11	1.74E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.8E+00	.	5.3E+05	2.9E+00	3.4E+00	1.5E+03	1.5E+04	.	.	.	8.3E-01	1.1E-18
Thorium (90)	Th-227	1.30E-09	9.5E-07 (S)	1.90E-09	2.85E-11	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	2.5E-02	.	3.2E+04	3.7E-02	4.5E-02	1.9E+01	2.0E+02	.	.	.	1.1E-02	1.3E-17
Thorium (90)	Th-228	2.91E-09	3.6E-06 (S)	4.00E-09	4.48E-13	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.1E-02	.	2.0E+06	1.4E-02	2.2E-02	9.2E+00	9.3E+01	.	.	.	4.8E-03	2.2E-16
Thorium (90)	Th-229	6.04E-09	4.7E-06 (S)	7.85E-09	1.81E-11	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	5.3E-03	.	5.1E+04	2.5E-03	1.1E-02	4.7E+00	4.7E+01	.	.	.	1.5E-03	2.6E-13
Thorium (90)	Th-229+D	9.13E-09	5.4E-06 (S)	1.20E-08	1.92E-11	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	3.5E-03	.	4.8E+04	1.7E-03	7.2E-03	3.1E+00	3.1E+01	.	.	.	9.7E-04	1.7E-13
Thorium (90)	Th-230	2.47E-09	9.2E-07 (F)	3.22E-09	8.14E-14	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.3E-02	.	1.1E+07	6.2E-03	2.7E-02	1.1E+01	1.2E+02	.	.	.	3.6E-03	6.5E-12
Thorium (90)	Th-231	5.93E-11	4.1E-11 (S)	8.69E-11	2.40E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	5.4E-01	.	3.8E+05	8.2E-01	9.9E-01	4.2E+02	4.3E+03	.	.	.	2.4E-01	1.7E-17
Thorium (90)	Th-232	2.73E-09	1.2E-06 (S)	3.60E-09	4.17E-14	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.2E-02	.	2.2E+07	5.5E-03	2.4E-02	1.0E+01	1.0E+02	.	.	.	3.2E-03	1.1E-06
Thorium (90)	Th-232+D	3.08E-08	2.4E-06 (S)	4.22E-08	2.20E-10	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	1.0E-03	.	4.1E+03	4.7E-04	2.0E-03	8.7E-01	8.8E+00	.	.	.	2.8E-04	9.5E-08
Thorium (90)	Th-233	1.07E-12	1.0E-12 (S)	1.50E-12	8.58E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	3.0E+01	.	1.1E+05	4.8E+01	5.7E+01	2.5E+04	2.5E+05	.	.	.	1.4E+01	1.4E-17
Thorium (90)	Th-234	6.24E-10	8.3E-10 (S)	9.17E-10	1.73E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	5.1E-02	.	5.3E+05	7.7E-02	9.4E-02	4.0E+01	4.0E+02	.	.	.	2.3E-02	3.7E-17
Thorium (90)	Th-234+D	6.24E-10	8.3E-10 (S)	9.17E-10	6.66E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	5.1E-02	.	1.4E+05	7.7E-02	9.4E-02	4.0E+01	4.0E+02	.	.	.	2.3E-02	3.7E-17
Thorium (90)	Th-235	0.00E+00	0.00E+00	0.00E+00	1.38E-11	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	.	.	6.6E+04	.	.	.	.	.	.	.	6.6E+04	2.2E-14
Thorium (90)	Th-236	5.28E-12	3.5E-12 (S)	7.44E-12	8.14E-12	1.83E-03	6.00E+00	2.30E-04	5.00E-06	.	.	.	6.0E+00	.	1.1E+05	9.6E+00	1.2E+01	5.0E+03	5.0E+04	.	.	.	2.8E+00	4.9E-18
Titanium (22)	Ti-44	6.91E-10	9.3E-09 (S)	9.81E-10	2.64E-11	1.00E-03	1.90E+02	2.00E-02	1.00E-02	.	.	.	4.6E-02	.	3.5E+04	2.3E-02	2.8E-03	4.3E-01	1.9E-01	.	.	.	2.3E-03	6.3E-16
Titanium (22)	Ti-44+D	7.34E-10	9.3E-09 (S)	1.04E-09	5.68E-10	1.00E-03	1.90E+02	2.00E-02	1.00E-02	.	.	.	4.3E-02	.	1.6E+03	2.2E-02	2.6E-03	4.1E-01	1.8E-01	.	.	.	2.2E-03	6.0E-16
Titanium (22)	Ti-45	1.74E-11	8.3E-12 (S)	2.52E-11	2.13E-10	1.00E-03	1.90E+02	2.00E-02	1.00E-02	.	.	.	1.8E+00	.	4.3E+

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Thallium (81)	Tl-190m	0.00E+00	0.00E+00	0.00E+00	6.09E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	2.1E-16
Thallium (81)	Tl-194	2.12E-12	1.0E-12 (S)	2.90E-12	2.23E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.5E+01	.	4.1E+03	2.5E+01	2.0E-01	1.5E+02	2.1E+02	.	.	.	1.9E-01	2.4E-19
Thallium (81)	Tl-194m	2.10E-12	1.3E-12 (S)	2.85E-12	6.22E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.5E+01	.	1.5E+03	2.5E+01	2.0E-01	1.5E+02	2.2E+02	.	.	.	2.0E-01	2.5E-19
Thallium (81)	Tl-195	1.60E-12	1.4E-12 (S)	2.16E-12	3.19E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	2.0E+01	.	2.9E+03	3.3E+01	2.7E-01	2.0E+02	2.9E+02	.	.	.	2.6E-01	7.0E-19
Thallium (81)	Tl-196	3.16E-12	1.8E-12 (S)	4.27E-12	4.86E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.0E+01	.	1.9E+03	1.7E+01	1.3E-01	9.9E+01	1.4E+02	.	.	.	1.3E-01	5.6E-19
Thallium (81)	Tl-197	1.74E-12	2.8E-12 (S)	2.38E-12	1.11E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.8E+01	.	8.3E+03	3.0E+01	2.4E-01	1.8E+02	2.6E+02	.	.	.	2.4E-01	1.6E-18
Thallium (81)	Tl-198	5.59E-12	3.3E-12 (S)	7.47E-12	5.27E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	5.7E+00	.	1.7E+03	9.5E+00	7.7E-02	5.7E+01	8.3E+01	.	.	.	7.5E-02	9.3E-19
Thallium (81)	Tl-198m	3.53E-12	3.7E-12 (S)	4.76E-12	2.94E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	9.0E+00	.	3.1E+03	1.5E+01	1.2E-01	8.9E+01	1.3E+02	.	.	.	1.2E-01	5.2E-19
Thallium (81)	Tl-199	2.07E-12	3.4E-12 (S)	2.81E-12	5.65E-11	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.5E+01	.	1.6E+04	2.5E+01	2.0E-01	1.5E+02	2.2E+02	.	.	.	2.0E-01	3.5E-18
Thallium (81)	Tl-200	1.67E-11	1.1E-11 (S)	2.23E-11	3.28E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	1.9E+00	.	2.8E+03	3.2E+00	2.6E-02	1.9E+01	2.8E+01	.	.	.	2.5E-02	1.6E-18
Thallium (81)	Tl-201	1.00E-11	1.9E-11 (S)	1.38E-11	1.76E-11	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	3.2E+00	.	5.2E+04	5.2E+00	4.2E-02	3.1E+01	4.5E+01	.	.	.	4.1E-02	7.1E-18
Thallium (81)	Tl-202	4.03E-11	3.7E-11 (S)	5.44E-11	1.10E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	7.9E-01	.	8.3E+03	1.3E+00	1.1E-02	7.8E+00	1.1E+01	.	.	.	1.0E-02	7.2E-18
Thallium (81)	Tl-204	1.57E-10	1.6E-09 (S)	2.22E-10	3.14E-13	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	2.0E-01	.	2.9E+06	1.7E-01	2.6E-03	1.9E+00	2.8E+00	.	.	.	2.5E-03	2.0E-16
Thallium (81)	Tl-206	0.00E+00	0.00E+00	0.00E+00	3.98E-13	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	2.3E+06	.	.	.	.	.	.	.	2.3E+06	3.9E-13
Thallium (81)	Tl-206m	0.00E+00	0.00E+00	0.00E+00	6.00E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	1.5E+03	.	.	.	.	.	.	.	1.5E+03	2.3E-16
Thallium (81)	Tl-207	0.00E+00	0.00E+00	0.00E+00	9.21E-13	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	9.9E+05	.	.	.	.	.	.	.	9.9E+05	1.9E-13
Thallium (81)	Tl-208	0.00E+00	0.00E+00	0.00E+00	9.34E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	9.8E+02	.	.	.	.	.	.	.	9.8E+02	1.2E-16
Thallium (81)	Tl-209	0.00E+00	0.00E+00	0.00E+00	5.62E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	1.6E+03	.	.	.	.	.	.	.	1.6E+03	1.5E-16
Thallium (81)	Tl-210	0.00E+00	0.00E+00	0.00E+00	7.26E-10	2.00E-01	9.00E+02	2.00E-02	3.00E-03	.	.	.	.	.	1.3E+03	.	.	.	.	.	.	.	1.3E+03	6.8E-17
Thulium (69)	Tm-161	2.94E-12	1.6E-12 (S)	4.13E-12	3.25E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.1E+01	.	2.8E+03	1.7E+01	.	1.0E+03	7.5E+03	.	.	.	6.6E+00	6.3E-18
Thulium (69)	Tm-162	2.02E-12	9.7E-13 (S)	2.79E-12	5.05E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.6E+01	.	1.8E+03	2.6E+01	.	1.5E+03	1.1E+04	.	.	.	9.6E+00	6.7E-18
Thulium (69)	Tm-163	4.56E-12	2.4E-12 (S)	6.41E-12	3.31E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	7.0E+00	.	2.8E+03	1.1E+01	.	6.6E+02	4.8E+03	.	.	.	4.3E+00	1.5E-17
Thulium (69)	Tm-164	0.00E+00	0.00E+00	0.00E+00	1.94E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	4.7E+03	.	.	.	.	.	.	.	4.7E+03	3.0E-16
Thulium (69)	Tm-165	4.51E-11	2.4E-11 (S)	6.50E-11	1.31E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	7.1E-01	.	7.0E+03	1.1E+00	.	6.5E+01	4.8E+02	.	.	.	4.3E-01	2.5E-17
Thulium (69)	Tm-166	2.95E-11	1.5E-11 (S)	4.19E-11	5.14E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.1E+00	.	1.8E+03	1.7E+00	.	1.0E+02	7.4E+02	.	.	.	6.6E-01	9.9E-18
Thulium (69)	Tm-167	9.71E-11	1.4E-10 (S)	1.42E-10	2.95E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.3E-01	.	3.1E+04	5.0E-01	.	3.0E+01	2.2E+02	.	.	.	2.0E-01	8.6E-17
Thulium (69)	Tm-168	1.21E-10	5.0E-10 (S)	1.74E-10	3.03E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.6E-01	.	3.0E+03	4.0E-01	.	2.4E+01	1.8E+02	.	.	.	1.6E-01	7.0E-16
Thulium (69)	Tm-170	2.39E-10	8.9E-10 (S)	3.50E-10	8.33E-13	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.3E-01	.	1.1E+06	1.9E-01	.	1.2E+01	8.8E+01	.	.	.	7.8E-02	4.9E-16
Thulium (69)	Tm-171	1.88E-11	1.2E-10 (S)	2.76E-11	9.03E-14	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.7E+00	.	1.0E+07	2.0E+00	.	1.5E+02	1.1E+03	.	.	.	9.2E-01	3.1E-14
Thulium (69)	Tm-172	2.92E-10	1.6E-10 (S)	4.28E-10	1.25E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.1E-01	.	7.3E+03	1.7E-01	.	9.9E+00	7.2E+01	.	.	.	6.5E-02	8.5E-18
Thulium (69)	Tm-173	4.55E-11	2.2E-11 (S)	6.64E-11	9.37E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	7.0E-01	.	9.8E+03	1.1E+00	.	6.4E+01	4.7E+02	.	.	.	4.2E-01	7.1E-18
Thulium (69)	Tm-174	0.00E+00	0.00E+00	0.00E+00	4.42E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	2.1E+03	.	.	.	.	.	.	.	2.1E+03	3.8E-16
Thulium (69)	Tm-175	1.36E-12	9.2E-13 (S)	1.89E-12	2.72E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.3E+01	.	3.4E+03	3.8E+01	.	2.2E+03	1.6E+04	.	.	.	1.4E+01	7.5E-18
Thulium (69)	Tm-176	0.00E+00	0.00E+00	0.00E+00	5.18E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	1.8E+03	.	.	.	.	.	.	.	1.8E+03	1.1E-16
Uranium (92)	U-227	0.00E+00	0.00E+00	0.00E+00	2.64E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	.	.	3.5E+04	.	.	.	.	.	.	.	3.5E+04	1.7E-15
Uranium (92)	U-228	0.00E+00	0.00E+00	0.00E+00	8.65E-13	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	.	.	1.1E+06	.	.	.	.	.	.	.	1.1E+06	4.3E-13
Uranium (92)	U-230	5.65E-09	1.5E-06 (S)	8.05E-09	2.46E-13	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	5.6E-03	.	3.7E+06	8.8E-03	6.7E-02	2.7E+00	1.3E-01	2.1E-01	3.1E-01	4.3E-01	3.1E-03	4.2E-18
Uranium (92)	U-231	5.74E-11	5.7E-11 (S)	8.40E-11	1.45E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	5.6E-01	.	6.3E+04	8.5E-01	6.4E+00	2.6E+02	1.2E+01	2.0E+01	3.0E+01	4.1E+01	3.0E-01	8.3E-17
Uranium (92)	U-232	7.85E-09	2.5E-06 (S)	1.04E-08	5.65E-14	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	4.1E-03	.	1.6E+07	2.1E-03	5.2E-02	2.1E+00	9.9E-02	1.6E-01	2.4E-01	3.3E-01	1.3E-03	2.2E-15
Uranium (92)	U-233	1.94E-09	7.7E-07 (S)	2.62E-09	5.65E-14	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.6E-02	.	1.6E+07	7.5E-03	2.1E-01	8.3E+00	3.9E-01	6.3E-01	9.7E-01	1.3E+00	4.9E-03	1.9E-11
Uranium (92)	U-234	1.91E-09	7.5E-07 (S)	2.58E-09	3.15E-14	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.7E-02	.	2.9E+07	7.7E-03	2.1E-01	8.4E+00	4.0E-01	6.4E-01	9.8E-01	1.3E+00	5.0E-03	3.0E-11
Uranium (92)	U-235	1.88E-09	6.8E-07 (S)	2.55E-09	3.76E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.7E-02	.	2.4E+04	7.8E-03	2.1E-01	8.5E+00	4.0E-01	6.5E-01	9.9E-01	1.4E+00	5.0E-03	8.6E-08
Uranium (92)	U-235+D	1.94E-09	6.8E-07 (S)	2.64E-09	4.01E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.6E-02	.	2.3E+04	7.5E-03	2.0E-01	8.2E+00	3.9E-01	6.3E-01	9.6E-01	1.3E+00	4.9E-03	8.4E-08
Uranium (92)	U-235m	2.06E-16	5.1E-17 (M)	2.87E-16	0.00E+00	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.5E+05	.	.	2.5E+05	1.9E+06	7.6E+07	3.6E+06	5.8E+06	8.8E+06	1.2E+07	8.6E+04	1.0E-13
Uranium (92)	U-236	1.80E-09	6.9E-07 (S)	2.43E-09	1.89E-14	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.8E-02	.	4.8E+07	8.1E-03	2.2E-01	9.0E+00	4.2E-01	6.8E-01	1.0E+00	1.4E+00	5.3E-03	3.0E-09
Uranium (92)	U-237	1.35E-10	2.0E-10 (S)	1.97E-10	2.86E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	2.4E-01	.	3.2E+04	3.6E-01	2.7E+00	1.1E+02	5.2E+00	8.4E+00	1.3E+01	1.8E+01	1.3E-01	5.8E-17
Uranium (92)	U-238	1.73E-09	6.4E-07 (S)	2.34E-09	1.62E-14	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.8E-02	.	5.7E+07	8.5E-03	2.3E-01	9.3E+00	4.4E-01	7.1E-01	1.1E+00	1.5E+00	5.5E-03	6.0E-07
Uranium (92)	U-238+D	2.35E-09	6.4E-07 (S)	3.26E-09	7.26E-12	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.4E-02	.	1.3E+05	6.1E-03	1.7E-01	6.7E+00	3.2E-01	5.1E-01	7.8E-01	1.1E+00	4.0E-03	4.4E-07
Uranium (92)	U-239	2.01E-12	1.7E-12 (S)	2.86E-12	1.02E-11	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.6E+01	.	9.0E+04	2.5E+01	1.9E+02	7.6E+03	3.6E+02	5.8E+02	8.9E+02	1.2E+03	8.7E+00	9.6E-18
Uranium (92)	U-240	1.87E-10	8.4E-11 (S)	2.74E-10	9.78E-13	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.7E-01	.	9.3E+05	2.6E-01	2.0E+00	7.9E+01	3.8E+00	6.0E+00	9.2E+00	1.3E+01	9.2E-02	3.7E-18
Uranium (92)	U-242	2.34E-12	1.4E-12 (S)	3.23E-12	9.53E-12	5.39E-03	9.60E-01	3.90E-04	1.80E-03	4.40E-02	7.50E-01	1.10E+00	1.4E+01	.	9.6E+04	2.2E+01	1.7E+02	6.7E+03	3.2E+02	5.1E+02	7.8E+02	1.1E+03	7.6E+00	6.1E-18
Vanadium (23)	V-47	3.38E-12	1.7E-12 (S)	4.71E-12	2.45E-10	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	9.4E+00	.	3.7E+03	1.5E+01	1.1E+00	1.8E+02	7.9E+02	.	.	.	9.4E-01	2.8E-19
Vanadium (23)	V-48	2.24E-10	2.8E-10 (S)	3.19E-10	7.51E-10	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	1.4E-01	.	1.2E+03	2.2E-01	1.7E-02	2.7E+00	1.2E+01	.	.	.	1.4E-02	3.0E-18
Vanadium (23)	V-49	3.27E-12	7.6E-12 (S)	4.79E-12	0.00E+00	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	9.7E+00	.	.	1.3E+01	1.1E+00	1.8E+02	7.7E+02	.	.	.	9.2E-01	4.2E-15
Vanadium (23)	V-50	1.60E-10	2.6E-09 (F)	2.15E-10	3.82E-10	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	2.0E-01	.	2.4E+03	9.3E-02	2.5E-02	3.9E+00	1.7E+01	.	.	.	1.8E-02	1.4E+01
Vanadium (23)	V-52	0.00E+00	0.00E+00	0.00E+00	3.85E-10	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	9.1E-17
Vanadium (23)	V-53	0.00E+00	0.00E+00	0.00E+00	2.69E-10	2.00E-03	9.70E+01	1.00E-02	5.00E-04	.	.	.	.	.	3.4E+03	.	.	.	.	.	.	.	3.4E+03	5.7E-17
Tungsten (74)	W-177	5.21E-12	3.2E-12 (S)	7.37E-12	2.19E-10	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	6.1E+00	.	4.2E+03	9.7E+00	5.9E-02	2.9E+01	1.3E+03	.	.	.	5.7E-02	2.7E-19
Tungsten (74)	W-178	3.71E-11	8.4E-11 (S)	5.39E-11	2.32E-12	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	8.6E-01	.	3.9E+05	1.3E+00	8.0E-03	3.9E+00	1.8E+02	.	.	.	7.9E-03	8.6E-18
Tungsten (74)	W-178+D	3.71E-11	8.4E-11 (S)	5.39E-11	2.81E-11	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	8.6E-01	.	3.3E+04	1.3E+00	8.0E-03	3.9E+00	1.8E+02	.	.	.	7.9E-03	8.6E-18
Tungsten (74)	W-179	2.05E-13	8.0E-14 (S)	2.87E-13	7.73E-12	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	1.6E+02	.	1.2E+05	2.5E+02	1.5E+00	7.4E+02	3.4E+04	.	.	.	1.5E+00	1.9E-18
Tungsten (74)	W-179m	0.00E+00	0.00E+00	0.00E+00	1.05E-11	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	.	.	8.7E+04	.	.	.	.	.	.	.	8.7E+04	2.0E-14
Tungsten (74)	W-181	1.22E-11	3.1E-11 (S)	1.76E-11	6.15E-12	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	2.6E+00	.	1.5E+05	3.4E+00	2.5E-02	1.2E+01	5.5E+02	.	.	.	2.4E-02	1.5E-16
Tungsten (74)	W-185	7.92E-11	3.7E-10 (S)	1.16E-10	3.66E-14	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	4.0E-01	.	2.5E+07	5.5E-01	3.7E-03	1.8E+00	8.4E+01	.	.	.	3.7E-03	1.4E-17
Tungsten (74)	W-185m	0.00E+00	0.00E+00	0.00E+00	4.95E-12	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	.	.	1.8E+05	.	.	.	.	.	.	.	1.8E+05	1.1E-14
Tungsten (74)	W-187	9.42E-11	5.3E-11 (S)	1.37E-10	1.09E-10	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	3.4E-01	.	8.4E+03	5.2E-01	3.1E-03	1.5E+00	7.1E+01	.	.	.	3.1E-03	1.6E-19
Tungsten (74)	W-188	3.77E-10	1.5E-09 (S)	5.52E-10	4.54E-13	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	8.5E-02	.	2.0E+06	1.2E-01	7.8E-04	3.8E-01	1.8E+01	.	.	.	7.7E-04	2.9E-18
Tungsten (74)	W-190	4.44E-12	3.9E-12 (S)	6.19E-12	3.02E-11	8.00E-01	1.20E+03	4.00E-02	1.90E-04	.	.	.	7.2E+00	.	3.0E+04	1.2E+01	7.0E-02	3.4E+01	1.6E+03	.	.	.	6.8E-02	7.7E-20
Xenon (54)	Xe-120	0.00E+00	0.00E+00	0.00E+00	9.06E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.0E+04	.	.	.	.	.	.	.	1.0E+04	9.6E-15
Xenon (54)	Xe-121	0.00E+00	0.00E+00	0.00E+00	3.82E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	2.3E-15
Xenon (54)	Xe-122	0.00E+00	0.00E+00	0.00E+00	1.18E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	7.7E+04	.	.	.	.	.	.	.	7.7E+04	2.2E-12
Xenon (54)	Xe-123	0.00E+00	0.00E+00	0.00E+00	1.57E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.8E+03	.	.	.	.	.	.	.	5.8E+03	1.8E-14
Xenon (54)	Xe-125	0.00E+00	0.00E+00	0.00E+00	5.90E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	3.9E-13
Xenon (54)	Xe-127	0.00E+00	0.00E+00	0.00E+00	6.15E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	2.0E-11
Xenon (54)	Xe-127m	0.00E+00	0.00E+00	0.00E+00	3.57E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.6E+04	.	.	.	.	.	.	.	2.6E+04	7.4E-16
Xenon (54)	Xe-129m	0.00E+00	0.00E+00	0.00E+00	4.42E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	2.1E+05	.	.	.	.	.	.	.	2.1E+05	6.7E-11
Xenon (54)	Xe-131m	0.00E+00	0.00E+00	0.00E+00	1.62E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	5.6E+05	.	.	.	.	.	.	.	5.6E+05	2.5E-10
Xenon (54)	Xe-133	0.00E+00	0.00E+00	0.00E+00	7.16E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.3E+05	.	.	.	.	.	.	.	1.3E+05	2.5E-11
Xenon (54)	Xe-133m	0.00E+00	0.00E+00	0.00E+00	6.47E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.4E+05	.	.	.	.	.	.	.	1.4E+05	1.2E-11
Xenon (54)	Xe-135	0.00E+00	0.00E+00	0.00E+00	5.96E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.5E+04	.	.	.	.	.	.	.	1.5E+04	2.2E-13
Xenon (54)	Xe-135m	0.00E+00	0.00E+00	0.00E+00	1.04E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	8.8E+03	.	.	.	.	.	.	.	8.8E+03	3.6E-15
Xenon (54)	Xe-137	0.00E+00	0.00E+00	0.00E+00	5.08E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	1.8E+04	.	.	.	.	.	.	.	1.8E+04	1.9E-15
Xenon (54)	Xe-138	0.00E+00	0.00E+00	0.00E+00	3.01E-10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	3.0E+03	.	.	.	.	.	.	.	3.0E+03	1.2E-15
Yttrium (39)	Y-81	0.00E+00	0.00E+00	0.00E+00	2.87E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	3.2E+03	.	.	.	.	.	.	.	3.2E+03	6.0E-17

Radionuclides		Slope Factors and Isotope-specific Information											Carcinogenic Target Risk (TR) = 1E-06											
Element (Atomic Number)	Isotope	Water Ingestion Slope Factor (risk/Bq)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Food Ingestion Slope Factor (risk/Bq)	Immersion Slope Factor (risk/yr per Bq/L)	Wet Soil-to-plant transfer factor (L/kg)	Fish Bioconcentration Factor (pCi/kg per pCi/L)	Plant to Beef Transfer Factor (pCi/kg per pCi/d)	Plant to Milk Transfer Factor (pCi/kg per pCi/d)	Plant to Swine Transfer Factor (pCi/kg per pCi/d)	Plant to Poultry Transfer Factor (pCi/kg per pCi/d)	Plant to Egg Transfer Factor (pCi/kg per pCi/d)	Ingestion PRG (Bq/L)	Inhalation PRG (Bq/L)	Immersion PRG (Bq/L)	Produce Consumption PRG (Bq/L)	Fish Consumption PRG (Bq/L)	Beef Consumption PRG (Bq/L)	Dairy Consumption PRG (Bq/L)	Swine Consumption PRG (Bq/L)	Poultry Consumption PRG (Bq/L)	Egg Consumption PRG (Bq/L)	Total PRG (Bq/L)	Total PRG (mg/L)
Actinium (89)	Ac-223	0.00E+00	0.00E+00	0.00E+00	3.98E-12	1.00E-03	1.50E+01	2.00E-05	2.00E-06	.	.	.	.	.	2.3E+05	.	.	.	.	.	.	.	2.3E+05	2.1E-14
Yttrium (39)	Y-83	0.00E+00	0.00E+00	0.00E+00	3.35E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	2.7E+03	.	.	.	.	.	.	.	2.7E+03	3.2E-16
Yttrium (39)	Y-83m	0.00E+00	0.00E+00	0.00E+00	2.04E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	4.5E+03	.	.	.	.	.	.	.	4.5E+03	2.1E-16
Yttrium (39)	Y-84m	8.19E-12	3.4E-12 (S)	1.14E-11	1.01E-09	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	3.9E+00	.	9.1E+02	6.3E+00	1.1E+00	3.7E+02	2.7E+03	.	1.7E+04	1.7E+05	7.7E-01	5.0E-19
Yttrium (39)	Y-85	2.01E-11	8.6E-12 (S)	2.89E-11	2.65E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.6E+00	.	3.5E+03	2.5E+00	4.5E-01	1.5E+02	1.1E+03	.	6.6E+03	6.6E+04	3.1E-01	8.2E-19
Yttrium (39)	Y-85m	4.88E-11	1.9E-11 (S)	7.08E-11	3.41E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	6.5E-01	.	2.7E+03	1.0E+00	1.8E-01	6.0E+01	4.4E+02	.	2.7E+03	2.7E+04	1.2E-01	6.1E-19
Yttrium (39)	Y-86	1.07E-10	4.2E-11 (S)	1.53E-10	9.28E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	3.0E-01	.	9.9E+02	4.7E-01	8.5E-02	2.8E+01	2.0E+02	.	1.2E+03	1.2E+04	5.8E-02	8.6E-19
Yttrium (39)	Y-86m	6.22E-12	2.5E-12 (S)	8.88E-12	5.24E-11	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	5.1E+00	.	1.7E+04	8.0E+00	1.5E+00	4.8E+02	3.5E+03	.	2.1E+04	2.1E+05	9.9E-01	8.1E-19
Yttrium (39)	Y-87	6.94E-11	4.0E-11 (S)	9.99E-11	1.07E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	4.6E-01	.	8.6E+03	7.1E-01	1.3E-01	4.2E+01	3.1E+02	.	1.9E+03	1.9E+04	8.8E-02	7.3E-18
Yttrium (39)	Y-87m	3.00E-11	1.5E-11 (S)	4.34E-11	7.42E-11	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.1E+00	.	1.2E+04	1.6E+00	3.0E-01	9.8E+01	7.1E+02	.	4.4E+03	4.4E+04	2.0E-01	2.8E-18
Yttrium (39)	Y-88	1.14E-10	5.5E-10 (F)	1.59E-10	7.23E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	2.8E-01	.	1.3E+03	4.3E-01	8.1E-02	2.7E+01	1.9E+02	.	1.2E+03	1.2E+04	5.5E-02	1.5E-16
Yttrium (39)	Y-89m	0.00E+00	0.00E+00	0.00E+00	2.29E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	.	.	4.0E+03	.	.	.	.	.	.	.	4.0E+03	1.8E-17
Yttrium (39)	Y-90	4.87E-10	2.3E-10 (S)	7.15E-10	1.01E-12	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	6.5E-02	.	9.0E+05	1.0E-01	1.8E-02	5.9E+00	4.3E+01	.	2.7E+02	2.7E+03	1.2E-02	8.5E-19
Yttrium (39)	Y-90m	2.82E-11	1.3E-11 (S)	4.11E-11	1.53E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.1E+00	.	6.0E+03	1.7E+00	3.1E-01	1.0E+02	7.5E+02	.	4.6E+03	4.6E+04	2.2E-01	7.3E-19
Yttrium (39)	Y-91	4.34E-10	9.1E-10 (S)	6.37E-10	1.27E-12	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	7.3E-02	.	7.2E+05	1.1E-01	2.0E-02	6.7E+00	4.9E+01	.	3.0E+02	3.0E+03	1.4E-02	2.1E-17
Yttrium (39)	Y-91m	9.52E-13	8.2E-13 (S)	1.34E-12	1.30E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	3.3E+01	.	7.0E+03	5.3E+01	9.7E+00	3.2E+03	2.3E+04	.	1.4E+05	1.4E+06	6.5E+00	5.8E-18
Yttrium (39)	Y-92	6.71E-11	2.5E-11 (S)	9.79E-11	6.72E-11	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	4.7E-01	.	1.4E+04	7.3E-01	1.3E-01	4.3E+01	3.2E+02	.	1.9E+03	1.9E+04	9.0E-02	3.5E-19
Yttrium (39)	Y-93	1.96E-10	7.2E-11 (S)	2.87E-10	2.68E-11	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.6E-01	.	3.4E+04	2.5E-01	4.5E-02	1.5E+01	1.1E+02	.	6.6E+02	6.6E+03	3.1E-02	3.5E-19
Yttrium (39)	Y-94	3.79E-12	1.5E-12 (S)	5.24E-12	2.04E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	8.4E+00	.	4.5E+03	1.4E+01	2.5E+00	8.1E+02	5.9E+03	.	3.6E+04	3.6E+05	1.7E+00	5.8E-19
Yttrium (39)	Y-95	1.82E-12	7.4E-13 (S)	2.51E-12	3.13E-10	4.35E-04	4.00E+01	2.00E-03	6.00E-05	.	1.00E-02	2.00E-03	1.8E+01	.	2.9E+03	2.8E+01	5.2E+00	1.7E+03	1.2E+04	.	7.6E+04	7.6E+05	3.5E+00	6.7E-19
Ytterbium (70)	Yb-162	1.88E-12	1.0E-12 (S)	2.62E-12	5.49E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	1.7E+01	.	1.7E+04	2.7E+01	.	1.6E+03	1.2E+04	.	.	.	1.0E+01	6.2E-18
Ytterbium (70)	Yb-163	9.66E-13	4.5E-13 (S)	1.34E-12	1.81E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.3E+01	.	5.1E+03	5.3E+01	.	3.2E+03	2.3E+04	.	.	.	2.0E+01	7.2E-18
Ytterbium (70)	Yb-164	7.40E-12	3.5E-12 (S)	1.06E-11	8.65E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	4.3E+00	.	1.1E+05	6.7E+00	.	4.0E+02	2.9E+03	.	.	.	2.6E+00	6.4E-18
Ytterbium (70)	Yb-165	0.00E+00	0.00E+00	0.00E+00	7.51E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	1.2E+04	.	.	.	.	.	.	.	1.2E+04	3.9E-15
Ytterbium (70)	Yb-166	1.15E-10	7.7E-11 (S)	1.65E-10	1.26E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.8E-01	.	7.3E+04	4.3E-01	.	2.6E+01	1.9E+02	.	.	.	1.7E-01	1.9E-17
Ytterbium (70)	Yb-167	4.34E-13	4.7E-13 (S)	6.08E-13	5.18E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	7.3E+01	.	1.8E+04	1.2E+02	.	7.0E+03	5.1E+04	.	.	.	4.5E+01	2.6E-17
Ytterbium (70)	Yb-169	1.27E-10	3.4E-10 (S)	1.84E-10	6.44E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	2.5E-01	.	1.4E+04	3.8E-01	.	2.3E+01	1.7E+02	.	.	.	1.5E-01	2.3E-16
Ytterbium (70)	Yb-175	7.81E-11	8.0E-11 (S)	1.15E-10	9.21E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	4.1E-01	.	9.9E+04	6.2E-01	.	3.7E+01	2.7E+02	.	.	.	2.4E-01	5.1E-17
Ytterbium (70)	Yb-177	9.59E-12	6.5E-12 (S)	1.39E-11	4.89E-11	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.3E+00	.	1.9E+04	5.1E+00	.	3.1E+02	2.2E+03	.	.	.	2.0E+00	8.0E-18
Ytterbium (70)	Yb-178	1.03E-11	6.3E-12 (S)	1.49E-11	9.21E-12	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	3.1E+00	.	9.9E+04	4.8E+00	.	2.8E+02	2.1E+03	.	.	.	1.9E+00	4.8E-18
Ytterbium (70)	Yb-179	0.00E+00	0.00E+00	0.00E+00	2.40E-10	2.00E-03	.	2.00E-03	6.00E-05	.	.	.	.	.	3.8E+03	.	.	.	.	.	.	.	3.8E+03	1.1E-15
Zinc (30)	Zn-60	0.00E+00	0.00E+00	0.00E+00	3.76E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	.	.	2.4E+03	.	.	.	.	.	.	.	2.4E+03	6.9E-17
Zinc (30)	Zn-61	0.00E+00	0.00E+00	0.00E+00	3.91E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	.	.	2.3E+03	.	.	.	.	.	.	.	2.3E+03	4.2E-17
Zinc (30)	Zn-62	1.33E-10	7.9E-11 (S)	1.95E-10	1.06E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	2.4E-01	.	8.6E+03	3.7E-01	7.8E-04	2.7E-01	3.5E+00	2.2E+00	2.1E+01	1.4E+01	7.7E-04	5.2E-21
Zinc (30)	Zn-63	4.41E-12	2.2E-12 (S)	6.18E-12	2.71E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	7.2E+00	.	3.4E+03	1.2E+01	2.5E-02	8.6E+00	1.1E+02	6.9E+01	6.5E+02	4.4E+02	2.4E-02	1.2E-20
Zinc (30)	Zn-65	3.14E-10	2.0E-10 (F)	4.14E-10	1.50E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	1.0E-01	.	6.1E+03	1.0E-01	3.7E-04	1.3E-01	1.7E+00	1.0E+00	9.8E+00	6.6E+00	3.6E-04	1.6E-18
Zinc (30)	Zn-69	1.93E-12	1.8E-12 (S)	2.75E-12	1.48E-13	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	1.7E+01	.	6.2E+06	2.6E+01	5.5E-02	1.9E+01	2.5E+02	1.6E+02	1.5E+03	9.9E+02	5.5E-02	4.2E-20
Zinc (30)	Zn-69m	5.05E-11	3.9E-11 (S)	7.39E-11	1.01E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	6.3E-01	.	9.0E+03	9.6E-01	2.1E-03	7.2E-01	9.3E+00	5.8E+00	5.5E+01	3.7E+01	2.0E-03	2.3E-20
Zinc (30)	Zn-71	0.00E+00	0.00E+00	0.00E+00	7.98E-11	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	.	.	1.1E+04	.	.	.	.	.	.	.	1.1E+04	3.9E-16
Zinc (30)	Zn-71m	2.63E-11	1.6E-11 (S)	3.79E-11	3.85E-10	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	1.2E+00	.	2.4E+03	1.9E+00	4.0E-03	1.4E+00	1.8E+01	1.1E+01	1.1E+02	7.2E+01	4.0E-03	1.3E-20
Zinc (30)	Zn-72	1.80E-10	1.7E-10 (S)	2.58E-10	3.38E-11	1.57E+00	3.40E+03	1.60E-01	2.70E-03	1.70E-01	4.70E-01	1.40E+00	1.8E-01	.	2.7E+04	2.7E-01	5.9E-04	2.1E-01	2.7E+00	1.7E+00	1.6E+01	1.1E+01	5.8E-04	2.3E-20
Zirconium (40)	Zr-85	0.00E+00	0.00E+00	0.00E+00	3.66E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	.	.	2.5E+03	.	.	.	.	.	.	.	2.5E+03	3.3E-16
Zirconium (40)	Zr-86	1.03E-10	4.4E-11 (S)	1.48E-10	6.56E-11	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	3.1E-01	.	1.4E+04	4.8E-01	1.6E-01	4.8E+04	3.5E+03	.	2.1E+05	1.3E+05	8.6E-02	1.4E-18
Zirconium (40)	Zr-87	1.82E-11	8.1E-12 (S)	2.62E-11	2.29E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	1.8E+00	.	4.0E+03	2.7E+00	9.0E-01	2.7E+05	2.0E+04	.	1.2E+06	7.3E+05	4.9E-01	8.4E-19
Zirconium (40)	Zr-88	4.19E-11	3.6E-10 (S)	5.81E-11	9.28E-11	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	7.6E-01	.	9.9E+03	1.2E+00	4.0E-01	1.2E+05	8.9E+03	.	5.4E+05	3.3E+05	2.2E-01	4.5E-16
Zirconium (40)	Zr-89	9.73E-11	5.5E-11 (S)	1.40E-10	2.91E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	3.3E-01	.	3.1E+03	5.1E-01	1.7E-01	5.1E+04	3.7E+03	.	2.3E+05	1.4E+05	9.1E-02	7.5E-18
Zirconium (40)	Zr-89m	0.00E+00	0.00E+00	0.00E+00	1.58E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	.	.	5.8E+03	.	.	.	.	.	.	.	5.8E+03	4.2E-16
Zirconium (40)	Zr-93	2.93E-11	4.0E-10 (F)	3.80E-11	2.12E-19	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	1.1E+00	.	4.3E+12	5.3E-01	6.2E-01	1.9E+05	1.4E+04	.	8.3E+05	5.0E+05	2.3E-01	3.3E-09
Zirconium (40)	Zr-95	1.25E-10	5.7E-10 (S)	1.80E-10	1.84E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	2.5E-01	.	5.0E+03	3.9E-01	1.3E-01	3.9E+04	2.9E+03	.	1.8E+05	1.1E+05	7.1E-02	1.2E-16
Zirconium (40)	Zr-97	3.38E-10	1.4E-10 (S)	4.94E-10	2.22E-10	8.70E-04	2.20E+01	1.20E-06	3.60E-06	.	6.00E-05	2.00E-04	9.4E-02	.	4.1E+03	1.4E-01	4.8E-02	1.4E+04	1.0E+03	.	6.4E+04	3.8E+04	2.6E-02	5.0E-19

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Actinium (89)	Ac-223+D	0.00E+00	.	.	.	.	.	.	.	.
Actinium (89)	Ac-224	2.07E-10	1.3E-03	2.2E-03	8.0E-04	3.7E-03	7.4E-03	4.0E-03	2.5E-03	.
Actinium (89)	Ac-225	7.34E-09	3.5E-05	6.1E-05	2.3E-05	1.0E-04	2.1E-04	1.1E-04	7.1E-05	.
Actinium (89)	Ac-225+D	7.34E-09	3.5E-05	6.1E-05	2.3E-05	1.0E-04	2.1E-04	1.1E-04	7.1E-05	.
Actinium (89)	Ac-226	2.77E-09	9.4E-05	1.6E-04	6.0E-05	2.7E-04	5.5E-04	3.0E-04	1.9E-04	.
Actinium (89)	Ac-227	6.63E-09	3.9E-05	6.8E-05	2.5E-05	1.1E-04	2.3E-04	1.3E-04	7.8E-05	.
Actinium (89)	Ac-228	7.39E-11	3.5E-03	6.1E-03	2.2E-03	1.0E-02	2.1E-02	1.1E-02	7.0E-03	.
Actinium (89)	Ac-230	0.00E+00	.	.	.	.	.	.	.	.
Actinium (89)	Ac-231	0.00E+00	.	.	.	.	.	.	.	.
Actinium (89)	Ac-232	0.00E+00	.	.	.	.	.	.	.	.
Actinium (89)	Ac-233	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-100m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-101	2.23E-12	1.2E-01	2.0E-01	7.4E-02	3.4E-01	6.8E-01	3.7E-01	2.3E-01	.
Silver (47)	Ag-102	2.75E-12	9.4E-02	1.6E-01	6.0E-02	2.8E-01	5.5E-01	3.0E-01	1.9E-01	.
Silver (47)	Ag-102m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-103	3.98E-12	6.5E-02	1.1E-01	4.2E-02	1.9E-01	3.8E-01	2.1E-01	1.3E-01	.
Silver (47)	Ag-104	6.23E-12	4.2E-02	7.2E-02	2.7E-02	1.2E-01	2.4E-01	1.3E-01	8.3E-02	.
Silver (47)	Ag-104m	5.15E-12	5.0E-02	8.7E-02	3.2E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Silver (47)	Ag-105	6.65E-11	3.9E-03	6.8E-03	2.5E-03	1.1E-02	2.3E-02	1.3E-02	7.8E-03	.
Silver (47)	Ag-105m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-106	2.18E-12	1.2E-01	2.1E-01	7.6E-02	3.5E-01	7.0E-01	3.8E-01	2.4E-01	.
Silver (47)	Ag-106m	1.80E-10	1.4E-03	2.5E-03	9.2E-04	4.2E-03	8.5E-03	4.6E-03	2.9E-03	.
Silver (47)	Ag-108	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-108m	3.01E-10	8.6E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Silver (47)	Ag-108m+D	3.01E-10	8.6E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Silver (47)	Ag-109m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-110	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-110m	3.76E-10	6.9E-04	1.2E-03	4.4E-04	2.0E-03	4.0E-03	2.2E-03	1.4E-03	.
Silver (47)	Ag-110m+D	3.76E-10	6.9E-04	1.2E-03	4.4E-04	2.0E-03	4.0E-03	2.2E-03	1.4E-03	.
Silver (47)	Ag-111	3.25E-10	8.0E-04	1.4E-03	5.1E-04	2.3E-03	4.7E-03	2.6E-03	1.6E-03	.
Silver (47)	Ag-111m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-112	7.72E-11	3.4E-03	5.8E-03	2.1E-03	9.8E-03	2.0E-02	1.1E-02	6.7E-03	.
Silver (47)	Ag-113	8.71E-11	3.0E-03	5.2E-03	1.9E-03	8.7E-03	1.7E-02	9.5E-03	5.9E-03	.
Silver (47)	Ag-113m	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-114	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-115	5.45E-12	4.8E-02	8.3E-02	3.0E-02	1.4E-01	2.8E-01	1.5E-01	9.5E-02	.
Silver (47)	Ag-116	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-117	0.00E+00	.	.	.	.	.	.	.	.
Silver (47)	Ag-99	0.00E+00	.	.	.	.	.	.	.	.
Aluminum (13)	Al-26	6.71E-10	3.9E-04	6.7E-04	2.5E-04	1.1E-03	2.3E-03	1.2E-03	7.7E-04	.
Aluminum (13)	Al-28	0.00E+00	.	.	.	.	.	.	.	.
Aluminum (13)	Al-29	0.00E+00	.	.	.	.	.	.	.	.
Americium (95)	Am-237	2.00E-12	1.3E-01	2.2E-01	8.3E-02	3.8E-01	7.6E-01	4.2E-01	2.6E-01	.
Americium (95)	Am-238	3.61E-12	7.2E-02	1.2E-01	4.6E-02	2.1E-01	4.2E-01	2.3E-01	1.4E-01	.
Americium (95)	Am-239	5.61E-11	4.6E-03	8.0E-03	3.0E-03	1.4E-02	2.7E-02	1.5E-02	9.2E-03	.
Americium (95)	Am-240	1.02E-10	2.5E-03	4.4E-03	1.6E-03	7.4E-03	1.5E-02	8.2E-03	5.1E-03	.
Americium (95)	Am-241	3.61E-09	7.2E-05	1.2E-04	4.6E-05	2.1E-04	4.2E-04	2.3E-04	1.4E-04	.
Americium (95)	Am-242	7.14E-11	3.6E-03	6.3E-03	2.3E-03	1.1E-02	2.1E-02	1.2E-02	7.2E-03	.
Americium (95)	Am-242m	2.36E-09	1.1E-04	1.9E-04	7.0E-05	3.2E-04	6.4E-04	3.5E-04	2.2E-04	.
Americium (95)	Am-242m+D	2.43E-09	1.1E-04	1.9E-04	6.8E-05	3.1E-04	6.3E-04	3.4E-04	2.1E-04	.
Americium (95)	Am-243	3.62E-09	7.2E-05	1.2E-04	4.6E-05	2.1E-04	4.2E-04	2.3E-04	1.4E-04	.
Americium (95)	Am-243+D	3.83E-09	6.8E-05	1.2E-04	4.3E-05	2.0E-04	4.0E-04	2.2E-04	1.4E-04	.
Americium (95)	Am-244	9.70E-11	2.7E-03	4.6E-03	1.7E-03	7.8E-03	1.6E-02	8.6E-03	5.3E-03	.
Americium (95)	Am-244m	1.97E-12	1.3E-01	2.3E-01	8.4E-02	3.9E-01	7.7E-01	4.2E-01	2.6E-01	.
Americium (95)	Am-245	8.71E-12	3.0E-02	5.2E-02	1.9E-02	8.7E-02	1.7E-01	9.5E-02	5.9E-02	.
Americium (95)	Am-246	5.15E-12	5.0E-02	8.7E-02	3.2E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Americium (95)	Am-246m	2.46E-12	1.1E-01	1.8E-01	6.7E-02	3.1E-01	6.2E-01	3.4E-01	2.1E-01	.
Americium (95)	Am-247	1.98E-12	1.3E-01	2.3E-01	8.4E-02	3.8E-01	7.7E-01	4.2E-01	2.6E-01	.
Argon (18)	Ar-37	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-39	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-41	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-42	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-42+D	4.70E-11	5.5E-03	9.6E-03	3.5E-03	1.6E-02	3.2E-02	1.8E-02	1.1E-02	.
Argon (18)	Ar-43	0.00E+00	.	.	.	.	.	.	.	.
Argon (18)	Ar-44	0.00E+00	.	.	.	.	.	.	.	.
Arsenic (33)	As-68	0.00E+00	.	.	.	.	.	.	.	.
Arsenic (33)	As-69	3.72E-12	7.0E-02	1.2E-01	4.5E-02	2.0E-01	4.1E-01	2.2E-01	1.4E-01	.
Arsenic (33)	As-70	1.24E-11	2.1E-02	3.6E-02	1.3E-02	6.1E-02	1.2E-01	6.7E-02	4.2E-02	.
Arsenic (33)	As-71	8.78E-11	3.0E-03	5.1E-03	1.9E-03	8.6E-03	1.7E-02	9.5E-03	5.9E-03	.
Arsenic (33)	As-72	4.06E-10	6.4E-04	1.1E-03	4.1E-04	1.9E-03	3.7E-03	2.0E-03	1.3E-03	.
Arsenic (33)	As-73	6.18E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.3E-02	8.4E-03	.
Arsenic (33)	As-74	2.60E-10	1.0E-03	1.7E-03	6.4E-04	2.9E-03	5.9E-03	3.2E-03	2.0E-03	.
Arsenic (33)	As-76	3.79E-10	6.9E-04	1.2E-03	4.4E-04	2.0E-03	4.0E-03	2.2E-03	1.4E-03	.
Arsenic (33)	As-77	9.81E-11	2.6E-03	4.6E-03	1.7E-03	7.7E-03	1.6E-02	8.5E-03	5.3E-03	.
Arsenic (33)	As-78	2.28E-11	1.1E-02	2.0E-02	7.3E-03	3.3E-02	6.7E-02	3.6E-02	2.3E-02	.
Arsenic (33)	As-79	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-204	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-205	5.29E-12	4.9E-02	8.5E-02	3.1E-02	1.4E-01	2.9E-01	1.6E-01	9.8E-02	.
Astatine (85)	At-206	6.09E-12	4.3E-02	7.4E-02	2.7E-02	1.2E-01	2.5E-01	1.4E-01	8.5E-02	.
Astatine (85)	At-207	2.41E-11	1.1E-02	1.9E-02	6.9E-03	3.2E-02	6.3E-02	3.5E-02	2.1E-02	.
Astatine (85)	At-208	8.74E-12	3.0E-02	5.1E-02	1.9E-02	8.7E-02	1.7E-01	9.5E-02	5.9E-02	.
Astatine (85)	At-209	4.17E-11	6.2E-03	1.1E-02	4.0E-03	1.8E-02	3.6E-02	2.0E-02	1.2E-02	.
Astatine (85)	At-210	9.98E-11	2.6E-03	4.5E-03	1.7E-03	7.6E-03	1.5E-02	8.3E-03	5.2E-03	.
Astatine (85)	At-211	1.25E-09	2.1E-04	3.6E-04	1.3E-04	6.1E-04	1.2E-03	6.7E-04	4.1E-04	.
Astatine (85)	At-211+D	1.25E-09	2.1E-04	3.6E-04	1.3E-04	6.1E-04	1.2E-03	6.7E-04	4.1E-04	.
Astatine (85)	At-215	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-216	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-217	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-218	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-219	0.00E+00	.	.	.	.	.	.	.	.
Astatine (85)	At-220	0.00E+00	.	.	.	.	.	.	.	.
Gold (79)	Au-186	3.57E-12	7.3E-02	1.3E-01	4.6E-02	2.1E-01	4.3E-01	2.3E-01	1.4E-01	.
Gold (79)	Au-187	0.00E+00	.	.	.	.	.	.	.	.
Gold (79)	Au-190	3.81E-12	6.8E-02	1.2E-01	4.3E-02	2.0E-01	4.0E-01	2.2E-01	1.4E-01	.
Gold (79)	Au-191	1.16E-11	2.2E-02	3.9E-02	1.4E-02	6.5E-02	1.3E-01	7.2E-02	4.5E-02	.
Gold (79)	Au-192	2.41E-11	1.1E-02	1.9E-02	6.9E-03	3.2E-02	6.3E-02	3.5E-02	2.1E-02	.
Gold (79)	Au-193	2.69E-11	9.7E-03	1.7E-02	6.2E-03	2.8E-02	5.7E-02	3.1E-02	1.9E-02	.
Gold (79)	Au-193m	0.00E+00	.	.	.	.	.	.	.	.
Gold (79)	Au-194	6.17E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.3E-02	8.4E-03	.
Gold (79)	Au-195	6.11E-11	4.2E-03	7.4E-03	2.7E-03	1.2E-02	2.5E-02	1.4E-02	8.5E-03	.
Gold (79)	Au-195m	0.00E+00	.	.	.	.	.	.	.	.
Gold (79)	Au-196	5.94E-11	4.4E-03	7.6E-03	2.8E-03	1.3E-02	2.6E-02	1.4E-02	8.7E-03	.
Gold (79)	Au-196m	8.87E-11	2.9E-03	5.1E-03	1.9E-03	8.6E-03	1.7E-02	9.4E-03	5.8E-03	.
Gold (79)	Au-198	2.48E-10	1.0E-03	1.8E-03	6.7E-04	3.1E-03	6.1E-03	3.4E-03	2.1E-03	.
Gold (79)	Au-198m	2.81E-10	9.2E-04	1.6E-03	5.9E-04	2.7E-03	5.4E-03	3.0E-03	1.8E-03	.
Gold (79)	Au-199	1.12E-10	2.3E-03	4.0E-03	1.5E-03	6.8E-03	1.4E-02	7.4E-03	4.6E-03	.
Gold (79)	Au-200	5.87E-12	4.4E-02	7.7E-02	2.8E-02	1.3E-01	2.6E-01	1.4E-01	8.8E-02	.
Gold (79)	Au-200m	1.97E-10	1.3E-03	2.3E-03	8.4E-04	3.9E-03	7.7E-03	4.2E-03	2.6E-03	.
Gold (79)	Au-201	1.61E-12	1.6E-01	2.8E-01	1.0E-01	4.7E-01	9.5E-01	5.2E-01	3.2E-01	.
Gold (79)	Au-202	0.00E+00	.	.	.	.	.	.	.	.
Barium (56)	Ba-124	4.15E-12	6.3E-02	1.1E-01	4.0E-02	1.8E-01	3.7E-01	2.0E-01	1.2E-01	.
Barium (56)	Ba-126	3.30E-11	7.9E-03	1.4E-02	5.0E-03	2.3E-02	4.6E-02	2.5E-02	1.6E-02	.
Barium (56)	Ba-127	1.71E-12	1.5E-01	2.6E-01	9.7E-02	4.4E-01	8.9E-01	4.9E-01	3.0E-01	.
Barium (56)	Ba-128	6.21E-10	4.2E-04	7.2E-04	2.7E-04	1.2E-03	2.5E-03	1.3E-03	8.3E-04	.
Barium (56)	Ba-129	6.92E-12	3.8E-02	6.5E-02	2.4E-02	1.1E-01	2.2E-01	1.2E-01	7.5E-02	.
Barium (56)	Ba-129m	8.43E-12	3.1E-02	5.3E-02	2.0E-02	9.0E-02	1.8E-01	9.9E-02	6.1E-02	.
Barium (56)	Ba-131	7.85E-11	3.3E-03	5.7E-03	2.1E-03	9.7E-03	1.9E-02	1.1E-02	6.6E-03	.
Barium (56)	Ba-131m	3.53E-13	7.4E-01	1.3E+00	4.7E-01	2.2E+00	4.3E+00	2.4E+00	1.5E+00	.
Barium (56)	Ba-133	2.56E-10	1.0E-03	1.8E-03	6.5E-04	3.0E-03	5.9E-03	3.2E-03	2.0E-03	.
Barium (56)	Ba-133m	1.29E-10	2.0E-03	3.5E-03	1.3E-03	5.9E-03	1.2E-02	6.4E-03	4.0E-03	.
Barium (56)	Ba-135m	1.01E-10	2.6E-03	4.5E-03	1.6E-03	7.5E-03	1.5E-02	8.2E-03	5.1E-03	.
Barium (56)	Ba-137m	0.00E+00	.	.	.	.	.	.	.	.
Barium (56)	Ba-139	1.45E-11	1.8E-02	3.1E-02	1.1E-02	5.2E-02	1.0E-01	5.7E-02	3.6E-02	.
Barium (56)	Ba-140	5.92E-10	4.4E-04	7.6E-04	2.8E-04	1.3E-03	2.6E-03	1.4E-03	8.7E-04	.
Barium (56)	Ba-141	8.71E-12	3.0E-02	5.2E-02	1.9E-02	8.7E-02	1.7E-01	9.5E-02	5.9E-02	.
Barium (56)	Ba-142	3.45E-12	7.5E-02	1.3E-01	4.8E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Beryllium (4)	Be-10	2.78E-10	9.3E-04	1.6E-03	6.0E-04	2.7E-03	5.5E-03	3.0E-03	1.9E-03	.
Beryllium (4)	Be-7	3.28E-12	7.9E-02	1.4E-01	5.1E-02	2.3E-01	4.6E-01	2.5E-01	1.6E-01	.
Bismuth (83)	Bi-197	0.00E+00	.	.	.	.	.	.	.	.
Bismuth (83)	Bi-200	6.13E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.4E-01	8.4E-02	.
Bismuth (83)	Bi-201	1.60E-11	1.6E-02	2.8E-02	1.0E-02	4.7E-02	9.5E-02	5.2E-02	3.2E-02	.
Bismuth (83)	Bi-202	1.14E-11	2.3E-02	3.9E-02	1.5E-02	6.7E-02	1.3E-01	7.3E-02	4.5E-02	.
Bismuth (83)	Bi-203	7.42E-11	3.5E-03	6.1E-03	2.2E-03	1.0E-02	2.1E-02	1.1E-02	7.0E-03	.
Bismuth (83)	Bi-204	8.08E-11	3.2E-03	5.6E-03	2.1E-03	9.4E-03	1.9E-02	1.0E-02	6.4E-03	.
Bismuth (83)	Bi-205	1.28E-10	2.0E-03	3.5E-03	1.3E-03	5.9E-03	1.2E-02	6.5E-03	4.0E-03	.
Bismuth (83)	Bi-206	3.00E-10	8.7E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Bismuth (83)	Bi-207	2.23E-10	1.2E-03	2.0E-03	7.4E-04	3.4E-03	6.8E-03	3.7E-03	2.3E-03	.
Bismuth (83)	Bi-208	1.46E-10	1.8E-03	3.1E-03	1.1E-03	5.2E-03	1.0E-02	5.7E-03	3.5E-03	.
Bismuth (83)	Bi-210	3.52E-10	7.4E-04	1.3E-03	4.7E-04	2.2E-03	4.3E-03	2.4E-03	1.5E-03	.
Bismuth (83)	Bi-210m	2.10E-09	1.2E-04	2.1E-04	7.9E-05	3.6E-04	7.2E-04	4.0E-04	2.5E-04	.
Bismuth (83)	Bi-210m+D	2.10E-09	1.2E-04	2.1E-04	7.9E-05	3.6E-04	7.2E-04	4.0E-04	2.5E-04	.
Bismuth (83)	Bi-211	0.00E+00	.	.	.	.	.	.	.	.
Bismuth (83)	Bi-212	2.73E-11	9.5E-03	1.6E-02	6.1E-03	2.8E-02	5.6E-02	3.0E-02	1.9E-02	.
Bismuth (83)	Bi-212+D	2.73E-11	9.5E-03	1.6E-02	6.1E-03	2.8E-02	5.6E-02	3.0E-02	1.9E-02	.
Bismuth (83)	Bi-212n	0.00E+00	.	.	.	.	.	.	.	.
Bismuth (83)	Bi-213	1.94E-11	1.3E-02	2.3E-02	8.5E-03	3.9E-02	7.8E-02	4.3E-02	2.7E-02	.
Bismuth (83)	Bi-213+D	1.94E-11	1.3E-02	2.3E-02	8.5E-03	3.9E-02	7.8E-02	4.3E-02	2.7E-02	.
Bismuth (83)	Bi-214	7.17E-12	3.6E-02	6.3E-02	2.3E-02	1.1E-01	2.1E-01	1.2E-01	7.2E-02	.
Bismuth (83)	Bi-214+D	7.17E-12	3.6E-02	6.3E-02	2.3E-02	1.1E-01	2.1E-01	1.2E-01	7.2E-02	.
Bismuth (83)	Bi-215	0.00E+00	.	.	.	.	.	.	.	.
Bismuth (83)	Bi-215+D	0.00E+00	.	.	.	.	.	.	.	.
Bismuth (83)	Bi-216	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Berkelium (97)	Bk-245	1.37E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.1E-03	3.8E-03	.
Berkelium (97)	Bk-246	7.59E-11	3.4E-03	5.9E-03	2.2E-03	1.0E-02	2.0E-02	1.1E-02	6.8E-03	.
Berkelium (97)	Bk-247	4.34E-09	6.0E-05	1.0E-04	3.8E-05	1.7E-04	3.5E-04	1.9E-04	1.2E-04	.
Berkelium (97)	Bk-248m	9.78E-11	2.7E-03	4.6E-03	1.7E-03	7.8E-03	1.6E-02	8.5E-03	5.3E-03	.
Berkelium (97)	Bk-249	4.22E-11	6.2E-03	1.1E-02	3.9E-03	1.8E-02	3.6E-02	2.0E-02	1.2E-02	.
Berkelium (97)	Bk-250	2.22E-11	1.2E-02	2.0E-02	7.5E-03	3.4E-02	6.9E-02	3.7E-02	2.3E-02	.
Berkelium (97)	Bk-251	3.59E-12	7.2E-02	1.3E-01	4.6E-02	2.1E-01	4.2E-01	2.3E-01	1.4E-01	.
Bromine (35)	Br-72	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-73	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-74	5.41E-12	4.8E-02	8.3E-02	3.1E-02	1.4E-01	2.8E-01	1.5E-01	9.6E-02	.
Bromine (35)	Br-74m	9.13E-12	2.8E-02	4.9E-02	1.8E-02	8.3E-02	1.7E-01	9.1E-02	5.7E-02	.
Bromine (35)	Br-75	5.72E-12	4.5E-02	7.9E-02	2.9E-02	1.3E-01	2.7E-01	1.5E-01	9.0E-02	.
Bromine (35)	Br-76	5.28E-11	4.9E-03	8.5E-03	3.1E-03	1.4E-02	2.9E-02	1.6E-02	9.8E-03	.
Bromine (35)	Br-76m	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-77	1.11E-11	2.3E-02	4.1E-02	1.5E-02	6.8E-02	1.4E-01	7.5E-02	4.7E-02	.
Bromine (35)	Br-77m	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-78	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-80	1.77E-12	1.5E-01	2.5E-01	9.4E-02	4.3E-01	8.6E-01	4.7E-01	2.9E-01	.
Bromine (35)	Br-80m	1.05E-11	2.5E-02	4.3E-02	1.6E-02	7.2E-02	1.4E-01	7.9E-02	4.9E-02	.
Bromine (35)	Br-82	6.26E-11	4.1E-03	7.2E-03	2.6E-03	1.2E-02	2.4E-02	1.3E-02	8.3E-03	.
Bromine (35)	Br-82m	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-83	3.18E-12	8.2E-02	1.4E-01	5.2E-02	2.4E-01	4.8E-01	2.6E-01	1.6E-01	.
Bromine (35)	Br-84	5.48E-12	4.7E-02	8.2E-02	3.0E-02	1.4E-01	2.8E-01	1.5E-01	9.4E-02	.
Bromine (35)	Br-84m	0.00E+00	.	.	.	.	.	.	.	.
Bromine (35)	Br-85	0.00E+00	.	.	.	.	.	.	.	.
Carbon (6)	C-10	0.00E+00	.	.	.	.	.	.	.	.
Carbon (6)	C-11	1.51E-12	1.7E-01	3.0E-01	1.1E-01	5.0E-01	1.0E+00	5.5E-01	3.4E-01	.
Carbon (6)	C-14	5.40E-11	4.8E-03	8.3E-03	3.1E-03	1.4E-02	2.8E-02	1.5E-02	9.6E-03	.
Calcium (20)	Ca-41	1.38E-11	1.9E-02	3.3E-02	1.2E-02	5.5E-02	1.1E-01	6.0E-02	3.7E-02	.
Calcium (20)	Ca-45	9.09E-11	2.9E-03	4.9E-03	1.8E-03	8.4E-03	1.7E-02	9.1E-03	5.7E-03	.
Calcium (20)	Ca-47	2.96E-10	8.8E-04	1.5E-03	5.6E-04	2.6E-03	5.1E-03	2.8E-03	1.7E-03	.
Calcium (20)	Ca-49	0.00E+00	.	.	.	.	.	.	.	.
Cadmium (48)	Cd-101	0.00E+00	.	.	.	.	.	.	.	.
Cadmium (48)	Cd-102	0.00E+00	.	.	.	.	.	.	.	.
Cadmium (48)	Cd-103	0.00E+00	.	.	.	.	.	.	.	.
Cadmium (48)	Cd-104	1.19E-11	2.2E-02	3.8E-02	1.4E-02	6.4E-02	1.3E-01	7.0E-02	4.3E-02	.
Cadmium (48)	Cd-105	4.10E-12	6.3E-02	1.1E-01	4.0E-02	1.9E-01	3.7E-01	2.0E-01	1.3E-01	.
Cadmium (48)	Cd-107	1.39E-11	1.9E-02	3.2E-02	1.2E-02	5.5E-02	1.1E-01	6.0E-02	3.7E-02	.
Cadmium (48)	Cd-109	1.81E-10	1.4E-03	2.5E-03	9.2E-04	4.2E-03	8.4E-03	4.6E-03	2.9E-03	.
Cadmium (48)	Cd-111m	1.24E-12	2.1E-01	3.6E-01	1.3E-01	6.1E-01	1.2E+00	6.7E-01	4.2E-01	.
Cadmium (48)	Cd-113	7.79E-10	3.3E-04	5.8E-04	2.1E-04	9.7E-04	2.0E-03	1.1E-03	6.6E-04	.
Cadmium (48)	Cd-113m	9.92E-10	2.6E-04	4.5E-04	1.7E-04	7.7E-04	1.5E-03	8.4E-04	5.2E-04	.
Cadmium (48)	Cd-115	3.52E-10	7.4E-04	1.3E-03	4.7E-04	2.2E-03	4.3E-03	2.4E-03	1.5E-03	.
Cadmium (48)	Cd-115m	6.63E-10	3.9E-04	6.8E-04	2.5E-04	1.1E-03	2.3E-03	1.3E-03	7.8E-04	.
Cadmium (48)	Cd-117	5.35E-11	4.9E-03	8.4E-03	3.1E-03	1.4E-02	2.8E-02	1.6E-02	9.7E-03	.
Cadmium (48)	Cd-117m	4.75E-11	5.5E-03	9.5E-03	3.5E-03	1.6E-02	3.2E-02	1.8E-02	1.1E-02	.
Cadmium (48)	Cd-118	1.64E-11	1.6E-02	2.7E-02	1.0E-02	4.6E-02	9.3E-02	5.1E-02	3.2E-02	.
Cadmium (48)	Cd-119	0.00E+00	.	.	.	.	.	.	.	.
Cadmium (48)	Cd-119m	0.00E+00	.	.	.	.	.	.	.	.
Cerium (58)	Ce-130	5.40E-12	4.8E-02	8.3E-02	3.1E-02	1.4E-01	2.8E-01	1.5E-01	9.6E-02	.
Cerium (58)	Ce-131	2.01E-12	1.3E-01	2.2E-01	8.2E-02	3.8E-01	7.6E-01	4.1E-01	2.6E-01	.
Cerium (58)	Ce-132	7.08E-11	3.7E-03	6.4E-03	2.3E-03	1.1E-02	2.1E-02	1.2E-02	7.3E-03	.
Cerium (58)	Ce-133	1.23E-11	2.1E-02	3.7E-02	1.3E-02	6.2E-02	1.2E-01	6.8E-02	4.2E-02	.
Cerium (58)	Ce-133m	3.22E-11	8.1E-03	1.4E-02	5.1E-03	2.4E-02	4.7E-02	2.6E-02	1.6E-02	.
Cerium (58)	Ce-134	6.63E-10	3.9E-04	6.8E-04	2.5E-04	1.1E-03	2.3E-03	1.3E-03	7.8E-04	.
Cerium (58)	Ce-135	3.94E-11	6.6E-03	1.1E-02	4.2E-03	1.9E-02	3.9E-02	2.1E-02	1.3E-02	.
Cerium (58)	Ce-137	5.29E-12	4.9E-02	8.5E-02	3.1E-02	1.4E-01	2.9E-01	1.6E-01	9.8E-02	.
Cerium (58)	Ce-137m	1.40E-10	1.9E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Cerium (58)	Ce-139	5.32E-11	4.9E-03	8.5E-03	3.1E-03	1.4E-02	2.9E-02	1.6E-02	9.7E-03	.
Cerium (58)	Ce-141	1.84E-10	1.4E-03	2.4E-03	9.0E-04	4.1E-03	8.3E-03	4.5E-03	2.8E-03	.
Cerium (58)	Ce-143	2.83E-10	9.2E-04	1.6E-03	5.9E-04	2.7E-03	5.4E-03	2.9E-03	1.8E-03	.
Cerium (58)	Ce-144	1.40E-09	1.9E-04	3.2E-04	1.2E-04	5.4E-04	1.1E-03	5.9E-04	3.7E-04	.
Cerium (58)	Ce-144+D	1.40E-09	1.9E-04	3.2E-04	1.2E-04	5.4E-04	1.1E-03	5.9E-04	3.7E-04	.
Cerium (58)	Ce-145	0.00E+00	.	.	.	.	.	.	.	.
Californium (98)	Cf-244	4.71E-12	5.5E-02	9.6E-02	3.5E-02	1.6E-01	3.2E-01	1.8E-01	1.1E-01	.
Californium (98)	Cf-246	8.34E-10	3.1E-04	5.4E-04	2.0E-04	9.1E-04	1.8E-03	1.0E-03	6.2E-04	.
Californium (98)	Cf-247	3.65E-12	7.1E-02	1.2E-01	4.5E-02	2.1E-01	4.2E-01	2.3E-01	1.4E-01	.
Californium (98)	Cf-248	1.69E-09	1.5E-04	2.7E-04	9.8E-05	4.5E-04	9.0E-04	4.9E-04	3.1E-04	.
Californium (98)	Cf-249	4.41E-09	5.9E-05	1.0E-04	3.8E-05	1.7E-04	3.5E-04	1.9E-04	1.2E-04	.
Californium (98)	Cf-250	3.12E-09	8.3E-05	1.4E-04	5.3E-05	2.4E-04	4.9E-04	2.7E-04	1.7E-04	.
Californium (98)	Cf-251	4.56E-09	5.7E-05	9.9E-05	3.6E-05	1.7E-04	3.3E-04	1.8E-04	1.1E-04	.
Californium (98)	Cf-252	4.93E-09	5.3E-05	9.1E-05	3.4E-05	1.5E-04	3.1E-04	1.7E-04	1.0E-04	.
Californium (98)	Cf-253	1.78E-10	1.5E-03	2.5E-03	9.3E-04	4.3E-03	8.5E-03	4.7E-03	2.9E-03	.
Californium (98)	Cf-254	8.27E-08	3.1E-06	5.4E-06	2.0E-06	9.2E-06	1.8E-05	1.0E-05	6.3E-06	.
Californium (98)	Cf-255	5.27E-12	4.9E-02	8.5E-02	3.1E-02	1.4E-01	2.9E-01	1.6E-01	9.8E-02	.
Chlorine (17)	Cl-34	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Chlorine (17)	Cl-34m	6.55E-12	4.0E-02	6.9E-02	2.5E-02	1.2E-01	2.3E-01	1.3E-01	7.9E-02	.
Chlorine (17)	Cl-36	1.20E-10	2.2E-03	3.7E-03	1.4E-03	6.3E-03	1.3E-02	6.9E-03	4.3E-03	.
Chlorine (17)	Cl-38	7.20E-12	3.6E-02	6.2E-02	2.3E-02	1.1E-01	2.1E-01	1.2E-01	7.2E-02	.
Chlorine (17)	Cl-39	5.63E-12	4.6E-02	8.0E-02	2.9E-02	1.3E-01	2.7E-01	1.5E-01	9.2E-02	.
Chlorine (17)	Cl-40	0.00E+00	.	.	.	.	.	.	.	.
Curium (96)	Cm-238	9.71E-12	2.7E-02	4.6E-02	1.7E-02	7.8E-02	1.6E-01	8.6E-02	5.3E-02	.
Curium (96)	Cm-239	1.79E-11	1.5E-02	2.5E-02	9.3E-03	4.2E-02	8.5E-02	4.6E-02	2.9E-02	.
Curium (96)	Cm-240	1.37E-09	1.9E-04	3.3E-04	1.2E-04	5.5E-04	1.1E-03	6.1E-04	3.8E-04	.
Curium (96)	Cm-241	1.94E-10	1.3E-03	2.3E-03	8.5E-04	3.9E-03	7.8E-03	4.3E-03	2.7E-03	.
Curium (96)	Cm-242	1.48E-09	1.8E-04	3.0E-04	1.1E-04	5.1E-04	1.0E-03	5.6E-04	3.5E-04	.
Curium (96)	Cm-243	3.34E-09	7.8E-05	1.3E-04	5.0E-05	2.3E-04	4.6E-04	2.5E-04	1.5E-04	.
Curium (96)	Cm-244	2.93E-09	8.9E-05	1.5E-04	5.7E-05	2.6E-04	5.2E-04	2.8E-04	1.8E-04	.
Curium (96)	Cm-245	3.66E-09	7.1E-05	1.2E-04	4.5E-05	2.1E-04	4.2E-04	2.3E-04	1.4E-04	.
Curium (96)	Cm-246	3.59E-09	7.2E-05	1.3E-04	4.6E-05	2.1E-04	4.2E-04	2.3E-04	1.4E-04	.
Curium (96)	Cm-247	3.49E-09	7.4E-05	1.3E-04	4.7E-05	2.2E-04	4.4E-04	2.4E-04	1.5E-04	.
Curium (96)	Cm-247+D	3.51E-09	7.4E-05	1.3E-04	4.7E-05	2.2E-04	4.3E-04	2.4E-04	1.5E-04	.
Curium (96)	Cm-248	1.61E-08	1.6E-05	2.8E-05	1.0E-05	4.7E-05	9.5E-05	5.2E-05	3.2E-05	.
Curium (96)	Cm-249	3.25E-12	8.0E-02	1.4E-01	5.1E-02	2.3E-01	4.7E-01	2.6E-01	1.6E-01	.
Curium (96)	Cm-250	1.17E-07	2.2E-06	3.8E-06	1.4E-06	6.5E-06	1.3E-05	7.1E-06	4.4E-06	.
Curium (96)	Cm-250+D	1.17E-07	2.2E-06	3.8E-06	1.4E-06	6.5E-06	1.3E-05	7.1E-06	4.4E-06	.
Curium (96)	Cm-251	2.32E-12	1.1E-01	1.9E-01	7.1E-02	3.3E-01	6.6E-01	3.6E-01	2.2E-01	.
Cobalt (27)	Co-54m	0.00E+00	.	.	.	.	.	.	.	.
Cobalt (27)	Co-55	1.81E-10	1.4E-03	2.5E-03	9.2E-04	4.2E-03	8.4E-03	4.6E-03	2.9E-03	.
Cobalt (27)	Co-56	3.85E-10	6.7E-04	1.2E-03	4.3E-04	2.0E-03	4.0E-03	2.2E-03	1.3E-03	.
Cobalt (27)	Co-57	4.03E-11	6.4E-03	1.1E-02	4.1E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Cobalt (27)	Co-58	1.12E-10	2.3E-03	4.0E-03	1.5E-03	6.8E-03	1.4E-02	7.4E-03	4.6E-03	.
Cobalt (27)	Co-58m	4.90E-12	5.3E-02	9.2E-02	3.4E-02	1.5E-01	3.1E-01	1.7E-01	1.1E-01	.
Cobalt (27)	Co-60	6.03E-10	4.3E-04	7.5E-04	2.7E-04	1.3E-03	2.5E-03	1.4E-03	8.6E-04	.
Cobalt (27)	Co-60m	9.68E-14	2.7E+00	4.6E+00	1.7E+00	7.8E+00	1.6E+01	8.6E+00	5.3E+00	.
Cobalt (27)	Co-61	9.51E-12	2.7E-02	4.7E-02	1.7E-02	8.0E-02	1.6E-01	8.7E-02	5.4E-02	.
Cobalt (27)	Co-62	0.00E+00	.	.	.	.	.	.	.	.
Cobalt (27)	Co-62m	3.16E-12	8.2E-02	1.4E-01	5.2E-02	2.4E-01	4.8E-01	2.6E-01	1.6E-01	.
Chromium (24)	Cr-48	2.76E-11	9.4E-03	1.6E-02	6.0E-03	2.8E-02	5.5E-02	3.0E-02	1.9E-02	.
Chromium (24)	Cr-49	5.14E-12	5.1E-02	8.8E-02	3.2E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Chromium (24)	Cr-51	7.18E-12	3.6E-02	6.3E-02	2.3E-02	1.1E-01	2.1E-01	1.2E-01	7.2E-02	.
Chromium (24)	Cr-55	0.00E+00	.	.	.	.	.	.	.	.
Chromium (24)	Cr-56	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-121	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-121m	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-123	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-124	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-125	2.29E-12	1.1E-01	2.0E-01	7.2E-02	3.3E-01	6.6E-01	3.6E-01	2.3E-01	.
Cesium (55)	Cs-126	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-127	2.42E-12	1.1E-01	1.9E-01	6.8E-02	3.1E-01	6.3E-01	3.4E-01	2.1E-01	.
Cesium (55)	Cs-128	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-129	6.66E-12	3.9E-02	6.8E-02	2.5E-02	1.1E-01	2.3E-01	1.2E-01	7.8E-02	.
Cesium (55)	Cs-130	1.66E-12	1.6E-01	2.7E-01	1.0E-01	4.6E-01	9.2E-01	5.0E-01	3.1E-01	.
Cesium (55)	Cs-130m	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-131	6.74E-12	3.9E-02	6.7E-02	2.5E-02	1.1E-01	2.3E-01	1.2E-01	7.7E-02	.
Cesium (55)	Cs-132	5.25E-11	4.9E-03	8.6E-03	3.2E-03	1.4E-02	2.9E-02	1.6E-02	9.9E-03	.
Cesium (55)	Cs-134	1.40E-09	1.9E-04	3.2E-04	1.2E-04	5.4E-04	1.1E-03	5.9E-04	3.7E-04	.
Cesium (55)	Cs-134m	1.51E-12	1.7E-01	3.0E-01	1.1E-01	5.0E-01	1.0E+00	5.5E-01	3.4E-01	.
Cesium (55)	Cs-135	2.11E-10	1.2E-03	2.1E-03	7.9E-04	3.6E-03	7.2E-03	3.9E-03	2.5E-03	.
Cesium (55)	Cs-135m	1.65E-12	1.6E-01	2.7E-01	1.0E-01	4.6E-01	9.2E-01	5.0E-01	3.1E-01	.
Cesium (55)	Cs-136	3.03E-10	8.6E-04	1.5E-03	5.5E-04	2.5E-03	5.0E-03	2.7E-03	1.7E-03	.
Cesium (55)	Cs-137	1.01E-09	2.6E-04	4.5E-04	1.6E-04	7.5E-04	1.5E-03	8.2E-04	5.1E-04	.
Cesium (55)	Cs-137+D	1.01E-09	2.6E-04	4.5E-04	1.6E-04	7.5E-04	1.5E-03	8.2E-04	5.1E-04	.
Cesium (55)	Cs-138	6.13E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.4E-01	8.4E-02	.
Cesium (55)	Cs-138m	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-139	0.00E+00	.	.	.	.	.	.	.	.
Cesium (55)	Cs-140	0.00E+00	.	.	.	.	.	.	.	.
Copper (29)	Cu-57	0.00E+00	.	.	.	.	.	.	.	.
Copper (29)	Cu-59	0.00E+00	.	.	.	.	.	.	.	.
Copper (29)	Cu-60	5.22E-12	5.0E-02	8.6E-02	3.2E-02	1.5E-01	2.9E-01	1.6E-01	9.9E-02	.
Copper (29)	Cu-61	1.75E-11	1.5E-02	2.6E-02	9.5E-03	4.3E-02	8.7E-02	4.8E-02	3.0E-02	.
Copper (29)	Cu-62	0.00E+00	.	.	.	.	.	.	.	.
Copper (29)	Cu-64	2.55E-11	1.0E-02	1.8E-02	6.5E-03	3.0E-02	6.0E-02	3.3E-02	2.0E-02	.
Copper (29)	Cu-66	0.00E+00	.	.	.	.	.	.	.	.
Copper (29)	Cu-67	7.42E-11	3.5E-03	6.1E-03	2.2E-03	1.0E-02	2.1E-02	1.1E-02	7.0E-03	.
Copper (29)	Cu-69	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-148	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-149	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-150	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-151	2.04E-12	1.3E-01	2.2E-01	8.1E-02	3.7E-01	7.5E-01	4.1E-01	2.5E-01	.
Dysprosium (66)	Dy-152	2.09E-11	1.2E-02	2.2E-02	7.9E-03	3.6E-02	7.3E-02	4.0E-02	2.5E-02	.
Dysprosium (66)	Dy-153	2.98E-11	8.7E-03	1.5E-02	5.6E-03	2.5E-02	5.1E-02	2.8E-02	1.7E-02	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-154	1.14E-09	2.3E-04	3.9E-04	1.5E-04	6.7E-04	1.3E-03	7.3E-04	4.5E-04	.
Dysprosium (66)	Dy-155	2.20E-11	1.2E-02	2.0E-02	7.5E-03	3.5E-02	6.9E-02	3.8E-02	2.4E-02	.
Dysprosium (66)	Dy-157	8.67E-12	3.0E-02	5.2E-02	1.9E-02	8.8E-02	1.8E-01	9.6E-02	6.0E-02	.
Dysprosium (66)	Dy-159	2.14E-11	1.2E-02	2.1E-02	7.7E-03	3.5E-02	7.1E-02	3.9E-02	2.4E-02	.
Dysprosium (66)	Dy-165	1.62E-11	1.6E-02	2.8E-02	1.0E-02	4.7E-02	9.4E-02	5.1E-02	3.2E-02	.
Dysprosium (66)	Dy-165m	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-166	4.48E-10	5.8E-04	1.0E-03	3.7E-04	1.7E-03	3.4E-03	1.9E-03	1.2E-03	.
Dysprosium (66)	Dy-167	0.00E+00	.	.	.	.	.	.	.	.
Dysprosium (66)	Dy-168	0.00E+00	.	.	.	.	.	.	.	.
Erbium (68)	Er-154	0.00E+00	.	.	.	.	.	.	.	.
Erbium (68)	Er-156	3.74E-12	6.9E-02	1.2E-01	4.4E-02	2.0E-01	4.1E-01	2.2E-01	1.4E-01	.
Erbium (68)	Er-159	2.17E-12	1.2E-01	2.1E-01	7.6E-02	3.5E-01	7.0E-01	3.8E-01	2.4E-01	.
Erbium (68)	Er-161	1.25E-11	2.1E-02	3.6E-02	1.3E-02	6.1E-02	1.2E-01	6.7E-02	4.1E-02	.
Erbium (68)	Er-163	2.82E-13	9.2E-01	1.6E+00	5.9E-01	2.7E+00	5.4E+00	2.9E+00	1.8E+00	.
Erbium (68)	Er-165	3.53E-12	7.4E-02	1.3E-01	4.7E-02	2.2E-01	4.3E-01	2.4E-01	1.5E-01	.
Erbium (68)	Er-167m	0.00E+00	.	.	.	.	.	.	.	.
Erbium (68)	Er-169	1.00E-10	2.6E-03	4.5E-03	1.7E-03	7.6E-03	1.5E-02	8.3E-03	5.2E-03	.
Erbium (68)	Er-171	7.95E-11	3.3E-03	5.7E-03	2.1E-03	9.6E-03	1.9E-02	1.0E-02	6.5E-03	.
Erbium (68)	Er-172	2.44E-10	1.1E-03	1.8E-03	6.8E-04	3.1E-03	6.2E-03	3.4E-03	2.1E-03	.
Erbium (68)	Er-173	0.00E+00	.	.	.	.	.	.	.	.
Einsteinium (99)	Es-249	2.53E-12	1.0E-01	1.8E-01	6.5E-02	3.0E-01	6.0E-01	3.3E-01	2.0E-01	.
Einsteinium (99)	Es-250	9.01E-11	2.9E-03	5.0E-03	1.8E-03	8.4E-03	1.7E-02	9.2E-03	5.7E-03	.
Einsteinium (99)	Es-250m	3.47E-12	7.5E-02	1.3E-01	4.8E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Einsteinium (99)	Es-251	4.18E-11	6.2E-03	1.1E-02	4.0E-03	1.8E-02	3.6E-02	2.0E-02	1.2E-02	.
Einsteinium (99)	Es-253	1.38E-09	1.9E-04	3.3E-04	1.2E-04	5.5E-04	1.1E-03	6.0E-04	3.7E-04	.
Einsteinium (99)	Es-254	2.12E-09	1.2E-04	2.1E-04	7.8E-05	3.6E-04	7.2E-04	3.9E-04	2.4E-04	.
Einsteinium (99)	Es-254+D	2.14E-09	1.2E-04	2.1E-04	7.7E-05	3.5E-04	7.1E-04	3.9E-04	2.4E-04	.
Einsteinium (99)	Es-254m	1.12E-09	2.3E-04	4.0E-04	1.5E-04	6.8E-04	1.4E-03	7.4E-04	4.6E-04	.
Einsteinium (99)	Es-255	1.12E-09	2.3E-04	4.0E-04	1.5E-04	6.8E-04	1.4E-03	7.4E-04	4.6E-04	.
Einsteinium (99)	Es-256	6.28E-10	4.1E-04	7.2E-04	2.6E-04	1.2E-03	2.4E-03	1.3E-03	8.2E-04	.
Europium (63)	Eu-142	0.00E+00	.	.	.	.	.	.	.	.
Europium (63)	Eu-142m	0.00E+00	.	.	.	.	.	.	.	.
Europium (63)	Eu-143	0.00E+00	.	.	.	.	.	.	.	.
Europium (63)	Eu-144	0.00E+00	.	.	.	.	.	.	.	.
Europium (63)	Eu-145	9.21E-11	2.8E-03	4.9E-03	1.8E-03	8.2E-03	1.7E-02	9.0E-03	5.6E-03	.
Europium (63)	Eu-146	1.65E-10	1.6E-03	2.7E-03	1.0E-03	4.6E-03	9.2E-03	5.0E-03	3.1E-03	.
Europium (63)	Eu-147	7.80E-11	3.3E-03	5.8E-03	2.1E-03	9.7E-03	2.0E-02	1.1E-02	6.6E-03	.
Europium (63)	Eu-148	1.66E-10	1.6E-03	2.7E-03	1.0E-03	4.6E-03	9.2E-03	5.0E-03	3.1E-03	.
Europium (63)	Eu-149	3.46E-11	7.5E-03	1.3E-02	4.8E-03	2.2E-02	4.4E-02	2.4E-02	1.5E-02	.
Europium (63)	Eu-150	1.52E-10	1.7E-03	3.0E-03	1.1E-03	5.0E-03	1.0E-02	5.5E-03	3.4E-03	.
Europium (63)	Eu-150m	9.57E-11	2.7E-03	4.7E-03	1.7E-03	7.9E-03	1.6E-02	8.7E-03	5.4E-03	.
Europium (63)	Eu-152	2.25E-10	1.2E-03	2.0E-03	7.4E-04	3.4E-03	6.8E-03	3.7E-03	2.3E-03	.
Europium (63)	Eu-152m	1.17E-10	2.2E-03	3.8E-03	1.4E-03	6.5E-03	1.3E-02	7.1E-03	4.4E-03	.
Europium (63)	Eu-152n	1.67E-12	1.6E-01	2.7E-01	9.9E-02	4.5E-01	9.1E-01	5.0E-01	3.1E-01	.
Europium (63)	Eu-154	3.83E-10	6.8E-04	1.2E-03	4.3E-04	2.0E-03	4.0E-03	2.2E-03	1.4E-03	.
Europium (63)	Eu-154m	6.92E-13	3.8E-01	6.5E-01	2.4E-01	1.1E+00	2.2E+00	1.2E+00	7.5E-01	.
Europium (63)	Eu-155	7.64E-11	3.4E-03	5.9E-03	2.2E-03	9.9E-03	2.0E-02	1.1E-02	6.8E-03	.
Europium (63)	Eu-156	5.28E-10	4.9E-04	8.5E-04	3.1E-04	1.4E-03	2.9E-03	1.6E-03	9.8E-04	.
Europium (63)	Eu-157	1.48E-10	1.8E-03	3.0E-03	1.1E-03	5.1E-03	1.0E-02	5.6E-03	3.5E-03	.
Europium (63)	Eu-158	7.90E-12	3.3E-02	5.7E-02	2.1E-02	9.6E-02	1.9E-01	1.1E-01	6.6E-02	.
Europium (63)	Eu-159	4.62E-12	5.6E-02	9.7E-02	3.6E-02	1.6E-01	3.3E-01	1.8E-01	1.1E-01	.
Fluorine (9)	F-17	0.00E+00	.	.	.	.	.	.	.	.
Fluorine (9)	F-18	3.38E-12	7.7E-02	1.3E-01	4.9E-02	2.2E-01	4.5E-01	2.5E-01	1.5E-01	.
Iron (26)	Fe-52	2.78E-10	9.3E-04	1.6E-03	6.0E-04	2.7E-03	5.5E-03	3.0E-03	1.9E-03	.
Iron (26)	Fe-53	0.00E+00	.	.	.	.	.	.	.	.
Iron (26)	Fe-53m	0.00E+00	.	.	.	.	.	.	.	.
Iron (26)	Fe-55	3.13E-11	8.3E-03	1.4E-02	5.3E-03	2.4E-02	4.9E-02	2.7E-02	1.7E-02	.
Iron (26)	Fe-59	3.01E-10	8.6E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Iron (26)	Fe-60	6.74E-09	3.9E-05	6.7E-05	2.5E-05	1.1E-04	2.3E-04	1.2E-04	7.7E-05	.
Iron (26)	Fe-60+D	7.34E-09	3.5E-05	6.1E-05	2.3E-05	1.0E-04	2.1E-04	1.1E-04	7.1E-05	.
Iron (26)	Fe-61	0.00E+00	.	.	.	.	.	.	.	.
Iron (26)	Fe-62	0.00E+00	.	.	.	.	.	.	.	.
Fermium (100)	Fm-251	1.53E-11	1.7E-02	2.9E-02	1.1E-02	5.0E-02	9.9E-02	5.4E-02	3.4E-02	.
Fermium (100)	Fm-252	7.22E-10	3.6E-04	6.2E-04	2.3E-04	1.1E-03	2.1E-03	1.2E-03	7.2E-04	.
Fermium (100)	Fm-253	2.73E-10	9.5E-04	1.6E-03	6.1E-04	2.8E-03	5.6E-03	3.0E-03	1.9E-03	.
Fermium (100)	Fm-254	8.77E-11	3.0E-03	5.1E-03	1.9E-03	8.7E-03	1.7E-02	9.5E-03	5.9E-03	.
Fermium (100)	Fm-255	6.55E-10	4.0E-04	6.9E-04	2.5E-04	1.2E-03	2.3E-03	1.3E-03	7.9E-04	.
Fermium (100)	Fm-256	3.68E-09	7.1E-05	1.2E-04	4.5E-05	2.1E-04	4.1E-04	2.3E-04	1.4E-04	.
Fermium (100)	Fm-257	1.88E-09	1.4E-04	2.4E-04	8.8E-05	4.0E-04	8.1E-04	4.4E-04	2.8E-04	.
Francium (87)	Fr-212	6.53E-11	4.0E-03	6.9E-03	2.5E-03	1.2E-02	2.3E-02	1.3E-02	7.9E-03	.
Francium (87)	Fr-219	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-220	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-220+D	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-221	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-221+D	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-222	5.37E-11	4.8E-03	8.4E-03	3.1E-03	1.4E-02	2.8E-02	1.5E-02	9.6E-03	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-223	2.73E-10	9.5E-04	1.6E-03	6.1E-04	2.8E-03	5.6E-03	3.0E-03	1.9E-03	.
Francium (87)	Fr-224	0.00E+00	.	.	.	.	.	.	.	.
Francium (87)	Fr-227	0.00E+00	.	.	.	.	.	.	.	.
Gallium (31)	Ga-64	0.00E+00	.	.	.	.	.	.	.	.
Gallium (31)	Ga-65	2.32E-12	1.1E-01	1.9E-01	7.1E-02	3.3E-01	6.6E-01	3.6E-01	2.2E-01	.
Gallium (31)	Ga-66	2.53E-10	1.0E-03	1.8E-03	6.5E-04	3.0E-03	6.0E-03	3.3E-03	2.0E-03	.
Gallium (31)	Ga-67	4.15E-11	6.3E-03	1.1E-02	4.0E-03	1.8E-02	3.7E-02	2.0E-02	1.2E-02	.
Gallium (31)	Ga-68	1.08E-11	2.4E-02	4.2E-02	1.5E-02	7.0E-02	1.4E-01	7.7E-02	4.8E-02	.
Gallium (31)	Ga-70	1.95E-12	1.3E-01	2.3E-01	8.5E-02	3.9E-01	7.8E-01	4.3E-01	2.7E-01	.
Gallium (31)	Ga-72	2.21E-10	1.2E-03	2.0E-03	7.5E-04	3.4E-03	6.9E-03	3.8E-03	2.3E-03	.
Gallium (31)	Ga-73	5.50E-11	4.7E-03	8.2E-03	3.0E-03	1.4E-02	2.8E-02	1.5E-02	9.4E-03	.
Gallium (31)	Ga-74	0.00E+00	.	.	.	.	.	.	.	.
Gadolinium (64)	Gd-142	0.00E+00	.	.	.	.	.	.	.	.
Gadolinium (64)	Gd-143m	0.00E+00	.	.	.	.	.	.	.	.
Gadolinium (64)	Gd-144	0.00E+00	.	.	.	.	.	.	.	.
Gadolinium (64)	Gd-145	2.70E-12	9.6E-02	1.7E-01	6.1E-02	2.8E-01	5.6E-01	3.1E-01	1.9E-01	.
Gadolinium (64)	Gd-145m	0.00E+00	.	.	.	.	.	.	.	.
Gadolinium (64)	Gd-146	1.94E-10	1.3E-03	2.3E-03	8.5E-04	3.9E-03	7.8E-03	4.3E-03	2.7E-03	.
Gadolinium (64)	Gd-147	9.83E-11	2.6E-03	4.6E-03	1.7E-03	7.7E-03	1.5E-02	8.5E-03	5.3E-03	.
Gadolinium (64)	Gd-148	1.47E-09	1.8E-04	3.1E-04	1.1E-04	5.2E-04	1.0E-03	5.7E-04	3.5E-04	.
Gadolinium (64)	Gd-149	1.03E-10	2.5E-03	4.4E-03	1.6E-03	7.4E-03	1.5E-02	8.1E-03	5.0E-03	.
Gadolinium (64)	Gd-150	1.32E-09	2.0E-04	3.4E-04	1.3E-04	5.8E-04	1.2E-03	6.3E-04	3.9E-04	.
Gadolinium (64)	Gd-151	5.17E-11	5.0E-03	8.7E-03	3.2E-03	1.5E-02	2.9E-02	1.6E-02	1.0E-02	.
Gadolinium (64)	Gd-152	1.04E-09	2.5E-04	4.3E-04	1.6E-04	7.3E-04	1.5E-03	8.0E-04	5.0E-04	.
Gadolinium (64)	Gd-153	6.01E-11	4.3E-03	7.5E-03	2.8E-03	1.3E-02	2.5E-02	1.4E-02	8.6E-03	.
Gadolinium (64)	Gd-159	1.29E-10	2.0E-03	3.5E-03	1.3E-03	5.9E-03	1.2E-02	6.4E-03	4.0E-03	.
Gadolinium (64)	Gd-162	0.00E+00	.	.	.	.	.	.	.	.
Germanium (32)	Ge-66	1.31E-11	2.0E-02	3.4E-02	1.3E-02	5.8E-02	1.2E-01	6.3E-02	4.0E-02	.
Germanium (32)	Ge-67	3.63E-12	7.2E-02	1.2E-01	4.6E-02	2.1E-01	4.2E-01	2.3E-01	1.4E-01	.
Germanium (32)	Ge-68	2.66E-10	9.8E-04	1.7E-03	6.2E-04	2.9E-03	5.7E-03	3.1E-03	1.9E-03	.
Germanium (32)	Ge-68+D	2.77E-10	9.4E-04	1.6E-03	6.0E-04	2.7E-03	5.5E-03	3.0E-03	1.9E-03	.
Germanium (32)	Ge-69	2.95E-11	8.8E-03	1.5E-02	5.6E-03	2.6E-02	5.2E-02	2.8E-02	1.8E-02	.
Germanium (32)	Ge-71	2.50E-12	1.0E-01	1.8E-01	6.6E-02	3.0E-01	6.1E-01	3.3E-01	2.1E-01	.
Germanium (32)	Ge-75	3.15E-12	8.2E-02	1.4E-01	5.3E-02	2.4E-01	4.8E-01	2.6E-01	1.6E-01	.
Germanium (32)	Ge-77	4.45E-11	5.8E-03	1.0E-02	3.7E-03	1.7E-02	3.4E-02	1.9E-02	1.2E-02	.
Germanium (32)	Ge-78	1.03E-11	2.5E-02	4.4E-02	1.6E-02	7.4E-02	1.5E-01	8.1E-02	5.0E-02	.
Hydrogen (1)	H-3	1.76E-12	1.5E-01	2.6E-01	9.4E-02	4.3E-01	8.6E-01	4.7E-01	2.9E-01	.
Hafnium (72)	Hf-167	0.00E+00	.	.	.	.	.	.	.	.
Hafnium (72)	Hf-169	0.00E+00	.	.	.	.	.	.	.	.
Hafnium (72)	Hf-170	6.85E-11	3.8E-03	6.6E-03	2.4E-03	1.1E-02	2.2E-02	1.2E-02	7.6E-03	.
Hafnium (72)	Hf-172	1.99E-10	1.3E-03	2.3E-03	8.3E-04	3.8E-03	7.6E-03	4.2E-03	2.6E-03	.
Hafnium (72)	Hf-172+D	1.99E-10	1.3E-03	2.3E-03	8.3E-04	3.8E-03	7.6E-03	4.2E-03	2.6E-03	.
Hafnium (72)	Hf-173	4.06E-11	6.4E-03	1.1E-02	4.1E-03	1.9E-02	3.7E-02	2.0E-02	1.3E-02	.
Hafnium (72)	Hf-174	2.16E-09	1.2E-04	2.1E-04	7.7E-05	3.5E-04	7.0E-04	3.8E-04	2.4E-04	.
Hafnium (72)	Hf-175	7.49E-11	3.5E-03	6.0E-03	2.2E-03	1.0E-02	2.0E-02	1.1E-02	6.9E-03	.
Hafnium (72)	Hf-177m	7.72E-12	3.4E-02	5.8E-02	2.1E-02	9.8E-02	2.0E-01	1.1E-01	6.7E-02	.
Hafnium (72)	Hf-178m	4.64E-10	5.6E-04	9.7E-04	3.6E-04	1.6E-03	3.3E-03	1.8E-03	1.1E-03	.
Hafnium (72)	Hf-179m	2.61E-10	9.9E-04	1.7E-03	6.3E-04	2.9E-03	5.8E-03	3.2E-03	2.0E-03	.
Hafnium (72)	Hf-180m	2.82E-11	9.2E-03	1.6E-02	5.9E-03	2.7E-02	5.4E-02	2.9E-02	1.8E-02	.
Hafnium (72)	Hf-181	2.52E-10	1.0E-03	1.8E-03	6.6E-04	3.0E-03	6.0E-03	3.3E-03	2.1E-03	.
Hafnium (72)	Hf-182	1.72E-10	1.5E-03	2.6E-03	9.6E-04	4.4E-03	8.8E-03	4.8E-03	3.0E-03	.
Hafnium (72)	Hf-182+D	4.77E-10	5.4E-04	9.4E-04	3.5E-04	1.6E-03	3.2E-03	1.7E-03	1.1E-03	.
Hafnium (72)	Hf-182m	4.64E-12	5.6E-02	9.7E-02	3.6E-02	1.6E-01	3.3E-01	1.8E-01	1.1E-01	.
Hafnium (72)	Hf-183	9.35E-12	2.8E-02	4.8E-02	1.8E-02	8.1E-02	1.6E-01	8.9E-02	5.5E-02	.
Hafnium (72)	Hf-184	1.14E-10	2.3E-03	3.9E-03	1.5E-03	6.7E-03	1.3E-02	7.3E-03	4.5E-03	.
Mercury (80)	Hg-190	2.12E-12	1.2E-01	2.1E-01	7.8E-02	3.6E-01	7.2E-01	3.9E-01	2.4E-01	.
Mercury (80)	Hg-191m	6.70E-12	3.9E-02	6.7E-02	2.5E-02	1.1E-01	2.3E-01	1.2E-01	7.7E-02	.
Mercury (80)	Hg-192	3.71E-11	7.0E-03	1.2E-02	4.5E-03	2.0E-02	4.1E-02	2.2E-02	1.4E-02	.
Mercury (80)	Hg-193	1.78E-11	1.5E-02	2.5E-02	9.3E-03	4.3E-02	8.5E-02	4.7E-02	2.9E-02	.
Mercury (80)	Hg-193+D	1.78E-11	1.5E-02	2.5E-02	9.3E-03	4.3E-02	8.5E-02	4.7E-02	2.9E-02	.
Mercury (80)	Hg-193m	7.89E-11	3.3E-03	5.7E-03	2.1E-03	9.6E-03	1.9E-02	1.1E-02	6.6E-03	.
Mercury (80)	Hg-194	1.08E-10	2.4E-03	4.2E-03	1.5E-03	7.0E-03	1.4E-02	7.7E-03	4.8E-03	.
Mercury (80)	Hg-194+D	1.70E-10	1.5E-03	2.6E-03	9.7E-04	4.5E-03	8.9E-03	4.9E-03	3.0E-03	.
Mercury (80)	Hg-195	2.11E-11	1.2E-02	2.1E-02	7.9E-03	3.6E-02	7.2E-02	3.9E-02	2.5E-02	.
Mercury (80)	Hg-195m	1.31E-10	2.0E-03	3.4E-03	1.3E-03	5.8E-03	1.2E-02	6.3E-03	4.0E-03	.
Mercury (80)	Hg-197	6.03E-11	4.3E-03	7.5E-03	2.7E-03	1.3E-02	2.5E-02	1.4E-02	8.6E-03	.
Mercury (80)	Hg-197m	1.21E-10	2.1E-03	3.7E-03	1.4E-03	6.3E-03	1.3E-02	6.9E-03	4.3E-03	.
Mercury (80)	Hg-199m	2.53E-12	1.0E-01	1.8E-01	6.5E-02	3.0E-01	6.0E-01	3.3E-01	2.0E-01	.
Mercury (80)	Hg-203	1.21E-10	2.1E-03	3.7E-03	1.4E-03	6.3E-03	1.3E-02	6.9E-03	4.3E-03	.
Mercury (80)	Hg-205	0.00E+00	.	.	.	.	.	.	.	.
Mercury (80)	Hg-206	0.00E+00	.	.	.	.	.	.	.	.
Mercury (80)	Hg-207	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-150	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-153	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-153m	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-154	2.53E-12	1.0E-01	1.8E-01	6.5E-02	3.0E-01	6.0E-01	3.3E-01	2.0E-01	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-154m	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-155	4.32E-12	6.0E-02	1.0E-01	3.8E-02	1.8E-01	3.5E-01	1.9E-01	1.2E-01	.
Holmium (67)	Ho-156	9.32E-12	2.8E-02	4.8E-02	1.8E-02	8.1E-02	1.6E-01	8.9E-02	5.6E-02	.
Holmium (67)	Ho-157	6.30E-13	4.1E-01	7.1E-01	2.6E-01	1.2E+00	2.4E+00	1.3E+00	8.2E-01	.
Holmium (67)	Ho-159	7.12E-13	3.6E-01	6.3E-01	2.3E-01	1.1E+00	2.1E+00	1.2E+00	7.3E-01	.
Holmium (67)	Ho-160	1.45E-12	1.8E-01	3.1E-01	1.1E-01	5.2E-01	1.0E+00	5.7E-01	3.6E-01	.
Holmium (67)	Ho-161	1.92E-12	1.4E-01	2.3E-01	8.6E-02	4.0E-01	7.9E-01	4.3E-01	2.7E-01	.
Holmium (67)	Ho-162	2.16E-13	1.2E+00	2.1E+00	7.7E-01	3.5E+00	7.0E+00	3.8E+00	2.4E+00	.
Holmium (67)	Ho-162m	2.71E-12	9.6E-02	1.7E-01	6.1E-02	2.8E-01	5.6E-01	3.1E-01	1.9E-01	.
Holmium (67)	Ho-163	7.11E-13	3.7E-01	6.3E-01	2.3E-01	1.1E+00	2.1E+00	1.2E+00	7.3E-01	.
Holmium (67)	Ho-164	6.58E-13	3.9E-01	6.8E-01	2.5E-01	1.2E+00	2.3E+00	1.3E+00	7.9E-01	.
Holmium (67)	Ho-164m	1.61E-12	1.6E-01	2.8E-01	1.0E-01	4.7E-01	9.5E-01	5.2E-01	3.2E-01	.
Holmium (67)	Ho-166	3.66E-10	7.1E-04	1.2E-03	4.5E-04	2.1E-03	4.2E-03	2.3E-03	1.4E-03	.
Holmium (67)	Ho-166m	3.19E-10	8.1E-04	1.4E-03	5.2E-04	2.4E-03	4.8E-03	2.6E-03	1.6E-03	.
Holmium (67)	Ho-167	1.50E-11	1.7E-02	3.0E-02	1.1E-02	5.1E-02	1.0E-01	5.5E-02	3.4E-02	.
Holmium (67)	Ho-168	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-168m	0.00E+00	.	.	.	.	.	.	.	.
Holmium (67)	Ho-170	0.00E+00	.	.	.	.	.	.	.	.
Iodine (53)	I-118	1.92E-11	1.4E-02	2.3E-02	8.6E-03	4.0E-02	7.9E-02	4.3E-02	2.7E-02	.
Iodine (53)	I-118m	0.00E+00	.	.	.	.	.	.	.	.
Iodine (53)	I-119	3.44E-12	7.5E-02	1.3E-01	4.8E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Iodine (53)	I-120	2.87E-11	9.0E-03	1.6E-02	5.8E-03	2.6E-02	5.3E-02	2.9E-02	1.8E-02	.
Iodine (53)	I-120m	1.34E-11	1.9E-02	3.4E-02	1.2E-02	5.7E-02	1.1E-01	6.2E-02	3.9E-02	.
Iodine (53)	I-121	7.59E-12	3.4E-02	5.9E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	6.8E-02	.
Iodine (53)	I-122	0.00E+00	.	.	.	.	.	.	.	.
Iodine (53)	I-123	2.71E-11	9.6E-03	1.7E-02	6.1E-03	2.8E-02	5.6E-02	3.1E-02	1.9E-02	.
Iodine (53)	I-124	1.59E-09	1.6E-04	2.8E-04	1.0E-04	4.8E-04	9.6E-04	5.2E-04	3.3E-04	.
Iodine (53)	I-125	9.34E-10	2.8E-04	4.8E-04	1.8E-04	8.1E-04	1.6E-03	8.9E-04	5.5E-04	.
Iodine (53)	I-126	3.35E-09	7.7E-05	1.3E-04	4.9E-05	2.3E-04	4.5E-04	2.5E-04	1.5E-04	.
Iodine (53)	I-128	3.01E-12	8.6E-02	1.5E-01	5.5E-02	2.5E-01	5.1E-01	2.8E-01	1.7E-01	.
Iodine (53)	I-129	5.32E-09	4.9E-05	8.5E-05	3.1E-05	1.4E-04	2.9E-04	1.6E-04	9.7E-05	.
Iodine (53)	I-130	2.31E-10	1.1E-03	1.9E-03	7.2E-04	3.3E-03	6.6E-03	3.6E-03	2.2E-03	.
Iodine (53)	I-130m	0.00E+00	.	.	.	.	.	.	.	.
Iodine (53)	I-131	1.75E-09	1.5E-04	2.6E-04	9.5E-05	4.3E-04	8.7E-04	4.8E-04	3.0E-04	.
Iodine (53)	I-132	3.14E-11	8.3E-03	1.4E-02	5.3E-03	2.4E-02	4.8E-02	2.6E-02	1.6E-02	.
Iodine (53)	I-132m	7.06E-12	3.7E-02	6.4E-02	2.3E-02	1.1E-01	2.2E-01	1.2E-01	7.3E-02	.
Iodine (53)	I-133	5.62E-10	4.6E-04	8.0E-04	2.9E-04	1.4E-03	2.7E-03	1.5E-03	9.2E-04	.
Iodine (53)	I-134	8.76E-12	3.0E-02	5.1E-02	1.9E-02	8.7E-02	1.7E-01	9.5E-02	5.9E-02	.
Iodine (53)	I-134m	0.00E+00	.	.	.	.	.	.	.	.
Iodine (53)	I-135	1.10E-10	2.4E-03	4.1E-03	1.5E-03	6.9E-03	1.4E-02	7.6E-03	4.7E-03	.
Indium (49)	In-103	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-105	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-106	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-106m	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-107	4.05E-12	6.4E-02	1.1E-01	4.1E-02	1.9E-01	3.8E-01	2.1E-01	1.3E-01	.
Indium (49)	In-108	7.63E-12	3.4E-02	5.9E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	6.8E-02	.
Indium (49)	In-108m	6.78E-12	3.8E-02	6.6E-02	2.4E-02	1.1E-01	2.2E-01	1.2E-01	7.6E-02	.
Indium (49)	In-109	8.11E-12	3.2E-02	5.5E-02	2.0E-02	9.4E-02	1.9E-01	1.0E-01	6.4E-02	.
Indium (49)	In-109m	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-110	2.89E-11	9.0E-03	1.6E-02	5.7E-03	2.6E-02	5.3E-02	2.9E-02	1.8E-02	.
Indium (49)	In-110m	1.08E-11	2.4E-02	4.2E-02	1.5E-02	7.0E-02	1.4E-01	7.7E-02	4.8E-02	.
Indium (49)	In-111	5.03E-11	5.2E-03	8.9E-03	3.3E-03	1.5E-02	3.0E-02	1.7E-02	1.0E-02	.
Indium (49)	In-111m	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-112	6.54E-13	4.0E-01	6.9E-01	2.5E-01	1.2E+00	2.3E+00	1.3E+00	7.9E-01	.
Indium (49)	In-112m	1.23E-12	2.1E-01	3.7E-01	1.3E-01	6.2E-01	1.2E+00	6.8E-01	4.2E-01	.
Indium (49)	In-113m	3.71E-12	7.0E-02	1.2E-01	4.5E-02	2.0E-01	4.1E-01	2.2E-01	1.4E-01	.
Indium (49)	In-114	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-114m	9.85E-10	2.6E-04	4.6E-04	1.7E-04	7.7E-04	1.5E-03	8.4E-04	5.3E-04	.
Indium (49)	In-114m+D	9.85E-10	2.6E-04	4.6E-04	1.7E-04	7.7E-04	1.5E-03	8.4E-04	5.3E-04	.
Indium (49)	In-115	1.17E-09	2.2E-04	3.8E-04	1.4E-04	6.5E-04	1.3E-03	7.1E-04	4.4E-04	.
Indium (49)	In-115m	1.76E-11	1.5E-02	2.6E-02	9.4E-03	4.3E-02	8.6E-02	4.7E-02	2.9E-02	.
Indium (49)	In-116m	6.14E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.4E-01	8.4E-02	.
Indium (49)	In-117	2.62E-12	9.9E-02	1.7E-01	6.3E-02	2.9E-01	5.8E-01	3.2E-01	2.0E-01	.
Indium (49)	In-117m	1.73E-11	1.5E-02	2.6E-02	9.6E-03	4.4E-02	8.8E-02	4.8E-02	3.0E-02	.
Indium (49)	In-118	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-118m	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-119	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-119m	2.79E-12	9.3E-02	1.6E-01	5.9E-02	2.7E-01	5.5E-01	3.0E-01	1.9E-01	.
Indium (49)	In-121	0.00E+00	.	.	.	.	.	.	.	.
Indium (49)	In-121m	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-180	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-182	4.07E-12	6.4E-02	1.1E-01	4.1E-02	1.9E-01	3.7E-01	2.0E-01	1.3E-01	.
Iridium (77)	Ir-183	6.47E-12	4.0E-02	7.0E-02	2.6E-02	1.2E-01	2.4E-01	1.3E-01	8.0E-02	.
Iridium (77)	Ir-184	2.82E-11	9.2E-03	1.6E-02	5.9E-03	2.7E-02	5.4E-02	2.9E-02	1.8E-02	.
Iridium (77)	Ir-185	6.14E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.4E-02	8.4E-03	.
Iridium (77)	Ir-186	9.64E-11	2.7E-03	4.7E-03	1.7E-03	7.9E-03	1.6E-02	8.6E-03	5.4E-03	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-186m	9.81E-12	2.6E-02	4.6E-02	1.7E-02	7.7E-02	1.6E-01	8.5E-02	5.3E-02	.
Iridium (77)	Ir-187	2.14E-11	1.2E-02	2.1E-02	7.7E-03	3.5E-02	7.1E-02	3.9E-02	2.4E-02	.
Iridium (77)	Ir-188	1.09E-10	2.4E-03	4.1E-03	1.5E-03	7.0E-03	1.4E-02	7.6E-03	4.7E-03	.
Iridium (77)	Ir-189	5.65E-11	4.6E-03	8.0E-03	2.9E-03	1.3E-02	2.7E-02	1.5E-02	9.2E-03	.
Iridium (77)	Ir-190	1.67E-10	1.6E-03	2.7E-03	9.9E-04	4.5E-03	9.1E-03	5.0E-03	3.1E-03	.
Iridium (77)	Ir-190m	9.60E-13	2.7E-01	4.7E-01	1.7E-01	7.9E-01	1.6E+00	8.7E-01	5.4E-01	.
Iridium (77)	Ir-190n	1.67E-11	1.6E-02	2.7E-02	9.9E-03	4.5E-02	9.1E-02	5.0E-02	3.1E-02	.
Iridium (77)	Ir-191m	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-192	2.89E-10	9.0E-04	1.6E-03	5.7E-04	2.6E-03	5.3E-03	2.9E-03	1.8E-03	.
Iridium (77)	Ir-192m	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-192n	2.06E-10	1.3E-03	2.2E-03	8.0E-04	3.7E-03	7.4E-03	4.0E-03	2.5E-03	.
Iridium (77)	Ir-193m	7.75E-11	3.3E-03	5.8E-03	2.1E-03	9.8E-03	2.0E-02	1.1E-02	6.7E-03	.
Iridium (77)	Ir-194	3.42E-10	7.6E-04	1.3E-03	4.8E-04	2.2E-03	4.4E-03	2.4E-03	1.5E-03	.
Iridium (77)	Ir-194m	3.25E-10	8.0E-04	1.4E-03	5.1E-04	2.3E-03	4.7E-03	2.6E-03	1.6E-03	.
Iridium (77)	Ir-195	1.56E-11	1.7E-02	2.9E-02	1.1E-02	4.9E-02	9.8E-02	5.3E-02	3.3E-02	.
Iridium (77)	Ir-195m	2.65E-11	9.8E-03	1.7E-02	6.3E-03	2.9E-02	5.7E-02	3.1E-02	2.0E-02	.
Iridium (77)	Ir-196	0.00E+00	.	.	.	.	.	.	.	.
Iridium (77)	Ir-196m	1.24E-11	2.1E-02	3.6E-02	1.3E-02	6.1E-02	1.2E-01	6.7E-02	4.2E-02	.
Potassium (19)	K-38	0.00E+00	.	.	.	.	.	.	.	.
Potassium (19)	K-40	9.24E-10	2.8E-04	4.9E-04	1.8E-04	8.2E-04	1.6E-03	9.0E-04	5.6E-04	.
Potassium (19)	K-42	4.70E-11	5.5E-03	9.6E-03	3.5E-03	1.6E-02	3.2E-02	1.8E-02	1.1E-02	.
Potassium (19)	K-43	2.85E-11	9.1E-03	1.6E-02	5.8E-03	2.7E-02	5.3E-02	2.9E-02	1.8E-02	.
Potassium (19)	K-44	5.11E-12	5.1E-02	8.8E-02	3.2E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Potassium (19)	K-45	2.98E-12	8.7E-02	1.5E-01	5.6E-02	2.5E-01	5.1E-01	2.8E-01	1.7E-01	.
Potassium (19)	K-46	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-74	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-75	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-76	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-76+D	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-77	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-79	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-81	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-81m	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-83m	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-85	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-85m	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-87	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-88	0.00E+00	.	.	.	.	.	.	.	.
Krypton (36)	Kr-89	0.00E+00	.	.	.	.	.	.	.	.
Lanthanum (57)	La-128	0.00E+00	.	.	.	.	.	.	.	.
Lanthanum (57)	La-129	2.05E-12	1.3E-01	2.2E-01	8.1E-02	3.7E-01	7.4E-01	4.1E-01	2.5E-01	.
Lanthanum (57)	La-130	0.00E+00	.	.	.	.	.	.	.	.
Lanthanum (57)	La-131	3.43E-12	7.6E-02	1.3E-01	4.8E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Lanthanum (57)	La-132	7.43E-11	3.5E-03	6.1E-03	2.2E-03	1.0E-02	2.0E-02	1.1E-02	7.0E-03	.
Lanthanum (57)	La-132m	5.84E-12	4.4E-02	7.7E-02	2.8E-02	1.3E-01	2.6E-01	1.4E-01	8.9E-02	.
Lanthanum (57)	La-133	5.45E-12	4.8E-02	8.3E-02	3.0E-02	1.4E-01	2.8E-01	1.5E-01	9.5E-02	.
Lanthanum (57)	La-134	0.00E+00	.	.	.	.	.	.	.	.
Lanthanum (57)	La-135	5.70E-12	4.6E-02	7.9E-02	2.9E-02	1.3E-01	2.7E-01	1.5E-01	9.1E-02	.
Lanthanum (57)	La-136	0.00E+00	.	.	.	.	.	.	.	.
Lanthanum (57)	La-137	1.37E-11	1.9E-02	3.3E-02	1.2E-02	5.5E-02	1.1E-01	6.1E-02	3.8E-02	.
Lanthanum (57)	La-138	1.34E-10	1.9E-03	3.4E-03	1.2E-03	5.7E-03	1.1E-02	6.2E-03	3.9E-03	.
Lanthanum (57)	La-140	4.29E-10	6.1E-04	1.0E-03	3.9E-04	1.8E-03	3.5E-03	1.9E-03	1.2E-03	.
Lanthanum (57)	La-141	7.68E-11	3.4E-03	5.9E-03	2.2E-03	9.9E-03	2.0E-02	1.1E-02	6.7E-03	.
Lanthanum (57)	La-142	2.14E-11	1.2E-02	2.1E-02	7.7E-03	3.5E-02	7.1E-02	3.9E-02	2.4E-02	.
Lanthanum (57)	La-143	4.84E-12	5.4E-02	9.3E-02	3.4E-02	1.6E-01	3.1E-01	1.7E-01	1.1E-01	.
Lutetium (71)	Lu-165	1.67E-12	1.6E-01	2.7E-01	9.9E-02	4.5E-01	9.1E-01	5.0E-01	3.1E-01	.
Lutetium (71)	Lu-167	5.09E-12	5.1E-02	8.8E-02	3.3E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Lutetium (71)	Lu-169	8.13E-11	3.2E-03	5.5E-03	2.0E-03	9.3E-03	1.9E-02	1.0E-02	6.4E-03	.
Lutetium (71)	Lu-169m	0.00E+00	.	.	.	.	.	.	.	.
Lutetium (71)	Lu-170	1.38E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.0E-03	3.7E-03	.
Lutetium (71)	Lu-171	1.34E-10	1.9E-03	3.4E-03	1.2E-03	5.7E-03	1.1E-02	6.2E-03	3.9E-03	.
Lutetium (71)	Lu-171m	0.00E+00	.	.	.	.	.	.	.	.
Lutetium (71)	Lu-172	2.17E-10	1.2E-03	2.1E-03	7.6E-04	3.5E-03	7.0E-03	3.8E-03	2.4E-03	.
Lutetium (71)	Lu-172m	0.00E+00	.	.	.	.	.	.	.	.
Lutetium (71)	Lu-173	7.57E-11	3.4E-03	5.9E-03	2.2E-03	1.0E-02	2.0E-02	1.1E-02	6.8E-03	.
Lutetium (71)	Lu-174	6.14E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.4E-02	8.4E-03	.
Lutetium (71)	Lu-174m	1.38E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.0E-03	3.7E-03	.
Lutetium (71)	Lu-176	3.70E-10	7.0E-04	1.2E-03	4.5E-04	2.1E-03	4.1E-03	2.2E-03	1.4E-03	.
Lutetium (71)	Lu-176m	3.32E-11	7.8E-03	1.4E-02	5.0E-03	2.3E-02	4.6E-02	2.5E-02	1.6E-02	.
Lutetium (71)	Lu-177	1.40E-10	1.9E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Lutetium (71)	Lu-177m	3.65E-10	7.1E-04	1.2E-03	4.5E-04	2.1E-03	4.2E-03	2.3E-03	1.4E-03	.
Lutetium (71)	Lu-178	3.17E-12	8.2E-02	1.4E-01	5.2E-02	2.4E-01	4.8E-01	2.6E-01	1.6E-01	.
Lutetium (71)	Lu-178m	2.34E-12	1.1E-01	1.9E-01	7.1E-02	3.2E-01	6.5E-01	3.6E-01	2.2E-01	.
Lutetium (71)	Lu-179	4.66E-11	5.6E-03	9.7E-03	3.6E-03	1.6E-02	3.3E-02	1.8E-02	1.1E-02	.
Lutetium (71)	Lu-180	0.00E+00	.	.	.	.	.	.	.	.
Lutetium (71)	Lu-181	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Magnesium (12)	Mg-27	0.00E+00	.	.	.	.	.	.	.	.
Magnesium (12)	Mg-28	4.45E-10	5.8E-04	1.0E-03	3.7E-04	1.7E-03	3.4E-03	1.9E-03	1.2E-03	.
Manganese (25)	Mn-50m	0.00E+00	.	.	.	.	.	.	.	.
Manganese (25)	Mn-51	7.96E-12	3.3E-02	5.7E-02	2.1E-02	9.5E-02	1.9E-01	1.0E-01	6.5E-02	.
Manganese (25)	Mn-52	2.45E-10	1.1E-03	1.8E-03	6.8E-04	3.1E-03	6.2E-03	3.4E-03	2.1E-03	.
Manganese (25)	Mn-52m	4.73E-12	5.5E-02	9.5E-02	3.5E-02	1.6E-01	3.2E-01	1.8E-01	1.1E-01	.
Manganese (25)	Mn-53	6.01E-12	4.3E-02	7.5E-02	2.8E-02	1.3E-01	2.5E-01	1.4E-01	8.6E-02	.
Manganese (25)	Mn-54	8.39E-11	3.1E-03	5.4E-03	2.0E-03	9.1E-03	1.8E-02	9.9E-03	6.2E-03	.
Manganese (25)	Mn-56	4.01E-11	6.5E-03	1.1E-02	4.1E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Manganese (25)	Mn-57	0.00E+00	.	.	.	.	.	.	.	.
Manganese (25)	Mn-58m	0.00E+00	.	.	.	.	.	.	.	.
Molybdenum (42)	Mo-101	2.50E-12	1.0E-01	1.8E-01	6.6E-02	3.0E-01	6.1E-01	3.3E-01	2.1E-01	.
Molybdenum (42)	Mo-102	3.86E-12	6.7E-02	1.2E-01	4.3E-02	2.0E-01	3.9E-01	2.2E-01	1.3E-01	.
Molybdenum (42)	Mo-89	0.00E+00	.	.	.	.	.	.	.	.
Molybdenum (42)	Mo-90	2.33E-11	1.1E-02	1.9E-02	7.1E-03	3.3E-02	6.5E-02	3.6E-02	2.2E-02	.
Molybdenum (42)	Mo-91	3.50E-12	7.4E-02	1.3E-01	4.7E-02	2.2E-01	4.3E-01	2.4E-01	1.5E-01	.
Molybdenum (42)	Mo-91m	0.00E+00	.	.	.	.	.	.	.	.
Molybdenum (42)	Mo-93	1.05E-10	2.5E-03	4.3E-03	1.6E-03	7.2E-03	1.4E-02	7.9E-03	4.9E-03	.
Molybdenum (42)	Mo-93m	1.20E-11	2.2E-02	3.7E-02	1.4E-02	6.3E-02	1.3E-01	6.9E-02	4.3E-02	.
Molybdenum (42)	Mo-99	5.70E-11	4.6E-03	7.9E-03	2.9E-03	1.3E-02	2.7E-02	1.5E-02	9.1E-03	.
Nitrogen (7)	N-13	0.00E+00	.	.	.	.	.	.	.	.
Nitrogen (7)	N-16	0.00E+00	.	.	.	.	.	.	.	.
Sodium (11)	Na-22	3.41E-10	7.6E-04	1.3E-03	4.9E-04	2.2E-03	4.5E-03	2.4E-03	1.5E-03	.
Sodium (11)	Na-24	4.44E-11	5.8E-03	1.0E-02	3.7E-03	1.7E-02	3.4E-02	1.9E-02	1.2E-02	.
Niobium (41)	Nb-87	0.00E+00	.	.	.	.	.	.	.	.
Niobium (41)	Nb-88	4.75E-12	5.5E-02	9.5E-02	3.5E-02	1.6E-01	3.2E-01	1.8E-01	1.1E-01	.
Niobium (41)	Nb-88m	0.00E+00	.	.	.	.	.	.	.	.
Niobium (41)	Nb-89	3.97E-11	6.5E-03	1.1E-02	4.2E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Niobium (41)	Nb-89m	1.50E-11	1.7E-02	3.0E-02	1.1E-02	5.1E-02	1.0E-01	5.5E-02	3.4E-02	.
Niobium (41)	Nb-90	2.21E-10	1.2E-03	2.0E-03	7.5E-04	3.4E-03	6.9E-03	3.8E-03	2.3E-03	.
Niobium (41)	Nb-91	1.06E-11	2.4E-02	4.2E-02	1.6E-02	7.2E-02	1.4E-01	7.8E-02	4.9E-02	.
Niobium (41)	Nb-91m	1.06E-10	2.4E-03	4.2E-03	1.6E-03	7.2E-03	1.4E-02	7.8E-03	4.9E-03	.
Niobium (41)	Nb-92	1.24E-10	2.1E-03	3.6E-03	1.3E-03	6.1E-03	1.2E-02	6.7E-03	4.2E-03	.
Niobium (41)	Nb-92m	6.41E-11	4.1E-03	7.0E-03	2.6E-03	1.2E-02	2.4E-02	1.3E-02	8.1E-03	.
Niobium (41)	Nb-93m	3.29E-11	7.9E-03	1.4E-02	5.0E-03	2.3E-02	4.6E-02	2.5E-02	1.6E-02	.
Niobium (41)	Nb-94	3.00E-10	8.7E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Niobium (41)	Nb-94m	0.00E+00	.	.	.	.	.	.	.	.
Niobium (41)	Nb-95	9.46E-11	2.7E-03	4.8E-03	1.8E-03	8.0E-03	1.6E-02	8.8E-03	5.5E-03	.
Niobium (41)	Nb-95m	1.56E-10	1.7E-03	2.9E-03	1.1E-03	4.9E-03	9.8E-03	5.3E-03	3.3E-03	.
Niobium (41)	Nb-96	1.96E-10	1.3E-03	2.3E-03	8.5E-04	3.9E-03	7.8E-03	4.2E-03	2.6E-03	.
Niobium (41)	Nb-97	7.55E-12	3.4E-02	6.0E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	6.9E-02	.
Niobium (41)	Nb-98m	1.01E-11	2.6E-02	4.5E-02	1.6E-02	7.5E-02	1.5E-01	8.2E-02	5.1E-02	.
Niobium (41)	Nb-99	0.00E+00	.	.	.	.	.	.	.	.
Niobium (41)	Nb-99m	0.00E+00	.	.	.	.	.	.	.	.
Neodymium (60)	Nd-134	0.00E+00	.	.	.	.	.	.	.	.
Neodymium (60)	Nd-135	4.16E-12	6.2E-02	1.1E-01	4.0E-02	1.8E-01	3.7E-01	2.0E-01	1.2E-01	.
Neodymium (60)	Nd-136	1.03E-11	2.5E-02	4.4E-02	1.6E-02	7.4E-02	1.5E-01	8.1E-02	5.0E-02	.
Neodymium (60)	Nd-137	5.73E-12	4.5E-02	7.9E-02	2.9E-02	1.3E-01	2.7E-01	1.5E-01	9.0E-02	.
Neodymium (60)	Nd-138	1.35E-10	1.9E-03	3.3E-03	1.2E-03	5.6E-03	1.1E-02	6.2E-03	3.8E-03	.
Neodymium (60)	Nd-139	1.98E-12	1.3E-01	2.3E-01	8.4E-02	3.8E-01	7.7E-01	4.2E-01	2.6E-01	.
Neodymium (60)	Nd-139m	3.89E-11	6.7E-03	1.2E-02	4.3E-03	2.0E-02	3.9E-02	2.1E-02	1.3E-02	.
Neodymium (60)	Nd-140	4.91E-10	5.3E-04	9.2E-04	3.4E-04	1.5E-03	3.1E-03	1.7E-03	1.1E-03	.
Neodymium (60)	Nd-141	1.22E-12	2.1E-01	3.7E-01	1.4E-01	6.2E-01	1.2E+00	6.8E-01	4.2E-01	.
Neodymium (60)	Nd-141m	0.00E+00	.	.	.	.	.	.	.	.
Neodymium (60)	Nd-144	1.06E-09	2.4E-04	4.2E-04	1.6E-04	7.2E-04	1.4E-03	7.8E-04	4.9E-04	.
Neodymium (60)	Nd-147	2.76E-10	9.4E-04	1.6E-03	6.0E-04	2.8E-03	5.5E-03	3.0E-03	1.9E-03	.
Neodymium (60)	Nd-149	2.13E-11	1.2E-02	2.1E-02	7.8E-03	3.6E-02	7.1E-02	3.9E-02	2.4E-02	.
Neodymium (60)	Nd-151	2.73E-12	9.5E-02	1.6E-01	6.1E-02	2.8E-01	5.6E-01	3.0E-01	1.9E-01	.
Neodymium (60)	Nd-152	2.85E-12	9.1E-02	1.6E-01	5.8E-02	2.7E-01	5.3E-01	2.9E-01	1.8E-01	.
Neon (10)	Ne-19	0.00E+00	.	.	.	.	.	.	.	.
Neon (10)	Ne-24	0.00E+00	.	.	.	.	.	.	.	.
Nickel (28)	Ni-56	1.07E-10	2.4E-03	4.2E-03	1.5E-03	7.1E-03	1.4E-02	7.8E-03	4.8E-03	.
Nickel (28)	Ni-57	1.58E-10	1.6E-03	2.8E-03	1.0E-03	4.8E-03	9.6E-03	5.3E-03	3.3E-03	.
Nickel (28)	Ni-59	1.04E-11	2.5E-02	4.3E-02	1.6E-02	7.3E-02	1.5E-01	8.0E-02	5.0E-02	.
Nickel (28)	Ni-63	2.62E-11	9.9E-03	1.7E-02	6.3E-03	2.9E-02	5.8E-02	3.2E-02	2.0E-02	.
Nickel (28)	Ni-65	2.71E-11	9.6E-03	1.7E-02	6.1E-03	2.8E-02	5.6E-02	3.1E-02	1.9E-02	.
Nickel (28)	Ni-66	7.98E-10	3.3E-04	5.6E-04	2.1E-04	9.5E-04	1.9E-03	1.0E-03	6.5E-04	.
Neptunium (93)	Np-232	7.33E-13	3.5E-01	6.1E-01	2.3E-01	1.0E+00	2.1E+00	1.1E+00	7.1E-01	.
Neptunium (93)	Np-233	1.95E-13	1.3E+00	2.3E+00	8.5E-01	3.9E+00	7.8E+00	4.3E+00	2.7E+00	.
Neptunium (93)	Np-234	1.06E-10	2.4E-03	4.2E-03	1.6E-03	7.2E-03	1.4E-02	7.8E-03	4.9E-03	.
Neptunium (93)	Np-235	1.48E-11	1.8E-02	3.0E-02	1.1E-02	5.1E-02	1.0E-01	5.6E-02	3.5E-02	.
Neptunium (93)	Np-235+D	1.48E-11	1.8E-02	3.0E-02	1.1E-02	5.1E-02	1.0E-01	5.6E-02	3.5E-02	.
Neptunium (93)	Np-236	4.93E-10	5.3E-04	9.1E-04	3.4E-04	1.5E-03	3.1E-03	1.7E-03	1.0E-03	.
Neptunium (93)	Np-236m	4.47E-11	5.8E-03	1.0E-02	3.7E-03	1.7E-02	3.4E-02	1.9E-02	1.2E-02	.
Neptunium (93)	Np-237	2.24E-09	1.2E-04	2.0E-04	7.4E-05	3.4E-04	6.8E-04	3.7E-04	2.3E-04	.
Neptunium (93)	Np-237+D	2.48E-09	1.0E-04	1.8E-04	6.7E-05	3.1E-04	6.1E-04	3.4E-04	2.1E-04	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Neptunium (93)	Np-238	2.06E-10	1.3E-03	2.2E-03	8.0E-04	3.7E-03	7.4E-03	4.0E-03	2.5E-03	.
Neptunium (93)	Np-239	2.06E-10	1.3E-03	2.2E-03	8.0E-04	3.7E-03	7.4E-03	4.0E-03	2.5E-03	.
Neptunium (93)	Np-240	7.36E-12	3.5E-02	6.1E-02	2.3E-02	1.0E-01	2.1E-01	1.1E-01	7.0E-02	.
Neptunium (93)	Np-240m	0.00E+00	.	.	.	.	.	.	.	.
Neptunium (93)	Np-241	9.15E-13	2.8E-01	4.9E-01	1.8E-01	8.3E-01	1.7E+00	9.1E-01	5.7E-01	.
Neptunium (93)	Np-242	0.00E+00	.	.	.	.	.	.	.	.
Neptunium (93)	Np-242m	0.00E+00	.	.	.	.	.	.	.	.
Oxygen (8)	O-14	0.00E+00	.	.	.	.	.	.	.	.
Oxygen (8)	O-15	0.00E+00	.	.	.	.	.	.	.	.
Oxygen (8)	O-19	0.00E+00	.	.	.	.	.	.	.	.
Osmium (76)	Os-180	1.42E-12	1.8E-01	3.2E-01	1.2E-01	5.3E-01	1.1E+00	5.9E-01	3.6E-01	.
Osmium (76)	Os-181	1.38E-11	1.9E-02	3.3E-02	1.2E-02	5.5E-02	1.1E-01	6.0E-02	3.7E-02	.
Osmium (76)	Os-182	1.04E-10	2.5E-03	4.3E-03	1.6E-03	7.3E-03	1.5E-02	8.0E-03	5.0E-03	.
Osmium (76)	Os-183	4.04E-11	6.4E-03	1.1E-02	4.1E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Osmium (76)	Os-183m	3.17E-11	8.2E-03	1.4E-02	5.2E-03	2.4E-02	4.8E-02	2.6E-02	1.6E-02	.
Osmium (76)	Os-185	7.08E-11	3.7E-03	6.4E-03	2.3E-03	1.1E-02	2.1E-02	1.2E-02	7.3E-03	.
Osmium (76)	Os-186	2.83E-09	9.2E-05	1.6E-04	5.9E-05	2.7E-04	5.4E-04	2.9E-04	1.8E-04	.
Osmium (76)	Os-189m	3.91E-12	6.6E-02	1.2E-01	4.2E-02	1.9E-01	3.9E-01	2.1E-01	1.3E-01	.
Osmium (76)	Os-190m	0.00E+00	.	.	.	.	.	.	.	.
Osmium (76)	Os-191	1.47E-10	1.8E-03	3.1E-03	1.1E-03	5.2E-03	1.0E-02	5.7E-03	3.5E-03	.
Osmium (76)	Os-191m	2.49E-11	1.0E-02	1.8E-02	6.7E-03	3.0E-02	6.1E-02	3.3E-02	2.1E-02	.
Osmium (76)	Os-193	2.14E-10	1.2E-03	2.1E-03	7.7E-04	3.5E-03	7.1E-03	3.9E-03	2.4E-03	.
Osmium (76)	Os-194	6.15E-10	4.2E-04	7.3E-04	2.7E-04	1.2E-03	2.5E-03	1.4E-03	8.4E-04	.
Osmium (76)	Os-194+D	9.57E-10	2.7E-04	4.7E-04	1.7E-04	7.9E-04	1.6E-03	8.7E-04	5.4E-04	.
Osmium (76)	Os-196	8.22E-12	3.2E-02	5.5E-02	2.0E-02	9.2E-02	1.9E-01	1.0E-01	6.3E-02	.
Phosphorus (15)	P-30	0.00E+00	.	.	.	.	.	.	.	.
Phosphorus (15)	P-32	3.32E-10	7.8E-04	1.4E-03	5.0E-04	2.3E-03	4.6E-03	2.5E-03	1.6E-03	.
Phosphorus (15)	P-33	3.67E-11	7.1E-03	1.2E-02	4.5E-03	2.1E-02	4.1E-02	2.3E-02	1.4E-02	.
Protactinium (91)	Pa-227	3.69E-11	7.0E-03	1.2E-02	4.5E-03	2.1E-02	4.1E-02	2.3E-02	1.4E-02	.
Protactinium (91)	Pa-228	1.38E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.0E-03	3.7E-03	.
Protactinium (91)	Pa-229	1.80E-11	1.4E-02	2.5E-02	9.2E-03	4.2E-02	8.5E-02	4.6E-02	2.9E-02	.
Protactinium (91)	Pa-230	1.44E-10	1.8E-03	3.1E-03	1.2E-03	5.3E-03	1.1E-02	5.8E-03	3.6E-03	.
Protactinium (91)	Pa-231	6.10E-09	4.3E-05	7.4E-05	2.7E-05	1.2E-04	2.5E-04	1.4E-04	8.5E-05	.
Protactinium (91)	Pa-232	1.36E-10	1.9E-03	3.3E-03	1.2E-03	5.6E-03	1.1E-02	6.1E-03	3.8E-03	.
Protactinium (91)	Pa-233	2.42E-10	1.1E-03	1.9E-03	6.8E-04	3.1E-03	6.3E-03	3.4E-03	2.1E-03	.
Protactinium (91)	Pa-234	8.11E-11	3.2E-03	5.5E-03	2.0E-03	9.4E-03	1.9E-02	1.0E-02	6.4E-03	.
Protactinium (91)	Pa-234m	0.00E+00	.	.	.	.	.	.	.	.
Protactinium (91)	Pa-235	1.73E-12	1.5E-01	2.6E-01	9.6E-02	4.4E-01	8.8E-01	4.8E-01	3.0E-01	.
Protactinium (91)	Pa-236	0.00E+00	.	.	.	.	.	.	.	.
Protactinium (91)	Pa-237	0.00E+00	.	.	.	.	.	.	.	.
Lead (82)	Pb-194	1.47E-12	1.8E-01	3.1E-01	1.1E-01	5.2E-01	1.0E+00	5.7E-01	3.5E-01	.
Lead (82)	Pb-195m	1.96E-12	1.3E-01	2.3E-01	8.5E-02	3.9E-01	7.8E-01	4.2E-01	2.6E-01	.
Lead (82)	Pb-196	2.63E-12	9.9E-02	1.7E-01	6.3E-02	2.9E-01	5.8E-01	3.2E-01	2.0E-01	.
Lead (82)	Pb-197	0.00E+00	.	.	.	.	.	.	.	.
Lead (82)	Pb-197m	4.15E-12	6.3E-02	1.1E-01	4.0E-02	1.8E-01	3.7E-01	2.0E-01	1.2E-01	.
Lead (82)	Pb-198	9.81E-12	2.6E-02	4.6E-02	1.7E-02	7.7E-02	1.6E-01	8.5E-02	5.3E-02	.
Lead (82)	Pb-199	4.50E-12	5.8E-02	1.0E-01	3.7E-02	1.7E-01	3.4E-01	1.8E-01	1.1E-01	.
Lead (82)	Pb-200	6.10E-11	4.3E-03	7.4E-03	2.7E-03	1.2E-02	2.5E-02	1.4E-02	8.5E-03	.
Lead (82)	Pb-201	2.29E-11	1.1E-02	2.0E-02	7.2E-03	3.3E-02	6.6E-02	3.6E-02	2.3E-02	.
Lead (82)	Pb-201m	0.00E+00	.	.	.	.	.	.	.	.
Lead (82)	Pb-202	1.22E-09	2.1E-04	3.7E-04	1.4E-04	6.2E-04	1.2E-03	6.8E-04	4.2E-04	.
Lead (82)	Pb-202+D	1.27E-09	2.0E-04	3.5E-04	1.3E-04	6.0E-04	1.2E-03	6.5E-04	4.1E-04	.
Lead (82)	Pb-202m	1.81E-11	1.4E-02	2.5E-02	9.2E-03	4.2E-02	8.4E-02	4.6E-02	2.9E-02	.
Lead (82)	Pb-203	4.01E-11	6.5E-03	1.1E-02	4.1E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Lead (82)	Pb-204m	4.76E-12	5.5E-02	9.5E-02	3.5E-02	1.6E-01	3.2E-01	1.7E-01	1.1E-01	.
Lead (82)	Pb-205	2.17E-11	1.2E-02	2.1E-02	7.6E-03	3.5E-02	7.0E-02	3.8E-02	2.4E-02	.
Lead (82)	Pb-209	9.42E-12	2.8E-02	4.8E-02	1.8E-02	8.1E-02	1.6E-01	8.8E-02	5.5E-02	.
Lead (82)	Pb-210	3.18E-08	8.2E-06	1.4E-05	5.2E-06	2.4E-05	4.8E-05	2.6E-05	1.6E-05	.
Lead (82)	Pb-211	1.57E-11	1.7E-02	2.9E-02	1.1E-02	4.8E-02	9.7E-02	5.3E-02	3.3E-02	.
Lead (82)	Pb-212	9.64E-10	2.7E-04	4.7E-04	1.7E-04	7.9E-04	1.6E-03	8.6E-04	5.4E-04	.
Lead (82)	Pb-214	1.31E-11	2.0E-02	3.4E-02	1.3E-02	5.8E-02	1.2E-01	6.3E-02	4.0E-02	.
Palladium (46)	Pd-100	1.47E-10	1.8E-03	3.1E-03	1.1E-03	5.2E-03	1.0E-02	5.7E-03	3.5E-03	.
Palladium (46)	Pd-101	1.59E-11	1.6E-02	2.8E-02	1.0E-02	4.8E-02	9.6E-02	5.2E-02	3.3E-02	.
Palladium (46)	Pd-103	4.94E-11	5.3E-03	9.1E-03	3.4E-03	1.5E-02	3.1E-02	1.7E-02	1.0E-02	.
Palladium (46)	Pd-107	1.03E-11	2.5E-02	4.4E-02	1.6E-02	7.4E-02	1.5E-01	8.1E-02	5.0E-02	.
Palladium (46)	Pd-109	1.41E-10	1.8E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Palladium (46)	Pd-109m	0.00E+00	.	.	.	.	.	.	.	.
Palladium (46)	Pd-111	3.76E-12	6.9E-02	1.2E-01	4.4E-02	2.0E-01	4.0E-01	2.2E-01	1.4E-01	.
Palladium (46)	Pd-112	6.82E-10	3.8E-04	6.6E-04	2.4E-04	1.1E-03	2.2E-03	1.2E-03	7.6E-04	.
Palladium (46)	Pd-114	0.00E+00	.	.	.	.	.	.	.	.
Palladium (46)	Pd-96	0.00E+00	.	.	.	.	.	.	.	.
Palladium (46)	Pd-97	0.00E+00	.	.	.	.	.	.	.	.
Palladium (46)	Pd-98	4.38E-12	5.9E-02	1.0E-01	3.8E-02	1.7E-01	3.5E-01	1.9E-01	1.2E-01	.
Palladium (46)	Pd-99	2.84E-12	9.1E-02	1.6E-01	5.8E-02	2.7E-01	5.4E-01	2.9E-01	1.8E-01	.
Promethium (61)	Pm-136	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-137m	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-139	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-140	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-140m	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-141	2.42E-12	1.1E-01	1.9E-01	6.8E-02	3.1E-01	6.3E-01	3.4E-01	2.1E-01	.
Promethium (61)	Pm-142	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-143	3.35E-11	7.7E-03	1.3E-02	4.9E-03	2.3E-02	4.5E-02	2.5E-02	1.5E-02	.
Promethium (61)	Pm-144	1.27E-10	2.0E-03	3.5E-03	1.3E-03	6.0E-03	1.2E-02	6.5E-03	4.1E-03	.
Promethium (61)	Pm-145	2.05E-11	1.3E-02	2.2E-02	8.1E-03	3.7E-02	7.4E-02	4.1E-02	2.5E-02	.
Promethium (61)	Pm-146	1.59E-10	1.6E-03	2.8E-03	1.0E-03	4.8E-03	9.6E-03	5.2E-03	3.3E-03	.
Promethium (61)	Pm-147	6.70E-11	3.9E-03	6.7E-03	2.5E-03	1.1E-02	2.3E-02	1.2E-02	7.7E-03	.
Promethium (61)	Pm-148	6.84E-10	3.8E-04	6.6E-04	2.4E-04	1.1E-03	2.2E-03	1.2E-03	7.6E-04	.
Promethium (61)	Pm-148m	3.10E-10	8.4E-04	1.5E-03	5.3E-04	2.4E-03	4.9E-03	2.7E-03	1.7E-03	.
Promethium (61)	Pm-149	2.63E-10	9.9E-04	1.7E-03	6.3E-04	2.9E-03	5.8E-03	3.2E-03	2.0E-03	.
Promethium (61)	Pm-150	4.25E-11	6.1E-03	1.1E-02	3.9E-03	1.8E-02	3.6E-02	2.0E-02	1.2E-02	.
Promethium (61)	Pm-151	1.77E-10	1.5E-03	2.5E-03	9.4E-04	4.3E-03	8.6E-03	4.7E-03	2.9E-03	.
Promethium (61)	Pm-152	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-152m	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-153	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-154	0.00E+00	.	.	.	.	.	.	.	.
Promethium (61)	Pm-154m	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-203	5.11E-12	5.1E-02	8.8E-02	3.2E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Polonium (84)	Po-204	3.34E-11	7.8E-03	1.3E-02	5.0E-03	2.3E-02	4.6E-02	2.5E-02	1.5E-02	.
Polonium (84)	Po-205	6.06E-12	4.3E-02	7.4E-02	2.7E-02	1.3E-01	2.5E-01	1.4E-01	8.5E-02	.
Polonium (84)	Po-206	1.14E-09	2.3E-04	3.9E-04	1.5E-04	6.7E-04	1.3E-03	7.3E-04	4.5E-04	.
Polonium (84)	Po-207	1.44E-11	1.8E-02	3.1E-02	1.2E-02	5.3E-02	1.1E-01	5.8E-02	3.6E-02	.
Polonium (84)	Po-208	7.60E-08	3.4E-06	5.9E-06	2.2E-06	1.0E-05	2.0E-05	1.1E-05	6.8E-06	.
Polonium (84)	Po-209	7.54E-08	3.4E-06	6.0E-06	2.2E-06	1.0E-05	2.0E-05	1.1E-05	6.9E-06	.
Polonium (84)	Po-210	6.09E-08	4.3E-06	7.4E-06	2.7E-06	1.2E-05	2.5E-05	1.4E-05	8.5E-06	.
Polonium (84)	Po-211	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-212	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-212m	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-213	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-214	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-215	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-216	0.00E+00	.	.	.	.	.	.	.	.
Polonium (84)	Po-218	0.00E+00	.	.	.	.	.	.	.	.
Praseodymium (59)	Pr-134	4.35E-12	6.0E-02	1.0E-01	3.8E-02	1.7E-01	3.5E-01	1.9E-01	1.2E-01	.
Praseodymium (59)	Pr-134m	7.27E-12	3.6E-02	6.2E-02	2.3E-02	1.0E-01	2.1E-01	1.1E-01	7.1E-02	.
Praseodymium (59)	Pr-135	3.49E-12	7.4E-02	1.3E-01	4.7E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Praseodymium (59)	Pr-136	2.22E-12	1.2E-01	2.0E-01	7.5E-02	3.4E-01	6.9E-01	3.7E-01	2.3E-01	.
Praseodymium (59)	Pr-137	4.52E-12	5.7E-02	1.0E-01	3.7E-02	1.7E-01	3.4E-01	1.8E-01	1.1E-01	.
Praseodymium (59)	Pr-138	0.00E+00	.	.	.	.	.	.	.	.
Praseodymium (59)	Pr-138m	1.61E-11	1.6E-02	2.8E-02	1.0E-02	4.7E-02	9.5E-02	5.2E-02	3.2E-02	.
Praseodymium (59)	Pr-139	5.86E-12	4.4E-02	7.7E-02	2.8E-02	1.3E-01	2.6E-01	1.4E-01	8.8E-02	.
Praseodymium (59)	Pr-140	0.00E+00	.	.	.	.	.	.	.	.
Praseodymium (59)	Pr-142	3.41E-10	7.6E-04	1.3E-03	4.9E-04	2.2E-03	4.5E-03	2.4E-03	1.5E-03	.
Praseodymium (59)	Pr-142m	4.38E-12	5.9E-02	1.0E-01	3.8E-02	1.7E-01	3.5E-01	1.9E-01	1.2E-01	.
Praseodymium (59)	Pr-143	3.15E-10	8.2E-04	1.4E-03	5.3E-04	2.4E-03	4.8E-03	2.6E-03	1.6E-03	.
Praseodymium (59)	Pr-144	3.03E-12	8.6E-02	1.5E-01	5.5E-02	2.5E-01	5.0E-01	2.7E-01	1.7E-01	.
Praseodymium (59)	Pr-144m	0.00E+00	.	.	.	.	.	.	.	.
Praseodymium (59)	Pr-145	9.07E-11	2.9E-03	5.0E-03	1.8E-03	8.4E-03	1.7E-02	9.2E-03	5.7E-03	.
Praseodymium (59)	Pr-146	5.18E-12	5.0E-02	8.7E-02	3.2E-02	1.5E-01	2.9E-01	1.6E-01	1.0E-01	.
Praseodymium (59)	Pr-147	2.19E-12	1.2E-01	2.1E-01	7.6E-02	3.5E-01	6.9E-01	3.8E-01	2.4E-01	.
Praseodymium (59)	Pr-148	0.00E+00	.	.	.	.	.	.	.	.
Praseodymium (59)	Pr-148m	0.00E+00	.	.	.	.	.	.	.	.
Platinum (78)	Pt-184	3.62E-12	7.2E-02	1.2E-01	4.6E-02	2.1E-01	4.2E-01	2.3E-01	1.4E-01	.
Platinum (78)	Pt-186	1.67E-11	1.6E-02	2.7E-02	9.9E-03	4.5E-02	9.1E-02	5.0E-02	3.1E-02	.
Platinum (78)	Pt-187	1.36E-11	1.9E-02	3.3E-02	1.2E-02	5.6E-02	1.1E-01	6.1E-02	3.8E-02	.
Platinum (78)	Pt-188	1.57E-10	1.7E-03	2.9E-03	1.1E-03	4.8E-03	9.7E-03	5.3E-03	3.3E-03	.
Platinum (78)	Pt-189	3.80E-11	6.8E-03	1.2E-02	4.4E-03	2.0E-02	4.0E-02	2.2E-02	1.4E-02	.
Platinum (78)	Pt-190	1.14E-09	2.3E-04	3.9E-04	1.5E-04	6.7E-04	1.3E-03	7.3E-04	4.5E-04	.
Platinum (78)	Pt-191	7.70E-11	3.4E-03	5.8E-03	2.2E-03	9.9E-03	2.0E-02	1.1E-02	6.7E-03	.
Platinum (78)	Pt-193	9.59E-12	2.7E-02	4.7E-02	1.7E-02	7.9E-02	1.6E-01	8.7E-02	5.4E-02	.
Platinum (78)	Pt-193m	1.21E-10	2.1E-03	3.7E-03	1.4E-03	6.3E-03	1.3E-02	6.9E-03	4.3E-03	.
Platinum (78)	Pt-195m	1.66E-10	1.6E-03	2.7E-03	1.0E-03	4.6E-03	9.2E-03	5.0E-03	3.1E-03	.
Platinum (78)	Pt-197	1.11E-10	2.3E-03	4.1E-03	1.5E-03	6.8E-03	1.4E-02	7.5E-03	4.7E-03	.
Platinum (78)	Pt-197m	1.57E-11	1.7E-02	2.9E-02	1.1E-02	4.8E-02	9.7E-02	5.3E-02	3.3E-02	.
Platinum (78)	Pt-199	3.43E-12	7.6E-02	1.3E-01	4.8E-02	2.2E-01	4.4E-01	2.4E-01	1.5E-01	.
Platinum (78)	Pt-200	3.00E-10	8.7E-04	1.5E-03	5.5E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Platinum (78)	Pt-202	1.16E-09	2.2E-04	3.9E-04	1.4E-04	6.5E-04	1.3E-03	7.2E-04	4.5E-04	.
Platinum (78)	Pt-202+D	1.16E-09	2.2E-04	3.9E-04	1.4E-04	6.5E-04	1.3E-03	7.2E-04	4.5E-04	.
Plutonium (94)	Pu-232	1.13E-11	2.3E-02	4.0E-02	1.5E-02	6.7E-02	1.3E-01	7.4E-02	4.6E-02	.
Plutonium (94)	Pu-234	3.25E-11	8.0E-03	1.4E-02	5.1E-03	2.3E-02	4.7E-02	2.6E-02	1.6E-02	.
Plutonium (94)	Pu-235	1.73E-13	1.5E+00	2.6E+00	9.6E-01	4.4E+00	8.8E+00	4.8E+00	3.0E+00	.
Plutonium (94)	Pu-236	2.71E-09	9.6E-05	1.7E-04	6.1E-05	2.8E-04	5.6E-04	3.1E-04	1.9E-04	.
Plutonium (94)	Pu-237	2.53E-11	1.0E-02	1.8E-02	6.5E-03	3.0E-02	6.0E-02	3.3E-02	2.0E-02	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Plutonium (94)	Pu-238	4.58E-09	5.7E-05	9.8E-05	3.6E-05	1.7E-04	3.3E-04	1.8E-04	1.1E-04	.
Plutonium (94)	Pu-239	4.71E-09	5.5E-05	9.6E-05	3.5E-05	1.6E-04	3.2E-04	1.8E-04	1.1E-04	.
Plutonium (94)	Pu-239+D	4.71E-09	5.5E-05	9.6E-05	3.5E-05	1.6E-04	3.2E-04	1.8E-04	1.1E-04	.
Plutonium (94)	Pu-240	4.71E-09	5.5E-05	9.6E-05	3.5E-05	1.6E-04	3.2E-04	1.8E-04	1.1E-04	.
Plutonium (94)	Pu-241	6.17E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.3E-02	8.4E-03	.
Plutonium (94)	Pu-242	4.48E-09	5.8E-05	1.0E-04	3.7E-05	1.7E-04	3.4E-04	1.9E-04	1.2E-04	.
Plutonium (94)	Pu-243	1.87E-11	1.4E-02	2.4E-02	8.9E-03	4.1E-02	8.1E-02	4.4E-02	2.8E-02	.
Plutonium (94)	Pu-244	5.08E-09	5.1E-05	8.9E-05	3.3E-05	1.5E-04	3.0E-04	1.6E-04	1.0E-04	.
Plutonium (94)	Pu-244+D	5.35E-09	4.9E-05	8.4E-05	3.1E-05	1.4E-04	2.8E-04	1.6E-04	9.7E-05	.
Plutonium (94)	Pu-245	1.69E-10	1.5E-03	2.7E-03	9.8E-04	4.5E-03	9.0E-03	4.9E-03	3.1E-03	.
Plutonium (94)	Pu-246	6.80E-10	3.8E-04	6.6E-04	2.4E-04	1.1E-03	2.2E-03	1.2E-03	7.6E-04	.
Radium (88)	Ra-219	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-219+D	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-220	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-221	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-221+D	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-222	0.00E+00	.	.	.	.	.	.	.	.
Radium (88)	Ra-223	9.15E-09	2.8E-05	4.9E-05	1.8E-05	8.3E-05	1.7E-04	9.1E-05	5.7E-05	.
Radium (88)	Ra-223+D	9.15E-09	2.8E-05	4.9E-05	1.8E-05	8.3E-05	1.7E-04	9.1E-05	5.7E-05	.
Radium (88)	Ra-224	6.44E-09	4.0E-05	7.0E-05	2.6E-05	1.2E-04	2.4E-04	1.3E-04	8.0E-05	.
Radium (88)	Ra-224+D	6.44E-09	4.0E-05	7.0E-05	2.6E-05	1.2E-04	2.4E-04	1.3E-04	8.0E-05	.
Radium (88)	Ra-225	4.15E-09	6.3E-05	1.1E-04	4.0E-05	1.8E-04	3.7E-04	2.0E-04	1.2E-04	.
Radium (88)	Ra-226	1.39E-08	1.9E-05	3.2E-05	1.2E-05	5.5E-05	1.1E-04	6.0E-05	3.7E-05	.
Radium (88)	Ra-226+D	1.39E-08	1.9E-05	3.2E-05	1.2E-05	5.5E-05	1.1E-04	6.0E-05	3.7E-05	.
Radium (88)	Ra-227	4.01E-12	6.5E-02	1.1E-01	4.1E-02	1.9E-01	3.8E-01	2.1E-01	1.3E-01	.
Radium (88)	Ra-228	3.85E-08	6.7E-06	1.2E-05	4.3E-06	2.0E-05	4.0E-05	2.2E-05	1.3E-05	.
Radium (88)	Ra-228+D	3.86E-08	6.7E-06	1.2E-05	4.3E-06	2.0E-05	3.9E-05	2.2E-05	1.3E-05	.
Radium (88)	Ra-230	2.31E-11	1.1E-02	1.9E-02	7.2E-03	3.3E-02	6.6E-02	3.6E-02	2.2E-02	.
Rubidium (37)	Rb-77	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-78	4.47E-12	5.8E-02	1.0E-01	3.7E-02	1.7E-01	3.4E-01	1.9E-01	1.2E-01	.
Rubidium (37)	Rb-78m	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-79	3.10E-12	8.4E-02	1.5E-01	5.3E-02	2.4E-01	4.9E-01	2.7E-01	1.7E-01	.
Rubidium (37)	Rb-80	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-81	4.28E-12	6.1E-02	1.1E-01	3.9E-02	1.8E-01	3.6E-01	1.9E-01	1.2E-01	.
Rubidium (37)	Rb-81m	7.16E-13	3.6E-01	6.3E-01	2.3E-01	1.1E+00	2.1E+00	1.2E+00	7.2E-01	.
Rubidium (37)	Rb-82	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-82m	1.31E-11	2.0E-02	3.4E-02	1.3E-02	5.8E-02	1.2E-01	6.3E-02	4.0E-02	.
Rubidium (37)	Rb-83	1.91E-10	1.4E-03	2.4E-03	8.7E-04	4.0E-03	8.0E-03	4.4E-03	2.7E-03	.
Rubidium (37)	Rb-84	3.21E-10	8.1E-04	1.4E-03	5.2E-04	2.4E-03	4.7E-03	2.6E-03	1.6E-03	.
Rubidium (37)	Rb-84m	5.36E-13	4.8E-01	8.4E-01	3.1E-01	1.4E+00	2.8E+00	1.6E+00	9.7E-01	.
Rubidium (37)	Rb-86	3.63E-10	7.2E-04	1.2E-03	4.6E-04	2.1E-03	4.2E-03	2.3E-03	1.4E-03	.
Rubidium (37)	Rb-86m	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-87	1.98E-10	1.3E-03	2.3E-03	8.4E-04	3.8E-03	7.7E-03	4.2E-03	2.6E-03	.
Rubidium (37)	Rb-88	5.20E-12	5.0E-02	8.7E-02	3.2E-02	1.5E-01	2.9E-01	1.6E-01	1.0E-01	.
Rubidium (37)	Rb-89	2.84E-12	9.1E-02	1.6E-01	5.8E-02	2.7E-01	5.4E-01	2.9E-01	1.8E-01	.
Rubidium (37)	Rb-90	0.00E+00	.	.	.	.	.	.	.	.
Rubidium (37)	Rb-90m	0.00E+00	.	.	.	.	.	.	.	.
Rhenium (75)	Re-178	1.81E-12	1.4E-01	2.5E-01	9.2E-02	4.2E-01	8.4E-01	4.6E-01	2.9E-01	.
Rhenium (75)	Re-179	1.03E-12	2.5E-01	4.4E-01	1.6E-01	7.4E-01	1.5E+00	8.1E-01	5.0E-01	.
Rhenium (75)	Re-180	0.00E+00	.	.	.	.	.	.	.	.
Rhenium (75)	Re-181	5.44E-11	4.8E-03	8.3E-03	3.0E-03	1.4E-02	2.8E-02	1.5E-02	9.5E-03	.
Rhenium (75)	Re-182	1.82E-10	1.4E-03	2.5E-03	9.1E-04	4.2E-03	8.4E-03	4.6E-03	2.8E-03	.
Rhenium (75)	Re-182m	3.45E-11	7.5E-03	1.3E-02	4.8E-03	2.2E-02	4.4E-02	2.4E-02	1.5E-02	.
Rhenium (75)	Re-183	1.28E-10	2.0E-03	3.5E-03	1.3E-03	5.9E-03	1.2E-02	6.5E-03	4.0E-03	.
Rhenium (75)	Re-184	1.19E-10	2.2E-03	3.8E-03	1.4E-03	6.4E-03	1.3E-02	7.0E-03	4.3E-03	.
Rhenium (75)	Re-184m	1.89E-10	1.4E-03	2.4E-03	8.8E-04	4.0E-03	8.1E-03	4.4E-03	2.7E-03	.
Rhenium (75)	Re-186	2.10E-10	1.2E-03	2.1E-03	7.9E-04	3.6E-03	7.2E-03	4.0E-03	2.5E-03	.
Rhenium (75)	Re-186m	2.84E-10	9.1E-04	1.6E-03	5.8E-04	2.7E-03	5.4E-03	2.9E-03	1.8E-03	.
Rhenium (75)	Re-186m+D	4.94E-10	5.3E-04	9.1E-04	3.4E-04	1.5E-03	3.1E-03	1.7E-03	1.0E-03	.
Rhenium (75)	Re-187	6.47E-13	4.0E-01	7.0E-01	2.6E-01	1.2E+00	2.4E+00	1.3E+00	8.0E-01	.
Rhenium (75)	Re-188	1.91E-10	1.4E-03	2.4E-03	8.7E-04	4.0E-03	8.0E-03	4.4E-03	2.7E-03	.
Rhenium (75)	Re-188m	3.83E-12	6.8E-02	1.2E-01	4.3E-02	2.0E-01	4.0E-01	2.2E-01	1.4E-01	.
Rhenium (75)	Re-189	1.06E-10	2.4E-03	4.2E-03	1.6E-03	7.2E-03	1.4E-02	7.8E-03	4.9E-03	.
Rhenium (75)	Re-190	0.00E+00	.	.	.	.	.	.	.	.
Rhenium (75)	Re-190m	4.15E-11	6.3E-03	1.1E-02	4.0E-03	1.8E-02	3.7E-02	2.0E-02	1.2E-02	.
Rhodium (45)	Rh-100	9.23E-11	2.8E-03	4.9E-03	1.8E-03	8.2E-03	1.6E-02	9.0E-03	5.6E-03	.
Rhodium (45)	Rh-100m	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-101	7.73E-11	3.4E-03	5.8E-03	2.1E-03	9.8E-03	2.0E-02	1.1E-02	6.7E-03	.
Rhodium (45)	Rh-101m	3.54E-11	7.3E-03	1.3E-02	4.7E-03	2.1E-02	4.3E-02	2.3E-02	1.5E-02	.
Rhodium (45)	Rh-102	2.41E-10	1.1E-03	1.9E-03	6.9E-04	3.2E-03	6.3E-03	3.5E-03	2.1E-03	.
Rhodium (45)	Rh-102m	2.98E-10	8.7E-04	1.5E-03	5.6E-04	2.5E-03	5.1E-03	2.8E-03	1.7E-03	.
Rhodium (45)	Rh-103m	3.58E-13	7.3E-01	1.3E+00	4.6E-01	2.1E+00	4.2E+00	2.3E+00	1.4E+00	.
Rhodium (45)	Rh-104	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-104m	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-105	9.26E-11	2.8E-03	4.9E-03	1.8E-03	8.2E-03	1.6E-02	9.0E-03	5.6E-03	.
Rhodium (45)	Rh-106	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-106m	2.16E-11	1.2E-02	2.1E-02	7.7E-03	3.5E-02	7.0E-02	3.8E-02	2.4E-02	.
Rhodium (45)	Rh-107	1.56E-12	1.7E-01	2.9E-01	1.1E-01	4.9E-01	9.8E-01	5.3E-01	3.3E-01	.
Rhodium (45)	Rh-108	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-109	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-94	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-95	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-95m	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-96	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-96m	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-97	3.69E-12	7.0E-02	1.2E-01	4.5E-02	2.1E-01	4.1E-01	2.3E-01	1.4E-01	.
Rhodium (45)	Rh-97m	4.50E-12	5.8E-02	1.0E-01	3.7E-02	1.7E-01	3.4E-01	1.8E-01	1.1E-01	.
Rhodium (45)	Rh-98	0.00E+00	.	.	.	.	.	.	.	.
Rhodium (45)	Rh-99	1.02E-10	2.5E-03	4.4E-03	1.6E-03	7.4E-03	1.5E-02	8.2E-03	5.1E-03	.
Rhodium (45)	Rh-99m	9.43E-12	2.8E-02	4.8E-02	1.8E-02	8.1E-02	1.6E-01	8.8E-02	5.5E-02	.
Radon (86)	Rn-207	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-209	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-210	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-211	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-212	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-215	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-216	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-217	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-218	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-219	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-219+D	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-220	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-222	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-222+D	0.00E+00	.	.	.	.	.	.	.	.
Radon (86)	Rn-223	0.00E+00	.	.	.	.	.	.	.	.
Ruthenium (44)	Ru-103	1.42E-10	1.8E-03	3.2E-03	1.2E-03	5.3E-03	1.1E-02	5.9E-03	3.6E-03	.
Ruthenium (44)	Ru-105	5.63E-11	4.6E-03	8.0E-03	2.9E-03	1.3E-02	2.7E-02	1.5E-02	9.2E-03	.
Ruthenium (44)	Ru-106	1.65E-09	1.6E-04	2.7E-04	1.0E-04	4.6E-04	9.2E-04	5.0E-04	3.1E-04	.
Ruthenium (44)	Ru-106+D	1.65E-09	1.6E-04	2.7E-04	1.0E-04	4.6E-04	9.2E-04	5.0E-04	3.1E-04	.
Ruthenium (44)	Ru-107	0.00E+00	.	.	.	.	.	.	.	.
Ruthenium (44)	Ru-108	0.00E+00	.	.	.	.	.	.	.	.
Ruthenium (44)	Ru-92	0.00E+00	.	.	.	.	.	.	.	.
Ruthenium (44)	Ru-94	1.19E-11	2.2E-02	3.8E-02	1.4E-02	6.4E-02	1.3E-01	7.0E-02	4.3E-02	.
Ruthenium (44)	Ru-95	7.27E-12	3.6E-02	6.2E-02	2.3E-02	1.0E-01	2.1E-01	1.1E-01	7.1E-02	.
Ruthenium (44)	Ru-97	2.45E-11	1.1E-02	1.8E-02	6.8E-03	3.1E-02	6.2E-02	3.4E-02	2.1E-02	.
Sulfur (16)	S-35	1.89E-11	1.4E-02	2.4E-02	8.8E-03	4.0E-02	8.1E-02	4.4E-02	2.7E-02	.
Sulphur (16)	S-37	0.00E+00	.	.	.	.	.	.	.	.
Sulphur (16)	S-38	3.40E-11	7.6E-03	1.3E-02	4.9E-03	2.2E-02	4.5E-02	2.4E-02	1.5E-02	.
Antimony (51)	Sb-111	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-113	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-114	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-115	1.91E-12	1.4E-01	2.4E-01	8.7E-02	4.0E-01	8.0E-01	4.4E-01	2.7E-01	.
Antimony (51)	Sb-116	2.10E-12	1.2E-01	2.1E-01	7.9E-02	3.6E-01	7.2E-01	4.0E-01	2.5E-01	.
Antimony (51)	Sb-116m	6.42E-12	4.0E-02	7.0E-02	2.6E-02	1.2E-01	2.4E-01	1.3E-01	8.1E-02	.
Antimony (51)	Sb-117	2.59E-12	1.0E-01	1.7E-01	6.4E-02	2.9E-01	5.9E-01	3.2E-01	2.0E-01	.
Antimony (51)	Sb-118	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-118m	2.65E-11	9.8E-03	1.7E-02	6.3E-03	2.9E-02	5.7E-02	3.1E-02	2.0E-02	.
Antimony (51)	Sb-119	1.91E-11	1.4E-02	2.4E-02	8.7E-03	4.0E-02	8.0E-02	4.4E-02	2.7E-02	.
Antimony (51)	Sb-120	9.23E-13	2.8E-01	4.9E-01	1.8E-01	8.2E-01	1.6E+00	9.0E-01	5.6E-01	.
Antimony (51)	Sb-120m	1.68E-10	1.5E-03	2.7E-03	9.9E-04	4.5E-03	9.1E-03	4.9E-03	3.1E-03	.
Antimony (51)	Sb-122	4.19E-10	6.2E-04	1.1E-03	4.0E-04	1.8E-03	3.6E-03	2.0E-03	1.2E-03	.
Antimony (51)	Sb-122m	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-124	5.00E-10	5.2E-04	9.0E-04	3.3E-04	1.5E-03	3.0E-03	1.7E-03	1.0E-03	.
Antimony (51)	Sb-124m	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-124n	7.39E-13	3.5E-01	6.1E-01	2.2E-01	1.0E+00	2.1E+00	1.1E+00	7.0E-01	.
Antimony (51)	Sb-125	1.68E-10	1.5E-03	2.7E-03	9.9E-04	4.5E-03	9.1E-03	4.9E-03	3.1E-03	.
Antimony (51)	Sb-126	4.91E-10	5.3E-04	9.2E-04	3.4E-04	1.5E-03	3.1E-03	1.7E-03	1.1E-03	.
Antimony (51)	Sb-126m	2.63E-12	9.9E-02	1.7E-01	6.3E-02	2.9E-01	5.8E-01	3.2E-01	2.0E-01	.
Antimony (51)	Sb-127	3.98E-10	6.5E-04	1.1E-03	4.2E-04	1.9E-03	3.8E-03	2.1E-03	1.3E-03	.
Antimony (51)	Sb-128	1.47E-10	1.8E-03	3.1E-03	1.1E-03	5.2E-03	1.0E-02	5.7E-03	3.5E-03	.
Antimony (51)	Sb-128m	2.16E-12	1.2E-01	2.1E-01	7.7E-02	3.5E-01	7.0E-01	3.8E-01	2.4E-01	.
Antimony (51)	Sb-129	8.72E-11	3.0E-03	5.2E-03	1.9E-03	8.7E-03	1.7E-02	9.5E-03	5.9E-03	.
Antimony (51)	Sb-130	7.89E-12	3.3E-02	5.7E-02	2.1E-02	9.6E-02	1.9E-01	1.1E-01	6.6E-02	.
Antimony (51)	Sb-130m	0.00E+00	.	.	.	.	.	.	.	.
Antimony (51)	Sb-131	1.01E-11	2.6E-02	4.5E-02	1.6E-02	7.5E-02	1.5E-01	8.2E-02	5.1E-02	.
Antimony (51)	Sb-133	0.00E+00	.	.	.	.	.	.	.	.
Scandium (21)	Sc-42m	0.00E+00	.	.	.	.	.	.	.	.
Scandium (21)	Sc-43	3.91E-11	6.6E-03	1.2E-02	4.2E-03	1.9E-02	3.9E-02	2.1E-02	1.3E-02	.
Scandium (21)	Sc-44	6.17E-11	4.2E-03	7.3E-03	2.7E-03	1.2E-02	2.5E-02	1.3E-02	8.4E-03	.
Scandium (21)	Sc-44m	5.44E-10	4.8E-04	8.3E-04	3.0E-04	1.4E-03	2.8E-03	1.5E-03	9.5E-04	.
Scandium (21)	Sc-46	2.39E-10	1.1E-03	1.9E-03	6.9E-04	3.2E-03	6.4E-03	3.5E-03	2.2E-03	.
Scandium (21)	Sc-47	1.38E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.0E-03	3.7E-03	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Scandium (21)	Sc-48	2.78E-10	9.3E-04	1.6E-03	6.0E-04	2.7E-03	5.5E-03	3.0E-03	1.9E-03	.
Scandium (21)	Sc-49	7.80E-12	3.3E-02	5.8E-02	2.1E-02	9.7E-02	2.0E-01	1.1E-01	6.6E-02	.
Scandium (21)	Sc-50	0.00E+00	.	.	.	.	.	.	.	.
Selenium (34)	Se-70	9.74E-12	2.7E-02	4.6E-02	1.7E-02	7.8E-02	1.6E-01	8.5E-02	5.3E-02	.
Selenium (34)	Se-71	0.00E+00	.	.	.	.	.	.	.	.
Selenium (34)	Se-72	6.06E-10	4.3E-04	7.4E-04	2.7E-04	1.3E-03	2.5E-03	1.4E-03	8.5E-04	.
Selenium (34)	Se-73	3.07E-11	8.5E-03	1.5E-02	5.4E-03	2.5E-02	5.0E-02	2.7E-02	1.7E-02	.
Selenium (34)	Se-73m	3.17E-12	8.2E-02	1.4E-01	5.2E-02	2.4E-01	4.8E-01	2.6E-01	1.6E-01	.
Selenium (34)	Se-75	2.87E-10	9.0E-04	1.6E-03	5.8E-04	2.6E-03	5.3E-03	2.9E-03	1.8E-03	.
Selenium (34)	Se-77m	0.00E+00	.	.	.	.	.	.	.	.
Selenium (34)	Se-79	2.48E-10	1.0E-03	1.8E-03	6.7E-04	3.1E-03	6.1E-03	3.4E-03	2.1E-03	.
Selenium (34)	Se-79m	0.00E+00	.	.	.	.	.	.	.	.
Selenium (34)	Se-81	1.59E-12	1.6E-01	2.8E-01	1.0E-01	4.8E-01	9.6E-01	5.2E-01	3.3E-01	.
Selenium (34)	Se-81m	5.01E-12	5.2E-02	9.0E-02	3.3E-02	1.5E-01	3.0E-01	1.7E-01	1.0E-01	.
Selenium (34)	Se-83	3.76E-12	6.9E-02	1.2E-01	4.4E-02	2.0E-01	4.0E-01	2.2E-01	1.4E-01	.
Selenium (34)	Se-83m	0.00E+00	.	.	.	.	.	.	.	.
Selenium (34)	Se-84	0.00E+00	.	.	.	.	.	.	.	.
Silicon (14)	Si-31	2.54E-11	1.0E-02	1.8E-02	6.5E-03	3.0E-02	6.0E-02	3.3E-02	2.0E-02	.
Silicon (14)	Si-32	1.40E-10	1.9E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Silicon (14)	Si-32+D	4.72E-10	5.5E-04	9.5E-04	3.5E-04	1.6E-03	3.2E-03	1.8E-03	1.1E-03	.
Samarium (62)	Sm-139	0.00E+00	.	.	.	.	.	.	.	.
Samarium (62)	Sm-140	7.02E-12	3.7E-02	6.4E-02	2.4E-02	1.1E-01	2.2E-01	1.2E-01	7.4E-02	.
Samarium (62)	Sm-141	2.63E-12	9.9E-02	1.7E-01	6.3E-02	2.9E-01	5.8E-01	3.2E-01	2.0E-01	.
Samarium (62)	Sm-141m	5.06E-12	5.1E-02	8.9E-02	3.3E-02	1.5E-01	3.0E-01	1.6E-01	1.0E-01	.
Samarium (62)	Sm-142	2.02E-11	1.3E-02	2.2E-02	8.2E-03	3.8E-02	7.5E-02	4.1E-02	2.6E-02	.
Samarium (62)	Sm-143	0.00E+00	.	.	.	.	.	.	.	.
Samarium (62)	Sm-143m	0.00E+00	.	.	.	.	.	.	.	.
Samarium (62)	Sm-145	4.49E-11	5.8E-03	1.0E-02	3.7E-03	1.7E-02	3.4E-02	1.9E-02	1.2E-02	.
Samarium (62)	Sm-146	1.41E-09	1.8E-04	3.2E-04	1.2E-04	5.4E-04	1.1E-03	5.9E-04	3.7E-04	.
Samarium (62)	Sm-147	1.29E-09	2.0E-04	3.5E-04	1.3E-04	5.9E-04	1.2E-03	6.4E-04	4.0E-04	.
Samarium (62)	Sm-148	1.11E-09	2.3E-04	4.1E-04	1.5E-04	6.8E-04	1.4E-03	7.5E-04	4.7E-04	.
Samarium (62)	Sm-151	2.20E-11	1.2E-02	2.0E-02	7.5E-03	3.5E-02	6.9E-02	3.8E-02	2.4E-02	.
Samarium (62)	Sm-153	1.90E-10	1.4E-03	2.4E-03	8.7E-04	4.0E-03	8.0E-03	4.4E-03	2.7E-03	.
Samarium (62)	Sm-155	1.88E-12	1.4E-01	2.4E-01	8.8E-02	4.0E-01	8.1E-01	4.4E-01	2.8E-01	.
Samarium (62)	Sm-156	6.01E-11	4.3E-03	7.5E-03	2.8E-03	1.3E-02	2.5E-02	1.4E-02	8.6E-03	.
Samarium (62)	Sm-157	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-106	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-108	2.01E-12	1.3E-01	2.2E-01	8.2E-02	3.8E-01	7.6E-01	4.1E-01	2.6E-01	.
Tin (50)	Sn-109	1.84E-12	1.4E-01	2.4E-01	9.0E-02	4.1E-01	8.3E-01	4.5E-01	2.8E-01	.
Tin (50)	Sn-110	7.61E-11	3.4E-03	5.9E-03	2.2E-03	1.0E-02	2.0E-02	1.1E-02	6.8E-03	.
Tin (50)	Sn-111	1.92E-12	1.4E-01	2.3E-01	8.6E-02	4.0E-01	7.9E-01	4.3E-01	2.7E-01	.
Tin (50)	Sn-113	1.74E-10	1.5E-03	2.6E-03	9.5E-04	4.4E-03	8.7E-03	4.8E-03	3.0E-03	.
Tin (50)	Sn-113m	2.24E-13	1.2E+00	2.0E+00	7.4E-01	3.4E+00	6.8E+00	3.7E+00	2.3E+00	.
Tin (50)	Sn-117m	1.74E-10	1.5E-03	2.6E-03	9.5E-04	4.4E-03	8.7E-03	4.8E-03	3.0E-03	.
Tin (50)	Sn-119m	8.91E-11	2.9E-03	5.0E-03	1.9E-03	8.5E-03	1.7E-02	9.3E-03	5.8E-03	.
Tin (50)	Sn-121	6.01E-11	4.3E-03	7.5E-03	2.8E-03	1.3E-02	2.5E-02	1.4E-02	8.6E-03	.
Tin (50)	Sn-121m	9.30E-11	2.8E-03	4.8E-03	1.8E-03	8.2E-03	1.6E-02	8.9E-03	5.6E-03	.
Tin (50)	Sn-121m+D	1.40E-10	1.9E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Tin (50)	Sn-123	5.56E-10	4.7E-04	8.1E-04	3.0E-04	1.4E-03	2.7E-03	1.5E-03	9.3E-04	.
Tin (50)	Sn-123m	3.05E-12	8.5E-02	1.5E-01	5.4E-02	2.5E-01	5.0E-01	2.7E-01	1.7E-01	.
Tin (50)	Sn-125	7.90E-10	3.3E-04	5.7E-04	2.1E-04	9.6E-04	1.9E-03	1.1E-03	6.6E-04	.
Tin (50)	Sn-125m	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-126	1.01E-09	2.6E-04	4.5E-04	1.6E-04	7.5E-04	1.5E-03	8.2E-04	5.1E-04	.
Tin (50)	Sn-126+D	1.08E-09	2.4E-04	4.2E-04	1.5E-04	7.0E-04	1.4E-03	7.7E-04	4.8E-04	.
Tin (50)	Sn-127	3.17E-11	8.2E-03	1.4E-02	5.2E-03	2.4E-02	4.8E-02	2.6E-02	1.6E-02	.
Tin (50)	Sn-127m	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-128	1.71E-11	1.5E-02	2.6E-02	9.7E-03	4.4E-02	8.9E-02	4.9E-02	3.0E-02	.
Tin (50)	Sn-129	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-130	0.00E+00	.	.	.	.	.	.	.	.
Tin (50)	Sn-130m	0.00E+00	.	.	.	.	.	.	.	.
Strontium (38)	Sr-79	0.00E+00	.	.	.	.	.	.	.	.
Strontium (38)	Sr-80	4.82E-11	5.4E-03	9.3E-03	3.4E-03	1.6E-02	3.2E-02	1.7E-02	1.1E-02	.
Strontium (38)	Sr-81	5.38E-12	4.8E-02	8.4E-02	3.1E-02	1.4E-01	2.8E-01	1.5E-01	9.6E-02	.
Strontium (38)	Sr-82	1.22E-09	2.1E-04	3.7E-04	1.4E-04	6.2E-04	1.2E-03	6.8E-04	4.2E-04	.
Strontium (38)	Sr-82+D	1.22E-09	2.1E-04	3.7E-04	1.4E-04	6.2E-04	1.2E-03	6.8E-04	4.2E-04	.
Strontium (38)	Sr-83	9.07E-11	2.9E-03	5.0E-03	1.8E-03	8.4E-03	1.7E-02	9.2E-03	5.7E-03	.
Strontium (38)	Sr-85	8.24E-11	3.2E-03	5.5E-03	2.0E-03	9.2E-03	1.8E-02	1.0E-02	6.3E-03	.
Strontium (38)	Sr-85m	6.10E-13	4.3E-01	7.4E-01	2.7E-01	1.2E+00	2.5E+00	1.4E+00	8.5E-01	.
Strontium (38)	Sr-87m	4.12E-12	6.3E-02	1.1E-01	4.0E-02	1.8E-01	3.7E-01	2.0E-01	1.3E-01	.
Strontium (38)	Sr-89	4.97E-10	5.2E-04	9.1E-04	3.3E-04	1.5E-03	3.1E-03	1.7E-03	1.0E-03	.
Strontium (38)	Sr-90	1.86E-09	1.4E-04	2.4E-04	8.9E-05	4.1E-04	8.2E-04	4.5E-04	2.8E-04	.
Strontium (38)	Sr-90+D	2.57E-09	1.0E-04	1.8E-04	6.4E-05	3.0E-04	5.9E-04	3.2E-04	2.0E-04	.
Strontium (38)	Sr-91	1.28E-10	2.0E-03	3.5E-03	1.3E-03	5.9E-03	1.2E-02	6.5E-03	4.0E-03	.
Strontium (38)	Sr-92	8.67E-11	3.0E-03	5.2E-03	1.9E-03	8.8E-03	1.8E-02	9.6E-03	6.0E-03	.
Strontium (38)	Sr-93	0.00E+00	.	.	.	.	.	.	.	.
Strontium (38)	Sr-94	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Tantalum (73)	Ta-170	0.00E+00	.	.	.	.	.	.	.	.
Tantalum (73)	Ta-172	4.68E-12	5.5E-02	9.6E-02	3.5E-02	1.6E-01	3.3E-01	1.8E-01	1.1E-01	.
Tantalum (73)	Ta-173	1.84E-11	1.4E-02	2.4E-02	9.0E-03	4.1E-02	8.3E-02	4.5E-02	2.8E-02	.
Tantalum (73)	Ta-174	7.61E-12	3.4E-02	5.9E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	6.8E-02	.
Tantalum (73)	Ta-175	3.73E-11	7.0E-03	1.2E-02	4.4E-03	2.0E-02	4.1E-02	2.2E-02	1.4E-02	.
Tantalum (73)	Ta-176	4.57E-11	5.7E-03	9.8E-03	3.6E-03	1.7E-02	3.3E-02	1.8E-02	1.1E-02	.
Tantalum (73)	Ta-177	2.35E-11	1.1E-02	1.9E-02	7.0E-03	3.2E-02	6.5E-02	3.5E-02	2.2E-02	.
Tantalum (73)	Ta-178	0.00E+00	.	.	.	.	.	.	.	.
Tantalum (73)	Ta-178m	1.13E-11	2.3E-02	4.0E-02	1.5E-02	6.7E-02	1.3E-01	7.4E-02	4.6E-02	.
Tantalum (73)	Ta-179	1.27E-11	2.0E-02	3.5E-02	1.3E-02	6.0E-02	1.2E-01	6.5E-02	4.1E-02	.
Tantalum (73)	Ta-180	1.23E-11	2.1E-02	3.7E-02	1.3E-02	6.2E-02	1.2E-01	6.8E-02	4.2E-02	.
Tantalum (73)	Ta-182	3.05E-10	8.5E-04	1.5E-03	5.4E-04	2.5E-03	5.0E-03	2.7E-03	1.7E-03	.
Tantalum (73)	Ta-182m	7.90E-13	3.3E-01	5.7E-01	2.1E-01	9.6E-01	1.9E+00	1.1E+00	6.6E-01	.
Tantalum (73)	Ta-183	3.38E-10	7.7E-04	1.3E-03	4.9E-04	2.2E-03	4.5E-03	2.5E-03	1.5E-03	.
Tantalum (73)	Ta-184	1.37E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.1E-03	3.8E-03	.
Tantalum (73)	Ta-185	6.14E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.4E-01	8.4E-02	.
Tantalum (73)	Ta-186	2.13E-12	1.2E-01	2.1E-01	7.8E-02	3.6E-01	7.1E-01	3.9E-01	2.4E-01	.
Terbium (65)	Tb-146	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-147	1.60E-11	1.6E-02	2.8E-02	1.0E-02	4.7E-02	9.5E-02	5.2E-02	3.2E-02	.
Terbium (65)	Tb-147m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-148	1.23E-11	2.1E-02	3.7E-02	1.3E-02	6.2E-02	1.2E-01	6.8E-02	4.2E-02	.
Terbium (65)	Tb-148m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-149	2.99E-11	8.7E-03	1.5E-02	5.5E-03	2.5E-02	5.1E-02	2.8E-02	1.7E-02	.
Terbium (65)	Tb-149m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-150	3.26E-11	8.0E-03	1.4E-02	5.1E-03	2.3E-02	4.7E-02	2.6E-02	1.6E-02	.
Terbium (65)	Tb-150m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-151	6.04E-11	4.3E-03	7.4E-03	2.7E-03	1.3E-02	2.5E-02	1.4E-02	8.6E-03	.
Terbium (65)	Tb-151m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-152	1.36E-10	1.9E-03	3.3E-03	1.2E-03	5.6E-03	1.1E-02	6.1E-03	3.8E-03	.
Terbium (65)	Tb-152m	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-153	5.47E-11	4.7E-03	8.2E-03	3.0E-03	1.4E-02	2.8E-02	1.5E-02	9.5E-03	.
Terbium (65)	Tb-154	9.16E-11	2.8E-03	4.9E-03	1.8E-03	8.3E-03	1.7E-02	9.1E-03	5.6E-03	.
Terbium (65)	Tb-155	5.41E-11	4.8E-03	8.3E-03	3.1E-03	1.4E-02	2.8E-02	1.5E-02	9.6E-03	.
Terbium (65)	Tb-156	1.80E-10	1.4E-03	2.5E-03	9.2E-04	4.2E-03	8.5E-03	4.6E-03	2.9E-03	.
Terbium (65)	Tb-156m	2.87E-11	9.0E-03	1.6E-02	5.8E-03	2.6E-02	5.3E-02	2.9E-02	1.8E-02	.
Terbium (65)	Tb-156n	1.68E-11	1.5E-02	2.7E-02	9.9E-03	4.5E-02	9.1E-02	4.9E-02	3.1E-02	.
Terbium (65)	Tb-157	8.19E-12	3.2E-02	5.5E-02	2.0E-02	9.3E-02	1.9E-01	1.0E-01	6.3E-02	.
Terbium (65)	Tb-158	1.86E-10	1.4E-03	2.4E-03	8.9E-04	4.1E-03	8.2E-03	4.5E-03	2.8E-03	.
Terbium (65)	Tb-160	3.44E-10	7.5E-04	1.3E-03	4.8E-04	2.2E-03	4.4E-03	2.4E-03	1.5E-03	.
Terbium (65)	Tb-161	1.95E-10	1.3E-03	2.3E-03	8.5E-04	3.9E-03	7.8E-03	4.3E-03	2.7E-03	.
Terbium (65)	Tb-162	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-163	1.44E-12	1.8E-01	3.1E-01	1.2E-01	5.3E-01	1.1E+00	5.8E-01	3.6E-01	.
Terbium (65)	Tb-164	0.00E+00	.	.	.	.	.	.	.	.
Terbium (65)	Tb-165	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-101	1.13E-12	2.3E-01	4.0E-01	1.5E-01	6.7E-01	1.3E+00	7.4E-01	4.6E-01	.
Technetium (43)	Tc-102	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-102m	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-104	5.26E-12	4.9E-02	8.6E-02	3.1E-02	1.4E-01	2.9E-01	1.6E-01	9.8E-02	.
Technetium (43)	Tc-105	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-91	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-91m	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-92	0.00E+00	.	.	.	.	.	.	.	.
Technetium (43)	Tc-93	7.99E-12	3.2E-02	5.6E-02	2.1E-02	9.5E-02	1.9E-01	1.0E-01	6.5E-02	.
Technetium (43)	Tc-93m	3.29E-12	7.9E-02	1.4E-01	5.0E-02	2.3E-01	4.6E-01	2.5E-01	1.6E-01	.
Technetium (43)	Tc-94	2.38E-11	1.1E-02	1.9E-02	7.0E-03	3.2E-02	6.4E-02	3.5E-02	2.2E-02	.
Technetium (43)	Tc-94m	9.09E-12	2.9E-02	4.9E-02	1.8E-02	8.4E-02	1.7E-01	9.1E-02	5.7E-02	.
Technetium (43)	Tc-95	2.17E-11	1.2E-02	2.1E-02	7.6E-03	3.5E-02	7.0E-02	3.8E-02	2.4E-02	.
Technetium (43)	Tc-95m	6.87E-11	3.8E-03	6.5E-03	2.4E-03	1.1E-02	2.2E-02	1.2E-02	7.5E-03	.
Technetium (43)	Tc-96	1.27E-10	2.0E-03	3.5E-03	1.3E-03	6.0E-03	1.2E-02	6.5E-03	4.1E-03	.
Technetium (43)	Tc-96m	1.34E-12	1.9E-01	3.4E-01	1.2E-01	5.7E-01	1.1E+00	6.2E-01	3.9E-01	.
Technetium (43)	Tc-97	1.06E-11	2.4E-02	4.2E-02	1.6E-02	7.2E-02	1.4E-01	7.8E-02	4.9E-02	.
Technetium (43)	Tc-97m	9.33E-11	2.8E-03	4.8E-03	1.8E-03	8.1E-03	1.6E-02	8.9E-03	5.5E-03	.
Technetium (43)	Tc-98	2.54E-10	1.0E-03	1.8E-03	6.5E-04	3.0E-03	6.0E-03	3.3E-03	2.0E-03	.
Technetium (43)	Tc-99	1.08E-10	2.4E-03	4.2E-03	1.5E-03	7.0E-03	1.4E-02	7.7E-03	4.8E-03	.
Technetium (43)	Tc-99m	3.06E-12	8.5E-02	1.5E-01	5.4E-02	2.5E-01	5.0E-01	2.7E-01	1.7E-01	.
Tellurium (52)	Te-113	0.00E+00	.	.	.	.	.	.	.	.
Tellurium (52)	Te-114	4.48E-12	5.8E-02	1.0E-01	3.7E-02	1.7E-01	3.4E-01	1.9E-01	1.2E-01	.
Tellurium (52)	Te-115	0.00E+00	.	.	.	.	.	.	.	.
Tellurium (52)	Te-115m	0.00E+00	.	.	.	.	.	.	.	.
Tellurium (52)	Te-116	3.03E-11	8.6E-03	1.5E-02	5.5E-03	2.5E-02	5.0E-02	2.7E-02	1.7E-02	.
Tellurium (52)	Te-117	5.58E-12	4.7E-02	8.1E-02	3.0E-02	1.4E-01	2.7E-01	1.5E-01	9.3E-02	.
Tellurium (52)	Te-118	6.95E-10	3.7E-04	6.5E-04	2.4E-04	1.1E-03	2.2E-03	1.2E-03	7.4E-04	.
Tellurium (52)	Te-118+D	6.95E-10	3.7E-04	6.5E-04	2.4E-04	1.1E-03	2.2E-03	1.2E-03	7.4E-04	.
Tellurium (52)	Te-119	2.59E-11	1.0E-02	1.7E-02	6.4E-03	2.9E-02	5.9E-02	3.2E-02	2.0E-02	.
Tellurium (52)	Te-119m	9.51E-11	2.7E-03	4.7E-03	1.7E-03	8.0E-03	1.6E-02	8.7E-03	5.4E-03	.
Tellurium (52)	Te-121	5.61E-11	4.6E-03	8.0E-03	3.0E-03	1.4E-02	2.7E-02	1.5E-02	9.2E-03	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Tellurium (52)	Te-121m	2.32E-10	1.1E-03	1.9E-03	7.1E-04	3.3E-03	6.6E-03	3.6E-03	2.2E-03	.
Tellurium (52)	Te-123	3.56E-11	7.3E-03	1.3E-02	4.7E-03	2.1E-02	4.3E-02	2.3E-02	1.5E-02	.
Tellurium (52)	Te-123m	1.52E-10	1.7E-03	3.0E-03	1.1E-03	5.0E-03	1.0E-02	5.5E-03	3.4E-03	.
Tellurium (52)	Te-125m	1.27E-10	2.0E-03	3.5E-03	1.3E-03	6.0E-03	1.2E-02	6.5E-03	4.1E-03	.
Tellurium (52)	Te-127	4.02E-11	6.5E-03	1.1E-02	4.1E-03	1.9E-02	3.8E-02	2.1E-02	1.3E-02	.
Tellurium (52)	Te-127m	3.24E-10	8.0E-04	1.4E-03	5.1E-04	2.3E-03	4.7E-03	2.6E-03	1.6E-03	.
Tellurium (52)	Te-129	6.60E-12	3.9E-02	6.8E-02	2.5E-02	1.2E-01	2.3E-01	1.3E-01	7.8E-02	.
Tellurium (52)	Te-129m	5.94E-10	4.4E-04	7.6E-04	2.8E-04	1.3E-03	2.6E-03	1.4E-03	8.7E-04	.
Tellurium (52)	Te-131	8.23E-12	3.2E-02	5.5E-02	2.0E-02	9.2E-02	1.8E-01	1.0E-01	6.3E-02	.
Tellurium (52)	Te-131m	3.14E-10	8.3E-04	1.4E-03	5.3E-04	2.4E-03	4.8E-03	2.6E-03	1.6E-03	.
Tellurium (52)	Te-132	6.57E-10	4.0E-04	6.8E-04	2.5E-04	1.2E-03	2.3E-03	1.3E-03	7.9E-04	.
Tellurium (52)	Te-133	7.28E-12	3.6E-02	6.2E-02	2.3E-02	1.0E-01	2.1E-01	1.1E-01	7.1E-02	.
Tellurium (52)	Te-133m	3.06E-11	8.5E-03	1.5E-02	5.4E-03	2.5E-02	5.0E-02	2.7E-02	1.7E-02	.
Tellurium (52)	Te-134	1.04E-11	2.5E-02	4.3E-02	1.6E-02	7.3E-02	1.5E-01	8.0E-02	5.0E-02	.
Thorium (90)	Th-223	0.00E+00	.	.	.	.	.	.	.	.
Thorium (90)	Th-224	0.00E+00	.	.	.	.	.	.	.	.
Thorium (90)	Th-226	2.50E-11	1.0E-02	1.8E-02	6.6E-03	3.0E-02	6.1E-02	3.3E-02	2.1E-02	.
Thorium (90)	Th-227	1.90E-09	1.4E-04	2.4E-04	8.7E-05	4.0E-04	8.0E-04	4.4E-04	2.7E-04	.
Thorium (90)	Th-228	4.00E-09	6.5E-05	1.1E-04	4.1E-05	1.9E-04	3.8E-04	2.1E-04	1.3E-04	.
Thorium (90)	Th-229	7.85E-09	3.3E-05	5.7E-05	2.1E-05	9.7E-05	1.9E-04	1.1E-04	6.6E-05	.
Thorium (90)	Th-229+D	1.20E-08	2.2E-05	3.7E-05	1.4E-05	6.3E-05	1.3E-04	6.9E-05	4.3E-05	.
Thorium (90)	Th-230	3.22E-09	8.1E-05	1.4E-04	5.1E-05	2.4E-04	4.7E-04	2.6E-04	1.6E-04	.
Thorium (90)	Th-231	8.69E-11	3.0E-03	5.2E-03	1.9E-03	8.7E-03	1.8E-02	9.6E-03	6.0E-03	.
Thorium (90)	Th-232	3.60E-09	7.2E-05	1.2E-04	4.6E-05	2.1E-04	4.2E-04	2.3E-04	1.4E-04	.
Thorium (90)	Th-232+D	4.22E-08	6.2E-06	1.1E-05	3.9E-06	1.8E-05	3.6E-05	2.0E-05	1.2E-05	.
Thorium (90)	Th-233	1.50E-12	1.7E-01	3.0E-01	1.1E-01	5.1E-01	1.0E+00	5.5E-01	3.4E-01	.
Thorium (90)	Th-234	9.17E-10	2.8E-04	4.9E-04	1.8E-04	8.3E-04	1.7E-03	9.1E-04	5.6E-04	.
Thorium (90)	Th-234+D	9.17E-10	2.8E-04	4.9E-04	1.8E-04	8.3E-04	1.7E-03	9.1E-04	5.6E-04	.
Thorium (90)	Th-235	0.00E+00	.	.	.	.	.	.	.	.
Thorium (90)	Th-236	7.44E-12	3.5E-02	6.0E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	7.0E-02	.
Titanium (22)	Ti-44	9.81E-10	2.6E-04	4.6E-04	1.7E-04	7.7E-04	1.6E-03	8.5E-04	5.3E-04	.
Titanium (22)	Ti-44+D	1.04E-09	2.5E-04	4.3E-04	1.6E-04	7.3E-04	1.5E-03	8.0E-04	5.0E-04	.
Titanium (22)	Ti-45	2.52E-11	1.0E-02	1.8E-02	6.6E-03	3.0E-02	6.0E-02	3.3E-02	2.1E-02	.
Titanium (22)	Ti-51	0.00E+00	.	.	.	.	.	.	.	.
Titanium (22)	Ti-52	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-190	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-190m	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-194	2.90E-12	9.0E-02	1.6E-01	5.7E-02	2.6E-01	5.2E-01	2.9E-01	1.8E-01	.
Thallium (81)	Tl-194m	2.85E-12	9.1E-02	1.6E-01	5.8E-02	2.7E-01	5.3E-01	2.9E-01	1.8E-01	.
Thallium (81)	Tl-195	2.16E-12	1.2E-01	2.1E-01	7.7E-02	3.5E-01	7.0E-01	3.8E-01	2.4E-01	.
Thallium (81)	Tl-196	4.27E-12	6.1E-02	1.1E-01	3.9E-02	1.8E-01	3.6E-01	1.9E-01	1.2E-01	.
Thallium (81)	Tl-197	2.38E-12	1.1E-01	1.9E-01	7.0E-02	3.2E-01	6.4E-01	3.5E-01	2.2E-01	.
Thallium (81)	Tl-198	7.47E-12	3.5E-02	6.0E-02	2.2E-02	1.0E-01	2.0E-01	1.1E-01	6.9E-02	.
Thallium (81)	Tl-198m	4.76E-12	5.5E-02	9.5E-02	3.5E-02	1.6E-01	3.2E-01	1.7E-01	1.1E-01	.
Thallium (81)	Tl-199	2.81E-12	9.2E-02	1.6E-01	5.9E-02	2.7E-01	5.4E-01	3.0E-01	1.8E-01	.
Thallium (81)	Tl-200	2.23E-11	1.2E-02	2.0E-02	7.4E-03	3.4E-02	6.8E-02	3.7E-02	2.3E-02	.
Thallium (81)	Tl-201	1.38E-11	1.9E-02	3.3E-02	1.2E-02	5.5E-02	1.1E-01	6.0E-02	3.7E-02	.
Thallium (81)	Tl-202	5.44E-11	4.8E-03	8.3E-03	3.0E-03	1.4E-02	2.8E-02	1.5E-02	9.5E-03	.
Thallium (81)	Tl-204	2.22E-10	1.2E-03	2.0E-03	7.5E-04	3.4E-03	6.9E-03	3.7E-03	2.3E-03	.
Thallium (81)	Tl-206	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-206m	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-207	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-208	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-209	0.00E+00	.	.	.	.	.	.	.	.
Thallium (81)	Tl-210	0.00E+00	.	.	.	.	.	.	.	.
Thulium (69)	Tm-161	4.13E-12	6.3E-02	1.1E-01	4.0E-02	1.8E-01	3.7E-01	2.0E-01	1.3E-01	.
Thulium (69)	Tm-162	2.79E-12	9.3E-02	1.6E-01	5.9E-02	2.7E-01	5.5E-01	3.0E-01	1.9E-01	.
Thulium (69)	Tm-163	6.41E-12	4.1E-02	7.0E-02	2.6E-02	1.2E-01	2.4E-01	1.3E-01	8.1E-02	.
Thulium (69)	Tm-164	0.00E+00	.	.	.	.	.	.	.	.
Thulium (69)	Tm-165	6.50E-11	4.0E-03	6.9E-03	2.5E-03	1.2E-02	2.3E-02	1.3E-02	8.0E-03	.
Thulium (69)	Tm-166	4.19E-11	6.2E-03	1.1E-02	4.0E-03	1.8E-02	3.6E-02	2.0E-02	1.2E-02	.
Thulium (69)	Tm-167	1.42E-10	1.8E-03	3.2E-03	1.2E-03	5.3E-03	1.1E-02	5.9E-03	3.6E-03	.
Thulium (69)	Tm-168	1.74E-10	1.5E-03	2.6E-03	9.5E-04	4.4E-03	8.7E-03	4.8E-03	3.0E-03	.
Thulium (69)	Tm-170	3.50E-10	7.4E-04	1.3E-03	4.7E-04	2.2E-03	4.3E-03	2.4E-03	1.5E-03	.
Thulium (69)	Tm-171	2.76E-11	9.4E-03	1.6E-02	6.0E-03	2.8E-02	5.5E-02	3.0E-02	1.9E-02	.
Thulium (69)	Tm-172	4.28E-10	6.1E-04	1.1E-03	3.9E-04	1.8E-03	3.6E-03	1.9E-03	1.2E-03	.
Thulium (69)	Tm-173	6.64E-11	3.9E-03	6.8E-03	2.5E-03	1.1E-02	2.3E-02	1.3E-02	7.8E-03	.
Thulium (69)	Tm-174	0.00E+00	.	.	.	.	.	.	.	.
Thulium (69)	Tm-175	1.89E-12	1.4E-01	2.4E-01	8.8E-02	4.0E-01	8.1E-01	4.4E-01	2.7E-01	.
Thulium (69)	Tm-176	0.00E+00	.	.	.	.	.	.	.	.
Uranium (92)	U-227	0.00E+00	.	.	.	.	.	.	.	.
Uranium (92)	U-228	0.00E+00	.	.	.	.	.	.	.	.
Uranium (92)	U-230	8.05E-09	3.2E-05	5.6E-05	2.1E-05	9.4E-05	1.9E-04	1.0E-04	6.4E-05	.
Uranium (92)	U-231	8.40E-11	3.1E-03	5.4E-03	2.0E-03	9.0E-03	1.8E-02	9.9E-03	6.2E-03	.
Uranium (92)	U-232	1.04E-08	2.5E-05	4.3E-05	1.6E-05	7.3E-05	1.5E-04	8.0E-05	5.0E-05	.
Uranium (92)	U-233	2.62E-09	9.9E-05	1.7E-04	6.3E-05	2.9E-04	5.8E-04	3.2E-04	2.0E-04	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Uranium (92)	U-234	2.58E-09	1.0E-04	1.7E-04	6.4E-05	2.9E-04	5.9E-04	3.2E-04	2.0E-04	.
Uranium (92)	U-235	2.55E-09	1.0E-04	1.8E-04	6.5E-05	3.0E-04	6.0E-04	3.3E-04	2.0E-04	.
Uranium (92)	U-235+D	2.64E-09	9.8E-05	1.7E-04	6.3E-05	2.9E-04	5.8E-04	3.1E-04	2.0E-04	.
Uranium (92)	U-235m	2.87E-16	9.0E+02	1.6E+03	5.8E+02	2.6E+03	5.3E+03	2.9E+03	1.8E+03	.
Uranium (92)	U-236	2.43E-09	1.1E-04	1.9E-04	6.8E-05	3.1E-04	6.3E-04	3.4E-04	2.1E-04	.
Uranium (92)	U-237	1.97E-10	1.3E-03	2.3E-03	8.4E-04	3.9E-03	7.7E-03	4.2E-03	2.6E-03	.
Uranium (92)	U-238	2.34E-09	1.1E-04	1.9E-04	7.1E-05	3.2E-04	6.5E-04	3.6E-04	2.2E-04	.
Uranium (92)	U-238+D	3.26E-09	8.0E-05	1.4E-04	5.1E-05	2.3E-04	4.7E-04	2.6E-04	1.6E-04	.
Uranium (92)	U-239	2.86E-12	9.1E-02	1.6E-01	5.8E-02	2.7E-01	5.3E-01	2.9E-01	1.8E-01	.
Uranium (92)	U-240	2.74E-10	9.5E-04	1.6E-03	6.0E-04	2.8E-03	5.6E-03	3.0E-03	1.9E-03	.
Uranium (92)	U-242	3.23E-12	8.0E-02	1.4E-01	5.1E-02	2.4E-01	4.7E-01	2.6E-01	1.6E-01	.
Vanadium (23)	V-47	4.71E-12	5.5E-02	9.6E-02	3.5E-02	1.6E-01	3.2E-01	1.8E-01	1.1E-01	.
Vanadium (23)	V-48	3.19E-10	8.1E-04	1.4E-03	5.2E-04	2.4E-03	4.8E-03	2.6E-03	1.6E-03	.
Vanadium (23)	V-49	4.79E-12	5.4E-02	9.4E-02	3.5E-02	1.6E-01	3.2E-01	1.7E-01	1.1E-01	.
Vanadium (23)	V-50	2.15E-10	1.2E-03	2.1E-03	7.7E-04	3.5E-03	7.1E-03	3.9E-03	2.4E-03	.
Vanadium (23)	V-52	0.00E+00	.	.	.	.	.	.	.	.
Vanadium (23)	V-53	0.00E+00	.	.	.	.	.	.	.	.
Tungsten (74)	W-177	7.37E-12	3.5E-02	6.1E-02	2.2E-02	1.0E-01	2.1E-01	1.1E-01	7.0E-02	.
Tungsten (74)	W-178	5.39E-11	4.8E-03	8.3E-03	3.1E-03	1.4E-02	2.8E-02	1.5E-02	9.6E-03	.
Tungsten (74)	W-178+D	5.39E-11	4.8E-03	8.3E-03	3.1E-03	1.4E-02	2.8E-02	1.5E-02	9.6E-03	.
Tungsten (74)	W-179	2.87E-13	9.0E-01	1.6E+00	5.8E-01	2.6E+00	5.3E+00	2.9E+00	1.8E+00	.
Tungsten (74)	W-179m	0.00E+00	.	.	.	.	.	.	.	.
Tungsten (74)	W-181	1.76E-11	1.5E-02	2.6E-02	9.4E-03	4.3E-02	8.6E-02	4.7E-02	2.9E-02	.
Tungsten (74)	W-185	1.16E-10	2.2E-03	3.9E-03	1.4E-03	6.5E-03	1.3E-02	7.2E-03	4.5E-03	.
Tungsten (74)	W-185m	0.00E+00	.	.	.	.	.	.	.	.
Tungsten (74)	W-187	1.37E-10	1.9E-03	3.3E-03	1.2E-03	5.5E-03	1.1E-02	6.1E-03	3.8E-03	.
Tungsten (74)	W-188	5.52E-10	4.7E-04	8.2E-04	3.0E-04	1.4E-03	2.8E-03	1.5E-03	9.4E-04	.
Tungsten (74)	W-190	6.19E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.3E-01	8.4E-02	.
Xenon (54)	Xe-120	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-121	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-122	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-123	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-125	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-127	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-127m	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-129m	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-131m	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-133	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-133m	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-135	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-135m	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-137	0.00E+00	.	.	.	.	.	.	.	.
Xenon (54)	Xe-138	0.00E+00	.	.	.	.	.	.	.	.
Yttrium (39)	Y-81	0.00E+00	.	.	.	.	.	.	.	.
Yttrium (39)	Y-83	0.00E+00	.	.	.	.	.	.	.	.
Yttrium (39)	Y-83m	0.00E+00	.	.	.	.	.	.	.	.
Yttrium (39)	Y-84m	1.14E-11	2.3E-02	3.9E-02	1.5E-02	6.7E-02	1.3E-01	7.3E-02	4.5E-02	.
Yttrium (39)	Y-85	2.89E-11	9.0E-03	1.6E-02	5.7E-03	2.6E-02	5.3E-02	2.9E-02	1.8E-02	.
Yttrium (39)	Y-85m	7.08E-11	3.7E-03	6.4E-03	2.3E-03	1.1E-02	2.1E-02	1.2E-02	7.3E-03	.
Yttrium (39)	Y-86	1.53E-10	1.7E-03	2.9E-03	1.1E-03	5.0E-03	9.9E-03	5.4E-03	3.4E-03	.
Yttrium (39)	Y-86m	8.88E-12	2.9E-02	5.1E-02	1.9E-02	8.6E-02	1.7E-01	9.4E-02	5.8E-02	.
Yttrium (39)	Y-87	9.99E-11	2.6E-03	4.5E-03	1.7E-03	7.6E-03	1.5E-02	8.3E-03	5.2E-03	.
Yttrium (39)	Y-87m	4.34E-11	6.0E-03	1.0E-02	3.8E-03	1.7E-02	3.5E-02	1.9E-02	1.2E-02	.
Yttrium (39)	Y-88	1.59E-10	1.6E-03	2.8E-03	1.0E-03	4.8E-03	9.6E-03	5.2E-03	3.3E-03	.
Yttrium (39)	Y-89m	0.00E+00	.	.	.	.	.	.	.	.
Yttrium (39)	Y-90	7.15E-10	3.6E-04	6.3E-04	2.3E-04	1.1E-03	2.1E-03	1.2E-03	7.2E-04	.
Yttrium (39)	Y-90m	4.11E-11	6.3E-03	1.1E-02	4.0E-03	1.8E-02	3.7E-02	2.0E-02	1.3E-02	.
Yttrium (39)	Y-91	6.37E-10	4.1E-04	7.1E-04	2.6E-04	1.2E-03	2.4E-03	1.3E-03	8.1E-04	.
Yttrium (39)	Y-91m	1.34E-12	1.9E-01	3.4E-01	1.2E-01	5.7E-01	1.1E+00	6.2E-01	3.9E-01	.
Yttrium (39)	Y-92	9.79E-11	2.7E-03	4.6E-03	1.7E-03	7.8E-03	1.6E-02	8.5E-03	5.3E-03	.
Yttrium (39)	Y-93	2.87E-10	9.0E-04	1.6E-03	5.8E-04	2.6E-03	5.3E-03	2.9E-03	1.8E-03	.
Yttrium (39)	Y-94	5.24E-12	5.0E-02	8.6E-02	3.2E-02	1.4E-01	2.9E-01	1.6E-01	9.9E-02	.
Yttrium (39)	Y-95	2.51E-12	1.0E-01	1.8E-01	6.6E-02	3.0E-01	6.1E-01	3.3E-01	2.1E-01	.
Ytterbium (70)	Yb-162	2.62E-12	9.9E-02	1.7E-01	6.3E-02	2.9E-01	5.8E-01	3.2E-01	2.0E-01	.
Ytterbium (70)	Yb-163	1.34E-12	1.9E-01	3.4E-01	1.2E-01	5.7E-01	1.1E+00	6.2E-01	3.9E-01	.
Ytterbium (70)	Yb-164	1.06E-11	2.4E-02	4.2E-02	1.6E-02	7.2E-02	1.4E-01	7.8E-02	4.9E-02	.
Ytterbium (70)	Yb-165	0.00E+00	.	.	.	.	.	.	.	.
Ytterbium (70)	Yb-166	1.65E-10	1.6E-03	2.7E-03	1.0E-03	4.6E-03	9.2E-03	5.0E-03	3.1E-03	.
Ytterbium (70)	Yb-167	6.08E-13	4.3E-01	7.4E-01	2.7E-01	1.2E+00	2.5E+00	1.4E+00	8.5E-01	.
Ytterbium (70)	Yb-169	1.84E-10	1.4E-03	2.4E-03	9.0E-04	4.1E-03	8.3E-03	4.5E-03	2.8E-03	.
Ytterbium (70)	Yb-175	1.15E-10	2.3E-03	3.9E-03	1.4E-03	6.6E-03	1.3E-02	7.2E-03	4.5E-03	.
Ytterbium (70)	Yb-177	1.39E-11	1.9E-02	3.2E-02	1.2E-02	5.5E-02	1.1E-01	6.0E-02	3.7E-02	.
Ytterbium (70)	Yb-178	1.49E-11	1.7E-02	3.0E-02	1.1E-02	5.1E-02	1.0E-01	5.6E-02	3.5E-02	.
Ytterbium (70)	Yb-179	0.00E+00	.	.	.	.	.	.	.	.
Zinc (30)	Zn-60	0.00E+00	.	.	.	.	.	.	.	.
Zinc (30)	Zn-61	0.00E+00	.	.	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information	Carcinogenic Target Risk (TR) = 1E-06							
Element (Atomic Number)	Isotope	Food Ingestion Slope Factor (risk/Bq)	Ingestion of Fruits and Vegetables PRG TR=1.0E-6 (Bq/g)	Ingestion of Beef PRG TR=1.0E-6 (Bq/g)	Ingestion of Milk PRG TR=1.0E-6 (Bq/g)	Ingestion of Poultry PRG TR=1.0E-6 (Bq/g)	Ingestion of Egg PRG TR=1.0E-6 (Bq/g)	Ingestion of Swine PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (Bq/g)	Ingestion of Fish PRG TR=1.0E-6 (mg/kg)
Actinium (89)	Ac-223	0.00E+00	.	.	.	.	.	.	.	.
Zinc (30)	Zn-62	1.95E-10	1.3E-03	2.3E-03	8.5E-04	3.9E-03	7.8E-03	4.3E-03	2.7E-03	.
Zinc (30)	Zn-63	6.18E-12	4.2E-02	7.3E-02	2.7E-02	1.2E-01	2.5E-01	1.3E-01	8.4E-02	.
Zinc (30)	Zn-65	4.14E-10	6.3E-04	1.1E-03	4.0E-04	1.8E-03	3.7E-03	2.0E-03	1.2E-03	.
Zinc (30)	Zn-69	2.75E-12	9.4E-02	1.6E-01	6.0E-02	2.8E-01	5.5E-01	3.0E-01	1.9E-01	.
Zinc (30)	Zn-69m	7.39E-11	3.5E-03	6.1E-03	2.2E-03	1.0E-02	2.1E-02	1.1E-02	7.0E-03	.
Zinc (30)	Zn-71	0.00E+00	.	.	.	.	.	.	.	.
Zinc (30)	Zn-71m	3.79E-11	6.9E-03	1.2E-02	4.4E-03	2.0E-02	4.0E-02	2.2E-02	1.4E-02	.
Zinc (30)	Zn-72	2.58E-10	1.0E-03	1.7E-03	6.4E-04	2.9E-03	5.9E-03	3.2E-03	2.0E-03	.
Zirconium (40)	Zr-85	0.00E+00	.	.	.	.	.	.	.	.
Zirconium (40)	Zr-86	1.48E-10	1.8E-03	3.0E-03	1.1E-03	5.1E-03	1.0E-02	5.6E-03	3.5E-03	.
Zirconium (40)	Zr-87	2.62E-11	9.9E-03	1.7E-02	6.3E-03	2.9E-02	5.8E-02	3.2E-02	2.0E-02	.
Zirconium (40)	Zr-88	5.81E-11	4.5E-03	7.7E-03	2.9E-03	1.3E-02	2.6E-02	1.4E-02	8.9E-03	.
Zirconium (40)	Zr-89	1.40E-10	1.9E-03	3.2E-03	1.2E-03	5.4E-03	1.1E-02	5.9E-03	3.7E-03	.
Zirconium (40)	Zr-89m	0.00E+00	.	.	.	.	.	.	.	.
Zirconium (40)	Zr-93	3.80E-11	6.8E-03	1.2E-02	4.4E-03	2.0E-02	4.0E-02	2.2E-02	1.4E-02	.
Zirconium (40)	Zr-95	1.80E-10	1.4E-03	2.5E-03	9.2E-04	4.2E-03	8.5E-03	4.6E-03	2.9E-03	.
Zirconium (40)	Zr-97	4.94E-10	5.3E-04	9.1E-04	3.4E-04	1.5E-03	3.1E-03	1.7E-03	1.0E-03	.

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.06E-06	0.00E+00	1.36E+09	.	.	3.7E+05	3.7E+05	9.2E-10
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	1.91E-05	7.14E-11	1.36E+09	1.2E+06	5.7E+07	5.0E+02	5.0E+02	1.0E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.11E-06	2.44E-09	1.36E+09	4.1E+02	8.9E+03	9.9E+01	7.9E+01	1.4E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	3.98E-06	2.44E-09	1.36E+09	4.1E+02	8.9E+03	2.8E+01	2.6E+01	4.5E-10
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.23E-05	7.76E-10	1.36E+09	1.1E+04	4.7E+05	7.4E+01	7.3E+01	1.5E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	5.36E-09	5.44E-09	1.36E+09	4.3E-01	3.9E+00	4.7E+01	3.8E-01	5.3E-09
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.09E-04	2.32E-11	1.36E+09	1.7E+06	2.0E+08	4.0E+01	4.0E+01	1.8E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	7.29E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.7E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	4.6E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	5.1E+03	5.1E+03	1.2E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.93E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	3.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	2.3E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.91E-04	1.22E-12	1.36E+09	1.1E+09	1.4E+13	7.5E+02	7.5E+02	4.5E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.39E-04	1.60E-12	1.36E+09	7.1E+08	1.0E+13	2.8E+02	2.8E+02	2.0E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.71E-04	0.00E+00	1.36E+09	.	.	7.6E+02	7.6E+02	3.2E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.97E-05	1.74E-12	1.36E+09	1.3E+08	9.5E+11	2.4E+02	2.4E+02	8.8E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.41E-04	2.98E-12	1.36E+09	7.1E+07	8.0E+11	6.8E+01	6.8E+01	2.6E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.30E-04	2.62E-12	1.36E+09	1.7E+08	1.8E+12	2.1E+02	2.1E+02	3.8E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.68E-05	2.61E-11	1.36E+09	9.4E+03	2.0E+07	4.7E-01	4.7E-01	1.6E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.13E-07	0.00E+00	1.36E+09	.	.	2.0E+06	2.0E+06	7.9E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	8.20E-05	1.18E-12	1.36E+09	5.2E+08	5.5E+12	8.1E+02	8.1E+02	1.1E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.53E-04	7.56E-11	1.36E+09	1.6E+04	8.7E+07	3.8E-01	3.8E-01	2.5E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.39E-06	0.00E+00	1.36E+09	.	.	2.8E+05	2.8E+05	3.8E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.93E-04	1.36E-10	1.36E+09	1.2E+01	3.9E+03	9.2E-04	9.2E-04	1.2E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.94E-04	1.36E-10	1.36E+09	1.2E+01	3.9E+03	9.2E-04	9.2E-04	1.2E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	2.06E-07	0.00E+00	1.36E+09	.	.	1.2E+07	1.2E+07	4.5E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.61E-06	0.00E+00	1.36E+09	.	.	8.4E+05	8.4E+05	2.0E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	2.5E+02	2.2E+05	1.3E-02	1.3E-02	2.6E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	2.5E+02	2.2E+05	1.3E-02	1.3E-02	2.6E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	2.97E-06	9.08E-11	1.36E+09	1.5E+04	4.6E+07	5.0E+01	5.0E+01	3.2E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	3.69E-07	0.00E+00	1.36E+09	.	.	4.0E+06	4.0E+06	2.6E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	9.18E-05	2.43E-11	1.36E+09	3.2E+06	2.5E+10	9.3E+01	9.3E+01	1.0E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.65E-06	2.54E-11	1.36E+09	1.8E+06	1.3E+10	5.7E+02	5.7E+02	1.1E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.42E-05	0.00E+00	1.36E+09	.	.	5.8E+04	5.8E+04	4.0E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.66E-05	0.00E+00	1.36E+09	.	.	5.7E+05	5.7E+05	2.6E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	6.41E-05	2.45E-12	1.36E+09	3.0E+08	2.5E+12	1.2E+03	1.2E+03	1.5E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.96E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	3.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.80E-04	0.00E+00	1.36E+09	.	.	7.2E+03	7.2E+03	5.5E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.91E-04	0.00E+00	1.36E+09	.	.	2.7E+03	2.7E+03	2.9E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.60E-04	2.21E-10	1.36E+09	7.2E+00	1.4E+03	4.9E-04	4.9E-04	2.5E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.52E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	9.4E-13
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	1.3E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.66E-05	8.68E-13	1.36E+09	2.3E+08	7.9E+11	6.0E+02	6.0E+02	5.5E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.10E-04	1.61E-12	1.36E+09	9.2E+07	3.3E+11	1.5E+02	1.5E+02	1.8E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	1.89E-05	1.67E-11	1.36E+09	1.2E+06	5.5E+09	1.2E+02	1.2E+02	1.1E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.27E-04	3.50E-11	1.36E+09	1.4E+05	7.8E+08	4.1E+00	4.1E+00	1.6E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	7.48E-07	2.46E-09	1.36E+09	6.6E-01	1.1E+01	2.4E-01	1.7E-01	5.0E-08
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	9.40E-07	2.05E-11	1.36E+09	7.4E+05	5.7E+07	1.8E+03	1.8E+03	2.2E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	2.05E-08	1.98E-09	1.36E+09	8.6E-01	1.2E+01	9.1E+00	7.4E-01	7.1E-08
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.29E-06	2.00E-09	1.36E+09	8.5E-01	1.2E+01	1.4E-01	1.2E-01	1.2E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	2.64E-06	2.44E-09	1.36E+09	6.6E-01	1.1E+01	6.6E-02	6.0E-02	3.0E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	1.80E-05	2.50E-09	1.36E+09	6.4E-01	1.1E+01	9.7E-03	9.6E-03	4.8E-08
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.66E-05	2.98E-11	1.36E+09	8.1E+05	1.6E+09	2.7E+01	2.7E+01	2.1E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.96E-06	1.05E-12	1.36E+09	5.3E+08	1.1E+12	3.1E+04	3.1E+04	1.1E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	2.81E-06	2.96E-12	1.36E+09	4.0E+07	1.8E+11	4.6E+03	4.6E+03	7.4E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.49E-05	2.52E-12	1.36E+09	1.5E+08	6.1E+11	4.8E+02	4.8E+02	2.5E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.26E-04	1.33E-12	1.36E+09	4.4E+08	3.5E+12	5.1E+02	5.1E+02	1.7E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.22E-05	1.09E-12	1.36E+09	5.8E+08	3.3E+12	5.7E+03	5.7E+03	1.7E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	1.61E-08	0.00E+00	1.36E+09	.	.	1.2E+01	1.2E+01	3.7E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	8.4E+01	8.4E+01	2.0E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	1.88E-08	0.00E+00	1.36E+09	.	.	1.3E+01	1.3E+01	5.1E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.98E-05	2.27E-11	1.36E+09	9.1E+01	4.2E+05	5.7E-03	5.7E-03	2.2E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	1.7E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	5.1E+02	5.1E+02	1.4E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.83E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	1.2E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.37E-04	2.00E-12	1.36E+09	4.8E+08	5.7E+12	7.6E+02	7.6E+02	4.3E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.52E-04	6.00E-12	1.36E+09	4.6E+07	4.8E+11	5.5E+01	5.5E+01	1.1E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.50E-05	2.92E-11	1.36E+09	1.3E+05	5.9E+08	6.3E+00	6.3E+00	9.3E-12
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.20E-04	1.24E-10	1.36E+09	7.5E+04	5.2E+08	4.6E+00	4.6E+00	2.8E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	1.55E-07	1.86E-11	1.36E+09	6.8E+03	6.3E+06	8.9E+01	8.8E+01	4.0E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	9.06E-05	8.53E-11	1.36E+09	6.7E+03	1.5E+07	6.9E-01	6.9E-01	6.9E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	5.24E-05	1.11E-10	1.36E+09	8.5E+04	5.5E+08	2.0E+01	2.0E+01	1.2E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.15E-07	2.82E-11	1.36E+09	2.2E+05	8.4E+08	7.5E+02	7.5E+02	7.1E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.72E-04	9.07E-12	1.36E+09	1.8E+07	1.5E+11	1.0E+02	1.0E+02	3.9E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.48E-06	0.00E+00	1.36E+09	.	.	4.0E+04	4.0E+04	1.5E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	6.3E+02	6.3E+02	6.3E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.39E-04	2.84E-12	1.36E+09	2.0E+08	5.9E+10	4.4E+02	4.4E+02	1.3E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	3.00E-04	3.27E-12	1.36E+09	1.5E+08	1.5E+11	1.7E+02	1.7E+02	5.8E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.55E-04	1.22E-11	1.36E+09	1.1E+07	4.6E+09	5.8E+01	5.8E+01	6.9E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.79E-04	4.82E-12	1.36E+09	3.1E+07	1.9E+10	4.3E+01	4.3E+01	4.7E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.75E-04	2.10E-11	1.36E+09	2.1E+06	1.2E+09	1.8E+01	1.8E+01	6.4E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.88E-04	4.94E-11	1.36E+09	6.1E+05	2.1E+08	8.5E+00	8.5E+00	4.6E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	2.00E-06	6.02E-10	1.36E+09	5.6E+04	2.1E+07	1.8E+03	1.8E+03	8.7E-10
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	2.59E-06	6.02E-10	1.36E+09	5.6E+04	2.1E+07	1.4E+03	1.4E+03	6.8E-10
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.91E-08	0.00E+00	1.36E+09	.	.	5.0E+13	5.0E+13	9.6E-08
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	1.75E-07	0.00E+00	1.36E+09	.	.	1.8E+12	1.8E+12	1.1E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.53E-08	0.00E+00	1.36E+09	.	.	1.2E+11	1.2E+11	7.3E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	7.42E-10	0.00E+00	1.36E+09	.	.	9.6E+10	9.6E+10	2.8E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.02E-05	0.00E+00	1.36E+09	.	.	8.6E+03	8.6E+03	3.7E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.80E-04	1.78E-12	1.36E+09	7.6E+08	8.4E+12	8.3E+02	8.3E+02	8.8E-12
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	1.2E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	3.19E-04	1.92E-12	1.36E+09	1.8E+08	2.0E+12	1.2E+02	1.2E+02	5.1E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.31E-05	4.10E-12	1.36E+09	1.9E+07	9.6E+10	1.3E+02	1.3E+02	2.6E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.57E-04	9.34E-12	1.36E+09	5.3E+06	5.0E+10	2.1E+01	2.1E+01	6.4E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.26E-05	8.26E-12	1.36E+09	1.7E+06	8.6E+09	1.2E+02	1.2E+02	1.3E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	1.95E-05	0.00E+00	1.36E+09	.	.	1.3E+06	1.3E+06	8.4E-11
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.29E-04	2.27E-11	1.36E+09	2.8E+05	2.1E+09	5.4E+00	5.4E+00	1.3E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	3.69E-06	1.80E-11	1.36E+09	3.0E+03	2.1E+06	1.6E+00	1.6E+00	4.5E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	1.98E-05	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	8.3E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	4.89E-05	2.05E-11	1.36E+09	8.0E+04	3.2E+08	3.7E+00	3.7E+00	3.4E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	1.93E-05	2.60E-11	1.36E+09	9.7E+05	3.6E+09	1.4E+02	1.4E+02	8.7E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.58E-05	7.18E-11	1.36E+09	5.2E+04	2.4E+08	9.0E+00	9.0E+00	3.7E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	4.73E-05	8.25E-11	1.36E+09	5.4E+04	1.5E+08	1.0E+01	1.0E+01	3.6E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	8.14E-06	3.18E-11	1.36E+09	1.0E+05	2.5E+08	4.3E+01	4.3E+01	2.1E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.53E-05	2.65E-12	1.36E+09	1.1E+08	8.9E+11	9.3E+02	9.3E+02	4.8E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.30E-04	6.30E-11	1.36E+09	2.1E+05	1.3E+09	6.2E+00	6.2E+00	7.4E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	4.01E-06	8.50E-13	1.36E+09	6.6E+08	4.4E+12	1.5E+04	1.5E+04	4.3E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.25E-05	0.00E+00	1.36E+09	.	.	1.5E+05	1.5E+05	7.6E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.56E-05	2.44E-12	1.36E+09	5.4E+08	8.3E+12	2.2E+03	2.2E+03	1.6E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.78E-05	1.27E-11	1.36E+09	1.1E+07	1.0E+11	2.4E+02	2.4E+02	1.6E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.55E-05	9.40E-13	1.36E+09	1.2E+09	1.4E+13	1.5E+03	1.5E+03	1.3E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	4.64E-06	1.92E-10	1.36E+09	2.2E+04	1.3E+08	9.8E+01	9.8E+01	2.3E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.76E-05	2.60E-12	1.36E+09	4.2E+07	3.1E+11	3.2E+02	3.2E+02	2.9E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.94E-04	3.73E-12	1.36E+09	3.0E+07	2.8E+11	6.3E+01	6.3E+01	5.6E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	4.99E-05	2.80E-11	1.36E+09	3.1E+04	6.8E+07	1.9E+00	1.9E+00	2.2E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	4.51E-06	1.89E-13	1.36E+09	5.3E+09	1.4E+13	2.4E+04	2.4E+04	2.5E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	3.88E-05	1.19E-10	1.36E+09	2.7E+01	2.5E+04	9.2E-03	9.2E-03	3.6E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.40E-06	3.93E-11	1.36E+09	1.6E+05	6.9E+08	1.3E+02	1.3E+02	2.1E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	4.58E-06	3.09E-11	1.36E+09	2.7E+05	1.2E+09	2.0E+02	2.0E+02	2.5E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	7.26E-05	0.00E+00	1.36E+09	.	.	8.6E+03	8.6E+03	1.6E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	4.70E-06	5.63E-12	1.36E+09	3.1E+07	2.4E+11	4.1E+03	4.1E+03	2.5E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.05E-05	1.85E-10	1.36E+09	4.3E+03	8.7E+06	4.2E+00	4.2E+00	5.8E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.14E-04	3.48E-12	1.36E+09	2.3E+08	1.9E+12	7.7E+02	7.7E+02	1.1E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.31E-04	1.53E-12	1.36E+09	9.0E+08	7.5E+12	1.1E+03	1.1E+03	9.2E-12
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	2.03E-08	7.99E-11	1.36E+09	2.0E+01	4.3E+03	9.6E+00	6.5E+00	2.7E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.81E-06	1.38E-12	1.36E+09	1.4E+05	2.2E+08	3.6E+00	3.6E+00	1.0E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	2.14E-04	0.00E+00	1.36E+09	.	.	8.0E+02	8.0E+02	7.8E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.91E-04	2.70E-12	1.36E+09	1.5E+08	1.2E+12	1.5E+02	1.5E+02	5.8E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.23E-04	6.17E-12	1.36E+09	2.2E+07	1.7E+11	6.6E+01	6.6E+01	7.6E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.41E-04	5.01E-12	1.36E+09	2.8E+07	2.7E+11	4.5E+01	4.5E+01	5.0E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	3.13E-04	2.73E-11	1.36E+09	7.6E+05	6.0E+09	7.2E+00	7.2E+00	5.5E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.66E-04	3.09E-11	1.36E+09	7.0E+05	6.2E+09	6.5E+00	6.5E+00	4.7E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.22E-04	4.90E-11	1.36E+09	1.3E+04	4.5E+07	3.3E-01	3.3E-01	7.9E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	4.10E-04	1.08E-10	1.36E+09	1.5E+04	6.4E+07	4.3E-01	4.3E-01	4.3E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.91E-04	7.56E-11	1.36E+09	2.7E+01	4.7E+03	1.2E-03	1.2E-03	2.3E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.85E-04	5.99E-11	1.36E+09	2.7E+01	4.0E+03	4.6E-04	4.6E-04	9.8E-08
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	7.48E-08	1.01E-10	1.36E+09	2.0E+04	1.1E+06	3.0E+03	2.6E+03	2.1E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.77E-05	7.90E-10	1.36E+09	2.0E+00	1.4E+01	6.3E-03	6.3E-03	1.1E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.79E-05	7.90E-10	1.36E+09	2.0E+00	1.4E+01	6.3E-03	6.3E-03	1.1E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.14E-06	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	3.5E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	2.0E+07	7.2E+08	2.0E+03	2.0E+03	1.3E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	2.0E+07	7.2E+08	2.0E+03	2.0E+03	1.3E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	1.55E-07	0.00E+00	1.36E+09	.	.	1.6E+06	1.6E+06	1.3E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	3.7E+07	1.1E+09	2.4E+03	2.4E+03	1.2E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	3.7E+07	1.1E+09	2.4E+03	2.4E+03	1.2E-10
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	1.8E+08	5.9E+09	4.0E+02	4.0E+02	9.2E-12
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	1.8E+08	5.9E+09	4.0E+02	4.0E+02	9.2E-12
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	7.2E+03	7.2E+03	6.2E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	7.2E+03	7.2E+03	6.2E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.77E-05	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	2.1E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	1.92E-05	3.95E-11	1.36E+09	5.2E+04	6.4E+07	1.2E+01	1.2E+01	1.1E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	1.03E-04	2.58E-11	1.36E+09	2.2E+05	1.5E+09	6.0E+00	6.0E+00	2.0E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.26E-05	3.04E-09	1.36E+09	5.3E-01	8.4E+00	1.4E-02	1.4E-02	1.3E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.02E-06	2.76E-11	1.36E+09	3.7E+05	4.9E+07	2.2E+02	2.2E+02	4.2E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	1.27E-10	1.62E-11	1.36E+09	1.9E+03	6.5E+04	2.7E+04	1.7E+03	1.1E-06
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.16E-04	7.53E-12	1.36E+09	1.0E+07	1.4E+10	7.2E+01	7.2E+01	1.8E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	6.50E-06	1.53E-12	1.36E+09	1.7E+08	7.1E+11	4.4E+03	4.4E+03	3.3E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.82E-04	0.00E+00	1.36E+09	.	.	3.2E+03	3.2E+03	1.6E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.70E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	3.7E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	6.41E-04	3.22E-12	1.36E+09	1.8E+08	2.2E+12	9.8E+01	9.8E+01	9.8E-13
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.52E-04	5.37E-12	1.36E+09	5.9E+07	6.3E+11	6.3E+01	6.3E+01	1.1E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.39E-04	3.27E-12	1.36E+09	4.6E+07	3.2E+11	1.2E+02	1.2E+02	4.6E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.72E-04	2.69E-11	1.36E+09	5.6E+05	3.3E+09	4.4E+00	4.4E+00	1.7E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	1.42E-06	0.00E+00	1.36E+09	.	.	5.1E+07	5.1E+07	4.5E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.63E-05	6.06E-12	1.36E+09	7.0E+05	4.8E+09	1.3E+01	1.3E+01	1.8E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	3.6E+05	3.6E+05	6.3E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	5.4E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.44E-06	1.05E-12	1.36E+09	7.8E+08	8.0E+12	9.6E+03	9.6E+03	7.2E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	1.61E-07	5.32E-12	1.36E+09	1.0E+07	4.0E+10	3.7E+04	3.7E+04	4.2E-09
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.35E-04	3.38E-11	1.36E+09	2.0E+05	9.7E+08	2.3E+00	2.3E+00	2.1E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.72E-07	0.00E+00	1.36E+09	.	.	7.0E+05	7.0E+05	1.9E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.62E-07	1.73E-12	1.36E+09	5.8E+07	1.9E+11	1.3E+04	1.3E+04	8.2E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.49E-04	3.22E-12	1.36E+09	1.4E+08	1.5E+12	2.0E+02	2.0E+02	2.9E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.60E-04	0.00E+00	1.36E+09	.	.	7.4E+02	7.4E+02	2.0E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	9.15E-06	0.00E+00	1.36E+09	.	.	6.0E+04	6.0E+04	7.9E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	2.4E+04	2.4E+04	4.0E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.20E-04	8.99E-13	1.36E+09	7.9E+08	6.1E+12	7.2E+02	7.2E+02	8.6E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	2.12E-10	3.72E-11	1.36E+09	4.3E+01	2.4E+04	9.2E+02	4.1E+01	9.2E-06
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	1.03E-11	1.36E+09	1.6E+02	6.8E+05	.	1.6E+02	1.8E-03
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	1.07E-09	4.10E-11	1.36E+09	1.5E+03	1.2E+06	6.4E+03	1.2E+03	6.9E-08
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.40E-04	1.05E-10	1.36E+09	2.1E+04	6.3E+07	1.7E+00	1.7E+00	2.8E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	3.9E+02	3.9E+02	8.8E-13
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	3.22E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	2.7E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.91E-05	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	8.7E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.80E-04	0.00E+00	1.36E+09	.	.	7.8E+02	7.8E+02	3.1E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.53E-05	4.49E-12	1.36E+09	5.6E+07	4.5E+11	1.1E+03	1.1E+03	3.5E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.70E-04	1.89E-12	1.36E+09	1.4E+08	1.3E+12	1.7E+02	1.7E+02	5.2E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	8.80E-07	4.05E-12	1.36E+09	9.2E+06	3.0E+10	4.6E+03	4.6E+03	1.0E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	2.35E-07	9.07E-11	1.36E+09	2.4E+02	2.5E+05	1.0E+01	9.8E+00	3.8E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	2.80E-05	5.81E-13	1.36E+09	5.2E+08	1.7E+12	1.2E+03	1.2E+03	3.4E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.95E-09	5.86E-10	1.36E+09	2.8E+00	3.7E+03	1.0E+02	2.7E+00	6.6E+06
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	1.84E-08	7.18E-10	1.36E+09	3.9E+00	5.3E+03	1.7E+01	3.1E+00	1.4E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.26E-05	1.00E-10	1.36E+09	4.5E+04	2.2E+08	2.2E+01	2.2E+01	4.3E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.48E-06	2.08E-10	1.36E+09	1.1E+03	2.0E+06	5.5E+00	5.5E+00	2.2E-10
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.40E-04	1.68E-11	1.36E+09	5.8E+06	3.8E+10	7.6E+01	7.6E+01	7.1E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.78E-04	1.63E-11	1.36E+09	4.4E+06	2.8E+10	2.8E+01	2.8E+01	3.6E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	8.52E-09	7.22E-12	1.36E+09	4.0E+07	3.4E+11	4.1E+06	3.7E+06	1.2E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.22E-04	0.00E+00	1.36E+09	.	.	2.7E+03	2.7E+03	4.6E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	3.12E-04	0.00E+00	1.36E+09	.	.	2.3E+03	2.3E+03	3.2E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.40E-05	2.79E-12	1.36E+09	2.3E+08	2.2E+12	1.3E+03	1.3E+03	2.0E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.99E-04	1.08E-12	1.36E+09	1.3E+09	1.4E+13	7.9E+02	7.9E+02	5.6E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.45E-05	2.15E-11	1.36E+09	3.2E+06	2.7E+10	3.1E+02	3.1E+02	4.6E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.65E-05	4.44E-12	1.36E+09	3.4E+07	2.3E+11	2.9E+02	2.9E+02	2.0E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.16E-04	1.17E-11	1.36E+09	4.2E+06	3.6E+10	2.5E+01	2.5E+01	5.2E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	3.69E-07	1.88E-10	1.36E+09	1.7E+04	1.0E+08	9.5E+02	9.0E+02	2.9E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.40E-05	1.43E-11	1.36E+09	9.6E+05	8.0E+09	1.6E+01	1.6E+01	1.2E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	1.51E-06	1.62E-12	1.36E+09	1.7E+07	1.5E+11	2.0E+03	2.0E+03	7.7E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.01E-06	3.92E-11	1.36E+09	1.8E+05	8.3E+08	1.9E+02	1.9E+02	2.9E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.22E-05	1.65E-11	1.36E+09	4.5E+03	2.7E+06	6.6E-01	6.6E-01	9.6E-11
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	6.15E-06	5.14E-11	1.36E+09	6.1E+03	5.8E+06	5.5E+00	5.5E+00	1.9E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.91E-05	7.99E-11	1.36E+09	9.2E+04	4.5E+08	2.8E+01	2.8E+01	4.2E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.33E-06	3.85E-10	1.36E+09	9.2E+01	5.0E+04	2.9E+00	2.8E+00	8.9E-10
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.15E-06	3.87E-10	1.36E+09	9.2E+01	5.0E+04	6.3E-01	6.3E-01	2.0E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.63E-05	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	1.3E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	1.64E-09	2.44E-12	1.36E+09	3.1E+08	5.8E+09	5.0E+07	4.3E+07	1.1E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	5.62E-09	2.32E-10	1.36E+09	2.9E+04	1.0E+06	1.3E+05	2.3E+04	6.6E-08
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	6.78E-06	1.20E-12	1.36E+09	6.5E+07	1.9E+11	1.3E+03	1.3E+03	3.1E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.58E-08	6.54E-10	1.36E+09	4.6E+01	3.0E+02	7.2E+01	2.6E+01	1.6E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-05	3.09E-09	1.36E+09	5.3E-01	8.5E+00	5.0E-03	4.9E-03	1.2E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.32E-06	1.98E-09	1.36E+09	1.5E+00	1.9E+01	2.4E-01	2.0E-01	1.9E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	9.78E-06	3.15E-09	1.36E+09	5.1E-01	8.3E+00	1.8E-02	1.7E-02	1.1E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	6.15E-05	2.16E-09	1.36E+09	4.9E+00	5.9E+01	1.9E-02	1.9E-02	3.5E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	1.06E-08	5.69E-11	1.36E+09	1.0E+04	2.6E+04	5.9E+03	3.2E+03	1.1E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.27E-03	2.73E-08	1.36E+09	6.1E+00	2.8E+02	8.1E-03	8.0E-03	9.5E-13
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	1.88E-08	1.82E-12	1.36E+09	9.4E+07	1.9E+09	1.1E+06	1.1E+06	1.3E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	2.4E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.87E-04	3.86E-12	1.36E+09	1.2E+08	1.3E+12	1.7E+02	1.7E+02	1.0E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	4.58E-08	6.18E-11	1.36E+09	2.6E+01	4.0E+03	3.8E+00	3.3E+00	1.0E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	2.08E-04	4.21E-12	1.36E+09	9.3E+07	9.8E+11	2.1E+02	2.1E+02	1.6E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.93E-04	3.27E-12	1.36E+09	8.0E+07	6.6E+11	1.5E+02	1.5E+02	1.7E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.90E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	5.8E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	5.49E-06	3.51E-12	1.36E+09	2.9E+07	4.0E+09	2.0E+03	2.0E+03	3.7E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.16E-05	5.46E-12	1.36E+09	1.5E+07	7.9E+10	4.2E+02	4.2E+02	9.4E-11
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	2.65E-09	4.16E-10	1.36E+09	9.0E+02	8.1E+03	1.5E+04	7.7E+02	3.8E-08
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.24E-05	5.93E-11	1.36E+09	5.2E+03	6.3E+05	6.4E-01	6.4E-01	3.9E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	2.12E-09	5.06E-10	1.36E+09	1.2E+02	7.8E+02	3.2E+03	1.0E+02	3.1E-08
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.14E-05	2.13E-09	1.36E+09	1.0E+00	1.5E+01	2.0E-02	2.0E-02	4.0E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	3.79E-09	1.86E-09	1.36E+09	1.3E+00	1.8E+01	7.2E+01	1.2E+00	1.5E-08
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	7.42E-06	2.48E-09	1.36E+09	6.5E-01	1.1E+01	2.4E-02	2.3E-02	1.3E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.86E-07	2.46E-09	1.36E+09	6.5E-01	1.1E+01	3.6E-01	2.3E-01	7.5E-07
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.53E-05	2.32E-09	1.36E+09	6.9E-01	1.2E+01	5.0E-03	4.9E-03	5.3E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-05	2.33E-09	1.36E+09	6.9E-01	1.2E+01	4.7E-03	4.7E-03	5.1E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.77E-04	1.02E-08	1.36E+09	1.6E-01	2.8E+00	9.9E-04	9.8E-04	2.4E-07
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.30E-06	1.33E-12	1.36E+09	1.7E+08	7.3E+11	1.1E+04	1.1E+04	9.2E-10
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.80E-03	7.20E-08	1.36E+09	2.2E-02	4.1E-01	9.8E-05	9.7E-05	5.6E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.83E-03	7.20E-08	1.36E+09	2.2E-02	4.1E-01	9.6E-05	9.5E-05	5.5E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.28E-05	1.11E-12	1.36E+09	7.8E+08	4.2E+12	7.4E+03	7.4E+03	1.7E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	5.05E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	9.1E-13
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.50E-04	6.45E-11	1.36E+09	2.1E+05	1.5E+09	6.1E+00	6.1E+00	1.9E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.95E-04	1.43E-10	1.36E+09	9.2E+02	1.3E+06	2.9E-02	2.9E-02	9.6E-13
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	9.59E-06	1.32E-11	1.36E+09	2.8E+03	2.5E+06	4.2E-01	4.2E-01	5.0E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.21E-04	4.22E-11	1.36E+09	3.4E+03	4.5E+06	1.3E-01	1.3E-01	4.1E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	2.71E-11	1.60E-12	1.36E+09	1.7E+07	8.2E+10	1.1E+08	1.5E+07	2.4E-06
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.35E-04	1.98E-10	1.36E+09	2.8E+01	1.4E+04	1.8E-03	1.8E-03	1.6E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.83E-07	5.61E-14	1.36E+09	2.5E+10	8.2E+13	3.2E+05	3.2E+05	1.1E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	7.57E-06	3.60E-12	1.36E+09	4.1E+07	2.4E+11	2.1E+03	2.1E+03	6.8E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.21E-04	0.00E+00	1.36E+09	.	.	4.8E+03	4.8E+03	2.4E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.66E-04	1.82E-12	1.36E+09	5.8E+08	7.8E+12	3.1E+02	3.1E+02	1.4E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.39E-05	1.07E-11	1.36E+09	1.1E+06	3.9E+09	2.8E+01	2.8E+01	9.3E-12
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.20E-04	2.47E-12	1.36E+09	1.4E+08	1.2E+12	3.2E+02	3.2E+02	3.5E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-06	2.40E-12	1.36E+09	1.5E+05	5.5E+08	1.1E+01	1.1E+01	1.2E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	7.95E-07	0.00E+00	1.36E+09	.	.	5.7E+05	5.7E+05	5.9E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	4.70E-06	0.00E+00	1.36E+09	.	.	5.7E+04	5.7E+04	1.0E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	7.4E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	7.4E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	8.2E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.41E-04	0.00E+00	1.36E+09	.	.	2.2E+04	2.2E+04	7.5E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.90E-05	1.34E-12	1.36E+09	2.4E+08	1.8E+12	4.0E+02	4.0E+02	1.2E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.38E-04	0.00E+00	1.36E+09	.	.	7.1E+03	7.1E+03	7.8E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.70E-05	1.38E-12	1.36E+09	2.8E+07	8.8E+10	9.0E+01	9.0E+01	2.3E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.05E-04	0.00E+00	1.36E+09	.	.	4.2E+03	4.2E+03	1.0E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.81E-05	3.72E-12	1.36E+09	2.0E+06	7.3E+09	2.9E+01	2.9E+01	3.9E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.84E-05	9.83E-13	1.36E+09	5.1E+08	4.7E+12	9.4E+02	9.4E+02	1.9E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	3.02E-06	0.00E+00	1.36E+09	.	.	1.5E+05	1.5E+05	3.7E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	1.33E-07	3.70E-12	1.36E+09	2.8E+05	1.4E+09	8.6E+02	8.6E+02	8.4E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	8.49E-05	3.24E-11	1.36E+09	4.8E+04	3.8E+08	2.0E+00	2.0E+00	1.3E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.92E-04	1.21E-09	1.36E+09	1.1E+01	4.8E+04	7.7E-03	7.7E-03	5.9E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.37E-06	8.93E-13	1.36E+09	9.4E+07	1.2E+11	6.7E+03	6.7E+03	8.3E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	1.58E-09	1.70E-10	1.36E+09	9.4E+00	1.2E+04	1.2E+02	8.7E+00	7.6E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	2.01E-04	9.92E-13	1.36E+09	2.8E+08	2.7E+12	1.5E+02	1.5E+02	5.7E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.68E-04	1.94E-10	1.36E+09	4.0E+03	1.9E+07	3.1E-01	3.1E-01	4.3E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	1.49E-08	8.59E-10	1.36E+09	2.4E+00	4.7E+03	1.5E+01	2.1E+00	2.4E-08
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.85E-05	8.59E-10	1.36E+09	2.4E+00	4.7E+03	3.4E-03	3.4E-03	3.9E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	3.22E-04	3.61E-12	1.36E+09	1.2E+08	1.2E+12	1.5E+02	1.5E+02	3.6E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	5.18E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.3E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	2.7E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.47E-04	0.00E+00	1.36E+09	.	.	6.1E+03	6.1E+03	4.8E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.45E-04	0.00E+00	1.36E+09	.	.	3.4E+06	3.4E+06	3.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	6.6E+03	6.6E+03	2.8E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	5.24E-04	2.87E-12	1.36E+09	2.1E+08	2.6E+12	1.3E+02	1.3E+02	9.7E-13
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.75E-05	6.28E-12	1.36E+09	1.2E+07	7.8E+10	8.2E+01	8.2E+01	5.3E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	4.4E-12
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.18E-05	7.98E-12	1.36E+09	2.4E+06	1.1E+10	9.6E+01	9.6E+01	2.5E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.34E-05	0.00E+00	1.36E+09	.	.	2.3E+04	2.3E+04	4.2E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.04E-05	2.33E-11	1.36E+09	1.7E+05	4.3E+08	4.2E+01	4.2E+01	5.5E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	8.6E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	8.36E-05	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	1.5E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	2.06E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	6.1E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	7.6E+03	7.6E+03	4.3E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.71E-04	9.30E-13	1.36E+09	8.8E+08	4.4E+11	5.2E+02	5.2E+02	7.5E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.71E-05	6.70E-12	1.36E+09	1.5E+07	1.0E+11	4.1E+02	4.1E+02	4.8E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.94E-05	1.03E-11	1.36E+09	3.7E+06	2.2E+10	4.2E+01	4.2E+01	1.3E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	6.48E-10	1.36E+09	2.5E+00	3.1E+01	.	2.3E+00	3.0E-03
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.70E-05	7.99E-12	1.36E+09	3.1E+06	2.1E+10	3.5E+01	3.5E+01	1.7E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.44E-05	3.27E-12	1.36E+09	9.1E+06	8.6E+10	9.5E+01	9.5E+01	3.9E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	8.71E-07	6.56E-12	1.36E+09	1.1E+04	1.0E+07	8.8E+00	8.8E+00	1.6E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.65E-06	5.26E-12	1.36E+09	2.0E+07	1.2E+11	4.3E+03	4.3E+03	5.3E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.52E-06	0.00E+00	1.36E+09	.	.	8.4E+05	8.4E+05	9.2E-10
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	1.75E-06	1.23E-10	1.36E+09	2.4E+04	8.0E+07	1.9E+02	1.8E+02	8.0E-10
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	6.06E-05	0.00E+00	1.36E+09	.	.	4.2E+03	4.2E+03	2.3E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-05	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	3.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	4.20E-06	0.00E+00	1.36E+09	.	.	1.0E+05	1.0E+05	3.1E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	2.41E-06	1.56E-12	1.36E+09	4.8E+08	3.5E+12	3.4E+04	3.4E+04	5.5E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.17E-04	1.06E-12	1.36E+09	3.8E+08	3.0E+12	3.8E+02	3.8E+02	1.2E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.20E-04	4.62E-12	1.36E+09	1.6E+07	1.3E+11	6.9E+01	6.9E+01	1.1E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	9.85E-07	1.21E-13	1.36E+09	1.6E+09	1.6E+13	2.2E+04	2.2E+04	1.4E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	8.27E-07	1.14E-12	1.36E+09	2.1E+07	1.8E+11	3.1E+03	3.1E+03	1.7E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	8.84E-06	0.00E+00	1.36E+09	.	.	4.8E+06	4.8E+06	1.6E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	2.58E-09	2.75E-11	1.36E+09	3.9E+04	6.2E+07	4.6E+04	2.1E+04	2.6E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.76E-05	2.34E-11	1.36E+09	1.4E+06	8.1E+09	9.4E+01	9.4E+01	3.9E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.74E-05	7.11E-11	1.36E+09	6.9E+04	2.4E+08	9.4E+00	9.4E+00	2.5E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.44E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.6E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.35E-05	1.04E-12	1.36E+09	1.4E+08	5.2E+10	3.6E+02	3.6E+02	4.9E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.35E-04	2.82E-11	1.36E+09	1.0E+06	1.8E+09	2.3E+01	2.3E+01	1.6E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.63E-05	1.44E-12	1.36E+09	7.6E+07	3.6E+10	1.8E+02	1.8E+02	3.2E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	6.72E-06	1.21E-11	1.36E+09	6.1E+05	2.6E+08	1.2E+02	1.2E+02	3.2E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.38E-08	3.87E-10	1.36E+09	1.3E+03	1.2E+04	1.6E+03	6.7E+02	2.7E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	2.21E-07	7.65E-10	1.36E+09	4.8E+01	3.6E+02	1.8E+01	1.3E+01	6.8E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.16E-04	7.73E-10	1.36E+09	4.7E+01	3.6E+02	3.5E-02	3.5E-02	1.9E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.71E-05	3.12E-10	1.36E+09	2.0E+04	9.0E+05	1.2E+01	1.2E+01	3.8E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.31E-08	3.25E-10	1.36E+09	7.8E+02	4.2E+03	3.0E+02	2.1E+02	1.6E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	1.87E-07	2.24E-10	1.36E+09	2.6E+06	1.0E+09	3.4E+05	3.0E+05	1.0E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	2.7E+05	2.7E+05	8.0E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.26E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	2.8E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	8.7E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.36E-04	0.00E+00	1.36E+09	.	.	6.9E+04	6.9E+04	9.0E-12
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.65E-04	3.49E-11	1.36E+09	4.9E+04	2.5E+08	1.1E+00	1.1E+00	7.5E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	3.04E-04	6.29E-11	1.36E+09	3.5E+04	2.2E+08	7.9E-01	7.9E-01	4.1E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.21E-05	2.59E-11	1.36E+09	1.6E+04	2.4E+07	8.8E-01	8.8E-01	2.4E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.73E-04	6.58E-11	1.36E+09	2.8E+03	3.6E+06	7.5E-02	7.5E-02	4.6E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.04E-06	1.04E-11	1.36E+09	1.0E+04	1.6E+07	2.9E+00	2.9E+00	3.1E-10
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.83E-04	6.31E-11	1.36E+09	3.2E+01	1.9E+03	1.2E-03	1.2E-03	1.9E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.55E-06	2.68E-11	1.36E+09	7.1E+05	4.3E+09	3.7E+02	3.7E+02	2.3E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.46E-04	7.75E-11	1.36E+09	3.7E+01	3.7E+03	2.1E-03	2.1E-03	1.2E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.63E-05	3.37E-11	1.36E+09	7.7E+05	5.5E+09	7.9E+01	7.9E+01	3.6E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	4.07E-06	6.25E-13	1.36E+09	2.4E+08	1.3E+12	4.1E+03	4.1E+03	3.2E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.58E-04	1.22E-10	1.36E+09	3.1E+01	4.5E+03	2.6E-03	2.6E-03	9.5E-12
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	3.03E-06	3.19E-13	1.36E+09	9.9E+08	7.2E+12	1.1E+04	1.1E+04	4.3E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	3.38E-06	2.24E-11	1.36E+09	2.7E+02	7.8E+04	1.9E-01	1.9E-01	4.0E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.66E-04	1.54E-10	1.36E+09	4.3E+03	1.1E+07	4.4E-01	4.4E-01	8.0E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	2.98E-05	4.22E-11	1.36E+09	3.8E+05	2.4E+09	5.9E+01	5.9E+01	4.5E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.69E-04	3.68E-12	1.36E+09	8.6E+07	7.0E+11	2.1E+02	2.1E+02	8.0E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.13E-05	1.99E-12	1.36E+09	4.0E+08	3.3E+12	2.8E+03	2.8E+03	4.3E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.2E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.16E-04	2.06E-12	1.36E+09	6.4E+07	2.8E+11	1.4E+02	1.4E+02	1.5E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.30E-05	8.89E-11	1.36E+09	3.3E+05	2.5E+09	3.9E+01	3.9E+01	5.3E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	3.2E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	4.04E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.1E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.29E-14	1.39E-11	1.36E+09	7.3E+02	1.7E+06	8.6E+07	7.3E+02	3.1E-07
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.57E-04	1.10E-10	1.36E+09	2.1E+03	3.9E+06	1.6E-01	1.6E-01	3.2E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	4.77E-10	3.61E-09	1.36E+09	4.4E-01	1.0E+03	4.1E+02	4.4E-01	1.1E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.35E-04	3.81E-09	1.36E+09	4.2E-01	8.3E+02	5.2E-04	5.2E-04	1.3E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	2.8E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	6.00E-05	0.00E+00	1.36E+09	.	.	2.3E+04	2.3E+04	8.8E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.42E-05	4.63E-12	1.36E+09	9.9E+06	1.7E+09	3.5E+02	3.5E+02	1.5E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	3.60E-08	2.00E-10	1.36E+09	4.8E+04	1.9E+06	2.9E+04	1.8E+04	3.7E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	4.51E-06	7.70E-11	1.36E+09	4.4E+04	5.5E+05	8.2E+01	8.2E+01	4.8E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	9.47E-07	2.69E-11	1.36E+09	2.8E+06	8.6E+07	8.7E+03	8.6E+03	2.3E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	1.06E-07	1.82E-10	1.36E+09	6.6E+04	3.1E+06	1.2E+04	1.0E+04	1.7E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.67E-03	1.38E-09	1.36E+09	6.7E+04	2.6E+07	6.1E+00	6.1E+00	1.3E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.33E-05	6.15E-10	1.36E+09	1.6E+02	9.0E+02	8.3E-01	8.3E-01	1.6E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.42E-04	3.39E-11	1.36E+09	2.1E+07	8.7E+09	5.6E+02	5.6E+02	1.3E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	1.2E+10	1.2E+10	4.8E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	6.15E-07	0.00E+00	1.36E+09	.	.	5.7E+06	5.7E+06	3.0E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	7.89E-07	0.00E+00	1.36E+09	.	.	4.4E+06	4.4E+06	2.4E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	2.83E-06	0.00E+00	1.36E+09	.	.	1.1E+05	1.1E+05	6.6E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	1.1E+05	1.1E+05	6.6E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.84E-05	2.85E-11	1.36E+09	3.6E+07	4.4E+09	6.1E+03	6.1E+03	1.0E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	3.66E-06	1.32E-10	1.36E+09	5.0E+06	4.1E+09	2.0E+04	2.0E+04	5.2E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.91E-05	0.00E+00	1.36E+09	.	.	6.9E+03	6.9E+03	2.8E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.86E-05	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	4.0E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	1.2E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.35E-04	1.32E-12	1.36E+09	7.3E+08	8.1E+12	7.8E+02	7.8E+02	4.1E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.44E-04	7.63E-11	1.36E+09	3.4E+05	2.8E+09	8.1E+00	8.1E+00	1.6E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.46E-05	1.26E-11	1.36E+09	2.5E+05	7.3E+08	2.3E+01	2.3E+01	3.9E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.13E-04	4.46E-12	1.36E+09	4.8E+07	4.0E+11	2.1E+02	2.1E+02	5.1E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.15E-06	1.07E-12	1.36E+09	6.4E+08	5.6E+12	6.6E+04	6.6E+04	5.2E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.66E-04	6.95E-11	1.36E+09	2.5E+05	1.9E+09	5.2E+00	5.2E+00	1.7E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-05	1.66E-11	1.36E+09	3.0E+06	1.9E+10	1.4E+02	1.4E+02	1.6E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	4.5E+02	4.5E+02	1.4E-12
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	9.5E-12
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.60E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	4.7E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	1.1E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.31E-04	1.44E-12	1.36E+09	4.4E+08	5.2E+12	2.1E+02	2.1E+02	3.7E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	8.30E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.5E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	1.52E-05	5.99E-11	1.36E+09	3.5E+03	2.1E+06	1.5E+00	1.5E+00	8.1E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.67E-04	3.53E-11	1.36E+09	1.8E+05	1.1E+09	4.2E+00	4.2E+00	7.5E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	9.00E-10	1.36E+09	2.0E+00	3.0E+01	.	1.9E+00	5.8E-08
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.52E-05	3.30E-11	1.36E+09	3.3E+04	7.6E+07	2.2E+00	2.2E+00	2.3E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	8.26E-10	1.36E+09	1.9E+00	3.3E+01	.	1.8E+00	1.4E-03
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	3.82E-06	1.51E-11	1.36E+09	5.4E+03	4.7E+06	2.3E+00	2.3E+00	3.4E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	6.48E-10	1.36E+09	2.5E+00	4.4E+01	.	2.3E+00	1.1E+05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	4.35E-06	1.80E-11	1.36E+09	2.3E+03	1.2E+06	1.1E+00	1.1E+00	3.0E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.14E-06	3.59E-11	1.36E+09	3.7E+05	2.1E+09	2.8E+02	2.8E+02	2.6E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.73E-05	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	2.9E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.64E-05	6.88E-12	1.36E+09	1.6E+07	1.0E+11	1.5E+02	1.5E+02	7.3E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.71E-04	2.15E-12	1.36E+09	3.6E+08	4.2E+12	4.9E+02	4.9E+02	3.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.10E-11	9.38E-11	1.36E+09	4.0E+02	9.1E+04	3.7E+05	4.0E+02	5.6E-08
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.13E-04	9.83E-11	1.36E+09	3.8E+02	9.1E+04	3.6E-02	3.6E-02	5.1E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.20E-04	1.36E-11	1.36E+09	4.6E+05	2.1E+09	5.7E+00	5.7E+00	4.9E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.11E-11	8.68E-13	1.36E+09	1.0E+06	4.0E+09	8.7E+06	9.1E+05	5.7E-06
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	3.82E-06	1.88E-12	1.36E+09	9.4E+07	4.9E+11	5.0E+03	5.0E+03	1.7E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.30E-04	2.14E-11	1.36E+09	1.0E+06	4.4E+09	1.8E+01	1.8E+01	5.0E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	2.98E-05	6.26E-12	1.36E+09	2.6E+07	1.6E+11	6.1E+02	6.1E+02	2.2E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	1.22E-12	1.70E+01	2.4E+03	1.1E-02	.	1.1E-02	1.1E-12
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.1E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	7.07E-05	0.00E+00	1.36E+09	.	.	7.0E+03	7.0E+03	2.0E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.39E-05	2.35E-11	1.36E+09	6.5E+05	3.6E+09	3.8E+01	3.8E+01	3.3E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	2.3E+02	4.4E+04	4.0E-01	4.0E-01	3.6E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	2.3E+02	4.4E+04	4.0E-01	4.0E-01	3.6E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	3.50E-05	1.33E-11	1.36E+09	7.7E+05	4.0E+09	3.2E+01	3.2E+01	4.2E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	1.63E-09	1.36E+09	9.8E-01	4.0E+01	.	9.6E-01	9.3E+05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.47E-05	2.43E-11	1.36E+09	5.9E+03	6.9E+06	4.6E-01	4.6E-01	4.3E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.36E-04	3.65E-12	1.36E+09	7.8E+07	3.6E+11	1.3E+02	1.3E+02	6.4E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-04	1.88E-10	1.36E+09	1.1E+01	1.6E+03	9.3E-04	9.3E-04	1.4E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.44E-05	8.07E-11	1.36E+09	5.0E+03	6.3E+06	4.7E-01	4.7E-01	1.6E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.05E-04	9.70E-12	1.36E+09	4.6E+06	2.5E+10	4.6E+01	4.6E+01	1.5E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.78E-05	7.45E-11	1.36E+09	3.2E+03	2.8E+06	4.5E-01	4.5E-01	2.7E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.46E-05	9.25E-11	1.36E+09	1.7E+01	1.2E+03	7.1E-03	7.1E-03	3.3E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.87E-04	1.88E-10	1.36E+09	8.5E+00	1.1E+03	9.3E-04	9.3E-04	4.3E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-04	2.04E-12	1.36E+09	1.2E+08	4.8E+11	2.6E+02	2.6E+02	1.5E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	9.21E-05	3.56E-12	1.36E+09	6.4E+07	3.2E+11	2.7E+02	2.7E+02	1.7E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.18E-05	3.39E-11	1.36E+09	1.7E+06	1.0E+10	3.0E+02	3.0E+02	7.2E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.43E-05	9.98E-13	1.36E+09	7.3E+08	7.1E+11	5.6E+03	5.6E+03	1.1E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.77E-04	2.72E-12	1.36E+09	1.1E+08	6.7E+10	1.8E+02	1.8E+02	9.2E-12
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.36E-05	1.29E-11	1.36E+09	3.9E+06	3.8E+09	2.3E+02	2.3E+02	6.9E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	1.01E-04	6.15E-12	1.36E+09	1.0E+07	5.5E+09	6.9E+01	6.9E+01	1.6E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	1.02E-04	6.15E-12	1.36E+09	1.0E+07	5.5E+09	6.9E+01	6.9E+01	1.6E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.25E-04	2.59E-11	1.36E+09	7.9E+05	5.1E+08	1.8E+01	1.8E+01	1.3E-11
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	9.75E-11	5.41E-11	1.36E+09	3.0E+01	5.5E+03	1.8E+03	3.0E+01	7.1E-06
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.29E-04	7.68E-11	1.36E+09	2.1E+01	5.5E+03	1.4E-03	1.4E-03	3.3E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	1.94E-05	6.48E-12	1.36E+09	3.6E+06	1.2E+09	1.3E+02	1.3E+02	8.5E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	1.97E-05	3.79E-11	1.36E+09	1.5E+05	5.4E+07	3.2E+01	3.2E+01	8.4E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	3.28E-06	1.73E-11	1.36E+09	2.2E+05	6.0E+07	1.2E+02	1.2E+02	5.1E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	7.04E-06	3.40E-11	1.36E+09	3.0E+05	1.3E+08	1.6E+02	1.6E+02	2.4E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.54E-05	1.19E-12	1.36E+09	2.9E+08	1.5E+11	2.4E+03	2.4E+03	1.1E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.49E-05	3.65E-11	1.36E+09	5.9E+03	2.2E+06	9.6E-01	9.6E-01	6.9E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	6.66E-07	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	2.6E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.31E-05	0.00E+00	1.36E+09	.	.	1.5E+04	1.5E+04	1.3E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.57E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	4.9E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	5.5E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	6.6E+03	6.6E+03	1.1E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	1.1E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.29E-04	1.47E-12	1.36E+09	8.4E+08	1.2E+13	5.9E+02	5.9E+02	5.7E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.87E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	4.6E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.94E-05	1.82E-12	1.36E+09	1.7E+08	1.2E+12	4.8E+02	4.8E+02	1.9E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.63E-04	4.22E-12	1.36E+09	6.2E+07	5.3E+11	1.1E+02	1.1E+02	5.0E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.09E-05	3.18E-13	1.36E+09	3.6E+09	3.4E+13	2.1E+03	2.1E+03	2.2E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.38E-05	3.70E-13	1.36E+09	1.2E+09	8.3E+12	1.4E+03	1.4E+03	4.0E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	2.07E-04	7.95E-13	1.36E+09	7.2E+08	6.4E+12	3.0E+02	3.0E+02	6.6E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	1.46E-06	6.59E-13	1.36E+09	1.5E+08	1.0E+12	7.3E+03	7.3E+03	9.4E-10
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.58E-05	1.23E-13	1.36E+09	7.9E+09	4.3E+13	6.7E+03	6.7E+03	8.7E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.50E-05	1.18E-12	1.36E+09	1.8E+08	1.0E+12	3.7E+02	3.7E+02	2.1E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.15E-13	1.36E+09	7.5E+03	3.4E+05	.	7.3E+03	1.5E-02
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	7.48E-07	3.39E-13	1.36E+09	1.5E+09	7.2E+12	7.4E+04	7.4E+04	1.9E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	9.75E-07	6.83E-13	1.36E+09	5.6E+08	2.6E+12	4.3E+04	4.3E+04	1.4E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.25E-06	1.01E-10	1.36E+09	9.0E+04	5.6E+08	3.1E+02	3.0E+02	4.3E-10
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.93E-04	1.18E-10	1.36E+09	1.4E+01	5.3E+02	9.1E-04	9.1E-04	5.1E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.91E-05	4.92E-12	1.36E+09	1.6E+07	7.8E+10	2.2E+02	2.2E+02	3.6E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.09E-04	0.00E+00	1.36E+09	.	.	4.9E+03	4.9E+03	1.3E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	1.38E-07	0.00E+00	1.36E+09	.	.	5.2E+06	5.2E+06	1.0E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	6.9E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.50E-04	8.06E-12	1.36E+09	1.3E+08	4.6E+11	4.7E+02	4.7E+02	4.0E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.64E-04	0.00E+00	1.36E+09	.	.	4.0E+02	4.0E+02	2.2E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.04E-04	1.72E-12	1.36E+09	4.4E+08	1.2E+12	8.0E+02	8.0E+02	9.7E-12
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.50E-04	1.31E-11	1.36E+09	1.4E+07	4.8E+10	5.6E+01	5.6E+01	2.9E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.45E-04	6.84E-12	1.36E+09	4.0E+07	1.5E+11	6.8E+01	6.8E+01	2.3E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.20E-05	3.55E-12	1.36E+09	3.2E+07	1.1E+11	3.0E+02	3.0E+02	2.5E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	9.0E-12
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.39E-05	1.04E-11	1.36E+09	1.8E+06	5.5E+09	1.4E+02	1.4E+02	7.5E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.39E-04	5.91E-10	1.36E+09	4.1E+03	1.3E+07	1.9E+00	1.9E+00	7.6E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	1.97E-07	4.61E-10	1.36E+09	3.7E+02	1.5E+06	9.5E+01	7.5E+01	4.3E-09
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	5.08E-05	1.32E-09	1.36E+09	5.9E+02	2.0E+06	1.7E+00	1.7E+00	2.1E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	8.02E-06	1.65E-12	1.36E+09	3.5E+08	7.0E+11	8.0E+03	8.0E+03	1.4E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	1.67E-07	3.16E-09	1.36E+09	5.1E-01	2.5E+03	1.0E+00	3.4E-01	1.9E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.61E-04	8.76E-11	1.36E+09	2.2E+05	7.1E+08	8.2E+00	8.2E+00	4.2E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.28E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	8.6E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.32E-05	6.55E-10	1.36E+09	1.9E+03	6.3E+06	3.2E+00	3.2E+00	2.6E-11
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.85E-04	1.36E-11	1.36E+09	7.8E+06	2.3E+10	4.1E+01	4.1E+01	3.9E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	4.01E-05	3.55E-12	1.36E+09	4.9E+07	1.1E+11	4.8E+02	4.8E+02	2.8E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.38E-05	1.98E-10	1.36E+09	5.9E+04	1.8E+08	1.7E+01	1.7E+01	1.5E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.31E-04	4.50E-12	1.36E+09	6.2E+07	1.6E+11	9.2E+01	9.2E+01	3.4E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.88E-05	0.00E+00	1.36E+09	.	.	1.5E+04	1.5E+04	4.0E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	2.12E-04	4.18E-11	1.36E+09	8.8E+05	2.7E+09	1.9E+01	1.9E+01	5.4E-12
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.53E-04	0.00E+00	1.36E+09	.	.	4.5E+03	4.5E+03	2.5E-12
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.40E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	3.7E-12
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.42E-04	0.00E+00	1.36E+09	.	.	5.8E+02	5.8E+02	2.0E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.69E-04	0.00E+00	1.36E+09	.	.	8.3E+02	8.3E+02	2.4E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.96E-04	1.81E-12	1.36E+09	2.5E+08	1.9E+12	2.5E+02	2.5E+02	4.6E-12
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.99E-04	3.73E-12	1.36E+09	6.7E+07	7.8E+11	5.5E+01	5.5E+01	1.8E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.76E-04	3.36E-12	1.36E+09	1.1E+08	1.2E+12	1.1E+02	1.1E+02	2.4E-12
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.54E-05	3.12E-12	1.36E+09	1.9E+07	1.5E+11	8.4E+01	8.4E+01	1.2E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	7.42E-05	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	1.2E-11
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.88E-04	1.24E-11	1.36E+09	4.0E+06	4.5E+10	1.4E+01	1.4E+01	2.4E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.96E-04	4.57E-12	1.36E+09	4.6E+07	4.3E+11	1.2E+02	1.2E+02	4.8E-12
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	3.85E-05	1.70E-11	1.36E+09	2.1E+05	1.1E+09	1.0E+01	1.0E+01	2.5E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.55E-05	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	1.7E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	3.11E-05	3.74E-13	1.36E+09	2.6E+09	2.0E+13	3.4E+03	3.4E+03	3.1E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	1.87E-06	6.31E-13	1.36E+09	1.1E+09	4.6E+12	4.2E+04	4.2E+04	5.1E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.88E-05	1.40E-12	1.36E+09	1.0E+08	6.5E+11	5.6E+02	5.6E+02	3.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	6.34E-07	0.00E+00	1.36E+09	.	.	2.1E+06	2.1E+06	1.5E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	7.95E-06	2.93E-10	1.36E+09	7.0E+02	1.0E+06	2.8E+00	2.8E+00	1.2E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.55E-06	2.93E-10	1.36E+09	7.0E+02	1.0E+06	2.6E+00	2.6E+00	1.1E-10
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	7.42E-09	8.66E-10	1.36E+09	1.8E+00	9.9E+02	2.6E+01	1.7E+00	2.4E+05
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.71E-05	5.38E-12	1.36E+09	1.0E+07	5.8E+10	3.5E+02	3.5E+02	5.7E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.31E-04	2.92E-12	1.36E+09	9.2E+07	7.2E+11	8.8E+01	8.8E+01	3.0E-12
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.86E-05	1.26E-12	1.36E+09	2.7E+08	1.4E+12	4.7E+02	4.7E+02	1.3E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.06E-06	5.85E-12	1.36E+09	2.1E+07	1.3E+11	1.5E+03	1.5E+03	1.1E-10
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	1.5E+06	1.5E+06	7.9E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	2.8E-12
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	9.56E-05	0.00E+00	1.36E+09	.	.	7.0E+03	7.0E+03	1.1E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.93E-06	1.56E-12	1.36E+09	5.2E+08	5.8E+12	9.9E+03	9.9E+03	1.1E-10
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.18E-04	0.00E+00	1.36E+09	.	.	3.5E+04	3.5E+04	8.7E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.45E-06	0.00E+00	1.36E+09	.	.	5.5E+04	5.5E+04	1.4E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	8.1E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.66E-04	2.04E-12	1.36E+09	4.8E+08	4.6E+12	6.4E+02	6.4E+02	9.3E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.47E-04	2.64E-12	1.36E+09	9.5E+07	6.3E+11	1.9E+02	1.9E+02	1.1E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.41E-04	1.02E-11	1.36E+09	7.7E+06	5.4E+10	3.6E+01	3.6E+01	6.5E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.06E-04	1.98E-11	1.36E+09	8.5E+05	4.9E+09	1.7E+01	1.7E+01	1.5E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	2.03E-04	3.27E-11	1.36E+09	4.5E+05	3.0E+09	7.9E+00	7.9E+00	7.8E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.58E-04	3.83E-12	1.36E+09	3.3E+07	2.4E+11	8.8E+01	8.8E+01	1.0E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.47E-05	6.94E-12	1.36E+09	3.3E+06	2.1E+10	7.3E+01	7.3E+01	4.6E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.82E-04	4.11E-11	1.36E+09	1.4E+05	9.7E+08	2.3E+00	2.3E+00	5.7E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	4.32E-06	1.65E-11	1.36E+09	4.6E+04	8.9E+07	1.9E+01	1.9E+01	3.7E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.68E-04	5.93E-11	1.36E+09	1.4E+04	4.1E+07	5.6E-01	5.6E-01	9.6E-12
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.92E-11	3.53E-13	1.36E+09	6.1E+08	2.4E+12	1.2E+09	4.1E+08	2.8E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	2.46E-06	6.30E-12	1.36E+09	1.2E+07	8.7E+10	3.5E+03	3.5E+03	6.6E-10
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	4.32E-06	0.00E+00	1.36E+09	.	.	4.5E+06	4.5E+06	3.8E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.15E-05	8.93E-11	1.36E+09	1.5E+03	1.4E+06	1.6E-01	1.6E-01	1.8E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	4.83E-09	0.00E+00	1.36E+09	.	.	2.3E+08	2.3E+08	3.4E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	3.16E-08	6.46E-11	1.36E+09	2.6E+01	2.7E+03	5.8E+00	4.7E+00	6.1E-07
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	1.25E-08	2.13E-11	1.36E+09	4.5E+04	5.4E+07	8.4E+03	7.1E+03	1.1E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.11E-05	9.53E-11	1.36E+09	1.3E+05	9.3E+08	1.2E+02	1.2E+02	1.5E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.73E-04	1.19E-10	1.36E+09	5.0E+02	3.4E+05	2.4E-02	2.4E-02	6.0E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	3.04E-06	5.01E-12	1.36E+09	1.9E+07	1.0E+11	3.5E+03	3.5E+03	5.5E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.01E-05	8.24E-12	1.36E+09	7.8E+06	3.6E+10	1.7E+02	1.7E+02	4.1E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	6.4E+04	6.4E+04	5.8E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.88E-04	5.30E-12	1.36E+09	3.3E+07	2.1E+11	6.6E+01	6.6E+01	5.8E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	4.8E+02	4.8E+02	7.4E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	2.16E-05	4.07E-10	1.36E+09	3.9E+00	1.8E+03	8.1E-03	8.1E-03	1.1E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.98E-05	2.27E-11	1.36E+09	8.7E+05	4.0E+09	5.4E+01	5.4E+01	9.0E-12
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.14E-04	1.46E-11	1.36E+09	7.5E+05	2.5E+09	1.0E+01	1.0E+01	3.2E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.35E-04	3.03E-12	1.36E+09	2.2E+08	2.7E+12	2.2E+02	2.2E+02	1.1E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.52E-04	1.78E-12	1.36E+09	4.7E+08	5.6E+12	3.7E+02	3.7E+02	1.5E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	9.5E-13
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.2E+03	1.2E+03	5.3E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	2.5E+03	2.5E+03	4.3E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	3.9E+01	3.9E+01	1.4E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	3.9E+01	3.9E+01	1.4E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	1.8E+02	1.8E+02	5.6E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	2.6E+01	2.6E+01	2.3E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	8.80E-08	0.00E+00	1.36E+09	.	.	2.0E+00	2.0E+00	1.0E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.24E-05	0.00E+00	1.36E+09	.	.	5.9E+05	5.9E+05	5.6E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	3.38E-10	0.00E+00	1.36E+09	.	.	4.3E+07	4.3E+07	2.1E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	2.87E-07	0.00E+00	1.36E+09	.	.	1.2E+00	1.2E+00	3.1E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.47E-05	0.00E+00	1.36E+09	.	.	4.0E+02	4.0E+02	4.9E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	1.9E+02	1.9E+02	6.8E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	3.4E+01	3.4E+01	2.7E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	2.9E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.50E-04	0.00E+00	1.36E+09	.	.	8.8E+02	8.8E+02	3.1E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.06E-04	1.04E-12	1.36E+09	1.2E+09	1.3E+13	1.3E+03	1.3E+03	1.0E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.77E-04	0.00E+00	1.36E+09	.	.	6.6E+02	6.6E+02	4.0E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.35E-05	1.50E-12	1.36E+09	1.6E+08	1.1E+12	3.7E+02	3.7E+02	1.5E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.55E-04	2.41E-11	1.36E+09	2.1E+06	1.8E+10	2.2E+01	2.2E+01	4.4E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.67E-05	2.03E-12	1.36E+09	3.0E+08	2.3E+12	8.6E+02	8.6E+02	1.5E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.63E-05	1.81E-12	1.36E+09	3.4E+07	2.7E+11	4.2E+02	4.2E+02	7.0E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	1.3E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.39E-06	1.81E-12	1.36E+09	6.9E+06	5.9E+10	9.8E+02	9.8E+02	8.2E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.64E-05	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	2.5E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	1.86E-07	4.56E-12	1.36E+09	3.5E+02	2.8E+04	9.4E-01	9.4E-01	2.2E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.63E-04	5.48E-11	1.36E+09	2.9E+01	1.3E+03	1.1E-03	1.1E-03	4.2E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	3.10E-04	1.30E-10	1.36E+09	4.6E+04	3.0E+08	2.1E+00	2.1E+00	3.8E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	4.23E-06	2.29E-11	1.36E+09	2.7E+06	1.9E+10	1.6E+03	1.6E+03	2.8E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.35E-04	8.36E-12	1.36E+09	1.9E+07	1.6E+11	5.2E+01	5.2E+01	3.6E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.66E-05	2.17E-12	1.36E+09	4.7E+08	4.3E+12	3.1E+03	3.1E+03	3.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.32E-04	8.67E-13	1.36E+09	1.6E+09	1.2E+13	1.1E+03	1.1E+03	1.1E-11
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.19E-04	2.29E-12	1.36E+09	1.2E+08	7.6E+11	1.4E+02	1.4E+02	6.5E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.65E-04	2.94E-11	1.36E+09	2.4E+05	1.2E+09	4.7E+00	4.7E+00	8.7E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	4.17E-12	0.00E+00	1.36E+09	.	.	1.4E+11	1.4E+11	3.4E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.50E-04	5.17E-11	1.36E+09	9.7E+04	6.2E+08	1.6E+00	1.6E+00	4.1E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.26E-05	4.24E-11	1.36E+09	2.9E+04	7.9E+07	1.9E+00	1.9E+00	2.0E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	1.17E-08	0.00E+00	1.36E+09	.	.	1.0E+08	1.0E+08	1.2E-07

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.44E-04	7.51E-11	1.36E+09	2.0E+04	6.3E+07	6.8E-01	6.8E-01	6.0E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	2.52E-11	0.00E+00	1.36E+09	.	.	1.7E+10	1.7E+10	5.8E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.21E-05	2.32E-11	1.36E+09	8.7E+02	4.0E+05	1.8E-01	1.8E-01	1.2E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.01E-05	1.85E-11	1.36E+09	4.6E+02	1.4E+05	9.1E-02	9.1E-02	1.5E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	2.48E-06	3.87E-11	1.36E+09	1.8E+03	1.1E+06	3.1E+00	3.1E+00	5.9E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	4.83E-05	1.13E-10	1.36E+09	1.4E+01	2.3E+03	3.6E-03	3.6E-03	6.9E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	7.61E-07	9.98E-12	1.36E+09	6.7E+06	3.8E+10	9.6E+03	9.6E+03	2.0E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.08E-06	3.88E-11	1.36E+09	3.9E+04	8.3E+07	5.4E+01	5.4E+01	4.9E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	9.81E-05	1.11E-10	1.36E+09	5.7E+02	2.8E+05	7.0E-02	7.0E-02	1.5E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.64E-05	1.65E-12	1.36E+09	3.1E+08	2.5E+12	3.4E+03	3.4E+03	9.2E-11
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.09E-04	1.27E-12	1.36E+09	5.0E+08	2.9E+12	6.3E+02	6.3E+02	1.4E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.12E-06	1.37E-11	1.36E+09	3.9E+06	2.5E+10	1.9E+03	1.9E+03	4.9E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	7.9E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.56E-05	0.00E+00	1.36E+09	.	.	6.9E+03	6.9E+03	2.3E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.14E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	2.0E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.77E-04	1.40E-10	1.36E+09	8.3E+04	5.4E+08	7.2E+00	7.2E+00	1.3E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	6.00E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	7.1E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.18E-04	3.70E-12	1.36E+09	8.5E+07	7.9E+11	2.9E+02	2.9E+02	3.7E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.51E-04	9.72E-11	1.36E+09	1.9E+04	9.8E+07	4.4E-01	4.4E-01	9.8E-13
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	3.11E-04	2.61E-12	1.36E+09	2.6E+08	3.3E+12	2.4E+02	2.4E+02	1.4E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	1.87E-12	1.36E+09	8.6E+02	4.2E+05	.	8.5E+02	4.7E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	1.05E-04	3.99E-11	1.36E+09	8.1E+02	6.8E+05	3.4E-02	3.4E-02	4.4E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.28E-04	1.38E-11	1.36E+09	6.8E+06	5.4E+10	4.5E+01	4.5E+01	2.1E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.19E-05	0.00E+00	1.36E+09	.	.	9.4E+04	9.4E+04	4.1E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	3.19E-04	0.00E+00	1.36E+09	.	.	4.6E+03	4.6E+03	1.5E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.92E-04	1.48E-12	1.36E+09	6.7E+08	5.6E+12	5.7E+02	5.7E+02	4.5E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	1.84E-06	2.30E-12	1.36E+09	5.6E+08	7.2E+12	7.7E+04	7.7E+04	4.7E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	5.1E+03	5.1E+03	5.1E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.31E-05	1.34E-11	1.36E+09	3.3E+06	8.1E+09	5.1E+01	5.1E+01	8.2E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.17E-04	2.08E-12	1.36E+09	4.5E+08	6.1E+12	8.8E+02	8.8E+02	6.6E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.76E-04	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	4.4E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	5.74E-09	8.44E-11	1.36E+09	1.9E+01	7.3E+04	3.1E+01	1.2E+01	1.2E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	3.03E-04	7.04E-12	1.36E+09	5.0E+06	1.8E+10	1.3E+01	1.3E+01	2.6E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.78E-05	3.19E-11	1.36E+09	1.2E+05	1.9E+08	2.3E+01	2.3E+01	4.7E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	1.0E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	7.04E-04	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	1.9E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.79E-04	2.02E-10	1.36E+09	5.3E+01	2.8E+04	4.2E-03	4.2E-03	6.7E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.93E-04	2.51E-11	1.36E+09	6.5E+05	3.4E+09	3.0E+00	3.0E+00	3.4E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	5.3E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	5.27E-04	2.72E-12	1.36E+09	3.7E+08	4.9E+12	2.1E+02	2.1E+02	1.4E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	5.21E-04	0.00E+00	1.36E+09	.	.	3.9E+02	3.9E+02	1.4E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.76E-04	1.38E-11	1.36E+09	8.7E+06	7.1E+10	7.4E+01	7.4E+01	4.3E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.55E-04	6.23E-12	1.36E+09	3.5E+07	3.1E+11	1.6E+02	1.6E+02	4.9E-12
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.74E-04	7.41E-11	1.36E+09	2.2E+05	1.7E+09	3.2E+00	3.2E+00	1.3E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	1.93E-07	2.99E-12	1.36E+09	5.4E+02	8.2E+04	9.2E-01	9.2E-01	1.6E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.28E-06	2.97E-11	1.36E+09	5.6E+03	2.9E+06	5.5E+00	5.5E+00	2.4E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.87E-04	5.38E-11	1.36E+09	3.0E+01	5.4E+03	9.4E-04	9.4E-04	8.4E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.23E-04	2.55E-11	1.36E+09	3.9E+04	1.8E+08	8.9E-01	8.9E-01	6.4E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	1.03E-09	9.31E-12	1.36E+09	2.8E+02	1.1E+05	2.8E+02	1.4E+02	5.9E-07
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.95E-04	1.05E-10	1.36E+09	1.5E+01	3.0E+03	9.0E-04	9.0E-04	4.8E-09
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.62E-07	0.00E+00	1.36E+09	.	.	4.5E+05	4.5E+05	1.4E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	9.53E-05	3.32E-11	1.36E+09	8.7E+03	1.1E+07	3.3E-01	3.3E-01	8.5E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.44E-06	4.36E-11	1.36E+09	6.4E+04	1.9E+08	4.8E+01	4.8E+01	1.3E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	3.10E-04	6.50E-11	1.36E+09	1.6E+05	1.1E+09	3.7E+00	3.7E+00	2.6E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	8.14E-05	3.08E-12	1.36E+09	6.6E+07	4.5E+11	2.7E+02	2.7E+02	1.0E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.66E-04	4.68E-12	1.36E+09	6.1E+07	5.7E+11	8.5E+01	8.5E+01	2.3E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.46E-05	0.00E+00	1.36E+09	.	.	4.4E+05	4.4E+05	5.7E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	1.06E-04	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	7.9E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.71E-05	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	2.0E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.45E-04	2.19E-12	1.36E+09	5.4E+08	5.6E+12	8.9E+02	8.9E+02	7.9E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.64E-05	4.45E-12	1.36E+09	6.5E+07	5.5E+11	1.2E+03	1.2E+03	4.4E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.43E-04	2.43E-12	1.36E+09	1.6E+08	1.4E+12	2.9E+02	2.9E+02	8.2E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	1.85E-06	4.03E-11	1.36E+09	1.2E+06	9.7E+09	2.9E+03	2.8E+03	6.3E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	5.11E-05	8.83E-13	1.36E+09	5.6E+08	5.0E+12	1.1E+03	1.1E+03	2.3E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.95E-04	1.36E-11	1.36E+09	3.2E+06	2.4E+10	2.5E+01	2.5E+01	6.1E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	3.03E-07	1.39E-10	1.36E+09	2.2E+04	1.3E+08	1.1E+03	1.0E+03	3.7E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.25E-06	4.43E-13	1.36E+09	2.2E+08	1.8E+12	1.7E+03	1.7E+03	1.9E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.62E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.4E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	7.05E-10	1.36E+09	2.3E+00	3.9E+01	.	2.1E+00	2.0E+06
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.32E-05	7.73E-11	1.36E+09	1.2E+04	2.5E+07	7.6E+00	7.6E+00	9.5E-11
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	3.91E-05	6.91E-12	1.36E+09	2.0E+07	1.1E+11	3.9E+02	3.9E+02	3.2E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	1.04E-04	1.20E-12	1.36E+09	9.8E+08	7.7E+12	1.2E+03	1.2E+03	1.2E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.74E-05	1.64E-12	1.36E+09	7.8E+08	7.8E+12	8.1E+03	8.1E+03	7.4E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	4.6E+04	4.6E+04	1.3E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.41E-05	0.00E+00	1.36E+09	.	.	7.4E+03	7.4E+03	3.2E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	2.09E-04	4.44E-11	1.36E+09	3.8E+04	9.9E+07	8.7E-01	8.7E-01	2.3E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.56E-04	5.36E-11	1.36E+09	1.3E+05	8.4E+08	2.9E+00	2.9E+00	1.9E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.83E-09	3.86E-12	1.36E+09	4.1E+02	1.7E+05	9.6E+01	7.8E+01	1.3E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	9.62E-12	1.36E+09	1.8E+02	7.4E+04	.	1.8E+02	3.2E-06
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	7.54E-05	8.99E-12	1.36E+09	1.1E+07	3.4E+10	1.4E+02	1.4E+02	7.3E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	9.53E-10	2.22E-10	1.36E+09	2.0E+04	1.1E+08	5.7E+05	1.9E+04	2.2E-08
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.41E-04	4.25E-13	1.36E+09	2.3E+09	4.9E+12	7.7E+02	7.7E+02	1.4E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	6.15E-06	9.96E-14	1.36E+09	4.0E+09	3.3E+13	7.2E+03	7.2E+03	3.2E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.45E-04	3.74E-11	1.36E+09	6.1E+04	3.6E+08	1.7E+00	1.7E+00	1.4E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	6.2E+03	3.1E+06	7.3E+01	7.2E+01	5.2E-08
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	6.2E+03	3.1E+06	7.3E+01	7.2E+01	5.2E-08
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.05E-05	2.60E-10	1.36E+09	6.2E+00	1.2E+02	1.7E-02	1.7E-02	1.7E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	3.57E-06	1.29E-11	1.36E+09	8.4E+05	2.1E+08	3.3E+02	3.3E+02	5.6E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	1.40E-06	1.27E-09	1.36E+09	1.3E+00	1.4E+01	1.3E-01	1.1E-01	1.6E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.31E-05	1.34E-09	1.36E+09	1.2E+00	1.4E+01	7.6E-03	7.5E-03	1.1E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	7.51E-05	6.14E-11	1.36E+09	7.8E+04	2.3E+08	7.0E+00	7.0E+00	2.7E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.54E-05	5.91E-11	1.36E+09	7.3E+04	2.4E+08	3.1E+01	3.1E+01	1.3E-10
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.26E-04	3.22E-12	1.36E+09	7.3E+07	3.5E+11	2.0E+02	2.0E+02	1.6E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	5.6E+03	5.6E+03	5.2E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.10E-06	5.31E-13	1.36E+09	2.0E+09	1.4E+13	3.7E+04	3.7E+04	6.6E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.57E-05	0.00E+00	1.36E+09	.	.	2.0E+04	2.0E+04	5.8E-11
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	1.8E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	2.6E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	7.2E+03	7.2E+03	1.2E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.22E-04	0.00E+00	1.36E+09	.	.	3.0E+04	3.0E+04	1.3E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	9.85E-06	7.75E-13	1.36E+09	8.7E+08	6.4E+12	7.5E+03	7.5E+03	1.6E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.69E-04	5.06E-12	1.36E+09	2.7E+07	1.9E+11	9.0E+01	9.0E+01	9.1E-12
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.39E-05	3.43E-11	1.36E+09	3.2E+05	1.8E+09	2.7E+01	2.7E+01	3.5E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.44E-05	1.34E-11	1.36E+09	1.4E+06	7.1E+09	3.2E+01	3.2E+01	2.4E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.27E-04	1.15E-11	1.36E+09	2.1E+06	1.4E+10	2.1E+01	2.1E+01	1.2E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	8.05E-05	2.72E-11	1.36E+09	4.0E+03	4.6E+06	1.5E-01	1.5E-01	2.0E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	1.47E-09	1.36E+09	1.1E+00	3.4E+01	.	1.1E+00	1.1E+06
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.60E-11	1.13E-12	1.36E+09	3.7E+07	3.2E+11	2.9E+08	3.3E+07	1.1E-05
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.83E-04	0.00E+00	1.36E+09	.	.	8.8E+02	8.8E+02	8.8E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	4.80E-06	4.15E-11	1.36E+09	1.6E+04	2.2E+07	1.5E+01	1.5E+01	3.4E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	2.23E-07	6.96E-12	1.36E+09	2.7E+06	7.0E+09	9.1E+03	9.1E+03	7.3E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	6.66E-06	5.94E-11	1.36E+09	1.4E+05	7.3E+08	1.3E+02	1.3E+02	2.5E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	4.17E-08	1.80E-10	1.36E+09	2.7E+01	4.8E+03	1.3E+01	8.7E+00	2.8E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.12E-05	2.75E-10	1.36E+09	1.8E+01	4.7E+03	4.8E-02	4.8E-02	1.6E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.14E-06	4.03E-12	1.36E+09	1.0E+08	8.4E+11	5.6E+03	5.6E+03	2.0E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	5.3E+03	5.3E+03	2.1E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	2.55E-07	1.44E-10	1.36E+09	4.9E+03	1.3E+07	3.4E+02	3.2E+02	1.1E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	1.00E-09	1.52E-11	1.36E+09	2.6E+04	1.6E+07	4.8E+04	1.7E+04	1.1E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.13E-06	1.75E-11	1.36E+09	2.2E+07	4.5E+08	3.7E+04	3.7E+04	1.7E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.67E-04	4.56E-11	1.36E+09	2.4E+05	1.2E+07	7.2E+00	7.2E+00	1.2E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	3.91E-06	5.48E-12	1.36E+09	1.2E+06	7.0E+07	1.9E+02	1.9E+02	5.0E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.95E-05	4.79E-11	1.36E+09	1.2E+04	6.4E+04	8.0E-01	8.0E-01	2.5E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.44E-06	4.17E-09	1.36E+09	3.8E-01	5.3E+00	5.1E-02	4.5E-02	9.4E-07
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.16E-04	4.30E-11	1.36E+09	1.8E+05	2.8E+08	7.3E+00	7.3E+00	1.7E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.17E-05	6.98E-11	1.36E+09	5.4E+03	6.2E+06	1.9E+00	1.9E+00	9.1E-11
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.79E-04	2.61E-11	1.36E+09	1.4E+06	7.6E+09	2.2E+01	2.2E+01	1.1E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.45E-06	0.00E+00	1.36E+09	.	.	5.6E+05	5.6E+05	8.1E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.20E-07	9.32E-13	1.36E+09	6.4E+08	4.7E+12	5.4E+05	5.4E+05	1.7E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	1.7E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.57E-05	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	2.7E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.32E-04	8.40E-13	1.36E+09	1.4E+09	1.4E+13	1.0E+03	1.0E+03	1.3E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.95E-04	1.09E-12	1.36E+09	8.9E+08	6.1E+12	5.5E+02	5.5E+02	8.5E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.05E-05	1.34E-12	1.36E+09	2.9E+08	2.1E+12	8.5E+02	8.5E+02	3.3E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	8.6E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.35E-04	2.06E-12	1.36E+09	1.6E+08	8.7E+11	2.7E+02	2.7E+02	1.2E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.39E-05	4.39E-12	1.36E+09	2.3E+07	1.7E+11	2.5E+02	2.5E+02	3.8E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.29E-04	2.05E-12	1.36E+09	7.9E+07	5.7E+11	1.4E+02	1.4E+02	1.3E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	1.61E-05	2.37E-11	1.36E+09	4.8E+05	2.2E+09	7.7E+01	7.7E+01	1.1E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.55E-05	9.31E-12	1.36E+09	2.8E+06	1.7E+10	3.3E+01	3.3E+01	2.0E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	3.7E+04	3.7E+04	4.0E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.08E-11	6.66E-10	1.36E+09	2.4E+00	2.9E+03	2.2E+03	2.4E+00	7.1E-05
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.89E-05	6.94E-10	1.36E+09	2.3E+00	2.9E+03	3.6E-03	3.6E-03	1.1E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.45E-04	7.88E-12	1.36E+09	8.7E+06	6.5E+10	3.1E+01	3.1E+01	7.0E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	2.96E-05	1.53E-11	1.36E+09	3.1E+05	1.4E+09	1.7E+01	1.7E+01	5.8E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.58E-04	2.38E-12	1.36E+09	9.1E+07	1.0E+12	9.2E+01	9.2E+01	6.7E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.17E-11	1.30E-11	1.36E+09	1.2E+02	1.8E+05	2.1E+03	1.2E+02	1.0E+00
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	1.45E-08	3.30E-12	1.36E+09	2.3E+07	9.0E+10	6.3E+05	6.1E+05	1.3E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	4.01E-08	1.62E-08	1.36E+09	1.4E-01	3.7E+01	6.3E+00	1.4E-01	1.8E-09
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.86E-06	7.10E-12	1.36E+09	5.7E+07	2.5E+09	5.6E+03	5.6E+03	2.3E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.34E-05	3.55E-10	1.36E+09	6.4E+04	9.0E+06	1.9E+02	1.9E+02	1.3E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.69E-05	5.96E-12	1.36E+09	9.1E+07	3.4E+09	2.2E+03	2.2E+03	6.8E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	5.46E-06	5.12E-11	1.36E+09	5.4E+04	2.4E+08	5.6E+01	5.6E+01	1.6E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.91E-05	5.37E-12	1.36E+09	5.3E+06	3.8E+10	8.0E+01	8.0E+01	2.2E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	3.06E-08	1.37E-11	1.36E+09	4.3E+04	8.5E+07	2.1E+03	2.0E+03	2.7E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	2.84E-12	1.36E+09	5.6E+02	2.3E+05	.	5.6E+02	1.1E+00
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	3.44E-07	3.94E-11	1.36E+09	4.5E+05	2.4E+09	5.6E+03	5.6E+03	2.7E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	3.3E+04	3.3E+04	9.1E-11
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.41E-06	1.83E-12	1.36E+09	3.4E+08	2.4E+12	1.1E+04	1.1E+04	1.5E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	5.11E-09	1.89E-10	1.36E+09	6.1E+04	4.3E+08	2.5E+05	4.9E+04	3.7E-08
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	2.69E-06	0.00E+00	1.36E+09	.	.	2.5E+05	2.5E+05	3.6E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.74E-04	0.00E+00	1.36E+09	.	.	4.5E+03	4.5E+03	4.7E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	3.07E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	2.7E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-05	2.34E-12	1.36E+09	3.5E+08	3.7E+12	2.0E+03	2.0E+03	1.9E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.57E-04	1.43E-12	1.36E+09	4.8E+08	4.9E+12	4.8E+02	4.8E+02	5.4E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	2.7E+03	2.7E+03	3.5E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.07E-04	0.00E+00	1.36E+09	.	.	3.2E+03	3.2E+03	5.6E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	1.1E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	8.1E+04	8.1E+04	9.3E-12
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.76E-04	0.00E+00	1.36E+09	.	.	7.1E+02	7.1E+02	3.2E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.90E-05	1.29E-12	1.36E+09	5.4E+08	6.3E+12	8.6E+02	8.6E+02	1.3E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	1.03E-04	0.00E+00	1.36E+09	.	.	2.3E+04	2.3E+04	1.2E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.60E-05	1.24E-11	1.36E+09	3.1E+03	1.1E+06	1.2E-01	1.2E-01	3.4E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.87E-04	5.04E-11	1.36E+09	5.5E+02	1.3E+05	1.6E-02	1.6E-02	6.6E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	4.26E-07	6.50E-12	1.36E+09	3.9E+02	5.1E+04	6.4E-01	6.4E-01	4.6E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.84E-05	5.32E-11	1.36E+09	9.9E+01	1.3E+04	6.5E-03	6.5E-03	1.5E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	8.71E-10	1.87E-11	1.36E+09	5.7E+02	1.7E+05	1.3E+03	4.0E+02	4.3E-07
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	7.57E-05	1.92E-10	1.36E+09	9.8E+03	4.5E+07	2.7E+00	2.7E+00	1.7E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.42E-04	1.03E-10	1.36E+09	2.4E+03	2.9E+06	1.1E-01	1.1E-01	5.2E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.38E-06	7.26E-11	1.36E+09	6.3E+04	3.2E+08	3.6E+02	3.6E+02	9.1E-10
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.91E-04	1.43E-11	1.36E+09	6.3E+06	5.0E+10	5.2E+01	5.2E+01	6.7E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.53E-05	5.08E-11	1.36E+09	1.7E+05	9.1E+08	2.6E+01	2.6E+01	3.6E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.69E-05	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	3.5E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	6.8E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	5.96E-06	0.00E+00	1.36E+09	.	.	5.1E+04	5.1E+04	2.2E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.44E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	5.4E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	5.6E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	2.05E-04	2.37E-12	1.36E+09	1.7E+08	8.8E+11	2.1E+02	2.1E+02	8.4E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.34E-04	1.35E-11	1.36E+09	5.1E+06	1.2E+10	5.6E+01	5.6E+01	1.3E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.99E-04	2.91E-12	1.36E+09	5.0E+07	3.4E+11	8.0E+01	8.0E+01	8.7E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.41E-04	6.52E-10	1.36E+09	1.8E+03	1.3E+06	8.9E-01	8.9E-01	1.2E-11
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.58E-04	6.09E-12	1.36E+09	6.9E+06	4.3E+10	2.9E+01	2.9E+01	1.1E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.41E-09	4.86E-08	1.36E+09	2.0E-01	1.1E+02	4.4E+02	2.0E-01	3.3E-10
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	7.16E-07	4.83E-08	1.36E+09	3.6E-02	1.6E+01	2.7E-01	3.2E-02	1.9E-09
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.22E-09	3.88E-08	1.36E+09	1.9E+00	1.3E+03	6.6E+03	1.9E+00	4.2E-10
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	1.02E-06	0.00E+00	1.36E+09	.	.	1.8E+08	1.8E+08	1.8E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.14E-05	0.00E+00	1.36E+09	.	.	1.9E+05	1.9E+05	1.6E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.67E-09	0.00E+00	1.36E+09	.	.	4.9E+15	4.9E+15	3.9E-07

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	1.04E-08	0.00E+00	1.36E+09	.	.	5.6E+13	5.6E+13	1.7E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	2.02E-08	0.00E+00	1.36E+09	.	.	2.7E+12	2.7E+12	9.0E-08
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.92E-09	0.00E+00	1.36E+09	.	.	3.4E+11	3.4E+11	9.6E-07
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.85E-13	0.00E+00	1.36E+09	.	.	3.1E+12	3.1E+12	1.1E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.85E-04	2.05E-12	1.36E+09	6.5E+08	7.4E+12	3.8E+02	3.8E+02	3.0E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.93E-04	3.40E-12	1.36E+09	2.5E+08	2.8E+12	3.2E+02	3.2E+02	3.9E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	1.01E-04	1.72E-12	1.36E+09	3.5E+08	3.5E+12	6.6E+02	6.6E+02	1.1E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.70E-04	1.28E-12	1.36E+09	8.7E+08	1.3E+13	4.5E+02	4.5E+02	4.3E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.23E-05	1.74E-12	1.36E+09	1.1E+08	9.1E+11	4.9E+02	4.9E+02	2.8E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	1.2E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	3.07E-04	6.54E-12	1.36E+09	1.8E+07	1.6E+11	4.1E+01	4.1E+01	3.8E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.28E-05	1.89E-12	1.36E+09	2.9E+07	1.9E+11	4.7E+02	4.7E+02	9.2E-11
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.34E-05	0.00E+00	1.36E+09	.	.	7.4E+03	7.4E+03	1.9E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	8.46E-06	9.48E-11	1.36E+09	1.3E+05	9.4E+08	1.6E+02	1.6E+02	1.4E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	1.21E-12	1.36E+09	8.2E+08	5.8E+12	.	8.2E+08	9.1E-06
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	4.42E-08	8.65E-11	1.36E+09	8.6E+03	1.9E+07	1.8E+03	1.5E+03	2.3E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.83E-06	1.71E-12	1.36E+09	4.9E+08	5.9E+12	1.9E+04	1.9E+04	2.5E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	3.35E-07	0.00E+00	1.36E+09	.	.	6.6E+05	6.6E+05	3.7E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.56E-06	2.61E-11	1.36E+09	1.6E+06	1.1E+10	1.7E+03	1.7E+03	4.8E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.34E-04	2.78E-12	1.36E+09	2.2E+08	2.5E+12	4.9E+02	4.9E+02	9.2E-12
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.52E-05	1.20E-12	1.36E+09	9.1E+08	7.7E+12	2.2E+03	2.2E+03	2.3E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.30E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	9.7E-12
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	7.1E+03	7.1E+03	1.1E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.07E-05	1.45E-12	1.36E+09	5.8E+08	3.4E+12	1.3E+03	1.3E+03	2.2E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.70E-05	6.05E-12	1.36E+09	1.9E+07	1.4E+11	1.7E+02	1.7E+02	2.1E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.56E-05	4.73E-12	1.36E+09	2.2E+07	1.2E+11	1.7E+02	1.7E+02	2.4E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.66E-05	5.10E-11	1.36E+09	1.9E+04	3.2E+07	6.5E+00	6.5E+00	9.6E-11
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.05E-05	1.21E-11	1.36E+09	1.8E+06	8.8E+09	4.8E+01	4.8E+01	3.2E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	4.60E-10	1.36E+09	3.5E+00	2.7E+01	.	3.1E+00	1.1E+03
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.62E-05	2.36E-11	1.36E+09	1.5E+05	5.9E+08	1.5E+01	1.5E+01	6.2E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.18E-11	2.64E-12	1.36E+09	7.2E+02	2.4E+05	4.0E+03	6.1E+02	1.6E-05
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	4.48E-07	3.35E-11	1.36E+09	7.0E+04	1.5E+08	5.7E+02	5.7E+02	3.6E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	3.44E-06	4.63E-11	1.36E+09	5.4E+04	1.4E+08	8.0E+01	8.0E+01	4.8E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	1.55E-06	3.09E-11	1.36E+09	4.0E+05	1.8E+09	8.6E+02	8.6E+02	1.1E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	6.44E-06	4.91E-12	1.36E+09	3.1E+07	1.4E+11	2.6E+03	2.6E+03	2.6E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.32E-05	1.55E-12	1.36E+09	3.1E+08	1.7E+12	2.2E+03	2.2E+03	7.3E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	4.26E-06	8.36E-11	1.36E+09	2.3E+05	1.5E+09	5.0E+02	5.0E+02	4.0E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	2.40E-07	3.20E-10	1.36E+09	1.7E+04	1.1E+08	2.8E+03	2.4E+03	6.8E-09
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.27E-05	3.20E-10	1.36E+09	1.7E+04	1.1E+08	2.7E+01	2.7E+01	7.5E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	4.04E-06	5.33E-12	1.36E+09	8.1E+07	1.7E+09	1.2E+04	1.2E+04	4.9E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	4.39E-06	9.89E-12	1.36E+09	2.8E+06	8.7E+07	6.9E+02	6.9E+02	4.5E-10
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	6.44E-06	9.28E-14	1.36E+09	6.2E+09	5.3E+13	9.8E+03	9.8E+03	3.1E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	3.09E-09	1.53E-09	1.36E+09	6.4E+00	8.2E+01	3.4E+02	5.8E+00	1.1E-08
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	3.09E-06	7.56E-12	1.36E+09	3.0E+04	3.8E+07	7.9E+00	7.9E+00	6.5E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	1.87E-09	3.15E-09	1.36E+09	5.6E-01	8.5E+00	1.0E+02	5.2E-01	3.1E-08
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	4.9E-01	7.3E+00	3.1E+01	4.5E-01	7.3E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	4.9E-01	7.3E+00	3.1E+01	4.5E-01	7.3E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	1.93E-09	3.27E-09	1.36E+09	4.9E-01	7.3E+00	9.1E+01	4.6E-01	2.0E-06
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.10E-10	4.68E-11	1.36E+09	5.9E+01	8.0E+02	2.7E+03	5.4E+01	5.2E-07
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.18E-08	3.11E-09	1.36E+09	5.1E-01	7.7E+00	1.5E+01	4.7E-01	1.2E-04
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	1.49E-06	5.59E-12	1.36E+09	8.8E+06	3.9E+10	3.6E+03	3.6E+03	1.4E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.67E-06	3.27E-09	1.36E+09	4.9E-01	7.7E+00	6.6E-02	5.7E-02	3.1E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	4.26E-05	3.35E-09	1.36E+09	4.8E-01	7.7E+00	4.1E-03	4.1E-03	2.2E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.67E-05	4.87E-11	1.36E+09	4.7E+05	2.7E+09	5.4E+01	5.4E+01	4.5E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.10E-05	1.99E-10	1.36E+09	4.7E+03	1.2E+07	9.3E+00	9.2E+00	1.9E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	5.4E+08	5.4E+08	1.0E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	5.4E+08	5.4E+08	1.0E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.40E-07	0.00E+00	1.36E+09	.	.	9.9E+09	9.9E+09	3.5E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	1.2E+06	1.2E+06	6.6E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	2.87E-06	0.00E+00	1.36E+09	.	.	1.2E+06	1.2E+06	6.6E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.00E-06	0.00E+00	1.36E+09	.	.	2.5E+06	2.5E+06	1.9E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.23E-05	3.33E-09	1.36E+09	2.7E+02	7.6E+03	7.9E+00	7.6E+00	1.5E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	1.87E-05	3.33E-09	1.36E+09	2.7E+02	7.6E+03	5.2E+00	5.1E+00	9.9E-11
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.06E-06	2.29E-09	1.36E+09	1.2E+03	6.1E+04	2.9E+02	2.3E+02	1.5E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-06	2.29E-09	1.36E+09	1.2E+03	6.1E+04	2.7E+02	2.2E+02	1.4E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	1.65E-07	2.01E-09	1.36E+09	3.4E+02	6.5E+03	4.5E+02	1.9E+02	4.8E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	6.75E-07	7.96E-09	1.36E+09	2.0E-01	1.4E+01	2.6E-01	1.1E-01	1.1E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.26E-04	7.97E-09	1.36E+09	2.0E-01	1.4E+01	7.8E-04	7.8E-04	7.9E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.51E-05	2.04E-12	1.36E+09	1.7E+08	1.4E+11	2.5E+03	2.5E+03	1.3E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	9.28E-10	1.81E-08	1.36E+09	2.8E-01	2.9E+01	6.0E+02	2.8E-01	1.0E-09
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.09E-04	1.81E-08	1.36E+09	2.8E-01	2.9E+01	5.1E-03	5.0E-03	1.8E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	7.32E-06	8.76E-12	1.36E+09	1.8E+07	1.1E+11	2.3E+03	2.3E+03	2.7E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	2.3E+03	2.3E+03	3.6E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.65E-04	2.67E-12	1.36E+09	3.1E+08	4.3E+12	1.6E+02	1.6E+02	1.2E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	6.7E+02	6.7E+02	1.6E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.70E-04	1.84E-12	1.36E+09	3.5E+08	3.3E+12	4.1E+02	4.1E+02	4.0E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.44E-04	0.00E+00	1.36E+09	.	.	2.0E+04	2.0E+04	4.7E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.93E-05	2.39E-12	1.36E+09	2.2E+07	8.4E+10	9.8E+01	9.8E+01	1.2E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.66E-06	4.03E-13	1.36E+09	1.2E+09	3.1E+12	2.0E+04	2.0E+04	2.6E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	9.4E+03	9.4E+03	5.2E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.69E-04	7.69E-12	1.36E+09	4.9E+06	3.8E+10	1.1E+01	1.1E+01	1.9E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.74E-05	1.12E-10	1.36E+09	1.0E+03	5.7E+06	2.2E-01	2.2E-01	1.2E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.12E-04	1.78E-10	1.36E+09	1.7E+03	7.5E+06	3.0E-01	3.0E-01	6.4E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.13E-05	3.15E-13	1.36E+09	2.3E+09	1.2E+13	1.9E+03	1.9E+03	1.7E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.24E-05	1.77E-10	1.36E+09	3.1E+03	8.2E+06	4.8E+00	4.8E+00	5.9E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.53E-05	0.00E+00	1.36E+09	.	.	2.4E+04	2.4E+04	1.1E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	2.74E-09	9.60E-11	1.36E+09	1.7E+01	9.0E+03	7.1E+01	1.3E+01	1.6E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	9.21E-05	3.08E-12	1.36E+09	2.7E+08	3.7E+12	9.7E+02	9.7E+02	8.1E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	3.06E-04	1.69E-12	1.36E+09	5.7E+08	6.2E+12	3.4E+02	3.4E+02	2.5E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	3.00E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	2.6E-12
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	8.2E+02	8.2E+02	1.7E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.22E-04	1.05E-12	1.36E+09	1.1E+09	1.1E+13	5.5E+02	5.5E+02	6.8E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.29E-04	5.67E-13	1.36E+09	1.3E+09	1.0E+13	6.4E+02	6.4E+02	1.2E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	4.5E+03	4.5E+03	1.0E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.96E-05	2.17E-11	1.36E+09	5.6E+05	3.7E+09	1.5E+01	1.5E+01	1.7E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.12E-04	7.44E-11	1.36E+09	5.1E+04	2.1E+08	2.0E+00	2.0E+00	7.3E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.51E-04	1.47E-11	1.36E+09	1.3E+06	7.9E+09	1.4E+01	1.4E+01	1.0E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	9.59E-06	4.90E-11	1.36E+09	2.9E+03	2.9E+06	1.6E+00	1.6E+00	1.6E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.06E-04	5.26E-11	1.36E+09	5.1E+03	8.1E+06	2.7E-01	2.7E-01	1.5E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.01E-05	7.53E-11	1.36E+09	8.0E+02	4.2E+05	1.6E-01	1.6E-01	3.9E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	1.48E-06	7.44E-11	1.36E+09	3.7E+04	1.6E+08	2.0E+02	2.0E+02	1.1E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	4.89E-07	1.09E-10	1.36E+09	1.5E+01	2.5E+03	3.6E-01	3.5E-01	3.6E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	1.97E-06	1.83E-10	1.36E+09	8.7E+00	2.4E+03	8.9E-02	8.8E-02	9.2E-06
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.40E-13	1.36E+09	6.7E+03	3.6E+06	.	6.7E+03	1.4E+05
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	6.82E-06	6.82E-11	1.36E+09	2.1E+05	1.6E+09	2.3E+02	2.3E+02	2.3E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	3.09E-06	1.42E-12	1.36E+09	5.5E+08	3.7E+12	2.8E+04	2.8E+04	5.2E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	5.52E-06	3.77E-11	1.36E+09	2.7E+05	1.5E+09	2.0E+02	2.0E+02	2.9E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	1.0E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.06E-04	1.69E-11	1.36E+09	4.5E+06	3.2E+10	7.8E+01	7.8E+01	1.5E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.69E-04	3.59E-11	1.36E+09	3.3E+05	3.1E+09	3.5E+00	3.5E+00	2.3E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.05E-06	0.00E+00	1.36E+09	.	.	6.9E+04	6.9E+04	1.7E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.57E-05	3.22E-11	1.36E+09	2.6E+02	1.2E+05	3.6E-02	3.6E-02	3.4E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.01E-05	1.21E-11	1.36E+09	1.9E+05	8.3E+08	8.5E+00	8.5E+00	2.9E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.93E-05	7.84E-11	1.36E+09	6.2E+02	4.7E+05	9.0E-02	9.0E-02	1.5E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.64E-04	1.51E-10	1.36E+09	5.0E+01	2.8E+04	3.1E-03	3.1E-03	3.3E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	2.34E-09	1.51E-13	1.36E+09	1.7E+09	7.2E+12	1.2E+07	1.2E+07	3.7E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.05E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	4.3E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	3.6E+05	3.6E+05	8.5E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.46E-06	2.61E-11	1.36E+09	2.6E+05	1.1E+09	8.9E+01	8.9E+01	1.1E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.63E-05	0.00E+00	1.36E+09	.	.	1.2E+05	1.2E+05	3.4E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.60E-04	8.57E-12	1.36E+09	1.3E+07	1.0E+11	3.4E+01	3.4E+01	2.5E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-05	8.54E-13	1.36E+09	7.9E+08	5.9E+12	2.1E+03	2.1E+03	2.6E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	2.3E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.28E-05	0.00E+00	1.36E+09	.	.	3.6E+04	3.6E+04	2.8E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	2.7E+03	2.7E+03	1.6E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	9.6E+02	9.6E+02	2.4E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	7.0E+03	7.0E+03	6.9E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	3.3E+02	3.3E+02	1.6E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.65E-04	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	4.9E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.77E-04	1.89E-12	1.36E+09	2.5E+08	2.6E+12	2.9E+02	2.9E+02	4.7E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.97E-04	2.15E-12	1.36E+09	1.5E+08	1.5E+12	1.2E+02	1.2E+02	2.8E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.23E-04	0.00E+00	1.36E+09	.	.	8.2E+02	8.2E+02	3.7E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.25E-05	3.40E-11	1.36E+09	1.8E+04	3.3E+07	1.1E+00	1.1E+00	1.3E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.67E-05	3.58E-12	1.36E+09	1.4E+07	1.3E+11	7.4E+01	7.4E+01	1.1E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	1.5E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	3.8E+02	3.8E+02	1.2E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	7.07E-06	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	2.5E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.35E-04	0.00E+00	1.36E+09	.	.	7.7E+00	7.7E+00	7.6E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	4.17E-08	0.00E+00	1.36E+09	.	.	1.6E+06	1.6E+06	4.3E-08
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	9.15E-08	0.00E+00	1.36E+09	.	.	3.0E+10	3.0E+10	2.0E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.34E-06	0.00E+00	1.36E+09	.	.	3.8E+06	3.8E+06	2.9E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.37E-06	0.00E+00	1.36E+09	.	.	3.8E+06	3.8E+06	2.9E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.48E-08	0.00E+00	1.36E+09	.	.	2.3E+07	2.3E+07	2.5E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.1E+07	6.3E+03	6.3E+03	4.1E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.1E+07	6.3E+03	6.3E+03	4.1E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	4.01E-05	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	4.7E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.81E-05	4.56E-11	1.36E+09	5.7E+03	6.2E+06	4.9E-01	4.9E-01	1.5E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	9.03E-05	1.73E-11	1.36E+09	3.2E+06	1.4E+10	6.6E+01	6.6E+01	9.9E-12
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	4.98E-10	1.36E+09	5.4E+01	3.0E+04	.	5.4E+01	1.6E-08
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.63E-05	4.98E-10	1.36E+09	5.4E+01	3.0E+04	1.1E-01	1.1E-01	3.4E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	9.7E+03	9.7E+03	2.1E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	5.55E-06	0.00E+00	1.36E+09	.	.	6.3E+04	6.3E+04	1.7E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.46E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	3.2E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	6.03E-05	4.41E-12	1.36E+09	6.4E+07	3.2E+11	5.1E+02	5.1E+02	1.3E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.54E-04	3.07E-12	1.36E+09	4.8E+07	2.6E+11	1.0E+02	1.0E+02	5.2E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.34E-05	8.52E-12	1.36E+09	4.1E+05	1.6E+09	1.6E+01	1.6E+01	3.5E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	2.36E-10	8.82E-12	1.36E+09	1.3E+04	4.5E+06	6.0E+04	1.1E+04	2.5E-07
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	4.39E-04	0.00E+00	1.36E+09	.	.	7.2E+02	7.2E+02	7.2E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.42E-04	2.02E-11	1.36E+09	4.2E+06	1.8E+10	3.9E+01	3.9E+01	1.3E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	5.4E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.50E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	6.4E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.47E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	2.8E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	1.04E-04	9.89E-13	1.36E+09	4.6E+08	4.7E+12	4.8E+02	4.8E+02	9.4E-12
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.99E-04	1.19E-12	1.36E+09	7.7E+08	1.0E+13	3.4E+02	3.4E+02	3.3E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.94E-04	3.11E-12	1.36E+09	7.8E+07	6.9E+11	6.7E+01	6.7E+01	2.5E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.58E-05	9.60E-13	1.36E+09	9.0E+07	5.0E+11	6.0E+02	6.0E+02	6.3E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.53E-05	0.00E+00	1.36E+09	.	.	4.6E+03	4.6E+03	1.1E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.31E-04	1.11E-11	1.36E+09	4.4E+06	4.4E+10	1.6E+01	1.6E+01	3.0E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	6.94E-08	5.50E-12	1.36E+09	1.2E+06	8.7E+09	1.0E+04	9.9E+03	1.4E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.24E-05	5.24E-13	1.36E+09	1.7E+09	2.0E+13	1.9E+03	1.9E+03	1.9E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	3.10E-04	6.62E-11	1.36E+09	2.7E+04	1.2E+08	6.2E-01	6.2E-01	3.3E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.36E-05	1.20E-10	1.36E+09	3.1E+04	1.6E+08	7.6E+00	7.6E+00	1.9E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	2.07E-06	0.00E+00	1.36E+09	.	.	1.8E+05	1.8E+05	5.0E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.45E-04	1.63E-10	1.36E+09	1.0E+03	1.3E+06	7.5E-02	7.5E-02	4.3E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.30E-05	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	2.0E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	2.60E-12	3.88E-13	1.36E+09	1.9E+09	1.2E+13	3.0E+10	1.8E+09	2.3E-05
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.95E-05	6.51E-11	1.36E+09	1.5E+02	6.3E+04	2.2E-02	2.2E-02	2.1E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.38E-04	1.63E-10	1.36E+09	5.0E+03	1.5E+07	2.7E-01	2.7E-01	3.2E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.87E-04	1.45E-12	1.36E+09	5.2E+08	5.5E+12	4.4E+02	4.4E+02	5.7E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	8.36E-05	1.16E-10	1.36E+09	2.3E+04	8.0E+07	3.4E+00	3.4E+00	1.3E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.82E-04	4.86E-11	1.36E+09	5.5E+05	4.2E+09	7.7E+00	7.7E+00	2.8E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.34E-04	1.24E-12	1.36E+09	1.1E+09	1.5E+13	6.6E+02	6.6E+02	4.7E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.88E-04	2.68E-11	1.36E+09	2.1E+06	1.3E+10	3.2E+01	3.2E+01	5.8E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	4.07E-04	3.94E-12	1.36E+09	9.4E+07	9.0E+11	9.9E+01	9.9E+01	2.7E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.44E-04	0.00E+00	1.36E+09	.	.	7.4E+02	7.4E+02	3.2E-12
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.74E-04	4.48E-12	1.36E+09	1.4E+08	1.6E+12	2.5E+02	2.5E+02	4.1E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.72E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	3.0E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.46E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	6.5E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.16E-04	1.27E-11	1.36E+09	4.9E+06	3.5E+10	5.9E+01	5.9E+01	3.2E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.69E-04	2.05E-11	1.36E+09	3.0E+06	2.4E+10	2.5E+01	2.5E+01	1.4E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.02E-05	1.63E-10	1.36E+09	2.5E+04	1.5E+08	1.5E+01	1.5E+01	1.2E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.60E-04	8.30E-11	1.36E+09	1.5E+03	1.2E+06	5.1E-02	5.1E-02	1.5E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	9.81E-06	3.89E-11	1.36E+09	7.8E+04	2.5E+08	3.4E+01	3.4E+01	4.1E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.42E-04	9.55E-11	1.36E+09	5.8E+04	3.6E+08	1.4E+00	1.4E+00	9.2E-13
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	5.14E-07	3.28E-12	1.36E+09	7.8E+07	6.0E+11	5.4E+04	5.4E+04	8.1E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	4.29E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	9.9E-13
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	8.08E-05	4.53E-12	1.36E+09	7.8E+07	5.3E+11	4.8E+02	4.8E+02	7.4E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	3.1E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	5.21E-07	3.00E-10	1.36E+09	4.0E+03	1.9E+07	2.5E+02	2.4E+02	1.1E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.23E-04	1.22E-11	1.36E+09	2.8E+06	1.0E+10	3.0E+01	3.0E+01	5.0E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	3.07E-05	1.37E-12	1.36E+09	2.7E+08	1.2E+12	1.3E+03	1.3E+03	2.0E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	3.85E-05	1.67E-10	1.36E+09	5.1E+02	4.3E+06	2.4E-01	2.4E-01	1.7E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	7.83E-06	0.00E+00	1.36E+09	.	.	7.0E+05	7.0E+05	8.4E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	2.46E-10	1.36E-10	1.36E+09	1.2E+01	2.2E+04	7.9E+02	1.2E+01	7.6E-04
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	5.96E-07	0.00E+00	1.36E+09	.	.	6.8E+05	6.8E+05	1.1E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.13E-06	9.03E-13	1.36E+09	8.7E+08	7.6E+12	7.7E+04	7.7E+04	6.1E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	9.66E-07	2.19E-12	1.36E+09	1.2E+08	4.4E+11	2.9E+04	2.9E+04	7.1E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.41E-04	1.93E-12	1.36E+09	3.4E+08	2.3E+12	2.1E+02	2.1E+02	2.1E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.31E-04	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	5.4E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.80E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	1.5E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	2.99E-07	8.03E-12	1.36E+09	1.2E+07	7.7E+10	3.4E+04	3.4E+04	8.8E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	7.13E-10	4.18E-11	1.36E+09	4.1E+01	1.5E+03	2.9E+02	3.5E+01	4.1E-07
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	2.55E-07	1.86E-10	1.36E+09	9.2E+00	1.4E+03	8.1E-01	7.5E-01	8.8E-09
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	6.8E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.66E-05	3.58E-12	1.36E+09	2.7E+08	3.4E+12	1.6E+03	1.6E+03	1.8E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.73E-04	1.44E-12	1.36E+09	9.9E+08	1.2E+13	9.0E+02	9.0E+02	6.9E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.40E-04	2.54E-12	1.36E+09	2.5E+08	2.5E+12	2.9E+02	2.9E+02	5.0E-12
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.00E-05	8.03E-12	1.36E+09	2.5E+07	2.3E+11	2.2E+03	2.2E+03	1.2E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	6.15E-05	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	2.0E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	1.4E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	1.01E-06	1.35E-11	1.36E+09	2.2E+03	1.3E+06	3.2E+00	3.2E+00	1.2E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	9.36E-10	1.36E+09	1.7E+00	2.9E+01	.	1.6E+00	6.8E-02
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	8.56E-10	1.36E+09	1.9E+00	3.2E+01	.	1.8E+00	7.7E+01
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	7.36E-10	1.36E+09	2.2E+00	3.8E+01	.	2.1E+00	6.0E+06
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	1.04E-11	6.41E-12	1.36E+09	2.7E+02	4.8E+04	1.8E+04	2.7E+02	1.0E-05
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	3.00E-06	5.28E-11	1.36E+09	9.9E+04	4.1E+08	1.9E+02	1.9E+02	4.3E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	7.57E-06	1.03E-12	1.36E+09	6.3E+08	4.9E+12	9.4E+03	9.4E+03	1.7E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	9.78E-06	1.73E-11	1.36E+09	1.5E+06	6.1E+09	2.9E+02	2.9E+02	1.4E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-05	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	2.9E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.43E-04	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	6.3E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.54E-05	9.62E-13	1.36E+09	1.5E+09	1.5E+13	2.1E+03	2.1E+03	1.2E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.95E-04	9.26E-13	1.36E+09	8.7E+08	1.1E+13	3.0E+02	3.0E+02	3.1E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	2.94E-05	2.34E-11	1.36E+09	2.5E+06	2.0E+10	2.2E+02	2.2E+02	3.2E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.96E-05	8.92E-13	1.36E+09	4.6E+08	3.7E+12	7.6E+02	7.6E+02	1.6E-11
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	6.15E-07	5.11E-11	1.36E+09	1.7E+03	1.5E+06	1.6E+01	1.6E+01	1.5E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	6.06E-08	1.16E-13	1.36E+09	5.9E+09	1.5E+13	1.2E+06	1.2E+06	1.6E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.27E-05	4.97E-11	1.36E+09	1.5E+04	1.8E+07	6.3E+00	6.3E+00	7.8E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	4.23E-08	2.52E-11	1.36E+09	1.4E+03	7.1E+05	8.9E+01	8.4E+01	2.2E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	3.60E-09	1.67E-11	1.36E+09	5.4E+05	2.0E+09	3.0E+05	1.9E+05	2.0E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	2.41E-08	2.72E-11	1.36E+09	7.1E+01	1.1E+04	8.8E+00	7.8E+00	1.2E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	2.69E-08	4.02E-11	1.36E+09	4.8E+01	1.1E+04	7.9E+00	6.8E+00	1.0E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.05E-06	1.54E-10	1.36E+09	5.1E+02	4.2E+05	8.2E+00	8.0E+00	9.8E-10
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.26E-05	1.45E-12	1.36E+09	2.5E+08	1.5E+12	3.2E+03	3.2E+03	8.3E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.42E-05	2.21E-10	1.36E+09	4.7E+03	1.7E+07	2.6E+00	2.6E+00	2.4E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	2.7E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	2.69E-06	3.18E-10	1.36E+09	5.0E+00	9.5E+02	6.5E-02	6.4E-02	5.2E-06
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.37E-04	3.42E-10	1.36E+09	4.7E+00	9.5E+02	7.4E-04	7.4E-04	6.0E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.50E-04	1.10E-11	1.36E+09	1.1E+07	6.3E+10	5.1E+01	5.1E+01	4.3E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.97E-05	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	1.5E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.44E-05	7.07E-12	1.36E+09	3.5E+07	2.5E+11	4.2E+02	4.2E+02	1.7E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	5.6E+03	5.6E+03	8.5E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	1.0E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	9.9E-12
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.37E-04	0.00E+00	1.36E+09	.	.	5.2E+03	5.2E+03	4.9E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	5.05E-05	1.88E-11	1.36E+09	7.3E+06	6.2E+10	3.0E+02	3.0E+02	1.3E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.62E-04	2.71E-12	1.36E+09	2.4E+08	2.3E+12	4.4E+02	4.4E+02	4.3E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	1.29E-09	4.26E-10	1.36E+09	9.4E+02	2.2E+06	3.4E+04	9.1E+02	1.5E-08
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.33E-04	4.26E-10	1.36E+09	9.4E+02	2.2E+06	3.3E-01	3.3E-01	5.2E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.97E-05	3.25E-11	1.36E+09	2.3E+05	1.3E+09	8.2E+00	8.2E+00	7.1E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.81E-05	3.77E-11	1.36E+09	4.1E+03	1.2E+07	2.9E-01	2.9E-01	1.2E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.20E-05	3.02E-13	1.36E+09	7.1E+08	6.0E+12	1.1E+03	1.1E+03	3.3E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.60E-05	1.65E-12	1.36E+09	5.2E+07	3.6E+11	2.6E+02	2.6E+02	2.1E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	1.96E-07	1.76E-10	1.36E+09	1.1E+03	1.7E+06	1.1E+02	1.0E+02	3.5E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	1.31E-08	1.39E-09	1.36E+09	1.5E+00	1.3E+03	2.0E+01	1.4E+00	1.0E-08
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	5.27E-07	1.59E-09	1.36E+09	1.3E+00	1.2E+03	4.4E-01	3.3E-01	2.4E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	9.03E-05	4.30E-11	1.36E+09	5.9E+05	3.3E+09	3.1E+01	3.1E+01	8.6E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.81E-04	2.84E-11	1.36E+09	3.2E+06	2.1E+10	5.5E+01	5.5E+01	4.3E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.94E-04	0.00E+00	1.36E+09	.	.	7.3E+02	7.3E+02	2.7E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.94E-04	0.00E+00	1.36E+09	.	.	6.5E+03	6.5E+03	4.1E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.26E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	1.2E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	2.10E-04	2.35E-12	1.36E+09	1.7E+08	1.3E+12	2.1E+02	2.1E+02	7.0E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.56E-05	6.21E-12	1.36E+09	1.2E+07	7.1E+10	1.3E+02	1.3E+02	2.2E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.17E-04	3.20E-12	1.36E+09	6.7E+07	4.4E+11	2.0E+02	2.0E+02	1.3E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.36E-04	1.33E-11	1.36E+09	1.7E+06	1.2E+10	1.9E+01	1.9E+01	1.1E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.99E-04	1.72E-11	1.36E+09	1.7E+06	1.3E+10	1.1E+01	1.1E+01	5.0E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	3.28E-06	7.08E-12	1.36E+09	6.1E+05	2.4E+09	1.4E+02	1.4E+02	4.6E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	1.4E-10
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.17E-04	4.39E-12	1.36E+09	2.3E+07	1.3E+11	9.6E+01	9.6E+01	1.3E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	7.57E-07	3.85E-12	1.36E+09	4.0E+03	2.1E+06	2.2E+00	2.2E+00	2.0E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	1.64E-06	3.63E-12	1.36E+09	8.2E+06	3.9E+10	2.0E+03	2.0E+03	9.3E-10
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.63E-04	9.52E-11	1.36E+09	9.3E+02	6.0E+05	5.9E-02	5.9E-02	9.5E-12
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.10E-05	4.42E-13	1.36E+09	2.1E+09	6.4E+12	4.8E+03	4.8E+03	7.4E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.55E-05	9.55E-11	1.36E+09	2.1E+04	5.5E+07	8.5E+00	8.5E+00	6.1E-11
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.85E-04	4.23E-11	1.36E+09	6.6E+05	4.1E+09	1.7E+01	1.7E+01	8.5E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.33E-05	2.72E-12	1.36E+09	1.1E+08	6.0E+11	2.4E+03	2.4E+03	1.2E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.66E-04	1.25E-12	1.36E+09	1.1E+09	1.3E+13	9.2E+02	9.2E+02	9.5E-12
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	8.6E+03	8.6E+03	2.6E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.79E-04	6.39E-12	1.36E+09	2.3E+07	1.9E+11	5.8E+01	5.8E+01	4.5E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.54E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	4.9E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	3.04E-04	5.43E-12	1.36E+09	4.5E+07	3.9E+11	8.7E+01	8.7E+01	4.1E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.85E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	3.3E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.70E-04	1.04E-11	1.36E+09	5.7E+06	9.9E+08	3.8E+01	3.8E+01	7.4E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.67E-04	0.00E+00	1.36E+09	.	.	2.3E+03	2.3E+03	7.6E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.25E-04	1.19E-11	1.36E+09	5.9E+06	5.5E+10	2.4E+01	2.4E+01	3.9E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.99E-04	0.00E+00	1.36E+09	.	.	9.2E+02	9.2E+02	4.3E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.12E-04	2.07E-11	1.36E+09	6.7E+05	4.0E+09	1.4E+01	1.4E+01	1.1E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	7.92E-06	0.00E+00	1.36E+09	.	.	4.8E+05	4.8E+05	1.6E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.90E-04	4.31E-11	1.36E+09	3.2E+05	2.6E+09	8.0E+00	8.0E+00	6.8E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-05	0.00E+00	1.36E+09	.	.	4.6E+03	4.6E+03	1.6E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.22E-05	1.75E-11	1.36E+09	2.5E+05	1.1E+09	1.5E+01	1.5E+01	4.0E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	3.10E-04	3.40E-11	1.36E+09	3.3E+05	2.6E+09	4.0E+00	4.0E+00	4.2E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.16E-05	1.67E-11	1.36E+09	1.1E+05	3.8E+08	1.8E+01	1.8E+01	1.1E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.41E-04	6.42E-11	1.36E+09	2.9E+04	1.1E+08	8.6E-01	8.6E-01	5.5E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	8.58E-07	9.53E-12	1.36E+09	1.0E+06	3.1E+09	1.3E+03	1.3E+03	1.5E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	1.13E-07	5.26E-12	1.36E+09	8.7E+06	2.7E+10	4.5E+04	4.4E+04	1.2E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	8.11E-08	2.45E-12	1.36E+09	7.4E+02	1.2E+05	2.4E+00	2.4E+00	7.6E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.72E-05	6.33E-11	1.36E+09	2.7E+01	2.5E+03	1.9E-03	1.9E-03	1.5E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.42E-04	1.05E-10	1.36E+09	1.3E+03	1.2E+06	1.1E-01	1.1E-01	9.6E-12
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	9.47E-07	5.41E-11	1.36E+09	2.7E+04	6.4E+07	1.7E+02	1.7E+02	1.4E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.0E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	9.03E-05	8.05E-13	1.36E+09	9.3E+08	6.7E+12	9.1E+02	9.1E+02	1.5E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	3.10E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	4.5E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	6.8E+03	6.8E+03	1.3E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.72E-05	6.48E-13	1.36E+09	1.6E+09	1.4E+13	3.0E+03	3.0E+03	2.3E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	6.9E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.28E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	2.6E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	3.02E-04	2.95E-12	1.36E+09	2.7E+08	3.6E+12	2.9E+02	2.9E+02	2.9E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.81E-05	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	9.1E-12
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	2.3E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	4.5E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	7.7E+02	7.7E+02	1.6E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	2.10E-04	3.59E-12	1.36E+09	2.5E+07	2.3E+11	4.6E+01	4.6E+01	3.8E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.30E-04	1.53E-12	1.36E+09	2.2E+08	2.0E+12	2.8E+02	2.8E+02	6.1E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.31E-04	1.06E-11	1.36E+09	4.7E+06	4.3E+10	1.6E+01	1.6E+01	2.4E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.48E-04	4.24E-12	1.36E+09	6.6E+07	6.7E+11	1.2E+02	1.2E+02	3.2E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.81E-05	9.48E-12	1.36E+09	1.3E+06	1.1E+10	1.4E+01	1.4E+01	8.2E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	8.08E-05	3.00E-11	1.36E+09	5.5E+03	9.0E+06	2.2E-01	2.2E-01	1.0E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	3.14E-04	5.81E-11	1.36E+09	4.1E+04	2.8E+08	8.2E-01	8.2E-01	2.6E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	5.33E-06	6.08E-13	1.36E+09	4.7E+08	3.3E+12	5.8E+03	5.8E+03	1.5E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	7.73E-09	3.64E-12	1.36E+09	4.4E+02	8.4E+04	2.3E+01	2.2E+01	1.5E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	2.79E-08	3.08E-11	1.36E+09	3.6E+03	1.9E+06	4.4E+02	3.9E+02	2.6E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.74E-04	9.98E-11	1.36E+09	1.6E+01	3.4E+03	1.0E-03	1.0E-03	1.2E-06
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	2.24E-09	3.58E-11	1.36E+09	4.5E+01	1.1E+04	7.8E+01	2.8E+01	1.7E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.07E-05	1.18E-12	1.36E+09	3.4E+07	1.7E+11	4.1E+02	4.1E+02	7.9E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	3.4E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.63E-04	2.53E-12	1.36E+09	3.8E+08	2.8E+12	6.5E+02	6.5E+02	6.0E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	9.6E+02	9.6E+02	3.4E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.38E-04	0.00E+00	1.36E+09	.	.	7.1E+02	7.1E+02	2.9E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	7.98E-06	1.08E-11	1.36E+09	9.0E+06	6.1E+10	1.3E+03	1.3E+03	1.2E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	2.00E-04	2.49E-12	1.36E+09	9.4E+07	7.9E+11	1.3E+02	1.3E+02	5.0E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	7.35E-08	2.09E-10	1.36E+09	8.1E+03	3.4E+07	2.5E+03	1.9E+03	1.0E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.53E-05	2.09E-10	1.36E+09	8.1E+03	3.4E+07	1.9E+00	1.9E+00	1.1E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	9.31E-05	9.84E-12	1.36E+09	1.5E+06	1.2E+10	1.8E+01	1.8E+01	1.1E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.91E-04	3.94E-11	1.36E+09	5.5E+04	2.7E+08	1.2E+00	1.2E+00	5.3E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.66E-05	2.56E-11	1.36E+09	2.1E+04	6.8E+07	8.7E-01	8.7E-01	1.5E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.12E-05	1.23E-10	1.36E+09	5.3E+02	8.0E+05	3.4E-01	3.4E-01	4.8E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	1.27E-10	3.05E-11	1.36E+09	5.2E+01	1.3E+05	1.4E+03	5.1E+01	1.0E+07
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.21E-05	6.63E-11	1.36E+09	1.3E+03	1.2E+06	7.7E-01	7.7E-01	8.6E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	1.87E-07	4.60E-11	1.36E+09	3.8E+03	3.1E+06	1.0E+02	1.0E+02	5.5E-09
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.68E-07	1.15E-11	1.36E+09	2.3E+06	9.6E+09	5.0E+03	5.0E+03	1.9E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	7.23E-08	1.29E-10	1.36E+09	7.2E+02	6.7E+05	1.4E+02	1.2E+02	1.2E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.94E-06	2.67E-12	1.36E+09	7.8E+07	4.6E+11	3.3E+03	3.3E+03	1.6E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.76E-06	1.94E-10	1.36E+09	1.6E+03	2.5E+06	8.8E+00	8.7E+00	2.9E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.80E-05	3.54E-12	1.36E+09	1.6E+08	6.0E+11	1.3E+03	1.3E+03	2.3E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.82E-04	1.06E-10	1.36E+09	7.6E+04	2.1E+08	4.9E+00	4.9E+00	6.1E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.11E-05	2.21E-10	1.36E+09	1.4E+04	3.8E+07	1.6E+01	1.6E+01	5.3E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.54E-04	2.94E-12	1.36E+09	4.0E+08	1.4E+12	8.3E+02	8.3E+02	7.3E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.37E-04	1.15E-11	1.36E+09	2.3E+07	7.8E+10	1.2E+02	1.2E+02	4.8E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	1.01E-04	4.69E-12	1.36E+09	7.4E+07	3.0E+11	3.8E+02	3.8E+02	1.1E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	4.99E-06	0.00E+00	1.36E+09	.	.	3.2E+07	3.2E+07	3.8E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.17E-06	0.00E+00	1.36E+09	.	.	4.2E+07	4.2E+07	8.8E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	6.37E-07	1.28E-11	1.36E+09	3.7E+07	7.8E+08	8.2E+04	8.2E+04	3.0E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.20E-05	5.57E-10	1.36E+09	9.7E+02	3.9E+03	4.9E+00	4.9E+00	1.6E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	1.52E-07	1.73E-09	1.36E+09	8.4E+00	2.8E+01	1.0E+01	4.0E+00	4.9E-09
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	6.06E-06	5.32E-09	1.36E+09	3.0E-01	2.3E+00	2.9E-02	2.6E-02	1.2E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	6.22E-06	7.33E-09	1.36E+09	2.2E-01	2.0E+00	2.8E-02	2.5E-02	1.2E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	2.28E-08	2.09E-09	1.36E+09	7.7E-01	1.2E+01	7.7E+00	6.6E-01	3.2E-05
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	6.72E-07	2.45E-11	1.36E+09	3.9E+05	1.6E+09	1.6E+03	1.5E+03	2.9E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	9.69E-09	2.29E-09	1.36E+09	7.0E-01	9.3E+00	1.8E+01	6.3E-01	5.7E+00
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.09E-04	2.04E-08	1.36E+09	7.8E-02	4.6E+00	1.6E-03	1.6E-03	1.4E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.88E-06	7.85E-13	1.36E+09	8.3E+08	4.4E+12	1.8E+04	1.8E+04	5.1E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	4.80E-07	2.57E-10	1.36E+09	1.6E+03	3.4E+06	9.6E+01	9.1E+01	3.9E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	2.93E-06	2.57E-10	1.36E+09	1.6E+03	3.4E+06	1.6E+01	1.6E+01	6.7E-10
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.69E-06	0.00E+00	1.36E+09	.	.	3.4E+04	3.4E+04	3.0E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.57E-06	3.50E-12	1.36E+09	1.1E+08	7.5E+11	1.2E+04	1.2E+04	5.6E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	6.69E-06	3.63E-10	1.36E+09	5.1E+00	1.3E+03	3.0E-02	3.0E-02	2.2E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.75E-04	3.83E-10	1.36E+09	4.8E+00	1.3E+03	7.3E-04	7.3E-04	5.4E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	1.03E-04	8.44E-12	1.36E+09	9.3E+06	6.4E+10	8.4E+01	8.4E+01	3.7E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	6.5E+03	6.5E+03	1.0E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	9.2E+04	9.2E+04	4.3E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.54E-04	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	1.0E-11
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.95E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	5.5E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.06E-04	1.71E-12	1.36E+09	2.6E+08	3.0E+12	4.6E+02	4.6E+02	1.6E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.99E-04	1.71E-12	1.36E+09	2.6E+08	2.3E+12	1.6E+02	1.6E+02	5.5E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.57E-04	1.25E-12	1.36E+09	1.7E+08	1.0E+12	1.5E+02	1.5E+02	1.1E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.41E-04	2.50E-12	1.36E+09	5.3E+07	4.9E+11	6.0E+01	6.0E+01	6.9E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.11E-05	1.25E-12	1.36E+09	6.8E+07	2.1E+11	1.8E+02	1.8E+02	3.3E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.62E-04	4.35E-12	1.36E+09	1.1E+07	9.4E+10	1.9E+01	1.9E+01	6.4E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.39E-04	2.75E-12	1.36E+09	4.7E+07	2.4E+11	1.0E+02	1.0E+02	1.2E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.34E-05	1.49E-12	1.36E+09	2.2E+07	6.5E+10	1.5E+02	1.5E+02	7.2E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.60E-04	1.24E-11	1.36E+09	7.5E+05	5.7E+09	6.4E+00	6.4E+00	1.1E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	5.08E-06	6.16E-12	1.36E+09	5.4E+05	1.2E+09	7.2E+01	7.2E+01	3.4E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	4.95E-05	2.84E-11	1.36E+09	2.9E+04	1.5E+08	1.8E+00	1.8E+00	3.5E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	8.08E-08	8.52E-11	1.36E+09	8.7E+01	3.1E+04	1.0E+01	9.0E+00	1.9E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	1.65E-07	0.00E+00	1.36E+09	.	.	2.3E+06	2.3E+06	1.1E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.88E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	6.1E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.29E-07	0.00E+00	1.36E+09	.	.	7.8E+05	7.8E+05	4.1E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	3.7E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.79E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	6.4E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	4.9E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.57E-04	1.82E-12	1.36E+09	2.7E+08	2.1E+12	3.4E+02	3.4E+02	8.7E-12
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.52E-04	1.53E-12	1.36E+09	4.4E+08	4.7E+12	2.9E+02	2.9E+02	5.5E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.63E-04	2.72E-12	1.36E+09	4.9E+07	3.8E+11	9.0E+01	9.0E+01	8.5E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	9.47E-05	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	1.5E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	5.96E-05	2.12E-11	1.36E+09	3.8E+05	2.3E+09	1.5E+01	1.5E+01	2.4E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.57E-04	1.56E-11	1.36E+09	2.0E+06	1.5E+10	1.3E+01	1.3E+01	5.5E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.09E-05	4.05E-11	1.36E+09	2.7E+04	5.4E+07	1.1E+01	1.1E+01	1.3E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.45E-04	5.94E-11	1.36E+09	1.8E+03	1.5E+06	8.2E-02	8.2E-02	9.9E-12
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	2.16E-07	9.65E-11	1.36E+09	8.2E+02	6.0E+05	4.0E+01	3.8E+01	6.4E-09
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	1.80E-08	7.68E-12	1.36E+09	1.9E+03	8.4E+05	8.8E+01	8.4E+01	7.7E-08
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	6.31E-05	1.21E-10	1.36E+09	3.2E+04	1.6E+08	6.6E+00	6.6E+00	2.3E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.39E-05	1.96E-11	1.36E+09	1.5E+06	9.1E+09	7.4E+01	7.4E+01	3.4E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.11E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	7.0E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.33E-04	9.96E-13	1.36E+09	9.6E+08	7.1E+12	7.9E+02	7.9E+02	1.1E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.56E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	5.8E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	1.8E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.09E-07	0.00E+00	1.36E+09	.	.	5.7E+05	5.7E+05	6.3E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	8.30E-08	2.80E-09	1.36E+09	1.7E+02	2.2E+03	6.4E+02	1.3E+02	4.7E-09
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	4.48E-06	2.42E-11	1.36E+09	1.0E+05	2.9E+08	5.9E+01	5.9E+01	4.4E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	1.47E-08	6.57E-09	1.36E+09	2.8E-01	4.9E+00	1.3E+01	2.6E-01	1.1E-08
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	1.92E-08	1.41E-09	1.36E+09	1.1E+00	1.4E+01	9.1E+00	9.4E-01	9.8E-05
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	6.85E-09	1.38E-09	1.36E+09	1.2E+00	1.4E+01	2.6E+01	1.0E+00	1.7E-04
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.49E-05	1.33E-09	1.36E+09	1.2E+00	1.6E+01	1.2E-02	1.2E-02	5.4E-03
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.56E-05	1.35E-09	1.36E+09	1.2E+00	1.6E+01	1.1E-02	1.1E-02	5.2E-03
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	1.53E-16	1.36E+09	3.7E+12	7.5E+16	.	3.7E+12	1.2E-01
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	3.35E-09	1.30E-09	1.36E+09	1.2E+00	1.6E+01	5.2E+01	1.1E+00	1.7E-02
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.01E-05	5.66E-11	1.36E+09	2.6E+04	5.1E+07	1.6E+01	1.6E+01	2.0E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	3.35E-09	1.26E-09	1.36E+09	1.3E+00	1.7E+01	5.2E+01	1.2E+00	3.4E+00
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.22E-06	1.52E-09	1.36E+09	1.1E+00	1.7E+01	5.4E-02	5.2E-02	1.5E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	3.22E-06	1.19E-12	1.36E+09	5.2E+08	2.6E+12	2.1E+04	2.1E+04	6.3E-10
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	3.12E-07	7.85E-11	1.36E+09	2.2E+05	1.4E+09	6.0E+03	5.9E+03	6.4E-09
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.10E-06	1.83E-12	1.36E+09	4.7E+08	4.2E+12	2.3E+04	2.3E+04	5.0E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.18E-04	2.40E-12	1.36E+09	1.9E+08	1.8E+12	4.2E+02	4.2E+02	3.4E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.79E-04	1.12E-10	1.36E+09	5.7E+03	1.5E+07	1.8E-01	1.8E-01	1.1E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	1.34E-12	1.36E+09	2.3E+04	2.7E+07	.	2.3E+04	2.8E-06
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.95E-04	1.23E-10	1.36E+09	1.4E+01	4.4E+03	9.3E-04	9.3E-04	2.0E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.98E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	2.2E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	3.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-04	2.95E-12	1.36E+09	3.7E+07	2.3E+11	1.2E+02	1.2E+02	1.5E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	4.86E-07	1.65E-11	1.36E+09	2.8E+04	3.8E+07	1.1E+02	1.1E+02	3.1E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.10E-05	1.65E-11	1.36E+09	2.8E+04	3.8E+07	4.7E+00	4.7E+00	1.4E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	1.59E-06	1.42E-13	1.36E+09	2.8E+09	3.3E+13	2.7E+04	2.7E+04	9.5E-10
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	3.28E-06	0.00E+00	1.36E+09	.	.	7.6E+04	7.6E+04	4.6E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	1.29E-06	5.59E-12	1.36E+09	1.5E+04	1.9E+07	7.1E+00	7.1E+00	1.2E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	7.61E-09	3.28E-11	1.36E+09	4.1E+03	2.5E+06	1.9E+03	1.3E+03	1.4E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	1.63E-06	0.00E+00	1.36E+09	.	.	6.1E+05	6.1E+05	9.6E-10
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.18E-05	4.07E-11	1.36E+09	2.5E+05	1.3E+09	2.2E+01	2.2E+01	3.1E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	1.90E-07	1.56E-10	1.36E+09	9.3E+02	6.5E+05	8.4E+01	7.7E+01	7.7E-09
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	9.75E-06	3.18E-12	1.36E+09	1.5E+08	8.5E+11	5.5E+03	5.5E+03	1.7E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	9.4E+02	9.4E+02	2.4E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	2.1E+02	2.1E+02	5.4E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	4.95E-06	0.00E+00	1.36E+09	.	.	2.7E+02	2.7E+02	2.1E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.45E-05	0.00E+00	1.36E+09	.	.	1.7E+02	1.7E+02	1.4E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.53E-05	0.00E+00	1.36E+09	.	.	6.2E+01	6.2E+01	4.2E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.57E-05	0.00E+00	1.36E+09	.	.	1.2E+00	1.2E+00	4.2E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.30E-05	0.00E+00	1.36E+09	.	.	1.1E+05	1.1E+05	8.3E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.15E-06	0.00E+00	1.36E+09	.	.	1.1E+02	1.1E+02	9.5E-10
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	2.4E+02	2.4E+02	2.8E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	1.82E-06	0.00E+00	1.36E+09	.	.	1.2E+02	1.2E+02	6.2E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.1E-09
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.50E-06	0.00E+00	1.36E+09	.	.	2.0E+02	2.0E+02	4.5E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.62E-05	0.00E+00	1.36E+09	.	.	1.1E+02	1.1E+02	4.4E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.99E-05	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	2.3E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.49E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	4.7E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	7.5E+02	7.5E+02	7.7E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	5.1E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.63E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	4.3E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	7.3E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	5.05E-04	5.65E-12	1.36E+09	6.5E+07	7.4E+11	8.0E+01	8.0E+01	1.4E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.28E-04	9.95E-12	1.36E+09	9.1E+06	7.1E+10	7.8E+01	7.8E+01	5.7E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.68E-04	2.24E-11	1.36E+09	2.2E+06	1.8E+10	3.3E+01	3.3E+01	4.3E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.67E-04	5.40E-11	1.36E+09	3.1E+05	2.7E+09	3.9E+00	3.9E+00	1.6E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.25E-05	3.15E-12	1.36E+09	9.6E+07	8.4E+11	1.5E+03	1.5E+03	3.2E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	5.11E-05	3.26E-11	1.36E+09	9.3E+04	5.2E+08	6.5E+00	6.5E+00	1.4E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.44E-05	1.36E-11	1.36E+09	1.3E+06	8.1E+09	5.8E+01	5.8E+01	2.1E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.69E-04	6.49E-11	1.36E+09	1.5E+03	1.2E+06	2.8E-02	2.8E-02	2.0E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	5.3E+04	5.3E+04	6.6E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	5.14E-07	1.97E-10	1.36E+09	1.9E+04	1.1E+08	8.1E+02	7.7E+02	1.4E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-05	1.20E-11	1.36E+09	6.3E+06	4.0E+10	1.2E+02	1.2E+02	1.1E-11
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.15E-07	1.75E-10	1.36E+09	9.9E+02	1.3E+06	3.1E+01	3.0E+01	1.2E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.31E-05	5.83E-13	1.36E+09	5.0E+08	2.4E+12	5.1E+02	5.1E+02	1.2E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.41E-05	2.97E-11	1.36E+09	2.3E+06	1.9E+10	2.2E+02	2.2E+02	2.3E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.34E-05	8.07E-11	1.36E+09	3.0E+05	2.3E+09	2.0E+02	2.0E+02	5.9E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	1.03E-04	2.93E-12	1.36E+09	2.7E+08	3.5E+12	8.3E+02	8.3E+02	7.8E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.60E-04	1.46E-12	1.36E+09	9.7E+08	1.3E+13	9.7E+02	9.7E+02	5.1E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.18E-05	1.29E-12	1.36E+09	6.0E+08	5.0E+12	3.9E+03	3.9E+03	6.3E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.74E-05	6.69E-13	1.36E+09	2.0E+09	2.0E+13	1.7E+03	1.7E+03	1.6E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	2.44E-06	4.18E-12	1.36E+09	4.6E+07	3.8E+11	8.6E+03	8.6E+03	5.7E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.25E-05	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	4.3E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	2.57E-06	5.54E-11	1.36E+09	7.7E+04	3.8E+08	1.8E+02	1.8E+02	5.5E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	1.69E-05	2.91E-13	1.36E+09	2.9E+09	1.2E+13	5.4E+03	5.4E+03	8.4E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.17E-05	5.45E-11	1.36E+09	5.8E+03	6.4E+06	1.6E+00	1.6E+00	6.6E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.10E-06	3.18E-11	1.36E+09	7.6E+04	2.1E+08	6.5E+01	6.4E+01	3.6E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.32E-05	4.67E-12	1.36E+09	2.7E+07	1.3E+11	6.0E+02	6.0E+02	6.5E-11
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.23E-06	5.09E-12	1.36E+09	3.9E+07	2.1E+11	5.1E+03	5.1E+03	3.6E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	1.3E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.81E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	2.8E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	5.6E+03	5.6E+03	2.7E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	5.11E-05	6.03E-11	1.36E+09	4.4E+05	2.3E+09	5.7E+01	5.7E+01	1.0E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.31E-04	3.08E-12	1.36E+09	1.2E+08	1.2E+12	3.2E+02	3.2E+02	4.1E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	7.57E-05	2.41E-10	1.36E+09	1.7E+02	1.4E+06	6.0E-02	6.0E-02	7.3E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	4.54E-08	1.21E-12	1.36E+09	2.1E+08	1.0E+12	6.2E+05	6.2E+05	1.3E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.77E-05	2.25E-11	1.36E+09	7.8E+05	3.1E+09	4.1E+01	4.1E+01	1.2E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	1.5E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.86E-04	1.34E-11	1.36E+09	4.6E+06	2.6E+10	3.6E+01	3.6E+01	3.2E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.26E-05	9.11E-11	1.36E+09	5.7E+04	2.1E+08	4.5E+01	4.5E+01	4.8E-11
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	4.1E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	2.89E-05	4.97E-11	1.36E+09	3.0E+05	2.3E+09	5.6E+01	5.6E+01	2.5E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.11E-04	9.28E-12	1.36E+09	1.6E+07	1.2E+11	1.4E+02	1.4E+02	6.7E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.32E-05	2.49E-11	1.36E+09	4.9E+03	2.3E+06	3.1E-01	3.1E-01	1.7E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.45E-04	4.64E-11	1.36E+09	6.7E+04	3.8E+08	2.3E+00	2.3E+00	5.2E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.76E-05	0.00E+00	1.36E+09	.	.	4.9E+03	4.9E+03	9.7E-12
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	0.00E+00	2.56E-11	1.36E+09	6.3E+01	2.8E+04	.	6.2E+01	2.5E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	9.09E-05	5.90E-11	1.36E+09	2.7E+03	1.9E+06	1.9E-01	1.9E-01	8.9E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.10E-04	1.42E-10	1.36E+09	1.0E+05	7.1E+08	.	1.0E+05	5.3E-08

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.22E-09	.	3.4E+08	3.4E+08	.	7.9E+01	7.9E+01
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	2.30E-08	4.2E+01	4.2E+05	4.2E+01	7.7E-04	7.6E+00	7.7E-04
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.39E-09	6.6E-03	8.0E+04	6.6E-03	1.0E-05	1.3E+02	1.0E-05
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	4.54E-09	6.6E-03	2.4E+04	6.6E-03	1.0E-05	3.9E+01	1.0E-05
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.38E-08	3.5E-01	6.5E+04	3.5E-01	6.7E-05	1.3E+01	6.7E-05
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	8.52E-12	2.9E-06	3.0E+04	2.9E-06	2.0E-06	2.1E+04	2.0E-06
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.02E-07	1.5E+02	4.3E+04	1.5E+02	6.0E-03	1.7E+00	6.0E-03
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	6.69E-08	.	1.2E+07	1.2E+07	.	2.6E+00	2.6E+00
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.51E-08	.	4.7E+06	4.7E+06	.	3.9E+00	3.9E+00
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.43E-07	.	5.6E+06	5.6E+06	.	1.2E+00	1.2E+00
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.68E-08	.	1.2E+07	1.2E+07	.	3.1E+00	3.1E+00
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.35E-07	.	2.1E+06	2.1E+06	.	5.2E-01	5.2E-01
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.81E-07	1.0E+07	7.9E+05	7.4E+05	1.3E+01	9.7E-01	9.0E-01
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.07E-07	7.7E+06	3.0E+05	2.9E+05	1.1E+01	4.3E-01	4.1E-01
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.48E-07	.	8.3E+05	8.3E+05	.	7.1E-01	7.1E-01
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.56E-08	7.0E+05	2.5E+05	1.9E+05	5.1E+00	1.8E+00	1.3E+00
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.16E-07	5.9E+05	7.3E+04	6.5E+04	4.5E+00	5.6E-01	4.9E-01
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.14E-07	1.4E+06	2.2E+05	1.9E+05	5.0E+00	8.2E-01	7.0E-01
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.59E-08	1.4E+01	4.8E+02	1.4E+01	9.4E-02	3.1E+00	9.1E-02
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.11E-10	.	2.0E+09	2.0E+09	.	1.6E+03	1.6E+03
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	7.86E-08	4.0E+06	8.5E+05	7.0E+05	1.1E+01	2.2E+00	1.8E+00
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.28E-07	6.4E+01	4.1E+02	5.5E+01	8.4E-02	5.3E-01	7.2E-02
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.37E-09	.	2.8E+08	2.8E+08	.	7.4E+01	7.4E+01
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.9E-03	9.8E-01	2.9E-03	2.8E-03	9.6E-01	2.8E-03
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.9E-03	9.8E-01	2.9E-03	2.8E-03	9.6E-01	2.8E-03
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	3.63E-10	.	6.7E+09	6.7E+09	.	4.8E+02	4.8E+02
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.45E-09	.	8.7E+08	8.7E+08	.	3.9E+01	3.9E+01
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.6E-01	1.4E+01	1.6E-01	6.5E-03	5.4E-01	6.4E-03
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.6E-01	1.4E+01	1.6E-01	6.5E-03	5.4E-01	6.4E-03
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	3.05E-09	3.4E+01	4.9E+04	3.4E+01	4.0E-02	5.7E+01	4.0E-02
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	4.10E-10	.	3.6E+09	3.6E+09	.	4.3E+02	4.3E+02
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	8.46E-08	1.9E+04	1.0E+05	1.6E+04	3.8E-01	2.1E+00	3.2E-01
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.55E-09	9.3E+03	5.8E+05	9.2E+03	3.3E-01	2.0E+01	3.2E-01
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.38E-08	.	5.9E+07	5.9E+07	.	7.4E+00	7.4E+00
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.38E-08	.	6.2E+08	6.2E+08	.	5.2E+00	5.2E+00
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	5.96E-08	1.8E+06	1.3E+06	7.7E+05	4.0E+00	2.9E+00	1.7E+00
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.70E-07	.	2.2E+06	2.2E+06	.	6.5E-01	6.5E-01
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.65E-07	.	7.9E+06	7.9E+06	.	1.1E+00	1.1E+00
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.73E-07	.	2.8E+06	2.8E+06	.	6.4E-01	6.4E-01
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.28E-07	1.0E-03	5.3E-01	1.0E-03	1.0E-03	5.3E-01	1.0E-03
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.26E-07	.	3.1E+06	3.1E+06	.	7.7E-01	7.7E-01
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.70E-07	.	1.4E+06	1.4E+06	.	1.0E+00	1.0E+00
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.88E-08	5.8E+05	5.6E+05	2.9E+05	4.7E+00	4.5E+00	2.3E+00
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.04E-07	2.4E+05	1.6E+05	9.5E+04	2.6E+00	1.7E+00	1.0E+00
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	2.30E-08	4.0E+03	9.7E+04	3.9E+03	3.2E-01	7.6E+00	3.0E-01
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.19E-07	5.8E+02	4.4E+03	5.1E+02	1.9E-01	1.5E+00	1.7E-01
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	1.57E-09	8.0E-06	1.1E+02	8.0E-06	7.8E-06	1.1E+02	7.8E-06
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	1.33E-09	4.2E+01	1.2E+06	4.2E+01	4.4E-03	1.3E+02	4.4E-03
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	4.35E-11	9.2E-06	4.3E+03	9.2E-06	8.6E-06	4.0E+03	8.6E-06
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.68E-09	9.2E-06	1.1E+02	9.2E-06	8.6E-06	1.0E+02	8.6E-06
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	4.61E-09	8.0E-06	3.8E+01	8.0E-06	8.0E-06	3.8E+01	8.0E-06
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	2.27E-08	8.0E-06	7.7E+00	8.0E-06	8.0E-06	7.7E+00	8.0E-06
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.09E-08	1.2E+03	2.9E+04	1.1E+03	7.8E-02	1.9E+00	7.5E-02
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.93E-09	7.8E+05	3.2E+07	7.6E+05	2.2E+00	9.1E+01	2.2E+00
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	3.28E-09	1.3E+05	4.0E+06	1.3E+05	1.8E+00	5.3E+01	1.7E+00
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.20E-08	4.5E+05	5.0E+05	2.4E+05	1.9E+00	2.1E+00	1.0E+00
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.16E-07	2.6E+06	5.5E+05	4.5E+05	7.1E+00	1.5E+00	1.2E+00
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.39E-08	2.4E+06	5.0E+06	1.6E+06	6.1E+00	1.3E+01	4.1E+00
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	5.24E-11	.	3.5E+03	3.5E+03	.	3.3E+03	3.3E+03
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.57E-07	.	9.3E+04	9.3E+04	.	1.1E+00	1.1E+00
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	5.84E-11	.	3.9E+03	3.9E+03	.	3.0E+03	3.0E+03
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.60E-08	3.1E-01	6.3E+00	2.9E-01	2.4E-01	4.9E+00	2.3E-01
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	1.91E-07	.	1.6E+06	1.6E+06	.	9.2E-01	9.2E-01
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.41E-07	.	5.6E+05	5.6E+05	.	7.3E-01	7.3E-01
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.45E-07	.	1.4E+06	1.4E+06	.	3.9E-01	3.9E-01
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.31E-07	4.2E+06	8.0E+05	6.7E+05	7.0E+00	1.3E+00	1.1E+00
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.08E-07	3.5E+05	6.0E+04	5.1E+04	2.0E+00	3.4E-01	2.9E-01
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.44E-08	4.3E+02	6.3E+03	4.0E+02	1.9E-01	2.7E+00	1.7E-01
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.07E-07	3.8E+02	4.9E+03	3.6E+02	6.6E-02	8.5E-01	6.1E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	3.57E-10	4.7E+00	3.9E+04	4.7E+00	5.9E-02	4.9E+02	5.9E-02
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	8.58E-08	1.1E+01	7.3E+02	1.1E+01	3.1E-02	2.0E+00	3.0E-02
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	4.92E-08	4.1E+02	2.1E+04	4.0E+02	7.0E-02	3.6E+00	6.8E-02
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.72E-10	6.2E+02	7.0E+05	6.2E+02	1.6E-01	1.8E+02	1.6E-01
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.58E-07	1.1E+05	1.1E+05	5.6E+04	1.1E+00	1.1E+00	5.5E-01
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.39E-09	.	4.0E+07	4.0E+07	.	4.0E+01	4.0E+01
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.63E-07	.	6.6E+05	6.6E+05	.	6.7E-01	6.7E-01
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.32E-07	4.3E+04	4.6E+05	3.9E+04	1.2E-01	1.3E+00	1.1E-01
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	2.85E-07	1.1E+05	1.8E+05	6.9E+04	3.7E-01	6.2E-01	2.3E-01
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.38E-07	3.4E+03	6.2E+04	3.2E+03	4.0E-02	7.4E-01	3.8E-02
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.57E-07	1.4E+04	4.6E+04	1.1E+04	1.5E-01	4.9E-01	1.1E-01
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.61E-07	8.9E+02	1.9E+04	8.5E+02	3.2E-02	6.7E-01	3.0E-02
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.57E-07	1.5E+02	9.2E+03	1.5E+02	8.2E-03	4.9E-01	8.0E-03
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	3.08E-09	1.6E+01	1.2E+06	1.6E+01	7.5E-04	5.7E+01	7.5E-04
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	3.63E-09	1.6E+01	1.0E+06	1.6E+01	7.5E-04	4.8E+01	7.5E-04
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.90E-11	.	5.0E+16	5.0E+16	.	9.2E+03	9.2E+03
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	2.32E-10	.	1.4E+15	1.4E+15	.	7.5E+02	7.5E+02
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.64E-11	.	1.1E+14	1.1E+14	.	6.6E+03	6.6E+03
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	8.33E-13	.	7.7E+13	7.7E+13	.	2.1E+05	2.1E+05
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.05E-08	.	8.5E+06	8.5E+06	.	3.5E+00	3.5E+00
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.73E-07	6.2E+06	8.6E+05	7.6E+05	7.3E+00	1.0E+00	8.9E-01
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.26E-07	.	1.5E+06	1.5E+06	.	1.4E+00	1.4E+00
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	2.95E-07	1.5E+06	1.3E+05	1.2E+05	7.0E+00	5.9E-01	5.5E-01
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.41E-08	7.1E+04	1.3E+05	4.6E+04	1.5E+00	2.7E+00	9.6E-01
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.37E-07	3.7E+04	2.3E+04	1.4E+04	1.2E+00	7.4E-01	4.6E-01
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.57E-08	6.3E+03	9.6E+04	5.9E+03	7.3E-01	1.1E+01	6.9E-01
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	2.09E-08	.	1.2E+09	1.2E+09	.	8.4E+00	8.4E+00
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.22E-07	1.6E+03	5.7E+03	1.2E+03	3.9E-01	1.4E+00	3.1E-01
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	6.44E-09	1.5E+00	9.2E+02	1.5E+00	4.5E-02	2.7E+01	4.5E-02
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	2.12E-08	.	1.5E+08	1.5E+08	.	8.2E+00	8.2E+00
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	5.08E-08	2.4E+02	3.5E+03	2.2E+02	2.3E-01	3.4E+00	2.2E-01
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	2.37E-08	2.6E+03	1.2E+05	2.6E+03	1.7E-01	7.4E+00	1.6E-01
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.51E-08	1.7E+02	9.1E+03	1.7E+02	7.4E-02	3.9E+00	7.3E-02
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	5.46E-08	1.1E+02	8.9E+03	1.1E+02	4.0E-02	3.2E+00	4.0E-02
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	9.75E-09	1.9E+02	3.6E+04	1.9E+02	9.2E-02	1.8E+01	9.2E-02
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.28E-08	6.6E+05	1.0E+06	4.0E+05	3.5E+00	5.3E+00	2.1E+00
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.23E-07	9.3E+02	6.4E+03	8.1E+02	1.1E-01	7.8E-01	1.0E-01
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	3.98E-09	3.2E+06	1.5E+07	2.7E+06	9.2E+00	4.4E+01	7.6E+00
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.10E-08	.	1.6E+08	1.6E+08	.	8.3E+00	8.3E+00
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.34E-08	6.1E+06	2.3E+06	1.7E+06	7.3E+00	2.8E+00	2.0E+00
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.47E-08	7.5E+04	2.5E+05	5.8E+04	8.3E-01	2.7E+00	6.3E-01
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.20E-08	1.0E+07	1.5E+06	1.3E+06	1.4E+01	2.1E+00	1.9E+00
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	5.18E-09	9.8E+01	8.8E+04	9.8E+01	3.8E-02	3.4E+01	3.8E-02
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.63E-08	2.3E+05	3.3E+05	1.3E+05	3.3E+00	4.8E+00	2.0E+00
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.83E-07	2.0E+05	6.7E+04	5.1E+04	2.9E+00	9.6E-01	7.2E-01
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	5.02E-08	5.0E+01	1.9E+03	4.9E+01	9.1E-02	3.5E+00	8.9E-02
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	6.41E-09	1.0E+07	1.7E+07	6.4E+06	1.6E+01	2.7E+01	1.0E+01
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	4.04E-08	1.8E-02	8.8E+00	1.8E-02	9.0E-03	4.3E+00	9.0E-03
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.93E-09	5.1E+02	1.2E+05	5.1E+02	1.3E-01	3.0E+01	1.3E-01
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	5.11E-09	9.0E+02	1.8E+05	8.9E+02	1.7E-01	3.4E+01	1.7E-01
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	6.82E-08	.	9.2E+06	9.2E+06	.	2.6E+00	2.6E+00
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	5.36E-09	1.7E+05	3.6E+06	1.7E+05	1.6E+00	3.3E+01	1.5E+00
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.00E-08	6.4E+00	4.3E+03	6.4E+00	1.3E-02	8.8E+00	1.3E-02
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.08E-07	1.4E+06	8.1E+05	5.1E+05	2.8E+00	1.6E+00	1.0E+00
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.22E-07	5.5E+06	1.2E+06	1.0E+06	6.5E+00	1.4E+00	1.2E+00
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	6.41E-11	3.1E-03	2.7E+03	3.1E-03	3.1E-03	2.7E+03	3.1E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.59E-09	1.6E+02	3.7E+03	1.6E+02	1.4E+00	3.1E+01	1.3E+00
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	1.99E-07	.	8.6E+05	8.6E+05	.	8.8E-01	8.8E-01
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.78E-07	8.9E+05	1.6E+05	1.3E+05	3.6E+00	6.3E-01	5.4E-01
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.07E-07	1.2E+05	7.1E+04	4.5E+04	1.5E+00	8.5E-01	5.4E-01
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.22E-07	2.0E+05	4.8E+04	3.9E+04	2.3E+00	5.4E-01	4.4E-01
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	2.88E-07	4.4E+03	7.9E+03	2.8E+03	3.4E-01	6.1E-01	2.2E-01
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.41E-07	4.6E+03	7.0E+03	2.8E+03	3.4E-01	5.1E-01	2.0E-01
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.04E-07	3.3E+01	3.5E+02	3.0E+01	8.0E-02	8.6E-01	7.3E-02
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	3.85E-07	4.7E+01	4.6E+02	4.3E+01	4.6E-02	4.6E-01	4.2E-02
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.79E-07	3.5E-03	1.3E+00	3.5E-03	2.7E-03	9.8E-01	2.7E-03
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.47E-07	3.0E-03	5.0E-01	3.0E-03	3.0E-03	5.0E-01	3.0E-03
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	1.43E-10	8.2E-01	1.5E+06	8.2E-01	6.5E-04	1.2E+03	6.5E-04
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.86E-08	1.0E-05	6.1E+00	1.0E-05	1.0E-05	6.1E+00	1.0E-05

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.88E-08	1.0E-05	6.1E+00	1.0E-05	1.0E-05	6.1E+00	1.0E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.18E-09	.	1.4E+08	1.4E+08	.	3.4E+01	3.4E+01
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.3E+02	2.1E+06	5.3E+02	3.5E-03	1.4E+01	3.5E-03
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.3E+02	2.1E+06	5.3E+02	3.5E-03	1.4E+01	3.5E-03
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	2.41E-10	.	9.4E+08	9.4E+08	.	7.3E+02	7.3E+02
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.0E+02	2.4E+06	8.0E+02	4.0E-03	1.2E+01	4.0E-03
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.0E+02	2.4E+06	8.0E+02	4.0E-03	1.2E+01	4.0E-03
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.4E+03	4.4E+05	4.3E+03	9.5E-03	9.7E-01	9.5E-03
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.4E+03	4.4E+05	4.3E+03	9.5E-03	9.7E-01	9.5E-03
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.88E-08	.	7.3E+06	7.3E+06	.	6.1E+00	6.1E+00
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.89E-08	.	7.3E+06	7.3E+06	.	6.1E+00	6.1E+00
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.43E-08	.	8.7E+06	8.7E+06	.	2.1E+00	2.1E+00
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	2.29E-08	4.7E+01	9.8E+03	4.7E+01	3.7E-02	7.6E+00	3.6E-02
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	9.69E-08	1.1E+03	6.4E+03	9.3E+02	3.1E-01	1.8E+00	2.7E-01
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.48E-08	6.2E-06	1.2E+01	6.2E-06	6.2E-06	1.2E+01	6.2E-06
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.49E-09	3.6E+01	2.0E+05	3.6E+01	5.6E-03	3.2E+01	5.6E-03
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	3.06E-13	4.8E-02	1.1E+07	4.8E-02	2.5E-03	5.7E+05	2.5E-03
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.06E-07	1.0E+04	7.8E+04	9.1E+03	2.2E-01	1.7E+00	1.9E-01
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	8.39E-09	5.2E+05	3.4E+06	4.5E+05	3.2E+00	2.1E+01	2.8E+00
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.53E-07	.	3.4E+06	3.4E+06	.	5.0E-01	5.0E-01
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.63E-07	.	2.9E+06	2.9E+06	.	1.1E+00	1.1E+00
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	5.87E-07	1.6E+06	1.1E+05	1.0E+05	4.5E+00	3.0E-01	2.8E-01
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.08E-07	4.7E+05	6.8E+04	6.0E+04	2.4E+00	3.4E-01	3.0E-01
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.35E-07	2.3E+05	1.2E+05	8.0E+04	2.5E+00	1.3E+00	8.5E-01
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.41E-07	2.4E+03	4.8E+03	1.6E+03	2.6E-01	5.1E-01	1.7E-01
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	2.27E-09	.	3.2E+10	3.2E+10	.	7.7E+01	7.7E+01
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.53E-08	3.6E+03	1.3E+04	2.8E+03	1.3E+00	5.0E+00	1.1E+00
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.44E-09	.	2.6E+08	2.6E+08	.	1.2E+02	1.2E+02
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.17E-07	.	2.1E+06	2.1E+06	.	1.5E+00	1.5E+00
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.03E-09	5.9E+06	1.0E+07	3.7E+06	1.1E+01	1.9E+01	7.2E+00
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	5.14E-10	2.9E+04	1.2E+07	2.9E+04	8.5E-01	3.4E+02	8.5E-01
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.09E-07	7.1E+02	2.4E+03	5.5E+02	1.7E-01	5.7E-01	1.3E-01
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.53E-10	.	7.4E+08	7.4E+08	.	5.0E+02	5.0E+02
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.80E-10	1.4E+05	1.3E+07	1.4E+05	2.2E+00	2.0E+02	2.2E+00
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.26E-07	1.1E+06	2.2E+05	1.9E+05	3.9E+00	7.7E-01	6.5E-01
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.31E-07	.	8.0E+05	8.0E+05	.	5.3E-01	5.3E-01
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	8.58E-09	.	6.4E+07	6.4E+07	.	2.0E+01	2.0E+01
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	1.99E-07	.	2.5E+07	2.5E+07	.	8.8E-01	8.8E-01
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.15E-07	.	.	.	.	.	.
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	1.16E-12	.	.	.	.	.	.
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	5.0E-01	.	5.0E-01	5.0E-01	.	5.0E-01
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	6.19E-12	9.0E-01	1.1E+06	9.0E-01	2.3E-02	2.8E+04	2.3E-02
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.28E-07	4.6E+01	1.9E+03	4.5E+01	3.3E-02	1.4E+00	3.2E-02
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.29E-07	.	4.3E+05	4.3E+05	.	4.1E-01	4.1E-01
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	2.97E-07	.	3.9E+06	3.9E+06	.	5.9E-01	5.9E-01
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.44E-08	.	3.1E+06	3.1E+06	.	1.9E+00	1.9E+00
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.56E-07	.	8.5E+05	8.5E+05	.	6.9E-01	6.9E-01
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.54E-08	3.3E+05	1.1E+06	2.5E+05	2.1E+00	6.9E+00	1.6E+00
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.57E-07	9.7E+05	1.8E+05	1.5E+05	5.9E+00	1.1E+00	9.4E-01
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	1.16E-09	2.2E+04	3.5E+06	2.2E+04	9.5E-01	1.5E+02	9.4E-01
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	4.99E-10	1.9E-01	4.8E+03	1.9E-01	1.4E-02	3.5E+02	1.4E-02
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	3.00E-08	1.3E+06	1.1E+06	5.9E+05	6.7E+00	5.8E+00	3.1E+00
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.02E-11	2.7E-03	1.7E+04	2.7E-03	2.7E-03	1.7E+04	2.7E-03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	4.73E-11	3.9E-03	6.4E+03	3.9E-03	2.2E-03	3.7E+03	2.2E-03
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.17E-08	1.6E+02	2.3E+04	1.6E+02	5.6E-02	8.1E+00	5.6E-02
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.20E-09	1.4E+00	5.9E+03	1.4E+00	1.0E-02	4.2E+01	1.0E-02
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.30E-07	2.8E+04	8.2E+04	2.1E+04	4.5E-01	1.4E+00	3.4E-01
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.53E-07	2.0E+04	3.1E+04	1.2E+04	4.5E-01	6.9E-01	2.7E-01
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	3.19E-11	2.5E+05	1.0E+09	2.5E+05	1.4E+00	5.5E+03	1.4E+00
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.03E-07	.	2.9E+06	2.9E+06	.	8.6E-01	8.6E-01
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	2.84E-07	.	2.6E+06	2.6E+06	.	6.2E-01	6.2E-01
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.36E-08	1.6E+06	1.3E+06	7.3E+05	4.1E+00	3.3E+00	1.8E+00
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.88E-07	1.1E+07	8.3E+05	7.7E+05	1.2E+01	9.3E-01	8.6E-01
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.71E-08	2.0E+04	2.8E+05	1.8E+04	4.5E-01	6.5E+00	4.2E-01
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.68E-08	1.7E+05	2.9E+05	1.1E+05	1.8E+00	3.1E+00	1.1E+00
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.02E-07	2.7E+04	2.7E+04	1.3E+04	8.6E-01	8.7E-01	4.3E-01
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	9.12E-10	7.5E+01	3.8E+05	7.5E+01	3.7E-02	1.9E+02	3.7E-02
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.09E-08	5.9E+03	1.7E+04	4.4E+03	6.9E-01	1.9E+00	5.1E-01
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	2.00E-09	1.1E+05	1.5E+06	1.0E+05	6.7E+00	8.8E+01	6.2E+00
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.54E-09	6.1E+02	1.7E+05	6.1E+02	1.4E-01	3.9E+01	1.4E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.47E-08	2.0E+00	5.5E+02	2.0E+00	4.3E-02	1.2E+01	4.3E-02
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	7.57E-09	4.3E+00	4.5E+03	4.2E+00	2.2E-02	2.3E+01	2.2E-02
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.94E-08	3.3E+02	2.7E+04	3.3E+02	7.3E-02	6.0E+00	7.2E-02
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.75E-09	3.6E-02	2.2E+03	3.6E-02	1.6E-03	1.0E+02	1.6E-03
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.31E-09	3.6E-02	6.2E+02	3.6E-02	1.6E-03	2.8E+01	1.6E-03
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.12E-08	.	5.8E+06	5.8E+06	.	1.9E+00	1.9E+00
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	8.52E-12	4.3E+03	9.7E+09	4.3E+03	9.2E-03	2.1E+04	9.2E-03
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	1.07E-11	7.6E-01	7.0E+07	7.6E-01	1.8E-04	1.6E+04	1.8E-04
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	8.77E-09	1.4E+05	9.7E+05	1.2E+05	2.8E+00	2.0E+01	2.5E+00
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.89E-11	2.2E-04	6.8E+04	2.2E-04	1.2E-05	3.6E+03	1.2E-05
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-08	6.3E-06	5.0E+00	6.3E-06	6.1E-06	4.9E+00	6.1E-06
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.22E-09	1.4E-05	2.6E+02	1.4E-05	7.9E-06	1.4E+02	7.9E-06
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	1.19E-08	6.1E-06	1.5E+01	6.1E-06	6.0E-06	1.5E+01	6.0E-06
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	5.65E-08	4.4E-05	2.0E+01	4.4E-05	6.7E-06	3.1E+00	6.7E-06
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	4.20E-11	1.9E-02	1.5E+06	1.9E-02	5.5E-05	4.2E+03	5.5E-05
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.09E-06	2.0E-04	8.8E+00	2.0E-04	1.9E-06	8.4E-02	1.9E-06
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	5.49E-11	1.4E+03	3.4E+08	1.4E+03	1.3E-02	3.2E+03	1.3E-02
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.18E-07	.	5.3E+08	5.3E+08	.	1.5E+00	1.5E+00
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.64E-07	9.6E+05	1.9E+05	1.6E+05	3.4E+00	6.6E-01	5.6E-01
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	9.34E-11	2.9E-03	1.9E+03	2.9E-03	2.9E-03	1.9E+03	2.9E-03
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	1.87E-07	7.2E+05	2.3E+05	1.7E+05	3.0E+00	9.4E-01	7.1E-01
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.77E-07	4.9E+05	1.6E+05	1.2E+05	3.0E+00	9.9E-01	7.4E-01
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.36E-07	.	2.2E+06	2.2E+06	.	3.3E-01	3.3E-01
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	7.45E-09	2.9E+03	1.5E+06	2.9E+03	4.7E-02	2.4E+01	4.6E-02
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.59E-08	5.8E+04	3.5E+05	5.0E+04	1.1E+00	6.8E+00	9.5E-01
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	9.34E-12	6.0E-03	4.4E+06	6.0E-03	2.5E-05	1.9E+04	2.5E-05
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.33E-08	4.7E-01	6.3E+02	4.7E-01	2.4E-03	3.3E+00	2.4E-03
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	7.95E-12	5.7E-04	8.6E+05	5.7E-04	1.5E-05	2.2E+04	1.5E-05
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.32E-08	1.1E-05	1.8E+01	1.1E-05	8.0E-06	1.3E+01	8.0E-06
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	8.52E-12	1.3E-05	3.2E+04	1.3E-05	8.3E-06	2.1E+04	8.3E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	9.78E-09	7.8E-06	1.8E+01	7.8E-06	7.8E-06	1.8E+01	7.8E-06
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.54E-10	7.8E-06	3.9E+02	7.8E-06	7.8E-06	3.9E+02	7.8E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.47E-08	8.5E-06	5.0E+00	8.5E-06	8.5E-06	5.0E+00	8.5E-06
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-08	8.5E-06	4.7E+00	8.5E-06	8.5E-06	4.7E+00	8.5E-06
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.63E-07	2.1E-06	1.1E+00	2.1E-06	2.1E-06	1.1E+00	2.1E-06
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.24E-09	5.4E+05	1.1E+07	5.1E+05	3.8E+00	7.8E+01	3.6E+00
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.65E-06	3.0E-07	1.1E-01	3.0E-07	3.0E-07	1.1E-01	3.0E-07
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.69E-06	3.0E-07	1.0E-01	3.0E-07	3.0E-07	1.0E-01	3.0E-07
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.25E-08	3.1E+06	7.6E+06	2.2E+06	5.8E+00	1.4E+01	4.1E+00
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	4.67E-07	.	2.3E+06	2.3E+06	.	3.8E-01	3.8E-01
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.33E-07	1.1E+03	6.5E+03	9.5E+02	1.3E-01	7.5E-01	1.1E-01
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.51E-07	9.6E-01	3.2E+01	9.3E-01	1.2E-02	3.9E-01	1.1E-02
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	1.23E-08	1.8E+00	3.3E+02	1.8E+00	7.9E-02	1.4E+01	7.9E-02
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.13E-07	3.3E+00	1.4E+02	3.3E+00	3.7E-02	1.6E+00	3.7E-02
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	1.20E-13	6.0E+04	2.5E+10	6.0E+04	3.6E+00	1.5E+06	3.6E+00
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.04E-07	1.0E-02	2.0E+00	1.0E-02	2.9E-03	5.8E-01	2.9E-03
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.86E-10	6.0E+07	3.1E+08	5.0E+07	6.9E+01	3.6E+02	5.8E+01
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	9.37E-09	1.8E+05	1.7E+06	1.6E+05	1.9E+00	1.9E+01	1.7E+00
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.00E-07	.	5.3E+06	5.3E+06	.	8.7E-01	8.7E-01
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.31E-07	5.8E+06	3.5E+05	3.3E+05	8.8E+00	5.3E-01	5.0E-01
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.70E-08	2.9E+03	2.6E+04	2.6E+03	4.1E-01	3.7E+00	3.7E-01
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.17E-07	8.6E+05	3.2E+05	2.3E+05	4.0E+00	1.5E+00	1.1E+00
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-09	4.0E+02	1.1E+04	3.9E+02	1.8E+00	5.0E+01	1.7E+00
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	8.87E-10	.	5.1E+08	5.1E+08	.	2.0E+02	2.0E+02
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	7.57E-09	.	3.5E+07	3.5E+07	.	2.3E+01	2.3E+01
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.34E-07	.	4.6E+06	4.6E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.34E-07	.	5.9E+06	5.9E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.22E-07	.	2.2E+06	2.2E+06	.	1.4E+00	1.4E+00
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.34E-07	.	2.3E+07	2.3E+07	.	1.3E+00	1.3E+00
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.49E-08	1.3E+06	4.2E+05	3.2E+05	6.7E+00	2.1E+00	1.6E+00
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.32E-07	.	7.4E+06	7.4E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.64E-08	6.5E+04	9.2E+04	3.8E+04	2.7E+00	3.8E+00	1.6E+00
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.01E-07	.	4.3E+06	4.3E+06	.	1.7E+00	1.7E+00
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.82E-08	5.4E+03	2.9E+04	4.6E+03	1.1E+00	6.2E+00	9.6E-01
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.59E-08	3.5E+06	9.8E+05	7.6E+05	1.1E+01	3.1E+00	2.4E+00
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	4.77E-09	.	9.7E+07	9.7E+07	.	3.7E+01	3.7E+01
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	4.92E-10	1.0E+03	2.3E+05	1.0E+03	1.6E+00	3.6E+02	1.6E+00
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	7.98E-08	2.8E+02	2.1E+03	2.5E+02	2.9E-01	2.2E+00	2.6E-01
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.79E-07	3.6E-02	8.2E+00	3.5E-02	4.2E-03	9.8E-01	4.2E-03
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.89E-09	8.7E+04	4.8E+06	8.5E+04	1.7E+00	9.3E+01	1.6E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	8.80E-12	8.8E-03	2.0E+04	8.8E-03	8.8E-03	2.0E+04	8.8E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	1.86E-07	2.0E+06	1.6E+05	1.5E+05	1.2E+01	9.4E-01	8.7E-01
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.49E-07	1.4E+01	3.4E+02	1.3E+01	2.9E-02	7.0E-01	2.8E-02
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	4.39E-11	3.5E-03	5.3E+03	3.5E-03	2.6E-03	4.0E+03	2.6E-03
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.44E-08	3.5E-03	3.6E+00	3.5E-03	2.6E-03	2.7E+00	2.6E-03
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	2.93E-07	8.7E+05	1.6E+05	1.4E+05	3.2E+00	6.0E-01	5.0E-01
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	4.83E-08	.	1.1E+07	1.1E+07	.	3.6E+00	3.6E+00
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	3.98E-08	.	4.3E+06	4.3E+06	.	4.4E+00	4.4E+00
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.25E-07	.	6.7E+06	6.7E+06	.	7.8E-01	7.8E-01
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.37E-07	.	3.6E+09	3.6E+09	.	1.3E+00	1.3E+00
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.67E-07	.	7.0E+06	7.0E+06	.	1.0E+00	1.0E+00
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	4.80E-07	1.9E+06	1.4E+05	1.3E+05	5.0E+00	3.7E-01	3.4E-01
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.34E-08	5.8E+04	8.5E+04	3.4E+04	1.3E+00	1.9E+00	7.6E-01
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.15E-07	.	1.4E+06	1.4E+06	.	1.5E+00	1.5E+00
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.09E-08	8.0E+03	1.0E+05	7.4E+03	6.7E-01	8.4E+00	6.2E-01
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.24E-08	.	2.5E+07	2.5E+07	.	1.4E+01	1.4E+01
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.21E-08	3.2E+02	3.6E+04	3.1E+02	1.3E-01	1.5E+01	1.3E-01
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.31E-08	.	8.9E+06	8.9E+06	.	2.8E+00	2.8E+00
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	7.95E-08	.	6.1E+06	6.1E+06	.	2.2E+00	2.2E+00
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	1.92E-07	.	2.0E+06	2.0E+06	.	9.1E-01	9.1E-01
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.96E-08	.	7.5E+06	7.5E+06	.	5.9E+00	5.9E+00
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.60E-07	3.2E+05	5.6E+05	2.0E+05	6.3E-01	1.1E+00	4.0E-01
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.93E-08	7.6E+04	3.8E+05	6.3E+04	1.2E+00	6.0E+00	9.9E-01
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.66E-08	1.6E+04	4.3E+04	1.2E+04	6.9E-01	1.8E+00	5.0E-01
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	2.3E-05	.	2.3E-05	2.3E-05	.	2.3E-05
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.48E-08	1.6E+04	3.6E+04	1.1E+04	1.0E+00	2.3E+00	7.1E-01
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.60E-08	6.3E+04	9.1E+04	3.7E+04	3.4E+00	4.9E+00	2.0E+00
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	2.27E-09	7.5E+00	3.4E+03	7.5E+00	1.7E-01	7.7E+01	1.7E-01
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.87E-09	8.6E+04	4.0E+06	8.4E+04	1.3E+00	6.1E+01	1.3E+00
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.72E-09	.	7.4E+08	7.4E+08	.	1.0E+02	1.0E+02
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	3.00E-09	5.9E+01	1.1E+05	5.9E+01	3.2E-02	5.8E+01	3.2E-02
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	5.93E-08	.	4.3E+06	4.3E+06	.	3.0E+00	3.0E+00
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-08	.	4.3E+06	4.3E+06	.	4.1E+00	4.1E+00
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	5.40E-09	.	7.9E+07	7.9E+07	.	3.2E+01	3.2E+01
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	4.01E-09	2.6E+06	2.0E+07	2.3E+06	5.5E+00	4.4E+01	4.9E+00
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.10E-07	2.2E+06	4.0E+05	3.4E+05	8.6E+00	1.6E+00	1.3E+00
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.13E-07	9.5E+04	7.3E+04	4.1E+04	2.0E+00	1.5E+00	8.7E-01
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	2.25E-09	1.2E+07	9.4E+06	5.3E+06	9.9E+01	7.8E+01	4.4E+01
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	2.06E-09	1.3E+05	1.2E+06	1.2E+05	8.9E+00	8.5E+01	8.0E+00
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	9.91E-09	.	4.3E+09	4.3E+09	.	1.8E+01	1.8E+01
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	1.24E-11	4.6E+01	9.5E+06	4.6E+01	6.8E-02	1.4E+04	6.8E-02
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.98E-08	6.0E+03	8.9E+04	5.6E+03	3.0E-01	4.4E+00	2.8E-01
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.62E-08	1.7E+02	9.6E+03	1.7E+02	5.6E-02	3.1E+00	5.5E-02
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.31E-08	.	1.2E+07	1.2E+07	.	1.9E+00	1.9E+00
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.45E-08	3.8E+04	3.5E+05	3.5E+04	4.3E-01	3.9E+00	3.9E-01
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.32E-07	1.3E+03	2.3E+04	1.2E+03	7.4E-02	1.3E+00	7.0E-02
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.31E-08	2.7E+04	1.9E+05	2.3E+04	3.9E-01	2.8E+00	3.4E-01
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	8.77E-09	1.9E+02	9.2E+04	1.9E+02	4.1E-02	2.0E+01	4.1E-02
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.69E-11	8.7E-03	1.5E+06	8.7E-03	2.8E-05	4.7E+03	2.8E-05
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	3.41E-10	2.6E-04	1.2E+04	2.6E-04	1.1E-05	5.1E+02	1.1E-05
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.06E-07	2.6E-04	3.8E+01	2.6E-04	1.1E-05	1.6E+00	1.1E-05
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.36E-08	6.6E-01	1.3E+04	6.6E-01	1.7E-04	3.3E+00	1.7E-04
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.12E-11	3.1E-03	3.1E+05	3.1E-03	1.9E-05	1.9E+03	1.9E-05
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	2.92E-10	7.4E+02	2.2E+08	7.4E+02	2.1E-03	6.0E+02	2.1E-03
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.42E-07	.	2.9E+08	2.9E+08	.	1.2E+00	1.2E+00
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.01E-07	.	3.3E+06	3.3E+06	.	4.4E-01	4.4E-01
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.32E-07	.	4.7E+06	4.7E+06	.	1.3E+00	1.3E+00
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.28E-07	.	7.3E+07	7.3E+07	.	1.4E+00	1.4E+00
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.52E-07	1.8E+02	1.2E+03	1.6E+02	1.7E-01	1.2E+00	1.5E-01
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	2.81E-07	1.6E+02	8.5E+02	1.3E+02	1.2E-01	6.2E-01	9.8E-02
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.11E-08	1.8E+01	9.0E+02	1.7E+01	6.8E-02	3.4E+00	6.6E-02
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.56E-07	2.7E+00	8.0E+01	2.6E+00	2.3E-02	6.9E-01	2.2E-02
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.92E-09	1.2E+01	2.4E+03	1.2E+01	1.7E-01	3.6E+01	1.7E-01
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.75E-07	1.4E-03	1.3E+00	1.4E-03	1.1E-03	1.0E+00	1.1E-03
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.49E-09	3.2E+03	3.8E+05	3.1E+03	2.7E-01	3.2E+01	2.6E-01
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.37E-07	2.7E-03	2.3E+00	2.7E-03	1.5E-03	1.3E+00	1.5E-03
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.41E-08	4.1E+03	8.4E+04	3.9E+03	2.5E-01	5.1E+00	2.4E-01
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	6.34E-09	9.5E+05	2.6E+06	7.0E+05	1.0E+01	2.8E+01	7.3E+00
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.47E-07	3.3E-03	2.8E+00	3.3E-03	1.4E-03	1.2E+00	1.4E-03
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	5.11E-09	5.3E+06	6.8E+06	3.0E+06	2.7E+01	3.4E+01	1.5E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	5.21E-09	5.8E-02	1.3E+02	5.8E-02	1.5E-02	3.4E+01	1.5E-02
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.51E-07	7.8E+00	4.8E+02	7.7E+00	1.9E-02	1.2E+00	1.8E-02
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	3.05E-08	1.8E+03	5.7E+04	1.7E+03	1.8E-01	5.7E+00	1.7E-01
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.55E-07	5.2E+05	2.2E+05	1.6E+05	2.6E+00	1.1E+00	7.9E-01
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.19E-08	2.4E+06	2.8E+06	1.3E+06	4.8E+00	5.5E+00	2.6E+00
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.16E-07	.	1.3E+07	1.3E+07	.	1.5E+00	1.5E+00
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.11E-07	2.1E+05	1.3E+05	8.0E+04	2.5E+00	1.6E+00	9.7E-01
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.24E-08	1.8E+03	3.9E+04	1.7E+03	9.9E-02	2.1E+00	9.5E-02
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.34E-07	.	1.4E+06	1.4E+06	.	1.3E+00	1.3E+00
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	3.69E-07	.	1.7E+06	1.7E+06	.	4.7E-01	4.7E-01
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.65E-17	1.3E+00	6.7E+10	1.3E+00	2.0E-01	1.1E+10	2.0E-01
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.43E-07	2.9E+00	1.7E+02	2.8E+00	2.0E-02	1.2E+00	2.0E-02
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	2.88E-12	7.7E-04	6.1E+04	7.7E-04	7.7E-04	6.1E+04	7.7E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.04E-07	6.1E-04	5.8E-01	6.1E-04	6.1E-04	5.8E-01	6.1E-04
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.69E-07	.	1.6E+06	1.6E+06	.	1.0E+00	1.0E+00
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	5.74E-08	.	2.5E+07	2.5E+07	.	3.1E+00	3.1E+00
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.58E-08	1.3E+03	3.2E+05	1.3E+03	4.5E-02	1.1E+01	4.5E-02
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	4.10E-11	1.4E+00	2.6E+07	1.4E+00	2.3E-04	4.3E+03	2.3E-04
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	5.68E-09	4.1E-01	6.5E+04	4.1E-01	1.9E-04	3.1E+01	1.9E-04
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	8.80E-10	6.4E+01	9.3E+06	6.4E+01	1.4E-03	2.0E+02	1.4E-03
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	2.13E-10	2.3E+00	6.2E+06	2.3E+00	3.0E-04	8.2E+02	3.0E-04
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.54E-06	1.9E+01	6.6E+03	1.9E+01	3.3E-04	1.1E-01	3.3E-04
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.49E-08	6.6E-04	7.4E+02	6.6E-04	1.0E-05	1.2E+01	1.0E-05
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.33E-07	6.4E+03	6.0E+05	6.3E+03	1.4E-02	1.3E+00	1.4E-02
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.94E-10	.	1.2E+13	1.2E+13	.	4.4E+02	4.4E+02
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	8.55E-10	.	4.1E+09	4.1E+09	.	2.0E+02	2.0E+02
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	1.09E-09	.	3.2E+09	3.2E+09	.	1.6E+02	1.6E+02
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	3.11E-09	.	1.0E+08	1.0E+08	.	5.6E+01	5.6E+01
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	3.14E-09	.	1.0E+08	1.0E+08	.	5.6E+01	5.6E+01
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.96E-08	3.3E+03	5.7E+06	3.3E+03	5.1E-03	9.0E+00	5.1E-03
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	4.80E-09	3.0E+03	1.5E+07	3.0E+03	7.3E-03	3.7E+01	7.3E-03
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.53E-08	.	7.3E+06	7.3E+06	.	2.7E+00	2.7E+00
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.92E-08	.	1.3E+07	1.3E+07	.	3.6E+00	3.6E+00
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.17E-07	.	1.5E+06	1.5E+06	.	4.2E-01	4.2E-01
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.31E-07	6.0E+06	8.0E+05	7.1E+05	1.0E+01	1.3E+00	1.2E+00
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.16E-07	2.1E+03	8.9E+03	1.7E+03	1.3E-01	5.6E-01	1.0E-01
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.63E-08	5.4E+02	2.1E+04	5.2E+02	2.8E-01	1.1E+01	2.7E-01
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.08E-07	3.0E+05	2.2E+05	1.3E+05	2.2E+00	1.6E+00	9.4E-01
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.18E-09	4.1E+06	6.4E+07	3.9E+06	9.6E+00	1.5E+02	9.0E+00
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.35E-07	1.4E+03	5.6E+03	1.1E+03	1.3E-01	5.2E-01	1.0E-01
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-08	1.4E+04	1.4E+05	1.3E+04	4.5E-01	4.6E+00	4.1E-01
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	3.94E-07	.	5.0E+05	5.0E+05	.	4.4E-01	4.4E-01
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.20E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.46E-07	.	3.5E+06	3.5E+06	.	7.1E-01	7.1E-01
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.07E-07	.	3.3E+06	3.3E+06	.	1.6E+00	1.6E+00
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.02E-07	3.8E+06	2.3E+05	2.2E+05	9.7E+00	5.8E-01	5.5E-01
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	7.79E-08	.	1.4E+07	1.4E+07	.	2.2E+00	2.2E+00
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	2.11E-08	1.5E+00	1.1E+03	1.5E+00	1.2E-02	8.3E+00	1.2E-02
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.59E-07	8.0E+02	4.4E+03	6.8E+02	2.0E-01	1.1E+00	1.7E-01
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	2.2E-05	.	2.2E-05	1.9E-05	.	1.9E-05
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.62E-08	5.6E+01	2.1E+03	5.5E+01	8.2E-02	3.1E+00	8.0E-02
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	2.4E-05	.	2.4E-05	2.4E-05	.	2.4E-05
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	5.18E-09	3.5E+00	1.7E+03	3.5E+00	6.8E-02	3.4E+01	6.8E-02
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	3.3E-05	.	3.3E-05	3.3E-05	.	3.3E-05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	7.35E-09	9.1E-01	6.3E+02	9.1E-01	3.4E-02	2.4E+01	3.4E-02
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.49E-09	1.5E+03	2.6E+05	1.5E+03	1.9E-01	3.2E+01	1.9E-01
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.64E-08	.	4.1E+06	4.1E+06	.	3.8E+00	3.8E+00
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.48E-08	7.7E+04	1.6E+05	5.2E+04	1.1E+00	2.3E+00	7.7E-01
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.64E-07	3.1E+06	5.2E+05	4.4E+05	6.5E+00	1.1E+00	9.2E-01
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.35E-13	6.7E-02	3.0E+07	6.7E-02	2.9E-03	1.3E+06	2.9E-03
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.08E-07	6.7E-02	3.8E+01	6.7E-02	2.9E-03	1.6E+00	2.9E-03
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.11E-07	1.6E+03	6.1E+03	1.3E+03	4.1E-01	1.6E+00	3.2E-01
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.37E-13	3.0E+03	7.1E+08	3.0E+03	5.4E+00	1.3E+06	5.4E+00
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	4.04E-09	3.6E+05	4.8E+06	3.4E+05	3.3E+00	4.3E+01	3.0E+00
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.25E-07	3.2E+03	1.9E+04	2.7E+03	2.4E-01	1.4E+00	2.0E-01
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	3.06E-08	1.2E+05	5.9E+05	9.9E+04	1.2E+00	5.7E+00	9.6E-01
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.82E-08	.	1.1E+07	1.1E+07	.	2.6E+00	2.6E+00
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	6.97E-08	.	7.1E+06	7.1E+06	.	2.5E+00	2.5E+00
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.58E-08	2.7E+03	3.6E+04	2.5E+03	2.8E-01	3.8E+00	2.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.2E-02	2.2E+02	3.2E-02	3.5E-03	2.4E+01	3.5E-03
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.2E-02	2.2E+02	3.2E-02	3.5E-03	2.4E+01	3.5E-03
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	4.01E-08	3.0E+03	2.8E+04	2.7E+03	4.6E-01	4.4E+00	4.2E-01
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	2.9E-05	.	2.9E-05	2.9E-05	.	2.9E-05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.66E-08	5.1E+00	4.3E+02	5.0E+00	5.6E-02	4.8E+00	5.6E-02
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.46E-07	2.7E+05	1.3E+05	8.6E+04	1.5E+00	7.1E-01	4.8E-01
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-07	1.2E-03	9.3E-01	1.2E-03	9.1E-04	7.1E-01	9.1E-04
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.81E-08	4.6E+00	4.5E+02	4.6E+00	1.8E-02	1.8E+00	1.8E-02
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.07E-07	1.8E+04	4.5E+04	1.3E+04	6.6E-01	1.6E+00	4.7E-01
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.81E-08	2.1E+00	4.5E+02	2.1E+00	1.4E-02	3.0E+00	1.4E-02
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.59E-08	9.0E-04	6.8E+00	9.0E-04	9.0E-04	6.8E+00	9.0E-04
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.78E-07	8.1E-04	9.8E-01	8.1E-04	8.1E-04	9.8E-01	8.1E-04
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-07	3.5E+05	2.6E+05	1.5E+05	2.4E+00	1.7E+00	1.0E+00
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	8.80E-08	2.3E+05	2.8E+05	1.3E+05	1.6E+00	2.0E+00	9.0E-01
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.42E-08	7.4E+03	2.7E+05	7.2E+03	2.0E-01	7.2E+00	2.0E-01
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.89E-08	5.2E+05	4.2E+06	4.6E+05	1.1E+00	9.3E+00	1.0E+00
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.70E-07	4.9E+04	1.8E+05	3.9E+04	2.8E-01	1.0E+00	2.2E-01
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.73E-08	2.8E+03	2.0E+05	2.7E+03	8.8E-02	6.4E+00	8.7E-02
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	9.66E-08	.	.	.	.	.	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	9.72E-08	4.1E+03	7.2E+04	3.8E+03	1.0E-01	1.8E+00	9.6E-02
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.18E-07	.	.	.	.	.	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	8.52E-13	.	.	.	.	.	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.22E-07	.	.	.	.	.	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	2.06E-08	.	.	.	.	.	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	2.09E-08	.	.	.	.	.	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	5.71E-09	.	.	.	.	.	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	9.09E-09	.	.	.	.	.	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.83E-08	.	.	.	.	.	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.59E-08	.	.	.	.	.	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	8.08E-10	.	3.8E+08	3.8E+08	.	2.2E+02	2.2E+02
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.34E-08	.	1.5E+07	1.5E+07	.	1.3E+01	1.3E+01
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.25E-07	.	1.7E+06	1.7E+06	.	5.4E-01	5.4E-01
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.18E-07	.	5.7E+06	5.7E+06	.	8.0E-01	8.0E-01
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.16E-07	.	6.9E+06	6.9E+06	.	1.5E+00	1.5E+00
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.18E-07	.	1.5E+06	1.5E+06	.	1.5E+00	1.5E+00
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.17E-07	9.1E+06	6.2E+05	5.8E+05	1.2E+01	8.1E-01	7.5E-01
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.76E-07	.	1.9E+06	1.9E+06	.	6.4E-01	6.4E-01
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.82E-08	9.1E+05	4.9E+05	3.2E+05	4.8E+00	2.6E+00	1.7E+00
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.48E-07	3.9E+05	1.2E+05	8.9E+04	2.4E+00	7.1E-01	5.5E-01
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.15E-08	2.5E+07	2.1E+06	1.9E+06	3.5E+01	2.8E+00	2.6E+00
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.79E-08	6.1E+06	1.3E+06	1.1E+06	2.2E+01	4.6E+00	3.8E+00
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	1.94E-07	4.7E+06	3.2E+05	3.0E+05	1.3E+01	9.0E-01	8.4E-01
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	3.07E-09	7.7E+05	3.5E+06	6.3E+05	1.3E+01	5.7E+01	1.0E+01
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.63E-08	3.1E+07	6.5E+06	5.4E+06	5.2E+01	1.1E+01	8.9E+00
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.28E-08	7.7E+05	3.8E+05	2.5E+05	5.7E+00	2.8E+00	1.9E+00
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.5E-01	.	2.5E-01	2.5E-01	.	2.5E-01
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	1.71E-09	5.3E+06	3.2E+07	4.5E+06	1.7E+01	1.0E+02	1.4E+01
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	2.41E-09	1.9E+06	1.7E+07	1.7E+06	7.8E+00	7.3E+01	7.1E+00
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.44E-09	4.2E+02	2.9E+05	4.2E+02	7.3E-02	5.1E+01	7.3E-02
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.85E-07	3.9E-04	9.6E-01	3.9E-04	3.9E-04	9.5E-01	3.9E-04
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.98E-08	5.8E+04	2.2E+05	4.6E+04	1.2E+00	4.4E+00	9.3E-01
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.02E-07	.	5.2E+06	5.2E+06	.	1.7E+00	1.7E+00
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	3.44E-10	.	2.1E+09	2.1E+09	.	5.1E+02	5.1E+02
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	1.98E-07	.	2.9E+06	2.9E+06	.	8.9E-01	8.9E-01
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.35E-07	3.4E+05	5.0E+05	2.0E+05	5.1E-01	7.5E-01	3.0E-01
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.35E-07	.	4.3E+05	4.3E+05	.	4.0E-01	4.0E-01
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.02E-07	8.7E+05	8.2E+05	4.2E+05	1.8E+00	1.7E+00	8.9E-01
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.25E-07	.	.	.	.	.	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.13E-07	.	.	.	.	.	.
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.26E-08	.	.	.	.	.	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.10E-07	.	4.0E+06	4.0E+06	.	1.6E+00	1.6E+00
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.62E-08	.	.	.	.	.	.
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.30E-07	.	.	.	.	.	.
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	7.67E-10	.	.	.	.	.	.
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	4.83E-08	.	.	.	.	.	.
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	7.89E-09	.	.	.	.	.	.
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	5.93E-10	.	.	.	.	.	.
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.46E-07	.	.	.	.	.	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.21E-08	.	1.5E+07	1.5E+07	.	1.4E+01	1.4E+01
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.26E-08	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.64E-07	.	.	.	.	.	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	3.79E-08	.	.	.	.	.	.
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.01E-08	.	.	.	.	.	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.06E-07	.	.	.	.	.	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.97E-08	.	1.5E+07	1.5E+07	.	5.9E+00	5.9E+00
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	1.93E-07	.	.	.	.	.	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.31E-07	.	4.8E+06	4.8E+06	.	5.3E-01	5.3E-01
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.27E-07	.	1.4E+06	1.4E+06	.	7.7E-01	7.7E-01
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.13E-07	.	6.2E+05	6.2E+05	.	4.2E-01	4.2E-01
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.41E-07	.	9.0E+05	9.0E+05	.	5.1E-01	5.1E-01
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.82E-07	1.4E+06	2.7E+05	2.3E+05	5.0E+00	9.6E-01	8.0E-01
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.61E-07	5.7E+05	6.0E+04	5.4E+04	3.7E+00	3.8E-01	3.4E-01
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.44E-07	9.1E+05	1.2E+05	1.0E+05	3.9E+00	5.1E-01	4.5E-01
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.26E-08	1.1E+05	8.7E+04	4.8E+04	3.0E+00	2.4E+00	1.3E+00
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	6.94E-08	.	1.7E+07	1.7E+07	.	2.5E+00	2.5E+00
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.60E-07	3.3E+04	1.5E+04	1.0E+04	1.1E+00	4.9E-01	3.3E-01
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.84E-07	3.1E+05	1.3E+05	9.0E+04	2.4E+00	9.5E-01	6.8E-01
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	4.20E-08	7.7E+02	9.4E+03	7.2E+02	3.4E-01	4.2E+00	3.2E-01
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.30E-08	.	3.9E+06	3.9E+06	.	3.3E+00	3.3E+00
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	2.97E-08	1.5E+07	3.6E+06	2.9E+06	2.4E+01	5.9E+00	4.7E+00
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	2.33E-09	3.4E+06	3.3E+07	3.1E+06	7.7E+00	7.5E+01	7.0E+00
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.84E-08	4.8E+05	5.6E+05	2.6E+05	5.3E+00	6.2E+00	2.8E+00
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	7.13E-10	.	1.9E+09	1.9E+09	.	2.5E+02	2.5E+02
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	8.08E-09	7.5E-01	2.8E+03	7.5E-01	5.9E-03	2.2E+01	5.9E-03
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.77E-09	7.5E-01	2.6E+03	7.5E-01	5.9E-03	2.0E+01	5.9E-03
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	2.87E-11	7.3E-04	6.1E+03	7.3E-04	7.3E-04	6.1E+03	7.3E-04
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.72E-08	4.3E+04	3.4E+05	3.8E+04	1.3E+00	1.0E+01	1.1E+00
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.00E-07	5.3E+05	9.8E+04	8.3E+04	3.2E+00	5.8E-01	4.9E-01
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.73E-08	1.1E+06	4.8E+05	3.3E+05	5.0E+00	2.3E+00	1.6E+00
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.63E-09	9.3E+04	1.4E+06	8.8E+04	1.2E+00	1.8E+01	1.1E+00
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.16E-08	.	1.6E+09	1.6E+09	.	1.5E+01	1.5E+01
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.31E-07	.	1.1E+06	1.1E+06	.	5.3E-01	5.3E-01
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	8.90E-08	.	7.5E+06	7.5E+06	.	2.0E+00	2.0E+00
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.36E-09	4.3E+06	1.1E+07	3.0E+06	8.4E+00	2.1E+01	6.0E+00
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.10E-07	.	3.8E+07	3.8E+07	.	1.6E+00	1.6E+00
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.54E-09	.	5.5E+07	5.5E+07	.	2.3E+01	2.3E+01
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.81E-07	.	5.9E+06	5.9E+06	.	9.7E-01	9.7E-01
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.61E-07	3.4E+06	6.6E+05	5.5E+05	5.6E+00	1.1E+00	9.1E-01
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.39E-07	4.6E+05	2.0E+05	1.4E+05	2.9E+00	1.3E+00	8.8E-01
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.28E-07	4.0E+04	3.8E+04	1.9E+04	8.1E-01	7.7E-01	3.9E-01
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.00E-07	3.6E+03	1.8E+04	3.0E+03	3.4E-01	1.7E+00	2.9E-01
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	1.93E-07	2.2E+03	8.3E+03	1.7E+03	2.4E-01	9.1E-01	1.9E-01
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.48E-07	1.8E+05	9.4E+04	6.2E+04	2.3E+00	1.2E+00	7.8E-01
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.53E-08	1.5E+04	7.2E+04	1.3E+04	1.1E+00	5.0E+00	8.7E-01
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.59E-07	7.2E+02	2.5E+03	5.6E+02	2.0E-01	6.8E-01	1.5E-01
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	6.44E-09	6.5E+01	1.3E+04	6.5E+01	1.4E-01	2.7E+01	1.4E-01
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.64E-07	3.0E+01	5.7E+02	2.9E+01	5.7E-02	1.1E+00	5.4E-02
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.98E-13	1.7E+06	1.2E+11	1.7E+06	1.3E+01	8.8E+05	1.3E+01
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	4.32E-09	6.4E+04	2.0E+06	6.2E+04	1.3E+00	4.1E+01	1.3E+00
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	6.44E-09	.	3.0E+09	3.0E+09	.	2.7E+01	2.7E+01
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.09E-08	1.1E+00	1.7E+02	1.0E+00	1.2E-02	1.9E+00	1.2E-02
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	6.25E-12	.	1.8E+11	1.8E+11	.	2.8E+04	2.8E+04
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	6.56E-11	2.0E-03	2.8E+03	2.0E-03	1.9E-03	2.7E+03	1.9E-03
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	2.39E-11	4.0E+01	4.4E+06	4.0E+01	6.6E-02	7.3E+03	6.6E-02
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.09E-08	6.8E+02	1.3E+05	6.8E+02	8.7E-02	1.6E+01	8.6E-02
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.63E-07	2.5E-01	2.5E+01	2.5E-01	6.8E-03	6.7E-01	6.7E-03
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	4.89E-09	7.5E+04	2.2E+06	7.3E+04	1.2E+00	3.6E+01	1.2E+00
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.07E-08	2.6E+04	1.7E+05	2.3E+04	6.6E-01	4.3E+00	5.7E-01
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.76E-08	.	6.7E+07	6.7E+07	.	6.3E+00	6.3E+00
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.78E-07	1.5E+05	6.8E+04	4.7E+04	1.4E+00	6.3E-01	4.4E-01
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	3.98E-07	.	5.3E+05	5.3E+05	.	4.4E-01	4.4E-01
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	1.96E-08	1.3E-03	8.9E+00	1.3E-03	1.3E-03	8.9E+00	1.3E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.60E-08	2.9E+03	6.0E+04	2.8E+03	2.4E-01	4.9E+00	2.3E-01
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.09E-07	1.9E+03	1.1E+04	1.6E+03	2.7E-01	1.6E+00	2.3E-01
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.04E-07	2.0E+06	2.4E+05	2.1E+05	4.8E+00	5.8E-01	5.2E-01
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.30E-07	4.1E+06	4.0E+05	3.6E+05	7.8E+00	7.6E-01	6.9E-01
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	3.76E-07	.	2.4E+06	2.4E+06	.	4.7E-01	4.7E-01
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.18E-07	.	1.2E+06	1.2E+06	.	1.5E+00	1.5E+00
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.45E-07	.	2.6E+06	2.6E+06	.	1.2E+00	1.2E+00
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	3.9E+04	3.9E+04	.	3.8E+00	3.8E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	3.9E+04	3.9E+04	.	3.8E+00	3.8E+00
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.16E-07	.	1.9E+05	1.9E+05	.	1.5E+00	1.5E+00
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.81E-08	.	2.7E+04	2.7E+04	.	6.2E+00	6.2E+00
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	9.47E-11	.	1.9E+03	1.9E+03	.	1.9E+03	1.9E+03
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.38E-08	.	5.3E+08	5.3E+08	.	1.3E+01	1.3E+01
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	2.20E-12	.	6.6E+09	6.6E+09	.	8.0E+04	8.0E+04
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	3.19E-10	.	1.1E+03	1.1E+03	.	5.5E+02	5.5E+02
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.68E-08	.	3.5E+05	3.5E+05	.	1.0E+01	1.0E+01
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	9.97E-08	.	2.1E+05	2.1E+05	.	1.8E+00	1.8E+00
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.49E-07	.	3.8E+04	3.8E+04	.	7.0E-01	7.0E-01
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.43E-07	.	2.1E+06	2.1E+06	.	7.2E-01	7.2E-01
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.28E-07	.	9.4E+05	9.4E+05	.	5.3E-01	5.3E-01
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.03E-07	9.9E+06	1.3E+06	1.2E+06	1.3E+01	1.7E+00	1.5E+00
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.60E-07	.	7.0E+05	7.0E+05	.	6.7E-01	6.7E-01
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.23E-08	7.9E+05	3.7E+05	2.5E+05	5.1E+00	2.4E+00	1.6E+00
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.37E-07	1.3E+04	2.3E+04	8.5E+03	4.2E-01	7.4E-01	2.7E-01
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.45E-08	1.7E+06	8.8E+05	5.8E+05	4.6E+00	2.4E+00	1.6E+00
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.60E-08	2.0E+05	4.2E+05	1.4E+05	5.2E+00	1.1E+01	3.5E+00
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.14E-08	.	3.0E+06	3.0E+06	.	2.2E+00	2.2E+00
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.82E-09	4.4E+04	7.5E+05	4.1E+04	5.6E+00	9.6E+01	5.3E+00
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.48E-08	.	3.6E+06	3.6E+06	.	3.9E+00	3.9E+00
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	6.44E-10	2.1E-02	2.7E+02	2.1E-02	2.1E-02	2.7E+02	2.1E-02
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.49E-07	9.7E-04	1.2E+00	9.7E-04	9.7E-04	1.2E+00	9.7E-04
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	2.82E-07	2.2E+02	2.3E+03	2.0E+02	5.9E-02	6.2E-01	5.4E-02
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	3.98E-09	1.4E+04	1.7E+06	1.4E+04	3.6E-01	4.4E+01	3.6E-01
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.03E-07	1.2E+05	5.8E+04	3.9E+04	1.2E+00	5.8E-01	3.9E-01
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.35E-08	3.1E+06	3.4E+06	1.6E+06	4.9E+00	5.2E+00	2.5E+00
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.27E-07	9.0E+06	1.2E+06	1.0E+06	1.1E+01	1.4E+00	1.2E+00
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.03E-07	5.6E+05	1.5E+05	1.2E+05	3.1E+00	8.6E-01	6.8E-01
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.55E-07	8.9E+02	5.0E+03	7.6E+02	2.0E-01	1.1E+00	1.7E-01
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	3.91E-14	.	1.5E+13	1.5E+13	.	4.5E+06	4.5E+06
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.19E-07	4.6E+02	1.7E+03	3.6E+02	1.4E-01	5.5E-01	1.1E-01
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.07E-08	5.8E+01	1.9E+03	5.7E+01	7.6E-02	2.5E+00	7.4E-02
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	2.32E-11	.	5.2E+10	5.2E+10	.	7.6E+03	7.6E+03
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.28E-07	4.6E+01	7.3E+02	4.4E+01	4.9E-02	7.7E-01	4.6E-02
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	8.14E-14	.	5.3E+12	5.3E+12	.	2.2E+06	2.2E+06
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.57E-08	3.0E-01	1.4E+02	3.0E-01	2.4E-02	1.1E+01	2.3E-02
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.11E-08	1.0E-01	8.3E+01	1.0E-01	2.0E-02	1.6E+01	2.0E-02
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	4.23E-09	8.4E-01	1.8E+03	8.4E-01	1.9E-02	4.1E+01	1.9E-02
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	5.14E-08	1.7E-03	3.4E+00	1.7E-03	1.7E-03	3.4E+00	1.7E-03
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	1.30E-09	2.8E+04	5.6E+06	2.7E+04	6.6E-01	1.4E+02	6.6E-01
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.60E-09	6.1E+01	4.6E+04	6.1E+01	6.4E-02	4.9E+01	6.4E-02
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	1.06E-07	2.1E-01	6.5E+01	2.1E-01	5.2E-03	1.7E+00	5.2E-03
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.53E-08	1.8E+06	3.7E+06	1.2E+06	5.7E+00	1.1E+01	3.8E+00
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.13E-07	2.1E+06	6.1E+05	4.7E+05	5.3E+00	1.6E+00	1.2E+00
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.44E-09	1.8E+04	1.7E+06	1.8E+04	5.6E-01	5.1E+01	5.5E-01
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.80E-07	.	1.6E+06	1.6E+06	.	9.7E-01	9.7E-01
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.41E-08	.	7.1E+06	7.1E+06	.	2.7E+00	2.7E+00
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.05E-07	.	1.6E+06	1.6E+06	.	1.7E+00	1.7E+00
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.63E-07	4.0E+02	7.8E+03	3.8E+02	5.5E-02	1.1E+00	5.2E-02
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	5.52E-07	.	1.7E+06	1.7E+06	.	3.2E-01	3.2E-01
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.13E-07	5.8E+05	3.1E+05	2.0E+05	2.9E+00	1.6E+00	1.0E+00
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.13E-07	7.2E+01	4.8E+02	6.2E+01	6.3E-02	4.2E-01	5.5E-02
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	2.87E-07	2.4E+06	2.6E+05	2.4E+05	5.6E+00	6.1E-01	5.5E-01
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	3.1E-01	.	3.1E-01	3.1E-01	.	3.1E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	9.72E-08	5.0E-01	3.7E+01	4.9E-01	2.5E-02	1.8E+00	2.4E-02
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.08E-07	4.0E+04	5.0E+04	2.2E+04	6.7E-01	8.4E-01	3.7E-01
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.18E-08	.	9.5E+07	9.5E+07	.	1.5E+01	1.5E+01
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	2.90E-07	.	5.1E+06	5.1E+06	.	6.0E-01	6.0E-01
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.77E-07	4.1E+06	6.2E+05	5.4E+05	6.6E+00	9.9E-01	8.6E-01
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	2.10E-09	5.3E+06	6.7E+07	4.9E+06	6.6E+00	8.3E+01	6.1E+00
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.41E-07	.	5.3E+06	5.3E+06	.	1.2E+00	1.2E+00
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.21E-08	6.0E+03	5.2E+04	5.3E+03	2.2E-01	1.9E+00	2.0E-01
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.12E-07	4.5E+06	9.2E+05	7.6E+05	7.6E+00	1.6E+00	1.3E+00
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.63E-07	.	9.1E+06	9.1E+06	.	1.1E+00	1.1E+00
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	3.38E-11	5.3E-02	5.2E+03	5.3E-02	5.3E-02	5.2E+03	5.3E-02
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	2.78E-07	1.3E+04	1.4E+04	6.8E+03	6.0E-01	6.3E-01	3.1E-01
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.70E-08	1.4E+02	2.4E+04	1.4E+02	6.2E-02	1.0E+01	6.1E-02
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.15E-07	.	1.4E+06	1.4E+06	.	1.5E+00	1.5E+00
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	6.63E-07	.	2.0E+07	2.0E+07	.	2.6E-01	2.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.58E-07	2.0E-02	4.5E+00	2.0E-02	3.0E-03	6.8E-01	3.0E-03
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.36E-07	2.5E+03	3.3E+03	1.4E+03	2.5E-01	3.3E-01	1.4E-01
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.37E-07	.	3.1E+06	3.1E+06	.	1.3E+00	1.3E+00
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	4.92E-07	3.6E+06	2.2E+05	2.1E+05	5.7E+00	3.6E-01	3.4E-01
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	4.83E-07	.	4.2E+05	4.2E+05	.	3.6E-01	3.6E-01
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.64E-07	5.2E+04	8.0E+04	3.2E+04	7.0E-01	1.1E+00	4.2E-01
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.48E-07	2.3E+05	1.6E+05	9.5E+04	1.6E+00	1.2E+00	6.9E-01
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.24E-07	1.3E+03	3.5E+03	9.4E+02	1.2E-01	3.3E-01	9.0E-02
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	2.07E-10	6.0E-02	8.6E+02	6.0E-02	5.9E-02	8.5E+02	5.9E-02
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.03E-09	2.1E+00	6.0E+03	2.1E+00	2.0E-02	5.8E+01	2.0E-02
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.74E-07	4.0E-03	1.0E+00	4.0E-03	4.0E-03	1.0E+00	4.0E-03
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.13E-07	1.3E+02	9.7E+02	1.1E+02	2.1E-01	1.6E+00	1.8E-01
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	6.03E-12	8.0E-02	4.7E+04	8.0E-02	4.9E-02	2.9E+04	4.9E-02
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.81E-07	2.2E-03	9.7E-01	2.2E-03	2.2E-03	9.7E-01	2.2E-03
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.36E-10	.	4.7E+08	4.7E+08	.	3.3E+02	3.3E+02
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	8.87E-08	8.4E+00	3.6E+02	8.2E+00	4.6E-02	2.0E+00	4.5E-02
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.88E-09	1.4E+02	4.5E+04	1.4E+02	7.9E-02	2.5E+01	7.9E-02
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	2.87E-07	7.9E+02	4.0E+03	6.6E+02	1.2E-01	6.1E-01	1.0E-01
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	7.64E-08	3.3E+05	2.9E+05	1.5E+05	2.6E+00	2.3E+00	1.2E+00
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.35E-07	4.2E+05	9.3E+04	7.6E+04	2.4E+00	5.2E-01	4.3E-01
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.84E-08	.	3.5E+08	3.5E+08	.	9.5E+00	9.5E+00
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	9.69E-08	.	6.3E+06	6.3E+06	.	1.8E+00	1.8E+00
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.81E-08	.	3.2E+06	3.2E+06	.	3.0E+00	3.0E+00
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.41E-07	4.1E+06	9.1E+05	7.5E+05	5.6E+00	1.2E+00	1.0E+00
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.75E-08	4.0E+05	1.1E+06	3.0E+05	2.2E+00	6.4E+00	1.7E+00
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.35E-07	1.0E+06	3.1E+05	2.4E+05	4.3E+00	1.3E+00	1.0E+00
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	2.56E-09	7.1E+03	2.1E+06	7.1E+03	2.4E-01	6.8E+01	2.4E-01
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	4.89E-08	3.7E+06	1.1E+06	8.5E+05	1.2E+01	3.6E+00	2.8E+00
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.82E-07	1.7E+04	2.7E+04	1.0E+04	6.3E-01	9.6E-01	3.8E-01
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	9.56E-10	9.2E+01	3.4E+05	9.2E+01	4.9E-02	1.8E+02	4.9E-02
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.50E-09	1.3E+06	1.6E+06	7.3E+05	2.2E+01	2.7E+01	1.2E+01
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.02E-08	.	1.9E+07	1.9E+07	.	2.2E+00	2.2E+00
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	2.9E-05	.	2.9E-05	2.8E-05	.	2.8E-05
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.40E-08	1.8E+01	7.2E+03	1.8E+01	3.1E-02	1.2E+01	3.1E-02
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	4.01E-08	8.2E+04	3.8E+05	6.8E+04	9.3E-01	4.4E+00	7.7E-01
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	9.88E-08	5.6E+06	1.3E+06	1.1E+06	7.7E+00	1.8E+00	1.4E+00
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.79E-08	5.7E+06	7.8E+06	3.3E+06	7.1E+00	9.8E+00	4.1E+00
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.16E-07	.	4.8E+07	4.8E+07	.	1.5E+00	1.5E+00
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.15E-08	.	7.7E+06	7.7E+06	.	2.8E+00	2.8E+00
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	1.98E-07	.	.	.	.	.	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.34E-07	.	.	.	.	.	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.75E-12	.	.	.	.	.	.
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	6.85E-08	.	.	.	.	.	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	5.55E-12	.	.	.	.	.	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.35E-07	3.6E+06	8.0E+05	6.6E+05	5.8E+00	1.3E+00	1.1E+00
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	8.27E-09	2.4E+07	5.3E+06	4.4E+06	9.5E+01	2.1E+01	1.7E+01
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.33E-07	2.6E+02	1.9E+03	2.3E+02	1.8E-01	1.3E+00	1.6E-01
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.3E+00	4.3E+04	2.3E+00	1.4E-01	2.7E+03	1.4E-01
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.3E+00	4.3E+04	2.3E+00	1.4E-01	2.7E+03	1.4E-01
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.36E-08	8.8E-05	1.3E+01	8.8E-05	8.8E-05	1.3E+01	8.8E-05
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	4.61E-09	1.5E+02	2.6E+05	1.5E+02	2.3E-02	3.8E+01	2.3E-02
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	2.07E-09	1.0E-05	8.5E+01	1.0E-05	1.0E-05	8.5E+01	1.0E-05
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.52E-08	1.0E-05	7.0E+00	1.0E-05	1.0E-05	7.0E+00	1.0E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	6.88E-08	1.7E+02	7.6E+03	1.7E+02	5.7E-02	2.5E+00	5.6E-02
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.81E-08	1.8E+02	2.6E+04	1.8E+02	6.6E-02	9.7E+00	6.6E-02
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.20E-07	2.6E+05	2.2E+05	1.2E+05	1.7E+00	1.5E+00	8.0E-01
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.69E-08	.	6.0E+06	6.0E+06	.	4.7E+00	4.7E+00
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.88E-09	1.0E+07	3.0E+07	7.6E+06	1.6E+01	4.5E+01	1.2E+01
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.28E-08	.	2.2E+07	2.2E+07	.	5.3E+00	5.3E+00
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.05E-07	.	2.8E+06	2.8E+06	.	1.7E+00	1.7E+00
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.17E-07	.	3.3E+06	3.3E+06	.	4.2E-01	4.2E-01
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.16E-07	.	6.8E+06	6.8E+06	.	1.5E+00	1.5E+00
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.14E-07	.	3.2E+07	3.2E+07	.	1.5E+00	1.5E+00
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	1.15E-08	4.7E+06	6.4E+06	2.7E+06	1.1E+01	1.5E+01	6.4E+00
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.60E-07	1.4E+05	9.5E+04	5.6E+04	1.6E+00	1.1E+00	6.5E-01
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.54E-08	1.3E+03	2.6E+04	1.3E+03	2.0E-01	3.9E+00	1.9E-01
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.66E-08	5.2E+03	3.1E+04	4.5E+03	4.5E-01	2.6E+00	3.8E-01
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.18E-07	1.0E+04	2.3E+04	6.9E+03	6.5E-01	1.5E+00	4.5E-01
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	7.73E-08	3.4E+00	1.5E+02	3.3E+00	5.0E-02	2.3E+00	4.9E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	2.5E-05	.	2.5E-05	2.5E-05	.	2.5E-05
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.71E-13	2.3E+05	2.7E+10	2.3E+05	9.0E+00	1.0E+06	9.0E+00
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.78E-07	.	9.1E+05	9.1E+05	.	9.9E-01	9.9E-01
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	7.13E-09	1.6E+01	1.0E+04	1.6E+01	4.0E-02	2.5E+01	4.0E-02
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	4.32E-10	5.2E+03	4.7E+06	5.2E+03	4.5E-01	4.1E+02	4.5E-01
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	7.13E-09	5.3E+02	1.2E+05	5.3E+02	1.1E-01	2.5E+01	1.1E-01
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	1.14E-10	3.5E-03	4.7E+03	3.5E-03	1.2E-03	1.5E+03	1.2E-03
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.10E-08	3.5E-03	4.9E+01	3.5E-03	1.1E-03	1.6E+01	1.1E-03
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.65E-09	6.2E+05	5.3E+06	5.5E+05	2.4E+00	2.0E+01	2.1E+00
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.16E-07	.	5.5E+06	5.5E+06	.	1.5E+00	1.5E+00
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	3.60E-10	9.4E+00	2.2E+05	9.4E+00	2.1E-02	4.9E+02	2.1E-02
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	5.87E-12	1.2E+01	7.4E+06	1.2E+01	4.8E-02	3.0E+04	4.8E-02
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.74E-09	3.3E+02	2.4E+07	3.3E+02	1.4E-03	1.0E+02	1.4E-03
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.58E-07	8.6E+00	7.7E+03	8.5E+00	1.2E-03	1.1E+00	1.2E-03
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	5.68E-09	5.1E+01	1.3E+05	5.1E+01	1.2E-02	3.1E+01	1.2E-02
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.57E-08	4.7E-02	8.4E+02	4.7E-02	1.3E-04	2.3E+00	1.3E-04
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.63E-09	3.9E-06	4.8E+01	3.9E-06	3.9E-06	4.8E+01	3.9E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.08E-07	2.0E+02	7.8E+03	2.0E+02	4.2E-02	1.6E+00	4.1E-02
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.31E-08	4.5E+00	1.8E+03	4.5E+00	1.9E-02	7.6E+00	1.9E-02
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.69E-07	5.6E+03	2.3E+04	4.5E+03	2.5E-01	1.0E+00	2.0E-01
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.40E-09	.	5.7E+08	5.7E+08	.	7.3E+01	7.3E+01
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.99E-10	3.4E+06	3.3E+08	3.4E+06	9.3E+00	8.8E+02	9.2E+00
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.10E-07	.	1.6E+06	1.6E+06	.	1.6E+00	1.6E+00
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.07E-08	.	2.6E+06	2.6E+06	.	2.5E+00	2.5E+00
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.25E-07	1.0E+07	1.1E+06	9.6E+05	1.3E+01	1.4E+00	1.3E+00
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.87E-07	4.5E+06	5.7E+05	5.0E+05	7.3E+00	9.4E-01	8.3E-01
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.27E-08	1.5E+06	8.2E+05	5.3E+05	6.3E+00	3.3E+00	2.2E+00
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.82E-07	.	1.1E+06	1.1E+06	.	9.6E-01	9.6E-01
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.32E-07	6.4E+05	2.8E+05	2.0E+05	3.0E+00	1.3E+00	9.2E-01
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.64E-08	1.2E+05	2.4E+05	8.1E+04	1.9E+00	3.8E+00	1.3E+00
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.22E-07	4.2E+05	1.5E+05	1.1E+05	4.2E+00	1.4E+00	1.1E+00
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	2.00E-08	1.6E+03	6.2E+04	1.6E+03	2.3E-01	8.7E+00	2.2E-01
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.43E-08	1.2E+04	3.4E+04	9.0E+03	7.5E-01	2.1E+00	5.5E-01
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.10E-08	.	3.8E+07	3.8E+07	.	4.3E+00	4.3E+00
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.20E-13	2.1E-03	2.1E+05	2.1E-03	2.1E-03	2.1E+05	2.1E-03
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.95E-08	2.1E-03	3.5E+00	2.1E-03	2.1E-03	3.5E+00	2.1E-03
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.30E-07	4.8E+04	3.3E+04	1.9E+04	1.1E+00	7.6E-01	4.5E-01
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	3.25E-08	1.0E+03	1.6E+04	9.6E+02	3.5E-01	5.4E+00	3.3E-01
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.40E-07	7.5E+05	9.9E+04	8.7E+04	5.5E+00	7.3E-01	6.4E-01
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.33E-13	1.3E-01	2.1E+05	1.3E-01	1.3E-01	2.1E+05	1.3E-01
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	4.61E-11	6.6E+04	1.8E+08	6.6E+04	1.4E+00	3.8E+03	1.4E+00
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	1.06E-10	2.7E-05	2.4E+03	2.7E-05	1.9E-05	1.6E+03	1.9E-05
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.54E-09	1.9E+03	5.9E+06	1.9E+03	7.3E-03	2.3E+01	7.3E-03
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.51E-08	6.6E+00	1.7E+05	6.6E+00	4.6E-04	1.2E+01	4.6E-04
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.75E-08	2.5E+03	2.2E+06	2.5E+03	7.4E-03	6.4E+00	7.4E-03
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	8.74E-09	1.8E+02	3.5E+04	1.8E+02	1.0E-01	2.0E+01	1.0E-01
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.76E-08	2.8E+04	8.4E+04	2.1E+04	1.6E+00	4.7E+00	1.2E+00
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	1.06E-10	6.2E+01	6.1E+05	6.2E+01	1.7E-01	1.6E+03	1.7E-01
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	1.7E-01	.	1.7E-01	1.7E-01	.	1.7E-01
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	5.62E-10	1.7E+03	3.5E+06	1.7E+03	1.6E-01	3.1E+02	1.6E-01
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.14E-08	.	3.0E+07	3.0E+07	.	1.5E+01	1.5E+01
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.09E-09	1.8E+06	1.1E+07	1.5E+06	4.6E+00	2.9E+01	3.9E+00
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	2.84E-11	3.1E+02	4.4E+07	3.1E+02	4.3E-02	6.2E+03	4.3E-02
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	3.00E-09	.	2.2E+08	2.2E+08	.	5.8E+01	5.8E+01
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.65E-07	.	4.8E+06	4.8E+06	.	1.1E+00	1.1E+00
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	2.85E-07	.	1.8E+06	1.8E+06	.	6.1E-01	6.1E-01
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-08	2.7E+06	2.0E+06	1.2E+06	5.3E+00	3.9E+00	2.3E+00
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.49E-07	3.6E+06	5.0E+05	4.4E+05	8.5E+00	1.2E+00	1.0E+00
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.13E-07	.	2.9E+06	2.9E+06	.	5.6E-01	5.6E-01
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.01E-07	.	3.3E+06	3.3E+06	.	8.7E-01	8.7E-01
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.07E-07	.	3.6E+06	3.6E+06	.	1.6E+00	1.6E+00
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.22E-07	.	8.5E+07	8.5E+07	.	1.4E+00	1.4E+00
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.50E-07	.	7.7E+05	7.7E+05	.	5.0E-01	5.0E-01
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.39E-08	4.7E+06	9.1E+05	7.6E+05	1.1E+01	2.1E+00	1.7E+00
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	9.81E-08	.	2.4E+07	2.4E+07	.	1.8E+00	1.8E+00
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.41E-08	7.8E-01	1.2E+02	7.7E-01	3.3E-02	5.1E+00	3.2E-02
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.76E-07	9.4E-02	1.7E+01	9.3E-02	5.4E-03	9.9E-01	5.3E-03
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	1.21E-09	3.7E-02	2.3E+02	3.7E-02	2.4E-02	1.4E+02	2.4E-02
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.43E-08	9.5E-03	6.8E+00	9.4E-03	2.9E-03	2.1E+00	2.9E-03
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	3.88E-12	1.2E-01	3.0E+05	1.2E-01	1.8E-02	4.5E+04	1.8E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	6.94E-08	3.3E+01	3.0E+03	3.3E+01	2.8E-02	2.5E+00	2.8E-02
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.28E-07	2.2E+00	1.2E+02	2.1E+00	1.4E-02	7.7E-01	1.4E-02
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.45E-09	2.3E+02	3.5E+05	2.3E+02	8.1E-02	1.2E+02	8.1E-02
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.76E-07	3.7E+04	5.6E+04	2.2E+04	6.5E-01	9.9E-01	3.9E-01
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.57E-08	6.7E+02	2.6E+04	6.5E+02	1.3E-01	4.9E+00	1.2E-01
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.47E-08	.	1.1E+07	1.1E+07	.	5.0E+00	5.0E+00
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.78E-07	.	1.2E+06	1.2E+06	.	9.8E-01	9.8E-01
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	7.42E-09	.	4.1E+07	4.1E+07	.	2.4E+01	2.4E+01
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.22E-07	.	4.1E+06	4.1E+06	.	7.9E-01	7.9E-01
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.15E-07	.	2.8E+06	2.8E+06	.	8.1E-01	8.1E-01
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	1.92E-07	6.5E+05	2.3E+05	1.7E+05	2.6E+00	9.1E-01	6.8E-01
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.30E-07	8.8E+03	5.8E+04	7.6E+03	2.0E-01	1.3E+00	1.8E-01
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.86E-07	2.5E+05	8.6E+04	6.4E+04	2.7E+00	9.4E-01	7.0E-01
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.35E-07	9.7E-01	9.3E+02	9.7E-01	1.3E-03	1.3E+00	1.3E-03
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.49E-07	3.1E+04	3.1E+04	1.6E+04	1.2E+00	1.2E+00	5.9E-01
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.36E-12	7.9E-05	4.4E+05	7.9E-05	1.3E-05	7.4E+04	1.3E-05
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	6.97E-10	1.1E-05	2.7E+02	1.1E-05	1.0E-05	2.5E+02	1.0E-05
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.13E-12	9.3E-04	7.1E+06	9.3E-04	2.0E-05	1.6E+05	2.0E-05
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	9.47E-10	.	2.0E+11	2.0E+11	.	1.9E+02	1.9E+02
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.03E-08	.	2.1E+08	2.1E+08	.	1.7E+01	1.7E+01
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.35E-12	.	5.2E+18	5.2E+18	.	4.0E+04	4.0E+04
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	9.66E-12	.	6.0E+16	6.0E+16	.	1.8E+04	1.8E+04
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	1.97E-11	.	2.7E+15	2.7E+15	.	8.9E+03	8.9E+03
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.78E-12	.	3.7E+14	3.7E+14	.	9.8E+04	9.8E+04
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.07E-15	.	4.8E+14	4.8E+14	.	1.6E+08	1.6E+08
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.63E-07	5.4E+06	4.0E+05	3.7E+05	6.6E+00	4.8E-01	4.5E-01
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.73E-07	2.0E+06	3.4E+05	2.9E+05	3.8E+00	6.4E-01	5.5E-01
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	9.75E-08	2.6E+06	6.8E+05	5.4E+05	6.8E+00	1.8E+00	1.4E+00
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.52E-07	9.4E+06	4.8E+05	4.6E+05	1.4E+01	7.0E-01	6.6E-01
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.07E-08	6.7E+05	5.1E+05	2.9E+05	5.7E+00	4.3E+00	2.4E+00
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.28E-08	.	1.2E+07	1.2E+07	.	1.9E+00	1.9E+00
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	2.87E-07	1.2E+05	4.4E+04	3.2E+04	1.7E+00	6.1E-01	4.5E-01
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.27E-08	1.4E+05	4.7E+05	1.1E+05	4.2E+00	1.4E+01	3.2E+00
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.09E-08	.	7.7E+06	7.7E+06	.	2.9E+00	2.9E+00
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	7.76E-09	6.9E+02	1.8E+05	6.9E+02	8.8E-02	2.3E+01	8.7E-02
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	4.3E+06	.	4.3E+06	6.8E+00	.	6.8E+00
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	1.00E-10	1.4E+01	8.1E+05	1.4E+01	3.0E-02	1.7E+03	3.0E-02
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.54E-09	4.4E+06	2.0E+07	3.6E+06	8.3E+00	3.9E+01	6.8E+00
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	5.74E-10	.	3.9E+08	3.9E+08	.	3.1E+02	3.1E+02
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.50E-09	8.1E+03	1.8E+06	8.1E+03	3.2E-01	7.0E+01	3.2E-01
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.24E-07	1.8E+06	5.3E+05	4.1E+05	4.9E+00	1.4E+00	1.1E+00
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.40E-08	5.7E+06	2.2E+06	1.6E+06	8.3E+00	3.2E+00	2.3E+00
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.21E-07	.	5.8E+06	5.8E+06	.	1.5E+00	1.5E+00
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.08E-07	.	7.4E+06	7.4E+06	.	1.6E+00	1.6E+00
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.54E-08	2.5E+06	1.2E+06	8.2E+05	4.8E+00	2.3E+00	1.6E+00
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.54E-08	1.0E+05	1.7E+05	6.4E+04	1.4E+00	2.3E+00	8.8E-01
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.69E-08	8.9E+04	1.7E+05	5.8E+04	1.4E+00	2.6E+00	9.0E-01
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.98E-08	2.4E+01	5.5E+03	2.4E+01	3.8E-02	8.8E+00	3.8E-02
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.18E-08	6.5E+03	4.7E+04	5.7E+03	4.7E-01	3.4E+00	4.1E-01
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	2.0E-05	.	2.0E-05	2.0E-05	.	2.0E-05
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.93E-08	4.4E+02	1.3E+04	4.2E+02	1.9E-01	6.0E+00	1.9E-01
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.05E-13	1.8E-01	4.1E+05	1.8E-01	1.5E-01	3.5E+05	1.5E-01
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	8.24E-10	1.1E+02	3.1E+05	1.1E+02	7.8E-02	2.1E+02	7.8E-02
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	5.84E-09	1.0E+02	4.7E+04	1.0E+02	6.4E-02	3.0E+01	6.4E-02
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	2.21E-09	1.3E+03	6.0E+05	1.3E+03	1.7E-01	7.9E+01	1.7E-01
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	7.73E-09	1.0E+05	2.2E+06	9.8E+04	1.1E+00	2.3E+01	1.0E+00
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.26E-08	1.3E+06	2.3E+06	8.2E+05	4.3E+00	7.8E+00	2.8E+00
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	5.55E-09	1.1E+03	3.8E+05	1.1E+03	8.8E-02	3.2E+01	8.8E-02
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	3.38E-10	8.0E+01	1.8E+06	8.0E+01	2.3E-02	5.2E+02	2.3E-02
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.14E-08	8.0E+01	2.8E+04	8.0E+01	2.3E-02	8.2E+00	2.3E-02
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	5.65E-09	1.3E+03	8.4E+06	1.3E+03	4.7E-03	3.1E+01	4.7E-03
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	6.09E-09	6.4E+01	5.0E+05	6.4E+01	3.7E-03	2.9E+01	3.7E-03
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	8.49E-09	3.9E+07	7.4E+06	6.2E+06	1.1E+02	2.1E+01	1.7E+01
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	9.15E-12	6.1E-05	1.2E+05	6.1E-05	1.0E-05	1.9E+04	1.0E-05
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	4.35E-09	2.8E+01	5.6E+03	2.8E+01	2.0E-01	4.0E+01	2.0E-01
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	6.91E-12	6.3E-06	2.8E+04	6.3E-06	5.7E-06	2.5E+04	5.7E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.3E-06	2.0E+04	5.3E-06	5.3E-06	2.0E+04	5.3E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.3E-06	2.0E+04	5.3E-06	5.3E-06	2.0E+04	5.3E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	6.82E-12	5.3E-06	2.6E+04	5.3E-06	5.3E-06	2.6E+04	5.3E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.50E-13	5.9E-04	2.0E+06	5.9E-04	3.4E-04	1.2E+06	3.4E-04
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.50E-11	5.6E-06	1.2E+04	5.6E-06	5.6E-06	1.2E+04	5.6E-06
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	2.20E-09	2.9E+04	2.4E+06	2.8E+04	9.3E-01	8.0E+01	9.2E-01
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.46E-09	5.7E-06	7.1E+01	5.7E-06	5.7E-06	7.1E+01	5.7E-06
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	3.98E-08	5.7E-06	4.4E+00	5.7E-06	5.7E-06	4.4E+00	5.7E-06
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.54E-08	2.0E+03	5.6E+04	1.9E+03	1.4E-01	3.9E+00	1.3E-01
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.33E-08	9.2E+00	7.7E+03	9.2E+00	1.6E-02	1.3E+01	1.6E-02
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.2E+11	5.2E+11	.	9.5E+00	9.5E+00
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.2E+11	5.2E+11	.	9.5E+00	9.5E+00
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.24E-10	.	1.0E+13	1.0E+13	.	3.3E+02	3.3E+02
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	9.5E+08	9.5E+08	.	4.9E+01	4.9E+01
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	9.5E+08	9.5E+08	.	4.9E+01	4.9E+01
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.01E-09	.	2.5E+09	2.5E+09	.	1.7E+02	1.7E+02
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.42E-08	5.6E-03	6.8E+03	5.6E-03	1.0E-05	1.2E+01	1.0E-05
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	2.07E-08	5.6E-03	4.7E+03	5.6E-03	1.0E-05	8.5E+00	1.0E-05
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-09	4.5E-02	2.7E+05	4.5E-02	2.6E-05	1.6E+02	2.6E-05
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.20E-09	4.5E-02	2.5E+05	4.5E-02	2.6E-05	1.5E+02	2.6E-05
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	4.99E-10	4.8E-03	1.5E+05	4.8E-03	1.1E-05	3.5E+02	1.1E-05
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	7.70E-10	1.1E-05	2.3E+02	1.1E-05	1.1E-05	2.3E+02	1.1E-05
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.09E-07	1.1E-05	8.4E-01	1.1E-05	1.0E-05	8.4E-01	1.0E-05
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.55E-08	1.0E+05	2.4E+06	1.0E+05	4.8E-01	1.1E+01	4.6E-01
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	5.81E-12	2.1E-05	9.6E+04	2.1E-05	6.8E-06	3.0E+04	6.8E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.02E-07	2.1E-05	5.5E+00	2.1E-05	6.8E-06	1.7E+00	6.8E-06
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	8.11E-09	8.3E+04	2.1E+06	8.0E+04	8.4E-01	2.2E+01	8.1E-01
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.77E-07	.	2.4E+06	2.4E+06	.	9.9E-01	9.9E-01
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.21E-07	3.1E+06	1.7E+05	1.6E+05	6.1E+00	3.4E-01	3.2E-01
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	3.85E-07	.	7.2E+05	7.2E+05	.	4.6E-01	4.6E-01
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.64E-07	2.4E+06	4.3E+05	3.6E+05	6.1E+00	1.1E+00	9.1E-01
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.37E-07	.	2.1E+07	2.1E+07	.	1.3E+00	1.3E+00
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.68E-08	6.2E+04	1.0E+05	3.8E+04	1.9E+00	3.1E+00	1.2E+00
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.68E-09	2.3E+06	2.0E+07	2.0E+06	7.6E+00	6.5E+01	6.8E+00
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.27E-07	.	9.9E+06	9.9E+06	.	1.4E+00	1.4E+00
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.41E-07	2.8E+04	1.2E+04	8.4E+03	1.2E+00	5.1E-01	3.6E-01
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.46E-08	4.2E+00	2.4E+02	4.1E+00	5.7E-02	3.2E+00	5.6E-02
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.05E-07	5.5E+00	3.2E+02	5.4E+00	2.8E-02	1.7E+00	2.8E-02
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.20E-08	9.1E+06	1.9E+06	1.6E+06	2.0E+01	4.2E+00	3.5E+00
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.15E-08	6.0E+00	5.2E+03	6.0E+00	1.8E-02	1.5E+01	1.8E-02
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.19E-08	.	2.5E+07	2.5E+07	.	2.8E+00	2.8E+00
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	1.46E-11	6.6E-03	1.2E+04	6.6E-03	6.6E-03	1.2E+04	6.6E-03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	8.33E-08	2.7E+06	1.1E+06	7.7E+05	5.3E+00	2.1E+00	1.5E+00
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	2.78E-07	4.6E+06	3.8E+05	3.5E+05	7.6E+00	6.3E-01	5.8E-01
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	2.74E-07	.	2.2E+06	2.2E+06	.	6.4E-01	6.4E-01
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.17E-07	.	8.9E+05	8.9E+05	.	4.2E-01	4.2E-01
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.08E-07	7.8E+06	5.8E+05	5.4E+05	1.1E+01	8.4E-01	7.9E-01
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.24E-07	7.4E+06	6.6E+05	6.1E+05	1.6E+01	1.4E+00	1.3E+00
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.38E-07	.	4.7E+06	4.7E+06	.	1.3E+00	1.3E+00
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.84E-08	2.7E+03	1.5E+04	2.3E+03	3.6E-01	2.0E+00	3.0E-01
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.05E-07	1.5E+02	2.0E+03	1.4E+02	6.4E-02	8.5E-01	6.0E-02
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.42E-07	5.8E+03	1.5E+04	4.2E+03	4.9E-01	1.2E+00	3.5E-01
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	1.34E-08	2.2E+00	1.2E+03	2.1E+00	2.4E-02	1.3E+01	2.4E-02
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.01E-07	5.9E+00	2.9E+02	5.8E+00	3.6E-02	1.7E+00	3.5E-02
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.10E-08	3.1E-01	1.6E+02	3.1E-01	8.3E-03	4.3E+00	8.3E-03
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	2.04E-09	1.2E+02	1.5E+05	1.2E+02	6.8E-02	8.6E+01	6.8E-02
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	9.97E-10	1.8E-03	1.8E+02	1.8E-03	1.8E-03	1.8E+02	1.8E-03
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	3.03E-09	1.8E-03	5.8E+01	1.8E-03	1.8E-03	5.8E+01	1.8E-03
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.7E+00	.	2.7E+00	2.7E+00	.	2.7E+00
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	7.13E-09	1.2E+03	2.2E+05	1.2E+03	1.3E-01	2.5E+01	1.3E-01
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	5.40E-09	2.7E+06	1.6E+07	2.3E+06	5.6E+00	3.2E+01	4.8E+00
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	6.00E-09	1.1E+03	1.8E+05	1.1E+03	1.8E-01	2.9E+01	1.7E-01
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.52E-07	.	3.4E+06	3.4E+06	.	1.2E+00	1.2E+00
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.04E-07	2.4E+04	8.0E+04	1.8E+04	5.0E-01	1.7E+00	3.9E-01
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.38E-07	2.3E+03	3.8E+03	1.4E+03	3.1E-01	5.2E-01	1.9E-01
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.08E-09	.	6.8E+07	6.8E+07	.	3.4E+01	3.4E+01
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.91E-08	9.1E-02	3.2E+01	9.1E-02	1.7E-02	6.0E+00	1.7E-02
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.05E-08	6.1E+02	8.4E+03	5.7E+02	4.2E-01	5.8E+00	3.9E-01
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.65E-08	3.5E-01	9.5E+01	3.5E-01	1.1E-02	3.1E+00	1.1E-02
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.47E-07	2.1E-02	3.3E+00	2.1E-02	4.4E-03	7.1E-01	4.4E-03
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	1.11E-11	5.3E+06	2.6E+09	5.3E+06	3.3E+01	1.6E+04	3.2E+01
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.08E-09	.	1.1E+09	1.1E+09	.	8.4E+01	8.4E+01
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	2.12E-09	.	1.7E+08	1.7E+08	.	8.3E+01	8.3E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.58E-09	8.0E+02	8.8E+04	7.9E+02	1.9E-01	2.0E+01	1.8E-01
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.49E-08	.	1.3E+08	1.3E+08	.	7.0E+00	7.0E+00
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.35E-07	7.5E+04	3.6E+04	2.4E+04	1.1E+00	5.2E-01	3.5E-01
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-08	4.3E+06	2.1E+06	1.4E+06	1.0E+01	5.0E+00	3.4E+00
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.79E-08	.	1.5E+08	1.5E+08	.	4.6E+00	4.6E+00
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.35E-08	.	3.6E+07	3.6E+07	.	5.2E+00	5.2E+00
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.54E-07	.	3.0E+06	3.0E+06	.	3.9E-01	3.9E-01
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.07E-07	.	1.0E+06	1.0E+06	.	5.7E-01	5.7E-01
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.09E-07	.	7.5E+06	7.5E+06	.	1.6E+00	1.6E+00
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.61E-07	.	3.5E+05	3.5E+05	.	3.8E-01	3.8E-01
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.53E-07	.	6.9E+06	6.9E+06	.	1.1E+00	1.1E+00
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.67E-07	1.9E+06	3.1E+05	2.7E+05	6.5E+00	1.0E+00	9.0E-01
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.72E-07	1.1E+06	1.3E+05	1.1E+05	5.7E+00	6.4E-01	5.8E-01
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.10E-07	.	8.7E+05	8.7E+05	.	8.3E-01	8.3E-01
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.12E-08	2.5E+01	1.1E+03	2.4E+01	6.3E-02	2.9E+00	6.1E-02
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.32E-08	9.3E+04	7.7E+04	4.2E+04	2.9E+00	2.4E+00	1.3E+00
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.11E-07	.	1.5E+06	1.5E+06	.	1.6E+00	1.6E+00
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.39E-07	.	4.0E+05	4.0E+05	.	1.3E+00	1.3E+00
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	6.85E-09	.	1.6E+06	1.6E+06	.	2.6E+01	2.6E+01
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.19E-07	.	8.3E+03	8.3E+03	.	8.0E-01	8.0E-01
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	3.88E-11	.	1.7E+09	1.7E+09	.	4.5E+03	4.5E+03
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	8.62E-11	.	3.2E+13	3.2E+13	.	2.0E+03	2.0E+03
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.44E-09	.	3.8E+09	3.8E+09	.	2.7E+01	2.7E+01
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.47E-09	.	3.7E+09	3.7E+09	.	2.7E+01	2.7E+01
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.10E-11	.	2.4E+10	2.4E+10	.	2.5E+03	2.5E+03
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.5E+01	6.6E+06	1.5E+01	9.3E-03	4.0E+03	9.3E-03
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.5E+01	6.6E+06	1.5E+01	9.3E-03	4.0E+03	9.3E-03
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	3.88E-08	.	1.7E+06	1.7E+06	.	4.5E+00	4.5E+00
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.59E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	8.55E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.49E-08	2.2E-02	1.2E+02	2.2E-02	1.3E-03	7.0E+00	1.3E-03
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.13E-08	.	1.0E+07	1.0E+07	.	4.2E+00	4.2E+00
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	6.60E-09	.	5.3E+07	5.3E+07	.	2.7E+01	2.7E+01
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.38E-07	.	1.8E+06	1.8E+06	.	7.4E-01	7.4E-01
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	5.78E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.44E-07	1.9E+05	1.1E+05	7.1E+04	2.1E+00	1.2E+00	7.6E-01
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.49E-08	.	.	.	.	.	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	1.33E-12	.	.	.	.	.	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	3.94E-07	.	8.0E+05	8.0E+05	.	4.4E-01	4.4E-01
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.17E-07	1.3E+04	4.3E+04	9.9E+03	2.4E-01	8.1E-01	1.9E-01
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.69E-07	.	7.6E+06	7.6E+06	.	1.0E+00	1.0E+00
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.44E-07	.	1.7E+06	1.7E+06	.	1.2E+00	1.2E+00
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.22E-07	.	1.4E+06	1.4E+06	.	5.4E-01	5.4E-01
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	9.94E-08	3.4E+06	5.0E+05	4.4E+05	1.2E+01	1.8E+00	1.5E+00
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.74E-07	7.7E+06	3.7E+05	3.5E+05	1.3E+01	6.4E-01	6.1E-01
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.63E-07	5.1E+05	7.3E+04	6.4E+04	3.3E+00	4.8E-01	4.2E-01
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.79E-08	3.6E+05	5.3E+05	2.2E+05	6.7E+00	9.8E+00	4.0E+00
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.12E-08	.	4.9E+06	4.9E+06	.	1.9E+00	1.9E+00
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.07E-07	3.3E+04	1.7E+04	1.1E+04	1.1E+00	5.7E-01	3.7E-01
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	2.99E-10	6.4E+03	2.3E+06	6.4E+03	1.6E+00	5.9E+02	1.6E+00
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.02E-08	1.4E+07	2.0E+06	1.8E+06	2.5E+01	3.5E+00	3.1E+00
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	2.88E-07	9.1E+01	6.7E+02	8.0E+01	8.3E-02	6.1E-01	7.3E-02
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.08E-08	1.2E+02	8.0E+03	1.2E+02	5.0E-02	3.4E+00	5.0E-02
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	4.13E-09	.	9.2E+07	9.2E+07	.	4.2E+01	4.2E+01
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.24E-07	9.7E-01	8.2E+01	9.6E-01	9.3E-03	7.8E-01	9.2E-03
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.02E-08	.	2.1E+07	2.1E+07	.	3.5E+00	3.5E+00
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	1.11E-14	9.1E+06	7.1E+12	9.1E+06	2.0E+01	1.6E+07	2.0E+01
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.80E-08	4.6E-02	2.3E+01	4.6E-02	7.3E-03	3.7E+00	7.3E-03
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.16E-07	1.1E+01	2.8E+02	1.0E+01	2.1E-02	5.6E-01	2.0E-02
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.77E-07	4.1E+06	4.7E+05	4.2E+05	8.6E+00	9.9E-01	8.9E-01
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	7.92E-08	5.9E+01	3.6E+03	5.8E+01	3.6E-02	2.2E+00	3.5E-02
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.57E-07	3.1E+03	8.3E+03	2.2E+03	1.8E-01	4.9E-01	1.3E-01
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.20E-07	1.1E+07	7.0E+05	6.6E+05	1.3E+01	8.0E-01	7.5E-01
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.74E-07	9.8E+03	3.5E+04	7.7E+03	2.8E-01	1.0E+00	2.2E-01
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	3.82E-07	6.6E+05	1.1E+05	9.1E+04	2.9E+00	4.6E-01	4.0E-01
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.19E-07	.	7.9E+05	7.9E+05	.	5.5E-01	5.5E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.51E-07	1.2E+06	2.8E+05	2.2E+05	2.9E+00	7.0E-01	5.6E-01
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.41E-07	.	1.9E+06	1.9E+06	.	5.1E-01	5.1E-01
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.02E-07	.	3.1E+06	3.1E+06	.	3.5E-01	3.5E-01
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.11E-07	2.6E+04	6.2E+04	1.8E+04	6.6E-01	1.6E+00	4.7E-01
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.50E-07	1.7E+04	2.7E+04	1.1E+04	4.5E-01	7.0E-01	2.8E-01
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.06E-08	1.1E+02	1.5E+04	1.1E+02	4.3E-02	5.7E+00	4.2E-02
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.39E-07	9.1E-01	5.5E+01	8.9E-01	1.2E-02	7.3E-01	1.2E-02
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	1.15E-08	1.8E+02	2.9E+04	1.8E+02	9.7E-02	1.5E+01	9.6E-02
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.01E-07	2.6E+02	1.5E+03	2.2E+02	7.5E-02	4.4E-01	6.4E-02
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	6.09E-10	4.4E+05	4.6E+07	4.4E+05	2.8E+00	2.9E+02	2.8E+00
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	3.91E-07	.	2.4E+06	2.4E+06	.	4.5E-01	4.5E-01
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	7.89E-08	3.9E+05	4.9E+05	2.2E+05	1.8E+00	2.2E+00	9.8E-01
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.86E-07	.	1.8E+06	1.8E+06	.	9.4E-01	9.4E-01
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	1.38E-09	1.4E+01	9.6E+04	1.4E+01	1.9E-02	1.3E+02	1.9E-02
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.21E-07	7.4E+03	3.1E+04	5.9E+03	3.5E-01	1.4E+00	2.8E-01
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	2.96E-08	8.8E+05	1.4E+06	5.3E+05	3.8E+00	5.9E+00	2.3E+00
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	4.13E-08	3.2E+00	2.2E+02	3.1E+00	6.0E-02	4.2E+00	5.9E-02
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	9.12E-09	.	6.0E+08	6.0E+08	.	1.9E+01	1.9E+01
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	1.35E-12	1.6E-02	1.3E+05	1.6E-02	1.6E-02	1.3E+05	1.6E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	8.68E-10	.	4.7E+08	4.7E+08	.	2.0E+02	2.0E+02
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.20E-09	5.6E+06	7.2E+07	5.2E+06	1.1E+01	1.5E+02	1.1E+01
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	1.34E-09	3.3E+05	2.1E+07	3.2E+05	2.1E+00	1.3E+02	2.0E+00
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.14E-07	1.7E+06	2.3E+05	2.0E+05	4.1E+00	5.6E-01	4.9E-01
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.20E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.70E-08	.	1.1E+07	1.1E+07	.	3.7E+00	3.7E+00
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	3.85E-10	5.6E+04	2.6E+07	5.6E+04	9.7E-01	4.6E+02	9.7E-01
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	4.26E-12	1.1E-03	4.4E+04	1.1E-03	1.0E-03	4.1E+04	1.0E-03
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	3.63E-10	1.0E-03	5.2E+02	1.0E-03	9.7E-04	4.8E+02	9.7E-04
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.67E-07	.	3.7E+06	3.7E+06	.	1.1E+00	1.1E+00
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.37E-08	2.5E+06	1.7E+06	1.0E+06	4.0E+00	2.7E+00	1.6E+00
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.63E-07	9.2E+06	9.6E+05	8.7E+05	1.0E+01	1.1E+00	9.7E-01
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.26E-07	1.9E+06	3.1E+05	2.7E+05	4.7E+00	7.8E-01	6.6E-01
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.03E-08	1.7E+05	2.1E+06	1.6E+05	1.3E+00	1.7E+01	1.2E+00
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	5.90E-08	.	3.1E+06	3.1E+06	.	3.0E+00	3.0E+00
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	7.89E-08	.	1.8E+07	1.8E+07	.	2.2E+00	2.2E+00
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	2.74E-09	9.5E-01	1.2E+03	9.5E-01	5.1E-02	6.4E+01	5.1E-02
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	2.1E-05	.	2.1E-05	2.1E-05	.	2.1E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	2.3E-05	.	2.3E-05	2.3E-05	.	2.3E-05
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	2.8E-05	.	2.8E-05	2.7E-05	.	2.7E-05
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	5.14E-14	3.5E-02	3.7E+06	3.5E-02	3.2E-02	3.4E+06	3.2E-02
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	4.83E-09	3.0E+02	1.2E+05	3.0E+02	9.3E-02	3.6E+01	9.3E-02
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	1.01E-08	3.6E+06	7.1E+06	2.4E+06	8.8E+00	1.7E+01	5.8E+00
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	1.15E-08	4.5E+03	2.5E+05	4.4E+03	2.8E-01	1.5E+01	2.7E-01
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-08	.	4.3E+06	4.3E+06	.	3.8E+00	3.8E+00
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.37E-07	.	6.1E+06	6.1E+06	.	1.3E+00	1.3E+00
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.45E-08	1.1E+07	2.1E+06	1.8E+06	1.3E+01	2.4E+00	2.0E+00
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.69E-07	8.0E+06	3.3E+05	3.2E+05	1.6E+01	6.5E-01	6.3E-01
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	3.04E-08	1.5E+04	2.1E+05	1.4E+04	4.1E-01	5.8E+00	3.8E-01
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.59E-08	2.7E+06	8.1E+05	6.3E+05	1.1E+01	3.1E+00	2.4E+00
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	8.08E-10	1.1E+00	1.2E+04	1.1E+00	2.0E-02	2.2E+02	2.0E-02
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	2.07E-10	1.1E+07	3.6E+08	1.0E+07	2.5E+01	8.5E+02	2.4E+01
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.51E-08	1.3E+01	5.3E+03	1.3E+01	2.9E-02	1.2E+01	2.9E-02
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	1.82E-10	5.2E-01	2.1E+04	5.2E-01	2.4E-02	9.6E+02	2.4E-02
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	1.67E-11	1.5E+03	5.9E+07	1.5E+03	2.7E-01	1.1E+04	2.7E-01
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	9.25E-11	8.3E-03	2.3E+03	8.3E-03	6.8E-03	1.9E+03	6.8E-03
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	1.05E-10	8.1E-03	2.0E+03	8.1E-03	6.7E-03	1.7E+03	6.7E-03
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.06E-09	3.1E-01	8.1E+03	3.1E-01	6.3E-03	1.7E+02	6.3E-03
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.48E-08	1.1E+06	2.7E+06	7.9E+05	4.9E+00	1.2E+01	3.5E+00
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.07E-08	1.2E+01	2.8E+03	1.2E+01	1.9E-02	4.3E+00	1.9E-02
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-08	.	4.3E+06	4.3E+06	.	4.5E+00	4.5E+00
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	4.32E-09	7.0E-04	4.1E+01	7.0E-04	7.0E-04	4.1E+01	7.0E-04
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.26E-07	7.0E-04	7.8E-01	7.0E-04	7.0E-04	7.8E-01	7.0E-04
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.30E-07	4.6E+04	5.5E+04	2.5E+04	6.4E-01	7.6E-01	3.5E-01
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.63E-08	.	5.8E+06	5.8E+06	.	2.6E+00	2.6E+00
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.34E-08	1.9E+05	4.3E+05	1.3E+05	1.2E+00	2.8E+00	8.4E-01
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.19E-07	.	6.0E+06	6.0E+06	.	1.5E+00	1.5E+00
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.04E-07	.	4.1E+06	4.1E+06	.	1.7E+00	1.7E+00
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.05E-07	.	9.0E+06	9.0E+06	.	1.7E+00	1.7E+00
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.33E-07	.	5.3E+06	5.3E+06	.	1.3E+00	1.3E+00
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	4.86E-08	4.6E+04	3.1E+05	4.0E+04	5.3E-01	3.6E+00	4.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.57E-07	1.7E+06	4.6E+05	3.6E+05	4.1E+00	1.1E+00	8.8E-01
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	9.53E-12	1.6E+00	4.6E+06	1.6E+00	6.6E-03	1.8E+04	6.6E-03
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.27E-07	1.6E+00	3.4E+02	1.6E+00	6.6E-03	1.4E+00	6.6E-03
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.37E-08	9.3E+02	8.8E+03	8.4E+02	2.0E-01	1.9E+00	1.8E-01
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.55E-08	9.1E+00	3.1E+02	8.9E+00	9.3E-02	3.2E+00	9.1E-02
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.35E-08	4.4E+06	1.0E+06	8.2E+05	3.3E+01	7.4E+00	6.1E+00
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.53E-08	2.6E+05	2.7E+05	1.3E+05	4.8E+00	5.0E+00	2.5E+00
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	2.87E-10	1.2E+00	7.6E+04	1.2E+00	9.8E-03	6.1E+02	9.8E-03
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	4.42E-11	9.3E-04	5.3E+03	9.3E-04	7.0E-04	4.0E+03	7.0E-04
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	6.63E-10	9.1E-04	3.5E+02	9.1E-04	6.8E-04	2.6E+02	6.8E-04
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	8.36E-08	2.4E+03	3.3E+04	2.2E+03	1.5E-01	2.1E+00	1.4E-01
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.64E-07	1.5E+04	6.1E+04	1.2E+04	2.6E-01	1.1E+00	2.1E-01
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.72E-07	.	7.9E+05	7.9E+05	.	6.4E-01	6.4E-01
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.76E-07	.	7.2E+06	7.2E+06	.	9.9E-01	9.9E-01
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.21E-07	.	2.0E+06	2.0E+06	.	1.4E+00	1.4E+00
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	1.98E-07	9.7E+05	2.2E+05	1.8E+05	3.9E+00	8.9E-01	7.2E-01
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.47E-08	5.2E+04	1.3E+05	3.7E+04	1.1E+00	2.7E+00	7.7E-01
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.13E-07	3.2E+05	2.1E+05	1.3E+05	2.4E+00	1.6E+00	9.5E-01
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.29E-07	8.9E+03	2.0E+04	6.1E+03	6.2E-01	1.4E+00	4.2E-01
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.73E-07	9.6E+03	1.2E+04	5.3E+03	5.1E-01	6.4E-01	2.8E-01
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	5.18E-09	1.8E+03	9.1E+04	1.7E+03	6.6E-01	3.4E+01	6.4E-01
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.17E-08	.	1.5E+07	1.5E+07	.	1.5E+01	1.5E+01
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.23E-07	9.4E+04	9.2E+04	4.6E+04	1.5E+00	1.4E+00	7.2E-01
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	1.63E-09	1.6E+00	1.0E+03	1.6E+00	1.7E-01	1.1E+02	1.7E-01
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	3.31E-09	2.9E+04	9.8E+05	2.8E+04	1.6E+00	5.3E+01	1.5E+00
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.52E-07	4.4E-01	6.4E+01	4.4E-01	8.0E-03	1.2E+00	7.9E-03
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.57E-08	4.7E+06	3.9E+06	2.1E+06	8.2E+00	6.8E+00	3.7E+00
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.93E-08	4.0E+01	7.4E+03	4.0E+01	3.3E-02	6.0E+00	3.2E-02
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.78E-07	3.0E+03	1.7E+04	2.6E+03	1.7E-01	9.8E-01	1.5E-01
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.57E-08	4.4E+05	2.1E+06	3.7E+05	2.4E+00	1.1E+01	2.0E+00
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.61E-07	9.4E+06	9.4E+05	8.6E+05	1.1E+01	1.1E+00	9.9E-01
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.45E-07	.	9.4E+06	9.4E+06	.	3.9E-01	3.9E-01
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.58E-07	1.4E+05	6.3E+04	4.3E+04	1.5E+00	6.8E-01	4.7E-01
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.33E-07	.	3.7E+06	3.7E+06	.	7.5E-01	7.5E-01
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	2.81E-07	2.9E+05	9.4E+04	7.1E+04	1.9E+00	6.2E-01	4.7E-01
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.60E-07	.	2.0E+06	2.0E+06	.	4.9E-01	4.9E-01
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.60E-07	7.3E+02	4.0E+04	7.1E+02	2.0E-02	1.1E+00	1.9E-02
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.57E-07	.	2.4E+06	2.4E+06	.	1.1E+00	1.1E+00
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.00E-07	4.1E+04	2.5E+04	1.6E+04	9.4E-01	5.8E-01	3.6E-01
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.85E-07	.	9.7E+05	9.7E+05	.	6.2E-01	6.2E-01
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.10E-07	3.0E+03	1.4E+04	2.4E+03	3.4E-01	1.6E+00	2.8E-01
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	8.02E-09	.	4.8E+08	4.8E+08	.	2.2E+01	2.2E+01
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.77E-07	1.9E+03	8.6E+03	1.6E+03	2.2E-01	9.9E-01	1.8E-01
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-08	.	4.6E+06	4.6E+06	.	2.1E+00	2.1E+00
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.38E-08	8.3E+02	1.4E+04	7.9E+02	3.1E-01	5.2E+00	2.9E-01
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	2.83E-07	1.9E+03	4.4E+03	1.3E+03	2.7E-01	6.2E-01	1.9E-01
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.53E-08	2.8E+02	1.4E+04	2.7E+02	2.3E-01	1.1E+01	2.3E-01
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.26E-07	8.2E+01	9.2E+02	7.5E+01	6.9E-02	7.8E-01	6.3E-02
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	2.11E-09	2.3E+03	5.2E+05	2.3E+03	3.7E-01	8.3E+01	3.6E-01
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	2.28E-10	2.0E+04	2.2E+07	2.0E+04	6.8E-01	7.7E+02	6.8E-01
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	2.21E-10	9.0E-02	9.0E+02	9.0E-02	8.0E-02	7.9E+02	8.0E-02
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.15E-08	1.8E-03	2.0E+00	1.8E-03	1.7E-03	1.9E+00	1.7E-03
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.32E-07	8.6E-01	1.2E+02	8.5E-01	9.8E-03	1.3E+00	9.7E-03
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	1.99E-09	4.7E+01	8.1E+04	4.7E+01	5.2E-02	8.8E+01	5.2E-02
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.27E-07	.	1.7E+06	1.7E+06	.	1.4E+00	1.4E+00
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	8.80E-08	4.9E+06	9.3E+05	7.8E+05	1.1E+01	2.0E+00	1.7E+00
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	2.88E-07	.	1.8E+06	1.8E+06	.	6.1E-01	6.1E-01
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.02E-07	.	7.4E+06	7.4E+06	.	1.7E+00	1.7E+00
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.76E-08	1.0E+07	3.0E+06	2.3E+06	1.6E+01	4.7E+00	3.6E+00
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.18E-08	.	1.5E+09	1.5E+09	.	1.5E+01	1.5E+01
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.01E-07	.	1.2E+06	1.2E+06	.	5.8E-01	5.8E-01
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	2.78E-07	2.7E+06	3.1E+05	2.8E+05	5.4E+00	6.3E-01	5.6E-01
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.37E-08	.	2.2E+06	2.2E+06	.	1.9E+00	1.9E+00
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.05E-07	.	1.7E+06	1.7E+06	.	5.7E-01	5.7E-01
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.64E-07	.	2.9E+06	2.9E+06	.	1.1E+00	1.1E+00
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.54E-07	.	8.3E+05	8.3E+05	.	3.9E-01	3.9E-01
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	1.91E-07	1.7E+05	5.1E+04	3.9E+04	3.1E+00	9.2E-01	7.1E-01
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.19E-07	1.5E+06	3.1E+05	2.5E+05	7.0E+00	1.5E+00	1.2E+00
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.09E-07	3.2E+04	1.8E+04	1.1E+04	1.0E+00	5.7E-01	3.6E-01
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.31E-07	4.9E+05	1.3E+05	1.0E+05	2.8E+00	7.6E-01	6.0E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.12E-08	8.2E+03	1.5E+04	5.2E+03	1.1E+00	1.9E+00	6.9E-01
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	7.73E-08	6.6E+00	2.3E+02	6.5E+00	6.4E-02	2.3E+00	6.2E-02
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	2.91E-07	2.1E+02	8.9E+02	1.7E+02	1.4E-01	6.0E-01	1.1E-01
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	4.92E-09	2.5E+06	6.3E+06	1.8E+06	1.4E+01	3.6E+01	1.0E+01
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	4.39E-11	6.2E-02	4.0E+03	6.2E-02	6.2E-02	4.0E+03	6.2E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	7.26E-11	1.4E+00	1.7E+05	1.4E+00	2.0E-02	2.4E+03	2.0E-02
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.63E-07	2.5E-03	1.1E+00	2.5E-03	2.5E-03	1.1E+00	2.5E-03
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	1.18E-11	7.8E-03	1.5E+04	7.8E-03	7.8E-03	1.5E+04	7.8E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.30E-08	1.2E+05	3.4E+05	9.0E+04	4.9E+00	1.3E+01	3.6E+00
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.65E-07	.	3.5E+06	3.5E+06	.	6.6E-01	6.6E-01
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.51E-07	2.1E+06	7.0E+05	5.2E+05	3.4E+00	1.2E+00	8.7E-01
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.65E-07	.	1.0E+06	1.0E+06	.	6.6E-01	6.6E-01
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.11E-07	.	7.7E+05	7.7E+05	.	5.6E-01	5.6E-01
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	9.03E-09	.	.	.	.	.	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	1.85E-07	5.8E+05	1.4E+05	1.1E+05	4.0E+00	9.5E-01	7.7E-01
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	3.03E-10	2.5E+01	6.1E+05	2.5E+01	2.4E-02	5.8E+02	2.4E-02
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.15E-08	2.5E+01	2.0E+03	2.4E+01	2.4E-02	1.9E+00	2.3E-02
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	8.71E-08	8.7E+03	1.9E+04	6.0E+03	9.2E-01	2.0E+00	6.3E-01
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.77E-07	2.0E+02	1.3E+03	1.7E+02	1.5E-01	9.9E-01	1.3E-01
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.34E-08	.	.	.	.	.	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.25E-08	.	.	.	.	.	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	5.27E-13	.	.	.	.	.	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.43E-08	.	.	.	.	.	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	6.75E-10	.	.	.	.	.	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.96E-10	.	.	.	.	.	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	2.24E-10	.	.	.	.	.	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.82E-09	.	.	.	.	.	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.63E-09	.	.	.	.	.	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.77E-08	.	.	.	.	.	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.70E-07	.	.	.	.	.	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.32E-08	.	.	.	.	.	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.44E-07	.	.	.	.	.	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.19E-07	.	.	.	.	.	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	9.75E-08	.	.	.	.	.	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	6.78E-09	.	2.4E+10	2.4E+10	.	2.6E+01	2.6E+01
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.42E-09	.	3.8E+10	3.8E+10	.	7.2E+01	7.2E+01
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	7.86E-10	5.7E+02	6.6E+07	5.7E+02	1.9E-03	2.2E+02	1.9E-03
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.30E-08	2.9E-03	4.6E+03	2.9E-03	8.5E-06	1.3E+01	8.5E-06
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	2.01E-10	2.0E-05	7.9E+03	2.0E-05	2.2E-06	8.7E+02	2.2E-06
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	8.11E-09	1.7E-06	2.2E+01	1.7E-06	1.7E-06	2.2E+01	1.7E-06
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	8.62E-09	1.5E-06	2.0E+01	1.5E-06	1.5E-06	2.0E+01	1.5E-06
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	3.63E-11	8.7E-06	4.8E+03	8.7E-06	8.7E-06	4.8E+03	8.7E-06
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	1.07E-09	1.2E+03	9.7E+05	1.2E+03	2.0E-01	1.6E+02	2.0E-01
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	1.84E-11	6.8E-06	9.5E+03	6.8E-06	6.8E-06	9.5E+03	6.8E-06
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.02E-07	3.4E-06	1.7E+00	3.4E-06	3.4E-06	1.7E+00	3.4E-06
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.98E-09	3.2E+06	1.8E+07	2.7E+06	7.9E+00	4.4E+01	6.7E+00
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	7.70E-10	2.5E+00	6.0E+04	2.5E+00	9.6E-03	2.3E+02	9.6E-03
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	3.16E-09	2.5E+00	1.5E+04	2.5E+00	9.6E-03	5.6E+01	9.6E-03
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.47E-09	.	3.5E+07	3.5E+07	.	2.7E+01	2.7E+01
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.76E-09	5.5E+05	1.1E+07	5.2E+05	2.3E+00	4.7E+01	2.2E+00
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	1.17E-08	9.9E-04	1.7E+01	9.9E-04	8.6E-04	1.5E+01	8.6E-04
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.62E-07	9.9E-04	7.7E-01	9.9E-04	8.6E-04	6.7E-01	8.6E-04
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	9.81E-08	4.7E+04	8.8E+04	3.1E+04	9.6E-01	1.8E+00	6.2E-01
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.20E-08	.	6.6E+06	6.6E+06	.	4.2E+00	4.2E+00
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.31E-08	.	7.1E+07	7.1E+07	.	1.3E+01	1.3E+01
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.48E-07	.	4.1E+06	4.1E+06	.	1.2E+00	1.2E+00
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.81E-07	.	1.5E+06	1.5E+06	.	6.2E-01	6.2E-01
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.03E-07	2.2E+06	4.7E+05	3.9E+05	7.9E+00	1.7E+00	1.4E+00
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.86E-07	1.7E+06	1.7E+05	1.5E+05	6.0E+00	6.1E-01	5.6E-01
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.46E-07	7.6E+05	1.6E+05	1.3E+05	5.8E+00	1.2E+00	9.9E-01
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.24E-07	3.6E+05	6.4E+04	5.5E+04	4.4E+00	7.8E-01	6.6E-01
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.08E-08	1.6E+05	1.8E+05	8.4E+04	2.9E+00	3.4E+00	1.6E+00
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.42E-07	6.9E+04	2.1E+04	1.6E+04	2.4E+00	7.2E-01	5.6E-01
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.35E-07	1.8E+05	1.1E+05	6.6E+04	2.2E+00	1.3E+00	8.1E-01
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.58E-08	4.8E+04	1.4E+05	3.6E+04	2.3E+00	6.8E+00	1.7E+00
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.52E-07	4.2E+03	6.7E+03	2.6E+03	7.2E-01	1.2E+00	4.4E-01
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	7.86E-09	8.9E+02	4.6E+04	8.7E+02	4.3E-01	2.2E+01	4.2E-01
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	5.02E-08	1.1E+02	1.8E+03	1.1E+02	2.2E-01	3.5E+00	2.0E-01
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	1.64E-10	2.3E-02	5.0E+03	2.3E-02	4.9E-03	1.1E+03	4.9E-03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	2.54E-10	.	1.5E+09	1.5E+09	.	6.9E+02	6.9E+02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.76E-07	.	1.5E+06	1.5E+06	.	6.3E-01	6.3E-01
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.89E-10	.	6.8E+08	6.8E+08	.	3.6E+02	3.6E+02
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.29E-07	.	1.2E+06	1.2E+06	.	4.1E-01	4.1E-01
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.59E-07	.	2.9E+06	2.9E+06	.	6.8E-01	6.8E-01
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.35E-07	.	3.7E+06	3.7E+06	.	5.2E-01	5.2E-01
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.49E-07	1.5E+06	3.5E+05	2.9E+05	5.1E+00	1.2E+00	9.5E-01
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.32E-07	3.5E+06	3.2E+05	2.9E+05	8.3E+00	7.5E-01	6.9E-01
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.53E-07	2.8E+05	9.6E+04	7.1E+04	3.3E+00	1.1E+00	8.5E-01
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	8.96E-08	.	8.9E+06	8.9E+06	.	2.0E+00	2.0E+00
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	6.00E-08	1.7E+03	1.5E+04	1.5E+03	3.3E-01	2.9E+00	3.0E-01
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.37E-07	1.1E+04	1.5E+04	6.2E+03	5.5E-01	7.4E-01	3.2E-01
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.33E-08	4.0E+01	9.0E+03	3.9E+01	5.8E-02	1.3E+01	5.8E-02
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.39E-07	1.1E+00	8.5E+01	1.1E+00	1.6E-02	1.3E+00	1.6E-02
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	4.07E-10	4.4E-01	2.1E+04	4.4E-01	9.0E-03	4.3E+02	9.0E-03
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	3.94E-11	6.2E-01	4.0E+04	6.2E-01	6.8E-02	4.4E+03	6.8E-02
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	5.78E-08	1.2E+02	7.2E+03	1.1E+02	4.9E-02	3.0E+00	4.8E-02
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.32E-08	6.7E+03	7.5E+04	6.2E+03	3.7E-01	4.1E+00	3.4E-01
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.03E-07	.	1.5E+06	1.5E+06	.	8.6E-01	8.6E-01
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.25E-07	5.2E+06	8.4E+05	7.2E+05	8.7E+00	1.4E+00	1.2E+00
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.38E-07	.	3.6E+06	3.6E+06	.	7.4E-01	7.4E-01
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.20E-08	.	1.2E+08	1.2E+08	.	1.5E+01	1.5E+01
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.91E-10	.	4.5E+08	4.5E+08	.	4.5E+02	4.5E+02
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	1.11E-10	1.6E-03	4.8E+05	1.6E-03	5.4E-06	1.6E+03	5.4E-06
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	6.47E-09	2.1E+02	4.1E+04	2.1E+02	1.4E-01	2.7E+01	1.4E-01
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	2.50E-11	3.6E-06	7.9E+03	3.6E-06	3.2E-06	7.0E+03	3.2E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	2.53E-11	1.0E-05	6.9E+03	1.0E-05	1.0E-05	6.9E+03	1.0E-05
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	1.39E-11	1.1E-05	1.3E+04	1.1E-05	1.1E-05	1.3E+04	1.1E-05
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.71E-08	1.2E-05	1.0E+01	1.2E-05	1.2E-05	1.0E+01	1.2E-05
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.81E-08	1.2E-05	9.7E+00	1.2E-05	1.2E-05	9.7E+00	1.2E-05
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	5.5E+10	.	5.5E+10	1.6E+05	.	1.6E+05
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	8.27E-12	1.2E-05	2.1E+04	1.2E-05	1.2E-05	2.1E+04	1.2E-05
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.29E-08	3.8E+01	1.3E+04	3.8E+01	4.0E-02	1.4E+01	4.0E-02
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	7.07E-12	1.3E-05	2.5E+04	1.3E-05	1.3E-05	2.5E+04	1.3E-05
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.44E-09	1.3E-05	5.1E+01	1.2E-05	1.3E-05	5.1E+01	1.2E-05
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	4.61E-09	1.9E+06	1.5E+07	1.7E+06	4.8E+00	3.8E+01	4.3E+00
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	4.45E-10	1.0E+03	4.2E+06	1.0E+03	9.6E-02	3.9E+02	9.6E-02
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.39E-09	3.1E+06	2.2E+07	2.7E+06	5.8E+00	4.0E+01	5.0E+00
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.13E-07	1.3E+06	4.3E+05	3.3E+05	4.7E+00	1.6E+00	1.2E+00
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.47E-07	1.1E+01	2.0E+02	1.1E+01	2.8E-02	5.0E-01	2.7E-02
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	2.0E+01	.	2.0E+01	1.1E+00	.	1.1E+00
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.76E-07	3.2E-03	1.0E+00	3.2E-03	3.1E-03	9.9E-01	3.1E-03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.79E-07	.	2.4E+06	2.4E+06	.	9.8E-01	9.8E-01
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.24E-07	.	8.0E+06	8.0E+06	.	1.4E+00	1.4E+00
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-07	1.7E+05	1.2E+05	7.1E+04	2.5E+00	1.7E+00	1.0E+00
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	1.01E-09	2.8E+01	5.1E+04	2.8E+01	9.6E-02	1.7E+02	9.6E-02
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.27E-08	2.8E+01	4.0E+03	2.8E+01	9.6E-02	1.4E+01	9.5E-02
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	3.38E-09	2.4E+07	1.3E+07	8.4E+06	1.0E+02	5.2E+01	3.4E+01
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	4.70E-09	.	5.3E+07	5.3E+07	.	3.7E+01	3.7E+01
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	2.70E-09	1.4E+01	3.4E+03	1.4E+01	2.6E-01	6.5E+01	2.6E-01
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	2.47E-11	1.8E+00	6.0E+05	1.8E+00	2.2E-02	7.1E+03	2.2E-02
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	2.23E-09	.	4.5E+08	4.5E+08	.	7.9E+01	7.9E+01
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.02E-08	9.7E+02	2.2E+04	9.3E+02	1.5E-01	3.5E+00	1.5E-01
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	2.12E-10	4.8E-01	7.5E+04	4.8E-01	5.3E-03	8.2E+02	5.3E-03
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	1.36E-08	6.3E+05	3.9E+06	5.4E+05	2.1E+00	1.3E+01	1.8E+00
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.17E-08	.	9.6E+05	9.6E+05	.	4.2E+00	4.2E+00
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.76E-07	.	2.3E+05	2.3E+05	.	9.9E-01	9.9E-01
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	5.40E-09	.	2.5E+05	2.5E+05	.	3.2E+01	3.2E+01
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.20E-08	.	1.8E+05	1.8E+05	.	2.4E+00	2.4E+00
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.70E-08	.	5.8E+04	5.8E+04	.	6.5E+00	6.5E+00
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.80E-08	.	1.1E+03	1.1E+03	.	6.3E+00	6.3E+00
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.61E-08	.	8.6E+07	8.6E+07	.	1.1E+01	1.1E+01
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.95E-09	.	6.4E+04	6.4E+04	.	9.0E+01	9.0E+01
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	7.20E-10	.	1.3E+05	1.3E+05	.	2.4E+02	2.4E+02
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	3.16E-09	.	6.7E+04	6.7E+04	.	5.6E+01	5.6E+01
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.95E-09	.	1.7E+05	1.7E+05	.	5.9E+01	5.9E+01
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.73E-08	.	1.1E+05	1.1E+05	.	6.4E+00	6.4E+00
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.77E-08	.	2.2E+06	2.2E+06	.	3.7E+00	3.7E+00
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.38E-08	.	1.8E+07	1.8E+07	.	7.4E+00	7.4E+00
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.39E-07	.	8.1E+05	8.1E+05	.	1.3E+00	1.3E+00
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.32E-07	.	1.0E+07	1.0E+07	.	1.3E+00	1.3E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.54E-07	.	1.5E+06	1.5E+06	.	1.1E+00	1.1E+00
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.40E-08	.	6.0E+06	6.0E+06	.	1.9E+00	1.9E+00
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	4.67E-07	5.4E+05	8.6E+04	7.5E+04	2.3E+00	3.8E-01	3.2E-01
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.22E-07	5.3E+04	8.1E+04	3.2E+04	9.3E-01	1.4E+00	5.6E-01
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.57E-07	1.3E+04	3.5E+04	9.6E+03	4.3E-01	1.1E+00	3.1E-01
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.29E-07	2.0E+03	4.2E+03	1.3E+03	1.9E-01	4.1E-01	1.3E-01
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.40E-08	6.1E+05	1.4E+06	4.3E+05	3.2E+00	7.3E+00	2.2E+00
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	4.92E-08	3.8E+02	6.8E+03	3.6E+02	2.0E-01	3.6E+00	1.9E-01
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.41E-08	6.0E+03	5.8E+04	5.4E+03	5.3E-01	5.1E+00	4.8E-01
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.35E-07	8.6E-01	3.1E+01	8.4E-01	1.5E-02	5.2E-01	1.4E-02
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.06E-07	.	5.8E+07	5.8E+07	.	1.7E+00	1.7E+00
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	6.19E-10	8.3E+01	6.7E+05	8.3E+01	3.5E-02	2.8E+02	3.5E-02
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-08	2.9E+04	1.2E+05	2.3E+04	6.2E-01	2.5E+00	4.9E-01
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.69E-10	9.5E-01	2.8E+04	9.5E-01	8.8E-03	2.6E+02	8.8E-03
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.00E-08	1.8E+06	5.4E+05	4.1E+05	9.8E+00	2.9E+00	2.3E+00
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.13E-08	1.4E+04	2.4E+05	1.3E+04	3.2E-01	5.6E+00	3.0E-01
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.26E-08	1.7E+03	2.1E+05	1.6E+03	1.1E-01	1.4E+01	1.1E-01
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	9.44E-08	2.6E+06	9.0E+05	6.7E+05	5.3E+00	1.9E+00	1.4E+00
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.45E-07	9.6E+06	1.1E+06	9.6E+05	1.1E+01	1.2E+00	1.1E+00
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.48E-08	3.7E+06	3.4E+06	1.8E+06	7.7E+00	7.1E+00	3.7E+00
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.30E-08	1.5E+07	1.7E+06	1.6E+06	1.8E+01	2.1E+00	1.9E+00
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	3.82E-09	2.8E+05	5.5E+06	2.7E+05	2.3E+00	4.6E+01	2.2E+00
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.44E-08	.	4.7E+06	4.7E+06	.	5.1E+00	5.1E+00
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	5.52E-09	2.8E+02	8.5E+04	2.8E+02	1.0E-01	3.2E+01	1.0E-01
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	2.32E-08	8.8E+06	3.9E+06	2.7E+06	1.7E+01	7.6E+00	5.2E+00
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.88E-08	4.7E+00	1.2E+03	4.7E+00	2.4E-02	6.1E+00	2.4E-02
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.23E-09	1.5E+02	6.3E+04	1.5E+02	1.0E-01	4.1E+01	1.0E-01
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.25E-08	9.8E+04	6.2E+05	8.5E+04	1.2E+00	7.8E+00	1.1E+00
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.26E-09	1.6E+05	5.1E+06	1.5E+05	1.3E+00	4.1E+01	1.2E+00
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.10E-07	.	1.8E+06	1.8E+06	.	1.6E+00	1.6E+00
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.73E-07	.	3.9E+06	3.9E+06	.	1.0E+00	1.0E+00
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.81E-07	.	5.9E+06	5.9E+06	.	9.7E-01	9.7E-01
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	4.89E-08	1.7E+03	5.9E+04	1.6E+03	1.0E-01	3.6E+00	9.9E-02
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.25E-07	8.6E+05	3.3E+05	2.4E+05	3.7E+00	1.4E+00	1.0E+00
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	6.91E-08	1.0E+00	6.6E+01	1.0E+00	3.9E-02	2.5E+00	3.9E-02
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	1.03E-10	7.3E+05	2.8E+08	7.3E+05	4.5E+00	1.7E+03	4.5E+00
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.64E-08	2.3E+03	4.2E+04	2.2E+03	2.1E-01	3.8E+00	2.0E-01
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.69E-08	.	1.8E+07	1.8E+07	.	4.7E+00	4.7E+00
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.78E-07	1.9E+04	3.8E+04	1.3E+04	5.1E-01	9.9E-01	3.3E-01
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.52E-08	1.6E+02	3.8E+04	1.6E+02	4.8E-02	1.1E+01	4.8E-02
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.69E-07	.	1.2E+06	1.2E+06	.	1.0E+00	1.0E+00
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	3.00E-08	1.7E+03	5.4E+04	1.6E+03	1.8E-01	5.8E+00	1.8E-01
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.06E-07	8.9E+04	1.5E+05	5.6E+04	9.8E-01	1.7E+00	6.2E-01
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.26E-08	1.7E+00	3.1E+02	1.7E+00	2.2E-02	4.1E+00	2.2E-02
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.34E-07	2.8E+02	2.5E+03	2.5E+02	1.4E-01	1.3E+00	1.3E-01
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.29E-08	.	5.3E+06	5.3E+06	.	2.4E+00	2.4E+00
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	2.03E-16	2.0E-02	8.6E+08	2.0E-02	2.0E-02	8.6E+08	2.0E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	8.46E-08	1.4E+00	2.0E+02	1.4E+00	1.4E-02	2.1E+00	1.4E-02
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.03E-07	5.3E+02	1.5E+04	5.1E+02	5.8E-02	1.7E+00	5.6E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	2.06E-06	4.95E-07	1.35E-06	1.94E-06	4.92E-07	3.7E+05	1.5E+06	5.6E+05	3.9E+05	1.5E+06	9.2E-10
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.91E-05	5.15E-06	1.37E-05	1.87E-05	5.14E-06	5.0E+02	1.9E+03	7.0E+02	5.1E+02	1.9E+03	1.0E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	1.11E-06	3.12E-07	8.08E-07	1.09E-06	3.25E-07	9.9E+01	3.6E+02	1.4E+02	1.0E+02	3.4E+02	1.7E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	3.98E-06	1.01E-06	2.73E-06	3.85E-06	1.01E-06	2.8E+01	1.1E+02	4.1E+01	2.9E+01	1.1E+02	4.8E-10
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.23E-05	3.07E-06	8.38E-06	1.19E-05	3.08E-06	7.4E+01	2.9E+02	1.1E+02	7.6E+01	2.9E+02	1.6E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	5.36E-09	1.86E-09	4.13E-09	5.27E-09	4.45E-09	4.7E+01	1.4E+02	6.2E+01	4.8E+01	5.7E+01	6.6E-07
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	4.0E+01	2.0E+02	7.2E+01	4.6E+01	2.1E+02	1.8E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	7.29E-05	1.32E-05	3.79E-05	6.09E-05	1.30E-05	1.1E+04	6.0E+04	2.1E+04	1.3E+04	6.0E+04	2.7E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	4.26E-05	1.00E-05	2.78E-05	4.04E-05	1.00E-05	5.0E+03	2.1E+04	7.6E+03	5.3E+03	2.1E+04	4.6E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	1.58E-04	2.77E-05	8.03E-05	1.30E-04	2.69E-05	5.1E+03	2.9E+04	1.0E+04	6.2E+03	3.0E+04	1.2E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.25E-05	1.1E+04	5.3E+04	1.9E+04	1.2E+04	5.3E+04	3.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	3.63E-04	6.97E-05	1.99E-04	3.13E-04	6.82E-05	2.0E+03	1.0E+04	3.6E+03	2.3E+03	1.0E+04	2.3E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	1.91E-04	3.87E-05	1.10E-04	1.69E-04	3.79E-05	7.5E+02	3.7E+03	1.3E+03	8.5E+02	3.8E+03	4.5E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	4.39E-04	8.28E-05	2.37E-04	3.76E-04	8.08E-05	2.8E+02	1.5E+03	5.2E+02	3.3E+02	1.5E+03	2.0E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	2.71E-04	4.73E-05	1.37E-04	2.22E-04	4.54E-05	7.6E+02	4.4E+03	1.5E+03	9.3E+02	4.6E+03	3.2E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	9.97E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	2.4E+02	1.2E+03	4.2E+02	2.7E+02	1.2E+03	8.8E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	3.41E-04	6.61E-05	1.89E-04	2.97E-04	6.47E-05	6.8E+01	3.5E+02	1.2E+02	7.8E+01	3.6E+02	2.6E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	2.30E-04	4.38E-05	1.25E-04	1.97E-04	4.29E-05	2.1E+02	1.1E+03	3.8E+02	2.4E+02	1.1E+03	3.8E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	5.68E-05	1.22E-05	3.43E-05	5.21E-05	1.21E-05	4.7E-01	2.2E+00	7.8E-01	5.2E-01	2.2E+00	1.6E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	1.13E-07	2.44E-08	6.87E-08	1.04E-07	2.42E-08	2.0E+06	9.0E+06	3.2E+06	2.1E+06	9.1E+06	7.9E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	8.20E-05	1.73E-05	4.87E-05	7.45E-05	1.72E-05	8.1E+02	3.8E+03	1.4E+03	8.9E+02	3.9E+03	1.1E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	3.53E-04	6.87E-05	1.95E-04	3.07E-04	6.69E-05	3.8E-01	1.9E+00	6.8E-01	4.4E-01	2.0E+00	2.5E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	2.39E-06	5.20E-07	1.42E-06	2.16E-06	7.20E-07	2.8E+05	1.3E+06	4.7E+05	3.1E+05	9.4E+05	3.8E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	1.93E-04	3.99E-05	1.13E-04	1.74E-04	3.91E-05	9.2E-04	4.5E-03	1.6E-03	1.0E-03	4.6E-03	1.2E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	1.94E-04	4.00E-05	1.13E-04	1.74E-04	3.91E-05	9.2E-04	4.5E-03	1.6E-03	1.0E-03	4.6E-03	1.2E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	2.06E-07	8.13E-08	1.73E-07	2.06E-07	1.50E-07	1.2E+07	3.0E+07	1.4E+07	1.2E+07	1.6E+07	4.5E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	4.61E-06	1.02E-06	2.72E-06	4.13E-06	1.33E-06	8.4E+05	3.8E+06	1.4E+06	9.4E+05	2.9E+06	2.0E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	1.3E-02	6.5E-02	2.3E-02	1.5E-02	6.7E-02	2.6E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	1.3E-02	6.5E-02	2.3E-02	1.5E-02	6.7E-02	2.6E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.97E-06	6.72E-07	1.87E-06	2.78E-06	7.38E-07	5.0E+01	2.2E+02	7.9E+01	5.3E+01	2.0E+02	3.2E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	3.69E-07	9.04E-08	2.34E-07	3.44E-07	1.26E-07	4.0E+06	1.6E+07	6.3E+06	4.3E+06	1.2E+07	2.6E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	9.18E-05	1.71E-05	4.89E-05	7.79E-05	1.69E-05	9.3E+01	5.0E+02	1.7E+02	1.1E+02	5.0E+02	1.0E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	8.65E-06	1.88E-06	5.25E-06	7.89E-06	2.08E-06	5.7E+02	2.6E+03	9.4E+02	6.3E+02	2.4E+03	1.1E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	2.42E-05	5.25E-06	1.47E-05	2.22E-05	5.21E-06	5.8E+04	2.7E+05	9.5E+04	6.3E+04	2.7E+05	4.0E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	3.66E-05	7.07E-06	1.98E-05	3.13E-05	7.23E-06	5.7E+05	2.9E+06	1.0E+06	6.7E+05	2.9E+06	2.6E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	6.41E-05	1.18E-05	3.38E-05	5.40E-05	1.17E-05	1.2E+03	6.8E+03	2.4E+03	1.5E+03	6.8E+03	1.5E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	2.96E-04	5.15E-05	1.49E-04	2.42E-04	4.99E-05	2.0E+03	1.2E+04	4.0E+03	2.5E+03	1.2E+04	3.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	1.80E-04	3.10E-05	8.99E-05	1.46E-04	2.99E-05	7.2E+03	4.2E+04	1.4E+04	8.9E+03	4.3E+04	5.5E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	2.91E-04	5.66E-05	1.61E-04	2.53E-04	5.52E-05	2.7E+03	1.4E+04	4.8E+03	3.1E+03	1.4E+04	2.9E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	3.60E-04	6.41E-05	1.86E-04	2.99E-04	6.22E-05	4.9E-04	2.7E-03	9.4E-04	5.9E-04	2.8E-03	2.5E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	2.52E-04	4.24E-05	1.24E-04	2.04E-04	4.10E-05	2.8E+03	1.7E+04	5.8E+03	3.5E+03	1.7E+04	9.4E-13
Aluminum (13)	Al-29	5.55E+04	1.25E-05	1.88E-04	3.35E-05	9.64E-05	1.56E-04	3.25E-05	1.3E+03	7.3E+03	2.5E+03	1.6E+03	7.5E+03	1.3E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	3.66E-05	8.58E-06	2.36E-05	3.44E-05	8.52E-06	6.0E+02	2.5E+03	9.2E+02	6.4E+02	2.6E+03	5.5E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	1.10E-04	2.17E-05	6.11E-05	9.56E-05	2.12E-05	1.5E+02	7.5E+02	2.7E+02	1.7E+02	7.7E+02	1.8E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	1.89E-05	5.15E-06	1.36E-05	1.85E-05	5.21E-06	1.2E+02	4.3E+02	1.6E+02	1.2E+02	4.3E+02	1.1E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	1.27E-04	2.50E-05	7.07E-05	1.10E-04	2.44E-05	4.1E+00	2.1E+01	7.4E+00	4.7E+00	2.1E+01	1.6E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	7.48E-07	3.72E-07	6.97E-07	7.48E-07	5.05E-07	2.4E-01	4.8E-01	2.6E-01	2.4E-01	3.5E-01	7.0E-08
Americium (95)	Am-242	3.79E+02	1.83E-03	9.40E-07	2.94E-07	7.37E-07	9.37E-07	3.35E-07	1.8E+03	5.6E+03	2.3E+03	1.8E+03	5.0E+03	2.2E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	2.05E-08	9.09E-09	1.68E-08	2.03E-08	3.63E-08	9.1E+00	2.0E+01	1.1E+01	9.2E+00	5.1E+00	8.7E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	1.29E-06	3.67E-07	9.34E-07	1.24E-06	4.32E-07	1.4E-01	5.1E-01	2.0E-01	1.5E-01	4.3E-01	1.4E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	2.64E-06	1.06E-06	2.31E-06	2.64E-06	1.21E-06	6.6E-02	1.7E-01	7.6E-02	6.6E-02	1.5E-01	3.3E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.80E-05	5.10E-06	1.31E-05	1.75E-05	5.24E-06	9.7E-03	3.4E-02	1.3E-02	1.0E-02	3.3E-02	4.9E-08
Americium (95)	Am-244	6.01E+02	1.15E-03	9.66E-05	1.94E-05	5.45E-05	8.52E-05	1.91E-05	2.7E+01	1.4E+02	4.8E+01	3.1E+01	1.4E+02	2.1E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	1.96E-06	4.03E-07	1.10E-06	1.71E-06	5.68E-07	3.1E+04	1.5E+05	5.6E+04	3.6E+04	1.1E+05	1.1E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	2.81E-06	7.27E-07	1.95E-06	2.72E-06	7.64E-07	4.6E+03	1.8E+04	6.6E+03	4.8E+03	1.7E+04	7.4E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	8.49E-05	1.78E-05	4.99E-05	7.64E-05	1.76E-05	4.8E+02	2.3E+03	8.2E+02	5.4E+02	2.3E+03	2.5E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.26E-04	2.40E-05	6.82E-05	1.08E-04	2.35E-05	5.1E+02	2.7E+03	9.4E+02	5.9E+02	2.7E+03	1.7E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.22E-05	3.09E-06	8.38E-06	1.18E-05	3.22E-06	5.7E+03	2.2E+04	8.3E+03	5.9E+03	2.2E+04	1.7E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	1.61E-08	5.50E-09	1.25E-08	1.59E-08	1.39E-08	1.2E+01	3.7E+01	1.6E+01	1.3E+01	1.4E+01	3.7E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	1.73E-04	3.13E-05	8.99E-05	1.45E-04	3.03E-05	8.4E+01	4.7E+02	1.6E+02	1.0E+02	4.8E+02	2.0E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	1.88E-08	6.36E-09	1.45E-08	1.85E-08	1.96E-08	1.3E+01	3.9E+01	1.7E+01	1.4E+01	1.3E+01	5.1E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.20E-06	5.7E-03	3.2E-02	1.1E-02	6.9E-03	3.1E-02	2.2E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	2.10E-04	3.72E-05	1.07E-04	1.74E-04	3.60E-05	1.4E+03	8.0E+03	2.8E+03	1.7E+03	8.3E+03	1.7E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	2.65E-04	4.61E-05	1.34E-04	2.18E-04	4.45E-05	5.1E+02	2.9E+03	1.0E+03	6.2E+02	3.0E+03	1.4E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	4.83E-04	9.09E-05	2.60E-04	4.13E-04	8.87E-05	1.3E+03	6.9E+03	2.4E+03	1.5E+03	7.1E+03	1.2E-12
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.37E-04	2.85E-05	8.03E-05	1.23E-04	2.82E-05	7.6E+02	3.7E+03	1.3E+03	8.5E+02	3.7E+03	4.3E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	5.52E-04	1.04E-04	2.97E-04	4.70E-04	1.01E-04	5.5E+01	2.9E+02	1.0E+02	6.5E+01	3.0E+02	1.1E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	6.50E-05	1.40E-05	3.93E-05	5.93E-05	1.37E-05	6.3E+00	2.9E+01	1.0E+01	6.9E+00	3.0E+01	9.3E-12
Arsenic (33)	As-72	2.33E+02	2.97E-03	2.20E-04	4.43E-05	1.25E-04	1.95E-04	4.35E-05	4.6E+00	2.3E+01	8.2E+00	5.3E+00	2.3E+01	2.8E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.55E-07	8.63E-08	1.49E-07	1.55E-07	1.20E-07	8.9E+01	1.6E+02	9.3E+01	8.9E+01	1.2E+02	4.0E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	9.06E-05	1.88E-05	5.30E-05	8.17E-05	1.85E-05	6.9E-01	3.3E+00	1.2E+00	7.6E-01	3.4E+00	6.9E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	5.24E-05	1.05E-05	2.96E-05	4.61E-05	1.05E-05	2.0E+01	9.8E+01	3.5E+01	2.2E+01	9.8E+01	1.2E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	9.15E-07	2.10E-07	5.81E-07	8.58E-07	2.22E-07	7.5E+02	3.3E+03	1.2E+03	8.0E+02	3.1E+03	7.2E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	1.72E-04	3.22E-05	9.19E-05	1.46E-04	3.14E-05	1.0E+02	5.5E+02	1.9E+02	1.2E+02	5.6E+02	3.9E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	4.48E-06	9.80E-07	2.67E-06	4.04E-06	1.24E-06	4.0E+04	1.8E+05	6.6E+04	4.4E+04	1.4E+05	1.5E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	2.75E-04	5.76E-05	1.62E-04	2.48E-04	5.65E-05	6.3E+02	3.0E+03	1.1E+03	7.0E+02	3.1E+03	6.3E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	1.39E-04	2.78E-05	7.83E-05	1.22E-04	2.72E-05	4.4E+02	2.2E+03	7.8E+02	5.0E+02	2.2E+03	1.3E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	3.00E-04	6.11E-05	1.72E-04	2.66E-04	5.96E-05	1.7E+02	8.5E+02	3.0E+02	2.0E+02	8.7E+02	5.8E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.55E-04	4.87E-05	1.38E-04	2.18E-04	4.73E-05	5.8E+01	3.0E+02	1.1E+02	6.8E+01	3.1E+02	6.9E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	3.79E-04	7.42E-05	2.10E-04	3.28E-04	7.23E-05	4.3E+01	2.2E+02	7.8E+01	5.0E+01	2.3E+02	4.7E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.75E-04	5.60E-05	1.57E-04	2.43E-04	5.46E-05	1.8E+01	8.8E+01	3.1E+01	2.0E+01	9.0E+01	6.4E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	3.88E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	8.5E+00	4.6E+01	1.6E+01	1.0E+01	4.7E+01	4.6E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	2.00E-06	7.02E-07	1.63E-06	1.98E-06	7.57E-07	1.8E+03	5.3E+03	2.3E+03	1.9E+03	4.9E+03	9.0E-10
Astatine (85)	At-211+D	8.42E+02	8.24E-04	2.59E-06	8.18E-07	1.96E-06	2.50E-06	8.71E-07	1.4E+03	4.5E+03	1.9E+03	1.5E+03	4.2E+03	6.9E-10
Astatine (85)	At-215	2.19E+11	3.17E-12	1.91E-08	4.21E-09	1.18E-08	1.77E-08	4.13E-09	5.0E+13	2.3E+14	8.1E+13	5.4E+13	2.3E+14	9.6E-08
Astatine (85)	At-216	7.28E+10	9.51E-12	1.75E-07	5.25E-08	1.31E-07	1.71E-07	5.46E-08	1.8E+12	6.1E+12	2.4E+12	1.9E+12	5.8E+12	1.1E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	2.53E-08	5.86E-09	1.62E-08	2.37E-08	5.74E-09	1.2E+11	5.1E+11	1.8E+11	1.2E+11	5.2E+11	7.3E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	7.42E-10	2.27E-10	4.98E-10	6.91E-10	5.40E-10	9.6E+10	3.1E+11	1.4E+11	1.0E+11	1.3E+11	2.8E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	5.02E-05	1.13E-05	3.15E-05	4.67E-05	1.13E-05	8.6E+03	3.8E+04	1.4E+04	9.2E+03	3.8E+04	3.7E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.80E-04	3.68E-05	1.04E-04	1.60E-04	3.63E-05	8.3E+02	4.1E+03	1.4E+03	9.3E+02	4.1E+03	8.8E-12
Gold (79)	Au-187	4.34E+04	1.60E-05	1.35E-04	2.53E-05	7.22E-05	1.14E-04	2.47E-05	1.4E+03	7.5E+03	2.6E+03	1.7E+03	7.7E+03	1.2E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	3.19E-04	5.60E-05	1.61E-04	2.61E-04	5.36E-05	1.2E+02	6.7E+02	2.3E+02	1.4E+02	6.9E+02	5.1E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	6.31E-05	1.41E-05	3.88E-05	5.78E-05	1.40E-05	1.3E+02	5.9E+02	2.2E+02	1.4E+02	6.0E+02	2.6E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	2.57E-04	4.59E-05	1.32E-04	2.12E-04	4.42E-05	2.1E+01	1.2E+02	4.1E+01	2.5E+01	1.2E+02	6.4E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.26E-05	3.55E-06	8.94E-06	1.21E-05	3.72E-06	1.2E+02	4.2E+02	1.7E+02	1.2E+02	4.0E+02	1.3E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	1.95E-05	4.63E-06	1.28E-05	1.86E-05	4.58E-06	1.3E+06	5.3E+06	1.9E+06	1.3E+06	5.4E+06	8.4E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Gold (79)	Au-194	1.60E+02	4.34E-03	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	5.4E+00	2.8E+01	1.0E+01	6.3E+00	2.9E+01	1.3E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	3.69E-06	1.49E-06	3.22E-06	3.69E-06	1.70E-06	1.6E+00	4.0E+00	1.9E+00	1.6E+00	3.5E+00	4.5E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	1.98E-05	4.72E-06	1.31E-05	1.89E-05	4.64E-06	1.6E+05	6.6E+05	2.4E+05	1.7E+05	6.8E+05	8.3E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	4.89E-05	1.13E-05	3.12E-05	4.58E-05	1.12E-05	3.7E+00	1.6E+01	5.8E+00	3.9E+00	1.6E+01	3.4E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	1.93E-05	5.30E-06	1.38E-05	1.88E-05	5.43E-06	1.4E+02	5.2E+02	2.0E+02	1.5E+02	5.1E+02	8.7E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	4.58E-05	9.95E-06	2.81E-05	4.23E-05	9.85E-06	9.0E+00	4.1E+01	1.5E+01	9.7E+00	4.2E+01	3.7E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	4.73E-05	1.22E-05	3.27E-05	4.58E-05	1.21E-05	1.0E+01	4.0E+01	1.5E+01	1.1E+01	4.0E+01	3.6E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.14E-06	2.18E-06	5.81E-06	7.95E-06	2.17E-06	4.3E+01	1.6E+02	6.1E+01	4.4E+01	1.6E+02	2.1E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	3.53E-05	6.82E-06	1.93E-05	3.05E-05	6.82E-06	9.3E+02	4.8E+03	1.7E+03	1.1E+03	4.8E+03	4.8E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	2.30E-04	4.89E-05	1.37E-04	2.09E-04	4.80E-05	6.2E+00	2.9E+01	1.0E+01	6.8E+00	3.0E+01	7.4E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	4.01E-06	8.68E-07	2.41E-06	3.66E-06	9.75E-07	1.5E+04	7.1E+04	2.5E+04	1.7E+04	6.3E+04	4.3E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	2.25E-05	4.45E-06	1.25E-05	1.96E-05	4.64E-06	1.5E+05	7.5E+05	2.7E+05	1.7E+05	7.2E+05	7.6E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	6.56E-05	1.36E-05	3.83E-05	5.87E-05	1.36E-05	2.2E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	1.6E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	6.78E-05	1.38E-05	3.88E-05	6.00E-05	1.37E-05	2.4E+02	1.2E+03	4.1E+02	2.7E+02	1.2E+03	1.6E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	8.55E-05	1.77E-05	4.98E-05	7.67E-05	1.76E-05	1.5E+03	7.1E+03	2.5E+03	1.6E+03	7.1E+03	1.3E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	4.64E-06	1.17E-06	3.04E-06	4.42E-06	1.39E-06	9.8E+01	3.9E+02	1.5E+02	1.0E+02	3.3E+02	2.3E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	3.76E-05	7.78E-06	2.18E-05	3.35E-05	7.83E-06	3.2E+02	1.5E+03	5.5E+02	3.6E+02	1.5E+03	2.9E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	1.94E-04	3.82E-05	1.09E-04	1.69E-04	3.76E-05	6.3E+01	3.2E+02	1.1E+02	7.3E+01	3.3E+02	5.6E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	4.99E-05	1.11E-05	3.07E-05	4.61E-05	1.12E-05	1.9E+00	8.7E+00	3.1E+00	2.1E+00	8.6E+00	2.2E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.51E-06	1.45E-06	3.54E-06	4.51E-06	1.63E-06	2.4E+04	7.5E+04	3.1E+04	2.4E+04	6.7E+04	2.5E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	3.88E-05	9.04E-06	2.48E-05	3.63E-05	9.31E-06	9.2E-03	4.0E-02	1.4E-02	9.8E-03	3.8E-02	3.6E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	5.40E-06	1.32E-06	3.52E-06	5.11E-06	1.47E-06	1.3E+02	5.2E+02	1.9E+02	1.3E+02	4.6E+02	2.1E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.58E-06	1.14E-06	3.01E-06	4.35E-06	1.30E-06	2.0E+02	8.2E+02	3.1E+02	2.1E+02	7.1E+02	2.5E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	7.26E-05	1.48E-05	4.17E-05	6.47E-05	1.45E-05	8.6E+03	4.2E+04	1.5E+04	9.7E+03	4.3E+04	1.6E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	4.70E-06	1.20E-06	3.19E-06	4.51E-06	1.48E-06	4.1E+03	1.6E+04	6.0E+03	4.3E+03	1.3E+04	2.5E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	2.05E-05	4.40E-06	1.24E-05	1.87E-05	4.42E-06	4.2E+00	2.0E+01	7.0E+00	4.6E+00	2.0E+01	5.8E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	1.14E-04	2.27E-05	6.46E-05	9.97E-05	2.24E-05	7.7E+02	3.8E+03	1.4E+03	8.8E+02	3.9E+03	1.1E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.31E-04	2.56E-05	7.27E-05	1.14E-04	2.50E-05	1.1E+03	5.9E+03	2.1E+03	1.3E+03	6.0E+03	9.2E-12
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.03E-08	6.87E-09	1.57E-08	1.99E-08	1.81E-08	9.6E+00	2.8E+01	1.2E+01	9.8E+00	1.1E+01	4.1E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.81E-06	1.24E-06	3.48E-06	5.30E-06	1.21E-06	3.6E+00	1.7E+01	6.0E+00	3.9E+00	1.7E+01	1.0E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	2.14E-04	4.13E-05	1.17E-04	1.84E-04	4.04E-05	8.0E+02	4.2E+03	1.5E+03	9.3E+02	4.2E+03	7.8E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.91E-04	5.96E-05	1.68E-04	2.59E-04	5.84E-05	1.5E+02	7.4E+02	2.6E+02	1.7E+02	7.5E+02	5.8E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	2.23E-04	4.17E-05	1.19E-04	1.89E-04	4.04E-05	6.6E+01	3.5E+02	1.2E+02	7.8E+01	3.7E+02	7.6E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.41E-04	6.77E-05	1.91E-04	2.98E-04	6.56E-05	4.5E+01	2.3E+02	8.1E+01	5.2E+01	2.4E+02	5.0E-12
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	3.13E-04	5.71E-05	1.64E-04	2.63E-04	5.55E-05	7.2E+00	4.0E+01	1.4E+01	8.6E+00	4.1E+01	5.5E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	3.66E-04	7.12E-05	2.01E-04	3.19E-04	6.91E-05	6.5E+00	3.3E+01	1.2E+01	7.4E+00	3.4E+01	4.7E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	2.22E-04	4.06E-05	1.16E-04	1.86E-04	3.91E-05	3.3E-01	1.8E+00	6.2E-01	3.9E-01	1.8E+00	7.9E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	4.10E-04	7.98E-05	2.27E-04	3.57E-04	7.79E-05	4.3E-01	2.2E+00	7.8E-01	5.0E-01	2.3E+00	4.3E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	1.91E-04	3.75E-05	1.06E-04	1.66E-04	3.66E-05	1.2E-03	6.0E-03	2.1E-03	1.4E-03	6.2E-03	2.3E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	3.85E-04	6.01E-05	1.77E-04	2.97E-04	5.68E-05	4.6E-04	2.9E-03	9.9E-04	5.9E-04	3.1E-03	9.8E-08
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	7.48E-08	2.58E-08	5.55E-08	7.26E-08	1.30E-07	3.0E+03	8.6E+03	4.0E+03	3.0E+03	1.7E+03	2.4E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	2.77E-05	6.31E-06	1.77E-05	2.61E-05	6.19E-06	6.3E-03	2.8E-02	9.9E-03	6.7E-03	2.8E-02	1.1E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	2.79E-05	6.36E-06	1.78E-05	2.63E-05	6.41E-06	6.3E-03	2.8E-02	9.9E-03	6.7E-03	2.7E-02	1.1E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	5.14E-06	1.15E-06	3.23E-06	4.80E-06	1.13E-06	1.4E+05	6.5E+05	2.3E+05	1.6E+05	6.6E+05	3.5E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	2.0E+03	1.0E+04	3.6E+03	2.3E+03	9.8E+03	1.3E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	2.0E+03	1.0E+04	3.6E+03	2.3E+03	9.8E+03	1.3E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	1.55E-07	5.30E-08	1.12E-07	1.49E-07	2.26E-07	1.6E+06	4.8E+06	2.3E+06	1.7E+06	1.1E+06	1.3E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	2.4E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	1.2E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	2.4E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	1.2E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	4.0E+02	2.2E+03	7.8E+02	4.8E+02	2.3E+03	9.2E-12
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	4.0E+02	2.2E+03	7.8E+02	4.8E+02	2.3E+03	9.2E-12
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	7.2E+03	3.4E+04	1.2E+04	7.9E+03	3.3E+04	6.2E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	7.2E+03	3.4E+04	1.2E+04	7.9E+03	3.3E+04	6.2E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	8.77E-05	1.86E-05	5.25E-05	7.98E-05	1.86E-05	8.4E+03	3.9E+04	1.4E+04	9.2E+03	4.0E+04	2.1E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	1.92E-05	5.10E-06	1.36E-05	1.87E-05	5.14E-06	1.2E+01	4.4E+01	1.6E+01	1.2E+01	4.4E+01	1.1E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	1.03E-04	2.06E-05	5.81E-05	8.99E-05	2.02E-05	6.0E+00	3.0E+01	1.1E+01	6.8E+00	3.1E+01	2.0E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.26E-05	3.31E-06	8.79E-06	1.21E-05	3.31E-06	1.4E-02	5.3E-02	2.0E-02	1.5E-02	5.3E-02	1.3E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	5.02E-06	1.21E-06	3.27E-06	4.70E-06	1.26E-06	2.2E+02	9.3E+02	3.4E+02	2.4E+02	8.9E+02	4.2E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	1.27E-10	5.45E-11	1.00E-10	1.23E-10	1.15E-10	2.7E+04	6.2E+04	3.3E+04	2.7E+04	2.9E+04	1.7E-05
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	1.16E-04	2.21E-05	6.26E-05	9.94E-05	2.15E-05	7.2E+01	3.8E+02	1.3E+02	8.3E+01	3.9E+02	1.8E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	6.50E-06	1.87E-06	4.87E-06	6.44E-06	1.96E-06	4.4E+03	1.5E+04	5.9E+03	4.5E+03	1.5E+04	3.3E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	3.82E-04	7.37E-05	2.10E-04	3.31E-04	7.20E-05	3.2E+03	1.7E+04	5.8E+03	3.7E+03	1.7E+04	1.6E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	1.70E-04	3.57E-05	1.00E-04	1.53E-04	3.53E-05	2.8E+03	1.3E+04	4.7E+03	3.1E+03	1.3E+04	3.7E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	6.41E-04	1.08E-04	3.12E-04	5.11E-04	1.03E-04	9.8E+01	5.8E+02	2.0E+02	1.2E+02	6.1E+02	9.8E-13
Bromine (35)	Br-74m	7.92E+03	8.75E-05	5.52E-04	9.95E-05	2.86E-04	4.61E-04	9.59E-05	6.3E+01	3.5E+02	1.2E+02	7.5E+01	3.6E+02	1.1E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	1.39E-04	2.96E-05	8.38E-05	1.27E-04	2.92E-05	1.2E+02	5.6E+02	2.0E+02	1.3E+02	5.7E+02	4.6E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.72E-04	6.72E-05	1.93E-04	3.10E-04	6.47E-05	4.4E+00	2.4E+01	8.5E+00	5.3E+00	2.5E+01	1.7E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	1.42E-06	5.35E-07	1.06E-06	1.34E-06	7.42E-07	5.1E+07	1.4E+08	6.9E+07	5.5E+07	9.9E+07	4.5E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	3.63E-05	7.78E-06	2.19E-05	3.31E-05	7.61E-06	1.3E+01	6.0E+01	2.1E+01	1.4E+01	6.1E+01	1.8E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	1.04E-06	3.24E-07	8.18E-07	1.04E-06	3.35E-07	3.6E+05	1.2E+06	4.6E+05	3.6E+05	1.1E+06	6.3E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	1.23E-04	2.59E-05	7.27E-05	1.11E-04	2.57E-05	2.0E+03	9.6E+03	3.4E+03	2.2E+03	9.6E+03	5.4E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	9.44E-06	1.98E-06	5.55E-06	8.49E-06	2.18E-06	9.6E+03	4.5E+04	1.6E+04	1.1E+04	4.1E+04	7.2E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	1.61E-07	1.25E-07	1.61E-07	1.61E-07	2.87E-07	3.7E+04	4.8E+04	3.7E+04	3.7E+04	2.1E+04	4.2E-09
Bromine (35)	Br-82	1.72E+02	4.03E-03	3.35E-04	6.51E-05	1.85E-04	2.91E-04	6.34E-05	2.3E+00	1.2E+01	4.1E+00	2.6E+00	1.2E+01	2.1E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	3.72E-07	7.62E-08	2.10E-07	3.25E-07	9.28E-08	7.0E+05	3.4E+06	1.2E+06	8.0E+05	2.8E+06	1.9E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	8.62E-07	1.87E-07	5.15E-07	7.83E-07	2.51E-07	1.3E+04	5.9E+04	2.2E+04	1.4E+04	4.4E+04	8.2E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.49E-04	4.15E-05	1.20E-04	1.98E-04	3.98E-05	2.0E+02	1.2E+03	4.2E+02	2.5E+02	1.3E+03	2.9E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	3.60E-04	6.77E-05	1.94E-04	3.08E-04	6.60E-05	7.4E+02	3.9E+03	1.4E+03	8.6E+02	4.0E+03	2.0E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	9.15E-06	1.82E-06	5.05E-06	7.92E-06	2.09E-06	6.0E+04	3.0E+05	1.1E+05	6.9E+04	2.6E+05	7.9E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	2.10E-04	4.35E-05	1.23E-04	1.89E-04	4.26E-05	2.4E+04	1.1E+05	4.1E+04	2.6E+04	1.2E+05	4.0E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	1.20E-04	2.53E-05	7.17E-05	1.09E-04	2.49E-05	7.2E+02	3.4E+03	1.2E+03	8.0E+02	3.5E+03	8.6E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	2.12E-10	1.22E-10	1.98E-10	2.12E-10	2.61E-10	9.2E+02	1.6E+03	9.8E+02	9.2E+02	7.5E+02	2.1E-04
Calcium (20)	Ca-41	6.79E-06	1.02E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Calcium (20)	Ca-45	1.55E+00	4.46E-01	1.07E-09	4.92E-10	9.34E-10	1.07E-09	8.17E-10	6.4E+03	1.4E+04	7.3E+03	6.4E+03	8.3E+03	3.6E-07
Calcium (20)	Ca-47	5.58E+01	1.24E-02	1.40E-04	2.57E-05	7.37E-05	1.18E-04	2.48E-05	1.7E+00	9.5E+00	3.3E+00	2.1E+00	9.8E+00	2.8E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	4.73E-04	7.07E-05	2.09E-04	3.57E-04	6.66E-05	3.9E+02	2.6E+03	8.8E+02	5.1E+02	2.7E+03	8.8E-13
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	3.22E-04	6.01E-05	1.72E-04	2.73E-04	5.87E-05	3.6E+03	2.0E+04	6.8E+03	4.3E+03	2.0E+04	2.7E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	9.91E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	2.9E+03	1.4E+04	5.0E+03	3.3E+03	1.5E+04	8.7E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	2.80E-04	4.98E-05	1.43E-04	2.32E-04	4.80E-05	7.8E+02	4.4E+03	1.5E+03	9.4E+02	4.6E+03	3.1E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	2.53E-05	5.55E-06	1.52E-05	2.28E-05	5.68E-06	1.1E+03	5.0E+03	1.8E+03	1.2E+03	4.9E+03	3.5E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.70E-04	3.11E-05	8.94E-05	1.43E-04	3.02E-05	1.7E+02	9.2E+02	3.2E+02	2.0E+02	9.5E+02	5.2E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.80E-07	2.52E-07	5.96E-07	8.20E-07	4.61E-07	4.6E+03	1.6E+04	6.9E+03	5.0E+03	8.9E+03	1.0E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	2.35E-07	1.10E-07	2.01E-07	2.35E-07	3.08E-07	1.0E+01	2.2E+01	1.2E+01	1.0E+01	7.8E+00	3.9E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	2.80E-05	6.66E-06	1.85E-05	2.68E-05	6.56E-06	1.2E+03	4.9E+03	1.8E+03	1.2E+03	5.0E+03	3.4E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	1.95E-09	8.23E-10	1.66E-09	1.95E-09	1.27E-09	1.0E+02	2.4E+02	1.2E+02	1.0E+02	1.6E+02	2.5E+08
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	1.84E-08	5.66E-09	1.35E-08	1.79E-08	1.15E-08	1.7E+01	5.4E+01	2.3E+01	1.7E+01	2.6E+01	7.4E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	2.26E-05	4.77E-06	1.34E-05	2.05E-05	4.77E-06	2.2E+01	1.0E+02	3.7E+01	2.4E+01	1.0E+02	4.3E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	4.48E-06	8.79E-07	2.45E-06	3.85E-06	1.05E-06	5.5E+00	2.8E+01	1.0E+01	6.5E+00	2.4E+01	2.2E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.40E-04	2.63E-05	7.52E-05	1.20E-04	2.55E-05	7.6E+01	4.1E+02	1.4E+02	8.9E+01	4.2E+02	7.1E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	2.78E-04	4.90E-05	1.42E-04	2.30E-04	4.70E-05	2.8E+01	1.6E+02	5.6E+01	3.4E+01	1.7E+02	3.6E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	8.52E-09	3.03E-09	6.77E-09	8.43E-09	5.27E-09	4.1E+06	1.2E+07	5.2E+06	4.2E+06	6.7E+06	1.3E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	2.22E-04	3.93E-05	1.14E-04	1.83E-04	3.82E-05	2.7E+03	1.5E+04	5.2E+03	3.2E+03	1.6E+04	4.6E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	3.12E-04	5.55E-05	1.60E-04	2.59E-04	5.33E-05	2.3E+03	1.3E+04	4.5E+03	2.8E+03	1.4E+04	3.2E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	5.40E-05	1.16E-05	3.21E-05	4.86E-05	1.16E-05	1.3E+03	6.0E+03	2.2E+03	1.4E+03	6.0E+03	2.0E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	1.99E-04	3.96E-05	1.12E-04	1.75E-04	3.88E-05	7.9E+02	4.0E+03	1.4E+03	9.0E+02	4.0E+03	5.6E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	2.45E-05	6.06E-06	1.64E-05	2.35E-05	6.22E-06	3.1E+02	1.3E+03	4.6E+02	3.2E+02	1.2E+03	4.6E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	5.65E-05	1.26E-05	3.45E-05	5.18E-05	1.29E-05	2.9E+02	1.3E+03	4.8E+02	3.2E+02	1.3E+03	2.0E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	2.16E-04	4.16E-05	1.18E-04	1.86E-04	4.07E-05	2.5E+01	1.3E+02	4.6E+01	2.9E+01	1.3E+02	5.2E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	3.69E-07	2.20E-07	3.23E-07	3.66E-07	4.86E-07	9.5E+02	1.6E+03	1.1E+03	9.6E+02	7.2E+02	3.1E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	9.40E-05	1.98E-05	5.55E-05	8.49E-05	1.96E-05	1.6E+01	7.6E+01	2.7E+01	1.8E+01	7.7E+01	1.2E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.51E-06	4.58E-07	9.90E-07	1.39E-06	7.26E-07	2.0E+03	6.5E+03	3.0E+03	2.1E+03	4.1E+03	7.7E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	4.01E-06	1.01E-06	2.61E-06	3.79E-06	1.19E-06	1.9E+02	7.6E+02	3.0E+02	2.0E+02	6.5E+02	2.9E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.22E-05	3.29E-06	8.68E-06	1.20E-05	3.50E-06	6.6E-01	2.4E+00	9.3E-01	6.7E-01	2.3E+00	9.6E-11
Cerium (58)	Ce-141	7.78E+00	8.91E-02	6.15E-06	1.69E-06	4.46E-06	6.06E-06	1.73E-06	5.5E+00	2.0E+01	7.6E+00	5.6E+00	2.0E+01	1.9E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	2.91E-05	6.46E-06	1.78E-05	2.68E-05	6.69E-06	2.8E+01	1.2E+02	4.5E+01	3.0E+01	1.2E+02	4.2E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	1.33E-06	3.94E-07	9.95E-07	1.31E-06	4.23E-07	2.9E+00	9.9E+00	3.9E+00	3.0E+00	9.2E+00	9.2E-10
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	6.15E-06	1.35E-06	3.58E-06	5.40E-06	1.69E-06	6.3E-01	2.9E+00	1.1E+00	7.2E-01	2.3E+00	2.0E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	9.63E-05	1.96E-05	5.50E-05	8.52E-05	1.97E-05	5.5E+03	2.7E+04	9.6E+03	6.2E+03	2.7E+04	1.3E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	1.64E-09	1.62E-09	1.64E-09	1.64E-09	1.27E-08	5.0E+07	5.1E+07	5.0E+07	5.0E+07	6.5E+06	1.3E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	5.62E-09	2.11E-09	3.79E-09	5.08E-09	9.78E-09	1.3E+05	3.5E+05	2.0E+05	1.5E+05	7.6E+04	3.7E-07
Californium (98)	Cf-247	1.95E+03	3.55E-04	6.78E-06	1.96E-06	5.10E-06	6.72E-06	2.06E-06	1.3E+03	4.4E+03	1.7E+03	1.3E+03	4.1E+03	3.1E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	4.58E-08	9.44E-09	2.44E-08	3.82E-08	1.84E-08	7.2E+01	3.5E+02	1.4E+02	8.7E+01	1.8E+02	4.6E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	3.60E-05	7.98E-06	2.24E-05	3.35E-05	7.83E-06	5.0E-03	2.3E-02	8.0E-03	5.4E-03	2.3E-02	1.2E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.32E-06	2.36E-07	6.77E-07	1.09E-06	2.35E-07	2.4E-01	1.3E+00	4.7E-01	2.9E-01	1.3E+00	2.2E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	9.78E-06	2.64E-06	7.02E-06	9.56E-06	2.67E-06	1.8E-02	6.7E-02	2.5E-02	1.8E-02	6.6E-02	1.1E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	6.15E-05	1.09E-05	3.14E-05	5.05E-05	1.05E-05	1.9E-02	1.1E-01	3.7E-02	2.3E-02	1.1E-01	3.5E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.06E-08	8.33E-09	1.04E-08	1.06E-08	3.76E-08	5.9E+03	7.5E+03	6.0E+03	5.9E+03	1.7E+03	2.0E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	2.27E-03	4.02E-04	1.16E-03	1.87E-03	3.88E-04	8.1E-03	4.6E-02	1.6E-02	9.8E-03	4.7E-02	9.5E-13
Californium (98)	Cf-255	4.29E+03	1.62E-04	1.88E-08	6.41E-09	1.44E-08	1.85E-08	2.46E-08	1.1E+06	3.3E+06	1.4E+06	1.1E+06	8.5E+05	1.3E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	1.23E-04	2.61E-05	7.32E-05	1.12E-04	2.59E-05	5.1E+05	2.4E+06	8.6E+05	5.6E+05	2.4E+06	2.4E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.87E-04	4.98E-05	1.44E-04	2.34E-04	4.80E-05	1.7E+02	1.0E+03	3.5E+02	2.1E+02	1.0E+03	1.0E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	4.58E-08	1.33E-08	3.20E-08	4.35E-08	4.77E-08	3.8E+00	1.3E+01	5.5E+00	4.0E+00	3.7E+00	1.2E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.08E-04	3.44E-05	1.00E-04	1.66E-04	3.31E-05	2.1E+02	1.2E+03	4.3E+02	2.6E+02	1.3E+03	1.6E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	1.93E-04	3.53E-05	1.01E-04	1.63E-04	3.44E-05	1.5E+02	8.1E+02	2.8E+02	1.8E+02	8.3E+02	1.7E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	5.90E-04	9.39E-05	2.75E-04	4.61E-04	8.96E-05	2.0E+03	1.3E+04	4.3E+03	2.6E+03	1.3E+04	5.8E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	5.49E-06	1.68E-06	4.26E-06	5.46E-06	1.72E-06	2.0E+03	6.6E+03	2.6E+03	2.0E+03	6.4E+03	3.7E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	2.16E-05	5.76E-06	1.55E-05	2.12E-05	5.74E-06	4.2E+02	1.6E+03	5.9E+02	4.3E+02	1.6E+03	9.4E-11
Curium (96)	Cm-240	9.37E+00	7.40E-02	2.65E-09	1.79E-09	2.37E-09	2.63E-09	1.26E-08	1.5E+04	2.3E+04	1.7E+04	1.6E+04	3.3E+03	7.7E-07
Curium (96)	Cm-241	7.71E+00	8.99E-02	5.24E-05	1.18E-05	3.27E-05	4.83E-05	1.17E-05	6.4E-01	2.9E+00	1.0E+00	7.0E-01	2.9E+00	3.9E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	2.12E-09	1.51E-09	1.89E-09	2.08E-09	1.11E-08	3.2E+03	4.5E+03	3.6E+03	3.3E+03	6.1E+02	9.7E-07
Curium (96)	Cm-243	2.38E-02	2.91E+01	1.14E-05	2.93E-06	7.88E-06	1.10E-05	2.94E-06	2.0E-02	7.9E-02	3.0E-02	2.1E-02	7.9E-02	4.1E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	3.79E-09	1.62E-09	2.57E-09	3.38E-09	9.85E-09	7.2E+01	1.7E+02	1.1E+02	8.1E+01	2.8E+01	8.9E-07
Curium (96)	Cm-245	8.15E-05	8.50E+03	7.42E-06	2.20E-06	5.66E-06	7.35E-06	2.25E-06	2.4E-02	8.0E-02	3.1E-02	2.4E-02	7.8E-02	1.4E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	4.86E-07	8.74E-08	2.49E-07	4.01E-07	9.09E-08	3.6E-01	2.0E+00	7.0E-01	4.4E-01	1.9E+00	1.2E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	3.53E-05	7.73E-06	2.18E-05	3.28E-05	7.57E-06	5.0E-03	2.3E-02	8.1E-03	5.3E-03	2.3E-02	5.3E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	3.69E-05	8.23E-06	2.29E-05	3.44E-05	8.11E-06	4.7E-03	2.1E-02	7.6E-03	5.1E-03	2.2E-02	5.1E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	1.77E-04	3.14E-05	9.04E-05	1.46E-04	3.03E-05	9.9E-04	5.6E-03	1.9E-03	1.2E-03	5.8E-03	2.4E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.30E-06	4.85E-07	1.36E-06	2.07E-06	5.21E-07	1.1E+04	5.1E+04	1.8E+04	1.2E+04	4.8E+04	9.2E-10
Curium (96)	Cm-250	8.35E-05	8.30E+03	1.80E-03	3.19E-04	9.19E-04	1.48E-03	3.08E-04	9.8E-05	5.5E-04	1.9E-04	1.2E-04	5.7E-04	5.7E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	1.83E-03	3.25E-04	9.39E-04	1.51E-03	3.15E-04	9.6E-05	5.4E-04	1.9E-04	1.2E-04	5.6E-04	5.6E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.28E-05	2.75E-06	7.67E-06	1.17E-05	2.82E-06	7.4E+03	3.5E+04	1.2E+04	8.1E+03	3.4E+04	1.7E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	5.05E-04	9.69E-05	2.77E-04	4.35E-04	9.44E-05	2.1E+03	1.1E+04	3.9E+03	2.5E+03	1.1E+04	9.1E-13
Cobalt (27)	Co-55	3.46E+02	2.00E-03	2.50E-04	4.93E-05	1.40E-04	2.19E-04	4.80E-05	6.1E+00	3.1E+01	1.1E+01	6.9E+00	3.2E+01	1.9E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	4.95E-04	8.68E-05	2.51E-04	4.07E-04	8.36E-05	2.9E-02	1.7E-01	5.7E-02	3.5E-02	1.7E-01	9.6E-13
Cobalt (27)	Co-57	9.31E-01	7.44E-01	9.59E-06	2.75E-06	7.17E-06	9.50E-06	2.72E-06	4.2E-01	1.5E+00	5.7E-01	4.3E-01	1.5E+00	5.0E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	1.21E-04	2.42E-05	6.82E-05	1.07E-04	2.35E-05	1.3E-01	6.5E-01	2.3E-01	1.5E-01	6.6E-01	4.1E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.71E-11	2.67E-11	2.72E-11	2.71E-11	1.21E-10	1.1E+08	1.1E+08	1.1E+08	1.1E+08	2.4E+07	1.8E-05
Cobalt (27)	Co-60	1.31E-01	5.27E+00	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	1.8E-03	9.8E-03	3.4E-03	2.1E-03	1.0E-02	1.6E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	4.83E-07	1.00E-07	2.67E-07	4.10E-07	1.03E-07	3.2E+05	1.5E+06	5.7E+05	3.7E+05	1.5E+06	1.1E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	7.57E-06	2.08E-06	5.04E-06	6.91E-06	2.37E-06	2.1E+03	7.8E+03	3.2E+03	2.3E+03	6.8E+03	6.8E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	2.21E-04	3.90E-05	1.12E-04	1.82E-04	3.79E-05	4.8E+03	2.7E+04	9.5E+03	5.8E+03	2.8E+04	2.4E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	3.66E-04	6.56E-05	1.88E-04	3.04E-04	6.31E-05	3.1E+02	1.7E+03	6.1E+02	3.8E+02	1.8E+03	1.4E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	4.39E-05	1.05E-05	2.88E-05	4.17E-05	1.03E-05	2.8E+01	1.2E+02	4.3E+01	3.0E+01	1.2E+02	9.3E-12
Chromium (24)	Cr-49	8.61E+03	8.05E-05	1.20E-04	2.59E-05	7.22E-05	1.09E-04	2.57E-05	3.2E+02	1.5E+03	5.2E+02	3.5E+02	1.5E+03	3.5E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	3.50E-06	7.83E-07	2.20E-06	3.28E-06	7.61E-07	1.1E+01	5.1E+01	1.8E+01	1.2E+01	5.3E+01	1.2E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	7.95E-07	2.34E-07	5.20E-07	7.35E-07	5.62E-07	5.7E+05	1.9E+06	8.8E+05	6.2E+05	8.1E+05	5.9E-10
Chromium (24)	Cr-56	6.13E+04	1.13E-05	4.70E-06	1.73E-06	3.93E-06	4.70E-06	2.16E-06	5.7E+04	1.6E+05	6.8E+04	5.7E+04	1.2E+05	1.0E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	1.39E-04	2.95E-05	8.28E-05	1.27E-04	2.92E-05	4.4E+03	2.1E+04	7.5E+03	4.9E+03	2.1E+04	7.4E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	1.39E-04	2.94E-05	8.28E-05	1.26E-04	2.91E-05	5.7E+03	2.7E+04	9.5E+03	6.2E+03	2.7E+04	7.4E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	1.27E-04	2.68E-05	7.52E-05	1.15E-04	2.66E-05	2.1E+03	1.0E+04	3.6E+03	2.4E+03	1.0E+04	8.2E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	1.41E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	2.2E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	7.5E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	8.90E-05	1.84E-05	5.20E-05	7.98E-05	1.82E-05	4.0E+02	1.9E+03	6.8E+02	4.4E+02	1.9E+03	1.2E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	1.38E-04	2.88E-05	8.13E-05	1.25E-04	2.86E-05	7.1E+03	3.4E+04	1.2E+04	7.8E+03	3.4E+04	7.8E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	4.70E-05	1.02E-05	2.85E-05	4.32E-05	1.03E-05	9.0E+01	4.2E+02	1.5E+02	9.8E+01	4.1E+02	2.3E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	1.05E-04	2.22E-05	6.21E-05	9.53E-05	2.20E-05	4.2E+03	2.0E+04	7.1E+03	4.6E+03	2.0E+04	1.0E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	2.81E-05	6.26E-06	1.74E-05	2.60E-05	6.47E-06	2.9E+01	1.3E+02	4.8E+01	3.2E+01	1.3E+02	3.9E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	5.84E-05	1.23E-05	3.45E-05	5.27E-05	1.23E-05	9.4E+02	4.5E+03	1.6E+03	1.0E+03	4.4E+03	1.9E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	3.02E-06	1.10E-06	2.41E-06	2.98E-06	1.45E-06	1.5E+05	4.2E+05	1.9E+05	1.5E+05	3.2E+05	3.7E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	1.33E-07	1.20E-07	1.33E-07	1.33E-07	3.60E-07	8.6E+02	9.6E+02	8.6E+02	8.6E+02	3.2E+02	8.4E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	8.49E-05	1.73E-05	4.88E-05	7.57E-05	1.72E-05	2.0E+00	9.9E+00	3.5E+00	2.3E+00	1.0E+01	1.3E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.92E-04	3.86E-05	1.09E-04	1.70E-04	3.76E-05	7.7E-03	3.8E-02	1.3E-02	8.6E-03	3.9E-02	5.9E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	1.37E-06	4.26E-07	1.04E-06	1.35E-06	5.27E-07	6.7E+03	2.1E+04	8.8E+03	6.8E+03	1.7E+04	8.3E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	1.58E-09	6.97E-10	1.36E-09	1.57E-09	1.10E-09	1.2E+02	2.8E+02	1.4E+02	1.2E+02	1.8E+02	1.1E-01
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	2.01E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	1.5E+02	7.6E+02	2.7E+02	1.7E+02	7.8E+02	5.7E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.68E-04	5.25E-05	1.48E-04	2.34E-04	5.08E-05	3.1E-01	1.6E+00	5.7E-01	3.6E-01	1.7E+00	4.3E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	1.49E-08	5.20E-09	1.15E-08	1.46E-08	1.50E-08	1.5E+01	4.4E+01	2.0E+01	1.6E+01	1.5E+01	1.8E-07
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	6.85E-05	1.40E-05	3.94E-05	6.12E-05	1.37E-05	3.4E-03	1.6E-02	5.8E-03	3.8E-03	1.7E-02	3.9E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	3.22E-04	5.71E-05	1.64E-04	2.66E-04	5.52E-05	1.5E+02	8.4E+02	2.9E+02	1.8E+02	8.6E+02	3.6E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	5.18E-05	9.85E-06	2.81E-05	4.42E-05	9.75E-06	1.1E+04	5.6E+04	2.0E+04	1.2E+04	5.6E+04	2.3E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	4.39E-05	7.67E-06	2.21E-05	3.60E-05	7.73E-06	3.9E+03	2.2E+04	7.8E+03	4.8E+03	2.2E+04	2.7E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	2.47E-04	4.26E-05	1.23E-04	2.01E-04	4.13E-05	6.1E+03	3.5E+04	1.2E+04	7.5E+03	3.6E+04	4.8E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	1.45E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	3.4E+06	1.6E+07	5.7E+06	3.7E+06	1.6E+07	3.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	1.77E-04	3.62E-05	1.02E-04	1.58E-04	3.57E-05	6.6E+03	3.2E+04	1.2E+04	7.4E+03	3.3E+04	2.8E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	5.24E-04	9.44E-05	2.72E-04	4.35E-04	9.12E-05	1.3E+02	7.1E+02	2.5E+02	1.5E+02	7.4E+02	9.7E-13
Copper (29)	Cu-61	1.82E+03	3.80E-04	9.75E-05	2.04E-05	5.76E-05	8.84E-05	2.01E-05	8.2E+01	3.9E+02	1.4E+02	9.0E+01	4.0E+02	5.3E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	1.20E-04	2.53E-05	7.12E-05	1.09E-04	2.51E-05	1.4E+03	6.5E+03	2.3E+03	1.5E+03	6.6E+03	4.4E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Copper (29)	Cu-64	4.78E+02	1.45E-03	2.18E-05	4.58E-06	1.29E-05	1.98E-05	4.48E-06	9.6E+01	4.6E+02	1.6E+02	1.1E+02	4.7E+02	2.5E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	1.34E-05	2.62E-06	7.32E-06	1.15E-05	2.86E-06	2.3E+04	1.2E+05	4.3E+04	2.7E+04	1.1E+05	4.2E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	1.04E-05	2.68E-06	7.27E-06	1.01E-05	2.65E-06	4.2E+01	1.6E+02	5.9E+01	4.3E+01	1.6E+02	5.5E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	6.85E-05	1.32E-05	3.74E-05	5.90E-05	1.31E-05	8.2E+03	4.2E+04	1.5E+04	9.5E+03	4.3E+04	8.6E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	8.36E-05	1.74E-05	4.85E-05	7.48E-05	1.72E-05	5.8E+03	2.8E+04	1.0E+04	6.5E+03	2.8E+04	1.5E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	2.06E-04	3.88E-05	1.10E-04	1.75E-04	3.79E-05	1.8E+03	9.8E+03	3.5E+03	2.2E+03	1.0E+04	6.1E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	2.93E-05	6.56E-06	1.82E-05	2.72E-05	6.63E-06	7.6E+03	3.4E+04	1.2E+04	8.2E+03	3.4E+04	4.3E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.71E-04	3.31E-05	9.34E-05	1.48E-04	3.25E-05	5.2E+02	2.7E+03	9.5E+02	6.0E+02	2.7E+03	7.5E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	2.71E-05	6.56E-06	1.78E-05	2.58E-05	6.63E-06	4.1E+02	1.7E+03	6.3E+02	4.3E+02	1.7E+03	4.8E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	9.94E-05	2.03E-05	5.66E-05	8.68E-05	2.04E-05	4.2E+01	2.0E+02	7.3E+01	4.8E+01	2.0E+02	1.3E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.70E-05	1.58E-05	4.40E-05	6.78E-05	1.57E-05	3.5E+01	1.7E+02	6.1E+01	4.0E+01	1.7E+02	1.7E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	3.44E-05	8.03E-06	2.20E-05	3.25E-05	8.14E-06	9.5E+01	4.1E+02	1.5E+02	1.0E+02	4.0E+02	3.9E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	8.71E-07	5.55E-07	8.53E-07	8.68E-07	8.93E-07	8.8E+00	1.4E+01	9.0E+00	8.8E+00	8.6E+00	1.6E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	2.65E-06	6.31E-07	1.65E-06	2.42E-06	7.86E-07	4.3E+03	1.8E+04	6.9E+03	4.7E+03	1.4E+04	5.3E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	1.52E-06	3.86E-07	9.95E-07	1.42E-06	4.13E-07	8.4E+05	3.3E+06	1.3E+06	9.0E+05	3.1E+06	9.2E-10
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	1.75E-06	7.02E-07	1.43E-06	1.71E-06	8.96E-07	1.9E+02	4.6E+02	2.3E+02	1.9E+02	3.6E+02	8.1E-10
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	6.06E-05	1.31E-05	3.65E-05	5.52E-05	1.31E-05	4.2E+03	2.0E+04	7.0E+03	4.7E+03	2.0E+04	2.3E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	4.29E-05	9.49E-06	2.63E-05	3.94E-05	9.53E-06	4.3E+03	1.9E+04	7.0E+03	4.6E+03	1.9E+04	3.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	4.20E-06	1.24E-06	2.82E-06	3.88E-06	1.57E-06	1.0E+05	3.5E+05	1.5E+05	1.1E+05	2.7E+05	3.1E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	2.41E-06	9.49E-07	1.89E-06	2.34E-06	1.32E-06	3.4E+04	8.6E+04	4.3E+04	3.5E+04	6.2E+04	5.5E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	1.17E-04	2.31E-05	6.51E-05	1.02E-04	2.28E-05	3.8E+02	1.9E+03	6.8E+02	4.3E+02	1.9E+03	1.2E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	1.20E-04	2.39E-05	6.72E-05	1.05E-04	2.35E-05	6.9E+01	3.5E+02	1.2E+02	7.9E+01	3.5E+02	1.1E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	9.85E-07	5.45E-07	9.09E-07	9.72E-07	8.05E-07	2.2E+04	3.9E+04	2.3E+04	2.2E+04	2.6E+04	1.4E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	8.27E-07	5.01E-07	8.08E-07	8.27E-07	7.51E-07	3.1E+03	5.1E+03	3.2E+03	3.1E+03	3.4E+03	1.7E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	8.84E-06	2.21E-06	6.01E-06	8.55E-06	2.22E-06	4.8E+06	1.9E+07	7.0E+06	4.9E+06	1.9E+07	1.6E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	2.58E-09	1.05E-09	2.16E-09	2.57E-09	1.56E-09	4.6E+04	1.1E+05	5.5E+04	4.6E+04	7.6E+04	5.6E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	3.76E-05	8.84E-06	2.43E-05	3.57E-05	8.90E-06	9.4E+01	4.0E+02	1.5E+02	9.9E+01	4.0E+02	3.9E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	5.74E-05	1.24E-05	3.44E-05	5.21E-05	1.24E-05	9.4E+00	4.3E+01	1.6E+01	1.0E+01	4.3E+01	2.5E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	9.44E-05	2.00E-05	5.55E-05	8.43E-05	1.99E-05	1.2E+04	5.6E+04	2.0E+04	1.3E+04	5.6E+04	1.6E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	4.35E-05	9.69E-06	2.69E-05	4.01E-05	9.59E-06	3.6E+02	1.6E+03	5.8E+02	3.9E+02	1.6E+03	4.9E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.35E-04	2.86E-05	7.98E-05	1.21E-04	2.83E-05	2.3E+01	1.1E+02	3.9E+01	2.6E+01	1.1E+02	1.6E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	6.63E-05	1.32E-05	3.70E-05	5.74E-05	1.29E-05	1.8E+02	9.1E+02	3.2E+02	2.1E+02	9.3E+02	3.2E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	6.72E-06	1.96E-06	5.10E-06	6.66E-06	2.04E-06	1.2E+02	4.1E+02	1.6E+02	1.2E+02	4.0E+02	3.2E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	3.38E-08	8.13E-09	2.15E-08	3.14E-08	1.10E-08	1.6E+03	6.7E+03	2.5E+03	1.7E+03	4.9E+03	6.4E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	2.21E-07	7.57E-08	1.63E-07	2.12E-07	1.71E-07	1.8E+01	5.3E+01	2.5E+01	1.9E+01	2.3E+01	9.8E-09
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	1.16E-04	2.22E-05	6.26E-05	9.97E-05	2.16E-05	3.5E-02	1.8E-01	6.4E-02	4.0E-02	1.9E-01	1.9E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	5.71E-05	1.17E-05	3.29E-05	5.11E-05	1.15E-05	1.2E+01	5.8E+01	2.1E+01	1.3E+01	5.9E+01	3.8E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	9.31E-08	1.68E-08	4.78E-08	7.67E-08	1.65E-08	3.0E+02	1.7E+03	5.8E+02	3.6E+02	1.7E+03	2.3E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	1.87E-07	6.61E-08	1.35E-07	1.79E-07	2.72E-07	3.4E+05	9.5E+05	4.6E+05	3.5E+05	2.3E+05	1.2E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	1.51E-04	3.09E-05	8.68E-05	1.34E-04	3.05E-05	2.7E+05	1.3E+06	4.7E+05	3.1E+05	1.3E+06	8.0E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	4.26E-04	8.53E-05	2.42E-04	3.76E-04	8.36E-05	3.1E+03	1.5E+04	5.4E+03	3.5E+03	1.6E+04	2.8E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	1.40E-04	2.79E-05	7.88E-05	1.23E-04	2.75E-05	4.4E+03	2.2E+04	7.8E+03	5.0E+03	2.2E+04	8.7E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	1.36E-04	2.77E-05	7.83E-05	1.21E-04	2.74E-05	6.9E+04	3.4E+05	1.2E+05	7.8E+04	3.4E+05	9.0E-12
Europium (63)	Eu-145	4.27E+01	1.62E-02	1.65E-04	3.07E-05	8.74E-05	1.39E-04	3.00E-05	1.1E+00	6.1E+00	2.1E+00	1.3E+00	6.2E+00	7.5E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	3.04E-04	5.86E-05	1.66E-04	2.62E-04	5.71E-05	7.9E-01	4.1E+00	1.4E+00	9.2E-01	4.2E+00	4.1E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	5.21E-05	1.10E-05	3.02E-05	4.64E-05	1.10E-05	8.8E-01	4.2E+00	1.5E+00	9.9E-01	4.2E+00	2.4E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	2.73E-04	5.45E-05	1.55E-04	2.40E-04	5.33E-05	7.5E-02	3.7E-01	1.3E-01	8.5E-02	3.8E-01	4.6E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.04E-06	1.13E-06	2.70E-06	3.79E-06	1.39E-06	2.9E+00	1.1E+01	4.4E+00	3.1E+00	8.6E+00	3.1E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Europium (63)	Eu-150	1.88E-02	3.69E+01	1.83E-04	3.80E-05	1.07E-04	1.64E-04	3.72E-05	1.2E-03	5.8E-03	2.1E-03	1.3E-03	5.9E-03	1.9E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	5.55E-06	1.18E-06	3.28E-06	5.02E-06	1.26E-06	3.7E+02	1.8E+03	6.3E+02	4.1E+02	1.7E+03	2.3E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	1.46E-04	2.83E-05	8.03E-05	1.26E-04	2.77E-05	2.1E-03	1.1E-02	3.9E-03	2.5E-03	1.1E-02	1.2E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.63E-05	7.22E-06	2.02E-05	3.16E-05	7.26E-06	7.9E+01	4.0E+02	1.4E+02	9.0E+01	3.9E+02	3.6E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	4.07E-06	1.45E-06	3.37E-06	4.07E-06	1.59E-06	4.1E+03	1.1E+04	4.9E+03	4.1E+03	1.0E+04	3.2E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	1.58E-04	3.04E-05	8.63E-05	1.36E-04	2.97E-05	2.6E-03	1.3E-02	4.7E-03	3.0E-03	1.4E-02	9.6E-12
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.03E-06	1.19E-06	2.57E-06	3.02E-06	1.43E-06	1.1E+04	2.9E+04	1.4E+04	1.1E+04	2.4E+04	4.3E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	3.38E-06	1.19E-06	2.78E-06	3.38E-06	1.32E-06	1.9E-01	5.5E-01	2.4E-01	1.9E-01	5.0E-01	4.0E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	1.66E-04	2.97E-05	8.53E-05	1.38E-04	2.88E-05	4.4E-01	2.5E+00	8.5E-01	5.3E-01	2.5E+00	8.0E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	2.98E-05	6.77E-06	1.83E-05	2.74E-05	7.01E-06	5.9E+01	2.6E+02	9.6E+01	6.4E+01	2.5E+02	4.5E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	1.69E-04	3.17E-05	9.04E-05	1.44E-04	3.10E-05	2.1E+02	1.1E+03	3.8E+02	2.4E+02	1.1E+03	8.0E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	3.13E-05	6.92E-06	1.84E-05	2.78E-05	7.42E-06	2.8E+03	1.3E+04	4.8E+03	3.2E+03	1.2E+04	4.3E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	1.2E+04	5.8E+04	2.1E+04	1.4E+04	5.9E+04	1.2E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	1.16E-04	2.46E-05	6.92E-05	1.06E-04	2.41E-05	1.4E+02	6.6E+02	2.3E+02	1.5E+02	6.7E+02	1.5E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.30E-05	1.82E-05	5.10E-05	7.64E-05	1.78E-05	3.9E+01	1.8E+02	6.3E+01	4.2E+01	1.8E+02	5.3E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	1.39E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	1.3E+03	6.4E+03	2.3E+03	1.5E+03	6.4E+03	3.2E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	4.04E-04	7.47E-05	2.14E-04	3.41E-04	7.20E-05	1.6E+03	8.5E+03	3.0E+03	1.9E+03	8.8E+03	1.1E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	1.29E-14	3.69E-15	9.69E-15	1.28E-14	3.66E-15	8.6E+07	3.0E+08	1.1E+08	8.6E+07	3.0E+08	3.6E-02
Iron (26)	Fe-59	5.68E+00	1.22E-01	1.57E-04	2.90E-05	8.33E-05	1.33E-04	2.81E-05	1.6E-01	8.6E-01	3.0E-01	1.9E-01	8.9E-01	3.2E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	4.77E-10	2.50E-10	4.34E-10	4.77E-10	4.80E-10	4.1E+02	7.8E+02	4.5E+02	4.1E+02	4.1E+02	1.0E-01
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	5.2E-04	2.9E-03	1.0E-03	6.2E-04	3.0E-03	1.3E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	1.84E-04	3.41E-05	9.74E-05	1.56E-04	3.31E-05	1.4E+03	7.8E+03	2.7E+03	1.7E+03	8.1E+03	2.8E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	6.00E-05	1.27E-05	3.57E-05	5.46E-05	1.27E-05	2.3E+04	1.1E+05	3.9E+04	2.6E+04	1.1E+05	8.8E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.42E-05	3.48E-06	9.39E-06	1.33E-05	3.50E-06	3.5E+02	1.4E+03	5.3E+02	3.8E+02	1.4E+03	1.5E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.60E-08	8.03E-09	1.98E-08	3.04E-08	1.72E-08	2.9E+04	1.3E+05	5.3E+04	3.4E+04	6.1E+04	6.0E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.51E-06	1.27E-06	3.32E-06	4.42E-06	1.36E-06	8.2E+01	2.9E+02	1.1E+02	8.4E+01	2.7E+02	4.8E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	9.47E-07	1.70E-07	4.84E-07	7.79E-07	1.73E-07	8.7E+03	4.8E+04	1.7E+04	1.1E+04	4.7E+04	2.3E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	1.06E-07	4.65E-08	8.94E-08	1.05E-07	1.33E-07	1.2E+04	2.8E+04	1.5E+04	1.3E+04	1.0E+04	2.0E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	1.67E-03	2.97E-04	8.53E-04	1.38E-03	2.87E-04	6.1E+00	3.4E+01	1.2E+01	7.3E+00	3.5E+01	1.3E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	1.33E-05	3.22E-06	8.68E-06	1.23E-05	3.25E-06	8.3E-01	3.4E+00	1.3E+00	8.9E-01	3.4E+00	1.6E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	1.42E-04	2.75E-05	7.78E-05	1.22E-04	2.68E-05	5.6E+02	2.9E+03	1.0E+03	6.5E+02	3.0E+03	1.3E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	3.91E-07	8.74E-08	2.44E-07	3.66E-07	8.58E-08	1.2E+10	5.5E+10	2.0E+10	1.3E+10	5.6E+10	4.8E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	6.15E-07	1.93E-07	4.76E-07	6.06E-07	2.06E-07	5.7E+06	1.8E+07	7.3E+06	5.8E+06	1.7E+07	3.0E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	7.89E-07	2.46E-07	6.06E-07	7.76E-07	2.60E-07	4.4E+06	1.4E+07	5.8E+06	4.5E+06	1.3E+07	2.4E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	2.83E-06	6.92E-07	1.91E-06	2.73E-06	6.82E-07	1.1E+05	4.7E+05	1.7E+05	1.2E+05	4.8E+05	6.6E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	2.86E-06	6.97E-07	1.92E-06	2.75E-06	6.88E-07	1.1E+05	4.7E+05	1.7E+05	1.2E+05	4.7E+05	6.6E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.84E-05	4.27E-06	1.18E-05	1.72E-05	4.39E-06	6.1E+03	2.6E+04	9.5E+03	6.5E+03	2.6E+04	1.0E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	3.66E-06	1.08E-06	2.60E-06	3.50E-06	1.31E-06	2.0E+04	6.7E+04	2.8E+04	2.1E+04	5.6E+04	5.2E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	6.91E-05	1.34E-05	3.82E-05	5.96E-05	1.33E-05	6.9E+03	3.6E+04	1.3E+04	8.0E+03	3.6E+04	2.8E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	4.86E-05	1.08E-05	2.96E-05	4.42E-05	1.09E-05	1.3E+04	6.0E+04	2.2E+04	1.5E+04	5.9E+04	4.0E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	4.54E-04	8.08E-05	2.33E-04	3.76E-04	7.83E-05	1.3E+03	7.5E+03	2.6E+03	1.6E+03	7.8E+03	1.2E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	1.35E-04	2.87E-05	8.03E-05	1.22E-04	2.84E-05	7.8E+02	3.7E+03	1.3E+03	8.6E+02	3.7E+03	4.1E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	3.44E-04	5.86E-05	1.69E-04	2.77E-04	5.62E-05	8.1E+00	4.8E+01	1.7E+01	1.0E+01	5.0E+01	1.6E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	1.46E-05	3.64E-06	9.90E-06	1.40E-05	3.60E-06	2.3E+01	9.3E+01	3.4E+01	2.4E+01	9.4E+01	3.9E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	2.1E+02	1.0E+03	3.5E+02	2.3E+02	1.0E+03	5.1E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	1.15E-06	2.54E-07	6.66E-07	1.01E-06	4.67E-07	6.6E+04	3.0E+05	1.1E+05	7.4E+04	1.6E+05	5.2E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	3.66E-04	6.51E-05	1.87E-04	3.03E-04	6.25E-05	5.2E+00	2.9E+01	1.0E+01	6.2E+00	3.0E+01	1.7E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	3.85E-05	8.48E-06	2.39E-05	3.57E-05	8.46E-06	1.4E+02	6.4E+02	2.3E+02	1.5E+02	6.5E+02	1.6E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	4.35E-04	7.47E-05	2.17E-04	3.53E-04	7.23E-05	4.5E+02	2.6E+03	9.0E+02	5.6E+02	2.7E+03	1.4E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	1.27E-04	2.56E-05	7.22E-05	1.12E-04	2.52E-05	1.1E+04	5.3E+04	1.9E+04	1.2E+04	5.4E+04	9.5E-12
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	2.60E-04	5.20E-05	1.47E-04	2.29E-04	5.11E-05	3.3E+03	1.7E+04	5.9E+03	3.8E+03	1.7E+04	4.7E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	1.15E-04	2.19E-05	6.21E-05	9.81E-05	2.15E-05	3.1E+03	1.6E+04	5.7E+03	3.6E+03	1.7E+04	1.1E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	3.31E-04	5.71E-05	1.66E-04	2.70E-04	5.52E-05	2.1E+02	1.2E+03	4.2E+02	2.6E+02	1.3E+03	3.7E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	8.30E-05	1.69E-05	4.76E-05	7.38E-05	1.66E-05	1.4E+04	6.7E+04	2.4E+04	1.5E+04	6.8E+04	1.5E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	1.52E-05	4.81E-06	1.16E-05	1.51E-05	5.43E-06	1.5E+00	4.8E+00	2.0E+00	1.5E+00	4.2E+00	8.1E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	1.67E-04	3.40E-05	9.59E-05	1.48E-04	3.35E-05	4.2E+00	2.1E+01	7.3E+00	4.7E+00	2.1E+01	7.5E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	5.52E-05	1.23E-05	3.39E-05	5.05E-05	1.24E-05	2.2E+00	9.7E+00	3.5E+00	2.4E+00	9.6E+00	2.3E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	3.82E-06	1.19E-06	2.76E-06	3.72E-06	1.47E-06	2.3E+00	7.5E+00	3.2E+00	2.4E+00	6.1E+00	3.4E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	4.35E-06	1.71E-06	3.64E-06	4.35E-06	2.18E-06	1.1E+00	2.7E+00	1.3E+00	1.1E+00	2.1E+00	3.0E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	5.14E-06	1.22E-06	3.28E-06	4.80E-06	1.33E-06	2.8E+02	1.2E+03	4.4E+02	3.0E+02	1.1E+03	2.6E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	4.73E-05	1.03E-05	2.90E-05	4.39E-05	1.02E-05	4.0E+03	1.8E+04	6.6E+03	4.3E+03	1.9E+04	2.9E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.64E-05	1.64E-05	4.59E-05	6.94E-05	1.62E-05	1.5E+02	7.2E+02	2.6E+02	1.7E+02	7.3E+02	7.3E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.71E-04	3.52E-05	9.95E-05	1.53E-04	3.47E-05	4.9E+02	2.4E+03	8.5E+02	5.5E+02	2.4E+03	3.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	1.10E-11	1.10E-11	1.10E-11	1.10E-11	3.98E-10	3.7E+05	3.7E+05	3.7E+05	3.7E+05	1.0E+04	5.3E-05
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	3.6E-02	1.7E-01	6.1E-02	4.0E-02	1.7E-01	5.1E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	1.20E-04	2.33E-05	6.61E-05	1.04E-04	2.27E-05	5.7E+00	2.9E+01	1.0E+01	6.5E+00	3.0E+01	4.9E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.11E-11	1.11E-11	1.11E-11	1.11E-11	4.04E-10	8.7E+06	8.7E+06	8.7E+06	8.7E+06	2.4E+05	5.4E-05
Germanium (32)	Ge-75	4.40E+03	1.57E-04	3.82E-06	8.89E-07	2.48E-06	3.63E-06	9.85E-07	5.0E+03	2.2E+04	7.8E+03	5.3E+03	2.0E+04	1.7E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	1.30E-04	2.65E-05	7.52E-05	1.16E-04	2.60E-05	1.8E+01	8.9E+01	3.1E+01	2.0E+01	9.1E+01	5.0E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	2.98E-05	6.82E-06	1.92E-05	2.83E-05	6.63E-06	6.1E+02	2.7E+03	9.4E+02	6.4E+02	2.7E+03	2.2E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	6.85E-05	1.51E-05	4.20E-05	6.31E-05	1.51E-05	1.1E+04	5.2E+04	1.9E+04	1.2E+04	5.2E+04	2.1E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	7.07E-05	1.55E-05	4.29E-05	6.47E-05	1.55E-05	7.0E+03	3.2E+04	1.1E+04	7.6E+03	3.2E+04	2.0E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	4.39E-05	1.01E-05	2.73E-05	4.04E-05	1.03E-05	3.8E+01	1.6E+02	6.1E+01	4.1E+01	1.6E+02	3.3E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	4.0E-01	9.5E-01	4.6E-01	4.0E-01	7.6E-01	3.6E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	4.0E-01	9.5E-01	4.6E-01	4.0E-01	7.6E-01	3.6E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	3.50E-05	8.94E-06	2.36E-05	3.35E-05	9.09E-06	3.2E+01	1.3E+02	4.8E+01	3.4E+01	1.2E+02	4.2E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	3.47E-05	8.23E-06	2.23E-05	3.25E-05	8.30E-06	4.6E-01	1.9E+00	7.1E-01	4.9E-01	1.9E+00	4.3E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	2.36E-04	5.45E-05	1.51E-04	2.22E-04	5.40E-05	1.3E+02	5.7E+02	2.0E+02	1.4E+02	5.8E+02	6.4E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	2.46E-04	5.45E-05	1.52E-04	2.27E-04	5.36E-05	9.3E-04	4.2E-03	1.5E-03	1.0E-03	4.3E-03	1.4E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	9.44E-05	2.19E-05	6.01E-05	8.84E-05	2.17E-05	4.7E-01	2.0E+00	7.4E-01	5.0E-01	2.0E+00	1.6E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.05E-04	2.38E-05	6.61E-05	9.78E-05	2.35E-05	4.6E+01	2.0E+02	7.3E+01	4.9E+01	2.1E+02	1.5E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.78E-05	1.29E-05	3.58E-05	5.33E-05	1.27E-05	4.5E-01	2.0E+00	7.3E-01	4.9E-01	2.0E+00	2.7E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	2.46E-05	5.76E-06	1.61E-05	2.34E-05	5.65E-06	7.1E-03	3.0E-02	1.1E-02	7.5E-03	3.1E-02	3.3E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	1.87E-04	3.69E-05	1.04E-04	1.62E-04	3.60E-05	9.3E-04	4.7E-03	1.7E-03	1.1E-03	4.9E-03	4.3E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	1.00E-04	2.19E-05	6.06E-05	9.15E-05	2.17E-05	2.6E+02	1.2E+03	4.3E+02	2.8E+02	1.2E+03	1.5E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	9.21E-05	1.89E-05	5.30E-05	8.17E-05	1.87E-05	2.7E+02	1.3E+03	4.7E+02	3.0E+02	1.3E+03	1.7E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	2.18E-05	5.40E-06	1.46E-05	2.08E-05	5.49E-06	3.0E+02	1.2E+03	4.4E+02	3.1E+02	1.2E+03	7.2E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	1.43E-05	4.27E-06	1.08E-05	1.41E-05	4.42E-06	5.6E+03	1.9E+04	7.4E+03	5.7E+03	1.8E+04	1.1E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	1.77E-04	3.59E-05	1.01E-04	1.56E-04	3.50E-05	1.8E+02	8.7E+02	3.1E+02	2.0E+02	9.0E+02	9.2E-12
Mercury (80)	Hg-192	1.25E+03	5.54E-04	2.36E-05	6.11E-06	1.62E-05	2.26E-05	6.22E-06	2.3E+02	9.0E+02	3.4E+02	2.4E+02	8.8E+02	6.9E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	1.01E-04	1.99E-05	5.60E-05	8.74E-05	1.95E-05	6.9E+01	3.5E+02	1.2E+02	8.0E+01	3.6E+02	1.6E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	1.02E-04	2.00E-05	5.66E-05	8.80E-05	1.97E-05	6.9E+01	3.5E+02	1.2E+02	7.9E+01	3.6E+02	1.6E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	1.25E-04	2.47E-05	6.97E-05	1.09E-04	2.41E-05	1.8E+01	9.1E+01	3.2E+01	2.1E+01	9.3E+01	1.3E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Mercury (80)	Hg-194	1.58E-03	4.40E+02	9.75E-11	9.74E-11	9.74E-11	9.75E-11	2.32E-09	1.8E+03	1.8E+03	1.8E+03	1.8E+03	7.7E+01	4.4E-04
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	1.4E-03	7.2E-03	2.5E-03	1.6E-03	7.4E-03	3.3E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.94E-05	4.47E-06	1.18E-05	1.74E-05	4.54E-06	1.3E+02	5.6E+02	2.1E+02	1.4E+02	5.6E+02	8.5E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	1.97E-05	4.63E-06	1.25E-05	1.83E-05	4.64E-06	3.2E+01	1.4E+02	5.1E+01	3.5E+01	1.4E+02	8.4E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	3.28E-06	1.32E-06	2.85E-06	3.28E-06	1.50E-06	1.2E+02	3.1E+02	1.4E+02	1.2E+02	2.7E+02	5.1E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	7.04E-06	2.04E-06	5.20E-06	6.88E-06	2.10E-06	1.6E+02	5.5E+02	2.1E+02	1.6E+02	5.3E+02	2.4E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.54E-05	4.08E-06	1.08E-05	1.48E-05	4.13E-06	2.4E+03	9.2E+03	3.5E+03	2.5E+03	9.0E+03	1.1E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	2.49E-05	5.76E-06	1.61E-05	2.36E-05	5.62E-06	9.6E-01	4.1E+00	1.5E+00	1.0E+00	4.2E+00	6.9E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	6.66E-07	1.79E-07	4.55E-07	6.37E-07	3.50E-07	4.6E+05	1.7E+06	6.7E+05	4.8E+05	8.8E+05	2.6E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	1.31E-05	2.97E-06	8.28E-06	1.22E-05	3.02E-06	1.5E+04	6.6E+04	2.4E+04	1.6E+04	6.5E+04	1.3E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	3.57E-04	6.41E-05	1.85E-04	2.97E-04	6.19E-05	1.5E+03	8.6E+03	3.0E+03	1.9E+03	8.9E+03	4.9E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	2.32E-04	4.75E-05	1.34E-04	2.07E-04	4.67E-05	5.4E+03	2.6E+04	9.3E+03	6.0E+03	2.7E+04	5.5E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	1.20E-04	2.51E-05	7.07E-05	1.08E-04	2.49E-05	6.6E+03	3.2E+04	1.1E+04	7.4E+03	3.2E+04	1.1E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	1.21E-04	2.60E-05	7.22E-05	1.10E-04	2.58E-05	1.4E+03	6.6E+03	2.4E+03	1.6E+03	6.7E+03	1.1E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	2.29E-04	4.64E-05	1.31E-04	2.03E-04	4.58E-05	5.9E+02	2.9E+03	1.0E+03	6.7E+02	3.0E+03	5.7E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	2.87E-04	6.01E-05	1.69E-04	2.59E-04	5.90E-05	1.8E+03	8.6E+03	3.0E+03	2.0E+03	8.7E+03	4.6E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	6.94E-05	1.45E-05	4.04E-05	6.19E-05	1.45E-05	4.8E+02	2.3E+03	8.2E+02	5.4E+02	2.3E+03	1.9E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	2.63E-04	5.10E-05	1.44E-04	2.27E-04	4.99E-05	1.1E+02	5.6E+02	2.0E+02	1.3E+02	5.7E+02	5.0E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	6.09E-05	1.34E-05	3.67E-05	5.52E-05	1.36E-05	2.1E+03	9.4E+03	3.5E+03	2.3E+03	9.3E+03	2.2E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.38E-05	8.38E-06	2.20E-05	3.15E-05	8.77E-06	1.4E+03	5.8E+03	2.2E+03	1.5E+03	5.5E+03	4.0E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	2.07E-04	4.13E-05	1.16E-04	1.81E-04	4.07E-05	3.0E+02	1.5E+03	5.4E+02	3.4E+02	1.5E+03	6.6E-12
Holmium (67)	Ho-161	2.45E+03	2.83E-04	1.46E-06	7.32E-07	1.30E-06	1.45E-06	1.10E-06	7.3E+03	1.5E+04	8.2E+03	7.4E+03	9.7E+03	9.4E-10
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.58E-05	3.47E-06	9.14E-06	1.38E-05	3.69E-06	6.7E+03	3.1E+04	1.2E+04	7.7E+03	2.9E+04	8.7E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	6.50E-05	1.31E-05	3.64E-05	5.65E-05	1.31E-05	3.7E+02	1.8E+03	6.5E+02	4.2E+02	1.8E+03	2.1E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Holmium (67)	Ho-164	1.26E+04	5.52E-05	7.48E-07	4.09E-07	7.02E-07	7.48E-07	6.22E-07	7.4E+04	1.3E+05	7.8E+04	7.4E+04	8.8E+04	1.9E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	9.75E-07	5.86E-07	9.49E-07	9.75E-07	8.90E-07	4.3E+04	7.2E+04	4.4E+04	4.3E+04	4.7E+04	1.4E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	3.25E-06	7.22E-07	1.86E-06	2.79E-06	9.69E-07	3.1E+02	1.4E+03	5.3E+02	3.6E+02	1.0E+03	4.3E-10
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	1.93E-04	3.99E-05	1.12E-04	1.73E-04	3.91E-05	9.1E-04	4.4E-03	1.6E-03	1.0E-03	4.5E-03	5.1E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	3.91E-05	8.89E-06	2.47E-05	3.66E-05	8.77E-06	2.2E+02	9.7E+02	3.5E+02	2.3E+02	9.8E+02	3.6E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	1.09E-04	2.17E-05	6.11E-05	9.56E-05	2.14E-05	4.9E+03	2.5E+04	8.7E+03	5.6E+03	2.5E+04	1.3E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	1.38E-07	8.33E-08	1.35E-07	1.38E-07	1.25E-07	5.2E+06	8.7E+06	5.4E+06	5.2E+06	5.8E+06	1.0E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	2.10E-04	4.17E-05	1.18E-04	1.84E-04	4.10E-05	2.8E+03	1.4E+04	4.9E+03	3.1E+03	1.4E+04	6.9E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	2.50E-04	5.04E-05	1.43E-04	2.22E-04	4.95E-05	4.7E+02	2.3E+03	8.1E+02	5.3E+02	2.4E+03	4.0E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	4.64E-04	9.29E-05	2.63E-04	4.10E-04	9.09E-05	4.0E+02	2.0E+03	7.1E+02	4.6E+02	2.1E+03	2.2E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	1.04E-04	2.23E-05	6.26E-05	9.53E-05	2.21E-05	8.0E+02	3.7E+03	1.3E+03	8.8E+02	3.8E+03	9.7E-12
Iodine (53)	I-120	4.46E+03	1.55E-04	3.50E-04	6.41E-05	1.84E-04	2.94E-04	6.22E-05	5.6E+01	3.0E+02	1.1E+02	6.6E+01	3.1E+02	2.9E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	4.45E-04	8.63E-05	2.46E-04	3.85E-04	8.43E-05	6.8E+01	3.5E+02	1.2E+02	7.8E+01	3.6E+02	2.3E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	4.20E-05	9.34E-06	2.61E-05	3.88E-05	9.34E-06	3.0E+02	1.3E+03	4.8E+02	3.2E+02	1.3E+03	2.5E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	1.15E-04	2.40E-05	6.77E-05	1.04E-04	2.39E-05	3.8E+03	1.8E+04	6.5E+03	4.2E+03	1.8E+04	9.0E-12
Iodine (53)	I-123	4.57E+02	1.51E-03	1.39E-05	3.60E-06	9.64E-06	1.35E-05	3.79E-06	1.4E+02	5.6E+02	2.1E+02	1.5E+02	5.3E+02	7.5E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.39E-04	2.69E-05	7.67E-05	1.21E-04	2.64E-05	1.9E+00	9.9E+00	3.5E+00	2.2E+00	1.0E+01	7.6E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	1.97E-07	1.82E-07	1.96E-07	1.97E-07	6.19E-07	9.5E+01	1.0E+02	9.5E+01	9.5E+01	3.0E+01	5.4E-09
Iodine (53)	I-126	1.96E+01	3.54E-02	5.08E-05	1.06E-05	2.98E-05	4.58E-05	1.05E-05	1.7E+00	8.1E+00	2.9E+00	1.9E+00	8.2E+00	2.1E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	8.02E-06	1.76E-06	4.86E-06	7.35E-06	1.98E-06	8.0E+03	3.6E+04	1.3E+04	8.7E+03	3.2E+04	1.4E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	1.67E-07	1.44E-07	1.66E-07	1.67E-07	4.01E-07	1.0E+00	1.2E+00	1.1E+00	1.0E+00	4.4E-01	6.0E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	2.61E-04	5.30E-05	1.50E-04	2.33E-04	5.18E-05	8.2E+00	4.1E+01	1.4E+01	9.2E+00	4.2E+01	4.2E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	1.28E-05	2.63E-06	7.37E-06	1.14E-05	2.67E-06	1.4E+04	6.9E+04	2.4E+04	1.6E+04	6.8E+04	8.6E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	4.32E-05	9.44E-06	2.65E-05	4.01E-05	9.25E-06	3.2E+00	1.5E+01	5.2E+00	3.4E+00	1.5E+01	2.6E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Iodine (53)	I-132	2.65E+03	2.62E-04	2.85E-04	5.60E-05	1.59E-04	2.49E-04	5.46E-05	4.1E+01	2.1E+02	7.3E+01	4.7E+01	2.1E+02	3.9E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	4.01E-05	8.23E-06	2.31E-05	3.57E-05	8.14E-06	4.8E+02	2.3E+03	8.3E+02	5.4E+02	2.4E+03	2.8E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	7.38E-05	1.52E-05	4.29E-05	6.63E-05	1.50E-05	1.7E+01	8.4E+01	3.0E+01	1.9E+01	8.5E+01	1.5E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	3.31E-04	6.41E-05	1.82E-04	2.87E-04	6.22E-05	9.2E+01	4.7E+02	1.7E+02	1.1E+02	4.9E+02	3.4E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	2.88E-05	6.56E-06	1.82E-05	2.70E-05	6.66E-06	1.5E+04	6.8E+04	2.4E+04	1.6E+04	6.7E+04	4.0E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	2.12E-04	3.83E-05	1.11E-04	1.78E-04	3.72E-05	1.9E+01	1.1E+02	3.7E+01	2.3E+01	1.1E+02	5.4E-12
Indium (49)	In-103	3.64E+05	1.90E-06	3.53E-04	6.72E-05	1.91E-04	3.03E-04	6.53E-05	4.5E+03	2.4E+04	8.3E+03	5.3E+03	2.4E+04	2.5E-12
Indium (49)	In-105	7.18E+04	9.65E-06	2.40E-04	4.72E-05	1.34E-04	2.10E-04	4.61E-05	1.3E+03	6.7E+03	2.3E+03	1.5E+03	6.8E+03	3.7E-12
Indium (49)	In-106	5.87E+04	1.18E-05	4.42E-04	8.84E-05	2.49E-04	3.88E-04	8.62E-05	5.8E+02	2.9E+03	1.0E+03	6.6E+02	3.0E+03	2.0E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	3.69E-04	6.87E-05	1.96E-04	3.13E-04	6.66E-05	8.3E+02	4.5E+03	1.6E+03	9.8E+02	4.6E+03	2.4E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.96E-04	3.68E-05	1.05E-04	1.67E-04	3.57E-05	2.5E+02	1.3E+03	4.7E+02	2.9E+02	1.4E+03	4.6E-12
Indium (49)	In-108	6.28E+03	1.10E-04	4.99E-04	9.59E-05	2.73E-04	4.32E-04	9.31E-05	5.5E+01	2.9E+02	1.0E+02	6.4E+01	3.0E+02	1.8E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	3.76E-04	6.51E-05	1.89E-04	3.06E-04	6.28E-05	1.1E+02	6.2E+02	2.1E+02	1.3E+02	6.4E+02	2.4E-12
Indium (49)	In-109	1.45E+03	4.79E-04	7.54E-05	1.53E-05	4.33E-05	6.66E-05	1.50E-05	8.4E+01	4.1E+02	1.5E+02	9.5E+01	4.2E+02	1.2E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	7.42E-05	1.51E-05	4.28E-05	6.63E-05	1.48E-05	1.6E+04	7.9E+04	2.8E+04	1.8E+04	8.0E+04	1.2E-11
Indium (49)	In-110	1.24E+03	5.59E-04	3.88E-04	7.62E-05	2.16E-04	3.38E-04	7.45E-05	1.4E+01	7.1E+01	2.5E+01	1.6E+01	7.3E+01	2.4E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	1.96E-04	3.87E-05	1.10E-04	1.72E-04	3.79E-05	1.2E+02	6.0E+02	2.1E+02	1.3E+02	6.1E+02	4.8E-12
Indium (49)	In-111	9.02E+01	7.68E-03	3.85E-05	9.34E-06	2.59E-05	3.72E-05	9.28E-06	1.0E+01	4.2E+01	1.5E+01	1.1E+01	4.3E+01	2.5E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	5.55E-05	1.17E-05	3.28E-05	5.05E-05	1.15E-05	3.7E+03	1.8E+04	6.3E+03	4.1E+03	1.8E+04	1.7E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.11E-05	6.51E-06	1.84E-05	2.81E-05	6.50E-06	3.4E+03	1.6E+04	5.8E+03	3.8E+03	1.6E+04	3.1E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.87E-06	5.20E-07	1.34E-06	1.83E-06	6.37E-07	4.2E+04	1.5E+05	5.8E+04	4.2E+04	1.2E+05	5.1E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	2.88E-05	6.31E-06	1.77E-05	2.67E-05	6.22E-06	5.6E+02	2.5E+03	9.0E+02	6.0E+02	2.6E+03	3.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	6.34E-07	1.67E-07	3.95E-07	5.71E-07	4.23E-07	2.1E+06	8.0E+06	3.4E+06	2.3E+06	3.1E+06	1.5E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	7.95E-06	1.76E-06	4.91E-06	7.32E-06	1.81E-06	2.8E+00	1.3E+01	4.6E+00	3.1E+00	1.2E+01	1.2E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	8.55E-06	1.92E-06	5.30E-06	7.89E-06	2.22E-06	2.6E+00	1.2E+01	4.2E+00	2.8E+00	1.0E+01	1.1E-10
Indium (49)	In-115	1.57E-15	4.41E+14	7.42E-09	2.68E-09	5.91E-09	7.35E-09	4.26E-09	2.6E+01	7.3E+01	3.3E+01	2.6E+01	4.6E+01	3.7E+06
Indium (49)	In-115m	1.35E+03	5.12E-04	1.71E-05	3.82E-06	1.07E-05	1.60E-05	3.82E-06	3.5E+02	1.6E+03	5.5E+02	3.7E+02	1.6E+03	5.7E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	3.31E-04	6.01E-05	1.72E-04	2.77E-04	5.78E-05	8.8E+01	4.9E+02	1.7E+02	1.1E+02	5.1E+02	3.0E-12
Indium (49)	In-117	8.43E+03	8.22E-05	7.86E-05	1.70E-05	4.77E-05	7.20E-05	1.67E-05	4.7E+02	2.2E+03	7.7E+02	5.1E+02	2.2E+03	1.3E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	9.06E-06	2.14E-06	5.91E-06	8.62E-06	2.25E-06	1.5E+03	6.4E+03	2.3E+03	1.6E+03	6.1E+03	1.1E-10
Indium (49)	In-118	4.37E+06	1.59E-07	1.26E-05	2.51E-06	6.87E-06	1.08E-05	2.82E-06	1.5E+06	7.6E+06	2.8E+06	1.8E+06	6.8E+06	7.9E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	3.63E-04	6.82E-05	1.94E-04	3.10E-04	6.63E-05	1.0E+03	5.4E+03	1.9E+03	1.2E+03	5.5E+03	2.8E-12
Indium (49)	In-119	1.52E+05	4.57E-06	9.56E-05	1.91E-05	5.40E-05	8.43E-05	1.89E-05	7.0E+03	3.5E+04	1.2E+04	7.9E+03	3.5E+04	1.1E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	8.93E-06	1.77E-06	4.91E-06	7.70E-06	2.04E-06	9.9E+03	5.0E+04	1.8E+04	1.2E+04	4.4E+04	1.1E-10
Indium (49)	In-121	9.46E+05	7.32E-07	1.18E-04	2.31E-05	6.51E-05	1.03E-04	2.28E-05	3.5E+04	1.8E+05	6.4E+04	4.0E+04	1.8E+05	8.7E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	7.45E-06	1.65E-06	4.23E-06	6.41E-06	2.11E-06	5.5E+04	2.5E+05	9.7E+04	6.4E+04	1.9E+05	1.4E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	1.88E-04	3.95E-05	1.11E-04	1.69E-04	3.88E-05	5.7E+03	2.7E+04	9.6E+03	6.3E+03	2.7E+04	8.1E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.66E-04	3.47E-05	9.74E-05	1.49E-04	3.41E-05	6.4E+02	3.1E+03	1.1E+03	7.1E+02	3.1E+03	9.3E-12
Iridium (77)	Ir-183	6.28E+03	1.10E-04	1.47E-04	2.82E-05	7.98E-05	1.25E-04	2.75E-05	1.9E+02	9.8E+02	3.4E+02	2.2E+02	1.0E+03	1.1E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	2.41E-04	4.74E-05	1.34E-04	2.09E-04	4.64E-05	3.6E+01	1.8E+02	6.4E+01	4.1E+01	1.9E+02	6.5E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	1.06E-04	1.99E-05	5.66E-05	8.90E-05	1.95E-05	1.7E+01	9.3E+01	3.3E+01	2.1E+01	9.5E+01	1.5E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	2.03E-04	4.00E-05	1.13E-04	1.76E-04	3.91E-05	7.9E+00	4.0E+01	1.4E+01	9.1E+00	4.1E+01	7.8E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	1.58E-04	3.01E-05	8.53E-05	1.35E-04	2.93E-05	8.8E+01	4.6E+02	1.6E+02	1.0E+02	4.7E+02	1.0E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	3.47E-05	7.67E-06	2.07E-05	3.11E-05	7.73E-06	7.3E+01	3.3E+02	1.2E+02	8.1E+01	3.3E+02	4.6E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	2.82E-04	4.94E-05	1.42E-04	2.31E-04	4.77E-05	2.3E+00	1.3E+01	4.5E+00	2.8E+00	1.3E+01	5.7E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	4.32E-06	1.48E-06	3.38E-06	4.23E-06	1.66E-06	1.9E+01	5.7E+01	2.5E+01	2.0E+01	5.1E+01	3.7E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.68E-04	3.60E-05	1.01E-04	1.53E-04	3.53E-05	5.6E-01	2.6E+00	9.3E-01	6.2E-01	2.7E+00	9.6E-12
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	1.92E-11	1.92E-11	1.92E-11	1.92E-11	5.68E-10	1.2E+09	1.2E+09	1.2E+09	1.2E+09	4.2E+07	8.4E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	2.46E-06	1.01E-06	2.12E-06	2.45E-06	1.18E-06	3.5E+03	8.5E+03	4.1E+03	3.5E+03	7.3E+03	6.6E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	4.32E-06	1.46E-06	3.46E-06	4.29E-06	1.58E-06	4.5E+06	1.3E+07	5.6E+06	4.5E+06	1.2E+07	3.8E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	9.15E-05	2.01E-05	5.66E-05	8.49E-05	1.97E-05	1.6E-01	7.5E-01	2.7E-01	1.8E-01	7.6E-01	1.8E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	4.83E-09	1.32E-09	3.27E-09	4.58E-09	3.35E-09	2.3E+08	8.3E+08	3.4E+08	2.4E+08	3.3E+08	3.4E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	3.16E-08	1.17E-08	2.61E-08	3.14E-08	1.71E-08	5.8E+00	1.6E+01	7.0E+00	5.8E+00	1.1E+01	7.5E-07
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.25E-08	5.55E-09	1.13E-08	1.25E-08	7.16E-09	8.4E+03	1.9E+04	9.3E+03	8.4E+03	1.5E+04	1.3E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	1.11E-05	2.36E-06	6.61E-06	1.00E-05	2.56E-06	1.2E+02	5.8E+02	2.1E+02	1.4E+02	5.4E+02	1.5E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	2.73E-04	5.76E-05	1.63E-04	2.48E-04	5.65E-05	2.4E-02	1.1E-01	4.0E-02	2.6E-02	1.1E-01	6.0E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	3.04E-06	1.12E-06	2.51E-06	3.02E-06	1.31E-06	3.5E+03	9.5E+03	4.2E+03	3.5E+03	8.1E+03	5.5E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	4.01E-05	9.04E-06	2.49E-05	3.72E-05	8.96E-06	1.7E+02	7.7E+02	2.8E+02	1.9E+02	7.8E+02	4.1E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	2.89E-05	5.96E-06	1.68E-05	2.58E-05	6.15E-06	6.4E+04	3.1E+05	1.1E+05	7.1E+04	3.0E+05	5.8E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	2.88E-04	6.11E-05	1.72E-04	2.62E-04	5.96E-05	6.6E+01	3.1E+02	1.1E+02	7.3E+01	3.2E+02	5.8E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	4.35E-04	7.57E-05	2.20E-04	3.57E-04	7.32E-05	4.8E+02	2.8E+03	9.5E+02	5.9E+02	2.9E+03	7.4E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	2.16E-05	3.83E-06	1.11E-05	1.79E-05	3.85E-06	8.1E-03	4.6E-02	1.6E-02	9.8E-03	4.6E-02	1.1E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.16E-06	5.4E+01	3.0E+02	1.1E+02	6.6E+01	3.0E+02	9.0E-12
Potassium (19)	K-43	2.72E+02	2.55E-03	1.14E-04	2.39E-05	6.77E-05	1.03E-04	2.34E-05	1.0E+01	5.0E+01	1.8E+01	1.2E+01	5.1E+01	3.2E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	3.35E-04	5.66E-05	1.65E-04	2.70E-04	5.46E-05	2.2E+02	1.3E+03	4.4E+02	2.7E+02	1.3E+03	1.1E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	2.52E-04	4.37E-05	1.27E-04	2.06E-04	4.20E-05	3.7E+02	2.1E+03	7.3E+02	4.5E+02	2.2E+03	1.5E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	4.13E-04	6.77E-05	1.96E-04	3.25E-04	6.47E-05	2.2E+03	1.3E+04	4.6E+03	2.8E+03	1.4E+04	9.5E-13
Krypton (36)	Kr-74	3.17E+04	2.19E-05	1.20E-04	2.60E-05	7.27E-05	1.10E-04	2.57E-05	1.2E+03	5.3E+03	1.9E+03	1.3E+03	5.4E+03	5.3E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	1.49E-04	3.19E-05	8.94E-05	1.35E-04	3.15E-05	2.5E+03	1.2E+04	4.2E+03	2.7E+03	1.2E+04	4.3E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	3.9E+01	1.8E+02	6.3E+01	4.2E+01	1.8E+02	1.4E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	3.9E+01	1.8E+02	6.3E+01	4.2E+01	1.8E+02	1.4E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	1.17E-04	2.55E-05	7.12E-05	1.07E-04	2.53E-05	1.8E+02	8.4E+02	3.0E+02	2.0E+02	8.5E+02	5.6E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	2.89E-05	6.16E-06	1.73E-05	2.64E-05	6.00E-06	2.6E+01	1.2E+02	4.4E+01	2.9E+01	1.3E+02	2.3E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	8.80E-08	2.05E-08	5.71E-08	8.36E-08	3.13E-08	2.0E+00	8.5E+00	3.1E+00	2.1E+00	5.6E+00	1.0E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	1.24E-05	3.06E-06	8.48E-06	1.21E-05	2.99E-06	5.9E+05	2.4E+06	8.6E+05	6.1E+05	2.4E+06	5.6E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	3.38E-10	3.22E-10	3.36E-10	3.38E-10	5.05E-09	4.3E+07	4.5E+07	4.3E+07	4.3E+07	2.9E+06	2.1E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	2.87E-07	6.36E-08	1.75E-07	2.63E-07	8.87E-08	1.2E+00	5.5E+00	2.0E+00	1.3E+00	4.0E+00	3.1E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	1.47E-05	3.72E-06	1.01E-05	1.43E-05	3.69E-06	4.0E+02	1.6E+03	5.8E+02	4.2E+02	1.6E+03	4.9E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	1.08E-04	1.91E-05	5.50E-05	8.90E-05	1.87E-05	1.9E+02	1.1E+03	3.8E+02	2.3E+02	1.1E+03	6.8E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	2.75E-04	4.58E-05	1.34E-04	2.20E-04	4.39E-05	3.4E+01	2.0E+02	7.0E+01	4.3E+01	2.1E+02	2.7E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	2.65E-04	4.61E-05	1.33E-04	2.16E-04	4.45E-05	1.9E+03	1.1E+04	3.8E+03	2.3E+03	1.1E+04	2.9E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	3.50E-04	6.97E-05	1.98E-04	3.08E-04	6.85E-05	8.8E+02	4.4E+03	1.6E+03	1.0E+03	4.5E+03	3.1E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.24E-05	1.3E+03	6.1E+03	2.2E+03	1.4E+03	6.1E+03	1.0E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	2.77E-04	5.50E-05	1.56E-04	2.43E-04	5.36E-05	6.6E+02	3.3E+03	1.2E+03	7.5E+02	3.4E+03	4.0E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	7.35E-05	1.59E-05	4.43E-05	6.69E-05	1.58E-05	3.7E+02	1.7E+03	6.1E+02	4.0E+02	1.7E+03	1.5E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	2.55E-04	4.82E-05	1.38E-04	2.18E-04	4.70E-05	2.2E+01	1.1E+02	4.0E+01	2.5E+01	1.2E+02	4.4E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	7.67E-05	1.62E-05	4.51E-05	6.91E-05	1.60E-05	8.6E+02	4.1E+03	1.5E+03	9.5E+02	4.1E+03	1.5E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.63E-05	3.51E-06	9.64E-06	1.47E-05	3.69E-06	4.2E+02	1.9E+03	7.0E+02	4.6E+02	1.8E+03	7.0E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	8.49E-05	1.78E-05	5.01E-05	7.67E-05	1.78E-05	2.9E+03	1.4E+04	4.9E+03	3.2E+03	1.4E+04	1.3E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.39E-06	4.16E-07	9.04E-07	1.28E-06	6.75E-07	9.8E+02	3.3E+03	1.5E+03	1.1E+03	2.0E+03	8.2E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	4.64E-05	9.85E-06	2.75E-05	4.20E-05	9.91E-06	3.5E+03	1.6E+04	5.9E+03	3.9E+03	1.6E+04	2.5E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	1.86E-07	1.58E-07	1.85E-07	1.86E-07	4.13E-07	9.4E-01	1.1E+00	9.5E-01	9.4E-01	4.2E-01	2.2E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	1.63E-04	2.97E-05	8.53E-05	1.37E-04	2.87E-05	1.1E-03	5.9E-03	2.1E-03	1.3E-03	6.1E-03	4.2E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	3.10E-04	5.55E-05	1.61E-04	2.59E-04	5.40E-05	2.1E+00	1.2E+01	4.1E+00	2.6E+00	1.2E+01	3.8E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	4.23E-06	8.28E-07	2.26E-06	3.57E-06	1.10E-06	1.6E+03	8.2E+03	3.0E+03	1.9E+03	6.1E+03	2.8E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	3.35E-04	5.55E-05	1.63E-04	2.68E-04	5.33E-05	5.2E+01	3.2E+02	1.1E+02	6.5E+01	3.3E+02	3.6E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	3.66E-05	6.61E-06	1.89E-05	3.05E-05	6.72E-06	3.1E+03	1.7E+04	5.9E+03	3.7E+03	1.7E+04	3.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	1.32E-04	2.65E-05	7.42E-05	1.15E-04	2.62E-05	1.1E+03	5.6E+03	2.0E+03	1.3E+03	5.7E+03	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.19E-04	4.00E-05	1.15E-04	1.83E-04	3.88E-05	1.4E+02	7.7E+02	2.7E+02	1.7E+02	8.0E+02	6.5E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	1.65E-04	3.14E-05	8.89E-05	1.40E-04	3.07E-05	4.7E+00	2.5E+01	8.8E+00	5.6E+00	2.5E+01	8.7E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	4.17E-12	4.07E-12	4.17E-12	4.17E-12	1.04E-10	1.4E+11	1.5E+11	1.4E+11	1.4E+11	5.7E+09	3.4E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	3.50E-04	6.01E-05	1.74E-04	2.84E-04	5.78E-05	1.6E+00	9.2E+00	3.2E+00	1.9E+00	9.5E+00	4.1E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	7.26E-05	1.53E-05	4.20E-05	6.44E-05	1.54E-05	1.9E+00	8.8E+00	3.2E+00	2.1E+00	8.7E+00	2.0E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	1.17E-08	5.45E-09	1.07E-08	1.17E-08	6.85E-09	1.0E+08	2.2E+08	1.1E+08	1.0E+08	1.8E+08	1.2E-07
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	2.44E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	6.8E-01	3.5E+00	1.2E+00	7.9E-01	3.6E+00	6.0E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	2.52E-11	1.80E-11	2.50E-11	2.52E-11	6.72E-11	1.7E+10	2.4E+10	1.7E+10	1.7E+10	6.4E+09	5.8E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	1.21E-05	3.60E-06	8.63E-06	1.16E-05	4.04E-06	1.8E-01	6.2E-01	2.6E-01	1.9E-01	5.5E-01	1.2E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	1.01E-05	2.35E-06	5.91E-06	8.77E-06	2.56E-06	9.1E-02	3.9E-01	1.6E-01	1.1E-01	3.6E-01	1.5E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	2.48E-06	9.85E-07	1.98E-06	2.37E-06	1.25E-06	3.1E+00	7.9E+00	3.9E+00	3.3E+00	6.3E+00	6.0E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.83E-05	1.15E-05	3.17E-05	4.61E-05	1.13E-05	3.6E-03	1.5E-02	5.5E-03	3.8E-03	1.6E-02	6.9E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	7.61E-07	2.93E-07	6.36E-07	7.57E-07	4.61E-07	9.6E+03	2.5E+04	1.1E+04	9.7E+03	1.6E+04	2.0E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	3.08E-06	8.03E-07	2.15E-06	2.99E-06	8.05E-07	5.4E+01	2.1E+02	7.8E+01	5.6E+01	2.1E+02	4.9E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	9.81E-05	2.35E-05	6.46E-05	9.31E-05	2.34E-05	7.0E-02	2.9E-01	1.1E-01	7.4E-02	2.9E-01	1.5E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.64E-05	3.09E-06	8.68E-06	1.38E-05	3.25E-06	3.4E+03	1.8E+04	6.5E+03	4.1E+03	1.7E+04	9.2E-11
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.09E-04	2.52E-05	6.97E-05	1.02E-04	2.50E-05	6.3E+02	2.7E+03	9.9E+02	6.8E+02	2.8E+03	1.4E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	3.12E-06	7.52E-07	2.07E-06	2.98E-06	8.90E-07	1.9E+03	7.7E+03	2.8E+03	1.9E+03	6.5E+03	4.9E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	1.93E-04	3.69E-05	1.05E-04	1.66E-04	3.60E-05	1.4E+03	7.6E+03	2.7E+03	1.7E+03	7.8E+03	7.9E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	6.56E-05	1.40E-05	3.89E-05	5.93E-05	1.40E-05	6.9E+03	3.3E+04	1.2E+04	7.7E+03	3.2E+04	2.3E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	1.14E-04	2.22E-05	6.26E-05	9.88E-05	2.18E-05	1.5E+03	7.6E+03	2.7E+03	1.7E+03	7.7E+03	2.0E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.77E-04	3.31E-05	9.44E-05	1.51E-04	3.22E-05	7.2E+00	3.8E+01	1.3E+01	8.4E+00	3.9E+01	1.3E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	6.00E-04	1.14E-04	3.26E-04	5.14E-04	1.11E-04	1.5E+03	8.0E+03	2.8E+03	1.8E+03	8.2E+03	7.1E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	1.18E-04	2.49E-05	7.02E-05	1.07E-04	2.47E-05	2.9E+02	1.4E+03	4.9E+02	3.2E+02	1.4E+03	3.7E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	4.51E-04	8.48E-05	2.42E-04	3.85E-04	8.20E-05	4.4E-01	2.3E+00	8.2E-01	5.1E-01	2.4E+00	9.8E-13
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	3.11E-04	5.91E-05	1.69E-04	2.67E-04	5.74E-05	2.4E+02	1.3E+03	4.5E+02	2.8E+02	1.3E+03	1.4E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Manganese (25)	Mn-54	8.10E-01	8.55E-01	1.05E-04	2.07E-05	5.86E-05	9.21E-05	2.02E-05	3.4E-02	1.7E-01	6.1E-02	3.9E-02	1.8E-01	4.4E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	2.28E-04	4.10E-05	1.18E-04	1.90E-04	3.98E-05	4.5E+01	2.5E+02	8.7E+01	5.4E+01	2.6E+02	2.1E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	1.19E-05	2.55E-06	7.02E-06	1.06E-05	2.82E-06	9.4E+04	4.4E+05	1.6E+05	1.1E+05	4.0E+05	4.1E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	3.19E-04	5.86E-05	1.68E-04	2.68E-04	5.71E-05	4.6E+03	2.5E+04	8.8E+03	5.5E+03	2.6E+04	1.5E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.92E-04	3.58E-05	1.02E-04	1.63E-04	3.47E-05	5.7E+02	3.1E+03	1.1E+03	6.7E+02	3.1E+03	4.5E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.84E-06	4.59E-07	1.26E-06	1.78E-06	5.30E-07	7.7E+04	3.1E+05	1.1E+05	7.9E+04	2.7E+05	4.7E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	1.49E-04	3.07E-05	8.68E-05	1.34E-04	3.05E-05	5.1E+03	2.5E+04	8.7E+03	5.7E+03	2.5E+04	5.1E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	9.31E-05	1.99E-05	5.60E-05	8.46E-05	1.96E-05	5.1E+01	2.4E+02	8.5E+01	5.7E+01	2.4E+02	8.2E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.17E-04	2.46E-05	6.92E-05	1.06E-04	2.45E-05	8.8E+02	4.2E+03	1.5E+03	9.7E+02	4.2E+03	6.6E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	1.76E-04	3.41E-05	9.69E-05	1.53E-04	3.31E-05	8.4E+03	4.3E+04	1.5E+04	9.7E+03	4.5E+04	4.4E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	5.74E-09	5.76E-09	5.76E-09	5.74E-09	6.28E-08	3.1E+01	3.1E+01	3.1E+01	3.1E+01	2.8E+00	3.2E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	3.03E-04	5.60E-05	1.62E-04	2.58E-04	5.46E-05	1.3E+01	6.9E+01	2.4E+01	1.5E+01	7.1E+01	2.6E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.78E-05	3.67E-06	1.03E-05	1.59E-05	3.69E-06	2.3E+01	1.1E+02	3.9E+01	2.5E+01	1.1E+02	4.7E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	1.20E-04	2.54E-05	7.17E-05	1.10E-04	2.50E-05	1.5E+03	7.0E+03	2.5E+03	1.6E+03	7.1E+03	1.0E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	7.04E-04	9.29E-05	2.71E-04	4.80E-04	8.49E-05	1.9E+04	1.4E+05	5.0E+04	2.8E+04	1.6E+05	1.9E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.79E-04	5.40E-05	1.53E-04	2.42E-04	5.24E-05	4.2E-03	2.2E-02	7.6E-03	4.8E-03	2.2E-02	6.7E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	5.93E-04	9.54E-05	2.80E-04	4.67E-04	9.09E-05	3.0E+00	1.9E+01	6.3E+00	3.8E+00	2.0E+01	3.4E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	1.40E-04	3.04E-05	8.48E-05	1.28E-04	3.01E-05	3.0E+03	1.4E+04	5.0E+03	3.3E+03	1.4E+04	5.3E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	5.27E-04	1.05E-04	2.95E-04	4.61E-04	1.02E-04	2.1E+02	1.1E+03	3.7E+02	2.4E+02	1.1E+03	1.4E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	5.21E-04	1.01E-04	2.88E-04	4.51E-04	9.88E-05	3.9E+02	2.0E+03	7.1E+02	4.5E+02	2.1E+03	1.4E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.76E-04	3.32E-05	9.49E-05	1.50E-04	3.25E-05	7.4E+01	3.9E+02	1.4E+02	8.7E+01	4.0E+02	4.3E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	1.55E-04	3.25E-05	9.19E-05	1.40E-04	3.22E-05	1.6E+02	7.4E+02	2.6E+02	1.7E+02	7.5E+02	4.9E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Niobium (41)	Nb-90	4.16E+02	1.67E-03	5.74E-04	1.00E-04	2.89E-04	4.70E-04	9.59E-05	3.2E+00	1.8E+01	6.3E+00	3.9E+00	1.9E+01	1.3E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.93E-07	4.41E-08	1.17E-07	1.76E-07	9.15E-08	9.2E-01	4.0E+00	1.5E+00	1.0E+00	1.9E+00	1.6E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.28E-06	6.11E-07	1.74E-06	2.78E-06	6.41E-07	5.5E+00	3.0E+01	1.0E+01	6.5E+00	2.8E+01	2.4E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	1.87E-04	3.71E-05	1.05E-04	1.64E-04	3.63E-05	9.4E-04	4.7E-03	1.7E-03	1.1E-03	4.8E-03	8.4E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	1.23E-04	2.37E-05	6.72E-05	1.06E-04	2.31E-05	8.9E-01	4.6E+00	1.6E+00	1.0E+00	4.7E+00	6.4E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.03E-09	1.04E-09	1.02E-09	1.03E-09	1.12E-08	2.8E+02	2.8E+02	2.8E+02	2.8E+02	2.5E+01	1.2E-06
Niobium (41)	Nb-94	3.41E-05	2.03E+04	1.95E-04	3.87E-05	1.10E-04	1.71E-04	3.76E-05	9.0E-04	4.5E-03	1.6E-03	1.0E-03	4.7E-03	4.8E-09
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	5.62E-07	1.13E-07	3.13E-07	4.89E-07	1.50E-07	4.5E+05	2.3E+06	8.2E+05	5.2E+05	1.7E+06	1.4E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	9.53E-05	1.90E-05	5.35E-05	8.39E-05	1.85E-05	3.3E-01	1.7E+00	5.9E-01	3.8E-01	1.7E+00	8.5E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	6.44E-06	1.52E-06	4.25E-06	6.19E-06	1.52E-06	4.8E+01	2.0E+02	7.2E+01	5.0E+01	2.0E+02	1.3E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	3.10E-04	6.11E-05	1.73E-04	2.71E-04	5.93E-05	3.7E+00	1.9E+01	6.6E+00	4.2E+00	1.9E+01	2.6E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	8.14E-05	1.66E-05	4.68E-05	7.26E-05	1.63E-05	2.7E+02	1.3E+03	4.7E+02	3.0E+02	1.4E+03	1.0E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.66E-04	6.92E-05	1.97E-04	3.13E-04	6.72E-05	8.5E+01	4.5E+02	1.6E+02	9.9E+01	4.6E+02	2.3E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	1.46E-05	4.18E-06	1.08E-05	1.44E-05	4.54E-06	4.4E+05	1.5E+06	5.9E+05	4.4E+05	1.4E+06	5.7E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	1.06E-04	1.81E-05	5.25E-05	8.55E-05	1.77E-05	5.8E+03	3.4E+04	1.2E+04	7.2E+03	3.5E+04	7.9E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	5.71E-05	1.28E-05	3.54E-05	5.27E-05	1.28E-05	3.3E+03	1.5E+04	5.3E+03	3.6E+03	1.5E+04	2.0E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.45E-04	3.09E-05	8.63E-05	1.31E-04	3.07E-05	8.9E+02	4.2E+03	1.5E+03	9.8E+02	4.2E+03	7.9E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	2.64E-05	6.06E-06	1.62E-05	2.40E-05	6.37E-06	1.2E+03	5.2E+03	1.9E+03	1.3E+03	4.9E+03	4.4E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.43E-04	2.83E-05	7.98E-05	1.25E-04	2.80E-05	2.9E+02	1.5E+03	5.2E+02	3.3E+02	1.5E+03	8.2E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	1.85E-06	5.91E-07	1.29E-06	1.76E-06	8.68E-07	2.9E+03	8.9E+03	4.1E+03	3.0E+03	6.1E+03	6.3E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	5.11E-05	1.06E-05	2.97E-05	4.58E-05	1.07E-05	1.1E+03	5.1E+03	1.8E+03	1.2E+03	5.0E+03	2.3E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.95E-04	3.83E-05	1.08E-04	1.69E-04	3.76E-05	2.5E+01	1.3E+02	4.5E+01	2.9E+01	1.3E+02	6.1E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	3.03E-07	2.35E-07	3.02E-07	3.03E-07	5.11E-07	1.1E+03	1.4E+03	1.1E+03	1.1E+03	6.4E+02	3.9E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	6.25E-06	1.41E-06	3.65E-06	5.52E-06	1.66E-06	1.7E+03	7.6E+03	2.9E+03	1.9E+03	6.4E+03	1.9E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	8.62E-05	1.73E-05	4.87E-05	7.61E-05	1.69E-05	1.8E+04	8.9E+04	3.2E+04	2.0E+04	9.2E+04	1.4E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	1.32E-05	3.12E-06	8.33E-06	1.22E-05	3.28E-06	7.6E+00	3.2E+01	1.2E+01	8.3E+00	3.1E+01	9.5E-11
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	3.91E-05	8.89E-06	2.45E-05	3.63E-05	8.93E-06	3.9E+02	1.7E+03	6.3E+02	4.2E+02	1.7E+03	3.2E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.04E-04	2.07E-05	5.86E-05	9.06E-05	2.04E-05	1.2E+03	6.2E+03	2.2E+03	1.4E+03	6.3E+03	1.2E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.74E-05	3.96E-06	1.11E-05	1.64E-05	3.98E-06	8.1E+03	3.5E+04	1.3E+04	8.5E+03	3.5E+04	7.4E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	1.21E-04	2.55E-05	7.17E-05	1.10E-04	2.53E-05	4.6E+04	2.2E+05	7.8E+04	5.1E+04	2.2E+05	1.3E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	6.41E-05	1.36E-05	3.82E-05	5.84E-05	1.35E-05	7.4E+03	3.5E+04	1.2E+04	8.1E+03	3.5E+04	3.2E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	2.09E-04	4.23E-05	1.19E-04	1.85E-04	4.10E-05	8.7E-01	4.3E+00	1.5E+00	9.9E-01	4.4E+00	2.3E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	2.56E-04	4.70E-05	1.35E-04	2.16E-04	4.54E-05	2.9E+00	1.6E+01	5.5E+00	3.5E+00	1.6E+01	1.9E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	1.83E-09	3.86E-10	1.09E-09	1.66E-09	3.79E-10	9.6E+01	4.5E+02	1.6E+02	1.1E+02	4.6E+02	1.6E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	7.54E-05	1.36E-05	3.92E-05	6.31E-05	1.33E-05	1.4E+02	7.7E+02	2.7E+02	1.7E+02	7.9E+02	7.3E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	9.53E-10	4.41E-10	8.33E-10	9.50E-10	7.42E-10	5.7E+05	1.2E+06	6.5E+05	5.7E+05	7.3E+05	6.5E-07
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.41E-04	2.90E-05	8.13E-05	1.25E-04	2.83E-05	7.7E+02	3.7E+03	1.3E+03	8.7E+02	3.8E+03	1.4E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	6.15E-06	1.86E-06	4.71E-06	6.09E-06	1.92E-06	7.2E+03	2.4E+04	9.4E+03	7.2E+03	2.3E+04	3.2E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	1.45E-04	2.64E-05	7.57E-05	1.21E-04	2.55E-05	1.7E+00	9.6E+00	3.3E+00	2.1E+00	9.9E+00	1.4E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	7.3E+01	2.0E+02	9.1E+01	7.3E+01	7.1E+01	5.2E-08
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	7.3E+01	2.0E+02	9.1E+01	7.3E+01	7.1E+01	5.2E-08
Neptunium (93)	Np-236	4.50E-06	1.54E+05	1.05E-05	3.05E-06	7.88E-06	1.04E-05	3.16E-06	1.7E-02	5.7E-02	2.2E-02	1.7E-02	5.6E-02	1.7E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.57E-06	1.02E-06	2.62E-06	3.47E-06	1.06E-06	3.3E+02	1.2E+03	4.5E+02	3.4E+02	1.1E+03	5.6E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	1.40E-06	4.69E-07	1.12E-06	1.39E-06	5.68E-07	1.3E-01	3.7E-01	1.6E-01	1.3E-01	3.1E-01	1.8E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	2.31E-05	5.60E-06	1.52E-05	2.19E-05	5.65E-06	7.6E-03	3.1E-02	1.1E-02	8.0E-03	3.1E-02	1.1E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	7.51E-05	1.43E-05	4.08E-05	6.47E-05	1.40E-05	7.0E+00	3.6E+01	1.3E+01	8.1E+00	3.7E+01	2.7E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.54E-05	4.03E-06	1.08E-05	1.49E-05	4.04E-06	3.1E+01	1.2E+02	4.4E+01	3.2E+01	1.2E+02	1.3E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Neptunium (93)	Np-240	5.88E+03	1.18E-04	1.26E-04	2.55E-05	7.22E-05	1.12E-04	2.51E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	1.6E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	3.94E-05	7.93E-06	2.24E-05	3.47E-05	7.95E-06	5.6E+03	2.8E+04	9.9E+03	6.4E+03	2.8E+04	5.2E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	3.10E-06	8.58E-07	2.23E-06	3.01E-06	9.88E-07	3.7E+04	1.3E+05	5.1E+04	3.8E+04	1.2E+05	6.6E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	3.57E-05	6.56E-06	1.88E-05	3.01E-05	6.63E-06	2.0E+04	1.1E+05	3.9E+04	2.4E+04	1.1E+05	5.8E-11
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	1.11E-04	2.23E-05	6.31E-05	9.81E-05	2.20E-05	2.6E+03	1.3E+04	4.6E+03	3.0E+03	1.3E+04	1.8E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	4.54E-04	7.88E-05	2.28E-04	3.72E-04	7.54E-05	3.0E+03	1.7E+04	5.9E+03	3.6E+03	1.8E+04	2.6E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	7.2E+03	3.4E+04	1.2E+04	7.9E+03	3.5E+04	1.2E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	1.22E-04	2.32E-05	6.61E-05	1.04E-04	2.28E-05	3.0E+04	1.6E+05	5.5E+04	3.5E+04	1.6E+05	1.3E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	9.85E-06	2.59E-06	6.51E-06	9.12E-06	2.77E-06	7.5E+03	2.9E+04	1.1E+04	8.1E+03	2.7E+04	1.6E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	1.69E-04	3.31E-05	9.34E-05	1.46E-04	3.25E-05	9.0E+01	4.6E+02	1.6E+02	1.0E+02	4.7E+02	9.1E-12
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.39E-05	1.01E-05	2.76E-05	4.07E-05	1.02E-05	2.7E+01	1.2E+02	4.4E+01	3.0E+01	1.2E+02	3.5E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	6.44E-05	1.47E-05	3.98E-05	5.90E-05	1.47E-05	3.2E+01	1.4E+02	5.1E+01	3.5E+01	1.4E+02	2.4E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.27E-04	2.43E-05	6.87E-05	1.09E-04	2.38E-05	2.1E+01	1.1E+02	3.9E+01	2.5E+01	1.1E+02	1.2E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	8.05E-05	1.68E-05	4.68E-05	7.20E-05	1.66E-05	1.5E-01	7.0E-01	2.5E-01	1.6E-01	7.1E-01	2.0E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Osmium (76)	Os-189m	1.05E+03	6.62E-04	1.60E-11	1.60E-11	1.60E-11	1.60E-11	4.92E-10	2.9E+08	2.9E+08	2.9E+08	2.9E+08	9.3E+06	1.0E-04
Osmium (76)	Os-190m	3.68E+04	1.88E-05	1.83E-04	3.91E-05	1.10E-04	1.67E-04	3.82E-05	8.8E+02	4.1E+03	1.5E+03	9.7E+02	4.2E+03	8.8E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	4.80E-06	1.63E-06	3.84E-06	4.77E-06	1.76E-06	1.5E+01	4.4E+01	1.9E+01	1.5E+01	4.1E+01	3.4E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	2.23E-07	1.01E-07	2.03E-07	2.23E-07	1.22E-07	9.1E+03	2.0E+04	1.0E+04	9.1E+03	1.7E+04	7.3E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	6.66E-06	1.58E-06	4.27E-06	6.22E-06	1.67E-06	1.3E+02	5.6E+02	2.1E+02	1.4E+02	5.3E+02	2.5E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	4.17E-08	2.78E-08	4.12E-08	4.17E-08	4.86E-08	1.3E+01	1.9E+01	1.3E+01	1.3E+01	1.1E+01	4.2E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	1.12E-05	2.39E-06	6.66E-06	1.01E-05	2.61E-06	4.8E-02	2.2E-01	8.0E-02	5.3E-02	2.1E-01	1.6E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	8.14E-06	1.91E-06	5.20E-06	7.61E-06	2.00E-06	5.6E+03	2.4E+04	8.8E+03	6.0E+03	2.3E+04	2.0E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	1.21E-04	2.58E-05	7.22E-05	1.10E-04	2.56E-05	5.3E+03	2.5E+04	8.8E+03	5.8E+03	2.5E+04	2.1E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	2.55E-07	8.58E-08	1.82E-07	2.43E-07	3.25E-07	3.4E+02	1.0E+03	4.7E+02	3.5E+02	2.7E+02	1.2E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.00E-09	4.65E-10	8.79E-10	1.00E-09	7.83E-10	4.8E+04	1.0E+05	5.5E+04	4.9E+04	6.2E+04	3.1E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	1.13E-06	3.95E-07	9.29E-07	1.13E-06	4.35E-07	3.7E+04	1.1E+05	4.5E+04	3.7E+04	9.6E+04	1.7E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	1.67E-04	3.30E-05	9.29E-05	1.45E-04	3.22E-05	7.2E+00	3.7E+01	1.3E+01	8.3E+00	3.8E+01	1.2E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	3.91E-06	1.28E-06	3.14E-06	3.91E-06	1.35E-06	1.9E+02	5.8E+02	2.4E+02	1.9E+02	5.5E+02	5.0E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	7.95E-05	1.62E-05	4.53E-05	6.97E-05	1.58E-05	8.0E-01	3.9E+00	1.4E+00	9.1E-01	4.0E+00	2.5E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	3.44E-06	8.03E-07	2.22E-06	3.25E-06	8.49E-07	5.1E-02	2.2E-01	7.9E-02	5.4E-02	2.1E-01	1.1E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.16E-04	2.30E-05	6.51E-05	1.02E-04	2.24E-05	7.3E+00	3.7E+01	1.3E+01	8.3E+00	3.8E+01	1.7E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	2.17E-05	5.15E-06	1.41E-05	2.05E-05	5.08E-06	1.9E+00	8.0E+00	2.9E+00	2.0E+00	8.1E+00	9.1E-11
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	1.79E-04	3.57E-05	1.01E-04	1.57E-04	3.47E-05	2.2E+01	1.1E+02	3.9E+01	2.5E+01	1.1E+02	1.1E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	2.45E-06	5.20E-07	1.39E-06	2.14E-06	7.73E-07	5.6E+05	2.6E+06	9.8E+05	6.4E+05	1.8E+06	8.1E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	1.20E-07	4.13E-08	8.74E-08	1.16E-07	1.88E-07	5.4E+05	1.6E+06	7.5E+05	5.6E+05	3.5E+05	1.7E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	1.20E-04	2.22E-05	6.36E-05	1.01E-04	2.17E-05	1.5E+03	7.9E+03	2.8E+03	1.7E+03	8.1E+03	1.7E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	7.57E-05	1.51E-05	4.29E-05	6.69E-05	1.50E-05	2.4E+03	1.2E+04	4.3E+03	2.7E+03	1.2E+04	2.7E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	1.32E-04	2.59E-05	7.32E-05	1.14E-04	2.53E-05	1.0E+03	5.1E+03	1.8E+03	1.2E+03	5.2E+03	1.3E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.95E-04	4.05E-05	1.14E-04	1.74E-04	3.98E-05	5.5E+02	2.6E+03	9.4E+02	6.1E+02	2.7E+03	8.5E-12
Lead (82)	Pb-196	9.84E+03	7.04E-05	5.05E-05	1.17E-05	3.18E-05	4.67E-05	1.16E-05	8.5E+02	3.7E+03	1.4E+03	9.2E+02	3.7E+03	3.3E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	1.95E-04	3.68E-05	1.05E-04	1.66E-04	3.57E-05	1.0E+03	5.4E+03	1.9E+03	1.2E+03	5.6E+03	8.6E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	1.35E-04	2.84E-05	7.98E-05	1.21E-04	2.79E-05	2.7E+02	1.3E+03	4.7E+02	3.1E+02	1.3E+03	1.2E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.39E-05	1.03E-05	2.80E-05	4.10E-05	1.02E-05	2.5E+02	1.1E+03	4.0E+02	2.7E+02	1.1E+03	3.8E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.29E-04	2.49E-05	7.07E-05	1.11E-04	2.43E-05	1.4E+02	7.1E+02	2.5E+02	1.6E+02	7.3E+02	1.3E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	1.61E-05	4.51E-06	1.16E-05	1.56E-05	4.61E-06	7.7E+01	2.7E+02	1.1E+02	7.9E+01	2.7E+02	1.1E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	8.55E-05	1.82E-05	5.05E-05	7.70E-05	1.79E-05	3.3E+01	1.6E+02	5.6E+01	3.7E+01	1.6E+02	2.0E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	4.26E-05	8.94E-06	2.50E-05	3.82E-05	8.90E-06	3.7E+04	1.8E+05	6.3E+04	4.1E+04	1.8E+05	4.0E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	8.08E-11	8.08E-11	8.08E-11	8.08E-11	2.34E-09	2.2E+03	2.2E+03	2.2E+03	2.2E+03	7.5E+01	6.4E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	4.89E-05	1.11E-05	3.03E-05	4.54E-05	1.10E-05	3.6E-03	1.6E-02	5.8E-03	3.9E-03	1.6E-02	1.1E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	2.45E-04	4.93E-05	1.39E-04	2.16E-04	4.80E-05	3.1E+01	1.5E+02	5.4E+01	3.5E+01	1.6E+02	7.0E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.96E-05	7.27E-06	1.97E-05	2.81E-05	7.26E-06	1.7E+01	7.0E+01	2.6E+01	1.8E+01	7.1E+01	5.8E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	2.58E-04	5.10E-05	1.44E-04	2.26E-04	4.95E-05	9.2E+01	4.7E+02	1.6E+02	1.1E+02	4.8E+02	6.7E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	8.17E-11	8.18E-11	8.18E-11	8.17E-11	2.38E-09	2.1E+03	2.1E+03	2.1E+03	2.1E+03	7.4E+01	1.9E+01
Lead (82)	Pb-209	1.87E+03	3.71E-04	1.45E-08	4.98E-09	1.13E-08	1.43E-08	1.53E-08	6.3E+05	1.8E+06	8.1E+05	6.4E+05	5.9E+05	1.4E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.01E-08	2.58E-08	3.96E-08	4.01E-08	4.64E-08	6.3E+00	9.8E+00	6.4E+00	6.3E+00	5.4E+00	8.2E-08
Lead (82)	Pb-211	1.01E+04	6.87E-05	7.86E-06	1.63E-06	4.56E-06	7.04E-06	1.73E-06	5.6E+03	2.7E+04	9.7E+03	6.3E+03	2.6E+04	2.3E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.34E-05	3.36E-06	9.09E-06	1.29E-05	3.35E-06	1.9E+02	7.4E+02	2.7E+02	1.9E+02	7.5E+02	1.3E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	2.69E-05	6.11E-06	1.70E-05	2.52E-05	6.03E-06	2.2E+03	9.7E+03	3.5E+03	2.4E+03	9.9E+03	6.8E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	5.46E-06	1.99E-06	4.55E-06	5.46E-06	2.36E-06	5.6E+01	1.5E+02	6.7E+01	5.6E+01	1.3E+02	1.6E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	3.91E-05	8.03E-06	2.27E-05	3.50E-05	8.05E-06	8.0E+01	3.9E+02	1.4E+02	9.0E+01	3.9E+02	2.2E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	3.06E-08	2.12E-08	2.61E-08	2.99E-08	1.30E-07	2.1E+03	3.1E+03	2.5E+03	2.2E+03	5.0E+02	2.9E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Palladium (46)	Pd-109	4.43E+02	1.56E-03	3.44E-07	1.18E-07	2.64E-07	3.35E-07	2.75E-07	5.6E+03	1.6E+04	7.4E+03	5.8E+03	7.1E+03	2.7E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	1.02E-05	2.52E-06	6.97E-06	9.88E-06	2.51E-06	3.3E+04	1.4E+05	4.9E+04	3.4E+04	1.4E+05	9.1E-11
Palladium (46)	Pd-111	1.56E+04	4.45E-05	6.41E-06	1.30E-06	3.60E-06	5.62E-06	1.54E-06	1.1E+04	5.3E+04	1.9E+04	1.2E+04	4.4E+04	1.5E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	5.11E-09	4.53E-09	4.96E-09	5.11E-09	3.69E-08	2.5E+05	2.8E+05	2.5E+05	2.5E+05	3.4E+04	1.9E-07
Palladium (46)	Pd-114	1.51E+05	4.60E-06	2.69E-06	6.66E-07	1.81E-06	2.58E-06	8.27E-07	2.5E+05	9.9E+05	3.6E+05	2.6E+05	8.0E+05	3.6E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	4.5E+03	2.2E+04	7.9E+03	5.1E+03	2.3E+04	4.7E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	3.07E-04	5.76E-05	1.65E-04	2.62E-04	5.62E-05	1.7E+03	8.9E+03	3.1E+03	2.0E+03	9.2E+03	2.7E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	4.45E-05	9.64E-06	2.67E-05	4.01E-05	9.59E-06	2.0E+03	9.3E+03	3.4E+03	2.2E+03	9.4E+03	1.9E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	1.57E-04	3.11E-05	8.79E-05	1.37E-04	3.04E-05	4.8E+02	2.4E+03	8.5E+02	5.4E+02	2.5E+03	5.4E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	3.31E-04	6.82E-05	1.92E-04	2.96E-04	6.69E-05	2.7E+03	1.3E+04	4.7E+03	3.0E+03	1.3E+04	3.5E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	2.07E-04	4.37E-05	1.23E-04	1.87E-04	4.32E-05	3.2E+03	1.5E+04	5.4E+03	3.6E+03	1.5E+04	5.6E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	1.12E-04	2.33E-05	6.56E-05	1.01E-04	2.31E-05	3.4E+03	1.6E+04	5.9E+03	3.8E+03	1.7E+04	1.1E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	1.28E-04	2.68E-05	7.52E-05	1.16E-04	2.66E-05	8.1E+04	3.9E+05	1.4E+05	9.0E+04	3.9E+05	9.3E-12
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	3.76E-04	7.52E-05	2.12E-04	3.31E-04	7.35E-05	7.1E+02	3.6E+03	1.3E+03	8.1E+02	3.6E+03	3.2E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	8.90E-05	1.80E-05	5.10E-05	7.86E-05	1.79E-05	8.6E+02	4.2E+03	1.5E+03	9.7E+02	4.3E+03	1.3E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	1.03E-04	2.15E-05	6.06E-05	9.28E-05	2.14E-05	2.3E+04	1.1E+05	3.9E+04	2.5E+04	1.1E+05	1.2E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	3.60E-05	7.37E-06	2.04E-05	3.16E-05	7.48E-06	1.2E-01	5.7E-01	2.0E-01	1.3E-01	5.6E-01	3.4E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.87E-04	3.84E-05	1.08E-04	1.67E-04	3.79E-05	1.6E-02	8.0E-02	2.8E-02	1.8E-02	8.1E-02	6.6E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	4.26E-07	2.95E-07	4.17E-07	4.26E-07	5.78E-07	6.4E-01	9.3E-01	6.6E-01	6.4E-01	4.8E-01	4.6E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	8.84E-05	1.83E-05	5.15E-05	7.92E-05	1.81E-05	6.5E-03	3.1E-02	1.1E-02	7.2E-03	3.2E-02	1.5E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	8.71E-10	3.75E-10	7.42E-10	8.68E-10	6.09E-10	1.3E+03	3.1E+03	1.6E+03	1.3E+03	1.9E+03	1.4E-06
Promethium (61)	Pm-148	4.71E+01	1.47E-02	7.57E-05	1.41E-05	4.05E-05	6.44E-05	1.39E-05	2.7E+00	1.5E+01	5.1E+00	3.2E+00	1.5E+01	1.7E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	2.42E-04	4.94E-05	1.39E-04	2.16E-04	4.83E-05	1.1E-01	5.4E-01	1.9E-01	1.2E-01	5.6E-01	5.2E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	1.38E-06	3.12E-07	8.63E-07	1.28E-06	3.94E-07	3.6E+02	1.6E+03	5.8E+02	3.9E+02	1.3E+03	9.2E-10
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.91E-04	3.59E-05	1.03E-04	1.63E-04	3.50E-05	5.2E+01	2.8E+02	9.6E+01	6.1E+01	2.8E+02	6.7E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	3.53E-05	7.88E-06	2.19E-05	3.28E-05	7.86E-06	2.6E+01	1.2E+02	4.3E+01	2.9E+01	1.2E+02	3.6E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	3.69E-05	7.22E-06	2.03E-05	3.19E-05	7.38E-06	1.0E+04	5.4E+04	1.9E+04	1.2E+04	5.2E+04	3.5E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	1.89E-04	3.69E-05	1.05E-04	1.64E-04	3.60E-05	1.1E+03	5.7E+03	2.0E+03	1.3E+03	5.9E+03	6.8E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	5.96E-06	1.67E-06	4.27E-06	5.81E-06	1.99E-06	5.1E+04	1.8E+05	7.1E+04	5.2E+04	1.5E+05	2.2E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	2.44E-04	4.28E-05	1.24E-04	2.01E-04	4.13E-05	3.8E+03	2.2E+04	7.5E+03	4.6E+03	2.2E+04	5.4E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	2.32E-04	4.34E-05	1.24E-04	1.97E-04	4.23E-05	2.6E+03	1.4E+04	4.8E+03	3.0E+03	1.4E+04	5.6E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	2.05E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	2.1E+02	1.1E+03	3.9E+02	2.5E+02	1.1E+03	8.4E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	1.34E-04	2.79E-05	7.78E-05	1.19E-04	2.74E-05	5.6E+01	2.7E+02	9.7E+01	6.3E+01	2.7E+02	1.3E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	1.99E-04	3.84E-05	1.09E-04	1.71E-04	3.76E-05	8.0E+01	4.2E+02	1.5E+02	9.3E+01	4.3E+02	8.7E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	1.41E-04	2.89E-05	8.08E-05	1.25E-04	2.83E-05	8.9E-01	4.4E+00	1.6E+00	1.0E+00	4.4E+00	1.2E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Polonium (84)	Po-207	1.05E+03	6.62E-04	1.58E-04	3.13E-05	8.79E-05	1.38E-04	3.05E-05	2.9E+01	1.5E+02	5.2E+01	3.3E+01	1.5E+02	1.1E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	2.41E-09	5.15E-10	1.43E-09	2.17E-09	5.08E-10	4.4E+02	2.0E+03	7.3E+02	4.8E+02	2.1E+03	7.4E-07
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.16E-07	1.49E-07	4.18E-07	6.37E-07	1.46E-07	2.7E-01	1.3E+00	4.6E-01	3.0E-01	1.3E+00	1.6E-08
Polonium (84)	Po-210	1.83E+00	3.79E-01	1.22E-09	2.42E-10	6.87E-10	1.07E-09	2.35E-10	6.6E+03	3.3E+04	1.2E+04	7.5E+03	3.4E+04	1.5E-06
Polonium (84)	Po-211	4.24E+07	1.64E-08	1.02E-06	2.02E-07	5.71E-07	8.96E-07	1.98E-07	1.8E+08	9.2E+08	3.3E+08	2.1E+08	9.4E+08	1.8E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	1.14E-05	1.83E-06	5.35E-06	8.93E-06	1.74E-06	1.9E+05	1.2E+06	4.0E+05	2.4E+05	1.2E+06	1.6E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	4.67E-09	9.34E-10	2.63E-09	4.10E-09	9.09E-10	4.9E+15	2.4E+16	8.7E+15	5.6E+15	2.5E+16	3.9E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	1.04E-08	2.06E-09	5.81E-09	9.12E-09	2.01E-09	5.6E+13	2.8E+14	1.0E+14	6.4E+13	2.9E+14	1.7E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	2.02E-08	4.37E-09	1.23E-08	1.86E-08	4.29E-09	2.7E+12	1.2E+13	4.4E+12	2.9E+12	1.3E+13	9.0E-08
Polonium (84)	Po-216	1.51E+08	4.60E-09	1.92E-09	3.80E-10	1.08E-09	1.69E-09	3.69E-10	3.4E+11	1.7E+12	6.1E+11	3.9E+11	1.8E+12	9.6E-07
Polonium (84)	Po-218	1.17E+05	5.90E-06	1.85E-13	8.53E-14	1.62E-13	1.84E-13	1.43E-13	3.1E+12	6.7E+12	3.5E+12	3.1E+12	4.0E+12	1.1E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	3.85E-04	7.78E-05	2.20E-04	3.41E-04	7.61E-05	3.8E+02	1.9E+03	6.6E+02	4.3E+02	1.9E+03	3.0E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.93E-04	5.66E-05	1.62E-04	2.54E-04	5.55E-05	3.2E+02	1.7E+03	5.8E+02	3.7E+02	1.7E+03	3.9E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.01E-04	2.12E-05	5.91E-05	9.09E-05	2.11E-05	6.6E+02	3.1E+03	1.1E+03	7.3E+02	3.1E+03	1.1E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	2.70E-04	5.25E-05	1.49E-04	2.34E-04	5.11E-05	4.5E+02	2.3E+03	8.2E+02	5.2E+02	2.4E+03	4.3E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	4.23E-05	8.79E-06	2.46E-05	3.79E-05	8.87E-06	4.9E+02	2.4E+03	8.4E+02	5.5E+02	2.3E+03	2.8E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	9.69E-05	2.04E-05	5.76E-05	8.77E-05	2.04E-05	1.1E+04	5.4E+04	1.9E+04	1.3E+04	5.4E+04	1.2E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	3.07E-04	6.06E-05	1.72E-04	2.69E-04	5.93E-05	4.1E+01	2.1E+02	7.3E+01	4.7E+01	2.1E+02	3.8E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.28E-05	2.77E-06	7.52E-06	1.15E-05	2.97E-06	4.7E+02	2.2E+03	8.0E+02	5.2E+02	2.0E+03	9.2E-11
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	6.34E-05	1.34E-05	3.77E-05	5.74E-05	1.35E-05	7.4E+03	3.5E+04	1.2E+04	8.2E+03	3.5E+04	1.9E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	8.46E-06	1.52E-06	4.33E-06	6.97E-06	1.72E-06	1.6E+02	9.2E+02	3.2E+02	2.0E+02	8.1E+02	1.4E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	4.42E-08	1.51E-08	3.33E-08	4.32E-08	7.86E-08	1.8E+03	5.4E+03	2.5E+03	1.9E+03	1.0E+03	2.8E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	4.83E-06	9.59E-07	2.59E-06	4.07E-06	1.26E-06	1.9E+04	9.6E+04	3.6E+04	2.3E+04	7.3E+04	2.5E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	3.35E-07	1.33E-07	2.34E-07	3.02E-07	2.40E-07	6.6E+05	1.7E+06	9.5E+05	7.3E+05	9.2E+05	3.7E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.56E-06	5.40E-07	1.46E-06	2.25E-06	7.57E-07	1.7E+03	8.2E+03	3.0E+03	2.0E+03	5.9E+03	4.8E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.34E-04	2.48E-05	7.12E-05	1.13E-04	2.43E-05	4.9E+02	2.7E+03	9.3E+02	5.8E+02	2.7E+03	9.2E-12
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	5.52E-05	1.15E-05	3.17E-05	4.89E-05	1.18E-05	2.2E+03	1.0E+04	3.8E+03	2.4E+03	1.0E+04	2.3E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	1.30E-04	2.45E-05	7.02E-05	1.11E-04	2.40E-05	5.4E+03	2.8E+04	9.9E+03	6.3E+03	2.9E+04	9.7E-12
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	1.12E-04	2.35E-05	6.61E-05	1.01E-04	2.33E-05	7.1E+03	3.4E+04	1.2E+04	7.8E+03	3.4E+04	1.1E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	7.07E-05	1.68E-05	4.50E-05	6.56E-05	1.69E-05	1.3E+03	5.5E+03	2.0E+03	1.4E+03	5.5E+03	2.2E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	7.70E-05	1.65E-05	4.54E-05	6.91E-05	1.63E-05	1.7E+02	7.8E+02	2.8E+02	1.8E+02	7.8E+02	2.1E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	6.56E-05	1.45E-05	3.95E-05	5.93E-05	1.45E-05	1.7E+02	7.8E+02	2.9E+02	1.9E+02	7.8E+02	2.4E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	1.66E-05	4.46E-06	1.15E-05	1.59E-05	4.61E-06	6.5E+00	2.4E+01	9.4E+00	6.8E+00	2.4E+01	9.6E-11
Platinum (78)	Pt-189	5.58E+02	1.24E-03	5.05E-05	1.13E-05	3.05E-05	4.54E-05	1.13E-05	4.8E+01	2.2E+02	8.0E+01	5.4E+01	2.2E+02	3.2E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Platinum (78)	Pt-191	9.03E+01	7.68E-03	2.62E-05	6.56E-06	1.71E-05	2.44E-05	6.75E-06	1.5E+01	6.0E+01	2.3E+01	1.6E+01	5.9E+01	6.2E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.18E-11	5.20E-11	5.20E-11	5.18E-11	1.42E-09	4.0E+03	4.0E+03	4.0E+03	4.0E+03	1.5E+02	1.1E-04
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	4.48E-07	1.90E-07	3.97E-07	4.45E-07	2.21E-07	5.7E+02	1.3E+03	6.4E+02	5.8E+02	1.2E+03	3.7E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	3.44E-06	1.34E-06	2.94E-06	3.44E-06	1.52E-06	8.0E+01	2.1E+02	9.4E+01	8.0E+01	1.8E+02	4.8E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	1.55E-06	4.97E-07	1.20E-06	1.53E-06	5.36E-07	8.6E+02	2.7E+03	1.1E+03	8.8E+02	2.5E+03	1.1E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	6.44E-06	1.74E-06	4.43E-06	6.12E-06	1.81E-06	2.6E+03	9.6E+03	3.8E+03	2.7E+03	9.2E+03	2.6E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	2.32E-05	4.96E-06	1.39E-05	2.11E-05	5.02E-06	2.2E+03	1.0E+04	3.7E+03	2.5E+03	1.0E+04	7.3E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	4.26E-06	1.25E-06	3.13E-06	4.13E-06	1.31E-06	5.0E+02	1.7E+03	6.8E+02	5.1E+02	1.6E+03	4.0E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	2.40E-07	8.08E-08	1.71E-07	2.29E-07	2.99E-07	2.8E+03	8.3E+03	3.9E+03	2.9E+03	2.2E+03	8.0E-09
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	2.27E-05	4.53E-06	1.27E-05	1.98E-05	4.92E-06	2.7E+01	1.3E+02	4.8E+01	3.1E+01	1.2E+02	7.6E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	4.04E-06	1.27E-06	3.19E-06	4.04E-06	1.31E-06	1.2E+04	3.7E+04	1.5E+04	1.2E+04	3.6E+04	4.9E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	4.39E-06	1.37E-06	3.44E-06	4.35E-06	1.42E-06	6.9E+02	2.2E+03	8.8E+02	6.9E+02	2.1E+03	4.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	6.44E-06	1.90E-06	4.81E-06	6.28E-06	1.97E-06	9.8E+03	3.3E+04	1.3E+04	1.0E+04	3.2E+04	3.1E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	3.09E-09	1.79E-09	2.68E-09	3.05E-09	1.13E-08	3.4E+02	5.9E+02	4.0E+02	3.5E+02	9.4E+01	6.5E-07
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	3.09E-06	9.85E-07	2.44E-06	3.08E-06	1.04E-06	7.9E+00	2.5E+01	1.0E+01	7.9E+00	2.4E+01	6.5E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.87E-09	1.30E-09	1.70E-09	1.86E-09	9.94E-09	1.0E+02	1.5E+02	1.1E+02	1.0E+02	1.9E+01	6.0E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	3.1E+01	9.4E+01	4.3E+01	3.2E+01	3.2E+01	5.0E-04
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	3.1E+01	9.4E+01	4.3E+01	3.2E+01	3.2E+01	5.0E-04
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.93E-09	1.29E-09	1.74E-09	1.90E-09	9.47E-09	9.1E+01	1.4E+02	1.0E+02	9.2E+01	1.9E+01	4.0E-04
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	1.10E-10	3.37E-11	8.53E-11	1.09E-10	3.50E-11	2.7E+03	8.9E+03	3.5E+03	2.8E+03	8.6E+03	2.7E-05
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.18E-08	2.86E-09	6.56E-09	9.94E-09	9.81E-09	1.5E+01	6.1E+01	2.7E+01	1.8E+01	1.8E+01	3.8E-03
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	1.49E-06	4.95E-07	1.18E-06	1.47E-06	5.40E-07	3.6E+03	1.1E+04	4.5E+03	3.6E+03	9.9E+03	1.4E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	2.67E-06	4.73E-07	1.36E-06	2.20E-06	4.64E-07	6.6E-02	3.7E-01	1.3E-01	8.0E-02	3.8E-01	3.6E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	4.26E-05	8.53E-06	2.40E-05	3.72E-05	8.55E-06	4.1E-03	2.1E-02	7.3E-03	4.7E-03	2.0E-02	2.2E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	4.67E-05	9.85E-06	2.76E-05	4.20E-05	9.66E-06	5.4E+01	2.6E+02	9.2E+01	6.0E+01	2.6E+02	4.5E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	1.10E-05	2.99E-06	7.88E-06	1.08E-05	3.10E-06	9.3E+00	3.4E+01	1.3E+01	9.5E+00	3.3E+01	1.9E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	5.4E+08	2.3E+09	8.4E+08	5.7E+08	2.4E+09	1.0E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	5.4E+08	2.3E+09	8.4E+08	5.7E+08	2.4E+09	1.0E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	5.40E-07	1.16E-07	3.26E-07	4.95E-07	1.14E-07	9.9E+09	4.6E+10	1.6E+10	1.1E+10	4.7E+10	3.5E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	2.86E-06	8.03E-07	2.10E-06	2.81E-06	8.14E-07	1.2E+06	4.3E+06	1.6E+06	1.2E+06	4.2E+06	6.6E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	2.87E-06	8.03E-07	2.11E-06	2.81E-06	8.14E-07	1.2E+06	4.3E+06	1.6E+06	1.2E+06	4.2E+06	6.6E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	1.00E-06	2.25E-07	6.36E-07	9.44E-07	2.20E-07	2.5E+06	1.1E+07	4.0E+06	2.7E+06	1.1E+07	1.9E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	1.23E-05	3.17E-06	8.43E-06	1.18E-05	3.19E-06	7.9E+00	3.1E+01	1.1E+01	8.2E+00	3.0E+01	1.5E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	1.87E-05	4.61E-06	1.25E-05	1.78E-05	4.58E-06	5.2E+00	2.1E+01	7.8E+00	5.4E+00	2.1E+01	1.0E-10
Radium (88)	Ra-224	6.91E+01	1.00E-02	1.06E-06	2.49E-07	6.97E-07	1.01E-06	2.44E-07	2.9E+02	1.2E+03	4.3E+02	3.0E+02	1.2E+03	1.8E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	1.13E-06	2.66E-07	7.42E-07	1.08E-06	2.59E-07	2.7E+02	1.1E+03	4.1E+02	2.8E+02	1.2E+03	1.7E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	1.65E-07	1.20E-07	1.64E-07	1.65E-07	2.39E-07	4.5E+02	6.2E+02	4.5E+02	4.5E+02	3.1E+02	1.2E-08
Radium (88)	Ra-226	4.33E-04	1.60E+03	6.75E-07	1.71E-07	4.68E-07	6.56E-07	1.69E-07	2.6E-01	1.0E+00	3.8E-01	2.7E-01	1.0E+00	2.6E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	2.26E-04	4.22E-05	1.21E-04	1.92E-04	4.10E-05	7.8E-04	4.2E-03	1.5E-03	9.2E-04	4.3E-03	7.9E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.51E-05	3.42E-06	9.49E-06	1.41E-05	3.53E-06	2.5E+03	1.1E+04	4.0E+03	2.7E+03	1.1E+04	1.3E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	9.28E-10	9.34E-10	9.29E-10	9.28E-10	1.20E-08	6.0E+02	5.9E+02	6.0E+02	6.0E+02	4.6E+01	2.2E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	5.1E-03	2.6E-02	9.2E-03	5.9E-03	2.7E-02	1.9E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	7.32E-06	1.80E-06	4.84E-06	6.91E-06	1.83E-06	2.3E+03	9.5E+03	3.5E+03	2.5E+03	9.4E+03	2.7E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	1.84E-04	3.84E-05	1.08E-04	1.65E-04	3.79E-05	2.3E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	3.6E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	5.65E-04	9.54E-05	2.77E-04	4.51E-04	9.15E-05	1.6E+02	9.5E+02	3.3E+02	2.0E+02	9.9E+02	1.2E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	4.13E-04	7.88E-05	2.24E-04	3.53E-04	7.64E-05	6.7E+02	3.5E+03	1.2E+03	7.9E+02	3.6E+03	1.6E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.70E-04	3.58E-05	1.00E-04	1.54E-04	3.53E-05	4.1E+02	1.9E+03	6.9E+02	4.5E+02	2.0E+03	4.0E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	1.44E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	2.0E+04	9.5E+04	3.4E+04	2.2E+04	9.5E+04	4.7E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.22E-05	9.8E+01	4.7E+02	1.7E+02	1.1E+02	4.7E+02	1.2E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	2.66E-06	5.76E-07	1.58E-06	2.38E-06	5.93E-07	2.0E+04	9.1E+04	3.3E+04	2.2E+04	8.8E+04	2.6E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.76E-05	9.4E+03	4.5E+04	1.6E+04	1.0E+04	4.5E+04	5.2E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	3.69E-04	7.22E-05	2.04E-04	3.22E-04	7.01E-05	1.1E+01	5.7E+01	2.0E+01	1.3E+01	5.9E+01	1.9E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	5.74E-05	1.20E-05	3.39E-05	5.21E-05	1.18E-05	2.2E-01	1.1E+00	3.8E-01	2.5E-01	1.1E+00	1.2E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	1.12E-04	2.24E-05	6.31E-05	9.88E-05	2.19E-05	3.0E-01	1.5E+00	5.4E-01	3.4E-01	1.5E+00	6.4E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.13E-05	9.34E-06	2.62E-05	3.88E-05	9.09E-06	1.9E+03	8.4E+03	3.0E+03	2.0E+03	8.7E+03	1.7E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	1.24E-05	2.38E-06	6.72E-06	1.06E-05	2.52E-06	4.8E+00	2.5E+01	8.8E+00	5.6E+00	2.4E+01	5.9E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	6.53E-05	1.36E-05	3.83E-05	5.90E-05	1.33E-05	2.4E+04	1.2E+05	4.1E+04	2.7E+04	1.2E+05	1.1E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	2.74E-09	1.15E-09	2.32E-09	2.73E-09	1.75E-09	7.1E+01	1.7E+02	8.4E+01	7.1E+01	1.1E+02	8.5E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	9.21E-05	1.59E-05	4.59E-05	7.48E-05	1.56E-05	9.7E+02	5.6E+03	2.0E+03	1.2E+03	5.8E+03	8.1E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	3.06E-04	5.40E-05	1.56E-04	2.52E-04	5.21E-05	3.4E+02	1.9E+03	6.8E+02	4.2E+02	2.0E+03	2.5E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	3.00E-04	4.64E-05	1.35E-04	2.28E-04	4.39E-05	2.0E+03	1.3E+04	4.5E+03	2.7E+03	1.4E+04	2.6E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	4.54E-04	7.62E-05	2.21E-04	3.63E-04	7.29E-05	8.2E+02	4.9E+03	1.7E+03	1.0E+03	5.1E+03	1.7E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	2.22E-04	4.03E-05	1.15E-04	1.84E-04	3.91E-05	5.5E+02	3.0E+03	1.0E+03	6.6E+02	3.1E+03	6.8E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	1.29E-04	2.59E-05	7.27E-05	1.13E-04	2.54E-05	6.4E+02	3.2E+03	1.1E+03	7.2E+02	3.2E+03	1.2E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	1.46E-04	2.92E-05	8.18E-05	1.27E-04	2.87E-05	4.5E+03	2.2E+04	8.0E+03	5.1E+03	2.3E+04	1.0E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	8.96E-05	1.92E-05	5.30E-05	8.08E-05	1.90E-05	1.5E+01	7.0E+01	2.5E+01	1.7E+01	7.0E+01	1.7E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	2.12E-04	4.27E-05	1.19E-04	1.84E-04	4.20E-05	2.0E+00	9.7E+00	3.5E+00	2.3E+00	9.9E+00	7.3E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.51E-04	2.90E-05	8.13E-05	1.28E-04	2.84E-05	1.4E+01	7.2E+01	2.6E+01	1.6E+01	7.4E+01	1.0E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	9.59E-06	3.06E-06	7.27E-06	9.37E-06	3.38E-06	1.6E+00	5.2E+00	2.2E+00	1.7E+00	4.7E+00	1.6E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	1.06E-04	2.16E-05	6.01E-05	9.34E-05	2.12E-05	2.7E-01	1.3E+00	4.9E-01	3.1E-01	1.4E+00	1.5E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	4.01E-05	8.89E-06	2.42E-05	3.63E-05	8.90E-06	1.6E-01	7.4E-01	2.7E-01	1.8E-01	7.4E-01	3.9E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.48E-06	4.53E-07	1.12E-06	1.46E-06	5.46E-07	2.0E+02	6.6E+02	2.7E+02	2.0E+02	5.5E+02	1.1E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.89E-07	2.36E-07	4.47E-07	4.89E-07	3.09E-07	3.6E-01	7.4E-01	3.9E-01	3.6E-01	5.7E-01	3.7E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	1.97E-06	6.87E-07	1.57E-06	1.95E-06	8.55E-07	8.9E-02	2.6E-01	1.1E-01	9.0E-02	2.0E-01	9.3E-06
Rhenium (75)	Re-187	1.68E-11	4.12E+10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.82E-06	1.57E-06	4.24E-06	6.25E-06	1.79E-06	2.3E+02	1.0E+03	3.7E+02	2.5E+02	8.7E+02	2.3E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	3.09E-06	1.25E-06	2.68E-06	3.09E-06	1.45E-06	2.8E+04	6.9E+04	3.2E+04	2.8E+04	5.9E+04	5.2E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	5.52E-06	1.32E-06	3.64E-06	5.24E-06	1.37E-06	2.0E+02	8.3E+02	3.0E+02	2.1E+02	8.0E+02	2.9E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	1.58E-04	3.30E-05	9.29E-05	1.42E-04	3.25E-05	3.3E+03	1.6E+04	5.5E+03	3.6E+03	1.6E+04	1.0E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.23E-05	7.8E+01	3.7E+02	1.3E+02	8.6E+01	3.7E+02	1.5E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	3.69E-04	6.51E-05	1.89E-04	3.05E-04	6.31E-05	3.5E+00	2.0E+01	6.8E+00	4.2E+00	2.0E+01	2.3E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	5.05E-06	1.06E-06	2.88E-06	4.42E-06	1.21E-06	6.9E+04	3.3E+05	1.2E+05	7.9E+04	2.9E+05	1.7E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	2.57E-05	6.46E-06	1.77E-05	2.49E-05	6.44E-06	3.6E-02	1.4E-01	5.2E-02	3.7E-02	1.4E-01	3.4E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	3.01E-05	6.77E-06	1.90E-05	2.82E-05	6.66E-06	8.5E+00	3.8E+01	1.3E+01	9.0E+00	3.8E+01	2.9E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	5.93E-05	1.24E-05	3.48E-05	5.33E-05	1.22E-05	9.0E-02	4.3E-01	1.5E-01	1.0E-01	4.4E-01	1.5E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	2.64E-04	5.30E-05	1.50E-04	2.34E-04	5.18E-05	3.1E-03	1.5E-02	5.5E-03	3.5E-03	1.6E-02	3.3E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.34E-09	2.24E-09	2.34E-09	2.34E-09	1.41E-08	1.2E+07	1.3E+07	1.2E+07	1.2E+07	2.0E+06	3.7E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	2.05E-06	4.86E-07	1.25E-06	1.87E-06	7.83E-07	1.1E+06	4.7E+06	1.8E+06	1.2E+06	2.9E+06	4.3E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	1.04E-06	5.01E-07	9.19E-07	1.03E-06	7.64E-07	3.6E+05	7.3E+05	4.0E+05	3.6E+05	4.8E+05	8.5E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	8.46E-06	1.90E-06	5.35E-06	7.95E-06	1.86E-06	8.9E+01	4.0E+02	1.4E+02	9.5E+01	4.1E+02	1.1E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	1.2E+05	5.9E+05	2.1E+05	1.4E+05	5.6E+05	3.4E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	3.60E-04	7.02E-05	2.00E-04	3.14E-04	6.82E-05	3.4E+01	1.7E+02	6.1E+01	3.9E+01	1.8E+02	2.5E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	3.47E-05	7.73E-06	2.18E-05	3.25E-05	7.67E-06	2.1E+03	9.5E+03	3.4E+03	2.3E+03	9.6E+03	2.6E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	3.94E-05	8.43E-06	2.35E-05	3.60E-05	8.65E-06	1.4E+05	6.8E+05	2.4E+05	1.6E+05	6.6E+05	2.3E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	3.28E-05	7.42E-06	2.08E-05	3.08E-05	7.57E-06	3.6E+04	1.6E+05	5.8E+04	3.9E+04	1.6E+05	2.8E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	4.95E-04	9.29E-05	2.66E-04	4.23E-04	9.03E-05	2.7E+03	1.5E+04	5.1E+03	3.2E+03	1.5E+04	1.6E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	3.31E-04	6.21E-05	1.78E-04	2.83E-04	6.06E-05	9.6E+02	5.1E+03	1.8E+03	1.1E+03	5.2E+03	2.4E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	1.17E-04	2.14E-05	6.11E-05	9.78E-05	2.07E-05	7.0E+03	3.8E+04	1.3E+04	8.3E+03	3.9E+04	6.9E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	4.95E-04	9.69E-05	2.75E-04	4.32E-04	9.44E-05	3.3E+02	1.7E+03	5.9E+02	3.7E+02	1.7E+03	1.6E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	1.65E-04	3.13E-05	8.94E-05	1.41E-04	3.05E-05	6.4E+03	3.4E+04	1.2E+04	7.5E+03	3.5E+04	4.9E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.77E-04	3.55E-05	1.00E-04	1.56E-04	3.47E-05	2.9E+02	1.5E+03	5.2E+02	3.3E+02	1.5E+03	4.7E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	2.97E-04	5.20E-05	1.50E-04	2.44E-04	5.02E-05	1.2E+02	6.6E+02	2.3E+02	1.4E+02	6.9E+02	2.8E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	2.23E-04	4.50E-05	1.27E-04	1.98E-04	4.42E-05	8.2E+02	4.1E+03	1.4E+03	9.3E+02	4.2E+03	3.7E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	6.25E-05	1.33E-05	3.74E-05	5.68E-05	1.32E-05	1.1E+00	5.2E+00	1.8E+00	1.2E+00	5.2E+00	1.3E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	7.67E-05	1.58E-05	4.45E-05	6.85E-05	1.54E-05	7.4E+01	3.6E+02	1.3E+02	8.3E+01	3.7E+02	1.1E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	1.16E-04	2.41E-05	6.77E-05	1.04E-04	2.37E-05	1.5E+03	7.1E+03	2.5E+03	1.7E+03	7.3E+03	1.5E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	1.46E-04	2.89E-05	8.18E-05	1.27E-04	2.82E-05	3.8E+02	1.9E+03	6.8E+02	4.4E+02	2.0E+03	1.2E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	7.07E-06	1.48E-06	4.13E-06	6.31E-06	1.45E-06	1.6E+03	7.5E+03	2.7E+03	1.8E+03	7.6E+03	2.5E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	2.35E-04	4.57E-05	1.30E-04	2.04E-04	4.45E-05	7.7E+00	4.0E+01	1.4E+01	8.9E+00	4.1E+01	7.6E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	4.17E-08	8.43E-09	2.38E-08	3.69E-08	8.20E-09	1.6E+06	7.9E+06	2.8E+06	1.8E+06	8.1E+06	4.3E-08

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	9.15E-08	1.88E-08	5.30E-08	8.20E-08	1.84E-08	3.0E+10	1.5E+11	5.2E+10	3.3E+10	1.5E+11	2.0E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	6.34E-06	1.43E-06	4.01E-06	5.96E-06	1.40E-06	3.8E+06	1.7E+07	6.0E+06	4.1E+06	1.7E+07	2.9E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	6.37E-06	1.43E-06	4.02E-06	6.00E-06	1.40E-06	3.8E+06	1.7E+07	6.0E+06	4.0E+06	1.7E+07	2.9E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	7.48E-08	1.56E-08	4.40E-08	6.75E-08	1.53E-08	2.3E+07	1.1E+08	3.9E+07	2.5E+07	1.1E+08	2.5E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	6.3E+03	3.0E+04	1.1E+04	7.0E+03	3.1E+04	4.1E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	6.3E+03	3.0E+04	1.1E+04	7.0E+03	3.1E+04	4.1E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	4.01E-05	8.33E-06	2.33E-05	3.57E-05	8.36E-06	1.6E+03	7.9E+03	2.8E+03	1.8E+03	7.9E+03	4.7E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	5.81E-05	1.23E-05	3.47E-05	5.30E-05	1.21E-05	4.9E-01	2.3E+00	8.1E-01	5.3E-01	2.3E+00	1.5E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	9.03E-05	1.85E-05	5.20E-05	8.05E-05	1.82E-05	6.6E+01	3.2E+02	1.2E+02	7.4E+01	3.3E+02	9.9E-12
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	1.1E-01	5.4E-01	1.9E-01	1.3E-01	5.2E-01	3.4E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	4.39E-05	8.68E-06	2.45E-05	3.82E-05	8.74E-06	9.7E+03	4.9E+04	1.7E+04	1.1E+04	4.9E+04	2.1E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	5.55E-06	1.46E-06	3.94E-06	5.43E-06	1.60E-06	6.3E+04	2.4E+05	8.9E+04	6.5E+04	2.2E+05	1.7E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	2.46E-04	5.01E-05	1.41E-04	2.18E-04	4.92E-05	1.8E+03	8.7E+03	3.1E+03	2.0E+03	8.9E+03	3.2E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.03E-05	1.26E-05	3.54E-05	5.43E-05	1.23E-05	5.1E+02	2.4E+03	8.7E+02	5.7E+02	2.5E+03	1.3E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	1.54E-04	3.02E-05	8.58E-05	1.34E-04	2.94E-05	1.0E+02	5.4E+02	1.9E+02	1.2E+02	5.5E+02	5.2E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	2.34E-05	5.50E-06	1.54E-05	2.24E-05	5.46E-06	1.6E+01	6.9E+01	2.5E+01	1.7E+01	7.0E+01	3.5E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	2.36E-10	1.32E-10	2.19E-10	2.36E-10	2.73E-10	6.0E+04	1.1E+05	6.4E+04	6.0E+04	5.2E+04	1.4E-06
Sulphur (16)	S-37	7.21E+04	9.61E-06	4.39E-04	6.56E-05	1.94E-04	3.31E-04	6.19E-05	7.2E+02	4.8E+03	1.6E+03	9.5E+02	5.1E+03	7.2E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	2.42E-04	3.98E-05	1.17E-04	1.93E-04	3.82E-05	3.9E+01	2.4E+02	8.0E+01	4.8E+01	2.5E+02	1.3E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	1.75E-04	3.69E-05	1.04E-04	1.58E-04	3.66E-05	7.3E+03	3.5E+04	1.2E+04	8.1E+03	3.5E+04	5.4E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	1.50E-04	3.14E-05	8.84E-05	1.36E-04	3.10E-05	1.6E+03	7.6E+03	2.7E+03	1.8E+03	7.7E+03	6.4E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	3.47E-04	6.61E-05	1.88E-04	2.99E-04	6.44E-05	1.3E+03	6.9E+03	2.4E+03	1.5E+03	7.1E+03	2.8E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	1.04E-04	2.18E-05	6.16E-05	9.40E-05	2.16E-05	4.8E+02	2.3E+03	8.1E+02	5.3E+02	2.3E+03	9.4E-12
Antimony (51)	Sb-116	2.31E+04	3.01E-05	2.99E-04	5.50E-05	1.59E-04	2.53E-04	5.36E-05	3.4E+02	1.8E+03	6.4E+02	4.0E+02	1.9E+03	3.3E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	3.94E-04	7.57E-05	2.15E-04	3.38E-04	7.35E-05	6.7E+01	3.5E+02	1.2E+02	7.8E+01	3.6E+02	2.5E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.58E-05	3.97E-06	1.08E-05	1.52E-05	4.10E-06	6.0E+02	2.4E+03	8.8E+02	6.3E+02	2.3E+03	6.3E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	9.53E-05	2.00E-05	5.66E-05	8.65E-05	1.99E-05	4.6E+03	2.2E+04	7.8E+03	5.1E+03	2.2E+04	1.1E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	3.31E-04	6.31E-05	1.80E-04	2.85E-04	6.15E-05	1.6E+01	8.4E+01	3.0E+01	1.9E+01	8.6E+01	3.0E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	6.94E-08	6.77E-08	6.97E-08	6.94E-08	2.87E-07	1.0E+04	1.0E+04	1.0E+04	1.0E+04	2.4E+03	1.5E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	5.24E-05	1.10E-05	3.10E-05	4.73E-05	1.10E-05	1.9E+03	9.1E+03	3.2E+03	2.1E+03	9.1E+03	1.9E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	3.10E-04	5.96E-05	1.69E-04	2.66E-04	5.81E-05	6.2E-01	3.2E+00	1.1E+00	7.2E-01	3.3E+00	3.3E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	5.36E-05	1.11E-05	3.14E-05	4.83E-05	1.10E-05	7.6E+00	3.7E+01	1.3E+01	8.4E+00	3.7E+01	1.9E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	2.07E-06	9.69E-07	1.88E-06	2.07E-06	1.35E-06	1.8E+05	3.9E+05	2.0E+05	1.8E+05	2.8E+05	5.0E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	2.45E-04	4.50E-05	1.29E-04	2.07E-04	4.35E-05	7.5E-02	4.1E-01	1.4E-01	8.9E-02	4.2E-01	4.3E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	5.30E-05	1.10E-05	3.09E-05	4.77E-05	1.07E-05	1.9E+04	9.4E+04	3.3E+04	2.2E+04	9.6E+04	2.0E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	2.60E-12	2.55E-12	2.61E-12	2.60E-12	1.05E-11	3.0E+10	3.1E+10	3.0E+10	3.0E+10	7.5E+09	4.0E-04
Antimony (51)	Sb-125	2.51E-01	2.76E+00	4.95E-05	1.05E-05	2.95E-05	4.51E-05	1.04E-05	2.2E-02	1.0E-01	3.7E-02	2.4E-02	1.1E-01	2.1E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.38E-04	6.87E-05	1.93E-04	3.00E-04	6.69E-05	2.7E-01	1.3E+00	4.6E-01	3.0E-01	1.3E+00	3.2E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	1.87E-04	3.85E-05	1.09E-04	1.68E-04	3.79E-05	4.4E+02	2.2E+03	7.7E+02	5.0E+02	2.2E+03	5.7E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	8.36E-05	1.72E-05	4.85E-05	7.48E-05	1.69E-05	3.4E+00	1.7E+01	5.9E+00	3.8E+00	1.7E+01	1.3E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	3.82E-04	7.67E-05	2.17E-04	3.38E-04	7.48E-05	7.7E+00	3.8E+01	1.4E+01	8.7E+00	3.9E+01	2.8E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	2.34E-04	4.75E-05	1.34E-04	2.08E-04	4.67E-05	6.6E+02	3.2E+03	1.1E+03	7.4E+02	3.3E+03	4.7E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	1.88E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	3.2E+01	1.7E+02	5.9E+01	3.7E+01	1.7E+02	5.8E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	4.07E-04	8.08E-05	2.29E-04	3.57E-04	7.86E-05	9.9E+01	5.0E+02	1.8E+02	1.1E+02	5.1E+02	2.7E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	3.44E-04	6.72E-05	1.90E-04	2.99E-04	6.53E-05	7.4E+02	3.8E+03	1.3E+03	8.5E+02	3.9E+03	3.2E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.74E-04	5.05E-05	1.45E-04	2.31E-04	4.89E-05	2.5E+02	1.4E+03	4.8E+02	3.0E+02	1.4E+03	4.1E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	3.72E-04	6.56E-05	1.90E-04	3.08E-04	6.37E-05	1.7E+03	9.7E+03	3.4E+03	2.1E+03	1.0E+04	3.0E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	5.46E-04	1.03E-04	2.94E-04	4.67E-04	1.00E-04	2.8E+03	1.5E+04	5.2E+03	3.3E+03	1.5E+04	6.5E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.16E-04	2.45E-05	6.92E-05	1.05E-04	2.41E-05	5.9E+01	2.8E+02	9.9E+01	6.5E+01	2.8E+02	3.2E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	2.69E-04	5.25E-05	1.50E-04	2.35E-04	5.14E-05	2.5E+01	1.3E+02	4.5E+01	2.9E+01	1.3E+02	1.4E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	3.02E-05	6.72E-06	1.89E-05	2.82E-05	6.53E-06	1.5E+01	6.8E+01	2.4E+01	1.6E+01	6.9E+01	1.2E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	2.60E-04	4.95E-05	1.41E-04	2.24E-04	4.80E-05	5.1E-02	2.7E-01	9.4E-02	5.9E-02	2.8E-01	1.5E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	9.81E-06	2.56E-06	6.97E-06	9.63E-06	2.51E-06	3.4E+01	1.3E+02	4.7E+01	3.4E+01	1.3E+02	4.1E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	4.42E-04	8.23E-05	2.35E-04	3.76E-04	7.95E-05	1.4E+00	7.4E+00	2.6E+00	1.6E+00	7.7E+00	9.2E-13
Scandium (21)	Sc-49	6.37E+03	1.09E-04	5.14E-07	1.46E-07	3.30E-07	4.67E-07	4.20E-07	5.4E+04	1.9E+05	8.4E+04	6.0E+04	6.6E+04	8.1E-10
Scandium (21)	Sc-50	2.13E+05	3.25E-06	4.29E-04	7.83E-05	2.25E-04	3.60E-04	7.57E-05	2.2E+03	1.2E+04	4.2E+03	2.6E+03	1.2E+04	9.9E-13
Selenium (34)	Se-70	8.86E+03	7.82E-05	8.08E-05	1.74E-05	4.88E-05	7.38E-05	1.73E-05	4.8E+02	2.2E+03	8.0E+02	5.3E+02	2.2E+03	7.4E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	1.95E-04	4.00E-05	1.13E-04	1.74E-04	3.94E-05	1.7E+03	8.4E+03	3.0E+03	1.9E+03	8.5E+03	3.1E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	5.21E-07	3.37E-07	5.15E-07	5.21E-07	5.46E-07	2.5E+02	3.9E+02	2.6E+02	2.5E+02	2.4E+02	1.2E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	1.23E-04	2.67E-05	7.47E-05	1.13E-04	2.65E-05	3.0E+01	1.4E+02	5.0E+01	3.3E+01	1.4E+02	5.0E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	3.07E-05	6.51E-06	1.83E-05	2.79E-05	6.41E-06	1.3E+03	6.2E+03	2.2E+03	1.4E+03	6.3E+03	2.0E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	3.85E-05	9.24E-06	2.55E-05	3.69E-05	9.03E-06	2.4E-01	1.0E+00	3.6E-01	2.5E-01	1.0E+00	1.7E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	7.83E-06	2.03E-06	5.50E-06	7.67E-06	1.99E-06	7.0E+05	2.7E+06	1.0E+06	7.2E+05	2.8E+06	8.4E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	2.46E-10	1.41E-10	2.29E-10	2.46E-10	2.97E-10	7.9E+02	1.4E+03	8.5E+02	7.9E+02	6.5E+02	5.2E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	5.96E-07	1.96E-07	4.80E-07	5.96E-07	2.08E-07	6.8E+05	2.1E+06	8.5E+05	6.8E+05	2.0E+06	1.1E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	1.13E-06	2.65E-07	7.02E-07	1.04E-06	4.67E-07	7.7E+04	3.3E+05	1.2E+05	8.3E+04	1.9E+05	6.1E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	9.66E-07	3.01E-07	7.57E-07	9.63E-07	3.12E-07	2.9E+04	9.2E+04	3.7E+04	2.9E+04	8.9E+04	7.1E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	3.41E-04	6.36E-05	1.83E-04	2.90E-04	6.19E-05	2.1E+02	1.1E+03	3.9E+02	2.5E+02	1.2E+03	2.1E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	1.31E-04	2.42E-05	6.92E-05	1.11E-04	2.38E-05	1.0E+04	5.6E+04	2.0E+04	1.2E+04	5.7E+04	5.4E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	4.80E-05	1.05E-05	2.94E-05	4.45E-05	1.04E-05	1.1E+04	4.9E+04	1.8E+04	1.2E+04	4.9E+04	1.5E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	2.99E-07	8.33E-08	1.92E-07	2.73E-07	2.85E-07	3.4E+04	1.2E+05	5.3E+04	3.7E+04	3.6E+04	8.8E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.13E-10	3.47E-10	6.36E-10	7.13E-10	6.12E-10	2.9E+02	6.0E+02	3.3E+02	2.9E+02	3.4E+02	3.4E-06
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	2.55E-07	8.63E-08	1.82E-07	2.44E-07	3.25E-07	8.1E-01	2.4E+00	1.1E+00	8.5E-01	6.4E-01	9.6E-09
Samarium (62)	Sm-139	1.42E+05	4.89E-06	1.75E-04	3.59E-05	1.01E-04	1.56E-04	3.53E-05	3.6E+03	1.7E+04	6.1E+03	4.0E+03	1.8E+04	6.8E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	6.66E-05	1.35E-05	3.79E-05	5.87E-05	1.34E-05	1.6E+03	8.0E+03	2.8E+03	1.8E+03	8.0E+03	1.8E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	1.73E-04	3.45E-05	9.80E-05	1.52E-04	3.38E-05	9.0E+02	4.5E+03	1.6E+03	1.0E+03	4.6E+03	6.9E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	2.40E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	2.9E+02	1.5E+03	5.3E+02	3.4E+02	1.5E+03	5.0E-12
Samarium (62)	Sm-142	5.02E+03	1.38E-04	1.00E-05	2.29E-06	6.06E-06	9.09E-06	2.52E-06	2.2E+03	9.6E+03	3.6E+03	2.4E+03	8.7E+03	1.2E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	6.15E-05	1.29E-05	3.62E-05	5.55E-05	1.30E-05	3.0E+03	1.4E+04	5.0E+03	3.3E+03	1.4E+04	2.0E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	8.49E-05	1.70E-05	4.80E-05	7.48E-05	1.66E-05	1.7E+04	8.5E+04	3.0E+04	1.9E+04	8.7E+04	1.4E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.01E-06	6.66E-07	9.85E-07	1.01E-06	1.21E-06	3.2E+00	4.9E+00	3.3E+00	3.2E+00	2.7E+00	1.2E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-147	6.54E-12	1.06E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-148	9.90E-17	7.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-151	7.70E-03	9.00E+01	1.04E-11	1.04E-11	1.04E-11	1.04E-11	6.50E-11	1.8E+04	1.9E+04	1.9E+04	1.8E+04	3.0E+03	7.0E-04
Samarium (62)	Sm-153	1.31E+02	5.31E-03	3.00E-06	1.11E-06	2.44E-06	2.99E-06	1.37E-06	1.9E+02	5.2E+02	2.3E+02	1.9E+02	4.2E+02	4.3E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	7.57E-06	2.27E-06	5.71E-06	7.45E-06	2.53E-06	9.4E+03	3.2E+04	1.3E+04	9.6E+03	2.8E+04	1.7E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	9.78E-06	2.57E-06	6.87E-06	9.50E-06	2.62E-06	2.9E+02	1.1E+03	4.1E+02	3.0E+02	1.1E+03	1.4E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	4.67E-05	1.00E-05	2.80E-05	4.23E-05	1.01E-05	4.3E+03	2.0E+04	7.1E+03	4.7E+03	2.0E+04	2.9E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	1.43E-04	2.94E-05	8.28E-05	1.28E-04	2.88E-05	5.8E+03	2.8E+04	1.0E+04	6.5E+03	2.9E+04	6.3E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	7.54E-05	1.64E-05	4.59E-05	6.91E-05	1.62E-05	2.1E+03	9.5E+03	3.4E+03	2.2E+03	9.6E+03	1.2E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	2.95E-04	5.25E-05	1.52E-04	2.46E-04	5.08E-05	3.0E+02	1.7E+03	5.8E+02	3.6E+02	1.7E+03	3.1E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.94E-05	6.72E-06	1.89E-05	2.79E-05	6.72E-06	2.2E+02	9.6E+02	3.4E+02	2.3E+02	9.6E+02	3.2E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	5.96E-05	1.18E-05	3.34E-05	5.21E-05	1.16E-05	7.6E+02	3.8E+03	1.4E+03	8.7E+02	3.9E+03	1.6E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Tin (50)	Sn-113	2.20E+00	3.15E-01	6.15E-07	1.79E-07	4.18E-07	5.90E-07	3.44E-07	1.6E+01	5.4E+01	2.3E+01	1.6E+01	2.8E+01	1.6E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	6.06E-08	4.72E-08	5.81E-08	6.06E-08	1.74E-07	1.2E+06	1.6E+06	1.3E+06	1.2E+06	4.3E+05	1.6E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	1.27E-05	3.35E-06	8.99E-06	1.24E-05	3.44E-06	6.3E+00	2.4E+01	9.0E+00	6.5E+00	2.3E+01	7.8E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	4.23E-08	4.10E-08	4.23E-08	4.23E-08	1.79E-07	8.9E+01	9.2E+01	8.9E+01	8.9E+01	2.1E+01	2.4E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.60E-09	1.41E-09	2.97E-09	3.60E-09	2.03E-09	3.0E+05	7.7E+05	3.7E+05	3.0E+05	5.4E+05	3.2E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	2.41E-08	2.13E-08	2.39E-08	2.41E-08	7.04E-08	8.8E+00	1.0E+01	8.9E+00	8.8E+00	3.0E+00	1.3E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	2.69E-08	2.24E-08	2.62E-08	2.69E-08	7.20E-08	7.9E+00	9.5E+00	8.1E+00	7.9E+00	2.9E+00	1.2E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.05E-06	2.20E-07	5.91E-07	9.12E-07	3.85E-07	8.2E+00	3.9E+01	1.5E+01	9.4E+00	2.2E+01	9.9E-10
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.26E-05	3.28E-06	8.89E-06	1.23E-05	3.38E-06	3.2E+03	1.2E+04	4.5E+03	3.2E+03	1.2E+04	8.3E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.42E-05	8.33E-06	2.37E-05	3.76E-05	8.30E-06	2.6E+00	1.4E+01	4.9E+00	3.1E+00	1.4E+01	2.4E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	3.91E-05	8.63E-06	2.43E-05	3.63E-05	8.68E-06	4.3E+03	1.9E+04	6.9E+03	4.6E+03	1.9E+04	2.7E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	2.69E-06	9.90E-07	2.26E-06	2.70E-06	1.15E-06	6.5E-02	1.8E-01	7.8E-02	6.5E-02	1.5E-01	5.3E-06
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	2.37E-04	4.91E-05	1.38E-04	2.13E-04	4.83E-05	7.4E-04	3.6E-03	1.3E-03	8.2E-04	3.6E-03	6.0E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	2.50E-04	4.65E-05	1.33E-04	2.12E-04	4.51E-05	5.1E+01	2.7E+02	9.5E+01	6.0E+01	2.8E+02	4.3E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	6.97E-05	1.42E-05	4.02E-05	6.22E-05	1.42E-05	5.5E+03	2.7E+04	9.6E+03	6.2E+03	2.7E+04	1.5E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.44E-05	1.40E-05	3.87E-05	5.87E-05	1.42E-05	4.2E+02	1.9E+03	7.0E+02	4.6E+02	1.9E+03	1.7E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	1.28E-04	2.51E-05	7.12E-05	1.12E-04	2.48E-05	5.6E+03	2.8E+04	1.0E+04	6.4E+03	2.9E+04	8.5E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	1.08E-04	2.27E-05	6.36E-05	9.69E-05	2.25E-05	4.0E+03	1.9E+04	6.7E+03	4.4E+03	1.9E+04	1.0E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	1.12E-04	2.17E-05	6.16E-05	9.66E-05	2.16E-05	8.4E+03	4.3E+04	1.5E+04	9.7E+03	4.4E+04	9.9E-12
Strontium (38)	Sr-79	1.62E+05	4.28E-06	1.37E-04	2.95E-05	8.28E-05	1.25E-04	2.95E-05	5.2E+03	2.4E+04	8.6E+03	5.7E+03	2.4E+04	4.9E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	5.05E-05	1.07E-05	3.00E-05	4.58E-05	1.04E-05	3.0E+02	1.4E+03	5.0E+02	3.3E+02	1.4E+03	1.3E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.62E-04	3.44E-05	9.64E-05	1.47E-04	3.41E-05	4.4E+02	2.1E+03	7.4E+02	4.9E+02	2.1E+03	4.3E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.29E-09	1.29E-09	1.29E-09	1.29E-09	2.40E-08	3.4E+04	3.4E+04	3.4E+04	3.4E+04	1.8E+03	5.4E-07
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.77E-05	3.3E-01	1.6E+00	5.6E-01	3.6E-01	1.6E+00	5.2E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	9.97E-05	2.00E-05	5.66E-05	8.80E-05	1.96E-05	8.2E+00	4.1E+01	1.5E+01	9.3E+00	4.2E+01	7.1E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	5.81E-05	1.22E-05	3.45E-05	5.27E-05	1.20E-05	2.9E-01	1.4E+00	5.0E-01	3.2E-01	1.4E+00	1.2E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.20E-05	5.20E-06	1.46E-05	2.11E-05	5.08E-06	1.1E+03	4.5E+03	1.6E+03	1.1E+03	4.6E+03	3.3E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	3.60E-05	7.88E-06	2.22E-05	3.35E-05	7.70E-06	2.6E+02	1.2E+03	4.3E+02	2.8E+02	1.2E+03	2.1E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	1.96E-07	6.51E-08	1.39E-07	1.87E-07	2.61E-07	1.1E+02	3.4E+02	1.6E+02	1.2E+02	8.4E+01	3.9E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.31E-08	4.51E-09	1.02E-08	1.29E-08	1.01E-08	2.0E+01	5.7E+01	2.5E+01	2.0E+01	2.6E+01	1.4E-07
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	5.27E-07	1.69E-07	3.64E-07	4.99E-07	4.61E-07	4.4E-01	1.4E+00	6.4E-01	4.7E-01	5.1E-01	3.2E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	9.03E-05	1.76E-05	4.98E-05	7.86E-05	1.73E-05	3.1E+01	1.6E+02	5.5E+01	3.5E+01	1.6E+02	8.6E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	1.81E-04	3.24E-05	9.34E-05	1.51E-04	3.12E-05	5.5E+01	3.1E+02	1.1E+02	6.6E+01	3.2E+02	4.3E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	2.94E-04	5.50E-05	1.58E-04	2.51E-04	5.36E-05	7.3E+02	3.9E+03	1.4E+03	8.6E+02	4.0E+03	2.7E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	1.94E-04	3.47E-05	1.00E-04	1.62E-04	3.35E-05	6.5E+03	3.7E+04	1.3E+04	7.9E+03	3.8E+04	4.1E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	1.26E-04	2.65E-05	7.42E-05	1.13E-04	2.64E-05	1.9E+03	8.9E+03	3.2E+03	2.1E+03	9.0E+03	1.2E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.10E-04	4.11E-05	1.16E-04	1.82E-04	4.01E-05	2.1E+02	1.1E+03	3.7E+02	2.4E+02	1.1E+03	7.0E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	6.56E-05	1.35E-05	3.72E-05	5.71E-05	1.35E-05	1.3E+02	6.3E+02	2.3E+02	1.5E+02	6.3E+02	2.2E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	1.17E-04	2.33E-05	6.56E-05	1.02E-04	2.30E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	1.3E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.36E-04	2.62E-05	7.37E-05	1.16E-04	2.58E-05	1.9E+01	9.7E+01	3.4E+01	2.2E+01	9.8E+01	1.1E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	2.99E-04	5.30E-05	1.52E-04	2.46E-04	5.11E-05	1.1E+01	6.2E+01	2.2E+01	1.3E+01	6.4E+01	5.0E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	3.28E-06	1.20E-06	2.57E-06	3.16E-06	1.43E-06	1.4E+02	3.9E+02	1.8E+02	1.5E+02	3.3E+02	4.6E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	1.05E-05	2.50E-06	6.31E-06	9.18E-06	2.69E-06	1.6E+04	6.8E+04	2.7E+04	1.9E+04	6.4E+04	1.4E-10
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	1.17E-04	2.74E-05	7.52E-05	1.10E-04	2.73E-05	9.6E+01	4.1E+02	1.5E+02	1.0E+02	4.1E+02	1.3E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	7.57E-07	3.88E-07	7.12E-07	7.57E-07	5.05E-07	2.2E+00	4.3E+00	2.3E+00	2.2E+00	3.3E+00	2.0E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	1.64E-06	7.83E-07	1.50E-06	1.64E-06	9.91E-07	2.0E+03	4.2E+03	2.2E+03	2.0E+03	3.3E+03	9.3E-10
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.03E-05	5.9E-02	3.1E-01	1.1E-01	7.0E-02	3.2E-01	9.5E-12
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	2.10E-05	5.76E-06	1.49E-05	2.04E-05	5.93E-06	4.8E+03	1.7E+04	6.7E+03	4.9E+03	1.7E+04	7.4E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.55E-05	6.61E-06	1.74E-05	2.44E-05	6.72E-06	8.5E+00	3.3E+01	1.3E+01	8.9E+00	3.2E+01	6.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	1.85E-04	3.85E-05	1.09E-04	1.66E-04	3.79E-05	1.7E+01	7.9E+01	2.8E+01	1.8E+01	8.1E+01	8.5E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	1.33E-05	3.50E-06	9.19E-06	1.28E-05	3.79E-06	2.4E+03	9.2E+03	3.5E+03	2.5E+03	8.5E+03	1.2E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	1.66E-04	3.50E-05	9.85E-05	1.50E-04	3.44E-05	9.2E+02	4.3E+03	1.5E+03	1.0E+03	4.4E+03	9.5E-12
Terbium (65)	Tb-146	9.50E+05	7.29E-07	4.86E-04	8.79E-05	2.52E-04	4.04E-04	8.49E-05	8.6E+03	4.7E+04	1.6E+04	1.0E+04	4.9E+04	2.6E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	2.79E-04	5.30E-05	1.50E-04	2.39E-04	5.18E-05	5.8E+01	3.1E+02	1.1E+02	6.8E+01	3.1E+02	4.5E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	2.54E-04	4.59E-05	1.32E-04	2.12E-04	4.45E-05	3.4E+03	1.9E+04	6.5E+03	4.0E+03	1.9E+04	4.9E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	3.04E-04	5.76E-05	1.64E-04	2.59E-04	5.59E-05	8.7E+01	4.6E+02	1.6E+02	1.0E+02	4.8E+02	4.1E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	3.85E-04	7.78E-05	2.19E-04	3.41E-04	7.57E-05	1.9E+03	9.3E+03	3.3E+03	2.1E+03	9.6E+03	3.3E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	1.70E-04	3.27E-05	9.29E-05	1.46E-04	3.19E-05	3.8E+01	2.0E+02	6.9E+01	4.4E+01	2.0E+02	7.4E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	1.67E-04	3.37E-05	9.49E-05	1.48E-04	3.31E-05	2.3E+03	1.1E+04	4.0E+03	2.6E+03	1.2E+04	7.6E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	3.25E-04	5.81E-05	1.67E-04	2.69E-04	5.59E-05	2.4E+01	1.3E+02	4.6E+01	2.8E+01	1.4E+02	3.9E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	2.99E-04	6.21E-05	1.75E-04	2.69E-04	6.09E-05	9.2E+02	4.4E+03	1.6E+03	1.0E+03	4.5E+03	4.3E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	1.12E-04	2.37E-05	6.61E-05	1.01E-04	2.36E-05	1.4E+01	6.4E+01	2.3E+01	1.5E+01	6.4E+01	1.1E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	7.92E-06	1.76E-06	4.75E-06	7.16E-06	1.83E-06	4.8E+05	2.2E+06	8.1E+05	5.3E+05	2.1E+06	1.6E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	1.90E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	8.0E+00	4.2E+01	1.5E+01	9.4E+00	4.4E+01	6.8E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	8.24E-05	1.81E-05	5.02E-05	7.54E-05	1.81E-05	4.6E+03	2.1E+04	7.6E+03	5.0E+03	2.1E+04	1.6E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	3.22E-05	7.42E-06	1.99E-05	2.94E-05	7.64E-06	1.5E+01	6.4E+01	2.4E+01	1.6E+01	6.2E+01	4.0E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.10E-04	5.35E-05	1.55E-04	2.52E-04	5.18E-05	4.0E+00	2.3E+01	8.0E+00	4.9E+00	2.4E+01	4.2E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	1.16E-05	3.48E-06	8.53E-06	1.13E-05	3.88E-06	1.8E+01	6.0E+01	2.4E+01	1.8E+01	5.4E+01	1.1E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	2.41E-04	4.66E-05	1.32E-04	2.08E-04	4.54E-05	8.6E-01	4.4E+00	1.6E+00	1.0E+00	4.6E+00	5.5E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	8.58E-07	5.15E-07	8.38E-07	8.58E-07	7.57E-07	1.3E+03	2.1E+03	1.3E+03	1.3E+03	1.4E+03	1.5E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.13E-07	5.40E-08	1.01E-07	1.13E-07	7.48E-08	4.5E+04	9.3E+04	5.0E+04	4.5E+04	6.7E+04	1.2E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	8.11E-08	5.40E-08	8.03E-08	8.11E-08	9.12E-08	2.4E+00	3.7E+00	2.5E+00	2.4E+00	2.2E+00	7.6E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	9.72E-05	1.93E-05	5.40E-05	8.46E-05	1.91E-05	1.9E-03	9.5E-03	3.4E-03	2.2E-03	9.6E-03	1.5E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	1.42E-04	2.76E-05	7.83E-05	1.23E-04	2.69E-05	1.1E-01	5.6E-01	2.0E-01	1.2E-01	5.7E-01	9.6E-12
Terbium (65)	Tb-161	3.66E+01	1.89E-02	9.47E-07	4.68E-07	8.53E-07	9.40E-07	6.85E-07	1.7E+02	3.4E+02	1.9E+02	1.7E+02	2.3E+02	1.4E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	1.33E-04	2.72E-05	7.67E-05	1.19E-04	2.67E-05	1.6E+03	7.7E+03	2.7E+03	1.8E+03	7.9E+03	1.0E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	9.03E-05	1.95E-05	5.45E-05	8.30E-05	1.92E-05	9.1E+02	4.2E+03	1.5E+03	9.9E+02	4.3E+03	1.5E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	3.10E-04	5.96E-05	1.70E-04	2.67E-04	5.81E-05	1.7E+03	8.9E+03	3.1E+03	2.0E+03	9.2E+03	4.5E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	1.11E-04	2.04E-05	5.86E-05	9.37E-05	2.00E-05	6.8E+03	3.7E+04	1.3E+04	8.1E+03	3.8E+04	1.3E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	3.72E-05	8.33E-06	2.34E-05	3.47E-05	8.24E-06	3.0E+03	1.3E+04	4.8E+03	3.2E+03	1.4E+04	2.3E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	1.26E-05	2.63E-06	7.17E-06	1.10E-05	2.95E-06	1.4E+06	6.9E+06	2.5E+06	1.6E+06	6.2E+06	6.9E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	3.28E-04	6.01E-05	1.72E-04	2.76E-04	5.81E-05	1.1E+03	6.1E+03	2.1E+03	1.3E+03	6.3E+03	2.6E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	3.02E-04	5.40E-05	1.56E-04	2.51E-04	5.24E-05	2.9E+02	1.6E+03	5.6E+02	3.5E+02	1.7E+03	2.9E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	9.81E-05	1.95E-05	5.50E-05	8.55E-05	1.93E-05	2.1E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	9.1E-12
Technetium (43)	Tc-91	1.16E+05	5.97E-06	3.31E-04	6.01E-05	1.73E-04	2.77E-04	5.84E-05	1.5E+03	8.5E+03	2.9E+03	1.8E+03	8.7E+03	2.3E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	1.73E-04	3.58E-05	1.01E-04	1.55E-04	3.53E-05	2.8E+03	1.3E+04	4.8E+03	3.1E+03	1.4E+04	4.5E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	4.86E-04	9.39E-05	2.67E-04	4.20E-04	9.12E-05	7.7E+02	4.0E+03	1.4E+03	8.9E+02	4.1E+03	1.6E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.10E-04	3.77E-05	1.09E-04	1.75E-04	3.63E-05	4.6E+01	2.6E+02	8.9E+01	5.5E+01	2.7E+02	3.8E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.30E-04	2.22E-05	6.46E-05	1.05E-04	2.12E-05	2.8E+02	1.7E+03	5.7E+02	3.5E+02	1.7E+03	6.1E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	3.31E-04	6.56E-05	1.86E-04	2.92E-04	6.41E-05	1.6E+01	8.3E+01	2.9E+01	1.9E+01	8.5E+01	2.4E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.48E-04	4.80E-05	1.36E-04	2.15E-04	4.70E-05	1.2E+02	6.4E+02	2.3E+02	1.4E+02	6.5E+02	3.2E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	9.81E-05	1.95E-05	5.50E-05	8.65E-05	1.91E-05	1.4E+01	6.8E+01	2.4E+01	1.5E+01	7.0E+01	8.2E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	8.08E-05	1.67E-05	4.71E-05	7.23E-05	1.63E-05	2.2E-01	1.1E+00	3.9E-01	2.5E-01	1.1E+00	1.0E-11
Technetium (43)	Tc-96	5.91E+01	1.17E-02	3.14E-04	6.16E-05	1.75E-04	2.75E-04	6.03E-05	8.2E-01	4.2E+00	1.5E+00	9.4E-01	4.3E+00	2.6E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.33E-06	1.03E-06	2.91E-06	4.61E-06	1.04E-06	5.8E+03	3.0E+04	1.1E+04	6.7E+03	3.0E+04	1.5E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	7.73E-09	7.78E-09	7.73E-09	7.73E-09	7.51E-08	2.3E+01	2.3E+01	2.3E+01	2.3E+01	2.3E+00	1.6E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	2.79E-08	1.44E-08	2.40E-08	2.79E-08	7.48E-08	4.4E+02	8.5E+02	5.1E+02	4.4E+02	1.6E+02	3.0E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	1.0E-03	5.0E-03	1.8E-03	1.1E-03	5.1E-03	1.2E-06

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Technetium (43)	Tc-99	3.28E-06	2.11E+05	2.24E-09	9.44E-10	1.90E-09	2.23E-09	1.44E-09	7.8E+01	1.9E+02	9.2E+01	7.9E+01	1.2E+02	4.6E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.07E-05	2.90E-06	7.78E-06	1.05E-05	2.87E-06	4.1E+02	1.5E+03	5.7E+02	4.2E+02	1.5E+03	7.9E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	2.86E-04	5.45E-05	1.56E-04	2.46E-04	5.33E-05	3.3E+03	1.7E+04	6.0E+03	3.8E+03	1.8E+04	3.4E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	1.63E-04	3.05E-05	8.74E-05	1.39E-04	2.98E-05	6.5E+02	3.4E+03	1.2E+03	7.6E+02	3.5E+03	6.0E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	2.86E-04	5.50E-05	1.57E-04	2.47E-04	5.36E-05	9.6E+02	5.0E+03	1.8E+03	1.1E+03	5.1E+03	3.4E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	3.38E-04	6.36E-05	1.81E-04	2.88E-04	6.15E-05	7.1E+02	3.7E+03	1.3E+03	8.3E+02	3.9E+03	2.9E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	7.98E-06	1.99E-06	5.15E-06	7.35E-06	2.30E-06	1.3E+03	5.4E+03	2.1E+03	1.5E+03	4.6E+03	1.2E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.00E-04	3.74E-05	1.07E-04	1.70E-04	3.63E-05	1.3E+02	6.9E+02	2.4E+02	1.5E+02	7.1E+02	5.0E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	7.35E-08	7.07E-08	7.37E-08	7.35E-08	2.68E-07	2.5E+03	2.6E+03	2.5E+03	2.5E+03	6.9E+02	1.4E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	9.53E-05	2.00E-05	5.66E-05	8.65E-05	2.01E-05	1.9E+00	9.2E+00	3.3E+00	2.1E+00	9.2E+00	1.1E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	9.31E-05	1.86E-05	5.25E-05	8.20E-05	1.83E-05	1.8E+01	8.9E+01	3.2E+01	2.0E+01	9.1E+01	1.1E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	1.91E-04	3.62E-05	1.03E-04	1.63E-04	3.53E-05	1.2E+00	6.5E+00	2.3E+00	1.4E+00	6.7E+00	5.3E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	6.66E-05	1.39E-05	3.91E-05	6.00E-05	1.38E-05	8.7E-01	4.1E+00	1.5E+00	9.6E-01	4.2E+00	1.5E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	2.12E-05	4.95E-06	1.37E-05	2.00E-05	4.95E-06	3.4E-01	1.5E+00	5.2E-01	3.6E-01	1.5E+00	4.8E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	1.27E-10	1.23E-10	1.28E-10	1.27E-10	4.67E-10	1.4E+03	1.4E+03	1.4E+03	1.4E+03	3.8E+02	2.8E+08
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	1.21E-05	3.20E-06	8.58E-06	1.19E-05	3.28E-06	7.7E-01	2.9E+00	1.1E+00	7.8E-01	2.8E+00	8.6E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	1.87E-07	1.60E-07	1.82E-07	1.87E-07	5.21E-07	1.0E+02	1.2E+02	1.1E+02	1.0E+02	3.7E+01	5.7E-09
Tellurium (52)	Te-127	6.49E+02	1.07E-03	5.68E-07	1.26E-07	3.52E-07	5.27E-07	1.43E-07	5.0E+03	2.3E+04	8.1E+03	5.4E+03	2.0E+04	1.9E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	7.23E-08	5.25E-08	6.61E-08	7.10E-08	1.63E-07	1.4E+02	1.9E+02	1.5E+02	1.4E+02	6.2E+01	1.5E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	6.94E-06	1.49E-06	4.15E-06	6.31E-06	1.68E-06	3.3E+03	1.5E+04	5.5E+03	3.6E+03	1.4E+04	1.6E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	3.76E-06	7.93E-07	2.16E-06	3.35E-06	9.21E-07	8.8E+00	4.2E+01	1.5E+01	9.9E+00	3.6E+01	2.9E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	4.80E-05	1.02E-05	2.86E-05	4.32E-05	1.03E-05	1.3E+03	6.2E+03	2.2E+03	1.5E+03	6.2E+03	2.3E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	1.82E-04	3.56E-05	1.01E-04	1.59E-04	3.47E-05	4.9E+00	2.5E+01	8.8E+00	5.6E+00	2.6E+01	6.1E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	2.11E-05	5.15E-06	1.41E-05	2.03E-05	5.30E-06	1.6E+01	6.7E+01	2.4E+01	1.7E+01	6.5E+01	5.3E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	1.54E-04	2.93E-05	8.38E-05	1.32E-04	2.85E-05	8.3E+02	4.4E+03	1.5E+03	9.7E+02	4.5E+03	7.3E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.37E-04	4.55E-05	1.29E-04	2.04E-04	4.42E-05	1.2E+02	6.3E+02	2.2E+02	1.4E+02	6.5E+02	4.8E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	1.01E-04	2.13E-05	5.96E-05	9.09E-05	2.09E-05	3.8E+02	1.8E+03	6.4E+02	4.2E+02	1.8E+03	1.1E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	4.99E-06	1.53E-06	3.82E-06	4.92E-06	1.58E-06	3.2E+07	1.0E+08	4.2E+07	3.2E+07	1.0E+08	3.8E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	2.17E-06	5.35E-07	1.47E-06	2.09E-06	5.30E-07	4.2E+07	1.7E+08	6.2E+07	4.4E+07	1.7E+08	8.8E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	6.37E-07	1.76E-07	4.63E-07	6.25E-07	1.79E-07	8.2E+04	3.0E+05	1.1E+05	8.4E+04	2.9E+05	3.0E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	1.20E-05	2.90E-06	7.93E-06	1.15E-05	2.90E-06	4.9E+00	2.0E+01	7.5E+00	5.2E+00	2.0E+01	1.6E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	1.52E-07	4.51E-08	1.14E-07	1.50E-07	5.11E-08	1.0E+01	3.5E+01	1.4E+01	1.1E+01	3.1E+01	1.3E-08
Thorium (90)	Th-229	9.44E-05	7.34E+03	6.06E-06	1.83E-06	4.61E-06	6.00E-06	1.91E-06	2.9E-02	9.6E-02	3.8E-02	2.9E-02	9.2E-02	1.4E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	6.22E-06	1.95E-06	4.77E-06	6.15E-06	2.15E-06	2.8E-02	9.0E-02	3.7E-02	2.9E-02	8.2E-02	1.3E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	2.28E-08	8.13E-09	1.83E-08	2.26E-08	1.33E-08	7.7E+00	2.2E+01	9.6E+00	7.8E+00	1.3E+01	3.7E-04
Thorium (90)	Th-231	2.38E+02	2.91E-03	6.72E-07	2.41E-07	5.50E-07	6.72E-07	3.35E-07	1.6E+03	4.3E+03	1.9E+03	1.6E+03	3.1E+03	2.9E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	9.69E-09	4.12E-09	8.38E-09	9.66E-09	8.80E-09	1.8E+01	4.3E+01	2.1E+01	1.8E+01	2.0E+01	1.7E+02
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	1.6E-03	8.3E-03	2.9E-03	1.9E-03	8.5E-03	1.5E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	3.88E-06	8.68E-07	2.37E-06	3.53E-06	9.78E-07	1.8E+04	8.2E+04	3.0E+04	2.0E+04	7.3E+04	5.1E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	4.80E-07	1.76E-07	4.01E-07	4.80E-07	1.98E-07	9.6E+01	2.6E+02	1.1E+02	9.6E+01	2.3E+02	4.1E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	2.93E-06	6.97E-07	1.80E-06	2.62E-06	9.72E-07	1.6E+01	6.6E+01	2.6E+01	1.8E+01	4.7E+01	6.8E-10
Thorium (90)	Th-235	5.13E+04	1.35E-05	6.69E-06	1.41E-06	3.91E-06	6.00E-06	1.60E-06	3.4E+04	1.6E+05	5.7E+04	3.7E+04	1.4E+05	3.0E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.57E-06	8.23E-07	2.25E-06	3.31E-06	8.99E-07	1.2E+04	5.2E+04	1.9E+04	1.3E+04	4.7E+04	5.6E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	6.69E-06	2.70E-06	5.86E-06	6.69E-06	3.03E-06	3.0E-02	7.5E-02	3.4E-02	3.0E-02	6.7E-02	2.2E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	2.75E-04	5.50E-05	1.56E-04	2.41E-04	5.46E-05	7.3E-04	3.7E-03	1.3E-03	8.4E-04	3.7E-03	5.4E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	1.03E-04	2.17E-05	6.11E-05	9.34E-05	2.13E-05	8.4E+01	4.0E+02	1.4E+02	9.2E+01	4.1E+02	3.7E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	4.23E-05	9.24E-06	2.60E-05	3.91E-05	9.28E-06	6.5E+03	3.0E+04	1.1E+04	7.1E+03	3.0E+04	1.0E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	1.02E-05	2.94E-06	7.67E-06	1.01E-05	3.19E-06	9.2E+04	3.2E+05	1.2E+05	9.3E+04	2.9E+05	4.3E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	1.54E-04	3.24E-05	9.09E-05	1.39E-04	3.22E-05	4.0E+03	1.9E+04	6.8E+03	4.4E+03	1.9E+04	1.0E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	2.95E-04	6.06E-05	1.71E-04	2.64E-04	5.96E-05	1.5E+03	7.1E+03	2.5E+03	1.6E+03	7.2E+03	5.5E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.06E-04	2.26E-05	6.31E-05	9.59E-05	2.23E-05	4.6E+02	2.1E+03	7.7E+02	5.0E+02	2.2E+03	1.6E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	2.99E-04	6.21E-05	1.74E-04	2.68E-04	6.09E-05	1.6E+02	7.8E+02	2.8E+02	1.8E+02	8.0E+02	5.5E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.57E-04	2.91E-05	8.28E-05	1.32E-04	2.82E-05	1.5E+02	7.9E+02	2.8E+02	1.7E+02	8.1E+02	1.1E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	2.41E-04	4.50E-05	1.29E-04	2.04E-04	4.35E-05	6.0E+01	3.2E+02	1.1E+02	7.1E+01	3.3E+02	6.9E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	5.11E-05	1.08E-05	2.97E-05	4.51E-05	1.07E-05	1.8E+02	8.7E+02	3.2E+02	2.1E+02	8.8E+02	3.3E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	2.62E-04	4.81E-05	1.38E-04	2.20E-04	4.67E-05	1.9E+01	1.0E+02	3.6E+01	2.3E+01	1.1E+02	6.4E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	1.39E-04	2.97E-05	8.33E-05	1.26E-04	2.92E-05	1.0E+02	4.8E+02	1.7E+02	1.1E+02	4.9E+02	1.2E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	2.34E-05	5.71E-06	1.52E-05	2.18E-05	5.78E-06	1.5E+02	6.3E+02	2.4E+02	1.6E+02	6.2E+02	7.2E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.60E-04	3.17E-05	8.99E-05	1.40E-04	3.10E-05	6.4E+00	3.2E+01	1.1E+01	7.3E+00	3.3E+01	1.1E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	5.08E-06	1.80E-06	4.15E-06	5.05E-06	1.96E-06	7.2E+01	2.0E+02	8.8E+01	7.2E+01	1.9E+02	3.4E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	4.95E-05	1.12E-05	3.06E-05	4.58E-05	1.11E-05	1.8E+00	8.1E+00	3.0E+00	2.0E+00	8.2E+00	3.5E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	8.08E-08	3.13E-08	6.82E-08	8.02E-08	6.47E-08	1.0E+01	2.6E+01	1.2E+01	1.0E+01	1.3E+01	2.2E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	1.65E-07	5.60E-08	1.19E-07	1.58E-07	2.32E-07	2.3E+06	6.8E+06	3.2E+06	2.4E+06	1.6E+06	1.1E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	2.88E-04	5.96E-05	1.68E-04	2.58E-04	5.81E-05	1.5E+03	7.2E+03	2.5E+03	1.7E+03	7.3E+03	6.1E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	4.29E-07	1.03E-07	2.60E-07	3.85E-07	2.58E-07	7.8E+05	3.2E+06	1.3E+06	8.7E+05	1.3E+06	4.1E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	4.73E-04	7.83E-05	2.28E-04	3.76E-04	7.48E-05	1.1E+03	6.7E+03	2.3E+03	1.4E+03	7.0E+03	3.7E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	2.79E-04	5.15E-05	1.48E-04	2.35E-04	5.02E-05	2.6E+03	1.4E+04	5.0E+03	3.1E+03	1.5E+04	6.4E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	3.63E-04	6.72E-05	1.92E-04	3.07E-04	6.50E-05	3.4E+03	1.8E+04	6.4E+03	4.0E+03	1.9E+04	4.9E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.57E-04	3.00E-05	8.43E-05	1.33E-04	2.99E-05	3.4E+02	1.8E+03	6.3E+02	4.0E+02	1.8E+03	8.7E-12
Thulium (69)	Tm-162	1.68E+04	4.13E-05	2.52E-04	4.56E-05	1.31E-04	2.10E-04	4.45E-05	2.9E+02	1.6E+03	5.6E+02	3.5E+02	1.7E+03	5.5E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.06E-05	9.0E+01	4.7E+02	1.7E+02	1.1E+02	4.8E+02	8.5E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	9.47E-05	1.88E-05	5.30E-05	8.27E-05	1.86E-05	8.4E+03	4.2E+04	1.5E+04	9.6E+03	4.3E+04	1.5E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	5.96E-05	1.31E-05	3.59E-05	5.40E-05	1.32E-05	1.5E+01	6.7E+01	2.5E+01	1.6E+01	6.7E+01	2.4E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	2.57E-04	4.71E-05	1.35E-04	2.16E-04	4.58E-05	1.3E+01	7.3E+01	2.6E+01	1.6E+01	7.5E+01	5.5E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.09E-05	3.02E-06	7.62E-06	1.05E-05	3.28E-06	1.1E+01	4.0E+01	1.6E+01	1.1E+01	3.6E+01	1.3E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	1.45E-04	3.01E-05	8.38E-05	1.29E-04	2.97E-05	8.2E-02	4.0E-01	1.4E-01	9.2E-02	4.0E-01	9.9E-12
Thulium (69)	Tm-170	1.97E+00	3.52E-01	2.16E-07	8.63E-08	1.83E-07	2.15E-07	1.64E-07	4.0E+01	1.0E+02	4.7E+01	4.0E+01	5.2E+01	6.7E-09
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.80E-08	9.44E-09	1.70E-08	1.80E-08	1.26E-08	8.8E+01	1.7E+02	9.3E+01	8.8E+01	1.3E+02	8.1E-08
Thulium (69)	Tm-172	9.55E+01	7.26E-03	6.31E-05	1.15E-05	3.28E-05	5.27E-05	1.12E-05	6.6E+00	3.6E+01	1.3E+01	7.9E+00	3.7E+01	2.3E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	4.39E-05	9.54E-06	2.69E-05	4.04E-05	9.44E-06	7.4E+01	3.4E+02	1.2E+02	8.0E+01	3.4E+02	3.4E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	2.11E-04	4.35E-05	1.23E-04	1.88E-04	4.26E-05	1.4E+03	6.8E+03	2.4E+03	1.6E+03	6.9E+03	7.0E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	1.33E-04	2.68E-05	7.57E-05	1.18E-04	2.62E-05	7.9E+02	3.9E+03	1.4E+03	8.9E+02	4.0E+03	1.1E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	2.56E-04	4.73E-05	1.35E-04	2.15E-04	4.58E-05	3.4E+03	1.8E+04	6.4E+03	4.0E+03	1.9E+04	5.8E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	1.05E-05	2.67E-06	7.22E-06	1.01E-05	2.67E-06	1.4E+05	5.4E+05	2.0E+05	1.4E+05	5.4E+05	1.8E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	3.09E-07	8.74E-08	2.26E-07	3.03E-07	9.44E-08	5.7E+05	2.0E+06	7.8E+05	5.8E+05	1.9E+06	6.3E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	8.30E-08	2.47E-08	6.16E-08	8.11E-08	3.35E-08	6.4E+02	2.2E+03	8.6E+02	6.6E+02	1.6E+03	2.4E-08
Uranium (92)	U-231	6.02E+01	1.15E-02	4.48E-06	1.46E-06	3.57E-06	4.45E-06	1.61E-06	5.9E+01	1.8E+02	7.4E+01	5.9E+01	1.6E+02	4.4E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	1.47E-08	5.45E-09	1.17E-08	1.45E-08	1.36E-08	1.3E+01	3.6E+01	1.7E+01	1.4E+01	1.5E+01	6.0E-07
Uranium (92)	U-233	4.35E-06	1.59E+05	1.92E-08	5.60E-09	1.37E-08	1.86E-08	9.66E-09	9.1E+00	3.1E+01	1.3E+01	9.4E+00	1.8E+01	9.5E-04
Uranium (92)	U-234	2.82E-06	2.46E+05	6.85E-09	2.95E-09	5.71E-09	6.82E-09	1.03E-08	2.6E+01	5.9E+01	3.1E+01	2.6E+01	1.7E+01	4.1E-03
Uranium (92)	U-235	9.84E-10	7.04E+08	1.49E-05	3.80E-06	1.04E-05	1.45E-05	3.76E-06	1.2E-02	4.6E-02	1.7E-02	1.2E-02	4.7E-02	5.4E-03
Uranium (92)	U-235+D	9.84E-10	7.04E+08	1.56E-05	4.04E-06	1.09E-05	1.51E-05	4.10E-06	1.1E-02	4.3E-02	1.6E-02	1.2E-02	4.3E-02	5.2E-03
Uranium (92)	U-235m	1.40E+04	4.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Uranium (92)	U-236	2.96E-08	2.34E+07	3.35E-09	1.69E-09	2.90E-09	3.31E-09	8.27E-09	5.2E+01	1.0E+02	6.0E+01	5.3E+01	2.1E+01	8.1E-01
Uranium (92)	U-237	3.75E+01	1.85E-02	1.01E-05	2.90E-06	7.37E-06	9.88E-06	3.04E-06	1.6E+01	5.7E+01	2.2E+01	1.7E+01	5.4E+01	2.0E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	3.35E-09	1.42E-09	2.54E-09	3.14E-09	6.69E-09	5.2E+01	1.2E+02	6.9E+01	5.6E+01	2.6E+01	1.6E+02
Uranium (92)	U-238+D	1.55E-10	4.47E+09	3.22E-06	7.52E-07	1.96E-06	2.88E-06	1.04E-06	5.4E-02	2.3E-01	8.9E-02	6.1E-02	1.7E-01	1.6E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	3.22E-06	1.04E-06	2.41E-06	3.07E-06	1.24E-06	2.1E+04	6.6E+04	2.8E+04	2.2E+04	5.5E+04	6.3E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Uranium (92)	U-240	4.31E+02	1.61E-03	3.12E-07	9.80E-08	2.40E-07	3.09E-07	1.26E-07	6.0E+03	1.9E+04	7.9E+03	6.1E+03	1.5E+04	6.5E-09
Uranium (92)	U-242	2.17E+04	3.20E-05	4.10E-06	9.74E-07	2.59E-06	3.79E-06	1.09E-06	2.3E+04	9.7E+04	3.7E+04	2.5E+04	8.7E+04	5.0E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.18E-04	2.48E-05	6.97E-05	1.07E-04	2.46E-05	4.2E+02	2.0E+03	7.0E+02	4.6E+02	2.0E+03	3.4E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	3.79E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	1.8E-01	9.7E-01	3.4E-01	2.1E-01	1.0E+00	1.1E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Vanadium (23)	V-50	4.62E-18	1.50E+17	1.95E-04	3.42E-05	9.90E-05	1.61E-04	3.28E-05	9.3E-04	5.3E-03	1.8E-03	1.1E-03	5.6E-03	2.0E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	1.98E-04	3.51E-05	1.01E-04	1.64E-04	3.41E-05	2.2E+03	1.2E+04	4.2E+03	2.6E+03	1.3E+04	2.2E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	1.35E-04	2.58E-05	7.32E-05	1.16E-04	2.53E-05	7.3E+03	3.8E+04	1.4E+04	8.5E+03	3.9E+04	3.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	1.00E-04	2.16E-05	5.91E-05	8.93E-05	2.15E-05	1.2E+02	5.6E+02	2.0E+02	1.4E+02	5.6E+02	1.5E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	4.86E-07	2.41E-07	4.53E-07	4.86E-07	3.07E-07	1.1E+02	2.1E+02	1.1E+02	1.1E+02	1.7E+02	3.1E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	1.10E-05	2.75E-06	6.77E-06	9.66E-06	3.00E-06	4.7E+00	1.9E+01	7.6E+00	5.3E+00	1.7E+01	1.4E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	1.59E-06	8.03E-07	1.49E-06	1.59E-06	1.07E-06	2.7E+04	5.4E+04	2.9E+04	2.7E+04	4.0E+04	9.5E-10
Tungsten (74)	W-179m	5.69E+04	1.22E-05	3.28E-06	1.08E-06	2.50E-06	3.22E-06	1.20E-06	7.6E+04	2.3E+05	1.0E+05	7.7E+04	2.1E+05	4.6E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	1.29E-06	6.41E-07	1.21E-06	1.29E-06	8.14E-07	7.1E+00	1.4E+01	7.6E+00	7.1E+00	1.1E+01	1.2E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	7.61E-09	2.80E-09	6.16E-09	7.57E-09	3.63E-09	1.9E+03	5.3E+03	2.4E+03	1.9E+03	4.1E+03	2.1E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	1.63E-06	5.04E-07	1.24E-06	1.61E-06	5.33E-07	6.1E+05	2.0E+06	8.1E+05	6.2E+05	1.9E+06	9.6E-10
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.18E-05	1.10E-05	3.05E-05	4.67E-05	1.09E-05	2.2E+01	1.0E+02	3.7E+01	2.4E+01	1.0E+02	3.1E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.90E-07	4.56E-08	1.25E-07	1.81E-07	4.58E-08	8.4E+01	3.5E+02	1.3E+02	8.8E+01	3.5E+02	8.4E-09
Tungsten (74)	W-190	1.21E+04	5.71E-05	9.75E-06	3.08E-06	7.47E-06	9.59E-06	3.38E-06	5.5E+03	1.7E+04	7.1E+03	5.5E+03	1.6E+04	1.7E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	4.23E-05	9.04E-06	2.50E-05	3.82E-05	9.25E-06	9.4E+02	4.4E+03	1.6E+03	1.0E+03	4.3E+03	2.4E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	1.89E-04	3.52E-05	1.00E-04	1.60E-04	3.44E-05	2.1E+02	1.1E+03	4.0E+02	2.5E+02	1.2E+03	5.4E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	4.95E-06	1.21E-06	3.18E-06	4.67E-06	1.42E-06	2.7E+02	1.1E+03	4.2E+02	2.8E+02	9.3E+02	2.1E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	7.45E-05	1.51E-05	4.27E-05	6.60E-05	1.50E-05	1.7E+02	8.4E+02	3.0E+02	1.9E+02	8.5E+02	1.4E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	2.53E-05	5.96E-06	1.63E-05	2.38E-05	6.15E-06	6.2E+01	2.6E+02	9.6E+01	6.6E+01	2.6E+02	4.2E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	2.57E-05	6.26E-06	1.71E-05	2.46E-05	6.37E-06	1.2E+00	4.9E+00	1.8E+00	1.2E+00	4.8E+00	4.2E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	1.30E-05	3.60E-06	9.49E-06	1.28E-05	3.72E-06	1.1E+05	3.8E+05	1.5E+05	1.1E+05	3.7E+05	8.3E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	1.15E-06	4.49E-07	8.63E-07	1.12E-06	8.84E-07	1.1E+02	2.8E+02	1.4E+02	1.1E+02	1.4E+02	9.5E-10
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	3.91E-07	1.65E-07	3.04E-07	3.85E-07	3.41E-07	2.4E+02	5.7E+02	3.1E+02	2.4E+02	2.7E+02	2.8E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	1.82E-06	7.32E-07	1.56E-06	1.82E-06	9.47E-07	1.2E+02	2.9E+02	1.4E+02	1.2E+02	2.2E+02	6.2E-10
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	2.50E-06	6.56E-07	1.68E-06	2.40E-06	8.24E-07	2.0E+02	7.7E+02	3.0E+02	2.1E+02	6.1E+02	4.5E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	2.62E-05	6.06E-06	1.69E-05	2.49E-05	5.93E-06	1.1E+02	4.8E+02	1.7E+02	1.2E+02	4.9E+02	4.4E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	4.99E-05	1.05E-05	2.95E-05	4.51E-05	1.03E-05	2.1E+03	9.9E+03	3.5E+03	2.3E+03	1.0E+04	2.3E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	2.49E-05	5.20E-06	1.44E-05	2.22E-05	5.43E-06	1.7E+04	8.0E+04	2.9E+04	1.9E+04	7.7E+04	4.7E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	1.51E-04	2.68E-05	7.73E-05	1.25E-04	2.59E-05	7.5E+02	4.2E+03	1.5E+03	9.0E+02	4.4E+03	7.7E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	1.35E-04	2.93E-05	8.18E-05	1.23E-04	2.92E-05	1.0E+04	4.6E+04	1.7E+04	1.1E+04	4.7E+04	5.1E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	1.63E-04	3.33E-05	9.39E-05	1.45E-04	3.28E-05	1.4E+03	6.8E+03	2.4E+03	1.6E+03	6.9E+03	4.3E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	9.69E-05	2.08E-05	5.86E-05	8.87E-05	2.06E-05	5.8E+03	2.7E+04	9.6E+03	6.3E+03	2.7E+04	7.3E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	5.05E-04	9.85E-05	2.79E-04	4.39E-04	9.59E-05	8.0E+01	4.1E+02	1.4E+02	9.2E+01	4.2E+02	1.4E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	1.28E-04	2.68E-05	7.57E-05	1.16E-04	2.64E-05	7.8E+01	3.7E+02	1.3E+02	8.6E+01	3.8E+02	5.7E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.68E-04	3.23E-05	9.19E-05	1.45E-04	3.15E-05	3.3E+01	1.7E+02	6.0E+01	3.8E+01	1.7E+02	4.3E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.67E-04	8.68E-05	2.49E-04	3.98E-04	8.43E-05	3.9E+00	2.1E+01	7.2E+00	4.5E+00	2.1E+01	1.6E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.25E-05	5.30E-06	1.48E-05	2.14E-05	5.14E-06	1.5E+03	6.3E+03	2.2E+03	1.6E+03	6.5E+03	3.2E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	5.11E-05	1.09E-05	3.06E-05	4.67E-05	1.07E-05	6.5E+00	3.1E+01	1.1E+01	7.1E+00	3.1E+01	1.4E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	3.44E-05	7.52E-06	2.13E-05	3.19E-05	7.38E-06	5.8E+01	2.6E+02	9.4E+01	6.2E+01	2.7E+02	2.1E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	3.69E-04	6.46E-05	1.87E-04	3.03E-04	6.19E-05	2.8E-02	1.6E-01	5.6E-02	3.4E-02	1.7E-01	2.0E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	1.15E-04	2.23E-05	6.31E-05	9.97E-05	2.17E-05	5.3E+04	2.7E+05	9.7E+04	6.1E+04	2.8E+05	6.6E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	5.14E-07	1.65E-07	3.54E-07	4.86E-07	4.51E-07	8.1E+02	2.5E+03	1.2E+03	8.5E+02	9.2E+02	1.5E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	7.04E-05	1.56E-05	4.37E-05	6.53E-05	1.52E-05	1.2E+02	5.4E+02	1.9E+02	1.3E+02	5.5E+02	1.1E-11
Yttrium (39)	Y-91	4.32E+00	1.60E-01	6.15E-07	1.44E-07	3.62E-07	5.43E-07	3.44E-07	3.1E+01	1.3E+02	5.2E+01	3.5E+01	5.5E+01	1.3E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	4.6E+05	1.9E+06	6.9E+05	4.9E+05	1.9E+06	1.1E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	6.31E-05	1.31E-05	3.70E-05	5.68E-05	1.28E-05	5.1E+02	2.4E+03	8.7E+02	5.6E+02	2.5E+03	1.2E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	3.41E-05	6.56E-06	1.85E-05	2.93E-05	6.72E-06	2.2E+02	1.1E+03	4.1E+02	2.6E+02	1.1E+03	2.3E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	1.34E-05	2.58E-06	7.22E-06	1.14E-05	2.81E-06	2.0E+02	1.0E+03	3.6E+02	2.3E+02	9.3E+02	5.9E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.03E-04	1.95E-05	5.55E-05	8.80E-05	1.93E-05	8.3E+02	4.4E+03	1.5E+03	9.7E+02	4.4E+03	7.8E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	1.60E-04	2.62E-05	7.62E-05	1.26E-04	2.52E-05	9.7E+02	5.9E+03	2.0E+03	1.2E+03	6.2E+03	5.1E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	2.18E-05	5.55E-06	1.45E-05	2.05E-05	5.74E-06	3.9E+03	1.5E+04	5.8E+03	4.1E+03	1.5E+04	6.3E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	8.74E-05	1.74E-05	4.89E-05	7.61E-05	1.73E-05	1.7E+03	8.3E+03	3.0E+03	1.9E+03	8.4E+03	1.6E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	2.44E-06	8.99E-07	1.84E-06	2.31E-06	1.14E-06	8.6E+03	2.3E+04	1.1E+04	9.1E+03	1.8E+04	5.7E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	3.25E-05	7.37E-06	1.94E-05	2.89E-05	7.70E-06	5.0E+03	2.2E+04	8.3E+03	5.6E+03	2.1E+04	4.3E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	2.57E-06	1.32E-06	2.39E-06	2.57E-06	1.77E-06	1.8E+02	3.6E+02	2.0E+02	1.8E+02	2.6E+02	5.5E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	1.69E-05	5.25E-06	1.25E-05	1.63E-05	5.84E-06	5.4E+03	1.7E+04	7.3E+03	5.6E+03	1.6E+04	8.4E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	2.17E-05	6.56E-06	1.60E-05	2.12E-05	7.26E-06	1.6E+00	5.3E+00	2.2E+00	1.6E+00	4.8E+00	6.6E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	4.10E-06	9.39E-07	2.60E-06	3.82E-06	9.31E-07	6.5E+01	2.8E+02	1.0E+02	6.9E+01	2.8E+02	3.6E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	2.32E-05	4.70E-06	1.31E-05	2.02E-05	4.73E-06	6.0E+02	3.0E+03	1.1E+03	6.9E+02	2.9E+03	6.5E-11
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	4.23E-06	9.39E-07	2.63E-06	3.94E-06	9.31E-07	5.1E+03	2.3E+04	8.2E+03	5.5E+03	2.3E+04	3.6E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	1.16E-04	2.42E-05	6.82E-05	1.04E-04	2.39E-05	1.7E+03	8.2E+03	2.9E+03	1.9E+03	8.3E+03	1.3E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	1.81E-04	3.81E-05	1.07E-04	1.64E-04	3.76E-05	3.7E+03	1.8E+04	6.3E+03	4.1E+03	1.8E+04	2.8E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	1.93E-04	3.81E-05	1.08E-04	1.69E-04	3.76E-05	5.6E+03	2.8E+04	9.9E+03	6.4E+03	2.9E+04	2.7E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	5.11E-05	1.08E-05	3.02E-05	4.64E-05	1.06E-05	5.7E+01	2.7E+02	9.6E+01	6.2E+01	2.7E+02	1.0E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	1.31E-04	2.74E-05	7.73E-05	1.18E-04	2.70E-05	3.2E+02	1.5E+03	5.4E+02	3.5E+02	1.5E+03	4.1E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	7.57E-05	1.42E-05	4.06E-05	6.47E-05	1.38E-05	6.0E-02	3.2E-01	1.1E-01	7.0E-02	3.3E-01	7.3E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	4.54E-08	1.54E-08	3.39E-08	4.42E-08	7.92E-08	6.2E+05	1.8E+06	8.3E+05	6.4E+05	3.6E+05	1.3E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	4.77E-05	1.03E-05	2.90E-05	4.39E-05	1.01E-05	4.1E+01	1.9E+02	6.7E+01	4.4E+01	1.9E+02	1.2E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	3.91E-05	7.98E-06	2.25E-05	3.47E-05	8.11E-06	1.7E+04	8.2E+04	2.9E+04	1.9E+04	8.0E+04	1.5E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.86E-04	3.87E-05	1.09E-04	1.68E-04	3.79E-05	3.6E+01	1.7E+02	6.2E+01	4.0E+01	1.8E+02	3.2E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.26E-05	3.40E-06	9.14E-06	1.24E-05	3.35E-06	4.5E+01	1.7E+02	6.3E+01	4.6E+01	1.7E+02	4.8E-11
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	1.77E-04	3.67E-05	1.04E-04	1.59E-04	3.63E-05	1.1E+03	5.5E+03	2.0E+03	1.3E+03	5.6E+03	4.1E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	2.89E-05	6.66E-06	1.86E-05	2.74E-05	6.63E-06	5.6E+01	2.4E+02	8.6E+01	5.9E+01	2.4E+02	2.5E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	1.11E-04	2.31E-05	6.51E-05	1.00E-04	2.28E-05	1.4E+02	6.9E+02	2.4E+02	1.6E+02	6.9E+02	6.7E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	4.32E-05	9.44E-06	2.66E-05	4.01E-05	9.28E-06	3.1E-01	1.4E+00	5.0E-01	3.3E-01	1.4E+00	1.7E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	1.45E-04	2.85E-05	8.08E-05	1.27E-04	2.77E-05	2.3E+00	1.2E+01	4.2E+00	2.7E+00	1.2E+01	5.2E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	7.76E-05	1.57E-05	4.45E-05	6.91E-05	1.53E-05	4.9E+03	2.4E+04	8.6E+03	5.5E+03	2.5E+04	9.7E-12
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	9.09E-05	1.82E-05	5.15E-05	8.05E-05	1.78E-05	1.9E-01	9.5E-01	3.4E-01	2.2E-01	9.7E-01	8.9E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.10E-04	2.19E-05	6.21E-05	9.69E-05	2.16E-05	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.06E-06	0.00E+00	1.36E+09	.	.	9.2E+05	9.2E+05	2.3E-09
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	1.91E-05	7.14E-11	1.36E+09	2.4E+06	5.7E+07	1.3E+03	1.2E+03	2.5E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.11E-06	2.44E-09	1.36E+09	8.3E+02	8.9E+03	2.5E+02	1.9E+02	3.2E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	3.98E-06	2.44E-09	1.36E+09	8.3E+02	8.9E+03	7.0E+01	6.4E+01	1.1E-09
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.23E-05	7.76E-10	1.36E+09	2.1E+04	4.7E+05	1.8E+02	1.8E+02	3.9E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	5.36E-09	5.44E-09	1.36E+09	8.5E-01	3.9E+00	1.2E+02	7.0E-01	9.6E-09
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.09E-04	2.32E-11	1.36E+09	3.4E+06	2.0E+08	9.9E+01	9.9E+01	4.4E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	7.29E-05	0.00E+00	1.36E+09	.	.	2.7E+04	2.7E+04	6.7E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.2E-10
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	3.1E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.93E-05	0.00E+00	1.36E+09	.	.	2.8E+04	2.8E+04	8.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	4.9E+03	4.9E+03	5.9E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.91E-04	1.22E-12	1.36E+09	2.2E+09	1.4E+13	1.9E+03	1.9E+03	1.1E-11
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.39E-04	1.60E-12	1.36E+09	1.4E+09	1.0E+13	7.0E+02	7.0E+02	4.9E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.71E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	8.0E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.97E-05	1.74E-12	1.36E+09	2.5E+08	9.5E+11	6.1E+02	6.1E+02	2.2E-11
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.41E-04	2.98E-12	1.36E+09	1.4E+08	8.0E+11	1.7E+02	1.7E+02	6.5E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.30E-04	2.62E-12	1.36E+09	3.3E+08	1.8E+12	5.2E+02	5.2E+02	9.6E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.68E-05	2.61E-11	1.36E+09	1.9E+04	2.0E+07	1.2E+00	1.2E+00	3.9E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.13E-07	0.00E+00	1.36E+09	.	.	4.9E+06	4.9E+06	2.0E-08
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	8.20E-05	1.18E-12	1.36E+09	1.0E+09	5.5E+12	2.0E+03	2.0E+03	2.7E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.53E-04	7.56E-11	1.36E+09	3.2E+04	8.7E+07	9.5E-01	9.5E-01	6.4E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.39E-06	0.00E+00	1.36E+09	.	.	7.1E+05	7.1E+05	9.6E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.93E-04	1.36E-10	1.36E+09	2.4E+01	3.9E+03	2.3E-03	2.3E-03	2.9E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.94E-04	1.36E-10	1.36E+09	2.4E+01	3.9E+03	2.3E-03	2.3E-03	2.9E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	2.06E-07	0.00E+00	1.36E+09	.	.	2.9E+07	2.9E+07	1.1E-08
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.61E-06	0.00E+00	1.36E+09	.	.	2.1E+06	2.1E+06	5.1E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	5.0E+02	2.2E+05	3.1E-02	3.1E-02	6.6E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	5.0E+02	2.2E+05	3.1E-02	3.1E-02	6.6E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	2.97E-06	9.08E-11	1.36E+09	3.0E+04	4.6E+07	1.3E+02	1.2E+02	7.9E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	3.69E-07	0.00E+00	1.36E+09	.	.	1.0E+07	1.0E+07	6.4E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	9.18E-05	2.43E-11	1.36E+09	6.4E+06	2.5E+10	2.3E+02	2.3E+02	2.6E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.65E-06	2.54E-11	1.36E+09	3.6E+06	1.3E+10	1.4E+03	1.4E+03	2.8E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.42E-05	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	9.9E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.66E-05	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	6.6E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	6.41E-05	2.45E-12	1.36E+09	5.9E+08	2.5E+12	3.1E+03	3.1E+03	3.8E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.96E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	8.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.80E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.4E-11
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.91E-04	0.00E+00	1.36E+09	.	.	6.6E+03	6.6E+03	7.2E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.60E-04	2.21E-10	1.36E+09	1.4E+01	1.4E+03	1.2E-03	1.2E-03	6.4E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.52E-04	0.00E+00	1.36E+09	.	.	7.1E+03	7.1E+03	2.4E-12
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	3.2E+03	3.2E+03	3.3E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.66E-05	8.68E-13	1.36E+09	4.6E+08	7.9E+11	1.5E+03	1.5E+03	1.4E-10
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.10E-04	1.61E-12	1.36E+09	1.8E+08	3.3E+11	3.7E+02	3.7E+02	4.6E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	1.89E-05	1.67E-11	1.36E+09	2.4E+06	5.5E+09	3.0E+02	3.0E+02	2.7E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.27E-04	3.50E-11	1.36E+09	2.7E+05	7.8E+08	1.0E+01	1.0E+01	4.0E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	7.48E-07	2.46E-09	1.36E+09	1.3E+00	1.1E+01	6.0E-01	4.0E-01	1.2E-07
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	9.40E-07	2.05E-11	1.36E+09	1.5E+06	5.7E+07	4.4E+03	4.4E+03	5.5E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	2.05E-08	1.98E-09	1.36E+09	1.7E+00	1.2E+01	2.3E+01	1.4E+00	1.4E-07
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.29E-06	2.00E-09	1.36E+09	1.7E+00	1.2E+01	3.6E-01	2.9E-01	2.8E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	2.64E-06	2.44E-09	1.36E+09	1.3E+00	1.1E+01	1.7E-01	1.5E-01	7.3E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	1.80E-05	2.50E-09	1.36E+09	1.3E+00	1.1E+01	2.4E-02	2.4E-02	1.2E-07
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.66E-05	2.98E-11	1.36E+09	1.6E+06	1.6E+09	6.8E+01	6.8E+01	5.4E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.96E-06	1.05E-12	1.36E+09	1.1E+09	1.1E+12	7.8E+04	7.8E+04	2.6E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	2.81E-06	2.96E-12	1.36E+09	8.0E+07	1.8E+11	1.2E+04	1.2E+04	1.9E-09
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.49E-05	2.52E-12	1.36E+09	3.0E+08	6.1E+11	1.2E+03	1.2E+03	6.2E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.26E-04	1.33E-12	1.36E+09	8.8E+08	3.5E+12	1.3E+03	1.3E+03	4.2E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.22E-05	1.09E-12	1.36E+09	1.2E+09	3.3E+12	1.4E+04	1.4E+04	4.3E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	1.61E-08	0.00E+00	1.36E+09	.	.	3.1E+01	3.1E+01	9.2E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	2.1E+02	2.1E+02	5.0E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	1.88E-08	0.00E+00	1.36E+09	.	.	3.3E+01	3.3E+01	1.3E-07
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.98E-05	2.27E-11	1.36E+09	1.8E+02	4.2E+05	1.4E-02	1.4E-02	5.5E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	4.3E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	3.5E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.83E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	3.0E-12
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.37E-04	2.00E-12	1.36E+09	9.6E+08	5.7E+12	1.9E+03	1.9E+03	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.52E-04	6.00E-12	1.36E+09	9.2E+07	4.8E+11	1.4E+02	1.4E+02	2.7E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.50E-05	2.92E-11	1.36E+09	2.5E+05	5.9E+08	1.6E+01	1.6E+01	2.3E-11
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.20E-04	1.24E-10	1.36E+09	1.5E+05	5.2E+08	1.2E+01	1.2E+01	6.9E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	1.55E-07	1.86E-11	1.36E+09	1.4E+04	6.3E+06	2.2E+02	2.2E+02	9.8E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	9.06E-05	8.53E-11	1.36E+09	1.3E+04	1.5E+07	1.7E+00	1.7E+00	1.7E-11
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	5.24E-05	1.11E-10	1.36E+09	1.7E+05	5.5E+08	4.9E+01	4.9E+01	3.1E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.15E-07	2.82E-11	1.36E+09	4.4E+05	8.4E+08	1.9E+03	1.9E+03	1.8E-09
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.72E-04	9.07E-12	1.36E+09	3.5E+07	1.5E+11	2.6E+02	2.6E+02	9.6E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.48E-06	0.00E+00	1.36E+09	.	.	9.9E+04	9.9E+04	3.7E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.6E-11
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.39E-04	2.84E-12	1.36E+09	3.9E+08	5.9E+10	1.1E+03	1.1E+03	3.1E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	3.00E-04	3.27E-12	1.36E+09	2.9E+08	1.5E+11	4.3E+02	4.3E+02	1.5E-11
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.55E-04	1.22E-11	1.36E+09	2.2E+07	4.6E+09	1.5E+02	1.5E+02	1.7E-11
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.79E-04	4.82E-12	1.36E+09	6.2E+07	1.9E+10	1.1E+02	1.1E+02	1.2E-11
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.75E-04	2.10E-11	1.36E+09	4.3E+06	1.2E+09	4.5E+01	4.5E+01	1.6E-11
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.88E-04	4.94E-11	1.36E+09	1.2E+06	2.1E+08	2.1E+01	2.1E+01	1.1E-11
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	2.00E-06	6.02E-10	1.36E+09	1.1E+05	2.1E+07	4.6E+03	4.4E+03	2.2E-09
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	2.59E-06	6.02E-10	1.36E+09	1.1E+05	2.1E+07	3.6E+03	3.5E+03	1.7E-09
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.91E-08	0.00E+00	1.36E+09	.	.	1.3E+14	1.3E+14	2.4E-07
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	1.75E-07	0.00E+00	1.36E+09	.	.	4.6E+12	4.6E+12	2.6E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.53E-08	0.00E+00	1.36E+09	.	.	2.9E+11	2.9E+11	1.8E-07
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	7.42E-10	0.00E+00	1.36E+09	.	.	2.4E+11	2.4E+11	6.9E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.02E-05	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	9.3E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.80E-04	1.78E-12	1.36E+09	1.5E+09	8.4E+12	2.1E+03	2.1E+03	2.2E-11
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	2.9E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	3.19E-04	1.92E-12	1.36E+09	3.5E+08	2.0E+12	2.9E+02	2.9E+02	1.3E-11
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.31E-05	4.10E-12	1.36E+09	3.7E+07	9.6E+10	3.3E+02	3.3E+02	6.4E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.57E-04	9.34E-12	1.36E+09	1.1E+07	5.0E+10	5.2E+01	5.2E+01	1.6E-11
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.26E-05	8.26E-12	1.36E+09	3.3E+06	8.6E+09	3.0E+02	3.0E+02	3.2E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	1.95E-05	0.00E+00	1.36E+09	.	.	3.2E+06	3.2E+06	2.1E-10
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.29E-04	2.27E-11	1.36E+09	5.6E+05	2.1E+09	1.4E+01	1.4E+01	3.2E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	3.69E-06	1.80E-11	1.36E+09	6.0E+03	2.1E+06	4.0E+00	4.0E+00	1.1E-09
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	1.98E-05	0.00E+00	1.36E+09	.	.	4.0E+05	4.0E+05	2.1E-10
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	4.89E-05	2.05E-11	1.36E+09	1.6E+05	3.2E+08	9.2E+00	9.2E+00	8.5E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	1.93E-05	2.60E-11	1.36E+09	1.9E+06	3.6E+09	3.6E+02	3.6E+02	2.2E-10
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.58E-05	7.18E-11	1.36E+09	1.0E+05	2.4E+08	2.2E+01	2.2E+01	9.2E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	4.73E-05	8.25E-11	1.36E+09	1.1E+05	1.5E+08	2.6E+01	2.6E+01	8.9E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	8.14E-06	3.18E-11	1.36E+09	2.0E+05	2.5E+08	1.1E+02	1.1E+02	5.2E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.53E-05	2.65E-12	1.36E+09	2.3E+08	8.9E+11	2.3E+03	2.3E+03	1.2E-10
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.30E-04	6.30E-11	1.36E+09	4.1E+05	1.3E+09	1.5E+01	1.5E+01	1.8E-11
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	4.01E-06	8.50E-13	1.36E+09	1.3E+09	4.4E+12	3.8E+04	3.8E+04	1.1E-09
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.25E-05	0.00E+00	1.36E+09	.	.	3.7E+05	3.7E+05	1.9E-10
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.56E-05	2.44E-12	1.36E+09	1.1E+09	8.3E+12	5.5E+03	5.5E+03	4.0E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.78E-05	1.27E-11	1.36E+09	2.3E+07	1.0E+11	5.9E+02	5.9E+02	3.9E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.55E-05	9.40E-13	1.36E+09	2.4E+09	1.4E+13	3.7E+03	3.7E+03	3.2E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	4.64E-06	1.92E-10	1.36E+09	4.3E+04	1.3E+08	2.5E+02	2.4E+02	5.8E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.76E-05	2.60E-12	1.36E+09	8.4E+07	3.1E+11	7.9E+02	7.9E+02	7.3E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.94E-04	3.73E-12	1.36E+09	6.0E+07	2.8E+11	1.6E+02	1.6E+02	1.4E-11
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	4.99E-05	2.80E-11	1.36E+09	6.3E+04	6.8E+07	4.8E+00	4.8E+00	5.6E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	4.51E-06	1.89E-13	1.36E+09	1.1E+10	1.4E+13	6.1E+04	6.1E+04	6.2E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	3.88E-05	1.19E-10	1.36E+09	5.5E+01	2.5E+04	2.3E-02	2.3E-02	9.0E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.40E-06	3.93E-11	1.36E+09	3.2E+05	6.9E+08	3.2E+02	3.2E+02	5.2E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	4.58E-06	3.09E-11	1.36E+09	5.5E+05	1.2E+09	5.1E+02	5.1E+02	6.3E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	7.26E-05	0.00E+00	1.36E+09	.	.	2.2E+04	2.2E+04	4.0E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	4.70E-06	5.63E-12	1.36E+09	6.2E+07	2.4E+11	1.0E+04	1.0E+04	6.3E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.05E-05	1.85E-10	1.36E+09	8.6E+03	8.7E+06	1.1E+01	1.1E+01	1.4E-10
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.14E-04	3.48E-12	1.36E+09	4.6E+08	1.9E+12	1.9E+03	1.9E+03	2.6E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.31E-04	1.53E-12	1.36E+09	1.8E+09	7.5E+12	2.9E+03	2.9E+03	2.3E-11
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	2.03E-08	7.99E-11	1.36E+09	4.0E+01	4.3E+03	2.4E+01	1.5E+01	6.3E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.81E-06	1.38E-12	1.36E+09	2.8E+05	2.2E+08	9.0E+00	9.0E+00	2.6E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	2.14E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	2.0E-11
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.91E-04	2.70E-12	1.36E+09	3.0E+08	1.2E+12	3.8E+02	3.8E+02	1.5E-11
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.23E-04	6.17E-12	1.36E+09	4.4E+07	1.7E+11	1.7E+02	1.7E+02	1.9E-11
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.41E-04	5.01E-12	1.36E+09	5.6E+07	2.7E+11	1.1E+02	1.1E+02	1.3E-11
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	3.13E-04	2.73E-11	1.36E+09	1.5E+06	6.0E+09	1.8E+01	1.8E+01	1.4E-11
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.66E-04	3.09E-11	1.36E+09	1.4E+06	6.2E+09	1.6E+01	1.6E+01	1.2E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.22E-04	4.90E-11	1.36E+09	2.7E+04	4.5E+07	8.2E-01	8.2E-01	2.0E-11
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	4.10E-04	1.08E-10	1.36E+09	3.0E+04	6.4E+07	1.1E+00	1.1E+00	1.1E-11
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.91E-04	7.56E-11	1.36E+09	5.4E+01	4.7E+03	3.0E-03	3.0E-03	5.6E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.85E-04	5.99E-11	1.36E+09	5.3E+01	4.0E+03	1.1E-03	1.1E-03	2.4E-07
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	7.48E-08	1.01E-10	1.36E+09	4.0E+04	1.1E+06	7.4E+03	6.2E+03	5.0E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.77E-05	7.90E-10	1.36E+09	4.1E+00	1.4E+01	1.6E-02	1.6E-02	2.8E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.79E-05	7.90E-10	1.36E+09	4.1E+00	1.4E+01	1.6E-02	1.6E-02	2.8E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.14E-06	0.00E+00	1.36E+09	.	.	3.6E+05	3.6E+05	8.7E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	4.0E+07	7.2E+08	4.9E+03	4.9E+03	3.4E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	4.0E+07	7.2E+08	4.9E+03	4.9E+03	3.4E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	1.55E-07	0.00E+00	1.36E+09	.	.	4.1E+06	4.1E+06	3.2E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	7.5E+07	1.1E+09	6.0E+03	6.0E+03	3.1E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	7.5E+07	1.1E+09	6.0E+03	6.0E+03	3.1E-10
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	3.7E+08	5.9E+09	1.0E+03	1.0E+03	2.3E-11
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	3.7E+08	5.9E+09	1.0E+03	1.0E+03	2.3E-11
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.6E-10
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.6E-10
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.77E-05	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	5.2E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	1.92E-05	3.95E-11	1.36E+09	1.0E+05	6.4E+07	2.9E+01	2.9E+01	2.7E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	1.03E-04	2.58E-11	1.36E+09	4.4E+05	1.5E+09	1.5E+01	1.5E+01	5.1E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.26E-05	3.04E-09	1.36E+09	1.1E+00	8.4E+00	3.5E-02	3.4E-02	3.2E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.02E-06	2.76E-11	1.36E+09	7.4E+05	4.9E+07	5.6E+02	5.6E+02	1.0E-09
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	1.27E-10	1.62E-11	1.36E+09	3.8E+03	6.5E+04	6.6E+04	3.4E+03	2.1E-06
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.16E-04	7.53E-12	1.36E+09	2.0E+07	1.4E+10	1.8E+02	1.8E+02	4.6E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	6.50E-06	1.53E-12	1.36E+09	3.4E+08	7.1E+11	1.1E+04	1.1E+04	8.2E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.82E-04	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	4.0E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.70E-04	0.00E+00	1.36E+09	.	.	6.9E+03	6.9E+03	9.1E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	6.41E-04	3.22E-12	1.36E+09	3.6E+08	2.2E+12	2.5E+02	2.5E+02	2.5E-12
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.52E-04	5.37E-12	1.36E+09	1.2E+08	6.3E+11	1.6E+02	1.6E+02	2.8E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.39E-04	3.27E-12	1.36E+09	9.2E+07	3.2E+11	3.0E+02	3.0E+02	1.1E-11
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.72E-04	2.69E-11	1.36E+09	1.1E+06	3.3E+09	1.1E+01	1.1E+01	4.3E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	1.42E-06	0.00E+00	1.36E+09	.	.	1.3E+08	1.3E+08	1.1E-09
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.63E-05	6.06E-12	1.36E+09	1.4E+06	4.8E+09	3.2E+01	3.2E+01	4.5E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	8.9E+05	8.9E+05	1.6E-09
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	1.4E-11
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.44E-06	1.05E-12	1.36E+09	1.6E+09	8.0E+12	2.4E+04	2.4E+04	1.8E-10
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	1.61E-07	5.32E-12	1.36E+09	2.1E+07	4.0E+10	9.3E+04	9.3E+04	1.0E-08
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.35E-04	3.38E-11	1.36E+09	4.1E+05	9.7E+08	5.6E+00	5.6E+00	5.2E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.72E-07	0.00E+00	1.36E+09	.	.	1.7E+06	1.7E+06	4.7E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.62E-07	1.73E-12	1.36E+09	1.2E+08	1.9E+11	3.2E+04	3.2E+04	2.0E-09
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.49E-04	3.22E-12	1.36E+09	2.8E+08	1.5E+12	5.0E+02	5.0E+02	7.2E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.60E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	5.0E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	9.15E-06	0.00E+00	1.36E+09	.	.	1.5E+05	1.5E+05	2.0E-10
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	5.9E+04	5.9E+04	1.0E-12
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.20E-04	8.99E-13	1.36E+09	1.6E+09	6.1E+12	1.8E+03	1.8E+03	2.2E-12
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	2.12E-10	3.72E-11	1.36E+09	8.6E+01	2.4E+04	2.3E+03	8.3E+01	1.8E-05
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	1.03E-11	1.36E+09	3.1E+02	6.8E+05	.	3.1E+02	3.6E-03
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	1.07E-09	4.10E-11	1.36E+09	3.0E+03	1.2E+06	1.6E+04	2.5E+03	1.4E-07
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.40E-04	1.05E-10	1.36E+09	4.2E+04	6.3E+07	4.3E+00	4.3E+00	7.1E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	9.7E+02	9.7E+02	2.2E-12
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	3.22E-04	0.00E+00	1.36E+09	.	.	9.1E+03	9.1E+03	6.7E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.91E-05	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	2.2E-11
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.80E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	7.8E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.53E-05	4.49E-12	1.36E+09	1.1E+08	4.5E+11	2.7E+03	2.7E+03	8.7E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.70E-04	1.89E-12	1.36E+09	2.8E+08	1.3E+12	4.2E+02	4.2E+02	1.3E-11
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	8.80E-07	4.05E-12	1.36E+09	1.8E+07	3.0E+10	1.2E+04	1.2E+04	2.6E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	2.35E-07	9.07E-11	1.36E+09	4.8E+02	2.5E+05	2.6E+01	2.4E+01	9.4E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	2.80E-05	5.81E-13	1.36E+09	1.0E+09	1.7E+12	2.9E+03	2.9E+03	8.4E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.95E-09	5.86E-10	1.36E+09	5.5E+00	3.7E+03	2.5E+02	5.4E+00	1.3E+07
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	1.84E-08	7.18E-10	1.36E+09	7.7E+00	5.3E+03	4.1E+01	6.5E+00	2.9E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.26E-05	1.00E-10	1.36E+09	9.1E+04	2.2E+08	5.5E+01	5.5E+01	1.1E-10
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.48E-06	2.08E-10	1.36E+09	2.2E+03	2.0E+06	1.4E+01	1.4E+01	5.4E-10
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.40E-04	1.68E-11	1.36E+09	1.2E+07	3.8E+10	1.9E+02	1.9E+02	1.8E-11
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.78E-04	1.63E-11	1.36E+09	8.9E+06	2.8E+10	7.1E+01	7.1E+01	8.9E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	8.52E-09	7.22E-12	1.36E+09	8.0E+07	3.4E+11	1.0E+07	9.2E+06	2.9E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.22E-04	0.00E+00	1.36E+09	.	.	6.7E+03	6.7E+03	1.1E-11
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	3.12E-04	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	8.1E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.40E-05	2.79E-12	1.36E+09	4.6E+08	2.2E+12	3.2E+03	3.2E+03	5.1E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.99E-04	1.08E-12	1.36E+09	2.6E+09	1.4E+13	2.0E+03	2.0E+03	1.4E-11
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.45E-05	2.15E-11	1.36E+09	6.4E+06	2.7E+10	7.7E+02	7.7E+02	1.1E-10
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.65E-05	4.44E-12	1.36E+09	6.8E+07	2.3E+11	7.3E+02	7.3E+02	5.0E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.16E-04	1.17E-11	1.36E+09	8.5E+06	3.6E+10	6.3E+01	6.3E+01	1.3E-11
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	3.69E-07	1.88E-10	1.36E+09	3.4E+04	1.0E+08	2.4E+03	2.2E+03	7.2E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.40E-05	1.43E-11	1.36E+09	1.9E+06	8.0E+09	4.0E+01	4.0E+01	3.1E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	1.51E-06	1.62E-12	1.36E+09	3.3E+07	1.5E+11	4.9E+03	4.9E+03	1.9E-09
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.01E-06	3.92E-11	1.36E+09	3.6E+05	8.3E+08	4.8E+02	4.8E+02	7.3E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.22E-05	1.65E-11	1.36E+09	8.9E+03	2.7E+06	1.6E+00	1.6E+00	2.4E-10
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	6.15E-06	5.14E-11	1.36E+09	1.2E+04	5.8E+06	1.4E+01	1.4E+01	4.9E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.91E-05	7.99E-11	1.36E+09	1.8E+05	4.5E+08	6.9E+01	6.9E+01	1.0E-10
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.33E-06	3.85E-10	1.36E+09	1.8E+02	5.0E+04	7.3E+00	7.0E+00	2.2E-09
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.15E-06	3.87E-10	1.36E+09	1.8E+02	5.0E+04	1.6E+00	1.6E+00	4.9E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.63E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	3.2E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	1.64E-09	2.44E-12	1.36E+09	6.2E+08	5.8E+09	1.3E+08	1.0E+08	2.6E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	5.62E-09	2.32E-10	1.36E+09	5.9E+04	1.0E+06	3.3E+05	4.8E+04	1.3E-07
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	6.78E-06	1.20E-12	1.36E+09	1.3E+08	1.9E+11	3.2E+03	3.2E+03	7.7E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.58E-08	6.54E-10	1.36E+09	9.3E+01	3.0E+02	1.8E+02	5.1E+01	3.2E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-05	3.09E-09	1.36E+09	1.1E+00	8.5E+00	1.2E-02	1.2E-02	3.0E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.32E-06	1.98E-09	1.36E+09	2.9E+00	1.9E+01	6.0E-01	4.8E-01	4.4E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	9.78E-06	3.15E-09	1.36E+09	1.0E+00	8.3E+00	4.5E-02	4.3E-02	2.7E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	6.15E-05	2.16E-09	1.36E+09	9.7E+00	5.9E+01	4.7E-02	4.6E-02	8.7E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	1.06E-08	5.69E-11	1.36E+09	2.0E+04	2.6E+04	1.5E+04	6.4E+03	2.2E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.27E-03	2.73E-08	1.36E+09	1.2E+01	2.8E+02	2.0E-02	2.0E-02	2.4E-12
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	1.88E-08	1.82E-12	1.36E+09	1.9E+08	1.9E+09	2.8E+06	2.7E+06	3.1E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	1.3E+06	1.3E+06	5.9E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.87E-04	3.86E-12	1.36E+09	2.4E+08	1.3E+12	4.3E+02	4.3E+02	2.5E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	4.58E-08	6.18E-11	1.36E+09	5.2E+01	4.0E+03	9.6E+00	8.1E+00	2.4E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	2.08E-04	4.21E-12	1.36E+09	1.9E+08	9.8E+11	5.1E+02	5.1E+02	3.9E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.93E-04	3.27E-12	1.36E+09	1.6E+08	6.6E+11	3.7E+02	3.7E+02	4.3E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.90E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	1.4E-12
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	5.49E-06	3.51E-12	1.36E+09	5.8E+07	4.0E+09	5.0E+03	5.0E+03	9.2E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.16E-05	5.46E-12	1.36E+09	3.1E+07	7.9E+10	1.1E+03	1.1E+03	2.3E-10
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	2.65E-09	4.16E-10	1.36E+09	1.8E+03	8.1E+03	3.9E+04	1.4E+03	7.1E-08
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.24E-05	5.93E-11	1.36E+09	1.0E+04	6.3E+05	1.6E+00	1.6E+00	9.8E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	2.12E-09	5.06E-10	1.36E+09	2.5E+02	7.8E+02	8.0E+03	1.8E+02	5.5E-08
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.14E-05	2.13E-09	1.36E+09	2.0E+00	1.5E+01	5.1E-02	5.0E-02	9.8E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	3.79E-09	1.86E-09	1.36E+09	2.7E+00	1.8E+01	1.8E+02	2.3E+00	2.8E-08
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	7.42E-06	2.48E-09	1.36E+09	1.3E+00	1.1E+01	5.9E-02	5.6E-02	3.3E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.86E-07	2.46E-09	1.36E+09	1.3E+00	1.1E+01	9.0E-01	5.1E-01	1.7E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.53E-05	2.32E-09	1.36E+09	1.4E+00	1.2E+01	1.2E-02	1.2E-02	1.3E-04
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-05	2.33E-09	1.36E+09	1.4E+00	1.2E+01	1.2E-02	1.2E-02	1.3E-04
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.77E-04	1.02E-08	1.36E+09	3.1E-01	2.8E+00	2.5E-03	2.5E-03	5.9E-07
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.30E-06	1.33E-12	1.36E+09	3.4E+08	7.3E+11	2.7E+04	2.7E+04	2.3E-09
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.80E-03	7.20E-08	1.36E+09	4.4E-02	4.1E-01	2.4E-04	2.4E-04	1.4E-09
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.83E-03	7.20E-08	1.36E+09	4.4E-02	4.1E-01	2.4E-04	2.4E-04	1.4E-09
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.28E-05	1.11E-12	1.36E+09	1.6E+09	4.2E+12	1.8E+04	1.8E+04	4.2E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	5.05E-04	0.00E+00	1.36E+09	.	.	5.3E+03	5.3E+03	2.3E-12
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.50E-04	6.45E-11	1.36E+09	4.3E+05	1.5E+09	1.5E+01	1.5E+01	4.7E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.95E-04	1.43E-10	1.36E+09	1.8E+03	1.3E+06	7.2E-02	7.2E-02	2.4E-12
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	9.59E-06	1.32E-11	1.36E+09	5.6E+03	2.5E+06	1.1E+00	1.1E+00	1.3E-10
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.21E-04	4.22E-11	1.36E+09	6.8E+03	4.5E+06	3.2E-01	3.2E-01	1.0E-11
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	2.71E-11	1.60E-12	1.36E+09	3.4E+07	8.2E+10	2.7E+08	3.0E+07	5.0E-06
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.35E-04	1.98E-10	1.36E+09	5.5E+01	1.4E+04	4.5E-03	4.5E-03	4.0E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.83E-07	5.61E-14	1.36E+09	5.0E+10	8.2E+13	7.9E+05	7.9E+05	2.6E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	7.57E-06	3.60E-12	1.36E+09	8.2E+07	2.4E+11	5.3E+03	5.3E+03	1.7E-10
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.21E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	6.0E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.66E-04	1.82E-12	1.36E+09	1.2E+09	7.8E+12	7.8E+02	7.8E+02	3.6E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.39E-05	1.07E-11	1.36E+09	2.1E+06	3.9E+09	7.0E+01	7.0E+01	2.3E-11
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.20E-04	2.47E-12	1.36E+09	2.8E+08	1.2E+12	7.9E+02	7.9E+02	8.7E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-06	2.40E-12	1.36E+09	3.0E+05	5.5E+08	2.9E+01	2.9E+01	3.1E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	7.95E-07	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	1.5E-09
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	4.70E-06	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	2.5E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	1.8E-11
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.9E-11
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	5.3E+03	5.3E+03	2.0E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.41E-04	0.00E+00	1.36E+09	.	.	5.5E+04	5.5E+04	1.9E-11
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.90E-05	1.34E-12	1.36E+09	4.8E+08	1.8E+12	1.0E+03	1.0E+03	3.0E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.38E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.9E-11
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.70E-05	1.38E-12	1.36E+09	5.6E+07	8.8E+10	2.3E+02	2.3E+02	5.7E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.05E-04	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	2.6E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.81E-05	3.72E-12	1.36E+09	4.1E+06	7.3E+09	7.4E+01	7.4E+01	9.7E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.84E-05	9.83E-13	1.36E+09	1.0E+09	4.7E+12	2.3E+03	2.3E+03	4.7E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	3.02E-06	0.00E+00	1.36E+09	.	.	3.8E+05	3.8E+05	9.1E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	1.33E-07	3.70E-12	1.36E+09	5.6E+05	1.4E+09	2.2E+03	2.1E+03	2.1E-08
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	8.49E-05	3.24E-11	1.36E+09	9.6E+04	3.8E+08	5.0E+00	5.0E+00	3.3E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.92E-04	1.21E-09	1.36E+09	2.2E+01	4.8E+04	1.9E-02	1.9E-02	1.5E-11
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.37E-06	8.93E-13	1.36E+09	1.9E+08	1.2E+11	1.7E+04	1.7E+04	2.1E-09
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	1.58E-09	1.70E-10	1.36E+09	1.9E+01	1.2E+04	3.1E+02	1.8E+01	1.5E-02
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	2.01E-04	9.92E-13	1.36E+09	5.5E+08	2.7E+12	3.7E+02	3.7E+02	1.4E-11
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.68E-04	1.94E-10	1.36E+09	7.9E+03	1.9E+07	7.8E-01	7.8E-01	1.1E-11
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	1.49E-08	8.59E-10	1.36E+09	4.9E+00	4.7E+03	3.9E+01	4.3E+00	5.0E-08
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.85E-05	8.59E-10	1.36E+09	4.9E+00	4.7E+03	8.4E-03	8.4E-03	9.7E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	3.22E-04	3.61E-12	1.36E+09	2.4E+08	1.2E+12	3.7E+02	3.7E+02	9.1E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	5.18E-05	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	5.7E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	9.8E+03	9.8E+03	6.7E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.47E-04	0.00E+00	1.36E+09	.	.	1.5E+04	1.5E+04	1.2E-11
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.45E-04	0.00E+00	1.36E+09	.	.	8.4E+06	8.4E+06	8.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	7.1E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	5.24E-04	2.87E-12	1.36E+09	4.3E+08	2.6E+12	3.2E+02	3.2E+02	2.4E-12
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.75E-05	6.28E-12	1.36E+09	2.3E+07	7.8E+10	2.0E+02	2.0E+02	1.3E-11
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	1.1E-11
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.18E-05	7.98E-12	1.36E+09	4.8E+06	1.1E+10	2.4E+02	2.4E+02	6.2E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.34E-05	0.00E+00	1.36E+09	.	.	5.8E+04	5.8E+04	1.0E-10
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.04E-05	2.33E-11	1.36E+09	3.4E+05	4.3E+08	1.0E+02	1.0E+02	1.4E-10
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	2.0E+04	2.0E+04	2.1E-11
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	8.36E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	3.8E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	2.06E-04	0.00E+00	1.36E+09	.	.	4.6E+03	4.6E+03	1.5E-11
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	1.1E-10
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.71E-04	9.30E-13	1.36E+09	1.8E+09	4.4E+11	1.3E+03	1.3E+03	1.9E-11
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.71E-05	6.70E-12	1.36E+09	3.0E+07	1.0E+11	1.0E+03	1.0E+03	1.2E-10
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.94E-05	1.03E-11	1.36E+09	7.4E+06	2.2E+10	1.0E+02	1.0E+02	3.3E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	6.48E-10	1.36E+09	4.9E+00	3.1E+01	.	4.3E+00	5.5E-03
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.70E-05	7.99E-12	1.36E+09	6.1E+06	2.1E+10	8.7E+01	8.7E+01	4.3E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.44E-05	3.27E-12	1.36E+09	1.8E+07	8.6E+10	2.4E+02	2.4E+02	9.7E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	8.71E-07	6.56E-12	1.36E+09	2.1E+04	1.0E+07	2.2E+01	2.2E+01	3.9E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.65E-06	5.26E-12	1.36E+09	4.0E+07	1.2E+11	1.1E+04	1.1E+04	1.3E-09
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.52E-06	0.00E+00	1.36E+09	.	.	2.1E+06	2.1E+06	2.3E-09
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	1.75E-06	1.23E-10	1.36E+09	4.8E+04	8.0E+07	4.7E+02	4.6E+02	2.0E-09
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	6.06E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	5.9E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	8.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	4.20E-06	0.00E+00	1.36E+09	.	.	2.5E+05	2.5E+05	7.8E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	2.41E-06	1.56E-12	1.36E+09	9.6E+08	3.5E+12	8.5E+04	8.5E+04	1.4E-09
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.17E-04	1.06E-12	1.36E+09	7.6E+08	3.0E+12	9.5E+02	9.5E+02	2.9E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.20E-04	4.62E-12	1.36E+09	3.3E+07	1.3E+11	1.7E+02	1.7E+02	2.8E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	9.85E-07	1.21E-13	1.36E+09	3.2E+09	1.6E+13	5.4E+04	5.4E+04	3.5E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	8.27E-07	1.14E-12	1.36E+09	4.1E+07	1.8E+11	7.8E+03	7.8E+03	4.2E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	8.84E-06	0.00E+00	1.36E+09	.	.	1.2E+07	1.2E+07	4.0E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	2.58E-09	2.75E-11	1.36E+09	7.8E+04	6.2E+07	1.1E+05	4.6E+04	5.7E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.76E-05	2.34E-11	1.36E+09	2.8E+06	8.1E+09	2.4E+02	2.4E+02	9.7E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.74E-05	7.11E-11	1.36E+09	1.4E+05	2.4E+08	2.3E+01	2.3E+01	6.4E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.44E-05	0.00E+00	1.36E+09	.	.	2.9E+04	2.9E+04	3.9E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.35E-05	1.04E-12	1.36E+09	2.7E+08	5.2E+10	9.0E+02	9.0E+02	1.2E-10
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.35E-04	2.82E-11	1.36E+09	2.0E+06	1.8E+09	5.7E+01	5.7E+01	3.9E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.63E-05	1.44E-12	1.36E+09	1.5E+08	3.6E+10	4.5E+02	4.5E+02	8.0E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	6.72E-06	1.21E-11	1.36E+09	1.2E+06	2.6E+08	3.0E+02	3.0E+02	7.9E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.38E-08	3.87E-10	1.36E+09	2.6E+03	1.2E+04	4.0E+03	1.4E+03	5.5E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	2.21E-07	7.65E-10	1.36E+09	9.6E+01	3.6E+02	4.5E+01	2.8E+01	1.5E-08
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.16E-04	7.73E-10	1.36E+09	9.5E+01	3.6E+02	8.7E-02	8.7E-02	4.7E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.71E-05	3.12E-10	1.36E+09	4.0E+04	9.0E+05	3.0E+01	3.0E+01	9.4E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.31E-08	3.25E-10	1.36E+09	1.6E+03	4.2E+03	7.5E+02	4.5E+02	3.5E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	1.87E-07	2.24E-10	1.36E+09	5.1E+06	1.0E+09	8.4E+05	7.2E+05	2.5E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	6.8E+05	6.8E+05	2.0E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.26E-04	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	7.1E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.2E-11
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.36E-04	0.00E+00	1.36E+09	.	.	1.7E+05	1.7E+05	2.3E-11
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.65E-04	3.49E-11	1.36E+09	9.8E+04	2.5E+08	2.8E+00	2.8E+00	1.9E-11
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	3.04E-04	6.29E-11	1.36E+09	7.0E+04	2.2E+08	2.0E+00	2.0E+00	1.0E-11
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.21E-05	2.59E-11	1.36E+09	3.2E+04	2.4E+07	2.2E+00	2.2E+00	6.0E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.73E-04	6.58E-11	1.36E+09	5.6E+03	3.6E+06	1.9E-01	1.9E-01	1.2E-11
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.04E-06	1.04E-11	1.36E+09	2.1E+04	1.6E+07	7.4E+00	7.4E+00	7.8E-10
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.83E-04	6.31E-11	1.36E+09	6.4E+01	1.9E+03	3.0E-03	3.0E-03	4.7E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.55E-06	2.68E-11	1.36E+09	1.4E+06	4.3E+09	9.4E+02	9.3E+02	5.7E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.46E-04	7.75E-11	1.36E+09	7.3E+01	3.7E+03	5.3E-03	5.3E-03	3.1E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.63E-05	3.37E-11	1.36E+09	1.5E+06	5.5E+09	2.0E+02	2.0E+02	8.9E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	4.07E-06	6.25E-13	1.36E+09	4.9E+08	1.3E+12	1.0E+04	1.0E+04	7.9E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.58E-04	1.22E-10	1.36E+09	6.1E+01	4.5E+03	6.4E-03	6.4E-03	2.4E-11
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	3.03E-06	3.19E-13	1.36E+09	2.0E+09	7.2E+12	2.9E+04	2.9E+04	1.1E-09
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	3.38E-06	2.24E-11	1.36E+09	5.3E+02	7.8E+04	4.8E-01	4.8E-01	1.0E-09
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.66E-04	1.54E-10	1.36E+09	8.7E+03	1.1E+07	1.1E+00	1.1E+00	2.0E-11
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	2.98E-05	4.22E-11	1.36E+09	7.6E+05	2.4E+09	1.5E+02	1.5E+02	1.1E-10
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.69E-04	3.68E-12	1.36E+09	1.7E+08	7.0E+11	5.1E+02	5.1E+02	2.0E-11
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.13E-05	1.99E-12	1.36E+09	8.1E+08	3.3E+12	7.0E+03	7.0E+03	1.1E-10
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	3.1E+04	3.1E+04	3.0E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.16E-04	2.06E-12	1.36E+09	1.3E+08	2.8E+11	3.5E+02	3.5E+02	3.6E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.30E-05	8.89E-11	1.36E+09	6.6E+05	2.5E+09	9.7E+01	9.7E+01	1.3E-11
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	8.1E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	4.04E-04	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	2.8E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.29E-14	1.39E-11	1.36E+09	1.5E+03	1.7E+06	2.1E+08	1.5E+03	6.1E-07
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.57E-04	1.10E-10	1.36E+09	4.1E+03	3.9E+06	4.0E-01	4.0E-01	8.0E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	4.77E-10	3.61E-09	1.36E+09	8.9E-01	1.0E+03	1.0E+03	8.8E-01	2.2E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.35E-04	3.81E-09	1.36E+09	8.4E-01	8.3E+02	1.3E-03	1.3E-03	3.3E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	7.0E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	6.00E-05	0.00E+00	1.36E+09	.	.	5.9E+04	5.9E+04	2.2E-11
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.42E-05	4.63E-12	1.36E+09	2.0E+07	1.7E+09	8.8E+02	8.8E+02	3.7E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	3.60E-08	2.00E-10	1.36E+09	9.6E+04	1.9E+06	7.3E+04	4.0E+04	8.3E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	4.51E-06	7.70E-11	1.36E+09	8.8E+04	5.5E+05	2.0E+02	2.0E+02	1.2E-09
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	9.47E-07	2.69E-11	1.36E+09	5.6E+06	8.6E+07	2.2E+04	2.2E+04	5.7E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	1.06E-07	1.82E-10	1.36E+09	1.3E+05	3.1E+06	3.1E+04	2.5E+04	4.1E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.67E-03	1.38E-09	1.36E+09	1.3E+05	2.6E+07	1.5E+01	1.5E+01	3.3E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.33E-05	6.15E-10	1.36E+09	3.3E+02	9.0E+02	2.1E+00	2.1E+00	4.1E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.42E-04	3.39E-11	1.36E+09	4.3E+07	8.7E+09	1.4E+03	1.4E+03	3.2E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	3.1E+10	3.1E+10	1.2E-08
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	6.15E-07	0.00E+00	1.36E+09	.	.	1.4E+07	1.4E+07	7.6E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	7.89E-07	0.00E+00	1.36E+09	.	.	1.1E+07	1.1E+07	5.9E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	2.83E-06	0.00E+00	1.36E+09	.	.	2.9E+05	2.9E+05	1.7E-09
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	2.8E+05	2.8E+05	1.6E-09
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.84E-05	2.85E-11	1.36E+09	7.2E+07	4.4E+09	1.5E+04	1.5E+04	2.6E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	3.66E-06	1.32E-10	1.36E+09	1.0E+07	4.1E+09	5.0E+04	4.9E+04	1.3E-09
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.91E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	6.9E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.86E-05	0.00E+00	1.36E+09	.	.	3.3E+04	3.3E+04	9.9E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	3.0E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.35E-04	1.32E-12	1.36E+09	1.5E+09	8.1E+12	1.9E+03	1.9E+03	1.0E-11
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.44E-04	7.63E-11	1.36E+09	6.7E+05	2.8E+09	2.0E+01	2.0E+01	4.1E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.46E-05	1.26E-11	1.36E+09	4.9E+05	7.3E+08	5.8E+01	5.8E+01	9.7E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.13E-04	4.46E-12	1.36E+09	9.6E+07	4.0E+11	5.2E+02	5.2E+02	1.3E-11
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.15E-06	1.07E-12	1.36E+09	1.3E+09	5.6E+12	1.6E+05	1.6E+05	1.3E-09
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.66E-04	6.95E-11	1.36E+09	5.0E+05	1.9E+09	1.3E+01	1.3E+01	4.2E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-05	1.66E-11	1.36E+09	6.0E+06	1.9E+10	3.6E+02	3.6E+02	4.0E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	3.6E-12
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	2.7E+04	2.7E+04	2.4E-11
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.60E-04	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	1.2E-11
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	7.8E+03	7.8E+03	2.7E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.31E-04	1.44E-12	1.36E+09	8.8E+08	5.2E+12	5.2E+02	5.2E+02	9.3E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	8.30E-05	0.00E+00	1.36E+09	.	.	3.4E+04	3.4E+04	3.7E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	1.52E-05	5.99E-11	1.36E+09	7.0E+03	2.1E+06	3.8E+00	3.8E+00	2.0E-10
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.67E-04	3.53E-11	1.36E+09	3.6E+05	1.1E+09	1.0E+01	1.0E+01	1.9E-11
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	9.00E-10	1.36E+09	4.0E+00	3.0E+01	.	3.5E+00	1.1E-07
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.52E-05	3.30E-11	1.36E+09	6.6E+04	7.6E+07	5.4E+00	5.4E+00	5.7E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	8.26E-10	1.36E+09	3.9E+00	3.3E+01	.	3.5E+00	2.6E-03

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	3.82E-06	1.51E-11	1.36E+09	1.1E+04	4.7E+06	5.8E+00	5.8E+00	8.4E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	6.48E-10	1.36E+09	4.9E+00	4.4E+01	.	4.4E+00	2.0E+05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	4.35E-06	1.80E-11	1.36E+09	4.7E+03	1.2E+06	2.6E+00	2.6E+00	7.5E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.14E-06	3.59E-11	1.36E+09	7.3E+05	2.1E+09	7.0E+02	7.0E+02	6.6E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.73E-05	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	7.3E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.64E-05	6.88E-12	1.36E+09	3.1E+07	1.0E+11	3.9E+02	3.9E+02	1.8E-11
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.71E-04	2.15E-12	1.36E+09	7.2E+08	4.2E+12	1.2E+03	1.2E+03	8.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.10E-11	9.38E-11	1.36E+09	8.0E+02	9.1E+04	9.3E+05	7.9E+02	1.1E-07
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.13E-04	9.83E-11	1.36E+09	7.6E+02	9.1E+04	9.1E-02	9.1E-02	1.3E-11
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.20E-04	1.36E-11	1.36E+09	9.1E+05	2.1E+09	1.4E+01	1.4E+01	1.2E-11
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.11E-11	8.68E-13	1.36E+09	2.0E+06	4.0E+09	2.2E+07	1.9E+06	1.2E-05
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	3.82E-06	1.88E-12	1.36E+09	1.9E+08	4.9E+11	1.3E+04	1.3E+04	4.2E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.30E-04	2.14E-11	1.36E+09	2.0E+06	4.4E+09	4.5E+01	4.5E+01	1.3E-11
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	2.98E-05	6.26E-12	1.36E+09	5.3E+07	1.6E+11	1.5E+03	1.5E+03	5.6E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	1.22E-12	1.70E+01	4.9E+03	1.1E-02	.	1.1E-02	1.1E-12
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	2.8E+04	2.8E+04	5.2E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	7.07E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	5.1E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.39E-05	2.35E-11	1.36E+09	1.3E+06	3.6E+09	9.5E+01	9.5E+01	8.2E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	4.5E+02	4.4E+04	1.0E+00	9.9E-01	9.0E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	4.5E+02	4.4E+04	1.0E+00	9.9E-01	9.0E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	3.50E-05	1.33E-11	1.36E+09	1.5E+06	4.0E+09	8.0E+01	8.0E+01	1.0E-10
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	1.63E-09	1.36E+09	2.0E+00	4.0E+01	.	1.9E+00	1.8E+06
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.47E-05	2.43E-11	1.36E+09	1.2E+04	6.9E+06	1.1E+00	1.1E+00	1.1E-10
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.36E-04	3.65E-12	1.36E+09	1.6E+08	3.6E+11	3.3E+02	3.3E+02	1.6E-11
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-04	1.88E-10	1.36E+09	2.2E+01	1.6E+03	2.3E-03	2.3E-03	3.6E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.44E-05	8.07E-11	1.36E+09	1.0E+04	6.3E+06	1.2E+00	1.2E+00	4.0E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.05E-04	9.70E-12	1.36E+09	9.1E+06	2.5E+10	1.2E+02	1.2E+02	3.6E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.78E-05	7.45E-11	1.36E+09	6.4E+03	2.8E+06	1.1E+00	1.1E+00	6.7E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.46E-05	9.25E-11	1.36E+09	3.5E+01	1.2E+03	1.8E-02	1.8E-02	8.2E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.87E-04	1.88E-10	1.36E+09	1.7E+01	1.1E+03	2.3E-03	2.3E-03	1.1E-05
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-04	2.04E-12	1.36E+09	2.3E+08	4.8E+11	6.5E+02	6.5E+02	3.9E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	9.21E-05	3.56E-12	1.36E+09	1.3E+08	3.2E+11	6.8E+02	6.8E+02	4.2E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.18E-05	3.39E-11	1.36E+09	3.5E+06	1.0E+10	7.4E+02	7.4E+02	1.8E-10
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.43E-05	9.98E-13	1.36E+09	1.5E+09	7.1E+11	1.4E+04	1.4E+04	2.8E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.77E-04	2.72E-12	1.36E+09	2.1E+08	6.7E+10	4.4E+02	4.4E+02	2.3E-11
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.36E-05	1.29E-11	1.36E+09	7.8E+06	3.8E+09	5.8E+02	5.8E+02	1.7E-10
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	1.01E-04	6.15E-12	1.36E+09	2.1E+07	5.5E+09	1.7E+02	1.7E+02	4.0E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	1.02E-04	6.15E-12	1.36E+09	2.1E+07	5.5E+09	1.7E+02	1.7E+02	4.0E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.25E-04	2.59E-11	1.36E+09	1.6E+06	5.1E+08	4.5E+01	4.5E+01	3.3E-11
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	9.75E-11	5.41E-11	1.36E+09	6.0E+01	5.5E+03	4.6E+03	5.9E+01	1.4E-05
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.29E-04	7.68E-11	1.36E+09	4.2E+01	5.5E+03	3.5E-03	3.5E-03	8.3E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	1.94E-05	6.48E-12	1.36E+09	7.1E+06	1.2E+09	3.2E+02	3.2E+02	2.1E-10
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	1.97E-05	3.79E-11	1.36E+09	3.1E+05	5.4E+07	8.1E+01	8.1E+01	2.1E-10
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	3.28E-06	1.73E-11	1.36E+09	4.3E+05	6.0E+07	3.1E+02	3.1E+02	1.3E-09
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	7.04E-06	3.40E-11	1.36E+09	6.0E+05	1.3E+08	4.0E+02	4.0E+02	5.9E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.54E-05	1.19E-12	1.36E+09	5.7E+08	1.5E+11	6.1E+03	6.1E+03	2.8E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.49E-05	3.65E-11	1.36E+09	1.2E+04	2.2E+06	2.4E+00	2.4E+00	1.7E-10
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	6.66E-07	0.00E+00	1.36E+09	.	.	1.2E+06	1.2E+06	6.5E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.31E-05	0.00E+00	1.36E+09	.	.	3.7E+04	3.7E+04	3.4E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.57E-04	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	1.2E-11
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	1.4E-11
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	2.7E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	2.7E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.29E-04	1.47E-12	1.36E+09	1.7E+09	1.2E+13	1.5E+03	1.5E+03	1.4E-11
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.87E-04	0.00E+00	1.36E+09	.	.	4.5E+03	4.5E+03	1.1E-11
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.94E-05	1.82E-12	1.36E+09	3.3E+08	1.2E+12	1.2E+03	1.2E+03	4.7E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.63E-04	4.22E-12	1.36E+09	1.2E+08	5.3E+11	2.7E+02	2.7E+02	1.3E-11
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.09E-05	3.18E-13	1.36E+09	7.3E+09	3.4E+13	5.2E+03	5.2E+03	5.5E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.38E-05	3.70E-13	1.36E+09	2.4E+09	8.3E+12	3.6E+03	3.6E+03	1.0E-10
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	2.07E-04	7.95E-13	1.36E+09	1.4E+09	6.4E+12	7.5E+02	7.5E+02	1.6E-11
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	1.46E-06	6.59E-13	1.36E+09	3.0E+08	1.0E+12	1.8E+04	1.8E+04	2.3E-09
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.58E-05	1.23E-13	1.36E+09	1.6E+10	4.3E+13	1.7E+04	1.7E+04	2.2E-10
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.50E-05	1.18E-12	1.36E+09	3.7E+08	1.0E+12	9.2E+02	9.2E+02	5.3E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.15E-13	1.36E+09	1.5E+04	3.4E+05	.	1.4E+04	3.0E-02
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	7.48E-07	3.39E-13	1.36E+09	3.0E+09	7.2E+12	1.8E+05	1.8E+05	4.7E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	9.75E-07	6.83E-13	1.36E+09	1.1E+09	2.6E+12	1.1E+05	1.1E+05	3.6E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.25E-06	1.01E-10	1.36E+09	1.8E+05	5.6E+08	7.6E+02	7.6E+02	1.1E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.93E-04	1.18E-10	1.36E+09	2.7E+01	5.3E+02	2.3E-03	2.3E-03	1.3E-09
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.91E-05	4.92E-12	1.36E+09	3.2E+07	7.8E+10	5.5E+02	5.5E+02	9.1E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.09E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.3E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	1.38E-07	0.00E+00	1.36E+09	.	.	1.3E+07	1.3E+07	2.6E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	6.9E+03	6.9E+03	1.7E-11
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.50E-04	8.06E-12	1.36E+09	2.6E+08	4.6E+11	1.2E+03	1.2E+03	1.0E-11
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.64E-04	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	5.4E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.04E-04	1.72E-12	1.36E+09	8.9E+08	1.2E+12	2.0E+03	2.0E+03	2.4E-11
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.50E-04	1.31E-11	1.36E+09	2.7E+07	4.8E+10	1.4E+02	1.4E+02	7.3E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.45E-04	6.84E-12	1.36E+09	8.0E+07	1.5E+11	1.7E+02	1.7E+02	5.7E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.20E-05	3.55E-12	1.36E+09	6.5E+07	1.1E+11	7.5E+02	7.5E+02	6.1E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	9.6E+03	9.6E+03	2.3E-11
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.39E-05	1.04E-11	1.36E+09	3.5E+06	5.5E+09	3.6E+02	3.6E+02	1.9E-10
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.39E-04	5.91E-10	1.36E+09	8.2E+03	1.3E+07	4.8E+00	4.8E+00	1.9E-11
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	1.97E-07	4.61E-10	1.36E+09	7.4E+02	1.5E+06	2.4E+02	1.8E+02	1.0E-08
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	5.08E-05	1.32E-09	1.36E+09	1.2E+03	2.0E+06	4.2E+00	4.2E+00	5.3E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	8.02E-06	1.65E-12	1.36E+09	7.1E+08	7.0E+11	2.0E+04	2.0E+04	3.4E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	1.67E-07	3.16E-09	1.36E+09	1.0E+00	2.5E+03	2.6E+00	7.3E-01	4.1E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.61E-04	8.76E-11	1.36E+09	4.5E+05	7.1E+08	2.1E+01	2.1E+01	1.1E-11
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.28E-05	0.00E+00	1.36E+09	.	.	3.5E+04	3.5E+04	2.2E-10
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.32E-05	6.55E-10	1.36E+09	3.9E+03	6.3E+06	8.0E+00	8.0E+00	6.4E-11
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.85E-04	1.36E-11	1.36E+09	1.6E+07	2.3E+10	1.0E+02	1.0E+02	9.9E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	4.01E-05	3.55E-12	1.36E+09	9.9E+07	1.1E+11	1.2E+03	1.2E+03	7.0E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.38E-05	1.98E-10	1.36E+09	1.2E+05	1.8E+08	4.3E+01	4.3E+01	3.8E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.31E-04	4.50E-12	1.36E+09	1.2E+08	1.6E+11	2.3E+02	2.3E+02	8.6E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.88E-05	0.00E+00	1.36E+09	.	.	3.8E+04	3.8E+04	9.9E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	2.12E-04	4.18E-11	1.36E+09	1.8E+06	2.7E+09	4.8E+01	4.8E+01	1.4E-11
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.53E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	6.2E-12
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.40E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	9.3E-12
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.42E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	5.1E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.69E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	6.1E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.96E-04	1.81E-12	1.36E+09	5.0E+08	1.9E+12	6.3E+02	6.3E+02	1.2E-11
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.99E-04	3.73E-12	1.36E+09	1.3E+08	7.8E+11	1.4E+02	1.4E+02	4.6E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.76E-04	3.36E-12	1.36E+09	2.2E+08	1.2E+12	2.7E+02	2.7E+02	6.1E-12
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.54E-05	3.12E-12	1.36E+09	3.7E+07	1.5E+11	2.1E+02	2.1E+02	3.1E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	7.42E-05	0.00E+00	1.36E+09	.	.	4.0E+04	4.0E+04	3.1E-11
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.88E-04	1.24E-11	1.36E+09	8.0E+06	4.5E+10	3.5E+01	3.5E+01	6.0E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.96E-04	4.57E-12	1.36E+09	9.2E+07	4.3E+11	2.9E+02	2.9E+02	1.2E-11
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	3.85E-05	1.70E-11	1.36E+09	4.2E+05	1.1E+09	2.6E+01	2.6E+01	6.1E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.55E-05	0.00E+00	1.36E+09	.	.	9.3E+03	9.3E+03	4.2E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	3.11E-05	3.74E-13	1.36E+09	5.2E+09	2.0E+13	8.6E+03	8.6E+03	7.7E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	1.87E-06	6.31E-13	1.36E+09	2.2E+09	4.6E+12	1.0E+05	1.0E+05	1.3E-09
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.88E-05	1.40E-12	1.36E+09	2.1E+08	6.5E+11	1.4E+03	1.4E+03	8.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	6.34E-07	0.00E+00	1.36E+09	.	.	5.2E+06	5.2E+06	3.8E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	7.95E-06	2.93E-10	1.36E+09	1.4E+03	1.0E+06	7.0E+00	7.0E+00	3.0E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.55E-06	2.93E-10	1.36E+09	1.4E+03	1.0E+06	6.5E+00	6.5E+00	2.8E-10
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	7.42E-09	8.66E-10	1.36E+09	3.7E+00	9.9E+02	6.6E+01	3.5E+00	4.9E+05
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.71E-05	5.38E-12	1.36E+09	2.0E+07	5.8E+10	8.7E+02	8.7E+02	1.4E-10
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.31E-04	2.92E-12	1.36E+09	1.8E+08	7.2E+11	2.2E+02	2.2E+02	7.4E-12
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.86E-05	1.26E-12	1.36E+09	5.4E+08	1.4E+12	1.2E+03	1.2E+03	3.2E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.06E-06	5.85E-12	1.36E+09	4.3E+07	1.3E+11	3.8E+03	3.8E+03	2.7E-10
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	3.8E+06	3.8E+06	2.0E-10
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	2.5E+03	2.5E+03	6.9E-12
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	9.56E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	2.6E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.93E-06	1.56E-12	1.36E+09	1.0E+09	5.8E+12	2.5E+04	2.5E+04	2.8E-10
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.18E-04	0.00E+00	1.36E+09	.	.	8.8E+04	8.8E+04	2.2E-11
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.45E-06	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	3.5E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	2.0E-11
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.66E-04	2.04E-12	1.36E+09	9.5E+08	4.6E+12	1.6E+03	1.6E+03	2.3E-11
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.47E-04	2.64E-12	1.36E+09	1.9E+08	6.3E+11	4.7E+02	4.7E+02	2.6E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.41E-04	1.02E-11	1.36E+09	1.5E+07	5.4E+10	8.9E+01	8.9E+01	1.6E-11
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.06E-04	1.98E-11	1.36E+09	1.7E+06	4.9E+09	4.4E+01	4.4E+01	3.7E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	2.03E-04	3.27E-11	1.36E+09	8.9E+05	3.0E+09	2.0E+01	2.0E+01	1.9E-11
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.58E-04	3.83E-12	1.36E+09	6.6E+07	2.4E+11	2.2E+02	2.2E+02	2.5E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.47E-05	6.94E-12	1.36E+09	6.7E+06	2.1E+10	1.8E+02	1.8E+02	1.1E-10
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.82E-04	4.11E-11	1.36E+09	2.8E+05	9.7E+08	5.7E+00	5.7E+00	1.4E-11
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	4.32E-06	1.65E-11	1.36E+09	9.3E+04	8.9E+07	4.9E+01	4.9E+01	9.3E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.68E-04	5.93E-11	1.36E+09	2.9E+04	4.1E+07	1.4E+00	1.4E+00	2.4E-11
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.92E-11	3.53E-13	1.36E+09	1.2E+09	2.4E+12	3.1E+09	8.8E+08	6.0E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	2.46E-06	6.30E-12	1.36E+09	2.5E+07	8.7E+10	8.8E+03	8.8E+03	1.6E-09
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	4.32E-06	0.00E+00	1.36E+09	.	.	1.1E+07	1.1E+07	9.4E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.15E-05	8.93E-11	1.36E+09	3.1E+03	1.4E+06	4.1E-01	4.1E-01	4.5E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	4.83E-09	0.00E+00	1.36E+09	.	.	5.7E+08	5.7E+08	8.4E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	3.16E-08	6.46E-11	1.36E+09	5.1E+01	2.7E+03	1.4E+01	1.1E+01	1.4E-06
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	1.25E-08	2.13E-11	1.36E+09	9.0E+04	5.4E+07	2.1E+04	1.7E+04	2.7E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.11E-05	9.53E-11	1.36E+09	2.6E+05	9.3E+08	3.1E+02	3.1E+02	3.7E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.73E-04	1.19E-10	1.36E+09	9.9E+02	3.4E+05	5.9E-02	5.9E-02	1.5E-11
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	3.04E-06	5.01E-12	1.36E+09	3.9E+07	1.0E+11	8.7E+03	8.7E+03	1.4E-09
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.01E-05	8.24E-12	1.36E+09	1.6E+07	3.6E+10	4.4E+02	4.4E+02	1.0E-10
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	1.4E-10
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.88E-04	5.30E-12	1.36E+09	6.5E+07	2.1E+11	1.6E+02	1.6E+02	1.4E-11
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	1.2E+03	1.2E+03	1.9E-12
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	2.16E-05	4.07E-10	1.36E+09	7.9E+00	1.8E+03	2.0E-02	2.0E-02	2.8E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.98E-05	2.27E-11	1.36E+09	1.7E+06	4.0E+09	1.4E+02	1.4E+02	2.2E-11
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.14E-04	1.46E-11	1.36E+09	1.5E+06	2.5E+09	2.6E+01	2.6E+01	8.0E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.35E-04	3.03E-12	1.36E+09	4.3E+08	2.7E+12	5.4E+02	5.4E+02	2.8E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.52E-04	1.78E-12	1.36E+09	9.5E+08	5.6E+12	9.1E+02	9.1E+02	3.8E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	2.4E-12
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	1.3E-11
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	6.2E+03	6.2E+03	1.1E-11
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	9.8E+01	9.8E+01	3.5E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	9.8E+01	9.8E+01	3.5E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	4.6E+02	4.6E+02	1.4E-11
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	6.6E+01	6.6E+01	5.8E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	8.80E-08	0.00E+00	1.36E+09	.	.	5.0E+00	5.0E+00	2.6E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.24E-05	0.00E+00	1.36E+09	.	.	1.5E+06	1.5E+06	1.4E-10
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	3.38E-10	0.00E+00	1.36E+09	.	.	1.1E+08	1.1E+08	5.2E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	2.87E-07	0.00E+00	1.36E+09	.	.	3.1E+00	3.1E+00	7.9E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.47E-05	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	1.2E-10
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	4.8E+02	4.8E+02	1.7E-11
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	8.5E+01	8.5E+01	6.8E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	4.8E+03	4.8E+03	7.1E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.50E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	7.8E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.06E-04	1.04E-12	1.36E+09	2.4E+09	1.3E+13	3.2E+03	3.2E+03	2.6E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.77E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	1.0E-11
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.35E-05	1.50E-12	1.36E+09	3.3E+08	1.1E+12	9.2E+02	9.2E+02	3.8E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.55E-04	2.41E-11	1.36E+09	4.2E+06	1.8E+10	5.4E+01	5.4E+01	1.1E-11
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.67E-05	2.03E-12	1.36E+09	5.9E+08	2.3E+12	2.1E+03	2.1E+03	3.7E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.63E-05	1.81E-12	1.36E+09	6.9E+07	2.7E+11	1.0E+03	1.0E+03	1.7E-10
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	3.4E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.39E-06	1.81E-12	1.36E+09	1.4E+07	5.9E+10	2.4E+03	2.4E+03	2.1E-09
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.64E-05	0.00E+00	1.36E+09	.	.	8.7E+03	8.7E+03	6.2E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	1.86E-07	4.56E-12	1.36E+09	7.0E+02	2.8E+04	2.4E+00	2.4E+00	5.4E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.63E-04	5.48E-11	1.36E+09	5.8E+01	1.3E+03	2.7E-03	2.7E-03	1.1E-01
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	3.10E-04	1.30E-10	1.36E+09	9.3E+04	3.0E+08	5.3E+00	5.3E+00	9.6E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	4.23E-06	2.29E-11	1.36E+09	5.4E+06	1.9E+10	4.0E+03	4.0E+03	7.1E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.35E-04	8.36E-12	1.36E+09	3.8E+07	1.6E+11	1.3E+02	1.3E+02	9.0E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.66E-05	2.17E-12	1.36E+09	9.5E+08	4.3E+12	7.7E+03	7.7E+03	8.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.32E-04	8.67E-13	1.36E+09	3.1E+09	1.2E+13	2.8E+03	2.8E+03	2.7E-11
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.19E-04	2.29E-12	1.36E+09	2.5E+08	7.6E+11	3.5E+02	3.5E+02	1.6E-11
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.65E-04	2.94E-11	1.36E+09	4.8E+05	1.2E+09	1.2E+01	1.2E+01	2.2E-11
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	4.17E-12	0.00E+00	1.36E+09	.	.	3.6E+11	3.6E+11	8.6E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.50E-04	5.17E-11	1.36E+09	1.9E+05	6.2E+08	3.9E+00	3.9E+00	1.0E-11
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.26E-05	4.24E-11	1.36E+09	5.8E+04	7.9E+07	4.6E+00	4.6E+00	5.0E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	1.17E-08	0.00E+00	1.36E+09	.	.	2.6E+08	2.6E+08	3.1E-07
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.44E-04	7.51E-11	1.36E+09	4.0E+04	6.3E+07	1.7E+00	1.7E+00	1.5E-11
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	2.52E-11	0.00E+00	1.36E+09	.	.	4.3E+10	4.3E+10	1.5E-04
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.21E-05	2.32E-11	1.36E+09	1.7E+03	4.0E+05	4.6E-01	4.6E-01	3.0E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.01E-05	1.85E-11	1.36E+09	9.1E+02	1.4E+05	2.3E-01	2.3E-01	3.7E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	2.48E-06	3.87E-11	1.36E+09	3.7E+03	1.1E+06	7.9E+00	7.8E+00	1.5E-09
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	4.83E-05	1.13E-10	1.36E+09	2.8E+01	2.3E+03	9.1E-03	9.1E-03	1.7E-01
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	7.61E-07	9.98E-12	1.36E+09	1.3E+07	3.8E+10	2.4E+04	2.4E+04	4.9E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.08E-06	3.88E-11	1.36E+09	7.8E+04	8.3E+07	1.4E+02	1.4E+02	1.2E-09
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	9.81E-05	1.11E-10	1.36E+09	1.1E+03	2.8E+05	1.8E-01	1.8E-01	3.8E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.64E-05	1.65E-12	1.36E+09	6.2E+08	2.5E+12	8.6E+03	8.6E+03	2.3E-10
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.09E-04	1.27E-12	1.36E+09	9.9E+08	2.9E+12	1.6E+03	1.6E+03	3.5E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.12E-06	1.37E-11	1.36E+09	7.7E+06	2.5E+10	4.6E+03	4.6E+03	1.2E-09
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	2.0E-11
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.56E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	5.9E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.14E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	5.0E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.77E-04	1.40E-10	1.36E+09	1.7E+05	5.4E+08	1.8E+01	1.8E+01	3.4E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	6.00E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	1.8E-12
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.18E-04	3.70E-12	1.36E+09	1.7E+08	7.9E+11	7.3E+02	7.3E+02	9.2E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.51E-04	9.72E-11	1.36E+09	3.7E+04	9.8E+07	1.1E+00	1.1E+00	2.4E-12
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	3.11E-04	2.61E-12	1.36E+09	5.3E+08	3.3E+12	6.1E+02	6.1E+02	3.6E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	1.87E-12	1.36E+09	1.7E+03	4.2E+05	.	1.7E+03	9.4E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	1.05E-04	3.99E-11	1.36E+09	1.6E+03	6.8E+05	8.4E-02	8.4E-02	1.1E-11
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.28E-04	1.38E-11	1.36E+09	1.4E+07	5.4E+10	1.1E+02	1.1E+02	5.2E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.19E-05	0.00E+00	1.36E+09	.	.	2.4E+05	2.4E+05	1.0E-10
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	3.19E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.9E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.92E-04	1.48E-12	1.36E+09	1.3E+09	5.6E+12	1.4E+03	1.4E+03	1.1E-11
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	1.84E-06	2.30E-12	1.36E+09	1.1E+09	7.2E+12	1.9E+05	1.9E+05	1.2E-09
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	1.3E-11
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.31E-05	1.34E-11	1.36E+09	6.5E+06	8.1E+09	1.3E+02	1.3E+02	2.1E-11
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.17E-04	2.08E-12	1.36E+09	9.0E+08	6.1E+12	2.2E+03	2.2E+03	1.7E-11
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.76E-04	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	1.1E-11
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	5.74E-09	8.44E-11	1.36E+09	3.8E+01	7.3E+04	7.6E+01	2.5E+01	2.6E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	3.03E-04	7.04E-12	1.36E+09	1.0E+07	1.8E+10	3.2E+01	3.2E+01	6.5E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.78E-05	3.19E-11	1.36E+09	2.3E+05	1.9E+08	5.7E+01	5.7E+01	1.2E-10
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	2.6E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	7.04E-04	0.00E+00	1.36E+09	.	.	4.8E+04	4.8E+04	4.8E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.79E-04	2.02E-10	1.36E+09	1.1E+02	2.8E+04	1.0E-02	1.0E-02	1.7E-12
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.93E-04	2.51E-11	1.36E+09	1.3E+06	3.4E+09	7.5E+00	7.5E+00	8.6E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	7.6E+03	7.6E+03	1.3E-11
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	5.27E-04	2.72E-12	1.36E+09	7.4E+08	4.9E+12	5.2E+02	5.2E+02	3.5E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	5.21E-04	0.00E+00	1.36E+09	.	.	9.8E+02	9.8E+02	3.6E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.76E-04	1.38E-11	1.36E+09	1.7E+07	7.1E+10	1.9E+02	1.9E+02	1.1E-11
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.55E-04	6.23E-12	1.36E+09	7.1E+07	3.1E+11	3.9E+02	3.9E+02	1.2E-11
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.74E-04	7.41E-11	1.36E+09	4.5E+05	1.7E+09	7.9E+00	7.9E+00	3.3E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	1.93E-07	2.99E-12	1.36E+09	1.1E+03	8.2E+04	2.3E+00	2.3E+00	4.0E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.28E-06	2.97E-11	1.36E+09	1.1E+04	2.9E+06	1.4E+01	1.4E+01	5.9E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.87E-04	5.38E-11	1.36E+09	5.9E+01	5.4E+03	2.3E-03	2.3E-03	2.1E-05
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.23E-04	2.55E-11	1.36E+09	7.8E+04	1.8E+08	2.2E+00	2.2E+00	1.6E-11
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	1.03E-09	9.31E-12	1.36E+09	5.6E+02	1.1E+05	6.9E+02	3.1E+02	1.3E-06
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.95E-04	1.05E-10	1.36E+09	3.0E+01	3.0E+03	2.2E-03	2.2E-03	1.2E-08
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.62E-07	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	3.6E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	9.53E-05	3.32E-11	1.36E+09	1.7E+04	1.1E+07	8.3E-01	8.3E-01	2.1E-11
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.44E-06	4.36E-11	1.36E+09	1.3E+05	1.9E+08	1.2E+02	1.2E+02	3.1E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	3.10E-04	6.50E-11	1.36E+09	3.2E+05	1.1E+09	9.2E+00	9.2E+00	6.6E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	8.14E-05	3.08E-12	1.36E+09	1.3E+08	4.5E+11	6.8E+02	6.8E+02	2.5E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.66E-04	4.68E-12	1.36E+09	1.2E+08	5.7E+11	2.1E+02	2.1E+02	5.7E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.46E-05	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	1.4E-10
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	1.06E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	2.0E-11
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.71E-05	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	5.0E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.45E-04	2.19E-12	1.36E+09	1.1E+09	5.6E+12	2.2E+03	2.2E+03	2.0E-11
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.64E-05	4.45E-12	1.36E+09	1.3E+08	5.5E+11	3.0E+03	3.0E+03	1.1E-10
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.43E-04	2.43E-12	1.36E+09	3.1E+08	1.4E+12	7.3E+02	7.3E+02	2.0E-11
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	1.85E-06	4.03E-11	1.36E+09	2.4E+06	9.7E+09	7.1E+03	7.1E+03	1.6E-09
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	5.11E-05	8.83E-13	1.36E+09	1.1E+09	5.0E+12	2.6E+03	2.6E+03	5.8E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.95E-04	1.36E-11	1.36E+09	6.5E+06	2.4E+10	6.2E+01	6.2E+01	1.5E-11
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	3.03E-07	1.39E-10	1.36E+09	4.3E+04	1.3E+08	2.7E+03	2.6E+03	9.2E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.25E-06	4.43E-13	1.36E+09	4.4E+08	1.8E+12	4.3E+03	4.3E+03	4.8E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.62E-05	0.00E+00	1.36E+09	.	.	4.5E+04	4.5E+04	3.5E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	7.05E-10	1.36E+09	4.5E+00	3.9E+01	.	4.1E+00	3.8E+06
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.32E-05	7.73E-11	1.36E+09	2.4E+04	2.5E+07	1.9E+01	1.9E+01	2.4E-10
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	3.91E-05	6.91E-12	1.36E+09	4.1E+07	1.1E+11	9.8E+02	9.8E+02	8.1E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	1.04E-04	1.20E-12	1.36E+09	2.0E+09	7.7E+12	3.1E+03	3.1E+03	3.1E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.74E-05	1.64E-12	1.36E+09	1.6E+09	7.8E+12	2.0E+04	2.0E+04	1.9E-10
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.1E+05	1.1E+05	3.3E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.41E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	8.0E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	2.09E-04	4.44E-11	1.36E+09	7.5E+04	9.9E+07	2.2E+00	2.2E+00	5.7E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.56E-04	5.36E-11	1.36E+09	2.5E+05	8.4E+08	7.3E+00	7.3E+00	4.7E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.83E-09	3.86E-12	1.36E+09	8.3E+02	1.7E+05	2.4E+02	1.9E+02	3.1E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	9.62E-12	1.36E+09	3.6E+02	7.4E+04	.	3.6E+02	6.4E-06
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	7.54E-05	8.99E-12	1.36E+09	2.1E+07	3.4E+10	3.5E+02	3.5E+02	1.8E-11
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	9.53E-10	2.22E-10	1.36E+09	4.0E+04	1.1E+08	1.4E+06	3.9E+04	4.5E-08
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.41E-04	4.25E-13	1.36E+09	4.7E+09	4.9E+12	1.9E+03	1.9E+03	3.5E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	6.15E-06	9.96E-14	1.36E+09	8.1E+09	3.3E+13	1.8E+04	1.8E+04	8.0E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.45E-04	3.74E-11	1.36E+09	1.2E+05	3.6E+08	4.3E+00	4.3E+00	3.4E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	1.2E+04	3.1E+06	1.8E+02	1.8E+02	1.3E-07
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	1.2E+04	3.1E+06	1.8E+02	1.8E+02	1.3E-07
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.05E-05	2.60E-10	1.36E+09	1.2E+01	1.2E+02	4.2E-02	4.1E-02	4.2E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	3.57E-06	1.29E-11	1.36E+09	1.7E+06	2.1E+08	8.3E+02	8.3E+02	1.4E-09
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	1.40E-06	1.27E-09	1.36E+09	2.5E+00	1.4E+01	3.1E-01	2.7E-01	3.9E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.31E-05	1.34E-09	1.36E+09	2.4E+00	1.4E+01	1.9E-02	1.9E-02	2.7E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	7.51E-05	6.14E-11	1.36E+09	1.6E+05	2.3E+08	1.7E+01	1.7E+01	6.7E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.54E-05	5.91E-11	1.36E+09	1.5E+05	2.4E+08	7.6E+01	7.6E+01	3.3E-10
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.26E-04	3.22E-12	1.36E+09	1.5E+08	3.5E+11	5.1E+02	5.1E+02	4.0E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.3E-10
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.10E-06	5.31E-13	1.36E+09	3.9E+09	1.4E+13	9.3E+04	9.3E+04	1.7E-09
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.57E-05	0.00E+00	1.36E+09	.	.	5.1E+04	5.1E+04	1.4E-10
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	6.5E+03	6.5E+03	4.6E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	7.5E+03	7.5E+03	6.5E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	2.9E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.22E-04	0.00E+00	1.36E+09	.	.	7.4E+04	7.4E+04	3.3E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	9.85E-06	7.75E-13	1.36E+09	1.7E+09	6.4E+12	1.9E+04	1.9E+04	3.9E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.69E-04	5.06E-12	1.36E+09	5.5E+07	1.9E+11	2.3E+02	2.3E+02	2.3E-11
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.39E-05	3.43E-11	1.36E+09	6.4E+05	1.8E+09	6.9E+01	6.9E+01	8.8E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.44E-05	1.34E-11	1.36E+09	2.8E+06	7.1E+09	7.9E+01	7.9E+01	6.0E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.27E-04	1.15E-11	1.36E+09	4.3E+06	1.4E+10	5.3E+01	5.3E+01	3.1E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	8.05E-05	2.72E-11	1.36E+09	7.9E+03	4.6E+06	3.7E-01	3.7E-01	4.9E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	1.47E-09	1.36E+09	2.2E+00	3.4E+01	.	2.0E+00	2.1E+06
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.60E-11	1.13E-12	1.36E+09	7.4E+07	3.2E+11	7.2E+08	6.7E+07	2.4E-05
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.83E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	2.2E-11
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	4.80E-06	4.15E-11	1.36E+09	3.2E+04	2.2E+07	3.7E+01	3.7E+01	8.5E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	2.23E-07	6.96E-12	1.36E+09	5.3E+06	7.0E+09	2.3E+04	2.3E+04	1.8E-08
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	6.66E-06	5.94E-11	1.36E+09	2.7E+05	7.3E+08	3.3E+02	3.3E+02	6.2E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	4.17E-08	1.80E-10	1.36E+09	5.4E+01	4.8E+03	3.2E+01	2.0E+01	6.6E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.12E-05	2.75E-10	1.36E+09	3.6E+01	4.7E+03	1.2E-01	1.2E-01	3.9E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.14E-06	4.03E-12	1.36E+09	2.1E+08	8.4E+11	1.4E+04	1.4E+04	5.1E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	5.2E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	2.55E-07	1.44E-10	1.36E+09	9.9E+03	1.3E+07	8.5E+02	7.8E+02	2.7E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	1.00E-09	1.52E-11	1.36E+09	5.3E+04	1.6E+07	1.2E+05	3.7E+04	2.3E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.13E-06	1.75E-11	1.36E+09	4.3E+07	4.5E+08	9.2E+04	9.2E+04	4.2E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.67E-04	4.56E-11	1.36E+09	4.8E+05	1.2E+07	1.8E+01	1.8E+01	2.9E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	3.91E-06	5.48E-12	1.36E+09	2.5E+06	7.0E+07	4.7E+02	4.7E+02	1.2E-09
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.95E-05	4.79E-11	1.36E+09	2.4E+04	6.4E+04	2.0E+00	2.0E+00	6.1E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.44E-06	4.17E-09	1.36E+09	7.7E-01	5.3E+00	1.3E-01	1.1E-01	2.3E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.16E-04	4.30E-11	1.36E+09	3.6E+05	2.8E+08	1.8E+01	1.8E+01	4.3E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.17E-05	6.98E-11	1.36E+09	1.1E+04	6.2E+06	4.7E+00	4.7E+00	2.3E-10
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.79E-04	2.61E-11	1.36E+09	2.8E+06	7.6E+09	5.5E+01	5.5E+01	2.8E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.45E-06	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	2.0E-09
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.20E-07	9.32E-13	1.36E+09	1.3E+09	4.7E+12	1.4E+06	1.4E+06	4.2E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	4.2E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.57E-05	0.00E+00	1.36E+09	.	.	6.1E+03	6.1E+03	6.6E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.32E-04	8.40E-13	1.36E+09	2.9E+09	1.4E+13	2.5E+03	2.5E+03	3.1E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.95E-04	1.09E-12	1.36E+09	1.8E+09	6.1E+12	1.4E+03	1.4E+03	2.1E-11
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.05E-05	1.34E-12	1.36E+09	5.9E+08	2.1E+12	2.1E+03	2.1E+03	8.2E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	2.1E-11
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.35E-04	2.06E-12	1.36E+09	3.3E+08	8.7E+11	6.9E+02	6.9E+02	3.1E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.39E-05	4.39E-12	1.36E+09	4.6E+07	1.7E+11	6.3E+02	6.3E+02	9.6E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.29E-04	2.05E-12	1.36E+09	1.6E+08	5.7E+11	3.4E+02	3.4E+02	3.3E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	1.61E-05	2.37E-11	1.36E+09	9.5E+05	2.2E+09	1.9E+02	1.9E+02	2.6E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.55E-05	9.31E-12	1.36E+09	5.6E+06	1.7E+10	8.3E+01	8.3E+01	5.0E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	9.2E+04	9.2E+04	1.0E-10
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.08E-11	6.66E-10	1.36E+09	4.8E+00	2.9E+03	5.4E+03	4.8E+00	1.4E-04
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.89E-05	6.94E-10	1.36E+09	4.6E+00	2.9E+03	9.0E-03	8.9E-03	2.7E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.45E-04	7.88E-12	1.36E+09	1.7E+07	6.5E+10	7.7E+01	7.7E+01	1.8E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	2.96E-05	1.53E-11	1.36E+09	6.1E+05	1.4E+09	4.3E+01	4.3E+01	1.5E-10
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.58E-04	2.38E-12	1.36E+09	1.8E+08	1.0E+12	2.3E+02	2.3E+02	1.7E-11
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.17E-11	1.30E-11	1.36E+09	2.5E+02	1.8E+05	5.4E+03	2.4E+02	2.1E+00
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	1.45E-08	3.30E-12	1.36E+09	4.5E+07	9.0E+10	1.6E+06	1.5E+06	3.3E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	4.01E-08	1.62E-08	1.36E+09	2.8E-01	3.7E+01	1.6E+01	2.8E-01	3.6E-09
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.86E-06	7.10E-12	1.36E+09	1.1E+08	2.5E+09	1.4E+04	1.4E+04	5.7E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.34E-05	3.55E-10	1.36E+09	1.3E+05	9.0E+06	4.7E+02	4.6E+02	3.3E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.69E-05	5.96E-12	1.36E+09	1.8E+08	3.4E+09	5.5E+03	5.5E+03	1.7E-10
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	5.46E-06	5.12E-11	1.36E+09	1.1E+05	2.4E+08	1.4E+02	1.4E+02	3.9E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.91E-05	5.37E-12	1.36E+09	1.1E+07	3.8E+10	2.0E+02	2.0E+02	5.5E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	3.06E-08	1.37E-11	1.36E+09	8.7E+04	8.5E+07	5.3E+03	5.0E+03	6.7E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	2.84E-12	1.36E+09	1.1E+03	2.3E+05	.	1.1E+03	2.2E+00
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	3.44E-07	3.94E-11	1.36E+09	9.0E+05	2.4E+09	1.4E+04	1.4E+04	6.6E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	8.4E+04	8.4E+04	2.3E-10
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.41E-06	1.83E-12	1.36E+09	6.8E+08	2.4E+12	2.7E+04	2.7E+04	3.7E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	5.11E-09	1.89E-10	1.36E+09	1.2E+05	4.3E+08	6.2E+05	1.0E+05	7.7E-08
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	2.69E-06	0.00E+00	1.36E+09	.	.	6.1E+05	6.1E+05	9.0E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.74E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	1.2E-11
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	3.07E-04	0.00E+00	1.36E+09	.	.	4.2E+03	4.2E+03	6.7E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-05	2.34E-12	1.36E+09	7.0E+08	3.7E+12	5.1E+03	5.1E+03	4.7E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.57E-04	1.43E-12	1.36E+09	9.5E+08	4.9E+12	1.2E+03	1.2E+03	1.3E-11
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	6.7E+03	6.7E+03	8.7E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.07E-04	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	1.4E-11
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	8.6E+03	8.6E+03	2.6E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	2.0E+05	2.0E+05	2.3E-11
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.76E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	7.9E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.90E-05	1.29E-12	1.36E+09	1.1E+09	6.3E+12	2.1E+03	2.1E+03	3.4E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	1.03E-04	0.00E+00	1.36E+09	.	.	5.7E+04	5.7E+04	2.9E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.60E-05	1.24E-11	1.36E+09	6.2E+03	1.1E+06	2.9E-01	2.9E-01	8.4E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.87E-04	5.04E-11	1.36E+09	1.1E+03	1.3E+05	4.1E-02	4.1E-02	1.6E-11
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	4.26E-07	6.50E-12	1.36E+09	7.7E+02	5.1E+04	1.6E+00	1.6E+00	1.2E-08
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.84E-05	5.32E-11	1.36E+09	2.0E+02	1.3E+04	1.6E-02	1.6E-02	3.7E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	8.71E-10	1.87E-11	1.36E+09	1.1E+03	1.7E+05	3.3E+03	8.4E+02	9.1E-07
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	7.57E-05	1.92E-10	1.36E+09	2.0E+04	4.5E+07	6.8E+00	6.8E+00	4.2E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.42E-04	1.03E-10	1.36E+09	4.8E+03	2.9E+06	2.8E-01	2.8E-01	1.3E-11
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.38E-06	7.26E-11	1.36E+09	1.3E+05	3.2E+08	9.1E+02	9.0E+02	2.3E-09
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.91E-04	1.43E-11	1.36E+09	1.3E+07	5.0E+10	1.3E+02	1.3E+02	1.7E-11
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.53E-05	5.08E-11	1.36E+09	3.4E+05	9.1E+08	6.6E+01	6.6E+01	9.1E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.69E-05	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	8.7E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	1.7E-11
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	5.96E-06	0.00E+00	1.36E+09	.	.	1.3E+05	1.3E+05	5.5E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.44E-04	0.00E+00	1.36E+09	.	.	9.4E+03	9.4E+03	1.3E-11
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	1.4E-11
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	2.05E-04	2.37E-12	1.36E+09	3.4E+08	8.8E+11	5.3E+02	5.3E+02	2.1E-11
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.34E-04	1.35E-11	1.36E+09	1.0E+07	1.2E+10	1.4E+02	1.4E+02	3.2E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.99E-04	2.91E-12	1.36E+09	1.0E+08	3.4E+11	2.0E+02	2.0E+02	2.2E-11
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.41E-04	6.52E-10	1.36E+09	3.5E+03	1.3E+06	2.2E+00	2.2E+00	3.1E-11
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.58E-04	6.09E-12	1.36E+09	1.4E+07	4.3E+10	7.2E+01	7.2E+01	2.8E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.41E-09	4.86E-08	1.36E+09	3.9E-01	1.1E+02	1.1E+03	3.9E-01	6.6E-10
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	7.16E-07	4.83E-08	1.36E+09	7.2E-02	1.6E+01	6.6E-01	6.5E-02	3.9E-09
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.22E-09	3.88E-08	1.36E+09	3.8E+00	1.3E+03	1.6E+04	3.8E+00	8.4E-10
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	1.02E-06	0.00E+00	1.36E+09	.	.	4.6E+08	4.6E+08	4.4E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.14E-05	0.00E+00	1.36E+09	.	.	4.7E+05	4.7E+05	4.0E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.67E-09	0.00E+00	1.36E+09	.	.	1.2E+16	1.2E+16	9.7E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	1.04E-08	0.00E+00	1.36E+09	.	.	1.4E+14	1.4E+14	4.4E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	2.02E-08	0.00E+00	1.36E+09	.	.	6.6E+12	6.6E+12	2.3E-07
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.92E-09	0.00E+00	1.36E+09	.	.	8.6E+11	8.6E+11	2.4E-06
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.85E-13	0.00E+00	1.36E+09	.	.	7.7E+12	7.7E+12	2.8E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.85E-04	2.05E-12	1.36E+09	1.3E+09	7.4E+12	9.4E+02	9.4E+02	7.4E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.93E-04	3.40E-12	1.36E+09	5.0E+08	2.8E+12	8.0E+02	8.0E+02	9.7E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	1.01E-04	1.72E-12	1.36E+09	7.1E+08	3.5E+12	1.6E+03	1.6E+03	2.8E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.70E-04	1.28E-12	1.36E+09	1.7E+09	1.3E+13	1.1E+03	1.1E+03	1.1E-11
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.23E-05	1.74E-12	1.36E+09	2.2E+08	9.1E+11	1.2E+03	1.2E+03	6.9E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	2.8E+04	2.8E+04	3.0E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	3.07E-04	6.54E-12	1.36E+09	3.5E+07	1.6E+11	1.0E+02	1.0E+02	9.6E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.28E-05	1.89E-12	1.36E+09	5.8E+07	1.9E+11	1.2E+03	1.2E+03	2.3E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.34E-05	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	4.7E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	8.46E-06	9.48E-11	1.36E+09	2.7E+05	9.4E+08	4.1E+02	4.1E+02	3.6E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	1.21E-12	1.36E+09	1.6E+09	5.8E+12	.	1.6E+09	1.8E-05
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	4.42E-08	8.65E-11	1.36E+09	1.7E+04	1.9E+07	4.6E+03	3.6E+03	5.4E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.83E-06	1.71E-12	1.36E+09	9.9E+08	5.9E+12	4.8E+04	4.8E+04	6.3E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	3.35E-07	0.00E+00	1.36E+09	.	.	1.7E+06	1.7E+06	9.1E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.56E-06	2.61E-11	1.36E+09	3.1E+06	1.1E+10	4.3E+03	4.3E+03	1.2E-09
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.34E-04	2.78E-12	1.36E+09	4.3E+08	2.5E+12	1.2E+03	1.2E+03	2.3E-11
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.52E-05	1.20E-12	1.36E+09	1.8E+09	7.7E+12	5.4E+03	5.4E+03	5.7E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.30E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	2.4E-11
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	2.8E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.07E-05	1.45E-12	1.36E+09	1.2E+09	3.4E+12	3.3E+03	3.3E+03	5.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.70E-05	6.05E-12	1.36E+09	3.9E+07	1.4E+11	4.2E+02	4.2E+02	5.1E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.56E-05	4.73E-12	1.36E+09	4.4E+07	1.2E+11	4.3E+02	4.3E+02	6.1E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.66E-05	5.10E-11	1.36E+09	3.9E+04	3.2E+07	1.6E+01	1.6E+01	2.4E-10
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.05E-05	1.21E-11	1.36E+09	3.7E+06	8.8E+09	1.2E+02	1.2E+02	8.0E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	4.60E-10	1.36E+09	7.0E+00	2.7E+01	.	5.5E+00	1.9E+03
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.62E-05	2.36E-11	1.36E+09	3.1E+05	5.9E+08	3.8E+01	3.8E+01	1.6E-10
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.18E-11	2.64E-12	1.36E+09	1.4E+03	2.4E+05	1.0E+04	1.2E+03	3.4E-05
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	4.48E-07	3.35E-11	1.36E+09	1.4E+05	1.5E+08	1.4E+03	1.4E+03	9.1E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	3.44E-06	4.63E-11	1.36E+09	1.1E+05	1.4E+08	2.0E+02	2.0E+02	1.2E-09
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	1.55E-06	3.09E-11	1.36E+09	7.9E+05	1.8E+09	2.2E+03	2.2E+03	2.7E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	6.44E-06	4.91E-12	1.36E+09	6.2E+07	1.4E+11	6.5E+03	6.5E+03	6.5E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.32E-05	1.55E-12	1.36E+09	6.1E+08	1.7E+12	5.6E+03	5.6E+03	1.8E-10
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	4.26E-06	8.36E-11	1.36E+09	4.6E+05	1.5E+09	1.2E+03	1.2E+03	9.9E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	2.40E-07	3.20E-10	1.36E+09	3.4E+04	1.1E+08	7.0E+03	5.8E+03	1.7E-08
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.27E-05	3.20E-10	1.36E+09	3.4E+04	1.1E+08	6.6E+01	6.6E+01	1.9E-10
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	4.04E-06	5.33E-12	1.36E+09	1.6E+08	1.7E+09	2.9E+04	2.9E+04	1.2E-09
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	4.39E-06	9.89E-12	1.36E+09	5.6E+06	8.7E+07	1.7E+03	1.7E+03	1.1E-09
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	6.44E-06	9.28E-14	1.36E+09	1.2E+10	5.3E+13	2.4E+04	2.4E+04	7.8E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	3.09E-09	1.53E-09	1.36E+09	1.3E+01	8.2E+01	8.6E+02	1.1E+01	2.1E-08
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	3.09E-06	7.56E-12	1.36E+09	5.9E+04	3.8E+07	2.0E+01	2.0E+01	1.6E-09
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	1.87E-09	3.15E-09	1.36E+09	1.1E+00	8.5E+00	2.6E+02	9.9E-01	5.8E-08
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	9.8E-01	7.3E+00	7.8E+01	8.5E-01	1.4E-05
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	9.8E-01	7.3E+00	7.8E+01	8.5E-01	1.4E-05
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	1.93E-09	3.27E-09	1.36E+09	9.8E-01	7.3E+00	2.3E+02	8.6E-01	3.8E-06
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.10E-10	4.68E-11	1.36E+09	1.2E+02	8.0E+02	6.9E+03	1.0E+02	9.8E-07
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.18E-08	3.11E-09	1.36E+09	1.0E+00	7.7E+00	3.7E+01	8.9E-01	2.3E-04
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	1.49E-06	5.59E-12	1.36E+09	1.8E+07	3.9E+10	9.0E+03	9.0E+03	3.5E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.67E-06	3.27E-09	1.36E+09	9.8E-01	7.7E+00	1.6E-01	1.4E-01	7.5E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	4.26E-05	3.35E-09	1.36E+09	9.6E-01	7.7E+00	1.0E-02	1.0E-02	5.6E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.67E-05	4.87E-11	1.36E+09	9.5E+05	2.7E+09	1.4E+02	1.4E+02	1.1E-10
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.10E-05	1.99E-10	1.36E+09	9.4E+03	1.2E+07	2.3E+01	2.3E+01	4.7E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	1.3E+09	1.3E+09	2.6E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	1.3E+09	1.3E+09	2.6E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.40E-07	0.00E+00	1.36E+09	.	.	2.5E+10	2.5E+10	8.7E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	3.0E+06	3.0E+06	1.6E-09
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	2.87E-06	0.00E+00	1.36E+09	.	.	3.0E+06	3.0E+06	1.6E-09
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.00E-06	0.00E+00	1.36E+09	.	.	6.3E+06	6.3E+06	4.7E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.23E-05	3.33E-09	1.36E+09	5.3E+02	7.6E+03	2.0E+01	1.9E+01	3.7E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	1.87E-05	3.33E-09	1.36E+09	5.3E+02	7.6E+03	1.3E+01	1.3E+01	2.5E-10
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.06E-06	2.29E-09	1.36E+09	2.4E+03	6.1E+04	7.2E+02	5.5E+02	3.4E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-06	2.29E-09	1.36E+09	2.4E+03	6.1E+04	6.7E+02	5.2E+02	3.3E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	1.65E-07	2.01E-09	1.36E+09	6.8E+02	6.5E+03	1.1E+03	4.0E+02	1.0E-08
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	6.75E-07	7.96E-09	1.36E+09	4.0E-01	1.4E+01	6.5E-01	2.5E-01	2.5E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.26E-04	7.97E-09	1.36E+09	4.0E-01	1.4E+01	1.9E-03	1.9E-03	2.0E-09
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.51E-05	2.04E-12	1.36E+09	3.4E+08	1.4E+11	6.2E+03	6.2E+03	3.2E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	9.28E-10	1.81E-08	1.36E+09	5.6E-01	2.9E+01	1.5E+03	5.5E-01	2.0E-09
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.09E-04	1.81E-08	1.36E+09	5.6E-01	2.9E+01	1.3E-02	1.2E-02	4.6E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	7.32E-06	8.76E-12	1.36E+09	3.6E+07	1.1E+11	5.9E+03	5.9E+03	6.7E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	8.9E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.65E-04	2.67E-12	1.36E+09	6.2E+08	4.3E+12	4.0E+02	4.0E+02	2.9E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	4.0E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.70E-04	1.84E-12	1.36E+09	6.9E+08	3.3E+12	1.0E+03	1.0E+03	9.9E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.44E-04	0.00E+00	1.36E+09	.	.	5.0E+04	5.0E+04	1.2E-11
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.93E-05	2.39E-12	1.36E+09	4.4E+07	8.4E+10	2.4E+02	2.4E+02	2.9E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.66E-06	4.03E-13	1.36E+09	2.4E+09	3.1E+12	4.9E+04	4.9E+04	6.5E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	2.4E+04	2.4E+04	1.3E-11
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.69E-04	7.69E-12	1.36E+09	9.8E+06	3.8E+10	2.8E+01	2.8E+01	4.7E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.74E-05	1.12E-10	1.36E+09	2.1E+03	5.7E+06	5.6E-01	5.6E-01	3.1E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.12E-04	1.78E-10	1.36E+09	3.5E+03	7.5E+06	7.5E-01	7.5E-01	1.6E-11
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.13E-05	3.15E-13	1.36E+09	4.6E+09	1.2E+13	4.8E+03	4.8E+03	4.3E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.24E-05	1.77E-10	1.36E+09	6.1E+03	8.2E+06	1.2E+01	1.2E+01	1.5E-10
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.53E-05	0.00E+00	1.36E+09	.	.	6.0E+04	6.0E+04	2.8E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	2.74E-09	9.60E-11	1.36E+09	3.3E+01	9.0E+03	1.8E+02	2.8E+01	3.4E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	9.21E-05	3.08E-12	1.36E+09	5.3E+08	3.7E+12	2.4E+03	2.4E+03	2.0E-11
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	3.06E-04	1.69E-12	1.36E+09	1.1E+09	6.2E+12	8.6E+02	8.6E+02	6.2E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	3.00E-04	0.00E+00	1.36E+09	.	.	5.1E+03	5.1E+03	6.4E-12
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	4.2E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.22E-04	1.05E-12	1.36E+09	2.1E+09	1.1E+13	1.4E+03	1.4E+03	1.7E-11
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.29E-04	5.67E-13	1.36E+09	2.6E+09	1.0E+13	1.6E+03	1.6E+03	3.0E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.6E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.96E-05	2.17E-11	1.36E+09	1.1E+06	3.7E+09	3.7E+01	3.7E+01	4.3E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.12E-04	7.44E-11	1.36E+09	1.0E+05	2.1E+08	4.9E+00	4.9E+00	1.8E-11
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.51E-04	1.47E-11	1.36E+09	2.6E+06	7.9E+09	3.5E+01	3.5E+01	2.6E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	9.59E-06	4.90E-11	1.36E+09	5.9E+03	2.9E+06	4.1E+00	4.1E+00	4.1E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.06E-04	5.26E-11	1.36E+09	1.0E+04	8.1E+06	6.9E-01	6.9E-01	3.7E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.01E-05	7.53E-11	1.36E+09	1.6E+03	4.2E+05	4.1E-01	4.1E-01	9.8E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	1.48E-06	7.44E-11	1.36E+09	7.3E+04	1.6E+08	5.0E+02	5.0E+02	2.7E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	4.89E-07	1.09E-10	1.36E+09	2.9E+01	2.5E+03	9.0E-01	8.7E-01	9.0E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	1.97E-06	1.83E-10	1.36E+09	1.7E+01	2.4E+03	2.2E-01	2.2E-01	2.3E-05
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.40E-13	1.36E+09	1.3E+04	3.6E+06	.	1.3E+04	2.9E+05
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	6.82E-06	6.82E-11	1.36E+09	4.2E+05	1.6E+09	5.7E+02	5.7E+02	5.9E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	3.09E-06	1.42E-12	1.36E+09	1.1E+09	3.7E+12	6.9E+04	6.9E+04	1.3E-09
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	5.52E-06	3.77E-11	1.36E+09	5.3E+05	1.5E+09	5.0E+02	4.9E+02	7.3E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	2.6E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.06E-04	1.69E-11	1.36E+09	9.0E+06	3.2E+10	2.0E+02	2.0E+02	3.8E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.69E-04	3.59E-11	1.36E+09	6.5E+05	3.1E+09	8.7E+00	8.7E+00	5.8E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.05E-06	0.00E+00	1.36E+09	.	.	1.7E+05	1.7E+05	4.2E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.57E-05	3.22E-11	1.36E+09	5.2E+02	1.2E+05	9.0E-02	9.0E-02	8.4E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.01E-05	1.21E-11	1.36E+09	3.9E+05	8.3E+08	2.1E+01	2.1E+01	7.1E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.93E-05	7.84E-11	1.36E+09	1.2E+03	4.7E+05	2.3E-01	2.3E-01	3.7E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.64E-04	1.51E-10	1.36E+09	9.9E+01	2.8E+04	7.8E-03	7.8E-03	8.3E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	2.34E-09	1.51E-13	1.36E+09	3.4E+09	7.2E+12	3.0E+07	3.0E+07	9.3E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.05E-06	0.00E+00	1.36E+09	.	.	2.8E+06	2.8E+06	1.1E-09
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	8.9E+05	8.9E+05	2.1E-09
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.46E-06	2.61E-11	1.36E+09	5.3E+05	1.1E+09	2.2E+02	2.2E+02	2.6E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.63E-05	0.00E+00	1.36E+09	.	.	3.1E+05	3.1E+05	8.6E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.60E-04	8.57E-12	1.36E+09	2.6E+07	1.0E+11	8.5E+01	8.5E+01	6.3E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-05	8.54E-13	1.36E+09	1.6E+09	5.9E+12	5.3E+03	5.3E+03	6.5E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	3.6E+05	3.6E+05	5.8E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.28E-05	0.00E+00	1.36E+09	.	.	9.1E+04	9.1E+04	7.1E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	6.8E+03	6.8E+03	4.0E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	6.1E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	1.7E-11
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	8.1E+02	8.1E+02	4.1E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.65E-04	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	1.2E-11
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.77E-04	1.89E-12	1.36E+09	5.0E+08	2.6E+12	7.4E+02	7.4E+02	1.2E-11
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.97E-04	2.15E-12	1.36E+09	2.9E+08	1.5E+12	2.9E+02	2.9E+02	6.9E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.23E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	9.3E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.25E-05	3.40E-11	1.36E+09	3.7E+04	3.3E+07	2.8E+00	2.8E+00	3.4E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.67E-05	3.58E-12	1.36E+09	2.9E+07	1.3E+11	1.8E+02	1.8E+02	2.7E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	3.8E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	9.6E+02	9.6E+02	3.0E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	7.07E-06	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	6.3E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.35E-04	0.00E+00	1.36E+09	.	.	1.9E+01	1.9E+01	1.9E-11
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	4.17E-08	0.00E+00	1.36E+09	.	.	4.0E+06	4.0E+06	1.1E-07
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	9.15E-08	0.00E+00	1.36E+09	.	.	7.5E+10	7.5E+10	5.1E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.34E-06	0.00E+00	1.36E+09	.	.	9.5E+06	9.5E+06	7.3E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.37E-06	0.00E+00	1.36E+09	.	.	9.5E+06	9.5E+06	7.3E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.48E-08	0.00E+00	1.36E+09	.	.	5.8E+07	5.8E+07	6.2E-08

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.1E+07	1.6E+04	1.6E+04	1.0E-07
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.1E+07	1.6E+04	1.6E+04	1.0E-07
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	4.01E-05	0.00E+00	1.36E+09	.	.	4.1E+03	4.1E+03	1.2E-10
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.81E-05	4.56E-11	1.36E+09	1.1E+04	6.2E+06	1.2E+00	1.2E+00	3.8E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	9.03E-05	1.73E-11	1.36E+09	6.3E+06	1.4E+10	1.7E+02	1.7E+02	2.5E-11
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	4.98E-10	1.36E+09	1.1E+02	3.0E+04	.	1.1E+02	3.3E-08
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.63E-05	4.98E-10	1.36E+09	1.1E+02	3.0E+04	2.8E-01	2.8E-01	8.6E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	2.4E+04	2.4E+04	5.2E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	5.55E-06	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	4.1E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.46E-04	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	7.9E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	6.03E-05	4.41E-12	1.36E+09	1.3E+08	3.2E+11	1.3E+03	1.3E+03	3.3E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.54E-04	3.07E-12	1.36E+09	9.6E+07	2.6E+11	2.6E+02	2.6E+02	1.3E-11
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.34E-05	8.52E-12	1.36E+09	8.2E+05	1.6E+09	4.1E+01	4.1E+01	8.8E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	2.36E-10	8.82E-12	1.36E+09	2.6E+04	4.5E+06	1.5E+05	2.2E+04	5.2E-07
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	4.39E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	1.8E-12
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.42E-04	2.02E-11	1.36E+09	8.5E+06	1.8E+10	9.7E+01	9.7E+01	3.3E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.3E-11
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.50E-04	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	1.6E-11
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.47E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	7.0E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	1.04E-04	9.89E-13	1.36E+09	9.2E+08	4.7E+12	1.2E+03	1.2E+03	2.4E-11
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.99E-04	1.19E-12	1.36E+09	1.5E+09	1.0E+13	8.4E+02	8.4E+02	8.2E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.94E-04	3.11E-12	1.36E+09	1.6E+08	6.9E+11	1.7E+02	1.7E+02	6.2E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.58E-05	9.60E-13	1.36E+09	1.8E+08	5.0E+11	1.5E+03	1.5E+03	1.6E-10
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.53E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	2.6E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.31E-04	1.11E-11	1.36E+09	8.8E+06	4.4E+10	4.0E+01	4.0E+01	7.6E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	6.94E-08	5.50E-12	1.36E+09	2.3E+06	8.7E+09	2.5E+04	2.5E+04	3.6E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.24E-05	5.24E-13	1.36E+09	3.5E+09	2.0E+13	4.8E+03	4.8E+03	4.9E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	3.10E-04	6.62E-11	1.36E+09	5.3E+04	1.2E+08	1.6E+00	1.6E+00	8.2E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.36E-05	1.20E-10	1.36E+09	6.2E+04	1.6E+08	1.9E+01	1.9E+01	4.8E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	2.07E-06	0.00E+00	1.36E+09	.	.	4.6E+05	4.6E+05	1.3E-09
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.45E-04	1.63E-10	1.36E+09	2.1E+03	1.3E+06	1.9E-01	1.9E-01	1.1E-11
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.30E-05	0.00E+00	1.36E+09	.	.	4.9E+04	4.9E+04	5.0E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	2.60E-12	3.88E-13	1.36E+09	3.7E+09	1.2E+13	7.6E+10	3.5E+09	4.7E-05
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.95E-05	6.51E-11	1.36E+09	3.1E+02	6.3E+04	5.6E-02	5.6E-02	5.4E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.38E-04	1.63E-10	1.36E+09	1.0E+04	1.5E+07	6.6E-01	6.6E-01	7.9E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.87E-04	1.45E-12	1.36E+09	1.0E+09	5.5E+12	1.1E+03	1.1E+03	1.4E-11
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	8.36E-05	1.16E-10	1.36E+09	4.5E+04	8.0E+07	8.6E+00	8.6E+00	3.2E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.82E-04	4.86E-11	1.36E+09	1.1E+06	4.2E+09	1.9E+01	1.9E+01	7.1E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.34E-04	1.24E-12	1.36E+09	2.3E+09	1.5E+13	1.6E+03	1.6E+03	1.2E-11
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.88E-04	2.68E-11	1.36E+09	4.1E+06	1.3E+10	8.0E+01	8.0E+01	1.5E-11
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	4.07E-04	3.94E-12	1.36E+09	1.9E+08	9.0E+11	2.5E+02	2.5E+02	6.8E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.44E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	8.0E-12
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.74E-04	4.48E-12	1.36E+09	2.8E+08	1.6E+12	6.3E+02	6.3E+02	1.0E-11
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.72E-04	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	7.6E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.46E-04	0.00E+00	1.36E+09	.	.	7.1E+03	7.1E+03	1.6E-12
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.16E-04	1.27E-11	1.36E+09	9.8E+06	3.5E+10	1.5E+02	1.5E+02	7.9E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.69E-04	2.05E-11	1.36E+09	6.0E+06	2.4E+10	6.2E+01	6.2E+01	3.5E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.02E-05	1.63E-10	1.36E+09	5.1E+04	1.5E+08	3.8E+01	3.8E+01	3.1E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.60E-04	8.30E-11	1.36E+09	2.9E+03	1.2E+06	1.3E-01	1.3E-01	3.8E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	9.81E-06	3.89E-11	1.36E+09	1.6E+05	2.5E+08	8.4E+01	8.4E+01	1.0E-10
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.42E-04	9.55E-11	1.36E+09	1.2E+05	3.6E+08	3.4E+00	3.4E+00	2.3E-12
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	5.14E-07	3.28E-12	1.36E+09	1.6E+08	6.0E+11	1.4E+05	1.4E+05	2.0E-09
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	4.29E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	2.5E-12
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	8.08E-05	4.53E-12	1.36E+09	1.6E+08	5.3E+11	1.2E+03	1.2E+03	1.8E-11
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	7.7E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	5.21E-07	3.00E-10	1.36E+09	8.0E+03	1.9E+07	6.3E+02	5.9E+02	2.7E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.23E-04	1.22E-11	1.36E+09	5.6E+06	1.0E+10	7.6E+01	7.6E+01	1.3E-11
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	3.07E-05	1.37E-12	1.36E+09	5.3E+08	1.2E+12	3.3E+03	3.3E+03	5.1E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	3.85E-05	1.67E-10	1.36E+09	1.0E+03	4.3E+06	6.0E-01	6.0E-01	4.1E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	7.83E-06	0.00E+00	1.36E+09	.	.	1.8E+06	1.8E+06	2.1E-10
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	2.46E-10	1.36E-10	1.36E+09	2.4E+01	2.2E+04	2.0E+03	2.3E+01	1.5E-03
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	5.96E-07	0.00E+00	1.36E+09	.	.	1.7E+06	1.7E+06	2.8E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.13E-06	9.03E-13	1.36E+09	1.7E+09	7.6E+12	1.9E+05	1.9E+05	1.5E-09
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	9.66E-07	2.19E-12	1.36E+09	2.3E+08	4.4E+11	7.2E+04	7.2E+04	1.8E-09
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.41E-04	1.93E-12	1.36E+09	6.8E+08	2.3E+12	5.2E+02	5.2E+02	5.2E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.31E-04	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	1.3E-11
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.80E-05	0.00E+00	1.36E+09	.	.	2.7E+04	2.7E+04	3.7E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	2.99E-07	8.03E-12	1.36E+09	2.3E+07	7.7E+10	8.5E+04	8.5E+04	2.2E-09
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	7.13E-10	4.18E-11	1.36E+09	8.2E+01	1.5E+03	7.3E+02	7.0E+01	8.3E-07
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	2.55E-07	1.86E-10	1.36E+09	1.8E+01	1.4E+03	2.0E+00	1.8E+00	2.2E-08
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	8.9E+03	8.9E+03	1.7E-11
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.66E-05	3.58E-12	1.36E+09	5.5E+08	3.4E+12	4.0E+03	4.0E+03	4.5E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.73E-04	1.44E-12	1.36E+09	2.0E+09	1.2E+13	2.3E+03	2.3E+03	1.7E-11
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.40E-04	2.54E-12	1.36E+09	5.1E+08	2.5E+12	7.4E+02	7.4E+02	1.2E-11
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.00E-05	8.03E-12	1.36E+09	5.0E+07	2.3E+11	5.5E+03	5.5E+03	3.0E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	6.15E-05	0.00E+00	1.36E+09	.	.	7.4E+03	7.4E+03	4.9E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	4.3E+04	4.3E+04	3.6E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	1.01E-06	1.35E-11	1.36E+09	4.4E+03	1.3E+06	8.1E+00	8.1E+00	3.1E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	9.36E-10	1.36E+09	3.4E+00	2.9E+01	.	3.1E+00	1.3E-01
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	8.56E-10	1.36E+09	3.7E+00	3.2E+01	.	3.3E+00	1.5E+02
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	7.36E-10	1.36E+09	4.4E+00	3.8E+01	.	3.9E+00	1.1E+07
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	1.04E-11	6.41E-12	1.36E+09	5.5E+02	4.8E+04	4.6E+04	5.4E+02	2.0E-05
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	3.00E-06	5.28E-11	1.36E+09	2.0E+05	4.1E+08	4.8E+02	4.8E+02	1.1E-09
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	7.57E-06	1.03E-12	1.36E+09	1.3E+09	4.9E+12	2.4E+04	2.4E+04	4.3E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	9.78E-06	1.73E-11	1.36E+09	3.0E+06	6.1E+09	7.2E+02	7.2E+02	3.4E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	7.1E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.43E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.6E-11
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.54E-05	9.62E-13	1.36E+09	2.9E+09	1.5E+13	5.1E+03	5.1E+03	3.0E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.95E-04	9.26E-13	1.36E+09	1.7E+09	1.1E+13	7.5E+02	7.5E+02	7.8E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	2.94E-05	2.34E-11	1.36E+09	5.0E+06	2.0E+10	5.5E+02	5.5E+02	7.9E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.96E-05	8.92E-13	1.36E+09	9.3E+08	3.7E+12	1.9E+03	1.9E+03	4.0E-11
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	6.15E-07	5.11E-11	1.36E+09	3.4E+03	1.5E+06	3.9E+01	3.9E+01	3.9E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	6.06E-08	1.16E-13	1.36E+09	1.2E+10	1.5E+13	3.1E+06	3.1E+06	4.0E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.27E-05	4.97E-11	1.36E+09	3.0E+04	1.8E+07	1.6E+01	1.6E+01	2.0E-10
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	4.23E-08	2.52E-11	1.36E+09	2.7E+03	7.1E+05	2.2E+02	2.1E+02	5.5E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	3.60E-09	1.67E-11	1.36E+09	1.1E+06	2.0E+09	7.6E+05	4.5E+05	4.7E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	2.41E-08	2.72E-11	1.36E+09	1.4E+02	1.1E+04	2.2E+01	1.9E+01	2.8E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	2.69E-08	4.02E-11	1.36E+09	9.6E+01	1.1E+04	2.0E+01	1.6E+01	2.4E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.05E-06	1.54E-10	1.36E+09	1.0E+03	4.2E+05	2.0E+01	2.0E+01	2.4E-09
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.26E-05	1.45E-12	1.36E+09	5.0E+08	1.5E+12	7.9E+03	7.9E+03	2.1E-10
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.42E-05	2.21E-10	1.36E+09	9.5E+03	1.7E+07	6.5E+00	6.5E+00	6.0E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	6.8E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	2.69E-06	3.18E-10	1.36E+09	1.0E+01	9.5E+02	1.6E-01	1.6E-01	1.3E-05
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.37E-04	3.42E-10	1.36E+09	9.4E+00	9.5E+02	1.8E-03	1.8E-03	1.5E-07
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.50E-04	1.10E-11	1.36E+09	2.1E+07	6.3E+10	1.3E+02	1.3E+02	1.1E-11
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.97E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	3.9E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.44E-05	7.07E-12	1.36E+09	7.0E+07	2.5E+11	1.0E+03	1.0E+03	4.2E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	2.1E-11
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	2.6E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	2.5E-11
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.37E-04	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	1.2E-11
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	5.05E-05	1.88E-11	1.36E+09	1.5E+07	6.2E+10	7.4E+02	7.4E+02	3.4E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.62E-04	2.71E-12	1.36E+09	4.8E+08	2.3E+12	1.1E+03	1.1E+03	1.1E-11
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	1.29E-09	4.26E-10	1.36E+09	1.9E+03	2.2E+06	8.4E+04	1.8E+03	2.9E-08
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.33E-04	4.26E-10	1.36E+09	1.9E+03	2.2E+06	8.2E-01	8.2E-01	1.3E-11
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.97E-05	3.25E-11	1.36E+09	4.6E+05	1.3E+09	2.1E+01	2.1E+01	1.8E-11
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.81E-05	3.77E-11	1.36E+09	8.3E+03	1.2E+07	7.4E-01	7.4E-01	3.1E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.20E-05	3.02E-13	1.36E+09	1.4E+09	6.0E+12	2.7E+03	2.7E+03	8.2E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.60E-05	1.65E-12	1.36E+09	1.0E+08	3.6E+11	6.6E+02	6.6E+02	5.1E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	1.96E-07	1.76E-10	1.36E+09	2.3E+03	1.7E+06	2.8E+02	2.5E+02	8.6E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	1.31E-08	1.39E-09	1.36E+09	3.1E+00	1.3E+03	5.0E+01	2.9E+00	2.1E-08
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	5.27E-07	1.59E-09	1.36E+09	2.7E+00	1.2E+03	1.1E+00	7.8E-01	5.7E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	9.03E-05	4.30E-11	1.36E+09	1.2E+06	3.3E+09	7.6E+01	7.6E+01	2.1E-11
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.81E-04	2.84E-11	1.36E+09	6.4E+06	2.1E+10	1.4E+02	1.4E+02	1.1E-11
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.94E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	6.7E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.94E-04	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	1.0E-11
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.26E-04	0.00E+00	1.36E+09	.	.	4.7E+03	4.7E+03	2.9E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	2.10E-04	2.35E-12	1.36E+09	3.4E+08	1.3E+12	5.2E+02	5.2E+02	1.7E-11
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.56E-05	6.21E-12	1.36E+09	2.5E+07	7.1E+10	3.2E+02	3.2E+02	5.6E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.17E-04	3.20E-12	1.36E+09	1.3E+08	4.4E+11	5.0E+02	5.0E+02	3.2E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.36E-04	1.33E-11	1.36E+09	3.5E+06	1.2E+10	4.7E+01	4.7E+01	2.7E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.99E-04	1.72E-11	1.36E+09	3.5E+06	1.3E+10	2.8E+01	2.8E+01	1.3E-11
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	3.28E-06	7.08E-12	1.36E+09	1.2E+06	2.4E+09	3.6E+02	3.6E+02	1.1E-09
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	4.1E+04	4.1E+04	3.6E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.17E-04	4.39E-12	1.36E+09	4.7E+07	1.3E+11	2.4E+02	2.4E+02	3.2E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	7.57E-07	3.85E-12	1.36E+09	7.9E+03	2.1E+06	5.5E+00	5.5E+00	5.0E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	1.64E-06	3.63E-12	1.36E+09	1.6E+07	3.9E+10	5.0E+03	5.0E+03	2.3E-09
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.63E-04	9.52E-11	1.36E+09	1.9E+03	6.0E+05	1.5E-01	1.5E-01	2.4E-11
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.10E-05	4.42E-13	1.36E+09	4.2E+09	6.4E+12	1.2E+04	1.2E+04	1.8E-10
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.55E-05	9.55E-11	1.36E+09	4.2E+04	5.5E+07	2.1E+01	2.1E+01	1.5E-10
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.85E-04	4.23E-11	1.36E+09	1.3E+06	4.1E+09	4.1E+01	4.1E+01	2.1E-11
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.33E-05	2.72E-12	1.36E+09	2.2E+08	6.0E+11	6.0E+03	6.0E+03	2.9E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.66E-04	1.25E-12	1.36E+09	2.2E+09	1.3E+13	2.3E+03	2.3E+03	2.4E-11
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	6.4E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.79E-04	6.39E-12	1.36E+09	4.6E+07	1.9E+11	1.5E+02	1.5E+02	1.1E-11
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.54E-04	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	1.2E-11
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	3.04E-04	5.43E-12	1.36E+09	8.9E+07	3.9E+11	2.2E+02	2.2E+02	1.0E-11
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.85E-04	0.00E+00	1.36E+09	.	.	4.7E+03	4.7E+03	8.2E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.70E-04	1.04E-11	1.36E+09	1.1E+07	9.9E+08	9.5E+01	9.5E+01	1.9E-11
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.67E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	1.9E-11
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.25E-04	1.19E-11	1.36E+09	1.2E+07	5.5E+10	5.9E+01	5.9E+01	9.8E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.99E-04	0.00E+00	1.36E+09	.	.	2.3E+03	2.3E+03	1.1E-11
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.12E-04	2.07E-11	1.36E+09	1.3E+06	4.0E+09	3.4E+01	3.4E+01	2.9E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	7.92E-06	0.00E+00	1.36E+09	.	.	1.2E+06	1.2E+06	4.1E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.90E-04	4.31E-11	1.36E+09	6.4E+05	2.6E+09	2.0E+01	2.0E+01	1.7E-11
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.9E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.22E-05	1.75E-11	1.36E+09	4.9E+05	1.1E+09	3.7E+01	3.7E+01	1.0E-10
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	3.10E-04	3.40E-11	1.36E+09	6.6E+05	2.6E+09	1.0E+01	1.0E+01	1.1E-11
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.16E-05	1.67E-11	1.36E+09	2.3E+05	3.8E+08	4.5E+01	4.5E+01	2.8E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.41E-04	6.42E-11	1.36E+09	5.9E+04	1.1E+08	2.2E+00	2.2E+00	1.4E-11
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	8.58E-07	9.53E-12	1.36E+09	2.1E+06	3.1E+09	3.2E+03	3.2E+03	3.9E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	1.13E-07	5.26E-12	1.36E+09	1.7E+07	2.7E+10	1.1E+05	1.1E+05	2.9E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	8.11E-08	2.45E-12	1.36E+09	1.5E+03	1.2E+05	6.1E+00	6.1E+00	1.9E-07
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.72E-05	6.33E-11	1.36E+09	5.3E+01	2.5E+03	4.7E-03	4.7E-03	3.8E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.42E-04	1.05E-10	1.36E+09	2.7E+03	1.2E+06	2.7E-01	2.7E-01	2.4E-11
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	9.47E-07	5.41E-11	1.36E+09	5.4E+04	6.4E+07	4.2E+02	4.2E+02	3.6E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	2.6E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	9.03E-05	8.05E-13	1.36E+09	1.9E+09	6.7E+12	2.3E+03	2.3E+03	3.8E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	3.10E-04	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	1.1E-11
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	3.1E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.72E-05	6.48E-13	1.36E+09	3.2E+09	1.4E+13	7.5E+03	7.5E+03	5.8E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	3.6E+06	3.6E+06	1.7E-10
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.28E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	6.6E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	3.02E-04	2.95E-12	1.36E+09	5.4E+08	3.6E+12	7.2E+02	7.2E+02	7.3E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.81E-05	0.00E+00	1.36E+09	.	.	5.3E+03	5.3E+03	2.3E-11
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	5.8E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	7.0E+03	7.0E+03	1.1E-11
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	4.0E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	2.10E-04	3.59E-12	1.36E+09	4.9E+07	2.3E+11	1.1E+02	1.1E+02	9.4E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.30E-04	1.53E-12	1.36E+09	4.4E+08	2.0E+12	7.1E+02	7.1E+02	1.5E-11
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.31E-04	1.06E-11	1.36E+09	9.4E+06	4.3E+10	4.1E+01	4.1E+01	6.0E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.48E-04	4.24E-12	1.36E+09	1.3E+08	6.7E+11	3.1E+02	3.1E+02	8.1E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.81E-05	9.48E-12	1.36E+09	2.6E+06	1.1E+10	3.4E+01	3.4E+01	2.1E-11
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	8.08E-05	3.00E-11	1.36E+09	1.1E+04	9.0E+06	5.6E-01	5.6E-01	2.5E-11
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	3.14E-04	5.81E-11	1.36E+09	8.1E+04	2.8E+08	2.1E+00	2.1E+00	6.5E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	5.33E-06	6.08E-13	1.36E+09	9.3E+08	3.3E+12	1.5E+04	1.5E+04	3.8E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	7.73E-09	3.64E-12	1.36E+09	8.8E+02	8.4E+04	5.7E+01	5.3E+01	3.8E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	2.79E-08	3.08E-11	1.36E+09	7.3E+03	1.9E+06	1.1E+03	9.6E+02	6.4E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.74E-04	9.98E-11	1.36E+09	3.2E+01	3.4E+03	2.5E-03	2.5E-03	2.9E-06
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	2.24E-09	3.58E-11	1.36E+09	8.9E+01	1.1E+04	2.0E+02	6.1E+01	3.6E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.07E-05	1.18E-12	1.36E+09	6.8E+07	1.7E+11	1.0E+03	1.0E+03	2.0E-10
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	8.4E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.63E-04	2.53E-12	1.36E+09	7.6E+08	2.8E+12	1.6E+03	1.6E+03	1.5E-11
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	8.5E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.38E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	7.2E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	7.98E-06	1.08E-11	1.36E+09	1.8E+07	6.1E+10	3.3E+03	3.3E+03	3.1E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	2.00E-04	2.49E-12	1.36E+09	1.9E+08	7.9E+11	3.2E+02	3.2E+02	1.2E-11
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	7.35E-08	2.09E-10	1.36E+09	1.6E+04	3.4E+07	6.3E+03	4.5E+03	2.5E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.53E-05	2.09E-10	1.36E+09	1.6E+04	3.4E+07	4.8E+00	4.8E+00	2.6E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	9.31E-05	9.84E-12	1.36E+09	3.1E+06	1.2E+10	4.4E+01	4.4E+01	2.7E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.91E-04	3.94E-11	1.36E+09	1.1E+05	2.7E+08	3.1E+00	3.1E+00	1.3E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.66E-05	2.56E-11	1.36E+09	4.1E+04	6.8E+07	2.2E+00	2.2E+00	3.9E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.12E-05	1.23E-10	1.36E+09	1.1E+03	8.0E+05	8.5E-01	8.5E-01	1.2E-10
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	1.27E-10	3.05E-11	1.36E+09	1.0E+02	1.3E+05	3.4E+03	1.0E+02	2.1E+07
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.21E-05	6.63E-11	1.36E+09	2.6E+03	1.2E+06	1.9E+00	1.9E+00	2.2E-10
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	1.87E-07	4.60E-11	1.36E+09	7.7E+03	3.1E+06	2.6E+02	2.5E+02	1.4E-08
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.68E-07	1.15E-11	1.36E+09	4.5E+06	9.6E+09	1.3E+04	1.2E+04	4.7E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	7.23E-08	1.29E-10	1.36E+09	1.4E+03	6.7E+05	3.5E+02	2.8E+02	3.0E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.94E-06	2.67E-12	1.36E+09	1.6E+08	4.6E+11	8.3E+03	8.3E+03	3.9E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.76E-06	1.94E-10	1.36E+09	3.1E+03	2.5E+06	2.2E+01	2.2E+01	7.2E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.80E-05	3.54E-12	1.36E+09	3.3E+08	6.0E+11	3.3E+03	3.3E+03	5.8E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.82E-04	1.06E-10	1.36E+09	1.5E+05	2.1E+08	1.2E+01	1.2E+01	1.5E-11
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.11E-05	2.21E-10	1.36E+09	2.9E+04	3.8E+07	4.1E+01	4.1E+01	1.3E-10
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.54E-04	2.94E-12	1.36E+09	7.9E+08	1.4E+12	2.1E+03	2.1E+03	1.8E-11
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.37E-04	1.15E-11	1.36E+09	4.6E+07	7.8E+10	3.0E+02	3.0E+02	1.2E-11
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	1.01E-04	4.69E-12	1.36E+09	1.5E+08	3.0E+11	9.5E+02	9.5E+02	2.8E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	4.99E-06	0.00E+00	1.36E+09	.	.	8.0E+07	8.0E+07	9.5E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.17E-06	0.00E+00	1.36E+09	.	.	1.1E+08	1.1E+08	2.2E-09
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	6.37E-07	1.28E-11	1.36E+09	7.4E+07	7.8E+08	2.0E+05	2.0E+05	7.5E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.20E-05	5.57E-10	1.36E+09	1.9E+03	3.9E+03	1.2E+01	1.2E+01	4.0E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	1.52E-07	1.73E-09	1.36E+09	1.7E+01	2.8E+01	2.6E+01	7.4E+00	9.1E-09
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	6.06E-06	5.32E-09	1.36E+09	6.0E-01	2.3E+00	7.2E-02	6.3E-02	3.0E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	6.22E-06	7.33E-09	1.36E+09	4.4E-01	2.0E+00	7.1E-02	5.9E-02	2.8E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	2.28E-08	2.09E-09	1.36E+09	1.5E+00	1.2E+01	1.9E+01	1.3E+00	6.1E-05
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	6.72E-07	2.45E-11	1.36E+09	7.8E+05	1.6E+09	3.9E+03	3.9E+03	7.3E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	9.69E-09	2.29E-09	1.36E+09	1.4E+00	9.3E+00	4.5E+01	1.2E+00	1.1E+01
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.09E-04	2.04E-08	1.36E+09	1.6E-01	4.6E+00	4.0E-03	3.9E-03	3.6E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.88E-06	7.85E-13	1.36E+09	1.7E+09	4.4E+12	4.6E+04	4.6E+04	1.3E-09
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	4.80E-07	2.57E-10	1.36E+09	3.3E+03	3.4E+06	2.4E+02	2.2E+02	9.7E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	2.93E-06	2.57E-10	1.36E+09	3.3E+03	3.4E+06	3.9E+01	3.9E+01	1.7E-09
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.69E-06	0.00E+00	1.36E+09	.	.	8.4E+04	8.4E+04	7.5E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.57E-06	3.50E-12	1.36E+09	2.2E+08	7.5E+11	3.0E+04	3.0E+04	1.4E-09
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	6.69E-06	3.63E-10	1.36E+09	1.0E+01	1.3E+03	7.5E-02	7.5E-02	5.5E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.75E-04	3.83E-10	1.36E+09	9.6E+00	1.3E+03	1.8E-03	1.8E-03	1.4E-11
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	1.03E-04	8.44E-12	1.36E+09	1.9E+07	6.4E+10	2.1E+02	2.1E+02	9.3E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	2.6E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	2.3E+05	2.3E+05	1.1E-10
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.54E-04	0.00E+00	1.36E+09	.	.	9.9E+03	9.9E+03	2.6E-11
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.95E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	1.4E-11
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.06E-04	1.71E-12	1.36E+09	5.2E+08	3.0E+12	1.1E+03	1.1E+03	3.9E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.99E-04	1.71E-12	1.36E+09	5.2E+08	2.3E+12	4.1E+02	4.1E+02	1.4E-11
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.57E-04	1.25E-12	1.36E+09	3.3E+08	1.0E+12	3.6E+02	3.6E+02	2.6E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.41E-04	2.50E-12	1.36E+09	1.1E+08	4.9E+11	1.5E+02	1.5E+02	1.7E-11
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.11E-05	1.25E-12	1.36E+09	1.4E+08	2.1E+11	4.6E+02	4.6E+02	8.2E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.62E-04	4.35E-12	1.36E+09	2.1E+07	9.4E+10	4.8E+01	4.8E+01	1.6E-11
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.39E-04	2.75E-12	1.36E+09	9.4E+07	2.4E+11	2.6E+02	2.6E+02	3.0E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.34E-05	1.49E-12	1.36E+09	4.4E+07	6.5E+10	3.8E+02	3.8E+02	1.8E-10
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.60E-04	1.24E-11	1.36E+09	1.5E+06	5.7E+09	1.6E+01	1.6E+01	2.7E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	5.08E-06	6.16E-12	1.36E+09	1.1E+06	1.2E+09	1.8E+02	1.8E+02	8.4E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	4.95E-05	2.84E-11	1.36E+09	5.8E+04	1.5E+08	4.6E+00	4.6E+00	8.7E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	8.08E-08	8.52E-11	1.36E+09	1.7E+02	3.1E+04	2.5E+01	2.2E+01	4.7E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	1.65E-07	0.00E+00	1.36E+09	.	.	5.8E+06	5.8E+06	2.7E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.88E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	1.5E-11
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.29E-07	0.00E+00	1.36E+09	.	.	1.9E+06	1.9E+06	1.0E-08
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	9.3E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.79E-04	0.00E+00	1.36E+09	.	.	6.6E+03	6.6E+03	1.6E-11
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	8.5E+03	8.5E+03	1.2E-11
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.57E-04	1.82E-12	1.36E+09	5.3E+08	2.1E+12	8.4E+02	8.4E+02	2.2E-11
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.52E-04	1.53E-12	1.36E+09	8.8E+08	4.7E+12	7.3E+02	7.3E+02	1.4E-11
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.63E-04	2.72E-12	1.36E+09	9.9E+07	3.8E+11	2.3E+02	2.3E+02	2.1E-11
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	9.47E-05	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	3.7E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	5.96E-05	2.12E-11	1.36E+09	7.6E+05	2.3E+09	3.7E+01	3.7E+01	5.9E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.57E-04	1.56E-11	1.36E+09	4.0E+06	1.5E+10	3.4E+01	3.4E+01	1.4E-11
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.09E-05	4.05E-11	1.36E+09	5.4E+04	5.4E+07	2.8E+01	2.7E+01	3.3E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.45E-04	5.94E-11	1.36E+09	3.7E+03	1.5E+06	2.1E-01	2.1E-01	2.5E-11
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	2.16E-07	9.65E-11	1.36E+09	1.6E+03	6.0E+05	1.0E+02	9.4E+01	1.6E-08
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	1.80E-08	7.68E-12	1.36E+09	3.8E+03	8.4E+05	2.2E+02	2.1E+02	1.9E-07
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	6.31E-05	1.21E-10	1.36E+09	6.3E+04	1.6E+08	1.7E+01	1.7E+01	5.8E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.39E-05	1.96E-11	1.36E+09	3.0E+06	9.1E+09	1.8E+02	1.8E+02	8.4E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.11E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	1.8E-11
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.33E-04	9.96E-13	1.36E+09	1.9E+09	7.1E+12	2.0E+03	2.0E+03	2.8E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.56E-04	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	1.5E-11
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	3.5E+05	3.5E+05	4.6E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.09E-07	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	1.6E-08
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	8.30E-08	2.80E-09	1.36E+09	3.5E+02	2.2E+03	1.6E+03	2.5E+02	9.3E-09
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	4.48E-06	2.42E-11	1.36E+09	2.0E+05	2.9E+08	1.5E+02	1.5E+02	1.1E-09
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	1.47E-08	6.57E-09	1.36E+09	5.5E-01	4.9E+00	3.4E+01	4.9E-01	2.2E-08
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	1.92E-08	1.41E-09	1.36E+09	2.3E+00	1.4E+01	2.3E+01	1.8E+00	1.9E-04
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	6.85E-09	1.38E-09	1.36E+09	2.3E+00	1.4E+01	6.4E+01	1.9E+00	3.1E-04
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.49E-05	1.33E-09	1.36E+09	2.4E+00	1.6E+01	2.9E-02	2.9E-02	1.3E-02
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.56E-05	1.35E-09	1.36E+09	2.4E+00	1.6E+01	2.8E-02	2.8E-02	1.3E-02
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	1.53E-16	1.36E+09	7.3E+12	7.5E+16	.	7.3E+12	2.4E-01
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	3.35E-09	1.30E-09	1.36E+09	2.5E+00	1.6E+01	1.3E+02	2.1E+00	3.2E-02
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.01E-05	5.66E-11	1.36E+09	5.3E+04	5.1E+07	4.1E+01	4.1E+01	5.0E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	3.35E-09	1.26E-09	1.36E+09	2.5E+00	1.7E+01	1.3E+02	2.2E+00	6.5E+00
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.22E-06	1.52E-09	1.36E+09	2.1E+00	1.7E+01	1.4E-01	1.3E-01	3.8E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	3.22E-06	1.19E-12	1.36E+09	1.0E+09	2.6E+12	5.3E+04	5.3E+04	1.6E-09
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	3.12E-07	7.85E-11	1.36E+09	4.4E+05	1.4E+09	1.5E+04	1.5E+04	1.6E-08
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.10E-06	1.83E-12	1.36E+09	9.5E+08	4.2E+12	5.8E+04	5.8E+04	1.3E-09
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.18E-04	2.40E-12	1.36E+09	3.7E+08	1.8E+12	1.0E+03	1.0E+03	8.5E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.79E-04	1.12E-10	1.36E+09	1.1E+04	1.5E+07	4.6E-01	4.6E-01	2.7E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	1.34E-12	1.36E+09	4.6E+04	2.7E+07	.	4.6E+04	5.7E-06
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.95E-04	1.23E-10	1.36E+09	2.7E+01	4.4E+03	2.3E-03	2.3E-03	4.9E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.98E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	5.6E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	8.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-04	2.95E-12	1.36E+09	7.5E+07	2.3E+11	3.0E+02	3.0E+02	3.8E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	4.86E-07	1.65E-11	1.36E+09	5.7E+04	3.8E+07	2.6E+02	2.6E+02	7.7E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.10E-05	1.65E-11	1.36E+09	5.7E+04	3.8E+07	1.2E+01	1.2E+01	3.5E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	1.59E-06	1.42E-13	1.36E+09	5.5E+09	3.3E+13	6.8E+04	6.8E+04	2.4E-09
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	3.28E-06	0.00E+00	1.36E+09	.	.	1.9E+05	1.9E+05	1.2E-09
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	1.29E-06	5.59E-12	1.36E+09	3.0E+04	1.9E+07	1.8E+01	1.8E+01	3.0E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	7.61E-09	3.28E-11	1.36E+09	8.2E+03	2.5E+06	4.8E+03	3.0E+03	3.2E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	1.63E-06	0.00E+00	1.36E+09	.	.	1.5E+06	1.5E+06	2.4E-09
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.18E-05	4.07E-11	1.36E+09	5.0E+05	1.3E+09	5.4E+01	5.4E+01	7.7E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	1.90E-07	1.56E-10	1.36E+09	1.9E+03	6.5E+05	2.1E+02	1.9E+02	1.9E-08
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	9.75E-06	3.18E-12	1.36E+09	3.1E+08	8.5E+11	1.4E+04	1.4E+04	4.1E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	6.0E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	5.3E+02	5.3E+02	1.4E-11
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	4.95E-06	0.00E+00	1.36E+09	.	.	6.7E+02	6.7E+02	5.2E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.45E-05	0.00E+00	1.36E+09	.	.	4.3E+02	4.3E+02	3.5E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.53E-05	0.00E+00	1.36E+09	.	.	1.6E+02	1.6E+02	1.0E-10
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.57E-05	0.00E+00	1.36E+09	.	.	3.0E+00	3.0E+00	1.0E-10
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.30E-05	0.00E+00	1.36E+09	.	.	2.7E+05	2.7E+05	2.1E-10
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.15E-06	0.00E+00	1.36E+09	.	.	2.7E+02	2.7E+02	2.4E-09
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	6.0E+02	6.0E+02	7.1E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	1.82E-06	0.00E+00	1.36E+09	.	.	2.9E+02	2.9E+02	1.6E-09
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.50E-06	0.00E+00	1.36E+09	.	.	5.1E+02	5.1E+02	1.1E-09
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.62E-05	0.00E+00	1.36E+09	.	.	2.8E+02	2.8E+02	1.1E-10
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.99E-05	0.00E+00	1.36E+09	.	.	5.2E+03	5.2E+03	5.8E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.49E-05	0.00E+00	1.36E+09	.	.	4.2E+04	4.2E+04	1.2E-10
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	1.9E-11
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	2.5E+04	2.5E+04	1.3E-11
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.63E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	1.1E-11
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.8E-11
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	5.05E-04	5.65E-12	1.36E+09	1.3E+08	7.4E+11	2.0E+02	2.0E+02	3.5E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.28E-04	9.95E-12	1.36E+09	1.8E+07	7.1E+10	1.9E+02	1.9E+02	1.4E-11
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.68E-04	2.24E-11	1.36E+09	4.5E+06	1.8E+10	8.1E+01	8.1E+01	1.1E-11
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.67E-04	5.40E-11	1.36E+09	6.1E+05	2.7E+09	9.7E+00	9.7E+00	3.9E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.25E-05	3.15E-12	1.36E+09	1.9E+08	8.4E+11	3.7E+03	3.7E+03	8.1E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	5.11E-05	3.26E-11	1.36E+09	1.9E+05	5.2E+08	1.6E+01	1.6E+01	3.6E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.44E-05	1.36E-11	1.36E+09	2.7E+06	8.1E+09	1.4E+02	1.4E+02	5.4E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.69E-04	6.49E-11	1.36E+09	2.9E+03	1.2E+06	7.0E-02	7.0E-02	5.1E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	1.3E+05	1.3E+05	1.6E-11
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	5.14E-07	1.97E-10	1.36E+09	3.8E+04	1.1E+08	2.0E+03	1.9E+03	3.5E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-05	1.20E-11	1.36E+09	1.3E+07	4.0E+10	3.0E+02	3.0E+02	2.7E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	1.1E+06	1.1E+06	2.9E-09
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.15E-07	1.75E-10	1.36E+09	2.0E+03	1.3E+06	7.7E+01	7.4E+01	3.0E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.31E-05	5.83E-13	1.36E+09	1.0E+09	2.4E+12	1.3E+03	1.3E+03	3.1E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.41E-05	2.97E-11	1.36E+09	4.6E+06	1.9E+10	5.5E+02	5.5E+02	5.7E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.34E-05	8.07E-11	1.36E+09	5.9E+05	2.3E+09	4.9E+02	4.9E+02	1.5E-10
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	1.03E-04	2.93E-12	1.36E+09	5.3E+08	3.5E+12	2.1E+03	2.1E+03	1.9E-11
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.60E-04	1.46E-12	1.36E+09	1.9E+09	1.3E+13	2.4E+03	2.4E+03	1.3E-11
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.18E-05	1.29E-12	1.36E+09	1.2E+09	5.0E+12	9.7E+03	9.7E+03	1.6E-10
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.74E-05	6.69E-13	1.36E+09	3.9E+09	2.0E+13	4.1E+03	4.1E+03	4.0E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	2.44E-06	4.18E-12	1.36E+09	9.2E+07	3.8E+11	2.2E+04	2.2E+04	1.4E-09
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.25E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.1E-10
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	2.57E-06	5.54E-11	1.36E+09	1.5E+05	3.8E+08	4.6E+02	4.5E+02	1.4E-09
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	1.69E-05	2.91E-13	1.36E+09	5.7E+09	1.2E+13	1.4E+04	1.4E+04	2.1E-10
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.17E-05	5.45E-11	1.36E+09	1.2E+04	6.4E+06	4.0E+00	4.0E+00	1.7E-10
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.10E-06	3.18E-11	1.36E+09	1.5E+05	2.1E+08	1.6E+02	1.6E+02	9.1E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.32E-05	4.67E-12	1.36E+09	5.4E+07	1.3E+11	1.5E+03	1.5E+03	1.6E-10
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.23E-06	5.09E-12	1.36E+09	7.7E+07	2.1E+11	1.3E+04	1.3E+04	8.9E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	3.3E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.81E-04	0.00E+00	1.36E+09	.	.	9.3E+03	9.3E+03	7.1E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	6.7E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	5.11E-05	6.03E-11	1.36E+09	8.8E+05	2.3E+09	1.4E+02	1.4E+02	2.6E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.31E-04	3.08E-12	1.36E+09	2.5E+08	1.2E+12	7.9E+02	7.9E+02	1.0E-11
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	7.57E-05	2.41E-10	1.36E+09	3.4E+02	1.4E+06	1.5E-01	1.5E-01	1.8E-11
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	4.54E-08	1.21E-12	1.36E+09	4.3E+08	1.0E+12	1.6E+06	1.6E+06	3.2E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.77E-05	2.25E-11	1.36E+09	1.6E+06	3.1E+09	1.0E+02	1.0E+02	3.1E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	4.2E+04	4.2E+04	3.9E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.86E-04	1.34E-11	1.36E+09	9.2E+06	2.6E+10	9.0E+01	9.0E+01	8.1E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.26E-05	9.11E-11	1.36E+09	1.1E+05	2.1E+08	1.1E+02	1.1E+02	1.2E-10
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	1.0E-11
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	2.89E-05	4.97E-11	1.36E+09	5.9E+05	2.3E+09	1.4E+02	1.4E+02	6.3E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.11E-04	9.28E-12	1.36E+09	3.1E+07	1.2E+11	3.6E+02	3.6E+02	1.7E-11
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.32E-05	2.49E-11	1.36E+09	9.7E+03	2.3E+06	7.7E-01	7.7E-01	4.3E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.45E-04	4.64E-11	1.36E+09	1.3E+05	3.8E+08	5.9E+00	5.9E+00	1.3E-11
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.76E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	2.4E-11
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	0.00E+00	2.56E-11	1.36E+09	1.3E+02	2.8E+04	.	1.2E+02	5.0E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	9.09E-05	5.90E-11	1.36E+09	5.4E+03	1.9E+06	4.8E-01	4.8E-01	2.2E-11
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.10E-04	1.42E-10	1.36E+09	2.0E+05	7.1E+08	.	2.0E+05	1.1E-07

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.22E-09	.	3.4E+08	3.4E+08	.	7.9E+01	7.9E+01
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	2.30E-08	4.2E+01	4.2E+05	4.2E+01	7.7E-04	7.6E+00	7.7E-04
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.39E-09	6.6E-03	8.0E+04	6.6E-03	1.0E-05	1.3E+02	1.0E-05
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	4.54E-09	6.6E-03	2.4E+04	6.6E-03	1.0E-05	3.9E+01	1.0E-05
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.38E-08	3.5E-01	6.5E+04	3.5E-01	6.7E-05	1.3E+01	6.7E-05
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	8.52E-12	2.9E-06	3.0E+04	2.9E-06	2.0E-06	2.1E+04	2.0E-06
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.02E-07	1.5E+02	4.3E+04	1.5E+02	6.0E-03	1.7E+00	6.0E-03
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	6.69E-08	.	1.2E+07	1.2E+07	.	2.6E+00	2.6E+00
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.51E-08	.	4.7E+06	4.7E+06	.	3.9E+00	3.9E+00
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.43E-07	.	5.6E+06	5.6E+06	.	1.2E+00	1.2E+00
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.68E-08	.	1.2E+07	1.2E+07	.	3.1E+00	3.1E+00
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.35E-07	.	2.1E+06	2.1E+06	.	5.2E-01	5.2E-01
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.81E-07	1.0E+07	7.9E+05	7.4E+05	1.3E+01	9.7E-01	9.0E-01
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.07E-07	7.7E+06	3.0E+05	2.9E+05	1.1E+01	4.3E-01	4.1E-01
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.48E-07	.	8.3E+05	8.3E+05	.	7.1E-01	7.1E-01
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.56E-08	7.0E+05	2.5E+05	1.9E+05	5.1E+00	1.8E+00	1.3E+00
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.16E-07	5.9E+05	7.3E+04	6.5E+04	4.5E+00	5.6E-01	4.9E-01
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.14E-07	1.4E+06	2.2E+05	1.9E+05	5.0E+00	8.2E-01	7.0E-01
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.59E-08	1.4E+01	4.8E+02	1.4E+01	9.4E-02	3.1E+00	9.1E-02
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.11E-10	.	2.0E+09	2.0E+09	.	1.6E+03	1.6E+03
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	7.86E-08	4.0E+06	8.5E+05	7.0E+05	1.1E+01	2.2E+00	1.8E+00
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.28E-07	6.4E+01	4.1E+02	5.5E+01	8.4E-02	5.3E-01	7.2E-02
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.37E-09	.	2.8E+08	2.8E+08	.	7.4E+01	7.4E+01
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.9E-03	9.8E-01	2.9E-03	2.8E-03	9.6E-01	2.8E-03
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	2.9E-03	9.8E-01	2.9E-03	2.8E-03	9.6E-01	2.8E-03
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	3.63E-10	.	6.7E+09	6.7E+09	.	4.8E+02	4.8E+02
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.45E-09	.	8.7E+08	8.7E+08	.	3.9E+01	3.9E+01
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.6E-01	1.4E+01	1.6E-01	6.5E-03	5.4E-01	6.4E-03
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.6E-01	1.4E+01	1.6E-01	6.5E-03	5.4E-01	6.4E-03
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	3.05E-09	3.4E+01	4.9E+04	3.4E+01	4.0E-02	5.7E+01	4.0E-02
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	4.10E-10	.	3.6E+09	3.6E+09	.	4.3E+02	4.3E+02
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	8.46E-08	1.9E+04	1.0E+05	1.6E+04	3.8E-01	2.1E+00	3.2E-01
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.55E-09	9.3E+03	5.8E+05	9.2E+03	3.3E-01	2.0E+01	3.2E-01
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.38E-08	.	5.9E+07	5.9E+07	.	7.4E+00	7.4E+00
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.38E-08	.	6.2E+08	6.2E+08	.	5.2E+00	5.2E+00
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	5.96E-08	1.8E+06	1.3E+06	7.7E+05	4.0E+00	2.9E+00	1.7E+00
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.70E-07	.	2.2E+06	2.2E+06	.	6.5E-01	6.5E-01
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.65E-07	.	7.9E+06	7.9E+06	.	1.1E+00	1.1E+00
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.73E-07	.	2.8E+06	2.8E+06	.	6.4E-01	6.4E-01
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.28E-07	1.0E-03	5.3E-01	1.0E-03	1.0E-03	5.3E-01	1.0E-03
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.26E-07	.	3.1E+06	3.1E+06	.	7.7E-01	7.7E-01
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.70E-07	.	1.4E+06	1.4E+06	.	1.0E+00	1.0E+00
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.88E-08	5.8E+05	5.6E+05	2.9E+05	4.7E+00	4.5E+00	2.3E+00
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.04E-07	2.4E+05	1.6E+05	9.5E+04	2.6E+00	1.7E+00	1.0E+00
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	2.30E-08	4.0E+03	9.7E+04	3.9E+03	3.2E-01	7.6E+00	3.0E-01
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.19E-07	5.8E+02	4.4E+03	5.1E+02	1.9E-01	1.5E+00	1.7E-01
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	1.57E-09	8.0E-06	1.1E+02	8.0E-06	7.8E-06	1.1E+02	7.8E-06
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	1.33E-09	4.2E+01	1.2E+06	4.2E+01	4.4E-03	1.3E+02	4.4E-03
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	4.35E-11	9.2E-06	4.3E+03	9.2E-06	8.6E-06	4.0E+03	8.6E-06
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.68E-09	9.2E-06	1.1E+02	9.2E-06	8.6E-06	1.0E+02	8.6E-06
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	4.61E-09	8.0E-06	3.8E+01	8.0E-06	8.0E-06	3.8E+01	8.0E-06
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	2.27E-08	8.0E-06	7.7E+00	8.0E-06	8.0E-06	7.7E+00	8.0E-06
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.09E-08	1.2E+03	2.9E+04	1.1E+03	7.8E-02	1.9E+00	7.5E-02
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.93E-09	7.8E+05	3.2E+07	7.6E+05	2.2E+00	9.1E+01	2.2E+00
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	3.28E-09	1.3E+05	4.0E+06	1.3E+05	1.8E+00	5.3E+01	1.7E+00
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.20E-08	4.5E+05	5.0E+05	2.4E+05	1.9E+00	2.1E+00	1.0E+00
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.16E-07	2.6E+06	5.5E+05	4.5E+05	7.1E+00	1.5E+00	1.2E+00
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.39E-08	2.4E+06	5.0E+06	1.6E+06	6.1E+00	1.3E+01	4.1E+00
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	5.24E-11	.	3.5E+03	3.5E+03	.	3.3E+03	3.3E+03
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.57E-07	.	9.3E+04	9.3E+04	.	1.1E+00	1.1E+00
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	5.84E-11	.	3.9E+03	3.9E+03	.	3.0E+03	3.0E+03
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.60E-08	3.1E-01	6.3E+00	2.9E-01	2.4E-01	4.9E+00	2.3E-01
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	1.91E-07	.	1.6E+06	1.6E+06	.	9.2E-01	9.2E-01
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.41E-07	.	5.6E+05	5.6E+05	.	7.3E-01	7.3E-01
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.45E-07	.	1.4E+06	1.4E+06	.	3.9E-01	3.9E-01
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.31E-07	4.2E+06	8.0E+05	6.7E+05	7.0E+00	1.3E+00	1.1E+00
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.08E-07	3.5E+05	6.0E+04	5.1E+04	2.0E+00	3.4E-01	2.9E-01
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.44E-08	4.3E+02	6.3E+03	4.0E+02	1.9E-01	2.7E+00	1.7E-01
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.07E-07	3.8E+02	4.9E+03	3.6E+02	6.6E-02	8.5E-01	6.1E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	3.57E-10	4.7E+00	3.9E+04	4.7E+00	5.9E-02	4.9E+02	5.9E-02
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	8.58E-08	1.1E+01	7.3E+02	1.1E+01	3.1E-02	2.0E+00	3.0E-02
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	4.92E-08	4.1E+02	2.1E+04	4.0E+02	7.0E-02	3.6E+00	6.8E-02
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.72E-10	6.2E+02	7.0E+05	6.2E+02	1.6E-01	1.8E+02	1.6E-01
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.58E-07	1.1E+05	1.1E+05	5.6E+04	1.1E+00	1.1E+00	5.5E-01
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.39E-09	.	4.0E+07	4.0E+07	.	4.0E+01	4.0E+01
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.63E-07	.	6.6E+05	6.6E+05	.	6.7E-01	6.7E-01
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.32E-07	4.3E+04	4.6E+05	3.9E+04	1.2E-01	1.3E+00	1.1E-01
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	2.85E-07	1.1E+05	1.8E+05	6.9E+04	3.7E-01	6.2E-01	2.3E-01
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.38E-07	3.4E+03	6.2E+04	3.2E+03	4.0E-02	7.4E-01	3.8E-02
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.57E-07	1.4E+04	4.6E+04	1.1E+04	1.5E-01	4.9E-01	1.1E-01
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.61E-07	8.9E+02	1.9E+04	8.5E+02	3.2E-02	6.7E-01	3.0E-02
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.57E-07	1.5E+02	9.2E+03	1.5E+02	8.2E-03	4.9E-01	8.0E-03
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	3.08E-09	1.6E+01	1.2E+06	1.6E+01	7.5E-04	5.7E+01	7.5E-04
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	3.63E-09	1.6E+01	1.0E+06	1.6E+01	7.5E-04	4.8E+01	7.5E-04
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.90E-11	.	5.0E+16	5.0E+16	.	9.2E+03	9.2E+03
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	2.32E-10	.	1.4E+15	1.4E+15	.	7.5E+02	7.5E+02
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.64E-11	.	1.1E+14	1.1E+14	.	6.6E+03	6.6E+03
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	8.33E-13	.	7.7E+13	7.7E+13	.	2.1E+05	2.1E+05
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.05E-08	.	8.5E+06	8.5E+06	.	3.5E+00	3.5E+00
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.73E-07	6.2E+06	8.6E+05	7.6E+05	7.3E+00	1.0E+00	8.9E-01
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.26E-07	.	1.5E+06	1.5E+06	.	1.4E+00	1.4E+00
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	2.95E-07	1.5E+06	1.3E+05	1.2E+05	7.0E+00	5.9E-01	5.5E-01
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.41E-08	7.1E+04	1.3E+05	4.6E+04	1.5E+00	2.7E+00	9.6E-01
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.37E-07	3.7E+04	2.3E+04	1.4E+04	1.2E+00	7.4E-01	4.6E-01
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.57E-08	6.3E+03	9.6E+04	5.9E+03	7.3E-01	1.1E+01	6.9E-01
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	2.09E-08	.	1.2E+09	1.2E+09	.	8.4E+00	8.4E+00
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.22E-07	1.6E+03	5.7E+03	1.2E+03	3.9E-01	1.4E+00	3.1E-01
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	6.44E-09	1.5E+00	9.2E+02	1.5E+00	4.5E-02	2.7E+01	4.5E-02
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	2.12E-08	.	1.5E+08	1.5E+08	.	8.2E+00	8.2E+00
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	5.08E-08	2.4E+02	3.5E+03	2.2E+02	2.3E-01	3.4E+00	2.2E-01
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	2.37E-08	2.6E+03	1.2E+05	2.6E+03	1.7E-01	7.4E+00	1.6E-01
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.51E-08	1.7E+02	9.1E+03	1.7E+02	7.4E-02	3.9E+00	7.3E-02
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	5.46E-08	1.1E+02	8.9E+03	1.1E+02	4.0E-02	3.2E+00	4.0E-02
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	9.75E-09	1.9E+02	3.6E+04	1.9E+02	9.2E-02	1.8E+01	9.2E-02
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.28E-08	6.6E+05	1.0E+06	4.0E+05	3.5E+00	5.3E+00	2.1E+00
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.23E-07	9.3E+02	6.4E+03	8.1E+02	1.1E-01	7.8E-01	1.0E-01
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	3.98E-09	3.2E+06	1.5E+07	2.7E+06	9.2E+00	4.4E+01	7.6E+00
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.10E-08	.	1.6E+08	1.6E+08	.	8.3E+00	8.3E+00
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.34E-08	6.1E+06	2.3E+06	1.7E+06	7.3E+00	2.8E+00	2.0E+00
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.47E-08	7.5E+04	2.5E+05	5.8E+04	8.3E-01	2.7E+00	6.3E-01
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.20E-08	1.0E+07	1.5E+06	1.3E+06	1.4E+01	2.1E+00	1.9E+00
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	5.18E-09	9.8E+01	8.8E+04	9.8E+01	3.8E-02	3.4E+01	3.8E-02
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.63E-08	2.3E+05	3.3E+05	1.3E+05	3.3E+00	4.8E+00	2.0E+00
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.83E-07	2.0E+05	6.7E+04	5.1E+04	2.9E+00	9.6E-01	7.2E-01
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	5.02E-08	5.0E+01	1.9E+03	4.9E+01	9.1E-02	3.5E+00	8.9E-02
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	6.41E-09	1.0E+07	1.7E+07	6.4E+06	1.6E+01	2.7E+01	1.0E+01
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	4.04E-08	1.8E-02	8.8E+00	1.8E-02	9.0E-03	4.3E+00	9.0E-03
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.93E-09	5.1E+02	1.2E+05	5.1E+02	1.3E-01	3.0E+01	1.3E-01
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	5.11E-09	9.0E+02	1.8E+05	8.9E+02	1.7E-01	3.4E+01	1.7E-01
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	6.82E-08	.	9.2E+06	9.2E+06	.	2.6E+00	2.6E+00
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	5.36E-09	1.7E+05	3.6E+06	1.7E+05	1.6E+00	3.3E+01	1.5E+00
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.00E-08	6.4E+00	4.3E+03	6.4E+00	1.3E-02	8.8E+00	1.3E-02
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.08E-07	1.4E+06	8.1E+05	5.1E+05	2.8E+00	1.6E+00	1.0E+00
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.22E-07	5.5E+06	1.2E+06	1.0E+06	6.5E+00	1.4E+00	1.2E+00
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	6.41E-11	3.1E-03	2.7E+03	3.1E-03	3.1E-03	2.7E+03	3.1E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.59E-09	1.6E+02	3.7E+03	1.6E+02	1.4E+00	3.1E+01	1.3E+00
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	1.99E-07	.	8.6E+05	8.6E+05	.	8.8E-01	8.8E-01
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.78E-07	8.9E+05	1.6E+05	1.3E+05	3.6E+00	6.3E-01	5.4E-01
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.07E-07	1.2E+05	7.1E+04	4.5E+04	1.5E+00	8.5E-01	5.4E-01
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.22E-07	2.0E+05	4.8E+04	3.9E+04	2.3E+00	5.4E-01	4.4E-01
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	2.88E-07	4.4E+03	7.9E+03	2.8E+03	3.4E-01	6.1E-01	2.2E-01
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.41E-07	4.6E+03	7.0E+03	2.8E+03	3.4E-01	5.1E-01	2.0E-01
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.04E-07	3.3E+01	3.5E+02	3.0E+01	8.0E-02	8.6E-01	7.3E-02
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	3.85E-07	4.7E+01	4.6E+02	4.3E+01	4.6E-02	4.6E-01	4.2E-02
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.79E-07	3.5E-03	1.3E+00	3.5E-03	2.7E-03	9.8E-01	2.7E-03
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.47E-07	3.0E-03	5.0E-01	3.0E-03	3.0E-03	5.0E-01	3.0E-03
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	1.43E-10	8.2E-01	1.5E+06	8.2E-01	6.5E-04	1.2E+03	6.5E-04
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.86E-08	1.0E-05	6.1E+00	1.0E-05	1.0E-05	6.1E+00	1.0E-05

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.88E-08	1.0E-05	6.1E+00	1.0E-05	1.0E-05	6.1E+00	1.0E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.18E-09	.	1.4E+08	1.4E+08	.	3.4E+01	3.4E+01
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.3E+02	2.1E+06	5.3E+02	3.5E-03	1.4E+01	3.5E-03
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.3E+02	2.1E+06	5.3E+02	3.5E-03	1.4E+01	3.5E-03
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	2.41E-10	.	9.4E+08	9.4E+08	.	7.3E+02	7.3E+02
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.0E+02	2.4E+06	8.0E+02	4.0E-03	1.2E+01	4.0E-03
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.0E+02	2.4E+06	8.0E+02	4.0E-03	1.2E+01	4.0E-03
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.4E+03	4.4E+05	4.3E+03	9.5E-03	9.7E-01	9.5E-03
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.4E+03	4.4E+05	4.3E+03	9.5E-03	9.7E-01	9.5E-03
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.88E-08	.	7.3E+06	7.3E+06	.	6.1E+00	6.1E+00
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.89E-08	.	7.3E+06	7.3E+06	.	6.1E+00	6.1E+00
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.43E-08	.	8.7E+06	8.7E+06	.	2.1E+00	2.1E+00
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	2.29E-08	4.7E+01	9.8E+03	4.7E+01	3.7E-02	7.6E+00	3.6E-02
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	9.69E-08	1.1E+03	6.4E+03	9.3E+02	3.1E-01	1.8E+00	2.7E-01
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.48E-08	6.2E-06	1.2E+01	6.2E-06	6.2E-06	1.2E+01	6.2E-06
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.49E-09	3.6E+01	2.0E+05	3.6E+01	5.6E-03	3.2E+01	5.6E-03
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	3.06E-13	4.8E-02	1.1E+07	4.8E-02	2.5E-03	5.7E+05	2.5E-03
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.06E-07	1.0E+04	7.8E+04	9.1E+03	2.2E-01	1.7E+00	1.9E-01
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	8.39E-09	5.2E+05	3.4E+06	4.5E+05	3.2E+00	2.1E+01	2.8E+00
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.53E-07	.	3.4E+06	3.4E+06	.	5.0E-01	5.0E-01
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.63E-07	.	2.9E+06	2.9E+06	.	1.1E+00	1.1E+00
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	5.87E-07	1.6E+06	1.1E+05	1.0E+05	4.5E+00	3.0E-01	2.8E-01
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.08E-07	4.7E+05	6.8E+04	6.0E+04	2.4E+00	3.4E-01	3.0E-01
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.35E-07	2.3E+05	1.2E+05	8.0E+04	2.5E+00	1.3E+00	8.5E-01
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.41E-07	2.4E+03	4.8E+03	1.6E+03	2.6E-01	5.1E-01	1.7E-01
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	2.27E-09	.	3.2E+10	3.2E+10	.	7.7E+01	7.7E+01
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.53E-08	3.6E+03	1.3E+04	2.8E+03	1.3E+00	5.0E+00	1.1E+00
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.44E-09	.	2.6E+08	2.6E+08	.	1.2E+02	1.2E+02
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.17E-07	.	2.1E+06	2.1E+06	.	1.5E+00	1.5E+00
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.03E-09	5.9E+06	1.0E+07	3.7E+06	1.1E+01	1.9E+01	7.2E+00
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	5.14E-10	2.9E+04	1.2E+07	2.9E+04	8.5E-01	3.4E+02	8.5E-01
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.09E-07	7.1E+02	2.4E+03	5.5E+02	1.7E-01	5.7E-01	1.3E-01
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.53E-10	.	7.4E+08	7.4E+08	.	5.0E+02	5.0E+02
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.80E-10	1.4E+05	1.3E+07	1.4E+05	2.2E+00	2.0E+02	2.2E+00
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.26E-07	1.1E+06	2.2E+05	1.9E+05	3.9E+00	7.7E-01	6.5E-01
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.31E-07	.	8.0E+05	8.0E+05	.	5.3E-01	5.3E-01
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	8.58E-09	.	6.4E+07	6.4E+07	.	2.0E+01	2.0E+01
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	1.99E-07	.	2.5E+07	2.5E+07	.	8.8E-01	8.8E-01
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.15E-07	.	.	.	.	.	.
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	1.16E-12	.	.	.	.	.	.
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	5.0E-01	.	5.0E-01	5.0E-01	.	5.0E-01
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	6.19E-12	9.0E-01	1.1E+06	9.0E-01	2.3E-02	2.8E+04	2.3E-02
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.28E-07	4.6E+01	1.9E+03	4.5E+01	3.3E-02	1.4E+00	3.2E-02
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.29E-07	.	4.3E+05	4.3E+05	.	4.1E-01	4.1E-01
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	2.97E-07	.	3.9E+06	3.9E+06	.	5.9E-01	5.9E-01
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.44E-08	.	3.1E+06	3.1E+06	.	1.9E+00	1.9E+00
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.56E-07	.	8.5E+05	8.5E+05	.	6.9E-01	6.9E-01
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.54E-08	3.3E+05	1.1E+06	2.5E+05	2.1E+00	6.9E+00	1.6E+00
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.57E-07	9.7E+05	1.8E+05	1.5E+05	5.9E+00	1.1E+00	9.4E-01
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	1.16E-09	2.2E+04	3.5E+06	2.2E+04	9.5E-01	1.5E+02	9.4E-01
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	4.99E-10	1.9E-01	4.8E+03	1.9E-01	1.4E-02	3.5E+02	1.4E-02
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	3.00E-08	1.3E+06	1.1E+06	5.9E+05	6.7E+00	5.8E+00	3.1E+00
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.02E-11	2.7E-03	1.7E+04	2.7E-03	2.7E-03	1.7E+04	2.7E-03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	4.73E-11	3.9E-03	6.4E+03	3.9E-03	2.2E-03	3.7E+03	2.2E-03
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.17E-08	1.6E+02	2.3E+04	1.6E+02	5.6E-02	8.1E+00	5.6E-02
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.20E-09	1.4E+00	5.9E+03	1.4E+00	1.0E-02	4.2E+01	1.0E-02
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.30E-07	2.8E+04	8.2E+04	2.1E+04	4.5E-01	1.4E+00	3.4E-01
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.53E-07	2.0E+04	3.1E+04	1.2E+04	4.5E-01	6.9E-01	2.7E-01
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	3.19E-11	2.5E+05	1.0E+09	2.5E+05	1.4E+00	5.5E+03	1.4E+00
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.03E-07	.	2.9E+06	2.9E+06	.	8.6E-01	8.6E-01
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	2.84E-07	.	2.6E+06	2.6E+06	.	6.2E-01	6.2E-01
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.36E-08	1.6E+06	1.3E+06	7.3E+05	4.1E+00	3.3E+00	1.8E+00
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.88E-07	1.1E+07	8.3E+05	7.7E+05	1.2E+01	9.3E-01	8.6E-01
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.71E-08	2.0E+04	2.8E+05	1.8E+04	4.5E-01	6.5E+00	4.2E-01
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.68E-08	1.7E+05	2.9E+05	1.1E+05	1.8E+00	3.1E+00	1.1E+00
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.02E-07	2.7E+04	2.7E+04	1.3E+04	8.6E-01	8.7E-01	4.3E-01
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	9.12E-10	7.5E+01	3.8E+05	7.5E+01	3.7E-02	1.9E+02	3.7E-02
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.09E-08	5.9E+03	1.7E+04	4.4E+03	6.9E-01	1.9E+00	5.1E-01
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	2.00E-09	1.1E+05	1.5E+06	1.0E+05	6.7E+00	8.8E+01	6.2E+00
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.54E-09	6.1E+02	1.7E+05	6.1E+02	1.4E-01	3.9E+01	1.4E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.47E-08	2.0E+00	5.5E+02	2.0E+00	4.3E-02	1.2E+01	4.3E-02
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	7.57E-09	4.3E+00	4.5E+03	4.2E+00	2.2E-02	2.3E+01	2.2E-02
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.94E-08	3.3E+02	2.7E+04	3.3E+02	7.3E-02	6.0E+00	7.2E-02
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.75E-09	3.6E-02	2.2E+03	3.6E-02	1.6E-03	1.0E+02	1.6E-03
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.31E-09	3.6E-02	6.2E+02	3.6E-02	1.6E-03	2.8E+01	1.6E-03
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.12E-08	.	5.8E+06	5.8E+06	.	1.9E+00	1.9E+00
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	8.52E-12	4.3E+03	9.7E+09	4.3E+03	9.2E-03	2.1E+04	9.2E-03
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	1.07E-11	7.6E-01	7.0E+07	7.6E-01	1.8E-04	1.6E+04	1.8E-04
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	8.77E-09	1.4E+05	9.7E+05	1.2E+05	2.8E+00	2.0E+01	2.5E+00
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.89E-11	2.2E-04	6.8E+04	2.2E-04	1.2E-05	3.6E+03	1.2E-05
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-08	6.3E-06	5.0E+00	6.3E-06	6.1E-06	4.9E+00	6.1E-06
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.22E-09	1.4E-05	2.6E+02	1.4E-05	7.9E-06	1.4E+02	7.9E-06
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	1.19E-08	6.1E-06	1.5E+01	6.1E-06	6.0E-06	1.5E+01	6.0E-06
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	5.65E-08	4.4E-05	2.0E+01	4.4E-05	6.7E-06	3.1E+00	6.7E-06
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	4.20E-11	1.9E-02	1.5E+06	1.9E-02	5.5E-05	4.2E+03	5.5E-05
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.09E-06	2.0E-04	8.8E+00	2.0E-04	1.9E-06	8.4E-02	1.9E-06
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	5.49E-11	1.4E+03	3.4E+08	1.4E+03	1.3E-02	3.2E+03	1.3E-02
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.18E-07	.	5.3E+08	5.3E+08	.	1.5E+00	1.5E+00
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.64E-07	9.6E+05	1.9E+05	1.6E+05	3.4E+00	6.6E-01	5.6E-01
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	9.34E-11	2.9E-03	1.9E+03	2.9E-03	2.9E-03	1.9E+03	2.9E-03
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	1.87E-07	7.2E+05	2.3E+05	1.7E+05	3.0E+00	9.4E-01	7.1E-01
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.77E-07	4.9E+05	1.6E+05	1.2E+05	3.0E+00	9.9E-01	7.4E-01
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.36E-07	.	2.2E+06	2.2E+06	.	3.3E-01	3.3E-01
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	7.45E-09	2.9E+03	1.5E+06	2.9E+03	4.7E-02	2.4E+01	4.6E-02
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.59E-08	5.8E+04	3.5E+05	5.0E+04	1.1E+00	6.8E+00	9.5E-01
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	9.34E-12	6.0E-03	4.4E+06	6.0E-03	2.5E-05	1.9E+04	2.5E-05
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.33E-08	4.7E-01	6.3E+02	4.7E-01	2.4E-03	3.3E+00	2.4E-03
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	7.95E-12	5.7E-04	8.6E+05	5.7E-04	1.5E-05	2.2E+04	1.5E-05
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.32E-08	1.1E-05	1.8E+01	1.1E-05	8.0E-06	1.3E+01	8.0E-06
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	8.52E-12	1.3E-05	3.2E+04	1.3E-05	8.3E-06	2.1E+04	8.3E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	9.78E-09	7.8E-06	1.8E+01	7.8E-06	7.8E-06	1.8E+01	7.8E-06
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.54E-10	7.8E-06	3.9E+02	7.8E-06	7.8E-06	3.9E+02	7.8E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.47E-08	8.5E-06	5.0E+00	8.5E-06	8.5E-06	5.0E+00	8.5E-06
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-08	8.5E-06	4.7E+00	8.5E-06	8.5E-06	4.7E+00	8.5E-06
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.63E-07	2.1E-06	1.1E+00	2.1E-06	2.1E-06	1.1E+00	2.1E-06
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.24E-09	5.4E+05	1.1E+07	5.1E+05	3.8E+00	7.8E+01	3.6E+00
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.65E-06	3.0E-07	1.1E-01	3.0E-07	3.0E-07	1.1E-01	3.0E-07
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.69E-06	3.0E-07	1.0E-01	3.0E-07	3.0E-07	1.0E-01	3.0E-07
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.25E-08	3.1E+06	7.6E+06	2.2E+06	5.8E+00	1.4E+01	4.1E+00
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	4.67E-07	.	2.3E+06	2.3E+06	.	3.8E-01	3.8E-01
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.33E-07	1.1E+03	6.5E+03	9.5E+02	1.3E-01	7.5E-01	1.1E-01
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.51E-07	9.6E-01	3.2E+01	9.3E-01	1.2E-02	3.9E-01	1.1E-02
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	1.23E-08	1.8E+00	3.3E+02	1.8E+00	7.9E-02	1.4E+01	7.9E-02
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.13E-07	3.3E+00	1.4E+02	3.3E+00	3.7E-02	1.6E+00	3.7E-02
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	1.20E-13	6.0E+04	2.5E+10	6.0E+04	3.6E+00	1.5E+06	3.6E+00
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.04E-07	1.0E-02	2.0E+00	1.0E-02	2.9E-03	5.8E-01	2.9E-03
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.86E-10	6.0E+07	3.1E+08	5.0E+07	6.9E+01	3.6E+02	5.8E+01
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	9.37E-09	1.8E+05	1.7E+06	1.6E+05	1.9E+00	1.9E+01	1.7E+00
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.00E-07	.	5.3E+06	5.3E+06	.	8.7E-01	8.7E-01
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.31E-07	5.8E+06	3.5E+05	3.3E+05	8.8E+00	5.3E-01	5.0E-01
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.70E-08	2.9E+03	2.6E+04	2.6E+03	4.1E-01	3.7E+00	3.7E-01
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.17E-07	8.6E+05	3.2E+05	2.3E+05	4.0E+00	1.5E+00	1.1E+00
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-09	4.0E+02	1.1E+04	3.9E+02	1.8E+00	5.0E+01	1.7E+00
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	8.87E-10	.	5.1E+08	5.1E+08	.	2.0E+02	2.0E+02
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	7.57E-09	.	3.5E+07	3.5E+07	.	2.3E+01	2.3E+01
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.34E-07	.	4.6E+06	4.6E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.34E-07	.	5.9E+06	5.9E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.22E-07	.	2.2E+06	2.2E+06	.	1.4E+00	1.4E+00
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.34E-07	.	2.3E+07	2.3E+07	.	1.3E+00	1.3E+00
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.49E-08	1.3E+06	4.2E+05	3.2E+05	6.7E+00	2.1E+00	1.6E+00
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.32E-07	.	7.4E+06	7.4E+06	.	1.3E+00	1.3E+00
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.64E-08	6.5E+04	9.2E+04	3.8E+04	2.7E+00	3.8E+00	1.6E+00
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.01E-07	.	4.3E+06	4.3E+06	.	1.7E+00	1.7E+00
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.82E-08	5.4E+03	2.9E+04	4.6E+03	1.1E+00	6.2E+00	9.6E-01
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.59E-08	3.5E+06	9.8E+05	7.6E+05	1.1E+01	3.1E+00	2.4E+00
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	4.77E-09	.	9.7E+07	9.7E+07	.	3.7E+01	3.7E+01
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	4.92E-10	1.0E+03	2.3E+05	1.0E+03	1.6E+00	3.6E+02	1.6E+00
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	7.98E-08	2.8E+02	2.1E+03	2.5E+02	2.9E-01	2.2E+00	2.6E-01
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.79E-07	3.6E-02	8.2E+00	3.5E-02	4.2E-03	9.8E-01	4.2E-03
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.89E-09	8.7E+04	4.8E+06	8.5E+04	1.7E+00	9.3E+01	1.6E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	8.80E-12	8.8E-03	2.0E+04	8.8E-03	8.8E-03	2.0E+04	8.8E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	1.86E-07	2.0E+06	1.6E+05	1.5E+05	1.2E+01	9.4E-01	8.7E-01
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.49E-07	1.4E+01	3.4E+02	1.3E+01	2.9E-02	7.0E-01	2.8E-02
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	4.39E-11	3.5E-03	5.3E+03	3.5E-03	2.6E-03	4.0E+03	2.6E-03
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.44E-08	3.5E-03	3.6E+00	3.5E-03	2.6E-03	2.7E+00	2.6E-03
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	2.93E-07	8.7E+05	1.6E+05	1.4E+05	3.2E+00	6.0E-01	5.0E-01
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	4.83E-08	.	1.1E+07	1.1E+07	.	3.6E+00	3.6E+00
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	3.98E-08	.	4.3E+06	4.3E+06	.	4.4E+00	4.4E+00
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.25E-07	.	6.7E+06	6.7E+06	.	7.8E-01	7.8E-01
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.37E-07	.	3.6E+09	3.6E+09	.	1.3E+00	1.3E+00
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.67E-07	.	7.0E+06	7.0E+06	.	1.0E+00	1.0E+00
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	4.80E-07	1.9E+06	1.4E+05	1.3E+05	5.0E+00	3.7E-01	3.4E-01
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.34E-08	5.8E+04	8.5E+04	3.4E+04	1.3E+00	1.9E+00	7.6E-01
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.15E-07	.	1.4E+06	1.4E+06	.	1.5E+00	1.5E+00
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.09E-08	8.0E+03	1.0E+05	7.4E+03	6.7E-01	8.4E+00	6.2E-01
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.24E-08	.	2.5E+07	2.5E+07	.	1.4E+01	1.4E+01
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.21E-08	3.2E+02	3.6E+04	3.1E+02	1.3E-01	1.5E+01	1.3E-01
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.31E-08	.	8.9E+06	8.9E+06	.	2.8E+00	2.8E+00
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	7.95E-08	.	6.1E+06	6.1E+06	.	2.2E+00	2.2E+00
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	1.92E-07	.	2.0E+06	2.0E+06	.	9.1E-01	9.1E-01
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.96E-08	.	7.5E+06	7.5E+06	.	5.9E+00	5.9E+00
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.60E-07	3.2E+05	5.6E+05	2.0E+05	6.3E-01	1.1E+00	4.0E-01
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.93E-08	7.6E+04	3.8E+05	6.3E+04	1.2E+00	6.0E+00	9.9E-01
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.66E-08	1.6E+04	4.3E+04	1.2E+04	6.9E-01	1.8E+00	5.0E-01
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	2.3E-05	.	2.3E-05	2.3E-05	.	2.3E-05
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.48E-08	1.6E+04	3.6E+04	1.1E+04	1.0E+00	2.3E+00	7.1E-01
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.60E-08	6.3E+04	9.1E+04	3.7E+04	3.4E+00	4.9E+00	2.0E+00
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	2.27E-09	7.5E+00	3.4E+03	7.5E+00	1.7E-01	7.7E+01	1.7E-01
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.87E-09	8.6E+04	4.0E+06	8.4E+04	1.3E+00	6.1E+01	1.3E+00
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.72E-09	.	7.4E+08	7.4E+08	.	1.0E+02	1.0E+02
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	3.00E-09	5.9E+01	1.1E+05	5.9E+01	3.2E-02	5.8E+01	3.2E-02
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	5.93E-08	.	4.3E+06	4.3E+06	.	3.0E+00	3.0E+00
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-08	.	4.3E+06	4.3E+06	.	4.1E+00	4.1E+00
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	5.40E-09	.	7.9E+07	7.9E+07	.	3.2E+01	3.2E+01
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	4.01E-09	2.6E+06	2.0E+07	2.3E+06	5.5E+00	4.4E+01	4.9E+00
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.10E-07	2.2E+06	4.0E+05	3.4E+05	8.6E+00	1.6E+00	1.3E+00
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.13E-07	9.5E+04	7.3E+04	4.1E+04	2.0E+00	1.5E+00	8.7E-01
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	2.25E-09	1.2E+07	9.4E+06	5.3E+06	9.9E+01	7.8E+01	4.4E+01
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	2.06E-09	1.3E+05	1.2E+06	1.2E+05	8.9E+00	8.5E+01	8.0E+00
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	9.91E-09	.	4.3E+09	4.3E+09	.	1.8E+01	1.8E+01
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	1.24E-11	4.6E+01	9.5E+06	4.6E+01	6.8E-02	1.4E+04	6.8E-02
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.98E-08	6.0E+03	8.9E+04	5.6E+03	3.0E-01	4.4E+00	2.8E-01
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.62E-08	1.7E+02	9.6E+03	1.7E+02	5.6E-02	3.1E+00	5.5E-02
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.31E-08	.	1.2E+07	1.2E+07	.	1.9E+00	1.9E+00
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.45E-08	3.8E+04	3.5E+05	3.5E+04	4.3E-01	3.9E+00	3.9E-01
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.32E-07	1.3E+03	2.3E+04	1.2E+03	7.4E-02	1.3E+00	7.0E-02
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.31E-08	2.7E+04	1.9E+05	2.3E+04	3.9E-01	2.8E+00	3.4E-01
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	8.77E-09	1.9E+02	9.2E+04	1.9E+02	4.1E-02	2.0E+01	4.1E-02
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.69E-11	8.7E-03	1.5E+06	8.7E-03	2.8E-05	4.7E+03	2.8E-05
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	3.41E-10	2.6E-04	1.2E+04	2.6E-04	1.1E-05	5.1E+02	1.1E-05
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.06E-07	2.6E-04	3.8E+01	2.6E-04	1.1E-05	1.6E+00	1.1E-05
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.36E-08	6.6E-01	1.3E+04	6.6E-01	1.7E-04	3.3E+00	1.7E-04
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.12E-11	3.1E-03	3.1E+05	3.1E-03	1.9E-05	1.9E+03	1.9E-05
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	2.92E-10	7.4E+02	2.2E+08	7.4E+02	2.1E-03	6.0E+02	2.1E-03
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.42E-07	.	2.9E+08	2.9E+08	.	1.2E+00	1.2E+00
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.01E-07	.	3.3E+06	3.3E+06	.	4.4E-01	4.4E-01
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.32E-07	.	4.7E+06	4.7E+06	.	1.3E+00	1.3E+00
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.28E-07	.	7.3E+07	7.3E+07	.	1.4E+00	1.4E+00
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.52E-07	1.8E+02	1.2E+03	1.6E+02	1.7E-01	1.2E+00	1.5E-01
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	2.81E-07	1.6E+02	8.5E+02	1.3E+02	1.2E-01	6.2E-01	9.8E-02
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.11E-08	1.8E+01	9.0E+02	1.7E+01	6.8E-02	3.4E+00	6.6E-02
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.56E-07	2.7E+00	8.0E+01	2.6E+00	2.3E-02	6.9E-01	2.2E-02
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.92E-09	1.2E+01	2.4E+03	1.2E+01	1.7E-01	3.6E+01	1.7E-01
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.75E-07	1.4E-03	1.3E+00	1.4E-03	1.1E-03	1.0E+00	1.1E-03
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.49E-09	3.2E+03	3.8E+05	3.1E+03	2.7E-01	3.2E+01	2.6E-01
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.37E-07	2.7E-03	2.3E+00	2.7E-03	1.5E-03	1.3E+00	1.5E-03
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.41E-08	4.1E+03	8.4E+04	3.9E+03	2.5E-01	5.1E+00	2.4E-01
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	6.34E-09	9.5E+05	2.6E+06	7.0E+05	1.0E+01	2.8E+01	7.3E+00
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.47E-07	3.3E-03	2.8E+00	3.3E-03	1.4E-03	1.2E+00	1.4E-03
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	5.11E-09	5.3E+06	6.8E+06	3.0E+06	2.7E+01	3.4E+01	1.5E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	5.21E-09	5.8E-02	1.3E+02	5.8E-02	1.5E-02	3.4E+01	1.5E-02
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.51E-07	7.8E+00	4.8E+02	7.7E+00	1.9E-02	1.2E+00	1.8E-02
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	3.05E-08	1.8E+03	5.7E+04	1.7E+03	1.8E-01	5.7E+00	1.7E-01
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.55E-07	5.2E+05	2.2E+05	1.6E+05	2.6E+00	1.1E+00	7.9E-01
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.19E-08	2.4E+06	2.8E+06	1.3E+06	4.8E+00	5.5E+00	2.6E+00
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.16E-07	.	1.3E+07	1.3E+07	.	1.5E+00	1.5E+00
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.11E-07	2.1E+05	1.3E+05	8.0E+04	2.5E+00	1.6E+00	9.7E-01
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.24E-08	1.8E+03	3.9E+04	1.7E+03	9.9E-02	2.1E+00	9.5E-02
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.34E-07	.	1.4E+06	1.4E+06	.	1.3E+00	1.3E+00
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	3.69E-07	.	1.7E+06	1.7E+06	.	4.7E-01	4.7E-01
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.65E-17	1.3E+00	6.7E+10	1.3E+00	2.0E-01	1.1E+10	2.0E-01
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.43E-07	2.9E+00	1.7E+02	2.8E+00	2.0E-02	1.2E+00	2.0E-02
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	2.88E-12	7.7E-04	6.1E+04	7.7E-04	7.7E-04	6.1E+04	7.7E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.04E-07	6.1E-04	5.8E-01	6.1E-04	6.1E-04	5.8E-01	6.1E-04
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.69E-07	.	1.6E+06	1.6E+06	.	1.0E+00	1.0E+00
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	5.74E-08	.	2.5E+07	2.5E+07	.	3.1E+00	3.1E+00
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.58E-08	1.3E+03	3.2E+05	1.3E+03	4.5E-02	1.1E+01	4.5E-02
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	4.10E-11	1.4E+00	2.6E+07	1.4E+00	2.3E-04	4.3E+03	2.3E-04
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	5.68E-09	4.1E-01	6.5E+04	4.1E-01	1.9E-04	3.1E+01	1.9E-04
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	8.80E-10	6.4E+01	9.3E+06	6.4E+01	1.4E-03	2.0E+02	1.4E-03
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	2.13E-10	2.3E+00	6.2E+06	2.3E+00	3.0E-04	8.2E+02	3.0E-04
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.54E-06	1.9E+01	6.6E+03	1.9E+01	3.3E-04	1.1E-01	3.3E-04
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.49E-08	6.6E-04	7.4E+02	6.6E-04	1.0E-05	1.2E+01	1.0E-05
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.33E-07	6.4E+03	6.0E+05	6.3E+03	1.4E-02	1.3E+00	1.4E-02
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.94E-10	.	1.2E+13	1.2E+13	.	4.4E+02	4.4E+02
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	8.55E-10	.	4.1E+09	4.1E+09	.	2.0E+02	2.0E+02
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	1.09E-09	.	3.2E+09	3.2E+09	.	1.6E+02	1.6E+02
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	3.11E-09	.	1.0E+08	1.0E+08	.	5.6E+01	5.6E+01
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	3.14E-09	.	1.0E+08	1.0E+08	.	5.6E+01	5.6E+01
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.96E-08	3.3E+03	5.7E+06	3.3E+03	5.1E-03	9.0E+00	5.1E-03
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	4.80E-09	3.0E+03	1.5E+07	3.0E+03	7.3E-03	3.7E+01	7.3E-03
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.53E-08	.	7.3E+06	7.3E+06	.	2.7E+00	2.7E+00
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.92E-08	.	1.3E+07	1.3E+07	.	3.6E+00	3.6E+00
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.17E-07	.	1.5E+06	1.5E+06	.	4.2E-01	4.2E-01
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.31E-07	6.0E+06	8.0E+05	7.1E+05	1.0E+01	1.3E+00	1.2E+00
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.16E-07	2.1E+03	8.9E+03	1.7E+03	1.3E-01	5.6E-01	1.0E-01
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.63E-08	5.4E+02	2.1E+04	5.2E+02	2.8E-01	1.1E+01	2.7E-01
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.08E-07	3.0E+05	2.2E+05	1.3E+05	2.2E+00	1.6E+00	9.4E-01
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.18E-09	4.1E+06	6.4E+07	3.9E+06	9.6E+00	1.5E+02	9.0E+00
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.35E-07	1.4E+03	5.6E+03	1.1E+03	1.3E-01	5.2E-01	1.0E-01
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-08	1.4E+04	1.4E+05	1.3E+04	4.5E-01	4.6E+00	4.1E-01
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	3.94E-07	.	5.0E+05	5.0E+05	.	4.4E-01	4.4E-01
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.20E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.46E-07	.	3.5E+06	3.5E+06	.	7.1E-01	7.1E-01
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.07E-07	.	3.3E+06	3.3E+06	.	1.6E+00	1.6E+00
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.02E-07	3.8E+06	2.3E+05	2.2E+05	9.7E+00	5.8E-01	5.5E-01
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	7.79E-08	.	1.4E+07	1.4E+07	.	2.2E+00	2.2E+00
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	2.11E-08	1.5E+00	1.1E+03	1.5E+00	1.2E-02	8.3E+00	1.2E-02
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.59E-07	8.0E+02	4.4E+03	6.8E+02	2.0E-01	1.1E+00	1.7E-01
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	2.2E-05	.	2.2E-05	1.9E-05	.	1.9E-05
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.62E-08	5.6E+01	2.1E+03	5.5E+01	8.2E-02	3.1E+00	8.0E-02
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	2.4E-05	.	2.4E-05	2.4E-05	.	2.4E-05
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	5.18E-09	3.5E+00	1.7E+03	3.5E+00	6.8E-02	3.4E+01	6.8E-02
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	3.3E-05	.	3.3E-05	3.3E-05	.	3.3E-05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	7.35E-09	9.1E-01	6.3E+02	9.1E-01	3.4E-02	2.4E+01	3.4E-02
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.49E-09	1.5E+03	2.6E+05	1.5E+03	1.9E-01	3.2E+01	1.9E-01
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.64E-08	.	4.1E+06	4.1E+06	.	3.8E+00	3.8E+00
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.48E-08	7.7E+04	1.6E+05	5.2E+04	1.1E+00	2.3E+00	7.7E-01
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.64E-07	3.1E+06	5.2E+05	4.4E+05	6.5E+00	1.1E+00	9.2E-01
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.35E-13	6.7E-02	3.0E+07	6.7E-02	2.9E-03	1.3E+06	2.9E-03
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.08E-07	6.7E-02	3.8E+01	6.7E-02	2.9E-03	1.6E+00	2.9E-03
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.11E-07	1.6E+03	6.1E+03	1.3E+03	4.1E-01	1.6E+00	3.2E-01
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.37E-13	3.0E+03	7.1E+08	3.0E+03	5.4E+00	1.3E+06	5.4E+00
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	4.04E-09	3.6E+05	4.8E+06	3.4E+05	3.3E+00	4.3E+01	3.0E+00
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.25E-07	3.2E+03	1.9E+04	2.7E+03	2.4E-01	1.4E+00	2.0E-01
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	3.06E-08	1.2E+05	5.9E+05	9.9E+04	1.2E+00	5.7E+00	9.6E-01
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.82E-08	.	1.1E+07	1.1E+07	.	2.6E+00	2.6E+00
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	6.97E-08	.	7.1E+06	7.1E+06	.	2.5E+00	2.5E+00
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.58E-08	2.7E+03	3.6E+04	2.5E+03	2.8E-01	3.8E+00	2.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.2E-02	2.2E+02	3.2E-02	3.5E-03	2.4E+01	3.5E-03
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.2E-02	2.2E+02	3.2E-02	3.5E-03	2.4E+01	3.5E-03
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	4.01E-08	3.0E+03	2.8E+04	2.7E+03	4.6E-01	4.4E+00	4.2E-01
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	2.9E-05	.	2.9E-05	2.9E-05	.	2.9E-05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.66E-08	5.1E+00	4.3E+02	5.0E+00	5.6E-02	4.8E+00	5.6E-02
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.46E-07	2.7E+05	1.3E+05	8.6E+04	1.5E+00	7.1E-01	4.8E-01
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-07	1.2E-03	9.3E-01	1.2E-03	9.1E-04	7.1E-01	9.1E-04
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.81E-08	4.6E+00	4.5E+02	4.6E+00	1.8E-02	1.8E+00	1.8E-02
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.07E-07	1.8E+04	4.5E+04	1.3E+04	6.6E-01	1.6E+00	4.7E-01
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.81E-08	2.1E+00	4.5E+02	2.1E+00	1.4E-02	3.0E+00	1.4E-02
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.59E-08	9.0E-04	6.8E+00	9.0E-04	9.0E-04	6.8E+00	9.0E-04
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.78E-07	8.1E-04	9.8E-01	8.1E-04	8.1E-04	9.8E-01	8.1E-04
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-07	3.5E+05	2.6E+05	1.5E+05	2.4E+00	1.7E+00	1.0E+00
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	8.80E-08	2.3E+05	2.8E+05	1.3E+05	1.6E+00	2.0E+00	9.0E-01
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.42E-08	7.4E+03	2.7E+05	7.2E+03	2.0E-01	7.2E+00	2.0E-01
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.89E-08	5.2E+05	4.2E+06	4.6E+05	1.1E+00	9.3E+00	1.0E+00
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.70E-07	4.9E+04	1.8E+05	3.9E+04	2.8E-01	1.0E+00	2.2E-01
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.73E-08	2.8E+03	2.0E+05	2.7E+03	8.8E-02	6.4E+00	8.7E-02
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	9.66E-08	.	.	.	.	.	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	9.72E-08	4.1E+03	7.2E+04	3.8E+03	1.0E-01	1.8E+00	9.6E-02
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.18E-07	.	.	.	.	.	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	8.52E-13	.	.	.	.	.	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.22E-07	.	.	.	.	.	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	2.06E-08	.	.	.	.	.	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	2.09E-08	.	.	.	.	.	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	5.71E-09	.	.	.	.	.	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	9.09E-09	.	.	.	.	.	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.83E-08	.	.	.	.	.	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.59E-08	.	.	.	.	.	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	8.08E-10	.	3.8E+08	3.8E+08	.	2.2E+02	2.2E+02
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.34E-08	.	1.5E+07	1.5E+07	.	1.3E+01	1.3E+01
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.25E-07	.	1.7E+06	1.7E+06	.	5.4E-01	5.4E-01
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.18E-07	.	5.7E+06	5.7E+06	.	8.0E-01	8.0E-01
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.16E-07	.	6.9E+06	6.9E+06	.	1.5E+00	1.5E+00
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.18E-07	.	1.5E+06	1.5E+06	.	1.5E+00	1.5E+00
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.17E-07	9.1E+06	6.2E+05	5.8E+05	1.2E+01	8.1E-01	7.5E-01
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.76E-07	.	1.9E+06	1.9E+06	.	6.4E-01	6.4E-01
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.82E-08	9.1E+05	4.9E+05	3.2E+05	4.8E+00	2.6E+00	1.7E+00
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.48E-07	3.9E+05	1.2E+05	8.9E+04	2.4E+00	7.1E-01	5.5E-01
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.15E-08	2.5E+07	2.1E+06	1.9E+06	3.5E+01	2.8E+00	2.6E+00
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.79E-08	6.1E+06	1.3E+06	1.1E+06	2.2E+01	4.6E+00	3.8E+00
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	1.94E-07	4.7E+06	3.2E+05	3.0E+05	1.3E+01	9.0E-01	8.4E-01
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	3.07E-09	7.7E+05	3.5E+06	6.3E+05	1.3E+01	5.7E+01	1.0E+01
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.63E-08	3.1E+07	6.5E+06	5.4E+06	5.2E+01	1.1E+01	8.9E+00
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.28E-08	7.7E+05	3.8E+05	2.5E+05	5.7E+00	2.8E+00	1.9E+00
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.5E-01	.	2.5E-01	2.5E-01	.	2.5E-01
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	1.71E-09	5.3E+06	3.2E+07	4.5E+06	1.7E+01	1.0E+02	1.4E+01
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	2.41E-09	1.9E+06	1.7E+07	1.7E+06	7.8E+00	7.3E+01	7.1E+00
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.44E-09	4.2E+02	2.9E+05	4.2E+02	7.3E-02	5.1E+01	7.3E-02
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.85E-07	3.9E-04	9.6E-01	3.9E-04	3.9E-04	9.5E-01	3.9E-04
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.98E-08	5.8E+04	2.2E+05	4.6E+04	1.2E+00	4.4E+00	9.3E-01
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.02E-07	.	5.2E+06	5.2E+06	.	1.7E+00	1.7E+00
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	3.44E-10	.	2.1E+09	2.1E+09	.	5.1E+02	5.1E+02
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	1.98E-07	.	2.9E+06	2.9E+06	.	8.9E-01	8.9E-01
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.35E-07	3.4E+05	5.0E+05	2.0E+05	5.1E-01	7.5E-01	3.0E-01
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.35E-07	.	4.3E+05	4.3E+05	.	4.0E-01	4.0E-01
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.02E-07	8.7E+05	8.2E+05	4.2E+05	1.8E+00	1.7E+00	8.9E-01
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.25E-07	.	.	.	.	.	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.13E-07	.	.	.	.	.	.
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.26E-08	.	.	.	.	.	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.10E-07	.	4.0E+06	4.0E+06	.	1.6E+00	1.6E+00
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.62E-08	.	.	.	.	.	.
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.30E-07	.	.	.	.	.	.
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	7.67E-10	.	.	.	.	.	.
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	4.83E-08	.	.	.	.	.	.
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	7.89E-09	.	.	.	.	.	.
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	5.93E-10	.	.	.	.	.	.
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.46E-07	.	.	.	.	.	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.21E-08	.	1.5E+07	1.5E+07	.	1.4E+01	1.4E+01
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.26E-08	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.64E-07	.	.	.	.	.	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	3.79E-08	.	.	.	.	.	.
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.01E-08	.	.	.	.	.	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.06E-07	.	.	.	.	.	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.97E-08	.	1.5E+07	1.5E+07	.	5.9E+00	5.9E+00
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	1.93E-07	.	.	.	.	.	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.31E-07	.	4.8E+06	4.8E+06	.	5.3E-01	5.3E-01
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.27E-07	.	1.4E+06	1.4E+06	.	7.7E-01	7.7E-01
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.13E-07	.	6.2E+05	6.2E+05	.	4.2E-01	4.2E-01
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.41E-07	.	9.0E+05	9.0E+05	.	5.1E-01	5.1E-01
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.82E-07	1.4E+06	2.7E+05	2.3E+05	5.0E+00	9.6E-01	8.0E-01
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.61E-07	5.7E+05	6.0E+04	5.4E+04	3.7E+00	3.8E-01	3.4E-01
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.44E-07	9.1E+05	1.2E+05	1.0E+05	3.9E+00	5.1E-01	4.5E-01
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.26E-08	1.1E+05	8.7E+04	4.8E+04	3.0E+00	2.4E+00	1.3E+00
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	6.94E-08	.	1.7E+07	1.7E+07	.	2.5E+00	2.5E+00
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.60E-07	3.3E+04	1.5E+04	1.0E+04	1.1E+00	4.9E-01	3.3E-01
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.84E-07	3.1E+05	1.3E+05	9.0E+04	2.4E+00	9.5E-01	6.8E-01
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	4.20E-08	7.7E+02	9.4E+03	7.2E+02	3.4E-01	4.2E+00	3.2E-01
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.30E-08	.	3.9E+06	3.9E+06	.	3.3E+00	3.3E+00
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	2.97E-08	1.5E+07	3.6E+06	2.9E+06	2.4E+01	5.9E+00	4.7E+00
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	2.33E-09	3.4E+06	3.3E+07	3.1E+06	7.7E+00	7.5E+01	7.0E+00
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.84E-08	4.8E+05	5.6E+05	2.6E+05	5.3E+00	6.2E+00	2.8E+00
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	7.13E-10	.	1.9E+09	1.9E+09	.	2.5E+02	2.5E+02
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	8.08E-09	7.5E-01	2.8E+03	7.5E-01	5.9E-03	2.2E+01	5.9E-03
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.77E-09	7.5E-01	2.6E+03	7.5E-01	5.9E-03	2.0E+01	5.9E-03
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	2.87E-11	7.3E-04	6.1E+03	7.3E-04	7.3E-04	6.1E+03	7.3E-04
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.72E-08	4.3E+04	3.4E+05	3.8E+04	1.3E+00	1.0E+01	1.1E+00
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.00E-07	5.3E+05	9.8E+04	8.3E+04	3.2E+00	5.8E-01	4.9E-01
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.73E-08	1.1E+06	4.8E+05	3.3E+05	5.0E+00	2.3E+00	1.6E+00
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.63E-09	9.3E+04	1.4E+06	8.8E+04	1.2E+00	1.8E+01	1.1E+00
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.16E-08	.	1.6E+09	1.6E+09	.	1.5E+01	1.5E+01
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.31E-07	.	1.1E+06	1.1E+06	.	5.3E-01	5.3E-01
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	8.90E-08	.	7.5E+06	7.5E+06	.	2.0E+00	2.0E+00
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.36E-09	4.3E+06	1.1E+07	3.0E+06	8.4E+00	2.1E+01	6.0E+00
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.10E-07	.	3.8E+07	3.8E+07	.	1.6E+00	1.6E+00
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.54E-09	.	5.5E+07	5.5E+07	.	2.3E+01	2.3E+01
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.81E-07	.	5.9E+06	5.9E+06	.	9.7E-01	9.7E-01
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.61E-07	3.4E+06	6.6E+05	5.5E+05	5.6E+00	1.1E+00	9.1E-01
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.39E-07	4.6E+05	2.0E+05	1.4E+05	2.9E+00	1.3E+00	8.8E-01
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.28E-07	4.0E+04	3.8E+04	1.9E+04	8.1E-01	7.7E-01	3.9E-01
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.00E-07	3.6E+03	1.8E+04	3.0E+03	3.4E-01	1.7E+00	2.9E-01
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	1.93E-07	2.2E+03	8.3E+03	1.7E+03	2.4E-01	9.1E-01	1.9E-01
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.48E-07	1.8E+05	9.4E+04	6.2E+04	2.3E+00	1.2E+00	7.8E-01
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.53E-08	1.5E+04	7.2E+04	1.3E+04	1.1E+00	5.0E+00	8.7E-01
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.59E-07	7.2E+02	2.5E+03	5.6E+02	2.0E-01	6.8E-01	1.5E-01
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	6.44E-09	6.5E+01	1.3E+04	6.5E+01	1.4E-01	2.7E+01	1.4E-01
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.64E-07	3.0E+01	5.7E+02	2.9E+01	5.7E-02	1.1E+00	5.4E-02
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.98E-13	1.7E+06	1.2E+11	1.7E+06	1.3E+01	8.8E+05	1.3E+01
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	4.32E-09	6.4E+04	2.0E+06	6.2E+04	1.3E+00	4.1E+01	1.3E+00
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	6.44E-09	.	3.0E+09	3.0E+09	.	2.7E+01	2.7E+01
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.09E-08	1.1E+00	1.7E+02	1.0E+00	1.2E-02	1.9E+00	1.2E-02
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	6.25E-12	.	1.8E+11	1.8E+11	.	2.8E+04	2.8E+04
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	6.56E-11	2.0E-03	2.8E+03	2.0E-03	1.9E-03	2.7E+03	1.9E-03
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	2.39E-11	4.0E+01	4.4E+06	4.0E+01	6.6E-02	7.3E+03	6.6E-02
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.09E-08	6.8E+02	1.3E+05	6.8E+02	8.7E-02	1.6E+01	8.6E-02
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.63E-07	2.5E-01	2.5E+01	2.5E-01	6.8E-03	6.7E-01	6.7E-03
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	4.89E-09	7.5E+04	2.2E+06	7.3E+04	1.2E+00	3.6E+01	1.2E+00
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.07E-08	2.6E+04	1.7E+05	2.3E+04	6.6E-01	4.3E+00	5.7E-01
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.76E-08	.	6.7E+07	6.7E+07	.	6.3E+00	6.3E+00
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.78E-07	1.5E+05	6.8E+04	4.7E+04	1.4E+00	6.3E-01	4.4E-01
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	3.98E-07	.	5.3E+05	5.3E+05	.	4.4E-01	4.4E-01
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	1.96E-08	1.3E-03	8.9E+00	1.3E-03	1.3E-03	8.9E+00	1.3E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.60E-08	2.9E+03	6.0E+04	2.8E+03	2.4E-01	4.9E+00	2.3E-01
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.09E-07	1.9E+03	1.1E+04	1.6E+03	2.7E-01	1.6E+00	2.3E-01
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.04E-07	2.0E+06	2.4E+05	2.1E+05	4.8E+00	5.8E-01	5.2E-01
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.30E-07	4.1E+06	4.0E+05	3.6E+05	7.8E+00	7.6E-01	6.9E-01
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	3.76E-07	.	2.4E+06	2.4E+06	.	4.7E-01	4.7E-01
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.18E-07	.	1.2E+06	1.2E+06	.	1.5E+00	1.5E+00
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.45E-07	.	2.6E+06	2.6E+06	.	1.2E+00	1.2E+00
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	3.9E+04	3.9E+04	.	3.8E+00	3.8E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	3.9E+04	3.9E+04	.	3.8E+00	3.8E+00
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.16E-07	.	1.9E+05	1.9E+05	.	1.5E+00	1.5E+00
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.81E-08	.	2.7E+04	2.7E+04	.	6.2E+00	6.2E+00
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	9.47E-11	.	1.9E+03	1.9E+03	.	1.9E+03	1.9E+03
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.38E-08	.	5.3E+08	5.3E+08	.	1.3E+01	1.3E+01
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	2.20E-12	.	6.6E+09	6.6E+09	.	8.0E+04	8.0E+04
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	3.19E-10	.	1.1E+03	1.1E+03	.	5.5E+02	5.5E+02
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.68E-08	.	3.5E+05	3.5E+05	.	1.0E+01	1.0E+01
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	9.97E-08	.	2.1E+05	2.1E+05	.	1.8E+00	1.8E+00
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.49E-07	.	3.8E+04	3.8E+04	.	7.0E-01	7.0E-01
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.43E-07	.	2.1E+06	2.1E+06	.	7.2E-01	7.2E-01
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.28E-07	.	9.4E+05	9.4E+05	.	5.3E-01	5.3E-01
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.03E-07	9.9E+06	1.3E+06	1.2E+06	1.3E+01	1.7E+00	1.5E+00
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.60E-07	.	7.0E+05	7.0E+05	.	6.7E-01	6.7E-01
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.23E-08	7.9E+05	3.7E+05	2.5E+05	5.1E+00	2.4E+00	1.6E+00
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.37E-07	1.3E+04	2.3E+04	8.5E+03	4.2E-01	7.4E-01	2.7E-01
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.45E-08	1.7E+06	8.8E+05	5.8E+05	4.6E+00	2.4E+00	1.6E+00
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.60E-08	2.0E+05	4.2E+05	1.4E+05	5.2E+00	1.1E+01	3.5E+00
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.14E-08	.	3.0E+06	3.0E+06	.	2.2E+00	2.2E+00
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.82E-09	4.4E+04	7.5E+05	4.1E+04	5.6E+00	9.6E+01	5.3E+00
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.48E-08	.	3.6E+06	3.6E+06	.	3.9E+00	3.9E+00
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	6.44E-10	2.1E-02	2.7E+02	2.1E-02	2.1E-02	2.7E+02	2.1E-02
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.49E-07	9.7E-04	1.2E+00	9.7E-04	9.7E-04	1.2E+00	9.7E-04
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	2.82E-07	2.2E+02	2.3E+03	2.0E+02	5.9E-02	6.2E-01	5.4E-02
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	3.98E-09	1.4E+04	1.7E+06	1.4E+04	3.6E-01	4.4E+01	3.6E-01
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.03E-07	1.2E+05	5.8E+04	3.9E+04	1.2E+00	5.8E-01	3.9E-01
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.35E-08	3.1E+06	3.4E+06	1.6E+06	4.9E+00	5.2E+00	2.5E+00
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.27E-07	9.0E+06	1.2E+06	1.0E+06	1.1E+01	1.4E+00	1.2E+00
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.03E-07	5.6E+05	1.5E+05	1.2E+05	3.1E+00	8.6E-01	6.8E-01
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.55E-07	8.9E+02	5.0E+03	7.6E+02	2.0E-01	1.1E+00	1.7E-01
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	3.91E-14	.	1.5E+13	1.5E+13	.	4.5E+06	4.5E+06
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.19E-07	4.6E+02	1.7E+03	3.6E+02	1.4E-01	5.5E-01	1.1E-01
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.07E-08	5.8E+01	1.9E+03	5.7E+01	7.6E-02	2.5E+00	7.4E-02
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	2.32E-11	.	5.2E+10	5.2E+10	.	7.6E+03	7.6E+03
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.28E-07	4.6E+01	7.3E+02	4.4E+01	4.9E-02	7.7E-01	4.6E-02
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	8.14E-14	.	5.3E+12	5.3E+12	.	2.2E+06	2.2E+06
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.57E-08	3.0E-01	1.4E+02	3.0E-01	2.4E-02	1.1E+01	2.3E-02
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.11E-08	1.0E-01	8.3E+01	1.0E-01	2.0E-02	1.6E+01	2.0E-02
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	4.23E-09	8.4E-01	1.8E+03	8.4E-01	1.9E-02	4.1E+01	1.9E-02
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	5.14E-08	1.7E-03	3.4E+00	1.7E-03	1.7E-03	3.4E+00	1.7E-03
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	1.30E-09	2.8E+04	5.6E+06	2.7E+04	6.6E-01	1.4E+02	6.6E-01
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.60E-09	6.1E+01	4.6E+04	6.1E+01	6.4E-02	4.9E+01	6.4E-02
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	1.06E-07	2.1E-01	6.5E+01	2.1E-01	5.2E-03	1.7E+00	5.2E-03
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.53E-08	1.8E+06	3.7E+06	1.2E+06	5.7E+00	1.1E+01	3.8E+00
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.13E-07	2.1E+06	6.1E+05	4.7E+05	5.3E+00	1.6E+00	1.2E+00
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.44E-09	1.8E+04	1.7E+06	1.8E+04	5.6E-01	5.1E+01	5.5E-01
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.80E-07	.	1.6E+06	1.6E+06	.	9.7E-01	9.7E-01
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.41E-08	.	7.1E+06	7.1E+06	.	2.7E+00	2.7E+00
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.05E-07	.	1.6E+06	1.6E+06	.	1.7E+00	1.7E+00
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.63E-07	4.0E+02	7.8E+03	3.8E+02	5.5E-02	1.1E+00	5.2E-02
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	5.52E-07	.	1.7E+06	1.7E+06	.	3.2E-01	3.2E-01
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.13E-07	5.8E+05	3.1E+05	2.0E+05	2.9E+00	1.6E+00	1.0E+00
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.13E-07	7.2E+01	4.8E+02	6.2E+01	6.3E-02	4.2E-01	5.5E-02
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	2.87E-07	2.4E+06	2.6E+05	2.4E+05	5.6E+00	6.1E-01	5.5E-01
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	3.1E-01	.	3.1E-01	3.1E-01	.	3.1E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	9.72E-08	5.0E-01	3.7E+01	4.9E-01	2.5E-02	1.8E+00	2.4E-02
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.08E-07	4.0E+04	5.0E+04	2.2E+04	6.7E-01	8.4E-01	3.7E-01
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.18E-08	.	9.5E+07	9.5E+07	.	1.5E+01	1.5E+01
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	2.90E-07	.	5.1E+06	5.1E+06	.	6.0E-01	6.0E-01
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.77E-07	4.1E+06	6.2E+05	5.4E+05	6.6E+00	9.9E-01	8.6E-01
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	2.10E-09	5.3E+06	6.7E+07	4.9E+06	6.6E+00	8.3E+01	6.1E+00
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.41E-07	.	5.3E+06	5.3E+06	.	1.2E+00	1.2E+00
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.21E-08	6.0E+03	5.2E+04	5.3E+03	2.2E-01	1.9E+00	2.0E-01
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.12E-07	4.5E+06	9.2E+05	7.6E+05	7.6E+00	1.6E+00	1.3E+00
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.63E-07	.	9.1E+06	9.1E+06	.	1.1E+00	1.1E+00
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	3.38E-11	5.3E-02	5.2E+03	5.3E-02	5.3E-02	5.2E+03	5.3E-02
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	2.78E-07	1.3E+04	1.4E+04	6.8E+03	6.0E-01	6.3E-01	3.1E-01
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.70E-08	1.4E+02	2.4E+04	1.4E+02	6.2E-02	1.0E+01	6.1E-02
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.15E-07	.	1.4E+06	1.4E+06	.	1.5E+00	1.5E+00
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	6.63E-07	.	2.0E+07	2.0E+07	.	2.6E-01	2.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.58E-07	2.0E-02	4.5E+00	2.0E-02	3.0E-03	6.8E-01	3.0E-03
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.36E-07	2.5E+03	3.3E+03	1.4E+03	2.5E-01	3.3E-01	1.4E-01
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.37E-07	.	3.1E+06	3.1E+06	.	1.3E+00	1.3E+00
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	4.92E-07	3.6E+06	2.2E+05	2.1E+05	5.7E+00	3.6E-01	3.4E-01
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	4.83E-07	.	4.2E+05	4.2E+05	.	3.6E-01	3.6E-01
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.64E-07	5.2E+04	8.0E+04	3.2E+04	7.0E-01	1.1E+00	4.2E-01
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.48E-07	2.3E+05	1.6E+05	9.5E+04	1.6E+00	1.2E+00	6.9E-01
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.24E-07	1.3E+03	3.5E+03	9.4E+02	1.2E-01	3.3E-01	9.0E-02
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	2.07E-10	6.0E-02	8.6E+02	6.0E-02	5.9E-02	8.5E+02	5.9E-02
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.03E-09	2.1E+00	6.0E+03	2.1E+00	2.0E-02	5.8E+01	2.0E-02
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.74E-07	4.0E-03	1.0E+00	4.0E-03	4.0E-03	1.0E+00	4.0E-03
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.13E-07	1.3E+02	9.7E+02	1.1E+02	2.1E-01	1.6E+00	1.8E-01
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	6.03E-12	8.0E-02	4.7E+04	8.0E-02	4.9E-02	2.9E+04	4.9E-02
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.81E-07	2.2E-03	9.7E-01	2.2E-03	2.2E-03	9.7E-01	2.2E-03
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.36E-10	.	4.7E+08	4.7E+08	.	3.3E+02	3.3E+02
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	8.87E-08	8.4E+00	3.6E+02	8.2E+00	4.6E-02	2.0E+00	4.5E-02
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.88E-09	1.4E+02	4.5E+04	1.4E+02	7.9E-02	2.5E+01	7.9E-02
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	2.87E-07	7.9E+02	4.0E+03	6.6E+02	1.2E-01	6.1E-01	1.0E-01
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	7.64E-08	3.3E+05	2.9E+05	1.5E+05	2.6E+00	2.3E+00	1.2E+00
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.35E-07	4.2E+05	9.3E+04	7.6E+04	2.4E+00	5.2E-01	4.3E-01
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.84E-08	.	3.5E+08	3.5E+08	.	9.5E+00	9.5E+00
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	9.69E-08	.	6.3E+06	6.3E+06	.	1.8E+00	1.8E+00
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.81E-08	.	3.2E+06	3.2E+06	.	3.0E+00	3.0E+00
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.41E-07	4.1E+06	9.1E+05	7.5E+05	5.6E+00	1.2E+00	1.0E+00
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.75E-08	4.0E+05	1.1E+06	3.0E+05	2.2E+00	6.4E+00	1.7E+00
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.35E-07	1.0E+06	3.1E+05	2.4E+05	4.3E+00	1.3E+00	1.0E+00
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	2.56E-09	7.1E+03	2.1E+06	7.1E+03	2.4E-01	6.8E+01	2.4E-01
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	4.89E-08	3.7E+06	1.1E+06	8.5E+05	1.2E+01	3.6E+00	2.8E+00
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.82E-07	1.7E+04	2.7E+04	1.0E+04	6.3E-01	9.6E-01	3.8E-01
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	9.56E-10	9.2E+01	3.4E+05	9.2E+01	4.9E-02	1.8E+02	4.9E-02
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.50E-09	1.3E+06	1.6E+06	7.3E+05	2.2E+01	2.7E+01	1.2E+01
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.02E-08	.	1.9E+07	1.9E+07	.	2.2E+00	2.2E+00
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	2.9E-05	.	2.9E-05	2.8E-05	.	2.8E-05
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.40E-08	1.8E+01	7.2E+03	1.8E+01	3.1E-02	1.2E+01	3.1E-02
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	4.01E-08	8.2E+04	3.8E+05	6.8E+04	9.3E-01	4.4E+00	7.7E-01
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	9.88E-08	5.6E+06	1.3E+06	1.1E+06	7.7E+00	1.8E+00	1.4E+00
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.79E-08	5.7E+06	7.8E+06	3.3E+06	7.1E+00	9.8E+00	4.1E+00
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.16E-07	.	4.8E+07	4.8E+07	.	1.5E+00	1.5E+00
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.15E-08	.	7.7E+06	7.7E+06	.	2.8E+00	2.8E+00
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	1.98E-07	.	.	.	.	.	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.34E-07	.	.	.	.	.	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.75E-12	.	.	.	.	.	.
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	6.85E-08	.	.	.	.	.	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	5.55E-12	.	.	.	.	.	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.35E-07	3.6E+06	8.0E+05	6.6E+05	5.8E+00	1.3E+00	1.1E+00
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	8.27E-09	2.4E+07	5.3E+06	4.4E+06	9.5E+01	2.1E+01	1.7E+01
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.33E-07	2.6E+02	1.9E+03	2.3E+02	1.8E-01	1.3E+00	1.6E-01
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.3E+00	4.3E+04	2.3E+00	1.4E-01	2.7E+03	1.4E-01
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.3E+00	4.3E+04	2.3E+00	1.4E-01	2.7E+03	1.4E-01
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.36E-08	8.8E-05	1.3E+01	8.8E-05	8.8E-05	1.3E+01	8.8E-05
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	4.61E-09	1.5E+02	2.6E+05	1.5E+02	2.3E-02	3.8E+01	2.3E-02
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	2.07E-09	1.0E-05	8.5E+01	1.0E-05	1.0E-05	8.5E+01	1.0E-05
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.52E-08	1.0E-05	7.0E+00	1.0E-05	1.0E-05	7.0E+00	1.0E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	6.88E-08	1.7E+02	7.6E+03	1.7E+02	5.7E-02	2.5E+00	5.6E-02
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.81E-08	1.8E+02	2.6E+04	1.8E+02	6.6E-02	9.7E+00	6.6E-02
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.20E-07	2.6E+05	2.2E+05	1.2E+05	1.7E+00	1.5E+00	8.0E-01
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.69E-08	.	6.0E+06	6.0E+06	.	4.7E+00	4.7E+00
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.88E-09	1.0E+07	3.0E+07	7.6E+06	1.6E+01	4.5E+01	1.2E+01
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.28E-08	.	2.2E+07	2.2E+07	.	5.3E+00	5.3E+00
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.05E-07	.	2.8E+06	2.8E+06	.	1.7E+00	1.7E+00
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.17E-07	.	3.3E+06	3.3E+06	.	4.2E-01	4.2E-01
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.16E-07	.	6.8E+06	6.8E+06	.	1.5E+00	1.5E+00
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.14E-07	.	3.2E+07	3.2E+07	.	1.5E+00	1.5E+00
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	1.15E-08	4.7E+06	6.4E+06	2.7E+06	1.1E+01	1.5E+01	6.4E+00
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.60E-07	1.4E+05	9.5E+04	5.6E+04	1.6E+00	1.1E+00	6.5E-01
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.54E-08	1.3E+03	2.6E+04	1.3E+03	2.0E-01	3.9E+00	1.9E-01
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.66E-08	5.2E+03	3.1E+04	4.5E+03	4.5E-01	2.6E+00	3.8E-01
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.18E-07	1.0E+04	2.3E+04	6.9E+03	6.5E-01	1.5E+00	4.5E-01
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	7.73E-08	3.4E+00	1.5E+02	3.3E+00	5.0E-02	2.3E+00	4.9E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	2.5E-05	.	2.5E-05	2.5E-05	.	2.5E-05
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.71E-13	2.3E+05	2.7E+10	2.3E+05	9.0E+00	1.0E+06	9.0E+00
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.78E-07	.	9.1E+05	9.1E+05	.	9.9E-01	9.9E-01
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	7.13E-09	1.6E+01	1.0E+04	1.6E+01	4.0E-02	2.5E+01	4.0E-02
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	4.32E-10	5.2E+03	4.7E+06	5.2E+03	4.5E-01	4.1E+02	4.5E-01
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	7.13E-09	5.3E+02	1.2E+05	5.3E+02	1.1E-01	2.5E+01	1.1E-01
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	1.14E-10	3.5E-03	4.7E+03	3.5E-03	1.2E-03	1.5E+03	1.2E-03
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.10E-08	3.5E-03	4.9E+01	3.5E-03	1.1E-03	1.6E+01	1.1E-03
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.65E-09	6.2E+05	5.3E+06	5.5E+05	2.4E+00	2.0E+01	2.1E+00
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.16E-07	.	5.5E+06	5.5E+06	.	1.5E+00	1.5E+00
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	3.60E-10	9.4E+00	2.2E+05	9.4E+00	2.1E-02	4.9E+02	2.1E-02
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	5.87E-12	1.2E+01	7.4E+06	1.2E+01	4.8E-02	3.0E+04	4.8E-02
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.74E-09	3.3E+02	2.4E+07	3.3E+02	1.4E-03	1.0E+02	1.4E-03
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.58E-07	8.6E+00	7.7E+03	8.5E+00	1.2E-03	1.1E+00	1.2E-03
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	5.68E-09	5.1E+01	1.3E+05	5.1E+01	1.2E-02	3.1E+01	1.2E-02
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.57E-08	4.7E-02	8.4E+02	4.7E-02	1.3E-04	2.3E+00	1.3E-04
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.63E-09	3.9E-06	4.8E+01	3.9E-06	3.9E-06	4.8E+01	3.9E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.08E-07	2.0E+02	7.8E+03	2.0E+02	4.2E-02	1.6E+00	4.1E-02
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.31E-08	4.5E+00	1.8E+03	4.5E+00	1.9E-02	7.6E+00	1.9E-02
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.69E-07	5.6E+03	2.3E+04	4.5E+03	2.5E-01	1.0E+00	2.0E-01
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.40E-09	.	5.7E+08	5.7E+08	.	7.3E+01	7.3E+01
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.99E-10	3.4E+06	3.3E+08	3.4E+06	9.3E+00	8.8E+02	9.2E+00
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.10E-07	.	1.6E+06	1.6E+06	.	1.6E+00	1.6E+00
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.07E-08	.	2.6E+06	2.6E+06	.	2.5E+00	2.5E+00
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.25E-07	1.0E+07	1.1E+06	9.6E+05	1.3E+01	1.4E+00	1.3E+00
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.87E-07	4.5E+06	5.7E+05	5.0E+05	7.3E+00	9.4E-01	8.3E-01
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.27E-08	1.5E+06	8.2E+05	5.3E+05	6.3E+00	3.3E+00	2.2E+00
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.82E-07	.	1.1E+06	1.1E+06	.	9.6E-01	9.6E-01
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.32E-07	6.4E+05	2.8E+05	2.0E+05	3.0E+00	1.3E+00	9.2E-01
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.64E-08	1.2E+05	2.4E+05	8.1E+04	1.9E+00	3.8E+00	1.3E+00
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.22E-07	4.2E+05	1.5E+05	1.1E+05	4.2E+00	1.4E+00	1.1E+00
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	2.00E-08	1.6E+03	6.2E+04	1.6E+03	2.3E-01	8.7E+00	2.2E-01
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.43E-08	1.2E+04	3.4E+04	9.0E+03	7.5E-01	2.1E+00	5.5E-01
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.10E-08	.	3.8E+07	3.8E+07	.	4.3E+00	4.3E+00
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.20E-13	2.1E-03	2.1E+05	2.1E-03	2.1E-03	2.1E+05	2.1E-03
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.95E-08	2.1E-03	3.5E+00	2.1E-03	2.1E-03	3.5E+00	2.1E-03
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.30E-07	4.8E+04	3.3E+04	1.9E+04	1.1E+00	7.6E-01	4.5E-01
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	3.25E-08	1.0E+03	1.6E+04	9.6E+02	3.5E-01	5.4E+00	3.3E-01
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.40E-07	7.5E+05	9.9E+04	8.7E+04	5.5E+00	7.3E-01	6.4E-01
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.33E-13	1.3E-01	2.1E+05	1.3E-01	1.3E-01	2.1E+05	1.3E-01
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	4.61E-11	6.6E+04	1.8E+08	6.6E+04	1.4E+00	3.8E+03	1.4E+00
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	1.06E-10	2.7E-05	2.4E+03	2.7E-05	1.9E-05	1.6E+03	1.9E-05
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.54E-09	1.9E+03	5.9E+06	1.9E+03	7.3E-03	2.3E+01	7.3E-03
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.51E-08	6.6E+00	1.7E+05	6.6E+00	4.6E-04	1.2E+01	4.6E-04
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.75E-08	2.5E+03	2.2E+06	2.5E+03	7.4E-03	6.4E+00	7.4E-03
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	8.74E-09	1.8E+02	3.5E+04	1.8E+02	1.0E-01	2.0E+01	1.0E-01
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.76E-08	2.8E+04	8.4E+04	2.1E+04	1.6E+00	4.7E+00	1.2E+00
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	1.06E-10	6.2E+01	6.1E+05	6.2E+01	1.7E-01	1.6E+03	1.7E-01
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	1.7E-01	.	1.7E-01	1.7E-01	.	1.7E-01
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	5.62E-10	1.7E+03	3.5E+06	1.7E+03	1.6E-01	3.1E+02	1.6E-01
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.14E-08	.	3.0E+07	3.0E+07	.	1.5E+01	1.5E+01
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.09E-09	1.8E+06	1.1E+07	1.5E+06	4.6E+00	2.9E+01	3.9E+00
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	2.84E-11	3.1E+02	4.4E+07	3.1E+02	4.3E-02	6.2E+03	4.3E-02
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	3.00E-09	.	2.2E+08	2.2E+08	.	5.8E+01	5.8E+01
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.65E-07	.	4.8E+06	4.8E+06	.	1.1E+00	1.1E+00
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	2.85E-07	.	1.8E+06	1.8E+06	.	6.1E-01	6.1E-01
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-08	2.7E+06	2.0E+06	1.2E+06	5.3E+00	3.9E+00	2.3E+00
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.49E-07	3.6E+06	5.0E+05	4.4E+05	8.5E+00	1.2E+00	1.0E+00
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.13E-07	.	2.9E+06	2.9E+06	.	5.6E-01	5.6E-01
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.01E-07	.	3.3E+06	3.3E+06	.	8.7E-01	8.7E-01
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.07E-07	.	3.6E+06	3.6E+06	.	1.6E+00	1.6E+00
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.22E-07	.	8.5E+07	8.5E+07	.	1.4E+00	1.4E+00
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.50E-07	.	7.7E+05	7.7E+05	.	5.0E-01	5.0E-01
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.39E-08	4.7E+06	9.1E+05	7.6E+05	1.1E+01	2.1E+00	1.7E+00
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	9.81E-08	.	2.4E+07	2.4E+07	.	1.8E+00	1.8E+00
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.41E-08	7.8E-01	1.2E+02	7.7E-01	3.3E-02	5.1E+00	3.2E-02
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.76E-07	9.4E-02	1.7E+01	9.3E-02	5.4E-03	9.9E-01	5.3E-03
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	1.21E-09	3.7E-02	2.3E+02	3.7E-02	2.4E-02	1.4E+02	2.4E-02
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.43E-08	9.5E-03	6.8E+00	9.4E-03	2.9E-03	2.1E+00	2.9E-03
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	3.88E-12	1.2E-01	3.0E+05	1.2E-01	1.8E-02	4.5E+04	1.8E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	6.94E-08	3.3E+01	3.0E+03	3.3E+01	2.8E-02	2.5E+00	2.8E-02
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.28E-07	2.2E+00	1.2E+02	2.1E+00	1.4E-02	7.7E-01	1.4E-02
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.45E-09	2.3E+02	3.5E+05	2.3E+02	8.1E-02	1.2E+02	8.1E-02
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.76E-07	3.7E+04	5.6E+04	2.2E+04	6.5E-01	9.9E-01	3.9E-01
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.57E-08	6.7E+02	2.6E+04	6.5E+02	1.3E-01	4.9E+00	1.2E-01
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.47E-08	.	1.1E+07	1.1E+07	.	5.0E+00	5.0E+00
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.78E-07	.	1.2E+06	1.2E+06	.	9.8E-01	9.8E-01
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	7.42E-09	.	4.1E+07	4.1E+07	.	2.4E+01	2.4E+01
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.22E-07	.	4.1E+06	4.1E+06	.	7.9E-01	7.9E-01
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.15E-07	.	2.8E+06	2.8E+06	.	8.1E-01	8.1E-01
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	1.92E-07	6.5E+05	2.3E+05	1.7E+05	2.6E+00	9.1E-01	6.8E-01
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.30E-07	8.8E+03	5.8E+04	7.6E+03	2.0E-01	1.3E+00	1.8E-01
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.86E-07	2.5E+05	8.6E+04	6.4E+04	2.7E+00	9.4E-01	7.0E-01
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.35E-07	9.7E-01	9.3E+02	9.7E-01	1.3E-03	1.3E+00	1.3E-03
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.49E-07	3.1E+04	3.1E+04	1.6E+04	1.2E+00	1.2E+00	5.9E-01
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.36E-12	7.9E-05	4.4E+05	7.9E-05	1.3E-05	7.4E+04	1.3E-05
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	6.97E-10	1.1E-05	2.7E+02	1.1E-05	1.0E-05	2.5E+02	1.0E-05
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.13E-12	9.3E-04	7.1E+06	9.3E-04	2.0E-05	1.6E+05	2.0E-05
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	9.47E-10	.	2.0E+11	2.0E+11	.	1.9E+02	1.9E+02
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.03E-08	.	2.1E+08	2.1E+08	.	1.7E+01	1.7E+01
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.35E-12	.	5.2E+18	5.2E+18	.	4.0E+04	4.0E+04
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	9.66E-12	.	6.0E+16	6.0E+16	.	1.8E+04	1.8E+04
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	1.97E-11	.	2.7E+15	2.7E+15	.	8.9E+03	8.9E+03
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.78E-12	.	3.7E+14	3.7E+14	.	9.8E+04	9.8E+04
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.07E-15	.	4.8E+14	4.8E+14	.	1.6E+08	1.6E+08
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.63E-07	5.4E+06	4.0E+05	3.7E+05	6.6E+00	4.8E-01	4.5E-01
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.73E-07	2.0E+06	3.4E+05	2.9E+05	3.8E+00	6.4E-01	5.5E-01
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	9.75E-08	2.6E+06	6.8E+05	5.4E+05	6.8E+00	1.8E+00	1.4E+00
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.52E-07	9.4E+06	4.8E+05	4.6E+05	1.4E+01	7.0E-01	6.6E-01
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.07E-08	6.7E+05	5.1E+05	2.9E+05	5.7E+00	4.3E+00	2.4E+00
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.28E-08	.	1.2E+07	1.2E+07	.	1.9E+00	1.9E+00
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	2.87E-07	1.2E+05	4.4E+04	3.2E+04	1.7E+00	6.1E-01	4.5E-01
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.27E-08	1.4E+05	4.7E+05	1.1E+05	4.2E+00	1.4E+01	3.2E+00
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.09E-08	.	7.7E+06	7.7E+06	.	2.9E+00	2.9E+00
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	7.76E-09	6.9E+02	1.8E+05	6.9E+02	8.8E-02	2.3E+01	8.7E-02
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	4.3E+06	.	4.3E+06	6.8E+00	.	6.8E+00
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	1.00E-10	1.4E+01	8.1E+05	1.4E+01	3.0E-02	1.7E+03	3.0E-02
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.54E-09	4.4E+06	2.0E+07	3.6E+06	8.3E+00	3.9E+01	6.8E+00
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	5.74E-10	.	3.9E+08	3.9E+08	.	3.1E+02	3.1E+02
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.50E-09	8.1E+03	1.8E+06	8.1E+03	3.2E-01	7.0E+01	3.2E-01
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.24E-07	1.8E+06	5.3E+05	4.1E+05	4.9E+00	1.4E+00	1.1E+00
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.40E-08	5.7E+06	2.2E+06	1.6E+06	8.3E+00	3.2E+00	2.3E+00
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.21E-07	.	5.8E+06	5.8E+06	.	1.5E+00	1.5E+00
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.08E-07	.	7.4E+06	7.4E+06	.	1.6E+00	1.6E+00
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.54E-08	2.5E+06	1.2E+06	8.2E+05	4.8E+00	2.3E+00	1.6E+00
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.54E-08	1.0E+05	1.7E+05	6.4E+04	1.4E+00	2.3E+00	8.8E-01
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.69E-08	8.9E+04	1.7E+05	5.8E+04	1.4E+00	2.6E+00	9.0E-01
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.98E-08	2.4E+01	5.5E+03	2.4E+01	3.8E-02	8.8E+00	3.8E-02
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.18E-08	6.5E+03	4.7E+04	5.7E+03	4.7E-01	3.4E+00	4.1E-01
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	2.0E-05	.	2.0E-05	2.0E-05	.	2.0E-05
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.93E-08	4.4E+02	1.3E+04	4.2E+02	1.9E-01	6.0E+00	1.9E-01
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.05E-13	1.8E-01	4.1E+05	1.8E-01	1.5E-01	3.5E+05	1.5E-01
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	8.24E-10	1.1E+02	3.1E+05	1.1E+02	7.8E-02	2.1E+02	7.8E-02
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	5.84E-09	1.0E+02	4.7E+04	1.0E+02	6.4E-02	3.0E+01	6.4E-02
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	2.21E-09	1.3E+03	6.0E+05	1.3E+03	1.7E-01	7.9E+01	1.7E-01
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	7.73E-09	1.0E+05	2.2E+06	9.8E+04	1.1E+00	2.3E+01	1.0E+00
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.26E-08	1.3E+06	2.3E+06	8.2E+05	4.3E+00	7.8E+00	2.8E+00
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	5.55E-09	1.1E+03	3.8E+05	1.1E+03	8.8E-02	3.2E+01	8.8E-02
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	3.38E-10	8.0E+01	1.8E+06	8.0E+01	2.3E-02	5.2E+02	2.3E-02
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.14E-08	8.0E+01	2.8E+04	8.0E+01	2.3E-02	8.2E+00	2.3E-02
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	5.65E-09	1.3E+03	8.4E+06	1.3E+03	4.7E-03	3.1E+01	4.7E-03
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	6.09E-09	6.4E+01	5.0E+05	6.4E+01	3.7E-03	2.9E+01	3.7E-03
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	8.49E-09	3.9E+07	7.4E+06	6.2E+06	1.1E+02	2.1E+01	1.7E+01
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	9.15E-12	6.1E-05	1.2E+05	6.1E-05	1.0E-05	1.9E+04	1.0E-05
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	4.35E-09	2.8E+01	5.6E+03	2.8E+01	2.0E-01	4.0E+01	2.0E-01
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	6.91E-12	6.3E-06	2.8E+04	6.3E-06	5.7E-06	2.5E+04	5.7E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.3E-06	2.0E+04	5.3E-06	5.3E-06	2.0E+04	5.3E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.3E-06	2.0E+04	5.3E-06	5.3E-06	2.0E+04	5.3E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	6.82E-12	5.3E-06	2.6E+04	5.3E-06	5.3E-06	2.6E+04	5.3E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.50E-13	5.9E-04	2.0E+06	5.9E-04	3.4E-04	1.2E+06	3.4E-04
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.50E-11	5.6E-06	1.2E+04	5.6E-06	5.6E-06	1.2E+04	5.6E-06
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	2.20E-09	2.9E+04	2.4E+06	2.8E+04	9.3E-01	8.0E+01	9.2E-01
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.46E-09	5.7E-06	7.1E+01	5.7E-06	5.7E-06	7.1E+01	5.7E-06
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	3.98E-08	5.7E-06	4.4E+00	5.7E-06	5.7E-06	4.4E+00	5.7E-06
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.54E-08	2.0E+03	5.6E+04	1.9E+03	1.4E-01	3.9E+00	1.3E-01
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.33E-08	9.2E+00	7.7E+03	9.2E+00	1.6E-02	1.3E+01	1.6E-02
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.2E+11	5.2E+11	.	9.5E+00	9.5E+00
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.2E+11	5.2E+11	.	9.5E+00	9.5E+00
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.24E-10	.	1.0E+13	1.0E+13	.	3.3E+02	3.3E+02
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	9.5E+08	9.5E+08	.	4.9E+01	4.9E+01
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	9.5E+08	9.5E+08	.	4.9E+01	4.9E+01
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.01E-09	.	2.5E+09	2.5E+09	.	1.7E+02	1.7E+02
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.42E-08	5.6E-03	6.8E+03	5.6E-03	1.0E-05	1.2E+01	1.0E-05
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	2.07E-08	5.6E-03	4.7E+03	5.6E-03	1.0E-05	8.5E+00	1.0E-05
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-09	4.5E-02	2.7E+05	4.5E-02	2.6E-05	1.6E+02	2.6E-05
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.20E-09	4.5E-02	2.5E+05	4.5E-02	2.6E-05	1.5E+02	2.6E-05
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	4.99E-10	4.8E-03	1.5E+05	4.8E-03	1.1E-05	3.5E+02	1.1E-05
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	7.70E-10	1.1E-05	2.3E+02	1.1E-05	1.1E-05	2.3E+02	1.1E-05
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.09E-07	1.1E-05	8.4E-01	1.1E-05	1.0E-05	8.4E-01	1.0E-05
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.55E-08	1.0E+05	2.4E+06	1.0E+05	4.8E-01	1.1E+01	4.6E-01
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	5.81E-12	2.1E-05	9.6E+04	2.1E-05	6.8E-06	3.0E+04	6.8E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.02E-07	2.1E-05	5.5E+00	2.1E-05	6.8E-06	1.7E+00	6.8E-06
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	8.11E-09	8.3E+04	2.1E+06	8.0E+04	8.4E-01	2.2E+01	8.1E-01
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.77E-07	.	2.4E+06	2.4E+06	.	9.9E-01	9.9E-01
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.21E-07	3.1E+06	1.7E+05	1.6E+05	6.1E+00	3.4E-01	3.2E-01
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	3.85E-07	.	7.2E+05	7.2E+05	.	4.6E-01	4.6E-01
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.64E-07	2.4E+06	4.3E+05	3.6E+05	6.1E+00	1.1E+00	9.1E-01
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.37E-07	.	2.1E+07	2.1E+07	.	1.3E+00	1.3E+00
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.68E-08	6.2E+04	1.0E+05	3.8E+04	1.9E+00	3.1E+00	1.2E+00
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.68E-09	2.3E+06	2.0E+07	2.0E+06	7.6E+00	6.5E+01	6.8E+00
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.27E-07	.	9.9E+06	9.9E+06	.	1.4E+00	1.4E+00
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.41E-07	2.8E+04	1.2E+04	8.4E+03	1.2E+00	5.1E-01	3.6E-01
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.46E-08	4.2E+00	2.4E+02	4.1E+00	5.7E-02	3.2E+00	5.6E-02
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.05E-07	5.5E+00	3.2E+02	5.4E+00	2.8E-02	1.7E+00	2.8E-02
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.20E-08	9.1E+06	1.9E+06	1.6E+06	2.0E+01	4.2E+00	3.5E+00
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.15E-08	6.0E+00	5.2E+03	6.0E+00	1.8E-02	1.5E+01	1.8E-02
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.19E-08	.	2.5E+07	2.5E+07	.	2.8E+00	2.8E+00
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	1.46E-11	6.6E-03	1.2E+04	6.6E-03	6.6E-03	1.2E+04	6.6E-03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	8.33E-08	2.7E+06	1.1E+06	7.7E+05	5.3E+00	2.1E+00	1.5E+00
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	2.78E-07	4.6E+06	3.8E+05	3.5E+05	7.6E+00	6.3E-01	5.8E-01
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	2.74E-07	.	2.2E+06	2.2E+06	.	6.4E-01	6.4E-01
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.17E-07	.	8.9E+05	8.9E+05	.	4.2E-01	4.2E-01
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.08E-07	7.8E+06	5.8E+05	5.4E+05	1.1E+01	8.4E-01	7.9E-01
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.24E-07	7.4E+06	6.6E+05	6.1E+05	1.6E+01	1.4E+00	1.3E+00
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.38E-07	.	4.7E+06	4.7E+06	.	1.3E+00	1.3E+00
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.84E-08	2.7E+03	1.5E+04	2.3E+03	3.6E-01	2.0E+00	3.0E-01
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.05E-07	1.5E+02	2.0E+03	1.4E+02	6.4E-02	8.5E-01	6.0E-02
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.42E-07	5.8E+03	1.5E+04	4.2E+03	4.9E-01	1.2E+00	3.5E-01
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	1.34E-08	2.2E+00	1.2E+03	2.1E+00	2.4E-02	1.3E+01	2.4E-02
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.01E-07	5.9E+00	2.9E+02	5.8E+00	3.6E-02	1.7E+00	3.5E-02
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.10E-08	3.1E-01	1.6E+02	3.1E-01	8.3E-03	4.3E+00	8.3E-03
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	2.04E-09	1.2E+02	1.5E+05	1.2E+02	6.8E-02	8.6E+01	6.8E-02
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	9.97E-10	1.8E-03	1.8E+02	1.8E-03	1.8E-03	1.8E+02	1.8E-03
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	3.03E-09	1.8E-03	5.8E+01	1.8E-03	1.8E-03	5.8E+01	1.8E-03
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.7E+00	.	2.7E+00	2.7E+00	.	2.7E+00
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	7.13E-09	1.2E+03	2.2E+05	1.2E+03	1.3E-01	2.5E+01	1.3E-01
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	5.40E-09	2.7E+06	1.6E+07	2.3E+06	5.6E+00	3.2E+01	4.8E+00
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	6.00E-09	1.1E+03	1.8E+05	1.1E+03	1.8E-01	2.9E+01	1.7E-01
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.52E-07	.	3.4E+06	3.4E+06	.	1.2E+00	1.2E+00
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.04E-07	2.4E+04	8.0E+04	1.8E+04	5.0E-01	1.7E+00	3.9E-01
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.38E-07	2.3E+03	3.8E+03	1.4E+03	3.1E-01	5.2E-01	1.9E-01
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.08E-09	.	6.8E+07	6.8E+07	.	3.4E+01	3.4E+01
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.91E-08	9.1E-02	3.2E+01	9.1E-02	1.7E-02	6.0E+00	1.7E-02
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.05E-08	6.1E+02	8.4E+03	5.7E+02	4.2E-01	5.8E+00	3.9E-01
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.65E-08	3.5E-01	9.5E+01	3.5E-01	1.1E-02	3.1E+00	1.1E-02
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.47E-07	2.1E-02	3.3E+00	2.1E-02	4.4E-03	7.1E-01	4.4E-03
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	1.11E-11	5.3E+06	2.6E+09	5.3E+06	3.3E+01	1.6E+04	3.2E+01
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.08E-09	.	1.1E+09	1.1E+09	.	8.4E+01	8.4E+01
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	2.12E-09	.	1.7E+08	1.7E+08	.	8.3E+01	8.3E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.58E-09	8.0E+02	8.8E+04	7.9E+02	1.9E-01	2.0E+01	1.8E-01
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.49E-08	.	1.3E+08	1.3E+08	.	7.0E+00	7.0E+00
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.35E-07	7.5E+04	3.6E+04	2.4E+04	1.1E+00	5.2E-01	3.5E-01
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-08	4.3E+06	2.1E+06	1.4E+06	1.0E+01	5.0E+00	3.4E+00
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.79E-08	.	1.5E+08	1.5E+08	.	4.6E+00	4.6E+00
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.35E-08	.	3.6E+07	3.6E+07	.	5.2E+00	5.2E+00
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.54E-07	.	3.0E+06	3.0E+06	.	3.9E-01	3.9E-01
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.07E-07	.	1.0E+06	1.0E+06	.	5.7E-01	5.7E-01
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.09E-07	.	7.5E+06	7.5E+06	.	1.6E+00	1.6E+00
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.61E-07	.	3.5E+05	3.5E+05	.	3.8E-01	3.8E-01
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.53E-07	.	6.9E+06	6.9E+06	.	1.1E+00	1.1E+00
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.67E-07	1.9E+06	3.1E+05	2.7E+05	6.5E+00	1.0E+00	9.0E-01
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.72E-07	1.1E+06	1.3E+05	1.1E+05	5.7E+00	6.4E-01	5.8E-01
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.10E-07	.	8.7E+05	8.7E+05	.	8.3E-01	8.3E-01
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.12E-08	2.5E+01	1.1E+03	2.4E+01	6.3E-02	2.9E+00	6.1E-02
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.32E-08	9.3E+04	7.7E+04	4.2E+04	2.9E+00	2.4E+00	1.3E+00
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.11E-07	.	1.5E+06	1.5E+06	.	1.6E+00	1.6E+00
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.39E-07	.	4.0E+05	4.0E+05	.	1.3E+00	1.3E+00
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	6.85E-09	.	1.6E+06	1.6E+06	.	2.6E+01	2.6E+01
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.19E-07	.	8.3E+03	8.3E+03	.	8.0E-01	8.0E-01
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	3.88E-11	.	1.7E+09	1.7E+09	.	4.5E+03	4.5E+03
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	8.62E-11	.	3.2E+13	3.2E+13	.	2.0E+03	2.0E+03
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.44E-09	.	3.8E+09	3.8E+09	.	2.7E+01	2.7E+01
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.47E-09	.	3.7E+09	3.7E+09	.	2.7E+01	2.7E+01
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.10E-11	.	2.4E+10	2.4E+10	.	2.5E+03	2.5E+03
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.5E+01	6.6E+06	1.5E+01	9.3E-03	4.0E+03	9.3E-03
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.5E+01	6.6E+06	1.5E+01	9.3E-03	4.0E+03	9.3E-03
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	3.88E-08	.	1.7E+06	1.7E+06	.	4.5E+00	4.5E+00
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.59E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	8.55E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.49E-08	2.2E-02	1.2E+02	2.2E-02	1.3E-03	7.0E+00	1.3E-03
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.13E-08	.	1.0E+07	1.0E+07	.	4.2E+00	4.2E+00
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	6.60E-09	.	5.3E+07	5.3E+07	.	2.7E+01	2.7E+01
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.38E-07	.	1.8E+06	1.8E+06	.	7.4E-01	7.4E-01
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	5.78E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.44E-07	1.9E+05	1.1E+05	7.1E+04	2.1E+00	1.2E+00	7.6E-01
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.49E-08	.	.	.	.	.	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	1.33E-12	.	.	.	.	.	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	3.94E-07	.	8.0E+05	8.0E+05	.	4.4E-01	4.4E-01
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.17E-07	1.3E+04	4.3E+04	9.9E+03	2.4E-01	8.1E-01	1.9E-01
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.69E-07	.	7.6E+06	7.6E+06	.	1.0E+00	1.0E+00
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.44E-07	.	1.7E+06	1.7E+06	.	1.2E+00	1.2E+00
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.22E-07	.	1.4E+06	1.4E+06	.	5.4E-01	5.4E-01
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	9.94E-08	3.4E+06	5.0E+05	4.4E+05	1.2E+01	1.8E+00	1.5E+00
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.74E-07	7.7E+06	3.7E+05	3.5E+05	1.3E+01	6.4E-01	6.1E-01
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.63E-07	5.1E+05	7.3E+04	6.4E+04	3.3E+00	4.8E-01	4.2E-01
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.79E-08	3.6E+05	5.3E+05	2.2E+05	6.7E+00	9.8E+00	4.0E+00
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.12E-08	.	4.9E+06	4.9E+06	.	1.9E+00	1.9E+00
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.07E-07	3.3E+04	1.7E+04	1.1E+04	1.1E+00	5.7E-01	3.7E-01
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	2.99E-10	6.4E+03	2.3E+06	6.4E+03	1.6E+00	5.9E+02	1.6E+00
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.02E-08	1.4E+07	2.0E+06	1.8E+06	2.5E+01	3.5E+00	3.1E+00
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	2.88E-07	9.1E+01	6.7E+02	8.0E+01	8.3E-02	6.1E-01	7.3E-02
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.08E-08	1.2E+02	8.0E+03	1.2E+02	5.0E-02	3.4E+00	5.0E-02
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	4.13E-09	.	9.2E+07	9.2E+07	.	4.2E+01	4.2E+01
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.24E-07	9.7E-01	8.2E+01	9.6E-01	9.3E-03	7.8E-01	9.2E-03
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.02E-08	.	2.1E+07	2.1E+07	.	3.5E+00	3.5E+00
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	1.11E-14	9.1E+06	7.1E+12	9.1E+06	2.0E+01	1.6E+07	2.0E+01
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.80E-08	4.6E-02	2.3E+01	4.6E-02	7.3E-03	3.7E+00	7.3E-03
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.16E-07	1.1E+01	2.8E+02	1.0E+01	2.1E-02	5.6E-01	2.0E-02
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.77E-07	4.1E+06	4.7E+05	4.2E+05	8.6E+00	9.9E-01	8.9E-01
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	7.92E-08	5.9E+01	3.6E+03	5.8E+01	3.6E-02	2.2E+00	3.5E-02
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.57E-07	3.1E+03	8.3E+03	2.2E+03	1.8E-01	4.9E-01	1.3E-01
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.20E-07	1.1E+07	7.0E+05	6.6E+05	1.3E+01	8.0E-01	7.5E-01
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.74E-07	9.8E+03	3.5E+04	7.7E+03	2.8E-01	1.0E+00	2.2E-01
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	3.82E-07	6.6E+05	1.1E+05	9.1E+04	2.9E+00	4.6E-01	4.0E-01
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.19E-07	.	7.9E+05	7.9E+05	.	5.5E-01	5.5E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.51E-07	1.2E+06	2.8E+05	2.2E+05	2.9E+00	7.0E-01	5.6E-01
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.41E-07	.	1.9E+06	1.9E+06	.	5.1E-01	5.1E-01
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.02E-07	.	3.1E+06	3.1E+06	.	3.5E-01	3.5E-01
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.11E-07	2.6E+04	6.2E+04	1.8E+04	6.6E-01	1.6E+00	4.7E-01
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.50E-07	1.7E+04	2.7E+04	1.1E+04	4.5E-01	7.0E-01	2.8E-01
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.06E-08	1.1E+02	1.5E+04	1.1E+02	4.3E-02	5.7E+00	4.2E-02
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.39E-07	9.1E-01	5.5E+01	8.9E-01	1.2E-02	7.3E-01	1.2E-02
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	1.15E-08	1.8E+02	2.9E+04	1.8E+02	9.7E-02	1.5E+01	9.6E-02
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.01E-07	2.6E+02	1.5E+03	2.2E+02	7.5E-02	4.4E-01	6.4E-02
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	6.09E-10	4.4E+05	4.6E+07	4.4E+05	2.8E+00	2.9E+02	2.8E+00
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	3.91E-07	.	2.4E+06	2.4E+06	.	4.5E-01	4.5E-01
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	7.89E-08	3.9E+05	4.9E+05	2.2E+05	1.8E+00	2.2E+00	9.8E-01
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.86E-07	.	1.8E+06	1.8E+06	.	9.4E-01	9.4E-01
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	1.38E-09	1.4E+01	9.6E+04	1.4E+01	1.9E-02	1.3E+02	1.9E-02
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.21E-07	7.4E+03	3.1E+04	5.9E+03	3.5E-01	1.4E+00	2.8E-01
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	2.96E-08	8.8E+05	1.4E+06	5.3E+05	3.8E+00	5.9E+00	2.3E+00
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	4.13E-08	3.2E+00	2.2E+02	3.1E+00	6.0E-02	4.2E+00	5.9E-02
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	9.12E-09	.	6.0E+08	6.0E+08	.	1.9E+01	1.9E+01
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	1.35E-12	1.6E-02	1.3E+05	1.6E-02	1.6E-02	1.3E+05	1.6E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	8.68E-10	.	4.7E+08	4.7E+08	.	2.0E+02	2.0E+02
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.20E-09	5.6E+06	7.2E+07	5.2E+06	1.1E+01	1.5E+02	1.1E+01
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	1.34E-09	3.3E+05	2.1E+07	3.2E+05	2.1E+00	1.3E+02	2.0E+00
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.14E-07	1.7E+06	2.3E+05	2.0E+05	4.1E+00	5.6E-01	4.9E-01
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.20E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.70E-08	.	1.1E+07	1.1E+07	.	3.7E+00	3.7E+00
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	3.85E-10	5.6E+04	2.6E+07	5.6E+04	9.7E-01	4.6E+02	9.7E-01
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	4.26E-12	1.1E-03	4.4E+04	1.1E-03	1.0E-03	4.1E+04	1.0E-03
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	3.63E-10	1.0E-03	5.2E+02	1.0E-03	9.7E-04	4.8E+02	9.7E-04
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.67E-07	.	3.7E+06	3.7E+06	.	1.1E+00	1.1E+00
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.37E-08	2.5E+06	1.7E+06	1.0E+06	4.0E+00	2.7E+00	1.6E+00
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.63E-07	9.2E+06	9.6E+05	8.7E+05	1.0E+01	1.1E+00	9.7E-01
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.26E-07	1.9E+06	3.1E+05	2.7E+05	4.7E+00	7.8E-01	6.6E-01
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.03E-08	1.7E+05	2.1E+06	1.6E+05	1.3E+00	1.7E+01	1.2E+00
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	5.90E-08	.	3.1E+06	3.1E+06	.	3.0E+00	3.0E+00
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	7.89E-08	.	1.8E+07	1.8E+07	.	2.2E+00	2.2E+00
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	2.74E-09	9.5E-01	1.2E+03	9.5E-01	5.1E-02	6.4E+01	5.1E-02
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	2.1E-05	.	2.1E-05	2.1E-05	.	2.1E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	2.3E-05	.	2.3E-05	2.3E-05	.	2.3E-05
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	2.8E-05	.	2.8E-05	2.7E-05	.	2.7E-05
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	5.14E-14	3.5E-02	3.7E+06	3.5E-02	3.2E-02	3.4E+06	3.2E-02
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	4.83E-09	3.0E+02	1.2E+05	3.0E+02	9.3E-02	3.6E+01	9.3E-02
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	1.01E-08	3.6E+06	7.1E+06	2.4E+06	8.8E+00	1.7E+01	5.8E+00
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	1.15E-08	4.5E+03	2.5E+05	4.4E+03	2.8E-01	1.5E+01	2.7E-01
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-08	.	4.3E+06	4.3E+06	.	3.8E+00	3.8E+00
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.37E-07	.	6.1E+06	6.1E+06	.	1.3E+00	1.3E+00
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.45E-08	1.1E+07	2.1E+06	1.8E+06	1.3E+01	2.4E+00	2.0E+00
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.69E-07	8.0E+06	3.3E+05	3.2E+05	1.6E+01	6.5E-01	6.3E-01
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	3.04E-08	1.5E+04	2.1E+05	1.4E+04	4.1E-01	5.8E+00	3.8E-01
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.59E-08	2.7E+06	8.1E+05	6.3E+05	1.1E+01	3.1E+00	2.4E+00
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	8.08E-10	1.1E+00	1.2E+04	1.1E+00	2.0E-02	2.2E+02	2.0E-02
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	2.07E-10	1.1E+07	3.6E+08	1.0E+07	2.5E+01	8.5E+02	2.4E+01
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.51E-08	1.3E+01	5.3E+03	1.3E+01	2.9E-02	1.2E+01	2.9E-02
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	1.82E-10	5.2E-01	2.1E+04	5.2E-01	2.4E-02	9.6E+02	2.4E-02
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	1.67E-11	1.5E+03	5.9E+07	1.5E+03	2.7E-01	1.1E+04	2.7E-01
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	9.25E-11	8.3E-03	2.3E+03	8.3E-03	6.8E-03	1.9E+03	6.8E-03
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	1.05E-10	8.1E-03	2.0E+03	8.1E-03	6.7E-03	1.7E+03	6.7E-03
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.06E-09	3.1E-01	8.1E+03	3.1E-01	6.3E-03	1.7E+02	6.3E-03
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.48E-08	1.1E+06	2.7E+06	7.9E+05	4.9E+00	1.2E+01	3.5E+00
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.07E-08	1.2E+01	2.8E+03	1.2E+01	1.9E-02	4.3E+00	1.9E-02
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-08	.	4.3E+06	4.3E+06	.	4.5E+00	4.5E+00
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	4.32E-09	7.0E-04	4.1E+01	7.0E-04	7.0E-04	4.1E+01	7.0E-04
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.26E-07	7.0E-04	7.8E-01	7.0E-04	7.0E-04	7.8E-01	7.0E-04
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.30E-07	4.6E+04	5.5E+04	2.5E+04	6.4E-01	7.6E-01	3.5E-01
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.63E-08	.	5.8E+06	5.8E+06	.	2.6E+00	2.6E+00
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.34E-08	1.9E+05	4.3E+05	1.3E+05	1.2E+00	2.8E+00	8.4E-01
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.19E-07	.	6.0E+06	6.0E+06	.	1.5E+00	1.5E+00
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.04E-07	.	4.1E+06	4.1E+06	.	1.7E+00	1.7E+00
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.05E-07	.	9.0E+06	9.0E+06	.	1.7E+00	1.7E+00
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.33E-07	.	5.3E+06	5.3E+06	.	1.3E+00	1.3E+00
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	4.86E-08	4.6E+04	3.1E+05	4.0E+04	5.3E-01	3.6E+00	4.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.57E-07	1.7E+06	4.6E+05	3.6E+05	4.1E+00	1.1E+00	8.8E-01
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	9.53E-12	1.6E+00	4.6E+06	1.6E+00	6.6E-03	1.8E+04	6.6E-03
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.27E-07	1.6E+00	3.4E+02	1.6E+00	6.6E-03	1.4E+00	6.6E-03
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.37E-08	9.3E+02	8.8E+03	8.4E+02	2.0E-01	1.9E+00	1.8E-01
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.55E-08	9.1E+00	3.1E+02	8.9E+00	9.3E-02	3.2E+00	9.1E-02
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.35E-08	4.4E+06	1.0E+06	8.2E+05	3.3E+01	7.4E+00	6.1E+00
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.53E-08	2.6E+05	2.7E+05	1.3E+05	4.8E+00	5.0E+00	2.5E+00
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	2.87E-10	1.2E+00	7.6E+04	1.2E+00	9.8E-03	6.1E+02	9.8E-03
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	4.42E-11	9.3E-04	5.3E+03	9.3E-04	7.0E-04	4.0E+03	7.0E-04
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	6.63E-10	9.1E-04	3.5E+02	9.1E-04	6.8E-04	2.6E+02	6.8E-04
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	8.36E-08	2.4E+03	3.3E+04	2.2E+03	1.5E-01	2.1E+00	1.4E-01
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.64E-07	1.5E+04	6.1E+04	1.2E+04	2.6E-01	1.1E+00	2.1E-01
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.72E-07	.	7.9E+05	7.9E+05	.	6.4E-01	6.4E-01
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.76E-07	.	7.2E+06	7.2E+06	.	9.9E-01	9.9E-01
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.21E-07	.	2.0E+06	2.0E+06	.	1.4E+00	1.4E+00
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	1.98E-07	9.7E+05	2.2E+05	1.8E+05	3.9E+00	8.9E-01	7.2E-01
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.47E-08	5.2E+04	1.3E+05	3.7E+04	1.1E+00	2.7E+00	7.7E-01
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.13E-07	3.2E+05	2.1E+05	1.3E+05	2.4E+00	1.6E+00	9.5E-01
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.29E-07	8.9E+03	2.0E+04	6.1E+03	6.2E-01	1.4E+00	4.2E-01
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.73E-07	9.6E+03	1.2E+04	5.3E+03	5.1E-01	6.4E-01	2.8E-01
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	5.18E-09	1.8E+03	9.1E+04	1.7E+03	6.6E-01	3.4E+01	6.4E-01
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.17E-08	.	1.5E+07	1.5E+07	.	1.5E+01	1.5E+01
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.23E-07	9.4E+04	9.2E+04	4.6E+04	1.5E+00	1.4E+00	7.2E-01
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	1.63E-09	1.6E+00	1.0E+03	1.6E+00	1.7E-01	1.1E+02	1.7E-01
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	3.31E-09	2.9E+04	9.8E+05	2.8E+04	1.6E+00	5.3E+01	1.5E+00
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.52E-07	4.4E-01	6.4E+01	4.4E-01	8.0E-03	1.2E+00	7.9E-03
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.57E-08	4.7E+06	3.9E+06	2.1E+06	8.2E+00	6.8E+00	3.7E+00
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.93E-08	4.0E+01	7.4E+03	4.0E+01	3.3E-02	6.0E+00	3.2E-02
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.78E-07	3.0E+03	1.7E+04	2.6E+03	1.7E-01	9.8E-01	1.5E-01
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.57E-08	4.4E+05	2.1E+06	3.7E+05	2.4E+00	1.1E+01	2.0E+00
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.61E-07	9.4E+06	9.4E+05	8.6E+05	1.1E+01	1.1E+00	9.9E-01
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.45E-07	.	9.4E+06	9.4E+06	.	3.9E-01	3.9E-01
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.58E-07	1.4E+05	6.3E+04	4.3E+04	1.5E+00	6.8E-01	4.7E-01
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.33E-07	.	3.7E+06	3.7E+06	.	7.5E-01	7.5E-01
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	2.81E-07	2.9E+05	9.4E+04	7.1E+04	1.9E+00	6.2E-01	4.7E-01
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.60E-07	.	2.0E+06	2.0E+06	.	4.9E-01	4.9E-01
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.60E-07	7.3E+02	4.0E+04	7.1E+02	2.0E-02	1.1E+00	1.9E-02
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.57E-07	.	2.4E+06	2.4E+06	.	1.1E+00	1.1E+00
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.00E-07	4.1E+04	2.5E+04	1.6E+04	9.4E-01	5.8E-01	3.6E-01
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.85E-07	.	9.7E+05	9.7E+05	.	6.2E-01	6.2E-01
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.10E-07	3.0E+03	1.4E+04	2.4E+03	3.4E-01	1.6E+00	2.8E-01
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	8.02E-09	.	4.8E+08	4.8E+08	.	2.2E+01	2.2E+01
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.77E-07	1.9E+03	8.6E+03	1.6E+03	2.2E-01	9.9E-01	1.8E-01
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-08	.	4.6E+06	4.6E+06	.	2.1E+00	2.1E+00
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.38E-08	8.3E+02	1.4E+04	7.9E+02	3.1E-01	5.2E+00	2.9E-01
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	2.83E-07	1.9E+03	4.4E+03	1.3E+03	2.7E-01	6.2E-01	1.9E-01
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.53E-08	2.8E+02	1.4E+04	2.7E+02	2.3E-01	1.1E+01	2.3E-01
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.26E-07	8.2E+01	9.2E+02	7.5E+01	6.9E-02	7.8E-01	6.3E-02
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	2.11E-09	2.3E+03	5.2E+05	2.3E+03	3.7E-01	8.3E+01	3.6E-01
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	2.28E-10	2.0E+04	2.2E+07	2.0E+04	6.8E-01	7.7E+02	6.8E-01
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	2.21E-10	9.0E-02	9.0E+02	9.0E-02	8.0E-02	7.9E+02	8.0E-02
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.15E-08	1.8E-03	2.0E+00	1.8E-03	1.7E-03	1.9E+00	1.7E-03
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.32E-07	8.6E-01	1.2E+02	8.5E-01	9.8E-03	1.3E+00	9.7E-03
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	1.99E-09	4.7E+01	8.1E+04	4.7E+01	5.2E-02	8.8E+01	5.2E-02
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.27E-07	.	1.7E+06	1.7E+06	.	1.4E+00	1.4E+00
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	8.80E-08	4.9E+06	9.3E+05	7.8E+05	1.1E+01	2.0E+00	1.7E+00
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	2.88E-07	.	1.8E+06	1.8E+06	.	6.1E-01	6.1E-01
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.02E-07	.	7.4E+06	7.4E+06	.	1.7E+00	1.7E+00
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.76E-08	1.0E+07	3.0E+06	2.3E+06	1.6E+01	4.7E+00	3.6E+00
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.18E-08	.	1.5E+09	1.5E+09	.	1.5E+01	1.5E+01
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.01E-07	.	1.2E+06	1.2E+06	.	5.8E-01	5.8E-01
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	2.78E-07	2.7E+06	3.1E+05	2.8E+05	5.4E+00	6.3E-01	5.6E-01
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.37E-08	.	2.2E+06	2.2E+06	.	1.9E+00	1.9E+00
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.05E-07	.	1.7E+06	1.7E+06	.	5.7E-01	5.7E-01
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.64E-07	.	2.9E+06	2.9E+06	.	1.1E+00	1.1E+00
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.54E-07	.	8.3E+05	8.3E+05	.	3.9E-01	3.9E-01
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	1.91E-07	1.7E+05	5.1E+04	3.9E+04	3.1E+00	9.2E-01	7.1E-01
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.19E-07	1.5E+06	3.1E+05	2.5E+05	7.0E+00	1.5E+00	1.2E+00
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.09E-07	3.2E+04	1.8E+04	1.1E+04	1.0E+00	5.7E-01	3.6E-01
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.31E-07	4.9E+05	1.3E+05	1.0E+05	2.8E+00	7.6E-01	6.0E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.12E-08	8.2E+03	1.5E+04	5.2E+03	1.1E+00	1.9E+00	6.9E-01
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	7.73E-08	6.6E+00	2.3E+02	6.5E+00	6.4E-02	2.3E+00	6.2E-02
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	2.91E-07	2.1E+02	8.9E+02	1.7E+02	1.4E-01	6.0E-01	1.1E-01
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	4.92E-09	2.5E+06	6.3E+06	1.8E+06	1.4E+01	3.6E+01	1.0E+01
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	4.39E-11	6.2E-02	4.0E+03	6.2E-02	6.2E-02	4.0E+03	6.2E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	7.26E-11	1.4E+00	1.7E+05	1.4E+00	2.0E-02	2.4E+03	2.0E-02
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.63E-07	2.5E-03	1.1E+00	2.5E-03	2.5E-03	1.1E+00	2.5E-03
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	1.18E-11	7.8E-03	1.5E+04	7.8E-03	7.8E-03	1.5E+04	7.8E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.30E-08	1.2E+05	3.4E+05	9.0E+04	4.9E+00	1.3E+01	3.6E+00
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.65E-07	.	3.5E+06	3.5E+06	.	6.6E-01	6.6E-01
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.51E-07	2.1E+06	7.0E+05	5.2E+05	3.4E+00	1.2E+00	8.7E-01
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.65E-07	.	1.0E+06	1.0E+06	.	6.6E-01	6.6E-01
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.11E-07	.	7.7E+05	7.7E+05	.	5.6E-01	5.6E-01
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	9.03E-09	.	.	.	.	.	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	1.85E-07	5.8E+05	1.4E+05	1.1E+05	4.0E+00	9.5E-01	7.7E-01
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	3.03E-10	2.5E+01	6.1E+05	2.5E+01	2.4E-02	5.8E+02	2.4E-02
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.15E-08	2.5E+01	2.0E+03	2.4E+01	2.4E-02	1.9E+00	2.3E-02
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	8.71E-08	8.7E+03	1.9E+04	6.0E+03	9.2E-01	2.0E+00	6.3E-01
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.77E-07	2.0E+02	1.3E+03	1.7E+02	1.5E-01	9.9E-01	1.3E-01
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.34E-08	.	.	.	.	.	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.25E-08	.	.	.	.	.	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	5.27E-13	.	.	.	.	.	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.43E-08	.	.	.	.	.	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	6.75E-10	.	.	.	.	.	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.96E-10	.	.	.	.	.	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	2.24E-10	.	.	.	.	.	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.82E-09	.	.	.	.	.	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.63E-09	.	.	.	.	.	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.77E-08	.	.	.	.	.	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.70E-07	.	.	.	.	.	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.32E-08	.	.	.	.	.	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.44E-07	.	.	.	.	.	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.19E-07	.	.	.	.	.	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	9.75E-08	.	.	.	.	.	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	6.78E-09	.	2.4E+10	2.4E+10	.	2.6E+01	2.6E+01
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.42E-09	.	3.8E+10	3.8E+10	.	7.2E+01	7.2E+01
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	7.86E-10	5.7E+02	6.6E+07	5.7E+02	1.9E-03	2.2E+02	1.9E-03
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.30E-08	2.9E-03	4.6E+03	2.9E-03	8.5E-06	1.3E+01	8.5E-06
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	2.01E-10	2.0E-05	7.9E+03	2.0E-05	2.2E-06	8.7E+02	2.2E-06
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	8.11E-09	1.7E-06	2.2E+01	1.7E-06	1.7E-06	2.2E+01	1.7E-06
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	8.62E-09	1.5E-06	2.0E+01	1.5E-06	1.5E-06	2.0E+01	1.5E-06
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	3.63E-11	8.7E-06	4.8E+03	8.7E-06	8.7E-06	4.8E+03	8.7E-06
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	1.07E-09	1.2E+03	9.7E+05	1.2E+03	2.0E-01	1.6E+02	2.0E-01
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	1.84E-11	6.8E-06	9.5E+03	6.8E-06	6.8E-06	9.5E+03	6.8E-06
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.02E-07	3.4E-06	1.7E+00	3.4E-06	3.4E-06	1.7E+00	3.4E-06
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.98E-09	3.2E+06	1.8E+07	2.7E+06	7.9E+00	4.4E+01	6.7E+00
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	7.70E-10	2.5E+00	6.0E+04	2.5E+00	9.6E-03	2.3E+02	9.6E-03
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	3.16E-09	2.5E+00	1.5E+04	2.5E+00	9.6E-03	5.6E+01	9.6E-03
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.47E-09	.	3.5E+07	3.5E+07	.	2.7E+01	2.7E+01
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.76E-09	5.5E+05	1.1E+07	5.2E+05	2.3E+00	4.7E+01	2.2E+00
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	1.17E-08	9.9E-04	1.7E+01	9.9E-04	8.6E-04	1.5E+01	8.6E-04
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.62E-07	9.9E-04	7.7E-01	9.9E-04	8.6E-04	6.7E-01	8.6E-04
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	9.81E-08	4.7E+04	8.8E+04	3.1E+04	9.6E-01	1.8E+00	6.2E-01
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.20E-08	.	6.6E+06	6.6E+06	.	4.2E+00	4.2E+00
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.31E-08	.	7.1E+07	7.1E+07	.	1.3E+01	1.3E+01
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.48E-07	.	4.1E+06	4.1E+06	.	1.2E+00	1.2E+00
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.81E-07	.	1.5E+06	1.5E+06	.	6.2E-01	6.2E-01
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.03E-07	2.2E+06	4.7E+05	3.9E+05	7.9E+00	1.7E+00	1.4E+00
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.86E-07	1.7E+06	1.7E+05	1.5E+05	6.0E+00	6.1E-01	5.6E-01
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.46E-07	7.6E+05	1.6E+05	1.3E+05	5.8E+00	1.2E+00	9.9E-01
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.24E-07	3.6E+05	6.4E+04	5.5E+04	4.4E+00	7.8E-01	6.6E-01
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.08E-08	1.6E+05	1.8E+05	8.4E+04	2.9E+00	3.4E+00	1.6E+00
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.42E-07	6.9E+04	2.1E+04	1.6E+04	2.4E+00	7.2E-01	5.6E-01
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.35E-07	1.8E+05	1.1E+05	6.6E+04	2.2E+00	1.3E+00	8.1E-01
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.58E-08	4.8E+04	1.4E+05	3.6E+04	2.3E+00	6.8E+00	1.7E+00
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.52E-07	4.2E+03	6.7E+03	2.6E+03	7.2E-01	1.2E+00	4.4E-01
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	7.86E-09	8.9E+02	4.6E+04	8.7E+02	4.3E-01	2.2E+01	4.2E-01
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	5.02E-08	1.1E+02	1.8E+03	1.1E+02	2.2E-01	3.5E+00	2.0E-01
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	1.64E-10	2.3E-02	5.0E+03	2.3E-02	4.9E-03	1.1E+03	4.9E-03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	2.54E-10	.	1.5E+09	1.5E+09	.	6.9E+02	6.9E+02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.76E-07	.	1.5E+06	1.5E+06	.	6.3E-01	6.3E-01
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.89E-10	.	6.8E+08	6.8E+08	.	3.6E+02	3.6E+02
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.29E-07	.	1.2E+06	1.2E+06	.	4.1E-01	4.1E-01
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.59E-07	.	2.9E+06	2.9E+06	.	6.8E-01	6.8E-01
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.35E-07	.	3.7E+06	3.7E+06	.	5.2E-01	5.2E-01
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.49E-07	1.5E+06	3.5E+05	2.9E+05	5.1E+00	1.2E+00	9.5E-01
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.32E-07	3.5E+06	3.2E+05	2.9E+05	8.3E+00	7.5E-01	6.9E-01
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.53E-07	2.8E+05	9.6E+04	7.1E+04	3.3E+00	1.1E+00	8.5E-01
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	8.96E-08	.	8.9E+06	8.9E+06	.	2.0E+00	2.0E+00
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	6.00E-08	1.7E+03	1.5E+04	1.5E+03	3.3E-01	2.9E+00	3.0E-01
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.37E-07	1.1E+04	1.5E+04	6.2E+03	5.5E-01	7.4E-01	3.2E-01
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.33E-08	4.0E+01	9.0E+03	3.9E+01	5.8E-02	1.3E+01	5.8E-02
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.39E-07	1.1E+00	8.5E+01	1.1E+00	1.6E-02	1.3E+00	1.6E-02
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	4.07E-10	4.4E-01	2.1E+04	4.4E-01	9.0E-03	4.3E+02	9.0E-03
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	3.94E-11	6.2E-01	4.0E+04	6.2E-01	6.8E-02	4.4E+03	6.8E-02
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	5.78E-08	1.2E+02	7.2E+03	1.1E+02	4.9E-02	3.0E+00	4.8E-02
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.32E-08	6.7E+03	7.5E+04	6.2E+03	3.7E-01	4.1E+00	3.4E-01
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.03E-07	.	1.5E+06	1.5E+06	.	8.6E-01	8.6E-01
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.25E-07	5.2E+06	8.4E+05	7.2E+05	8.7E+00	1.4E+00	1.2E+00
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.38E-07	.	3.6E+06	3.6E+06	.	7.4E-01	7.4E-01
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.20E-08	.	1.2E+08	1.2E+08	.	1.5E+01	1.5E+01
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.91E-10	.	4.5E+08	4.5E+08	.	4.5E+02	4.5E+02
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	1.11E-10	1.6E-03	4.8E+05	1.6E-03	5.4E-06	1.6E+03	5.4E-06
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	6.47E-09	2.1E+02	4.1E+04	2.1E+02	1.4E-01	2.7E+01	1.4E-01
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	2.50E-11	3.6E-06	7.9E+03	3.6E-06	3.2E-06	7.0E+03	3.2E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	2.53E-11	1.0E-05	6.9E+03	1.0E-05	1.0E-05	6.9E+03	1.0E-05
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	1.39E-11	1.1E-05	1.3E+04	1.1E-05	1.1E-05	1.3E+04	1.1E-05
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.71E-08	1.2E-05	1.0E+01	1.2E-05	1.2E-05	1.0E+01	1.2E-05
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.81E-08	1.2E-05	9.7E+00	1.2E-05	1.2E-05	9.7E+00	1.2E-05
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	5.5E+10	.	5.5E+10	1.6E+05	.	1.6E+05
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	8.27E-12	1.2E-05	2.1E+04	1.2E-05	1.2E-05	2.1E+04	1.2E-05
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.29E-08	3.8E+01	1.3E+04	3.8E+01	4.0E-02	1.4E+01	4.0E-02
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	7.07E-12	1.3E-05	2.5E+04	1.3E-05	1.3E-05	2.5E+04	1.3E-05
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.44E-09	1.3E-05	5.1E+01	1.2E-05	1.3E-05	5.1E+01	1.2E-05
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	4.61E-09	1.9E+06	1.5E+07	1.7E+06	4.8E+00	3.8E+01	4.3E+00
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	4.45E-10	1.0E+03	4.2E+06	1.0E+03	9.6E-02	3.9E+02	9.6E-02
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.39E-09	3.1E+06	2.2E+07	2.7E+06	5.8E+00	4.0E+01	5.0E+00
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.13E-07	1.3E+06	4.3E+05	3.3E+05	4.7E+00	1.6E+00	1.2E+00
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.47E-07	1.1E+01	2.0E+02	1.1E+01	2.8E-02	5.0E-01	2.7E-02
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	2.0E+01	.	2.0E+01	1.1E+00	.	1.1E+00
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.76E-07	3.2E-03	1.0E+00	3.2E-03	3.1E-03	9.9E-01	3.1E-03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.79E-07	.	2.4E+06	2.4E+06	.	9.8E-01	9.8E-01
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.24E-07	.	8.0E+06	8.0E+06	.	1.4E+00	1.4E+00
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-07	1.7E+05	1.2E+05	7.1E+04	2.5E+00	1.7E+00	1.0E+00
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	1.01E-09	2.8E+01	5.1E+04	2.8E+01	9.6E-02	1.7E+02	9.6E-02
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.27E-08	2.8E+01	4.0E+03	2.8E+01	9.6E-02	1.4E+01	9.5E-02
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	3.38E-09	2.4E+07	1.3E+07	8.4E+06	1.0E+02	5.2E+01	3.4E+01
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	4.70E-09	.	5.3E+07	5.3E+07	.	3.7E+01	3.7E+01
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	2.70E-09	1.4E+01	3.4E+03	1.4E+01	2.6E-01	6.5E+01	2.6E-01
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	2.47E-11	1.8E+00	6.0E+05	1.8E+00	2.2E-02	7.1E+03	2.2E-02
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	2.23E-09	.	4.5E+08	4.5E+08	.	7.9E+01	7.9E+01
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.02E-08	9.7E+02	2.2E+04	9.3E+02	1.5E-01	3.5E+00	1.5E-01
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	2.12E-10	4.8E-01	7.5E+04	4.8E-01	5.3E-03	8.2E+02	5.3E-03
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	1.36E-08	6.3E+05	3.9E+06	5.4E+05	2.1E+00	1.3E+01	1.8E+00
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.17E-08	.	9.6E+05	9.6E+05	.	4.2E+00	4.2E+00
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.76E-07	.	2.3E+05	2.3E+05	.	9.9E-01	9.9E-01
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	5.40E-09	.	2.5E+05	2.5E+05	.	3.2E+01	3.2E+01
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.20E-08	.	1.8E+05	1.8E+05	.	2.4E+00	2.4E+00
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.70E-08	.	5.8E+04	5.8E+04	.	6.5E+00	6.5E+00
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.80E-08	.	1.1E+03	1.1E+03	.	6.3E+00	6.3E+00
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.61E-08	.	8.6E+07	8.6E+07	.	1.1E+01	1.1E+01
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.95E-09	.	6.4E+04	6.4E+04	.	9.0E+01	9.0E+01
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	7.20E-10	.	1.3E+05	1.3E+05	.	2.4E+02	2.4E+02
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	3.16E-09	.	6.7E+04	6.7E+04	.	5.6E+01	5.6E+01
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.95E-09	.	1.7E+05	1.7E+05	.	5.9E+01	5.9E+01
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.73E-08	.	1.1E+05	1.1E+05	.	6.4E+00	6.4E+00
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.77E-08	.	2.2E+06	2.2E+06	.	3.7E+00	3.7E+00
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.38E-08	.	1.8E+07	1.8E+07	.	7.4E+00	7.4E+00
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.39E-07	.	8.1E+05	8.1E+05	.	1.3E+00	1.3E+00
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.32E-07	.	1.0E+07	1.0E+07	.	1.3E+00	1.3E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.2E+08	4.2E+08	.	9.7E+01	9.7E+01
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.54E-07	.	1.5E+06	1.5E+06	.	1.1E+00	1.1E+00
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.40E-08	.	6.0E+06	6.0E+06	.	1.9E+00	1.9E+00
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	4.67E-07	5.4E+05	8.6E+04	7.5E+04	2.3E+00	3.8E-01	3.2E-01
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.22E-07	5.3E+04	8.1E+04	3.2E+04	9.3E-01	1.4E+00	5.6E-01
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.57E-07	1.3E+04	3.5E+04	9.6E+03	4.3E-01	1.1E+00	3.1E-01
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.29E-07	2.0E+03	4.2E+03	1.3E+03	1.9E-01	4.1E-01	1.3E-01
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.40E-08	6.1E+05	1.4E+06	4.3E+05	3.2E+00	7.3E+00	2.2E+00
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	4.92E-08	3.8E+02	6.8E+03	3.6E+02	2.0E-01	3.6E+00	1.9E-01
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.41E-08	6.0E+03	5.8E+04	5.4E+03	5.3E-01	5.1E+00	4.8E-01
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.35E-07	8.6E-01	3.1E+01	8.4E-01	1.5E-02	5.2E-01	1.4E-02
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.06E-07	.	5.8E+07	5.8E+07	.	1.7E+00	1.7E+00
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	6.19E-10	8.3E+01	6.7E+05	8.3E+01	3.5E-02	2.8E+02	3.5E-02
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-08	2.9E+04	1.2E+05	2.3E+04	6.2E-01	2.5E+00	4.9E-01
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.69E-10	9.5E-01	2.8E+04	9.5E-01	8.8E-03	2.6E+02	8.8E-03
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.00E-08	1.8E+06	5.4E+05	4.1E+05	9.8E+00	2.9E+00	2.3E+00
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.13E-08	1.4E+04	2.4E+05	1.3E+04	3.2E-01	5.6E+00	3.0E-01
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.26E-08	1.7E+03	2.1E+05	1.6E+03	1.1E-01	1.4E+01	1.1E-01
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	9.44E-08	2.6E+06	9.0E+05	6.7E+05	5.3E+00	1.9E+00	1.4E+00
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.45E-07	9.6E+06	1.1E+06	9.6E+05	1.1E+01	1.2E+00	1.1E+00
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.48E-08	3.7E+06	3.4E+06	1.8E+06	7.7E+00	7.1E+00	3.7E+00
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.30E-08	1.5E+07	1.7E+06	1.6E+06	1.8E+01	2.1E+00	1.9E+00
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	3.82E-09	2.8E+05	5.5E+06	2.7E+05	2.3E+00	4.6E+01	2.2E+00
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.44E-08	.	4.7E+06	4.7E+06	.	5.1E+00	5.1E+00
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	5.52E-09	2.8E+02	8.5E+04	2.8E+02	1.0E-01	3.2E+01	1.0E-01
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	2.32E-08	8.8E+06	3.9E+06	2.7E+06	1.7E+01	7.6E+00	5.2E+00
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.88E-08	4.7E+00	1.2E+03	4.7E+00	2.4E-02	6.1E+00	2.4E-02
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.23E-09	1.5E+02	6.3E+04	1.5E+02	1.0E-01	4.1E+01	1.0E-01
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.25E-08	9.8E+04	6.2E+05	8.5E+04	1.2E+00	7.8E+00	1.1E+00
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.26E-09	1.6E+05	5.1E+06	1.5E+05	1.3E+00	4.1E+01	1.2E+00
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.10E-07	.	1.8E+06	1.8E+06	.	1.6E+00	1.6E+00
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.73E-07	.	3.9E+06	3.9E+06	.	1.0E+00	1.0E+00
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.81E-07	.	5.9E+06	5.9E+06	.	9.7E-01	9.7E-01
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	4.89E-08	1.7E+03	5.9E+04	1.6E+03	1.0E-01	3.6E+00	9.9E-02
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.25E-07	8.6E+05	3.3E+05	2.4E+05	3.7E+00	1.4E+00	1.0E+00
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	6.91E-08	1.0E+00	6.6E+01	1.0E+00	3.9E-02	2.5E+00	3.9E-02
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	1.03E-10	7.3E+05	2.8E+08	7.3E+05	4.5E+00	1.7E+03	4.5E+00
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.64E-08	2.3E+03	4.2E+04	2.2E+03	2.1E-01	3.8E+00	2.0E-01
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.69E-08	.	1.8E+07	1.8E+07	.	4.7E+00	4.7E+00
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.78E-07	1.9E+04	3.8E+04	1.3E+04	5.1E-01	9.9E-01	3.3E-01
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.52E-08	1.6E+02	3.8E+04	1.6E+02	4.8E-02	1.1E+01	4.8E-02
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.69E-07	.	1.2E+06	1.2E+06	.	1.0E+00	1.0E+00
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	3.00E-08	1.7E+03	5.4E+04	1.6E+03	1.8E-01	5.8E+00	1.8E-01
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.06E-07	8.9E+04	1.5E+05	5.6E+04	9.8E-01	1.7E+00	6.2E-01
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.26E-08	1.7E+00	3.1E+02	1.7E+00	2.2E-02	4.1E+00	2.2E-02
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.34E-07	2.8E+02	2.5E+03	2.5E+02	1.4E-01	1.3E+00	1.3E-01
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.29E-08	.	5.3E+06	5.3E+06	.	2.4E+00	2.4E+00
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	2.03E-16	2.0E-02	8.6E+08	2.0E-02	2.0E-02	8.6E+08	2.0E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	8.46E-08	1.4E+00	2.0E+02	1.4E+00	1.4E-02	2.1E+00	1.4E-02
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.03E-07	5.3E+02	1.5E+04	5.1E+02	5.8E-02	1.7E+00	5.6E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	2.06E-06	4.95E-07	1.35E-06	1.94E-06	4.92E-07	9.2E+05	3.8E+06	1.4E+06	9.8E+05	3.9E+06	2.3E-09
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.91E-05	5.15E-06	1.37E-05	1.87E-05	5.14E-06	1.3E+03	4.6E+03	1.7E+03	1.3E+03	4.6E+03	2.5E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	1.11E-06	3.12E-07	8.08E-07	1.09E-06	3.25E-07	2.5E+02	8.9E+02	3.4E+02	2.6E+02	8.5E+02	4.3E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	3.98E-06	1.01E-06	2.73E-06	3.85E-06	1.01E-06	7.0E+01	2.7E+02	1.0E+02	7.2E+01	2.7E+02	1.2E-09
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.23E-05	3.07E-06	8.38E-06	1.19E-05	3.08E-06	1.8E+02	7.4E+02	2.7E+02	1.9E+02	7.3E+02	3.9E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	5.36E-09	1.86E-09	4.13E-09	5.27E-09	4.45E-09	1.2E+02	3.4E+02	1.5E+02	1.2E+02	1.4E+02	1.6E-06
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	9.9E+01	5.1E+02	1.8E+02	1.1E+02	5.2E+02	4.4E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	7.29E-05	1.32E-05	3.79E-05	6.09E-05	1.30E-05	2.7E+04	1.5E+05	5.2E+04	3.2E+04	1.5E+05	6.7E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	4.26E-05	1.00E-05	2.78E-05	4.04E-05	1.00E-05	1.2E+04	5.3E+04	1.9E+04	1.3E+04	5.3E+04	1.2E-10
Actinium (89)	Ac-232	1.84E+05	3.77E-06	1.58E-04	2.77E-05	8.03E-05	1.30E-04	2.69E-05	1.3E+04	7.3E+04	2.5E+04	1.5E+04	7.5E+04	3.1E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.25E-05	2.8E+04	1.3E+05	4.7E+04	3.1E+04	1.3E+05	8.3E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	3.63E-04	6.97E-05	1.99E-04	3.13E-04	6.82E-05	4.9E+03	2.6E+04	9.0E+03	5.7E+03	2.6E+04	5.9E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	1.91E-04	3.87E-05	1.10E-04	1.69E-04	3.79E-05	1.9E+03	9.3E+03	3.3E+03	2.1E+03	9.5E+03	1.1E-11
Silver (47)	Ag-102	2.82E+04	2.45E-05	4.39E-04	8.28E-05	2.37E-04	3.76E-04	8.08E-05	7.0E+02	3.7E+03	1.3E+03	8.2E+02	3.8E+03	4.9E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	2.71E-04	4.73E-05	1.37E-04	2.22E-04	4.54E-05	1.9E+03	1.1E+04	3.8E+03	2.3E+03	1.1E+04	8.0E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	9.97E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	6.1E+02	3.0E+03	1.1E+03	6.9E+02	3.0E+03	2.2E-11
Silver (47)	Ag-104	5.26E+03	1.32E-04	3.41E-04	6.61E-05	1.89E-04	2.97E-04	6.47E-05	1.7E+02	8.7E+02	3.1E+02	1.9E+02	8.9E+02	6.5E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	2.30E-04	4.38E-05	1.25E-04	1.97E-04	4.29E-05	5.2E+02	2.7E+03	9.5E+02	6.0E+02	2.8E+03	9.6E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	5.68E-05	1.22E-05	3.43E-05	5.21E-05	1.21E-05	1.2E+00	5.5E+00	2.0E+00	1.3E+00	5.5E+00	3.9E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	1.13E-07	2.44E-08	6.87E-08	1.04E-07	2.42E-08	4.9E+06	2.3E+07	8.0E+06	5.3E+06	2.3E+07	2.0E-08
Silver (47)	Ag-106	1.52E+04	4.56E-05	8.20E-05	1.73E-05	4.87E-05	7.45E-05	1.72E-05	2.0E+03	9.6E+03	3.4E+03	2.2E+03	9.7E+03	2.7E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	3.53E-04	6.87E-05	1.95E-04	3.07E-04	6.69E-05	9.5E-01	4.9E+00	1.7E+00	1.1E+00	5.0E+00	6.4E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	2.39E-06	5.20E-07	1.42E-06	2.16E-06	7.20E-07	7.1E+05	3.2E+06	1.2E+06	7.8E+05	2.3E+06	9.6E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	1.93E-04	3.99E-05	1.13E-04	1.74E-04	3.91E-05	2.3E-03	1.1E-02	4.0E-03	2.6E-03	1.1E-02	2.9E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	1.94E-04	4.00E-05	1.13E-04	1.74E-04	3.91E-05	2.3E-03	1.1E-02	4.0E-03	2.6E-03	1.1E-02	2.9E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	2.06E-07	8.13E-08	1.73E-07	2.06E-07	1.50E-07	2.9E+07	7.4E+07	3.5E+07	2.9E+07	4.0E+07	1.1E-08
Silver (47)	Ag-110	8.88E+05	7.80E-07	4.61E-06	1.02E-06	2.72E-06	4.13E-06	1.33E-06	2.1E+06	9.5E+06	3.6E+06	2.4E+06	7.3E+06	5.1E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	3.1E-02	1.6E-01	5.7E-02	3.6E-02	1.7E-01	6.6E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	3.1E-02	1.6E-01	5.7E-02	3.6E-02	1.7E-01	6.6E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.97E-06	6.72E-07	1.87E-06	2.78E-06	7.38E-07	1.3E+02	5.5E+02	2.0E+02	1.3E+02	5.0E+02	7.9E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	3.69E-07	9.04E-08	2.34E-07	3.44E-07	1.26E-07	1.0E+07	4.1E+07	1.6E+07	1.1E+07	2.9E+07	6.4E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	9.18E-05	1.71E-05	4.89E-05	7.79E-05	1.69E-05	2.3E+02	1.2E+03	4.3E+02	2.7E+02	1.3E+03	2.6E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	8.65E-06	1.88E-06	5.25E-06	7.89E-06	2.08E-06	1.4E+03	6.6E+03	2.4E+03	1.6E+03	5.9E+03	2.8E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	2.42E-05	5.25E-06	1.47E-05	2.22E-05	5.21E-06	1.4E+05	6.6E+05	2.4E+05	1.6E+05	6.7E+05	9.9E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	3.66E-05	7.07E-06	1.98E-05	3.13E-05	7.23E-06	1.4E+06	7.4E+06	2.6E+06	1.7E+06	7.2E+06	6.6E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	6.41E-05	1.18E-05	3.38E-05	5.40E-05	1.17E-05	3.1E+03	1.7E+04	5.9E+03	3.7E+03	1.7E+04	3.8E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	2.96E-04	5.15E-05	1.49E-04	2.42E-04	4.99E-05	5.0E+03	2.9E+04	1.0E+04	6.2E+03	3.0E+04	8.3E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	1.80E-04	3.10E-05	8.99E-05	1.46E-04	2.99E-05	1.8E+04	1.1E+05	3.6E+04	2.2E+04	1.1E+05	1.4E-11
Silver (47)	Ag-99	1.76E+05	3.93E-06	2.91E-04	5.66E-05	1.61E-04	2.53E-04	5.52E-05	6.6E+03	3.4E+04	1.2E+04	7.6E+03	3.5E+04	7.2E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	3.60E-04	6.41E-05	1.86E-04	2.99E-04	6.22E-05	1.2E-03	6.8E-03	2.4E-03	1.5E-03	7.0E-03	6.4E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	2.52E-04	4.24E-05	1.24E-04	2.04E-04	4.10E-05	7.1E+03	4.2E+04	1.4E+04	8.7E+03	4.3E+04	2.4E-12
Aluminum (13)	Al-29	5.55E+04	1.25E-05	1.88E-04	3.35E-05	9.64E-05	1.56E-04	3.25E-05	3.2E+03	1.8E+04	6.3E+03	3.9E+03	1.9E+04	3.3E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	3.66E-05	8.58E-06	2.36E-05	3.44E-05	8.52E-06	1.5E+03	6.4E+03	2.3E+03	1.6E+03	6.4E+03	1.4E-10
Americium (95)	Am-238	3.72E+03	1.86E-04	1.10E-04	2.17E-05	6.11E-05	9.56E-05	2.12E-05	3.7E+02	1.9E+03	6.7E+02	4.3E+02	1.9E+03	4.6E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	1.89E-05	5.15E-06	1.36E-05	1.85E-05	5.21E-06	3.0E+02	1.1E+03	4.1E+02	3.0E+02	1.1E+03	2.7E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	1.27E-04	2.50E-05	7.07E-05	1.10E-04	2.44E-05	1.0E+01	5.2E+01	1.9E+01	1.2E+01	5.4E+01	4.0E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	7.48E-07	3.72E-07	6.97E-07	7.48E-07	5.05E-07	6.0E-01	1.2E+00	6.4E-01	6.0E-01	8.8E-01	1.7E-07
Americium (95)	Am-242	3.79E+02	1.83E-03	9.40E-07	2.94E-07	7.37E-07	9.37E-07	3.35E-07	4.4E+03	1.4E+04	5.6E+03	4.4E+03	1.2E+04	5.5E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	2.05E-08	9.09E-09	1.68E-08	2.03E-08	3.63E-08	2.3E+01	5.1E+01	2.8E+01	2.3E+01	1.3E+01	2.2E-06

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	1.29E-06	3.67E-07	9.34E-07	1.24E-06	4.32E-07	3.6E-01	1.3E+00	5.0E-01	3.7E-01	1.1E+00	3.4E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	2.64E-06	1.06E-06	2.31E-06	2.64E-06	1.21E-06	1.7E-01	4.1E-01	1.9E-01	1.7E-01	3.6E-01	8.3E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.80E-05	5.10E-06	1.31E-05	1.75E-05	5.24E-06	2.4E-02	8.6E-02	3.4E-02	2.5E-02	8.4E-02	1.2E-07
Americium (95)	Am-244	6.01E+02	1.15E-03	9.66E-05	1.94E-05	5.45E-05	8.52E-05	1.91E-05	6.8E+01	3.4E+02	1.2E+02	7.7E+01	3.5E+02	5.4E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	1.96E-06	4.03E-07	1.10E-06	1.71E-06	5.68E-07	7.8E+04	3.8E+05	1.4E+05	9.0E+04	2.7E+05	2.6E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	2.81E-06	7.27E-07	1.95E-06	2.72E-06	7.64E-07	1.2E+04	4.5E+04	1.7E+04	1.2E+04	4.2E+04	1.9E-09
Americium (95)	Am-246	9.34E+03	7.42E-05	8.49E-05	1.78E-05	4.99E-05	7.64E-05	1.76E-05	1.2E+03	5.7E+03	2.0E+03	1.3E+03	5.8E+03	6.2E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.26E-04	2.40E-05	6.82E-05	1.08E-04	2.35E-05	1.3E+03	6.6E+03	2.3E+03	1.5E+03	6.8E+03	4.2E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.22E-05	3.09E-06	8.38E-06	1.18E-05	3.22E-06	1.4E+04	5.6E+04	2.1E+04	1.5E+04	5.4E+04	4.3E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	1.61E-08	5.50E-09	1.25E-08	1.59E-08	1.39E-08	3.1E+01	9.1E+01	4.0E+01	3.2E+01	3.6E+01	9.2E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	1.73E-04	3.13E-05	8.99E-05	1.45E-04	3.03E-05	2.1E+02	1.2E+03	4.0E+02	2.5E+02	1.2E+03	5.0E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	1.88E-08	6.36E-09	1.45E-08	1.85E-08	1.96E-08	3.3E+01	9.8E+01	4.3E+01	3.4E+01	3.2E+01	1.3E-07
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.20E-06	1.4E-02	8.0E-02	2.8E-02	1.7E-02	7.8E-02	5.5E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	2.10E-04	3.72E-05	1.07E-04	1.74E-04	3.60E-05	3.5E+03	2.0E+04	6.9E+03	4.3E+03	2.1E+04	4.3E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	2.65E-04	4.61E-05	1.34E-04	2.18E-04	4.45E-05	1.3E+03	7.3E+03	2.5E+03	1.5E+03	7.6E+03	3.5E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	4.83E-04	9.09E-05	2.60E-04	4.13E-04	8.87E-05	3.3E+03	1.7E+04	6.1E+03	3.8E+03	1.8E+04	3.0E-12
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.37E-04	2.85E-05	8.03E-05	1.23E-04	2.82E-05	1.9E+03	9.2E+03	3.3E+03	2.1E+03	9.3E+03	1.1E-11
Arsenic (33)	As-70	6.92E+03	1.00E-04	5.52E-04	1.04E-04	2.97E-04	4.70E-04	1.01E-04	1.4E+02	7.3E+02	2.5E+02	1.6E+02	7.5E+02	2.7E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	6.50E-05	1.40E-05	3.93E-05	5.93E-05	1.37E-05	1.6E+01	7.3E+01	2.6E+01	1.7E+01	7.4E+01	2.3E-11
Arsenic (33)	As-72	2.33E+02	2.97E-03	2.20E-04	4.43E-05	1.25E-04	1.95E-04	4.35E-05	1.2E+01	5.8E+01	2.0E+01	1.3E+01	5.9E+01	6.9E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.55E-07	8.63E-08	1.49E-07	1.55E-07	1.20E-07	2.2E+02	4.0E+02	2.3E+02	2.2E+02	2.9E+02	1.0E-08
Arsenic (33)	As-74	1.42E+01	4.87E-02	9.06E-05	1.88E-05	5.30E-05	8.17E-05	1.85E-05	1.7E+00	8.3E+00	2.9E+00	1.9E+00	8.4E+00	1.7E-11
Arsenic (33)	As-76	2.35E+02	2.95E-03	5.24E-05	1.05E-05	2.96E-05	4.61E-05	1.05E-05	4.9E+01	2.4E+02	8.7E+01	5.6E+01	2.4E+02	3.1E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	9.15E-07	2.10E-07	5.81E-07	8.58E-07	2.22E-07	1.9E+03	8.2E+03	2.9E+03	2.0E+03	7.7E+03	1.8E-09
Arsenic (33)	As-78	4.02E+03	1.73E-04	1.72E-04	3.22E-05	9.19E-05	1.46E-04	3.14E-05	2.6E+02	1.4E+03	4.8E+02	3.0E+02	1.4E+03	9.6E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	4.48E-06	9.80E-07	2.67E-06	4.04E-06	1.24E-06	9.9E+04	4.5E+05	1.7E+05	1.1E+05	3.6E+05	3.7E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	2.75E-04	5.76E-05	1.62E-04	2.48E-04	5.65E-05	1.6E+03	7.5E+03	2.7E+03	1.7E+03	7.7E+03	1.6E-11
Astatine (85)	At-205	1.39E+04	4.98E-05	1.39E-04	2.78E-05	7.83E-05	1.22E-04	2.72E-05	1.1E+03	5.5E+03	1.9E+03	1.2E+03	5.6E+03	3.1E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	3.00E-04	6.11E-05	1.72E-04	2.66E-04	5.96E-05	4.3E+02	2.1E+03	7.6E+02	4.9E+02	2.2E+03	1.5E-11
Astatine (85)	At-207	3.37E+03	2.05E-04	2.55E-04	4.87E-05	1.38E-04	2.18E-04	4.73E-05	1.5E+02	7.6E+02	2.7E+02	1.7E+02	7.8E+02	1.7E-11
Astatine (85)	At-208	3.72E+03	1.86E-04	3.79E-04	7.42E-05	2.10E-04	3.28E-04	7.23E-05	1.1E+02	5.5E+02	1.9E+02	1.2E+02	5.6E+02	1.2E-11
Astatine (85)	At-209	1.12E+03	6.18E-04	2.75E-04	5.60E-05	1.57E-04	2.43E-04	5.46E-05	4.5E+01	2.2E+02	7.8E+01	5.1E+01	2.3E+02	1.6E-11
Astatine (85)	At-210	7.49E+02	9.25E-04	3.88E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	2.1E+01	1.2E+02	4.0E+01	2.5E+01	1.2E+02	1.1E-11
Astatine (85)	At-211	8.42E+02	8.24E-04	2.00E-06	7.02E-07	1.63E-06	1.98E-06	7.57E-07	4.6E+03	1.3E+04	5.7E+03	4.7E+03	1.2E+04	2.2E-09
Astatine (85)	At-211+D	8.42E+02	8.24E-04	2.59E-06	8.18E-07	1.96E-06	2.50E-06	8.71E-07	3.6E+03	1.1E+04	4.7E+03	3.7E+03	1.1E+04	1.7E-09
Astatine (85)	At-215	2.19E+11	3.17E-12	1.91E-08	4.21E-09	1.18E-08	1.77E-08	4.13E-09	1.3E+14	5.7E+14	2.0E+14	1.4E+14	5.8E+14	2.4E-07
Astatine (85)	At-216	7.28E+10	9.51E-12	1.75E-07	5.25E-08	1.31E-07	1.71E-07	5.46E-08	4.6E+12	1.5E+13	6.1E+12	4.7E+12	1.5E+13	2.6E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	2.53E-08	5.86E-09	1.62E-08	2.37E-08	5.74E-09	2.9E+11	1.3E+12	4.6E+11	3.1E+11	1.3E+12	1.8E-07
Astatine (85)	At-218	1.46E+07	4.76E-08	7.42E-10	2.27E-10	4.98E-10	6.91E-10	5.40E-10	2.4E+11	7.8E+11	3.6E+11	2.6E+11	3.3E+11	6.9E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	5.02E-05	1.13E-05	3.15E-05	4.67E-05	1.13E-05	2.1E+04	9.5E+04	3.4E+04	2.3E+04	9.5E+04	9.3E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.80E-04	3.68E-05	1.04E-04	1.60E-04	3.63E-05	2.1E+03	1.0E+04	3.6E+03	2.3E+03	1.0E+04	2.2E-11
Gold (79)	Au-187	4.34E+04	1.60E-05	1.35E-04	2.53E-05	7.22E-05	1.14E-04	2.47E-05	3.5E+03	1.9E+04	6.6E+03	4.2E+03	1.9E+04	2.9E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	3.19E-04	5.60E-05	1.61E-04	2.61E-04	5.36E-05	2.9E+02	1.7E+03	5.8E+02	3.6E+02	1.7E+03	1.3E-11
Gold (79)	Au-191	1.91E+03	3.63E-04	6.31E-05	1.41E-05	3.88E-05	5.78E-05	1.40E-05	3.3E+02	1.5E+03	5.4E+02	3.6E+02	1.5E+03	6.4E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	2.57E-04	4.59E-05	1.32E-04	2.12E-04	4.42E-05	5.2E+01	2.9E+02	1.0E+02	6.3E+01	3.0E+02	1.6E-11
Gold (79)	Au-193	3.44E+02	2.01E-03	1.26E-05	3.55E-06	8.94E-06	1.21E-05	3.72E-06	3.0E+02	1.1E+03	4.2E+02	3.1E+02	1.0E+03	3.2E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	1.95E-05	4.63E-06	1.28E-05	1.86E-05	4.58E-06	3.2E+06	1.3E+07	4.8E+06	3.3E+06	1.3E+07	2.1E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Gold (79)	Au-194	1.60E+02	4.34E-03	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	1.4E+01	7.1E+01	2.5E+01	1.6E+01	7.3E+01	3.2E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	3.69E-06	1.49E-06	3.22E-06	3.69E-06	1.70E-06	4.0E+00	1.0E+01	4.6E+00	4.0E+00	8.8E+00	1.1E-09
Gold (79)	Au-195m	7.17E+05	9.67E-07	1.98E-05	4.72E-06	1.31E-05	1.89E-05	4.64E-06	4.0E+05	1.7E+06	6.0E+05	4.1E+05	1.7E+06	2.1E-10
Gold (79)	Au-196	4.09E+01	1.69E-02	4.89E-05	1.13E-05	3.12E-05	4.58E-05	1.12E-05	9.2E+00	4.0E+01	1.4E+01	9.8E+00	4.0E+01	8.5E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	1.93E-05	5.30E-06	1.38E-05	1.88E-05	5.43E-06	3.6E+02	1.3E+03	5.0E+02	3.7E+02	1.3E+03	2.2E-10
Gold (79)	Au-198	9.39E+01	7.38E-03	4.58E-05	9.95E-06	2.81E-05	4.23E-05	9.85E-06	2.2E+01	1.0E+02	3.7E+01	2.4E+01	1.0E+02	9.2E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	4.73E-05	1.22E-05	3.27E-05	4.58E-05	1.21E-05	2.6E+01	1.0E+02	3.7E+01	2.7E+01	1.0E+02	8.9E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.14E-06	2.18E-06	5.81E-06	7.95E-06	2.17E-06	1.1E+02	4.1E+02	1.5E+02	1.1E+02	4.1E+02	5.2E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	3.53E-05	6.82E-06	1.93E-05	3.05E-05	6.82E-06	2.3E+03	1.2E+04	4.3E+03	2.7E+03	1.2E+04	1.2E-10
Gold (79)	Au-200m	3.25E+02	2.13E-03	2.30E-04	4.89E-05	1.37E-04	2.09E-04	4.80E-05	1.5E+01	7.3E+01	2.6E+01	1.7E+01	7.4E+01	1.8E-11
Gold (79)	Au-201	1.40E+04	4.95E-05	4.01E-06	8.68E-07	2.41E-06	3.66E-06	9.75E-07	3.8E+04	1.8E+05	6.4E+04	4.2E+04	1.6E+05	1.1E-09
Gold (79)	Au-202	7.59E+05	9.13E-07	2.25E-05	4.45E-06	1.25E-05	1.96E-05	4.64E-06	3.7E+05	1.9E+06	6.6E+05	4.2E+05	1.8E+06	1.9E-10
Barium (56)	Ba-124	3.31E+04	2.09E-05	6.56E-05	1.36E-05	3.83E-05	5.87E-05	1.36E-05	5.5E+03	2.7E+04	9.5E+03	6.2E+03	2.7E+04	4.0E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	6.78E-05	1.38E-05	3.88E-05	6.00E-05	1.37E-05	5.9E+02	2.9E+03	1.0E+03	6.7E+02	2.9E+03	3.9E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	8.55E-05	1.77E-05	4.98E-05	7.67E-05	1.76E-05	3.7E+03	1.8E+04	6.3E+03	4.1E+03	1.8E+04	3.2E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	4.64E-06	1.17E-06	3.04E-06	4.42E-06	1.39E-06	2.5E+02	9.8E+02	3.7E+02	2.6E+02	8.2E+02	5.9E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	3.76E-05	7.78E-06	2.18E-05	3.35E-05	7.83E-06	7.9E+02	3.8E+03	1.4E+03	8.9E+02	3.8E+03	7.3E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	1.94E-04	3.82E-05	1.09E-04	1.69E-04	3.76E-05	1.6E+02	8.1E+02	2.8E+02	1.8E+02	8.2E+02	1.4E-11
Barium (56)	Ba-131	2.20E+01	3.15E-02	4.99E-05	1.11E-05	3.07E-05	4.61E-05	1.12E-05	4.8E+00	2.2E+01	7.8E+00	5.2E+00	2.1E+01	5.6E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.51E-06	1.45E-06	3.54E-06	4.51E-06	1.63E-06	6.1E+04	1.9E+05	7.7E+04	6.1E+04	1.7E+05	6.2E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	3.88E-05	9.04E-06	2.48E-05	3.63E-05	9.31E-06	2.3E-02	9.9E-02	3.6E-02	2.5E-02	9.6E-02	9.0E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	5.40E-06	1.32E-06	3.52E-06	5.11E-06	1.47E-06	3.2E+02	1.3E+03	4.8E+02	3.3E+02	1.2E+03	5.2E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.58E-06	1.14E-06	3.01E-06	4.35E-06	1.30E-06	5.1E+02	2.0E+03	7.7E+02	5.3E+02	1.8E+03	6.3E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	7.26E-05	1.48E-05	4.17E-05	6.47E-05	1.45E-05	2.2E+04	1.1E+05	3.7E+04	2.4E+04	1.1E+05	4.0E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	4.70E-06	1.20E-06	3.19E-06	4.51E-06	1.48E-06	1.0E+04	4.0E+04	1.5E+04	1.1E+04	3.3E+04	6.3E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	2.05E-05	4.40E-06	1.24E-05	1.87E-05	4.42E-06	1.1E+01	4.9E+01	1.8E+01	1.2E+01	4.9E+01	1.5E-10
Barium (56)	Ba-141	1.99E+04	3.48E-05	1.14E-04	2.27E-05	6.46E-05	9.97E-05	2.24E-05	1.9E+03	9.6E+03	3.4E+03	2.2E+03	9.8E+03	2.6E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.31E-04	2.56E-05	7.27E-05	1.14E-04	2.50E-05	2.9E+03	1.5E+04	5.2E+03	3.3E+03	1.5E+04	2.3E-11
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.03E-08	6.87E-09	1.57E-08	1.99E-08	1.81E-08	2.4E+01	7.1E+01	3.1E+01	2.4E+01	2.7E+01	1.0E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.81E-06	1.24E-06	3.48E-06	5.30E-06	1.21E-06	9.0E+00	4.2E+01	1.5E+01	9.8E+00	4.3E+01	2.6E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	2.14E-04	4.13E-05	1.17E-04	1.84E-04	4.04E-05	2.0E+03	1.0E+04	3.7E+03	2.3E+03	1.1E+04	2.0E-11
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.91E-04	5.96E-05	1.68E-04	2.59E-04	5.84E-05	3.8E+02	1.8E+03	6.5E+02	4.2E+02	1.9E+03	1.5E-11
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	2.23E-04	4.17E-05	1.19E-04	1.89E-04	4.04E-05	1.7E+02	8.9E+02	3.1E+02	2.0E+02	9.1E+02	1.9E-11
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.41E-04	6.77E-05	1.91E-04	2.98E-04	6.56E-05	1.1E+02	5.7E+02	2.0E+02	1.3E+02	5.9E+02	1.3E-11
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	3.13E-04	5.71E-05	1.64E-04	2.63E-04	5.55E-05	1.8E+01	9.9E+01	3.4E+01	2.2E+01	1.0E+02	1.4E-11
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	3.66E-04	7.12E-05	2.01E-04	3.19E-04	6.91E-05	1.6E+01	8.3E+01	2.9E+01	1.9E+01	8.6E+01	1.2E-11
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	2.22E-04	4.06E-05	1.16E-04	1.86E-04	3.91E-05	8.2E-01	4.5E+00	1.6E+00	9.7E-01	4.6E+00	2.0E-11
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	4.10E-04	7.98E-05	2.27E-04	3.57E-04	7.79E-05	1.1E+00	5.6E+00	2.0E+00	1.2E+00	5.7E+00	1.1E-11
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	1.91E-04	3.75E-05	1.06E-04	1.66E-04	3.66E-05	3.0E-03	1.5E-02	5.3E-03	3.4E-03	1.5E-02	5.6E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	3.85E-04	6.01E-05	1.77E-04	2.97E-04	5.68E-05	1.1E-03	7.3E-03	2.5E-03	1.5E-03	7.7E-03	2.4E-07
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	7.48E-08	2.58E-08	5.55E-08	7.26E-08	1.30E-07	7.4E+03	2.1E+04	9.9E+03	7.6E+03	4.2E+03	6.0E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	2.77E-05	6.31E-06	1.77E-05	2.61E-05	6.19E-06	1.6E-02	6.9E-02	2.5E-02	1.7E-02	7.1E-02	2.8E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	2.79E-05	6.36E-06	1.78E-05	2.63E-05	6.41E-06	1.6E-02	6.9E-02	2.5E-02	1.7E-02	6.8E-02	2.8E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	5.14E-06	1.15E-06	3.23E-06	4.80E-06	1.13E-06	3.6E+05	1.6E+06	5.8E+05	3.9E+05	1.6E+06	8.7E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	4.9E+03	2.5E+04	9.0E+03	5.7E+03	2.5E+04	3.4E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	4.9E+03	2.5E+04	9.0E+03	5.7E+03	2.5E+04	3.4E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	1.55E-07	5.30E-08	1.12E-07	1.49E-07	2.26E-07	4.1E+06	1.2E+07	5.6E+06	4.3E+06	2.8E+06	3.2E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	6.0E+03	2.8E+04	9.8E+03	6.5E+03	2.7E+04	3.1E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	6.0E+03	2.8E+04	9.8E+03	6.5E+03	2.7E+04	3.1E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	1.0E+03	5.6E+03	1.9E+03	1.2E+03	5.8E+03	2.3E-11
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	1.0E+03	5.6E+03	1.9E+03	1.2E+03	5.8E+03	2.3E-11
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	1.8E+04	8.5E+04	3.0E+04	2.0E+04	8.4E+04	1.6E-10
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	1.8E+04	8.5E+04	3.0E+04	2.0E+04	8.4E+04	1.6E-10
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	8.77E-05	1.86E-05	5.25E-05	7.98E-05	1.86E-05	2.1E+04	9.9E+04	3.5E+04	2.3E+04	9.9E+04	5.2E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	1.92E-05	5.10E-06	1.36E-05	1.87E-05	5.14E-06	2.9E+01	1.1E+02	4.1E+01	3.0E+01	1.1E+02	2.7E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	1.03E-04	2.06E-05	5.81E-05	8.99E-05	2.02E-05	1.5E+01	7.5E+01	2.7E+01	1.7E+01	7.6E+01	5.1E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.26E-05	3.31E-06	8.79E-06	1.21E-05	3.31E-06	3.5E-02	1.3E-01	5.0E-02	3.6E-02	1.3E-01	3.3E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	5.02E-06	1.21E-06	3.27E-06	4.70E-06	1.26E-06	5.6E+02	2.3E+03	8.6E+02	6.0E+02	2.2E+03	1.1E-09
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	1.27E-10	5.45E-11	1.00E-10	1.23E-10	1.15E-10	6.6E+04	1.5E+05	8.4E+04	6.8E+04	7.3E+04	4.2E-05
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	1.16E-04	2.21E-05	6.26E-05	9.94E-05	2.15E-05	1.8E+02	9.4E+02	3.3E+02	2.1E+02	9.6E+02	4.6E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	6.50E-06	1.87E-06	4.87E-06	6.44E-06	1.96E-06	1.1E+04	3.8E+04	1.5E+04	1.1E+04	3.7E+04	8.2E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	3.82E-04	7.37E-05	2.10E-04	3.31E-04	7.20E-05	8.0E+03	4.1E+04	1.4E+04	9.2E+03	4.2E+04	4.0E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	1.70E-04	3.57E-05	1.00E-04	1.53E-04	3.53E-05	6.9E+03	3.3E+04	1.2E+04	7.6E+03	3.3E+04	9.1E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	6.41E-04	1.08E-04	3.12E-04	5.11E-04	1.03E-04	2.5E+02	1.5E+03	5.0E+02	3.1E+02	1.5E+03	2.5E-12
Bromine (35)	Br-74m	7.92E+03	8.75E-05	5.52E-04	9.95E-05	2.86E-04	4.61E-04	9.59E-05	1.6E+02	8.7E+02	3.0E+02	1.9E+02	9.0E+02	2.8E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	1.39E-04	2.96E-05	8.38E-05	1.27E-04	2.92E-05	3.0E+02	1.4E+03	4.9E+02	3.3E+02	1.4E+03	1.1E-11
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.72E-04	6.72E-05	1.93E-04	3.10E-04	6.47E-05	1.1E+01	6.1E+01	2.1E+01	1.3E+01	6.3E+01	4.3E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	1.42E-06	5.35E-07	1.06E-06	1.34E-06	7.42E-07	1.3E+08	3.4E+08	1.7E+08	1.4E+08	2.5E+08	1.1E-09
Bromine (35)	Br-77	1.06E+02	6.51E-03	3.63E-05	7.78E-06	2.19E-05	3.31E-05	7.61E-06	3.2E+01	1.5E+02	5.3E+01	3.5E+01	1.5E+02	4.5E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	1.04E-06	3.24E-07	8.18E-07	1.04E-06	3.35E-07	8.9E+05	2.9E+06	1.1E+06	8.9E+05	2.8E+06	1.6E-09
Bromine (35)	Br-78	5.64E+04	1.23E-05	1.23E-04	2.59E-05	7.27E-05	1.11E-04	2.57E-05	5.0E+03	2.4E+04	8.5E+03	5.5E+03	2.4E+04	1.4E-11
Bromine (35)	Br-80	2.06E+04	3.36E-05	9.44E-06	1.98E-06	5.55E-06	8.49E-06	2.18E-06	2.4E+04	1.1E+05	4.1E+04	2.7E+04	1.0E+05	1.8E-10
Bromine (35)	Br-80m	1.37E+03	5.05E-04	1.61E-07	1.25E-07	1.61E-07	1.61E-07	2.87E-07	9.3E+04	1.2E+05	9.3E+04	9.3E+04	5.2E+04	1.1E-08
Bromine (35)	Br-82	1.72E+02	4.03E-03	3.35E-04	6.51E-05	1.85E-04	2.91E-04	6.34E-05	5.6E+00	2.9E+01	1.0E+01	6.5E+00	3.0E+01	5.2E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	3.72E-07	7.62E-08	2.10E-07	3.25E-07	9.28E-08	1.7E+06	8.5E+06	3.1E+06	2.0E+06	7.0E+06	4.7E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	8.62E-07	1.87E-07	5.15E-07	7.83E-07	2.51E-07	3.2E+04	1.5E+05	5.4E+04	3.5E+04	1.1E+05	2.0E-09
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.49E-04	4.15E-05	1.20E-04	1.98E-04	3.98E-05	5.0E+02	3.0E+03	1.0E+03	6.3E+02	3.2E+03	7.2E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	3.60E-04	6.77E-05	1.94E-04	3.08E-04	6.60E-05	1.8E+03	9.8E+03	3.4E+03	2.2E+03	1.0E+04	5.0E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	9.15E-06	1.82E-06	5.05E-06	7.92E-06	2.09E-06	1.5E+05	7.5E+05	2.7E+05	1.7E+05	6.6E+05	2.0E-10
Carbon (6)	C-10	1.14E+06	6.11E-07	2.10E-04	4.35E-05	1.23E-04	1.89E-04	4.26E-05	5.9E+04	2.9E+05	1.0E+05	6.6E+04	2.9E+05	1.0E-12
Carbon (6)	C-11	1.79E+04	3.88E-05	1.20E-04	2.53E-05	7.17E-05	1.09E-04	2.49E-05	1.8E+03	8.6E+03	3.0E+03	2.0E+03	8.7E+03	2.2E-12
Carbon (6)	C-14	1.22E-04	5.70E+03	2.12E-10	1.22E-10	1.98E-10	2.12E-10	2.61E-10	2.3E+03	4.0E+03	2.5E+03	2.3E+03	1.9E+03	5.1E-04
Calcium (20)	Ca-41	6.79E-06	1.02E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Calcium (20)	Ca-45	1.55E+00	4.46E-01	1.07E-09	4.92E-10	9.34E-10	1.07E-09	8.17E-10	1.6E+04	3.5E+04	1.8E+04	1.6E+04	2.1E+04	8.9E-07
Calcium (20)	Ca-47	5.58E+01	1.24E-02	1.40E-04	2.57E-05	7.37E-05	1.18E-04	2.48E-05	4.3E+00	2.4E+01	8.3E+00	5.2E+00	2.5E+01	7.1E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	4.73E-04	7.07E-05	2.09E-04	3.57E-04	6.66E-05	9.7E+02	6.5E+03	2.2E+03	1.3E+03	6.9E+03	2.2E-12
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	3.22E-04	6.01E-05	1.72E-04	2.73E-04	5.87E-05	9.1E+03	4.9E+04	1.7E+04	1.1E+04	5.0E+04	6.7E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	9.91E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	7.3E+03	3.6E+04	1.3E+04	8.2E+03	3.6E+04	2.2E-11
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	2.80E-04	4.98E-05	1.43E-04	2.32E-04	4.80E-05	2.0E+03	1.1E+04	3.8E+03	2.4E+03	1.1E+04	7.8E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	2.53E-05	5.55E-06	1.52E-05	2.28E-05	5.68E-06	2.7E+03	1.2E+04	4.5E+03	3.0E+03	1.2E+04	8.7E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.70E-04	3.11E-05	8.94E-05	1.43E-04	3.02E-05	4.2E+02	2.3E+03	8.0E+02	5.0E+02	2.4E+03	1.3E-11
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.80E-07	2.52E-07	5.96E-07	8.20E-07	4.61E-07	1.2E+04	4.1E+04	1.7E+04	1.2E+04	2.2E+04	2.6E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	2.35E-07	1.10E-07	2.01E-07	2.35E-07	3.08E-07	2.6E+01	5.5E+01	3.0E+01	2.6E+01	1.9E+01	9.9E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	2.80E-05	6.66E-06	1.85E-05	2.68E-05	6.56E-06	2.9E+03	1.2E+04	4.4E+03	3.1E+03	1.3E+04	8.4E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	1.95E-09	8.23E-10	1.66E-09	1.95E-09	1.27E-09	2.5E+02	6.0E+02	3.0E+02	2.5E+02	3.9E+02	6.2E+08
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	1.84E-08	5.66E-09	1.35E-08	1.79E-08	1.15E-08	4.1E+01	1.3E+02	5.6E+01	4.3E+01	6.6E+01	1.8E-07
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	2.26E-05	4.77E-06	1.34E-05	2.05E-05	4.77E-06	5.5E+01	2.6E+02	9.3E+01	6.1E+01	2.6E+02	1.1E-10
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	4.48E-06	8.79E-07	2.45E-06	3.85E-06	1.05E-06	1.4E+01	7.1E+01	2.5E+01	1.6E+01	5.9E+01	5.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.40E-04	2.63E-05	7.52E-05	1.20E-04	2.55E-05	1.9E+02	1.0E+03	3.5E+02	2.2E+02	1.0E+03	1.8E-11
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	2.78E-04	4.90E-05	1.42E-04	2.30E-04	4.70E-05	7.1E+01	4.0E+02	1.4E+02	8.6E+01	4.2E+02	8.9E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	8.52E-09	3.03E-09	6.77E-09	8.43E-09	5.27E-09	1.0E+07	2.9E+07	1.3E+07	1.0E+07	1.7E+07	3.3E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	2.22E-04	3.93E-05	1.14E-04	1.83E-04	3.82E-05	6.7E+03	3.8E+04	1.3E+04	8.1E+03	3.9E+04	1.1E-11
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	3.12E-04	5.55E-05	1.60E-04	2.59E-04	5.33E-05	5.8E+03	3.3E+04	1.1E+04	7.0E+03	3.4E+04	8.1E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	5.40E-05	1.16E-05	3.21E-05	4.86E-05	1.16E-05	3.2E+03	1.5E+04	5.4E+03	3.6E+03	1.5E+04	5.1E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	1.99E-04	3.96E-05	1.12E-04	1.75E-04	3.88E-05	2.0E+03	9.9E+03	3.5E+03	2.2E+03	1.0E+04	1.4E-11
Cerium (58)	Ce-132	1.73E+03	4.01E-04	2.45E-05	6.06E-06	1.64E-05	2.35E-05	6.22E-06	7.7E+02	3.1E+03	1.2E+03	8.1E+02	3.0E+03	1.1E-10
Cerium (58)	Ce-133	3.76E+03	1.85E-04	5.65E-05	1.26E-05	3.45E-05	5.18E-05	1.29E-05	7.3E+02	3.3E+03	1.2E+03	7.9E+02	3.2E+03	5.0E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	2.16E-04	4.16E-05	1.18E-04	1.86E-04	4.07E-05	6.3E+01	3.3E+02	1.1E+02	7.3E+01	3.3E+02	1.3E-11
Cerium (58)	Ce-134	8.00E+01	8.66E-03	3.69E-07	2.20E-07	3.23E-07	3.66E-07	4.86E-07	2.4E+03	4.0E+03	2.7E+03	2.4E+03	1.8E+03	7.7E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	9.40E-05	1.98E-05	5.55E-05	8.49E-05	1.96E-05	4.0E+01	1.9E+02	6.8E+01	4.4E+01	1.9E+02	3.1E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.51E-06	4.58E-07	9.90E-07	1.39E-06	7.26E-07	4.9E+03	1.6E+04	7.5E+03	5.3E+03	1.0E+04	1.9E-09
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	4.01E-06	1.01E-06	2.61E-06	3.79E-06	1.19E-06	4.8E+02	1.9E+03	7.4E+02	5.1E+02	1.6E+03	7.3E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.22E-05	3.29E-06	8.68E-06	1.20E-05	3.50E-06	1.6E+00	6.1E+00	2.3E+00	1.7E+00	5.7E+00	2.4E-10
Cerium (58)	Ce-141	7.78E+00	8.91E-02	6.15E-06	1.69E-06	4.46E-06	6.06E-06	1.73E-06	1.4E+01	5.0E+01	1.9E+01	1.4E+01	4.9E+01	4.9E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	2.91E-05	6.46E-06	1.78E-05	2.68E-05	6.69E-06	6.9E+01	3.1E+02	1.1E+02	7.5E+01	3.0E+02	1.0E-10
Cerium (58)	Ce-144	8.88E-01	7.81E-01	1.33E-06	3.94E-07	9.95E-07	1.31E-06	4.23E-07	7.3E+00	2.5E+01	9.8E+00	7.4E+00	2.3E+01	2.3E-09
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	6.15E-06	1.35E-06	3.58E-06	5.40E-06	1.69E-06	1.6E+00	7.2E+00	2.7E+00	1.8E+00	5.8E+00	5.0E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	9.63E-05	1.96E-05	5.50E-05	8.52E-05	1.97E-05	1.4E+04	6.7E+04	2.4E+04	1.6E+04	6.7E+04	3.2E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	1.64E-09	1.62E-09	1.64E-09	1.64E-09	1.27E-08	1.3E+08	1.3E+08	1.3E+08	1.3E+08	1.6E+07	3.2E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	5.62E-09	2.11E-09	3.79E-09	5.08E-09	9.78E-09	3.3E+05	8.8E+05	4.9E+05	3.7E+05	1.9E+05	9.3E-07
Californium (98)	Cf-247	1.95E+03	3.55E-04	6.78E-06	1.96E-06	5.10E-06	6.72E-06	2.06E-06	3.2E+03	1.1E+04	4.2E+03	3.2E+03	1.0E+04	7.7E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	4.58E-08	9.44E-09	2.44E-08	3.82E-08	1.84E-08	1.8E+02	8.8E+02	3.4E+02	2.2E+02	4.5E+02	1.2E-07
Californium (98)	Cf-249	1.97E-03	3.51E+02	3.60E-05	7.98E-06	2.24E-05	3.35E-05	7.83E-06	1.2E-02	5.6E-02	2.0E-02	1.3E-02	5.7E-02	3.1E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.32E-06	2.36E-07	6.77E-07	1.09E-06	2.35E-07	6.0E-01	3.4E+00	1.2E+00	7.2E-01	3.4E+00	5.5E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	9.78E-06	2.64E-06	7.02E-06	9.56E-06	2.67E-06	4.5E-02	1.7E-01	6.3E-02	4.6E-02	1.7E-01	2.9E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	6.15E-05	1.09E-05	3.14E-05	5.05E-05	1.05E-05	4.7E-02	2.6E-01	9.2E-02	5.7E-02	2.7E-01	8.7E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.06E-08	8.33E-09	1.04E-08	1.06E-08	3.76E-08	1.5E+04	1.9E+04	1.5E+04	1.5E+04	4.1E+03	5.1E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	2.27E-03	4.02E-04	1.16E-03	1.87E-03	3.88E-04	2.0E-02	1.1E-01	3.9E-02	2.4E-02	1.2E-01	2.4E-12
Californium (98)	Cf-255	4.29E+03	1.62E-04	1.88E-08	6.41E-09	1.44E-08	1.85E-08	2.46E-08	2.8E+06	8.1E+06	3.6E+06	2.8E+06	2.1E+06	3.2E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	1.23E-04	2.61E-05	7.32E-05	1.12E-04	2.59E-05	1.3E+06	6.0E+06	2.1E+06	1.4E+06	6.0E+06	5.9E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.87E-04	4.98E-05	1.44E-04	2.34E-04	4.80E-05	4.3E+02	2.5E+03	8.6E+02	5.3E+02	2.6E+03	2.5E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	4.58E-08	1.33E-08	3.20E-08	4.35E-08	4.77E-08	9.6E+00	3.3E+01	1.4E+01	1.0E+01	9.2E+00	2.9E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.08E-04	3.44E-05	1.00E-04	1.66E-04	3.31E-05	5.1E+02	3.1E+03	1.1E+03	6.5E+02	3.2E+03	3.9E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	1.93E-04	3.53E-05	1.01E-04	1.63E-04	3.44E-05	3.7E+02	2.0E+03	7.1E+02	4.4E+02	2.1E+03	4.3E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	5.90E-04	9.39E-05	2.75E-04	4.61E-04	8.96E-05	5.0E+03	3.1E+04	1.1E+04	6.4E+03	3.3E+04	1.4E-12
Curium (96)	Cm-238	2.53E+03	2.74E-04	5.49E-06	1.68E-06	4.26E-06	5.46E-06	1.72E-06	5.0E+03	1.7E+04	6.5E+03	5.1E+03	1.6E+04	9.2E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	2.16E-05	5.76E-06	1.55E-05	2.12E-05	5.74E-06	1.1E+03	4.0E+03	1.5E+03	1.1E+03	4.0E+03	2.3E-10
Curium (96)	Cm-240	9.37E+00	7.40E-02	2.65E-09	1.79E-09	2.37E-09	2.63E-09	1.26E-08	3.9E+04	5.7E+04	4.3E+04	3.9E+04	8.2E+03	1.9E-06
Curium (96)	Cm-241	7.71E+00	8.99E-02	5.24E-05	1.18E-05	3.27E-05	4.83E-05	1.17E-05	1.6E+00	7.1E+00	2.6E+00	1.7E+00	7.2E+00	9.8E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	2.12E-09	1.51E-09	1.89E-09	2.08E-09	1.11E-08	8.0E+03	1.1E+04	9.0E+03	8.2E+03	1.5E+03	2.4E-06
Curium (96)	Cm-243	2.38E-02	2.91E+01	1.14E-05	2.93E-06	7.88E-06	1.10E-05	2.94E-06	5.1E-02	2.0E-01	7.4E-02	5.3E-02	2.0E-01	1.0E-09
Curium (96)	Cm-244	3.83E-02	1.81E+01	3.79E-09	1.62E-09	2.57E-09	3.38E-09	9.85E-09	1.8E+02	4.2E+02	2.6E+02	2.0E+02	6.9E+01	2.2E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	7.42E-06	2.20E-06	5.66E-06	7.35E-06	2.25E-06	5.9E-02	2.0E-01	7.8E-02	6.0E-02	1.9E-01	3.4E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	4.86E-07	8.74E-08	2.49E-07	4.01E-07	9.09E-08	9.0E-01	5.0E+00	1.8E+00	1.1E+00	4.8E+00	3.0E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	3.53E-05	7.73E-06	2.18E-05	3.28E-05	7.57E-06	1.2E-02	5.7E-02	2.0E-02	1.3E-02	5.8E-02	1.3E-04
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	3.69E-05	8.23E-06	2.29E-05	3.44E-05	8.11E-06	1.2E-02	5.3E-02	1.9E-02	1.3E-02	5.4E-02	1.3E-04
Curium (96)	Cm-248	1.99E-06	3.48E+05	1.77E-04	3.14E-05	9.04E-05	1.46E-04	3.03E-05	2.5E-03	1.4E-02	4.8E-03	3.0E-03	1.4E-02	6.0E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.30E-06	4.85E-07	1.36E-06	2.07E-06	5.21E-07	2.7E+04	1.3E+05	4.6E+04	3.0E+04	1.2E+05	2.3E-09
Curium (96)	Cm-250	8.35E-05	8.30E+03	1.80E-03	3.19E-04	9.19E-04	1.48E-03	3.08E-04	2.4E-04	1.4E-03	4.8E-04	3.0E-04	1.4E-03	1.4E-09
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	1.83E-03	3.25E-04	9.39E-04	1.51E-03	3.15E-04	2.4E-04	1.3E-03	4.7E-04	2.9E-04	1.4E-03	1.4E-09
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.28E-05	2.75E-06	7.67E-06	1.17E-05	2.82E-06	1.8E+04	8.6E+04	3.1E+04	2.0E+04	8.4E+04	4.2E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	5.05E-04	9.69E-05	2.77E-04	4.35E-04	9.44E-05	5.3E+03	2.8E+04	9.7E+03	6.2E+03	2.9E+04	2.3E-12
Cobalt (27)	Co-55	3.46E+02	2.00E-03	2.50E-04	4.93E-05	1.40E-04	2.19E-04	4.80E-05	1.5E+01	7.7E+01	2.7E+01	1.7E+01	7.9E+01	4.7E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	4.95E-04	8.68E-05	2.51E-04	4.07E-04	8.36E-05	7.2E-02	4.1E-01	1.4E-01	8.8E-02	4.3E-01	2.4E-12
Cobalt (27)	Co-57	9.31E-01	7.44E-01	9.59E-06	2.75E-06	7.17E-06	9.50E-06	2.72E-06	1.1E+00	3.7E+00	1.4E+00	1.1E+00	3.7E+00	1.3E-10
Cobalt (27)	Co-58	3.57E+00	1.94E-01	1.21E-04	2.42E-05	6.82E-05	1.07E-04	2.35E-05	3.2E-01	1.6E+00	5.7E-01	3.7E-01	1.7E+00	1.0E-11
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.71E-11	2.67E-11	2.72E-11	2.71E-11	1.21E-10	2.7E+08	2.8E+08	2.7E+08	2.7E+08	6.1E+07	4.5E-05
Cobalt (27)	Co-60	1.31E-01	5.27E+00	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	4.5E-03	2.4E-02	8.5E-03	5.3E-03	2.5E-02	4.0E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	4.83E-07	1.00E-07	2.67E-07	4.10E-07	1.03E-07	7.9E+05	3.8E+06	1.4E+06	9.3E+05	3.7E+06	2.6E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	7.57E-06	2.08E-06	5.04E-06	6.91E-06	2.37E-06	5.3E+03	1.9E+04	8.0E+03	5.8E+03	1.7E+04	1.7E-10
Cobalt (27)	Co-62	2.43E+05	2.85E-06	2.21E-04	3.90E-05	1.12E-04	1.82E-04	3.79E-05	1.2E+04	6.8E+04	2.4E+04	1.5E+04	7.0E+04	6.0E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	3.66E-04	6.56E-05	1.88E-04	3.04E-04	6.31E-05	7.8E+02	4.4E+03	1.5E+03	9.4E+02	4.5E+03	3.6E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	4.39E-05	1.05E-05	2.88E-05	4.17E-05	1.03E-05	7.0E+01	2.9E+02	1.1E+02	7.4E+01	3.0E+02	2.3E-11
Chromium (24)	Cr-49	8.61E+03	8.05E-05	1.20E-04	2.59E-05	7.22E-05	1.09E-04	2.57E-05	7.9E+02	3.6E+03	1.3E+03	8.6E+02	3.7E+03	8.7E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	3.50E-06	7.83E-07	2.20E-06	3.28E-06	7.61E-07	2.9E+01	1.3E+02	4.5E+01	3.0E+01	1.3E+02	3.1E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	7.95E-07	2.34E-07	5.20E-07	7.35E-07	5.62E-07	1.4E+06	4.9E+06	2.2E+06	1.6E+06	2.0E+06	1.5E-09
Chromium (24)	Cr-56	6.13E+04	1.13E-05	4.70E-06	1.73E-06	3.93E-06	4.70E-06	2.16E-06	1.4E+05	3.9E+05	1.7E+05	1.4E+05	3.1E+05	2.5E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	1.39E-04	2.95E-05	8.28E-05	1.27E-04	2.92E-05	1.1E+04	5.2E+04	1.9E+04	1.2E+04	5.3E+04	1.8E-11
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	1.39E-04	2.94E-05	8.28E-05	1.26E-04	2.91E-05	1.4E+04	6.7E+04	2.4E+04	1.6E+04	6.7E+04	1.9E-11
Cesium (55)	Cs-123	6.19E+04	1.12E-05	1.27E-04	2.68E-05	7.52E-05	1.15E-04	2.66E-05	5.3E+03	2.5E+04	9.0E+03	5.9E+03	2.5E+04	2.0E-11
Cesium (55)	Cs-124	7.10E+05	9.77E-07	1.41E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	5.5E+04	2.6E+05	9.4E+04	6.1E+04	2.7E+05	1.9E-11
Cesium (55)	Cs-125	8.09E+03	8.56E-05	8.90E-05	1.84E-05	5.20E-05	7.98E-05	1.82E-05	1.0E+03	4.8E+03	1.7E+03	1.1E+03	4.9E+03	3.0E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	1.38E-04	2.88E-05	8.13E-05	1.25E-04	2.86E-05	1.8E+04	8.4E+04	3.0E+04	2.0E+04	8.5E+04	1.9E-11
Cesium (55)	Cs-127	9.71E+02	7.13E-04	4.70E-05	1.02E-05	2.85E-05	4.32E-05	1.03E-05	2.3E+02	1.0E+03	3.7E+02	2.5E+02	1.0E+03	5.7E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	1.05E-04	2.22E-05	6.21E-05	9.53E-05	2.20E-05	1.0E+04	4.9E+04	1.8E+04	1.1E+04	5.0E+04	2.6E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	2.81E-05	6.26E-06	1.74E-05	2.60E-05	6.47E-06	7.4E+01	3.3E+02	1.2E+02	8.0E+01	3.2E+02	9.7E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	5.84E-05	1.23E-05	3.45E-05	5.27E-05	1.23E-05	2.3E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	4.7E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	3.02E-06	1.10E-06	2.41E-06	2.98E-06	1.45E-06	3.8E+05	1.1E+06	4.8E+05	3.9E+05	7.9E+05	9.1E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	1.33E-07	1.20E-07	1.33E-07	1.33E-07	3.60E-07	2.2E+03	2.4E+03	2.2E+03	2.2E+03	7.9E+02	2.1E-08
Cesium (55)	Cs-132	3.90E+01	1.78E-02	8.49E-05	1.73E-05	4.88E-05	7.57E-05	1.72E-05	5.0E+00	2.5E+01	8.8E+00	5.6E+00	2.5E+01	3.3E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.92E-04	3.86E-05	1.09E-04	1.70E-04	3.76E-05	1.9E-02	9.5E-02	3.4E-02	2.2E-02	9.8E-02	1.5E-11
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	1.37E-06	4.26E-07	1.04E-06	1.35E-06	5.27E-07	1.7E+04	5.4E+04	2.2E+04	1.7E+04	4.3E+04	2.1E-09
Cesium (55)	Cs-135	3.01E-07	2.30E+06	1.58E-09	6.97E-10	1.36E-09	1.57E-09	1.10E-09	3.1E+02	7.0E+02	3.6E+02	3.1E+02	4.4E+02	2.7E-01
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	2.01E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	3.7E+02	1.9E+03	6.7E+02	4.3E+02	2.0E+03	1.4E-11
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.68E-04	5.25E-05	1.48E-04	2.34E-04	5.08E-05	7.8E-01	4.0E+00	1.4E+00	9.0E-01	4.1E+00	1.1E-11
Cesium (55)	Cs-137	2.30E-02	3.02E+01	1.49E-08	5.20E-09	1.15E-08	1.46E-08	1.50E-08	3.9E+01	1.1E+02	5.0E+01	3.9E+01	3.8E+01	4.5E-07
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	6.85E-05	1.40E-05	3.94E-05	6.12E-05	1.37E-05	8.4E-03	4.1E-02	1.5E-02	9.4E-03	4.2E-02	9.7E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	3.22E-04	5.71E-05	1.64E-04	2.66E-04	5.52E-05	3.7E+02	2.1E+03	7.3E+02	4.5E+02	2.2E+03	9.1E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	5.18E-05	9.85E-06	2.81E-05	4.42E-05	9.75E-06	2.6E+04	1.4E+05	4.9E+04	3.1E+04	1.4E+05	5.7E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	4.39E-05	7.67E-06	2.21E-05	3.60E-05	7.73E-06	9.8E+03	5.6E+04	1.9E+04	1.2E+04	5.6E+04	6.7E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	2.47E-04	4.26E-05	1.23E-04	2.01E-04	4.13E-05	1.5E+04	8.8E+04	3.0E+04	1.9E+04	9.1E+04	1.2E-11
Copper (29)	Cu-57	1.11E+08	6.22E-09	1.45E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	8.4E+06	4.0E+07	1.4E+07	9.4E+06	4.1E+07	8.3E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	1.77E-04	3.62E-05	1.02E-04	1.58E-04	3.57E-05	1.7E+04	8.1E+04	2.9E+04	1.9E+04	8.2E+04	7.1E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	5.24E-04	9.44E-05	2.72E-04	4.35E-04	9.12E-05	3.2E+02	1.8E+03	6.2E+02	3.9E+02	1.8E+03	2.4E-12
Copper (29)	Cu-61	1.82E+03	3.80E-04	9.75E-05	2.04E-05	5.76E-05	8.84E-05	2.01E-05	2.0E+02	9.8E+02	3.5E+02	2.3E+02	9.9E+02	1.3E-11
Copper (29)	Cu-62	3.77E+04	1.84E-05	1.20E-04	2.53E-05	7.12E-05	1.09E-04	2.51E-05	3.4E+03	1.6E+04	5.8E+03	3.8E+03	1.6E+04	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Copper (29)	Cu-64	4.78E+02	1.45E-03	2.18E-05	4.58E-06	1.29E-05	1.98E-05	4.48E-06	2.4E+02	1.1E+03	4.0E+02	2.6E+02	1.2E+03	6.2E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	1.34E-05	2.62E-06	7.32E-06	1.15E-05	2.86E-06	5.8E+04	3.0E+05	1.1E+05	6.8E+04	2.7E+05	1.0E-10
Copper (29)	Cu-67	9.82E+01	7.06E-03	1.04E-05	2.68E-06	7.27E-06	1.01E-05	2.65E-06	1.0E+02	4.0E+02	1.5E+02	1.1E+02	4.1E+02	1.4E-10
Copper (29)	Cu-69	1.28E+05	5.42E-06	6.85E-05	1.32E-05	3.74E-05	5.90E-05	1.31E-05	2.0E+04	1.1E+05	3.7E+04	2.4E+04	1.1E+05	2.1E-11
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	8.36E-05	1.74E-05	4.85E-05	7.48E-05	1.72E-05	1.4E+04	7.0E+04	2.5E+04	1.6E+04	7.0E+04	3.8E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	2.06E-04	3.88E-05	1.10E-04	1.75E-04	3.79E-05	4.6E+03	2.4E+04	8.6E+03	5.4E+03	2.5E+04	1.5E-11
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	2.93E-05	6.56E-06	1.82E-05	2.72E-05	6.63E-06	1.9E+04	8.5E+04	3.1E+04	2.0E+04	8.4E+04	1.1E-10
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.71E-04	3.31E-05	9.34E-05	1.48E-04	3.25E-05	1.3E+03	6.7E+03	2.4E+03	1.5E+03	6.9E+03	1.9E-11
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	2.71E-05	6.56E-06	1.78E-05	2.58E-05	6.63E-06	1.0E+03	4.3E+03	1.6E+03	1.1E+03	4.2E+03	1.2E-10
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	9.94E-05	2.03E-05	5.66E-05	8.68E-05	2.04E-05	1.0E+02	5.1E+02	1.8E+02	1.2E+02	5.1E+02	3.3E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.70E-05	1.58E-05	4.40E-05	6.78E-05	1.57E-05	8.7E+01	4.3E+02	1.5E+02	9.9E+01	4.3E+02	4.3E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	3.44E-05	8.03E-06	2.20E-05	3.25E-05	8.14E-06	2.4E+02	1.0E+03	3.7E+02	2.5E+02	1.0E+03	9.7E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	8.71E-07	5.55E-07	8.53E-07	8.68E-07	8.93E-07	2.2E+01	3.5E+01	2.2E+01	2.2E+01	2.1E+01	3.9E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	2.65E-06	6.31E-07	1.65E-06	2.42E-06	7.86E-07	1.1E+04	4.5E+04	1.7E+04	1.2E+04	3.6E+04	1.3E-09
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	1.52E-06	3.86E-07	9.95E-07	1.42E-06	4.13E-07	2.1E+06	8.2E+06	3.2E+06	2.2E+06	7.7E+06	2.3E-09
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	1.75E-06	7.02E-07	1.43E-06	1.71E-06	8.96E-07	4.7E+02	1.2E+03	5.7E+02	4.8E+02	9.1E+02	2.0E-09
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	6.06E-05	1.31E-05	3.65E-05	5.52E-05	1.31E-05	1.1E+04	4.9E+04	1.8E+04	1.2E+04	4.9E+04	5.9E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	4.29E-05	9.49E-06	2.63E-05	3.94E-05	9.53E-06	1.1E+04	4.8E+04	1.7E+04	1.2E+04	4.8E+04	8.3E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	4.20E-06	1.24E-06	2.82E-06	3.88E-06	1.57E-06	2.5E+05	8.6E+05	3.8E+05	2.8E+05	6.8E+05	7.8E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	2.41E-06	9.49E-07	1.89E-06	2.34E-06	1.32E-06	8.5E+04	2.2E+05	1.1E+05	8.7E+04	1.6E+05	1.4E-09
Erbium (68)	Er-159	1.01E+04	6.85E-05	1.17E-04	2.31E-05	6.51E-05	1.02E-04	2.28E-05	9.5E+02	4.8E+03	1.7E+03	1.1E+03	4.9E+03	2.9E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	1.20E-04	2.39E-05	6.72E-05	1.05E-04	2.35E-05	1.7E+02	8.7E+02	3.1E+02	2.0E+02	8.8E+02	2.8E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	9.85E-07	5.45E-07	9.09E-07	9.72E-07	8.05E-07	5.4E+04	9.8E+04	5.9E+04	5.5E+04	6.6E+04	3.5E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	8.27E-07	5.01E-07	8.08E-07	8.27E-07	7.51E-07	7.8E+03	1.3E+04	7.9E+03	7.8E+03	8.5E+03	4.2E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	8.84E-06	2.21E-06	6.01E-06	8.55E-06	2.22E-06	1.2E+07	4.8E+07	1.8E+07	1.2E+07	4.8E+07	4.0E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	2.58E-09	1.05E-09	2.16E-09	2.57E-09	1.56E-09	1.1E+05	2.8E+05	1.4E+05	1.1E+05	1.9E+05	1.4E-06
Erbium (68)	Er-171	8.08E+02	8.58E-04	3.76E-05	8.84E-06	2.43E-05	3.57E-05	8.90E-06	2.4E+02	1.0E+03	3.6E+02	2.5E+02	9.9E+02	9.7E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	5.74E-05	1.24E-05	3.44E-05	5.21E-05	1.24E-05	2.3E+01	1.1E+02	3.9E+01	2.6E+01	1.1E+02	6.4E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	9.44E-05	2.00E-05	5.55E-05	8.43E-05	1.99E-05	2.9E+04	1.4E+05	5.0E+04	3.3E+04	1.4E+05	3.9E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	4.35E-05	9.69E-06	2.69E-05	4.01E-05	9.59E-06	9.0E+02	4.0E+03	1.5E+03	9.7E+02	4.1E+03	1.2E-10
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.35E-04	2.86E-05	7.98E-05	1.21E-04	2.83E-05	5.7E+01	2.7E+02	9.7E+01	6.4E+01	2.7E+02	3.9E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	6.63E-05	1.32E-05	3.70E-05	5.74E-05	1.29E-05	4.5E+02	2.3E+03	8.1E+02	5.2E+02	2.3E+03	8.0E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	6.72E-06	1.96E-06	5.10E-06	6.66E-06	2.04E-06	3.0E+02	1.0E+03	3.9E+02	3.0E+02	9.9E+02	7.9E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	3.38E-08	8.13E-09	2.15E-08	3.14E-08	1.10E-08	4.0E+03	1.7E+04	6.3E+03	4.3E+03	1.2E+04	1.6E-07
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	2.21E-07	7.57E-08	1.63E-07	2.12E-07	1.71E-07	4.5E+01	1.3E+02	6.2E+01	4.7E+01	5.9E+01	2.4E-08
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	1.16E-04	2.22E-05	6.26E-05	9.97E-05	2.16E-05	8.7E-02	4.5E-01	1.6E-01	1.0E-01	4.6E-01	4.7E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	5.71E-05	1.17E-05	3.29E-05	5.11E-05	1.15E-05	3.0E+01	1.5E+02	5.1E+01	3.3E+01	1.5E+02	9.4E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	9.31E-08	1.68E-08	4.78E-08	7.67E-08	1.65E-08	7.5E+02	4.2E+03	1.5E+03	9.1E+02	4.2E+03	5.8E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	1.87E-07	6.61E-08	1.35E-07	1.79E-07	2.72E-07	8.4E+05	2.4E+06	1.2E+06	8.8E+05	5.8E+05	2.9E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	1.51E-04	3.09E-05	8.68E-05	1.34E-04	3.05E-05	6.8E+05	3.3E+06	1.2E+06	7.6E+05	3.4E+06	2.0E-11
Europium (63)	Eu-142m	2.98E+05	2.33E-06	4.26E-04	8.53E-05	2.42E-04	3.76E-04	8.36E-05	7.7E+03	3.8E+04	1.3E+04	8.7E+03	3.9E+04	7.1E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	1.40E-04	2.79E-05	7.88E-05	1.23E-04	2.75E-05	1.1E+04	5.5E+04	2.0E+04	1.3E+04	5.6E+04	2.2E-11
Europium (63)	Eu-144	2.14E+06	3.23E-07	1.36E-04	2.77E-05	7.83E-05	1.21E-04	2.74E-05	1.7E+05	8.5E+05	3.0E+05	1.9E+05	8.6E+05	2.3E-11
Europium (63)	Eu-145	4.27E+01	1.62E-02	1.65E-04	3.07E-05	8.74E-05	1.39E-04	3.00E-05	2.8E+00	1.5E+01	5.3E+00	3.3E+00	1.6E+01	1.9E-11
Europium (63)	Eu-146	5.49E+01	1.26E-02	3.04E-04	5.86E-05	1.66E-04	2.62E-04	5.71E-05	2.0E+00	1.0E+01	3.6E+00	2.3E+00	1.1E+01	1.0E-11
Europium (63)	Eu-147	1.05E+01	6.60E-02	5.21E-05	1.10E-05	3.02E-05	4.64E-05	1.10E-05	2.2E+00	1.0E+01	3.8E+00	2.5E+00	1.0E+01	6.0E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	2.73E-04	5.45E-05	1.55E-04	2.40E-04	5.33E-05	1.9E-01	9.3E-01	3.3E-01	2.1E-01	9.5E-01	1.2E-11
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.04E-06	1.13E-06	2.70E-06	3.79E-06	1.39E-06	7.4E+00	2.6E+01	1.1E+01	7.9E+00	2.1E+01	7.8E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Europium (63)	Eu-150	1.88E-02	3.69E+01	1.83E-04	3.80E-05	1.07E-04	1.64E-04	3.72E-05	3.0E-03	1.4E-02	5.1E-03	3.3E-03	1.5E-02	4.7E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	5.55E-06	1.18E-06	3.28E-06	5.02E-06	1.26E-06	9.4E+02	4.4E+03	1.6E+03	1.0E+03	4.1E+03	5.7E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	1.46E-04	2.83E-05	8.03E-05	1.26E-04	2.77E-05	5.3E-03	2.7E-02	9.7E-03	6.2E-03	2.8E-02	3.1E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.63E-05	7.22E-06	2.02E-05	3.16E-05	7.26E-06	2.0E+02	9.9E+02	3.5E+02	2.3E+02	9.8E+02	8.9E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	4.07E-06	1.45E-06	3.37E-06	4.07E-06	1.59E-06	1.0E+04	2.9E+04	1.2E+04	1.0E+04	2.6E+04	7.9E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	1.58E-04	3.04E-05	8.63E-05	1.36E-04	2.97E-05	6.4E-03	3.3E-02	1.2E-02	7.5E-03	3.4E-02	2.4E-11
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.03E-06	1.19E-06	2.57E-06	3.02E-06	1.43E-06	2.9E+04	7.3E+04	3.4E+04	2.9E+04	6.1E+04	1.1E-09
Europium (63)	Eu-155	1.46E-01	4.76E+00	3.38E-06	1.19E-06	2.78E-06	3.38E-06	1.32E-06	4.8E-01	1.4E+00	5.9E-01	4.8E-01	1.2E+00	1.0E-09
Europium (63)	Eu-156	1.67E+01	4.16E-02	1.66E-04	2.97E-05	8.53E-05	1.38E-04	2.88E-05	1.1E+00	6.1E+00	2.1E+00	1.3E+00	6.3E+00	2.0E-11
Europium (63)	Eu-157	4.00E+02	1.73E-03	2.98E-05	6.77E-06	1.83E-05	2.74E-05	7.01E-06	1.5E+02	6.5E+02	2.4E+02	1.6E+02	6.3E+02	1.1E-10
Europium (63)	Eu-158	7.94E+03	8.73E-05	1.69E-04	3.17E-05	9.04E-05	1.44E-04	3.10E-05	5.1E+02	2.7E+03	9.6E+02	6.1E+02	2.8E+03	2.0E-11
Europium (63)	Eu-159	2.01E+04	3.44E-05	3.13E-05	6.92E-06	1.84E-05	2.78E-05	7.42E-06	7.0E+03	3.2E+04	1.2E+04	7.9E+03	3.0E+04	1.1E-10
Fluorine (9)	F-17	3.39E+05	2.04E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	3.1E+04	1.5E+05	5.2E+04	3.4E+04	1.5E+05	3.0E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	1.16E-04	2.46E-05	6.92E-05	1.06E-04	2.41E-05	3.5E+02	1.6E+03	5.8E+02	3.8E+02	1.7E+03	3.6E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.30E-05	1.82E-05	5.10E-05	7.64E-05	1.78E-05	9.7E+01	4.4E+02	1.6E+02	1.1E+02	4.5E+02	1.3E-11
Iron (26)	Fe-53	4.28E+04	1.62E-05	1.39E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	3.4E+03	1.6E+04	5.7E+03	3.7E+03	1.6E+04	8.1E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	4.04E-04	7.47E-05	2.14E-04	3.41E-04	7.20E-05	3.9E+03	2.1E+04	7.4E+03	4.6E+03	2.2E+04	2.8E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	1.29E-14	3.69E-15	9.69E-15	1.28E-14	3.66E-15	2.1E+08	7.5E+08	2.9E+08	2.2E+08	7.6E+08	9.0E-02
Iron (26)	Fe-59	5.68E+00	1.22E-01	1.57E-04	2.90E-05	8.33E-05	1.33E-04	2.81E-05	4.0E-01	2.1E+00	7.5E-01	4.7E-01	2.2E+00	8.0E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	4.77E-10	2.50E-10	4.34E-10	4.77E-10	4.80E-10	1.0E+03	1.9E+03	1.1E+03	1.0E+03	1.0E+03	2.6E-01
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	1.3E-03	7.2E-03	2.5E-03	1.6E-03	7.4E-03	3.3E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	1.84E-04	3.41E-05	9.74E-05	1.56E-04	3.31E-05	3.6E+03	2.0E+04	6.8E+03	4.3E+03	2.0E+04	7.0E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	6.00E-05	1.27E-05	3.57E-05	5.46E-05	1.27E-05	5.9E+04	2.8E+05	9.9E+04	6.4E+04	2.8E+05	2.2E-11
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.42E-05	3.48E-06	9.39E-06	1.33E-05	3.50E-06	8.8E+02	3.6E+03	1.3E+03	9.4E+02	3.6E+03	3.7E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.60E-08	8.03E-09	1.98E-08	3.04E-08	1.72E-08	7.3E+04	3.3E+05	1.3E+05	8.6E+04	1.5E+05	1.5E-07
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.51E-06	1.27E-06	3.32E-06	4.42E-06	1.36E-06	2.0E+02	7.3E+02	2.8E+02	2.1E+02	6.8E+02	1.2E-09
Fermium (100)	Fm-254	1.87E+03	3.70E-04	9.47E-07	1.70E-07	4.84E-07	7.79E-07	1.73E-07	2.2E+04	1.2E+05	4.2E+04	2.6E+04	1.2E+05	5.7E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	1.06E-07	4.65E-08	8.94E-08	1.05E-07	1.33E-07	3.1E+04	7.1E+04	3.7E+04	3.1E+04	2.5E+04	5.1E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	1.67E-03	2.97E-04	8.53E-04	1.38E-03	2.87E-04	1.5E+01	8.5E+01	3.0E+01	1.8E+01	8.8E+01	3.3E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	1.33E-05	3.22E-06	8.68E-06	1.23E-05	3.25E-06	2.1E+00	8.6E+00	3.2E+00	2.2E+00	8.5E+00	4.1E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	1.42E-04	2.75E-05	7.78E-05	1.22E-04	2.68E-05	1.4E+03	7.2E+03	2.6E+03	1.6E+03	7.5E+03	3.2E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	3.91E-07	8.74E-08	2.44E-07	3.66E-07	8.58E-08	3.1E+10	1.4E+11	4.9E+10	3.3E+10	1.4E+11	1.2E-08
Francium (87)	Fr-220	7.98E+05	8.69E-07	6.15E-07	1.93E-07	4.76E-07	6.06E-07	2.06E-07	1.4E+07	4.5E+07	1.8E+07	1.4E+07	4.2E+07	7.6E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	7.89E-07	2.46E-07	6.06E-07	7.76E-07	2.60E-07	1.1E+07	3.6E+07	1.4E+07	1.1E+07	3.4E+07	5.9E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	2.83E-06	6.92E-07	1.91E-06	2.73E-06	6.82E-07	2.9E+05	1.2E+06	4.3E+05	3.0E+05	1.2E+06	1.7E-09
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	2.86E-06	6.97E-07	1.92E-06	2.75E-06	6.88E-07	2.8E+05	1.2E+06	4.2E+05	3.0E+05	1.2E+06	1.6E-09
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.84E-05	4.27E-06	1.18E-05	1.72E-05	4.39E-06	1.5E+04	6.6E+04	2.4E+04	1.6E+04	6.4E+04	2.6E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	3.66E-06	1.08E-06	2.60E-06	3.50E-06	1.31E-06	5.0E+04	1.7E+05	7.0E+04	5.2E+04	1.4E+05	1.3E-09
Francium (87)	Fr-224	1.09E+05	6.34E-06	6.91E-05	1.34E-05	3.82E-05	5.96E-05	1.33E-05	1.7E+04	8.9E+04	3.1E+04	2.0E+04	9.0E+04	6.9E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	4.86E-05	1.08E-05	2.96E-05	4.42E-05	1.09E-05	3.3E+04	1.5E+05	5.5E+04	3.7E+04	1.5E+05	9.9E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	4.54E-04	8.08E-05	2.33E-04	3.76E-04	7.83E-05	3.3E+03	1.9E+04	6.5E+03	4.0E+03	1.9E+04	3.0E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	1.35E-04	2.87E-05	8.03E-05	1.22E-04	2.84E-05	1.9E+03	9.1E+03	3.3E+03	2.1E+03	9.2E+03	1.0E-11
Gallium (31)	Ga-66	6.40E+02	1.08E-03	3.44E-04	5.86E-05	1.69E-04	2.77E-04	5.62E-05	2.0E+01	1.2E+02	4.1E+01	2.5E+01	1.2E+02	4.1E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	1.46E-05	3.64E-06	9.90E-06	1.40E-05	3.60E-06	5.8E+01	2.3E+02	8.6E+01	6.1E+01	2.4E+02	9.7E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	5.2E+02	2.5E+03	8.8E+02	5.8E+02	2.5E+03	1.3E-11
Gallium (31)	Ga-70	1.72E+04	4.02E-05	1.15E-06	2.54E-07	6.66E-07	1.01E-06	4.67E-07	1.6E+05	7.4E+05	2.8E+05	1.9E+05	4.0E+05	1.3E-09
Gallium (31)	Ga-72	4.31E+02	1.61E-03	3.66E-04	6.51E-05	1.87E-04	3.03E-04	6.25E-05	1.3E+01	7.2E+01	2.5E+01	1.6E+01	7.5E+01	4.2E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	3.85E-05	8.48E-06	2.39E-05	3.57E-05	8.46E-06	3.6E+02	1.6E+03	5.7E+02	3.8E+02	1.6E+03	4.0E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	4.35E-04	7.47E-05	2.17E-04	3.53E-04	7.23E-05	1.1E+03	6.6E+03	2.3E+03	1.4E+03	6.8E+03	3.6E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	1.27E-04	2.56E-05	7.22E-05	1.12E-04	2.52E-05	2.7E+04	1.3E+05	4.7E+04	3.0E+04	1.4E+05	2.4E-11
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	2.60E-04	5.20E-05	1.47E-04	2.29E-04	5.11E-05	8.4E+03	4.2E+04	1.5E+04	9.5E+03	4.3E+04	1.2E-11
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	1.15E-04	2.19E-05	6.21E-05	9.81E-05	2.15E-05	7.8E+03	4.1E+04	1.4E+04	9.1E+03	4.1E+04	2.7E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	3.31E-04	5.71E-05	1.66E-04	2.70E-04	5.52E-05	5.2E+02	3.0E+03	1.0E+03	6.4E+02	3.1E+03	9.3E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	8.30E-05	1.69E-05	4.76E-05	7.38E-05	1.66E-05	3.4E+04	1.7E+05	5.9E+04	3.8E+04	1.7E+05	3.7E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	1.52E-05	4.81E-06	1.16E-05	1.51E-05	5.43E-06	3.8E+00	1.2E+01	4.9E+00	3.8E+00	1.1E+01	2.0E-10
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	1.67E-04	3.40E-05	9.59E-05	1.48E-04	3.35E-05	1.0E+01	5.1E+01	1.8E+01	1.2E+01	5.2E+01	1.9E-11
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	5.52E-05	1.23E-05	3.39E-05	5.05E-05	1.24E-05	5.4E+00	2.4E+01	8.8E+00	5.9E+00	2.4E+01	5.7E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	3.82E-06	1.19E-06	2.76E-06	3.72E-06	1.47E-06	5.8E+00	1.9E+01	8.1E+00	6.0E+00	1.5E+01	8.4E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	4.35E-06	1.71E-06	3.64E-06	4.35E-06	2.18E-06	2.6E+00	6.7E+00	3.2E+00	2.6E+00	5.3E+00	7.5E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	5.14E-06	1.22E-06	3.28E-06	4.80E-06	1.33E-06	7.0E+02	2.9E+03	1.1E+03	7.5E+02	2.7E+03	6.6E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	4.73E-05	1.03E-05	2.90E-05	4.39E-05	1.02E-05	1.0E+04	4.6E+04	1.6E+04	1.1E+04	4.7E+04	7.3E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.64E-05	1.64E-05	4.59E-05	6.94E-05	1.62E-05	3.9E+02	1.8E+03	6.4E+02	4.2E+02	1.8E+03	1.8E-11
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.71E-04	3.52E-05	9.95E-05	1.53E-04	3.47E-05	1.2E+03	6.0E+03	2.1E+03	1.4E+03	6.1E+03	8.3E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	1.10E-11	1.10E-11	1.10E-11	1.10E-11	3.98E-10	9.3E+05	9.3E+05	9.3E+05	9.3E+05	2.6E+04	1.3E-04
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	9.1E-02	4.3E-01	1.5E-01	1.0E-01	4.4E-01	1.3E-11
Germanium (32)	Ge-69	1.55E+02	4.46E-03	1.20E-04	2.33E-05	6.61E-05	1.04E-04	2.27E-05	1.4E+01	7.3E+01	2.6E+01	1.6E+01	7.5E+01	1.2E-11
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.11E-11	1.11E-11	1.11E-11	1.11E-11	4.04E-10	2.2E+07	2.2E+07	2.2E+07	2.2E+07	6.0E+05	1.4E-04
Germanium (32)	Ge-75	4.40E+03	1.57E-04	3.82E-06	8.89E-07	2.48E-06	3.63E-06	9.85E-07	1.3E+04	5.4E+04	1.9E+04	1.3E+04	4.9E+04	4.2E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	1.30E-04	2.65E-05	7.52E-05	1.16E-04	2.60E-05	4.5E+01	2.2E+02	7.8E+01	5.1E+01	2.3E+02	1.3E-11
Germanium (32)	Ge-78	4.14E+03	1.67E-04	2.98E-05	6.82E-06	1.92E-05	2.83E-05	6.63E-06	1.5E+03	6.6E+03	2.4E+03	1.6E+03	6.8E+03	5.6E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	6.85E-05	1.51E-05	4.20E-05	6.31E-05	1.51E-05	2.8E+04	1.3E+05	4.6E+04	3.1E+04	1.3E+05	5.2E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	7.07E-05	1.55E-05	4.29E-05	6.47E-05	1.55E-05	1.7E+04	7.9E+04	2.9E+04	1.9E+04	8.0E+04	5.1E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	4.39E-05	1.01E-05	2.73E-05	4.04E-05	1.03E-05	9.5E+01	4.1E+02	1.5E+02	1.0E+02	4.0E+02	8.2E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	1.0E+00	2.4E+00	1.2E+00	1.0E+00	1.9E+00	9.0E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	1.0E+00	2.4E+00	1.2E+00	1.0E+00	1.9E+00	9.0E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	3.50E-05	8.94E-06	2.36E-05	3.35E-05	9.09E-06	8.0E+01	3.2E+02	1.2E+02	8.4E+01	3.1E+02	1.0E-10
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	3.47E-05	8.23E-06	2.23E-05	3.25E-05	8.30E-06	1.1E+00	4.8E+00	1.8E+00	1.2E+00	4.8E+00	1.1E-10
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	2.36E-04	5.45E-05	1.51E-04	2.22E-04	5.40E-05	3.3E+02	1.4E+03	5.1E+02	3.5E+02	1.4E+03	1.6E-11
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	2.46E-04	5.45E-05	1.52E-04	2.27E-04	5.36E-05	2.3E-03	1.0E-02	3.8E-03	2.5E-03	1.1E-02	3.6E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	9.44E-05	2.19E-05	6.01E-05	8.84E-05	2.17E-05	1.2E+00	5.1E+00	1.8E+00	1.3E+00	5.1E+00	4.0E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.05E-04	2.38E-05	6.61E-05	9.78E-05	2.35E-05	1.2E+02	5.1E+02	1.8E+02	1.2E+02	5.1E+02	3.6E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.78E-05	1.29E-05	3.58E-05	5.33E-05	1.27E-05	1.1E+00	5.1E+00	1.8E+00	1.2E+00	5.1E+00	6.7E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	2.46E-05	5.76E-06	1.61E-05	2.34E-05	5.65E-06	1.8E-02	7.6E-02	2.7E-02	1.9E-02	7.8E-02	8.2E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	1.87E-04	3.69E-05	1.04E-04	1.62E-04	3.60E-05	2.3E-03	1.2E-02	4.2E-03	2.7E-03	1.2E-02	1.1E-05
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	1.00E-04	2.19E-05	6.06E-05	9.15E-05	2.17E-05	6.5E+02	3.0E+03	1.1E+03	7.1E+02	3.0E+03	3.9E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	9.21E-05	1.89E-05	5.30E-05	8.17E-05	1.87E-05	6.8E+02	3.3E+03	1.2E+03	7.6E+02	3.3E+03	4.2E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	2.18E-05	5.40E-06	1.46E-05	2.08E-05	5.49E-06	7.4E+02	3.0E+03	1.1E+03	7.7E+02	2.9E+03	1.8E-10
Mercury (80)	Hg-190	1.82E+04	3.81E-05	1.43E-05	4.27E-06	1.08E-05	1.41E-05	4.42E-06	1.4E+04	4.7E+04	1.9E+04	1.4E+04	4.5E+04	2.8E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	1.77E-04	3.59E-05	1.01E-04	1.56E-04	3.50E-05	4.4E+02	2.2E+03	7.7E+02	5.0E+02	2.2E+03	2.3E-11
Mercury (80)	Hg-192	1.25E+03	5.54E-04	2.36E-05	6.11E-06	1.62E-05	2.26E-05	6.22E-06	5.8E+02	2.2E+03	8.5E+02	6.1E+02	2.2E+03	1.7E-10
Mercury (80)	Hg-193	1.60E+03	4.34E-04	1.01E-04	1.99E-05	5.60E-05	8.74E-05	1.95E-05	1.7E+02	8.8E+02	3.1E+02	2.0E+02	9.0E+02	4.0E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	1.02E-04	2.00E-05	5.66E-05	8.80E-05	1.97E-05	1.7E+02	8.7E+02	3.1E+02	2.0E+02	8.9E+02	4.0E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	1.25E-04	2.47E-05	6.97E-05	1.09E-04	2.41E-05	4.5E+01	2.3E+02	8.1E+01	5.2E+01	2.3E+02	3.3E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Mercury (80)	Hg-194	1.58E-03	4.40E+02	9.75E-11	9.74E-11	9.74E-11	9.75E-11	2.32E-09	4.6E+03	4.6E+03	4.6E+03	4.6E+03	1.9E+02	1.1E-03
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	3.5E-03	1.8E-02	6.4E-03	4.0E-03	1.9E-02	8.3E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.94E-05	4.47E-06	1.18E-05	1.74E-05	4.54E-06	3.2E+02	1.4E+03	5.3E+02	3.6E+02	1.4E+03	2.1E-10
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	1.97E-05	4.63E-06	1.25E-05	1.83E-05	4.64E-06	8.1E+01	3.5E+02	1.3E+02	8.7E+01	3.4E+02	2.1E-10
Mercury (80)	Hg-197	9.35E+01	7.41E-03	3.28E-06	1.32E-06	2.85E-06	3.28E-06	1.50E-06	3.1E+02	7.7E+02	3.6E+02	3.1E+02	6.8E+02	1.3E-09
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	7.04E-06	2.04E-06	5.20E-06	6.88E-06	2.10E-06	4.0E+02	1.4E+03	5.4E+02	4.1E+02	1.3E+03	5.9E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.54E-05	4.08E-06	1.08E-05	1.48E-05	4.13E-06	6.1E+03	2.3E+04	8.7E+03	6.3E+03	2.3E+04	2.8E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	2.49E-05	5.76E-06	1.61E-05	2.36E-05	5.62E-06	2.4E+00	1.0E+01	3.7E+00	2.5E+00	1.1E+01	1.7E-10
Mercury (80)	Hg-205	7.00E+04	9.89E-06	6.66E-07	1.79E-07	4.55E-07	6.37E-07	3.50E-07	1.2E+06	4.3E+06	1.7E+06	1.2E+06	2.2E+06	6.5E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	1.31E-05	2.97E-06	8.28E-06	1.22E-05	3.02E-06	3.7E+04	1.6E+05	5.9E+04	4.0E+04	1.6E+05	3.4E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	3.57E-04	6.41E-05	1.85E-04	2.97E-04	6.19E-05	3.9E+03	2.1E+04	7.4E+03	4.6E+03	2.2E+04	1.2E-11
Holmium (67)	Ho-150	2.85E+05	2.44E-06	2.32E-04	4.75E-05	1.34E-04	2.07E-04	4.67E-05	1.3E+04	6.6E+04	2.3E+04	1.5E+04	6.7E+04	1.4E-11
Holmium (67)	Ho-153	1.81E+05	3.82E-06	1.20E-04	2.51E-05	7.07E-05	1.08E-04	2.49E-05	1.7E+04	7.9E+04	2.8E+04	1.8E+04	8.0E+04	2.7E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	1.21E-04	2.60E-05	7.22E-05	1.10E-04	2.58E-05	3.5E+03	1.7E+04	5.9E+03	3.9E+03	1.7E+04	2.7E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	2.29E-04	4.64E-05	1.31E-04	2.03E-04	4.58E-05	1.5E+03	7.3E+03	2.6E+03	1.7E+03	7.4E+03	1.4E-11
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	2.87E-04	6.01E-05	1.69E-04	2.59E-04	5.90E-05	4.5E+03	2.1E+04	7.6E+03	5.0E+03	2.2E+04	1.1E-11
Holmium (67)	Ho-155	7.59E+03	9.13E-05	6.94E-05	1.45E-05	4.04E-05	6.19E-05	1.45E-05	1.2E+03	5.7E+03	2.1E+03	1.3E+03	5.7E+03	4.7E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	2.63E-04	5.10E-05	1.44E-04	2.27E-04	4.99E-05	2.7E+02	1.4E+03	4.9E+02	3.1E+02	1.4E+03	1.3E-11
Holmium (67)	Ho-157	2.89E+04	2.40E-05	6.09E-05	1.34E-05	3.67E-05	5.52E-05	1.36E-05	5.2E+03	2.4E+04	8.6E+03	5.7E+03	2.3E+04	5.5E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.38E-05	8.38E-06	2.20E-05	3.15E-05	8.77E-06	3.6E+03	1.4E+04	5.5E+03	3.8E+03	1.4E+04	1.0E-10
Holmium (67)	Ho-160	1.42E+04	4.87E-05	2.07E-04	4.13E-05	1.16E-04	1.81E-04	4.07E-05	7.5E+02	3.8E+03	1.3E+03	8.6E+02	3.8E+03	1.6E-11
Holmium (67)	Ho-161	2.45E+03	2.83E-04	1.46E-06	7.32E-07	1.30E-06	1.45E-06	1.10E-06	1.8E+04	3.7E+04	2.1E+04	1.8E+04	2.4E+04	2.3E-09
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.58E-05	3.47E-06	9.14E-06	1.38E-05	3.69E-06	1.7E+04	7.7E+04	2.9E+04	1.9E+04	7.2E+04	2.2E-10
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	6.50E-05	1.31E-05	3.64E-05	5.65E-05	1.31E-05	9.2E+02	4.6E+03	1.6E+03	1.1E+03	4.6E+03	5.3E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Holmium (67)	Ho-164	1.26E+04	5.52E-05	7.48E-07	4.09E-07	7.02E-07	7.48E-07	6.22E-07	1.8E+05	3.4E+05	2.0E+05	1.8E+05	2.2E+05	4.7E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	9.75E-07	5.86E-07	9.49E-07	9.75E-07	8.90E-07	1.1E+05	1.8E+05	1.1E+05	1.1E+05	1.2E+05	3.6E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	3.25E-06	7.22E-07	1.86E-06	2.79E-06	9.69E-07	7.6E+02	3.4E+03	1.3E+03	8.9E+02	2.6E+03	1.1E-09
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	1.93E-04	3.99E-05	1.12E-04	1.73E-04	3.91E-05	2.3E-03	1.1E-02	3.9E-03	2.6E-03	1.1E-02	1.3E-09
Holmium (67)	Ho-167	1.96E+03	3.54E-04	3.91E-05	8.89E-06	2.47E-05	3.66E-05	8.77E-06	5.5E+02	2.4E+03	8.7E+02	5.9E+02	2.4E+03	9.1E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	1.09E-04	2.17E-05	6.11E-05	9.56E-05	2.14E-05	1.2E+04	6.2E+04	2.2E+04	1.4E+04	6.2E+04	3.3E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	1.38E-07	8.33E-08	1.35E-07	1.38E-07	1.25E-07	1.3E+07	2.2E+07	1.3E+07	1.3E+07	1.4E+07	2.6E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	2.10E-04	4.17E-05	1.18E-04	1.84E-04	4.10E-05	6.9E+03	3.5E+04	1.2E+04	7.9E+03	3.5E+04	1.7E-11
Iodine (53)	I-118	2.66E+04	2.61E-05	2.50E-04	5.04E-05	1.43E-04	2.22E-04	4.95E-05	1.2E+03	5.8E+03	2.0E+03	1.3E+03	5.9E+03	1.0E-11
Iodine (53)	I-118m	4.29E+04	1.62E-05	4.64E-04	9.29E-05	2.63E-04	4.10E-04	9.09E-05	1.0E+03	5.1E+03	1.8E+03	1.1E+03	5.2E+03	5.4E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	1.04E-04	2.23E-05	6.26E-05	9.53E-05	2.21E-05	2.0E+03	9.4E+03	3.3E+03	2.2E+03	9.5E+03	2.4E-11
Iodine (53)	I-120	4.46E+03	1.55E-04	3.50E-04	6.41E-05	1.84E-04	2.94E-04	6.22E-05	1.4E+02	7.6E+02	2.7E+02	1.7E+02	7.9E+02	7.3E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	4.45E-04	8.63E-05	2.46E-04	3.85E-04	8.43E-05	1.7E+02	8.7E+02	3.1E+02	2.0E+02	8.9E+02	5.7E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	4.20E-05	9.34E-06	2.61E-05	3.88E-05	9.34E-06	7.5E+02	3.4E+03	1.2E+03	8.1E+02	3.4E+03	6.1E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	1.15E-04	2.40E-05	6.77E-05	1.04E-04	2.39E-05	9.6E+03	4.6E+04	1.6E+04	1.1E+04	4.6E+04	2.3E-11
Iodine (53)	I-123	4.57E+02	1.51E-03	1.39E-05	3.60E-06	9.64E-06	1.35E-05	3.79E-06	3.6E+02	1.4E+03	5.2E+02	3.7E+02	1.3E+03	1.9E-10
Iodine (53)	I-124	6.06E+01	1.14E-02	1.39E-04	2.69E-05	7.67E-05	1.21E-04	2.64E-05	4.8E+00	2.5E+01	8.6E+00	5.5E+00	2.5E+01	1.9E-11
Iodine (53)	I-125	4.26E+00	1.63E-01	1.97E-07	1.82E-07	1.96E-07	1.97E-07	6.19E-07	2.4E+02	2.6E+02	2.4E+02	2.4E+02	7.5E+01	1.4E-08
Iodine (53)	I-126	1.96E+01	3.54E-02	5.08E-05	1.06E-05	2.98E-05	4.58E-05	1.05E-05	4.2E+00	2.0E+01	7.2E+00	4.7E+00	2.0E+01	5.3E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	8.02E-06	1.76E-06	4.86E-06	7.35E-06	1.98E-06	2.0E+04	9.1E+04	3.3E+04	2.2E+04	8.1E+04	3.4E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	1.67E-07	1.44E-07	1.66E-07	1.67E-07	4.01E-07	2.6E+00	3.0E+00	2.6E+00	2.6E+00	1.1E+00	1.5E-02
Iodine (53)	I-130	4.91E+02	1.41E-03	2.61E-04	5.30E-05	1.50E-04	2.33E-04	5.18E-05	2.1E+01	1.0E+02	3.6E+01	2.3E+01	1.0E+02	1.1E-11
Iodine (53)	I-130m	4.12E+04	1.68E-05	1.28E-05	2.63E-06	7.37E-06	1.14E-05	2.67E-06	3.5E+04	1.7E+05	6.1E+04	4.0E+04	1.7E+05	2.2E-10
Iodine (53)	I-131	3.15E+01	2.20E-02	4.32E-05	9.44E-06	2.65E-05	4.01E-05	9.25E-06	8.0E+00	3.7E+01	1.3E+01	8.6E+00	3.7E+01	6.4E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Iodine (53)	I-132	2.65E+03	2.62E-04	2.85E-04	5.60E-05	1.59E-04	2.49E-04	5.46E-05	1.0E+02	5.2E+02	1.8E+02	1.2E+02	5.3E+02	9.9E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	4.01E-05	8.23E-06	2.31E-05	3.57E-05	8.14E-06	1.2E+03	5.8E+03	2.1E+03	1.3E+03	5.9E+03	7.0E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	7.38E-05	1.52E-05	4.29E-05	6.63E-05	1.50E-05	4.3E+01	2.1E+02	7.4E+01	4.8E+01	2.1E+02	3.8E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	3.31E-04	6.41E-05	1.82E-04	2.87E-04	6.22E-05	2.3E+02	1.2E+03	4.2E+02	2.6E+02	1.2E+03	8.6E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	2.88E-05	6.56E-06	1.82E-05	2.70E-05	6.66E-06	3.8E+04	1.7E+05	6.1E+04	4.1E+04	1.7E+05	9.9E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	2.12E-04	3.83E-05	1.11E-04	1.78E-04	3.72E-05	4.8E+01	2.6E+02	9.1E+01	5.7E+01	2.7E+02	1.4E-11
Indium (49)	In-103	3.64E+05	1.90E-06	3.53E-04	6.72E-05	1.91E-04	3.03E-04	6.53E-05	1.1E+04	5.9E+04	2.1E+04	1.3E+04	6.1E+04	6.2E-12
Indium (49)	In-105	7.18E+04	9.65E-06	2.40E-04	4.72E-05	1.34E-04	2.10E-04	4.61E-05	3.3E+03	1.7E+04	5.9E+03	3.8E+03	1.7E+04	9.3E-12
Indium (49)	In-106	5.87E+04	1.18E-05	4.42E-04	8.84E-05	2.49E-04	3.88E-04	8.62E-05	1.5E+03	7.3E+03	2.6E+03	1.7E+03	7.5E+03	5.1E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	3.69E-04	6.87E-05	1.96E-04	3.13E-04	6.66E-05	2.1E+03	1.1E+04	3.9E+03	2.5E+03	1.2E+04	6.1E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.96E-04	3.68E-05	1.05E-04	1.67E-04	3.57E-05	6.3E+02	3.3E+03	1.2E+03	7.4E+02	3.5E+03	1.2E-11
Indium (49)	In-108	6.28E+03	1.10E-04	4.99E-04	9.59E-05	2.73E-04	4.32E-04	9.31E-05	1.4E+02	7.2E+02	2.5E+02	1.6E+02	7.4E+02	4.6E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	3.76E-04	6.51E-05	1.89E-04	3.06E-04	6.28E-05	2.7E+02	1.5E+03	5.3E+02	3.3E+02	1.6E+03	6.1E-12
Indium (49)	In-109	1.45E+03	4.79E-04	7.54E-05	1.53E-05	4.33E-05	6.66E-05	1.50E-05	2.1E+02	1.0E+03	3.7E+02	2.4E+02	1.1E+03	3.1E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	7.42E-05	1.51E-05	4.28E-05	6.63E-05	1.48E-05	4.0E+04	2.0E+05	7.0E+04	4.5E+04	2.0E+05	3.1E-11
Indium (49)	In-110	1.24E+03	5.59E-04	3.88E-04	7.62E-05	2.16E-04	3.38E-04	7.45E-05	3.5E+01	1.8E+02	6.3E+01	4.0E+01	1.8E+02	6.0E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	1.96E-04	3.87E-05	1.10E-04	1.72E-04	3.79E-05	2.9E+02	1.5E+03	5.2E+02	3.4E+02	1.5E+03	1.2E-11
Indium (49)	In-111	9.02E+01	7.68E-03	3.85E-05	9.34E-06	2.59E-05	3.72E-05	9.28E-06	2.6E+01	1.1E+02	3.8E+01	2.7E+01	1.1E+02	6.1E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	5.55E-05	1.17E-05	3.28E-05	5.05E-05	1.15E-05	9.3E+03	4.4E+04	1.6E+04	1.0E+04	4.5E+04	4.2E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.11E-05	6.51E-06	1.84E-05	2.81E-05	6.50E-06	8.6E+03	4.1E+04	1.4E+04	9.5E+03	4.1E+04	7.7E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.87E-06	5.20E-07	1.34E-06	1.83E-06	6.37E-07	1.0E+05	3.7E+05	1.4E+05	1.1E+05	3.0E+05	1.3E-09
Indium (49)	In-113m	3.66E+03	1.89E-04	2.88E-05	6.31E-06	1.77E-05	2.67E-05	6.22E-06	1.4E+03	6.4E+03	2.3E+03	1.5E+03	6.4E+03	8.3E-11
Indium (49)	In-114	3.04E+05	2.28E-06	6.34E-07	1.67E-07	3.95E-07	5.71E-07	4.23E-07	5.2E+06	2.0E+07	8.4E+06	5.8E+06	7.9E+06	3.8E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	7.95E-06	1.76E-06	4.91E-06	7.32E-06	1.81E-06	7.0E+00	3.2E+01	1.1E+01	7.6E+00	3.1E+01	3.0E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	8.55E-06	1.92E-06	5.30E-06	7.89E-06	2.22E-06	6.5E+00	2.9E+01	1.1E+01	7.1E+00	2.5E+01	2.8E-10
Indium (49)	In-115	1.57E-15	4.41E+14	7.42E-09	2.68E-09	5.91E-09	7.35E-09	4.26E-09	6.6E+01	1.8E+02	8.2E+01	6.6E+01	1.1E+02	9.3E+06
Indium (49)	In-115m	1.35E+03	5.12E-04	1.71E-05	3.82E-06	1.07E-05	1.60E-05	3.82E-06	8.7E+02	3.9E+03	1.4E+03	9.3E+02	3.9E+03	1.4E-10
Indium (49)	In-116m	6.69E+03	1.04E-04	3.31E-04	6.01E-05	1.72E-04	2.77E-04	5.78E-05	2.2E+02	1.2E+03	4.3E+02	2.6E+02	1.3E+03	7.4E-12
Indium (49)	In-117	8.43E+03	8.22E-05	7.86E-05	1.70E-05	4.77E-05	7.20E-05	1.67E-05	1.2E+03	5.4E+03	1.9E+03	1.3E+03	5.5E+03	3.2E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	9.06E-06	2.14E-06	5.91E-06	8.62E-06	2.25E-06	3.8E+03	1.6E+04	5.8E+03	4.0E+03	1.5E+04	2.7E-10
Indium (49)	In-118	4.37E+06	1.59E-07	1.26E-05	2.51E-06	6.87E-06	1.08E-05	2.82E-06	3.8E+06	1.9E+07	7.0E+06	4.4E+06	1.7E+07	2.0E-10
Indium (49)	In-118m	8.35E+04	8.30E-06	3.63E-04	6.82E-05	1.94E-04	3.10E-04	6.63E-05	2.5E+03	1.3E+04	4.7E+03	2.9E+03	1.4E+04	6.9E-12
Indium (49)	In-119	1.52E+05	4.57E-06	9.56E-05	1.91E-05	5.40E-05	8.43E-05	1.89E-05	1.7E+04	8.7E+04	3.1E+04	2.0E+04	8.8E+04	2.6E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	8.93E-06	1.77E-06	4.91E-06	7.70E-06	2.04E-06	2.5E+04	1.3E+05	4.5E+04	2.9E+04	1.1E+05	2.8E-10
Indium (49)	In-121	9.46E+05	7.32E-07	1.18E-04	2.31E-05	6.51E-05	1.03E-04	2.28E-05	8.8E+04	4.5E+05	1.6E+05	1.0E+05	4.6E+05	2.2E-11
Indium (49)	In-121m	9.39E+04	7.38E-06	7.45E-06	1.65E-06	4.23E-06	6.41E-06	2.11E-06	1.4E+05	6.2E+05	2.4E+05	1.6E+05	4.9E+05	3.5E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	1.88E-04	3.95E-05	1.11E-04	1.69E-04	3.88E-05	1.4E+04	6.7E+04	2.4E+04	1.6E+04	6.9E+04	2.0E-11
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.66E-04	3.47E-05	9.74E-05	1.49E-04	3.41E-05	1.6E+03	7.7E+03	2.7E+03	1.8E+03	7.8E+03	2.3E-11
Iridium (77)	Ir-183	6.28E+03	1.10E-04	1.47E-04	2.82E-05	7.98E-05	1.25E-04	2.75E-05	4.7E+02	2.4E+03	8.6E+02	5.5E+02	2.5E+03	2.6E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	2.41E-04	4.74E-05	1.34E-04	2.09E-04	4.64E-05	8.9E+01	4.5E+02	1.6E+02	1.0E+02	4.6E+02	1.6E-11
Iridium (77)	Ir-185	4.22E+02	1.64E-03	1.06E-04	1.99E-05	5.66E-05	8.90E-05	1.95E-05	4.4E+01	2.3E+02	8.2E+01	5.2E+01	2.4E+02	3.7E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	2.03E-04	4.00E-05	1.13E-04	1.76E-04	3.91E-05	2.0E+01	1.0E+02	3.5E+01	2.3E+01	1.0E+02	1.9E-11
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	1.58E-04	3.01E-05	8.53E-05	1.35E-04	2.93E-05	2.2E+02	1.2E+03	4.1E+02	2.6E+02	1.2E+03	2.5E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	3.47E-05	7.67E-06	2.07E-05	3.11E-05	7.73E-06	1.8E+02	8.2E+02	3.1E+02	2.0E+02	8.2E+02	1.1E-10
Iridium (77)	Ir-188	1.46E+02	4.74E-03	2.82E-04	4.94E-05	1.42E-04	2.31E-04	4.77E-05	5.7E+00	3.2E+01	1.1E+01	6.9E+00	3.4E+01	1.4E-11
Iridium (77)	Ir-189	1.92E+01	3.62E-02	4.32E-06	1.48E-06	3.38E-06	4.23E-06	1.66E-06	4.9E+01	1.4E+02	6.2E+01	5.0E+01	1.3E+02	9.3E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.68E-04	3.60E-05	1.01E-04	1.53E-04	3.53E-05	1.4E+00	6.5E+00	2.3E+00	1.5E+00	6.7E+00	2.4E-11
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	1.92E-11	1.92E-11	1.92E-11	1.92E-11	5.68E-10	3.1E+09	3.1E+09	3.1E+09	3.1E+09	1.0E+08	2.1E-04
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	2.46E-06	1.01E-06	2.12E-06	2.45E-06	1.18E-06	8.8E+03	2.1E+04	1.0E+04	8.8E+03	1.8E+04	1.6E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	4.32E-06	1.46E-06	3.46E-06	4.29E-06	1.58E-06	1.1E+07	3.3E+07	1.4E+07	1.1E+07	3.1E+07	9.4E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	9.15E-05	2.01E-05	5.66E-05	8.49E-05	1.97E-05	4.1E-01	1.9E+00	6.6E-01	4.4E-01	1.9E+00	4.5E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	4.83E-09	1.32E-09	3.27E-09	4.58E-09	3.35E-09	5.7E+08	2.1E+09	8.4E+08	6.0E+08	8.2E+08	8.4E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	3.16E-08	1.17E-08	2.61E-08	3.14E-08	1.71E-08	1.4E+01	3.9E+01	1.7E+01	1.4E+01	2.6E+01	1.9E-06
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.25E-08	5.55E-09	1.13E-08	1.25E-08	7.16E-09	2.1E+04	4.7E+04	2.3E+04	2.1E+04	3.7E+04	3.3E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	1.11E-05	2.36E-06	6.61E-06	1.00E-05	2.56E-06	3.1E+02	1.5E+03	5.2E+02	3.4E+02	1.3E+03	3.7E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	2.73E-04	5.76E-05	1.63E-04	2.48E-04	5.65E-05	5.9E-02	2.8E-01	1.0E-01	6.5E-02	2.9E-01	1.5E-11
Iridium (77)	Ir-195	2.43E+03	2.85E-04	3.04E-06	1.12E-06	2.51E-06	3.02E-06	1.31E-06	8.7E+03	2.4E+04	1.1E+04	8.8E+03	2.0E+04	1.4E-09
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	4.01E-05	9.04E-06	2.49E-05	3.72E-05	8.96E-06	4.4E+02	1.9E+03	7.0E+02	4.7E+02	2.0E+03	1.0E-10
Iridium (77)	Ir-196	4.20E+05	1.65E-06	2.89E-05	5.96E-06	1.68E-05	2.58E-05	6.15E-06	1.6E+05	7.7E+05	2.7E+05	1.8E+05	7.5E+05	1.4E-10
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	2.88E-04	6.11E-05	1.72E-04	2.62E-04	5.96E-05	1.6E+02	7.8E+02	2.8E+02	1.8E+02	8.0E+02	1.4E-11
Potassium (19)	K-38	4.77E+04	1.45E-05	4.35E-04	7.57E-05	2.20E-04	3.57E-04	7.32E-05	1.2E+03	6.9E+03	2.4E+03	1.5E+03	7.1E+03	1.9E-12
Potassium (19)	K-40	5.54E-10	1.25E+09	2.16E-05	3.83E-06	1.11E-05	1.79E-05	3.85E-06	2.0E-02	1.1E-01	4.0E-02	2.4E-02	1.1E-01	2.8E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.16E-06	1.4E+02	7.6E+02	2.6E+02	1.6E+02	7.5E+02	2.2E-11
Potassium (19)	K-43	2.72E+02	2.55E-03	1.14E-04	2.39E-05	6.77E-05	1.03E-04	2.34E-05	2.6E+01	1.2E+02	4.4E+01	2.9E+01	1.3E+02	8.0E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	3.35E-04	5.66E-05	1.65E-04	2.70E-04	5.46E-05	5.4E+02	3.2E+03	1.1E+03	6.7E+02	3.3E+03	2.8E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	2.52E-04	4.37E-05	1.27E-04	2.06E-04	4.20E-05	9.1E+02	5.3E+03	1.8E+03	1.1E+03	5.5E+03	3.8E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	4.13E-04	6.77E-05	1.96E-04	3.25E-04	6.47E-05	5.5E+03	3.4E+04	1.2E+04	7.0E+03	3.5E+04	2.4E-12
Krypton (36)	Kr-74	3.17E+04	2.19E-05	1.20E-04	2.60E-05	7.27E-05	1.10E-04	2.57E-05	2.9E+03	1.3E+04	4.8E+03	3.2E+03	1.4E+04	1.3E-11
Krypton (36)	Kr-75	8.49E+04	8.16E-06	1.49E-04	3.19E-05	8.94E-05	1.35E-04	3.15E-05	6.2E+03	2.9E+04	1.0E+04	6.9E+03	2.9E+04	1.1E-11
Krypton (36)	Kr-76	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	9.8E+01	4.4E+02	1.6E+02	1.1E+02	4.5E+02	3.5E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	9.8E+01	4.4E+02	1.6E+02	1.1E+02	4.5E+02	3.5E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	1.17E-04	2.55E-05	7.12E-05	1.07E-04	2.53E-05	4.6E+02	2.1E+03	7.5E+02	5.0E+02	2.1E+03	1.4E-11
Krypton (36)	Kr-79	1.73E+02	4.00E-03	2.89E-05	6.16E-06	1.73E-05	2.64E-05	6.00E-06	6.6E+01	3.1E+02	1.1E+02	7.2E+01	3.2E+02	5.8E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	8.80E-08	2.05E-08	5.71E-08	8.36E-08	3.13E-08	5.0E+00	2.1E+01	7.7E+00	5.2E+00	1.4E+01	2.6E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	1.24E-05	3.06E-06	8.48E-06	1.21E-05	2.99E-06	1.5E+06	6.0E+06	2.2E+06	1.5E+06	6.1E+06	1.4E-10
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	3.38E-10	3.22E-10	3.36E-10	3.38E-10	5.05E-09	1.1E+08	1.1E+08	1.1E+08	1.1E+08	7.2E+06	5.2E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	2.87E-07	6.36E-08	1.75E-07	2.63E-07	8.87E-08	3.1E+00	1.4E+01	5.0E+00	3.4E+00	9.9E+00	7.9E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	1.47E-05	3.72E-06	1.01E-05	1.43E-05	3.69E-06	1.0E+03	4.0E+03	1.5E+03	1.0E+03	4.0E+03	1.2E-10
Krypton (36)	Kr-87	4.77E+03	1.45E-04	1.08E-04	1.91E-05	5.50E-05	8.90E-05	1.87E-05	4.8E+02	2.7E+03	9.5E+02	5.9E+02	2.8E+03	1.7E-11
Krypton (36)	Kr-88	2.14E+03	3.24E-04	2.75E-04	4.58E-05	1.34E-04	2.20E-04	4.39E-05	8.5E+01	5.1E+02	1.7E+02	1.1E+02	5.3E+02	6.8E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	2.65E-04	4.61E-05	1.33E-04	2.16E-04	4.45E-05	4.8E+03	2.7E+04	9.5E+03	5.9E+03	2.8E+04	7.1E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	3.50E-04	6.97E-05	1.98E-04	3.08E-04	6.85E-05	2.2E+03	1.1E+04	3.9E+03	2.5E+03	1.1E+04	7.8E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.24E-05	3.2E+03	1.5E+04	5.4E+03	3.6E+03	1.5E+04	2.6E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	2.77E-04	5.50E-05	1.56E-04	2.43E-04	5.36E-05	1.7E+03	8.3E+03	2.9E+03	1.9E+03	8.5E+03	1.0E-11
Lanthanum (57)	La-131	6.17E+03	1.12E-04	7.35E-05	1.59E-05	4.43E-05	6.69E-05	1.58E-05	9.2E+02	4.3E+03	1.5E+03	1.0E+03	4.3E+03	3.8E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	2.55E-04	4.82E-05	1.38E-04	2.18E-04	4.70E-05	5.4E+01	2.9E+02	1.0E+02	6.4E+01	2.9E+02	1.1E-11
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	7.67E-05	1.62E-05	4.51E-05	6.91E-05	1.60E-05	2.1E+03	1.0E+04	3.6E+03	2.4E+03	1.0E+04	3.7E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.63E-05	3.51E-06	9.64E-06	1.47E-05	3.69E-06	1.0E+03	4.8E+03	1.8E+03	1.2E+03	4.6E+03	1.7E-10
Lanthanum (57)	La-134	5.65E+04	1.23E-05	8.49E-05	1.78E-05	5.01E-05	7.67E-05	1.78E-05	7.3E+03	3.5E+04	1.2E+04	8.1E+03	3.5E+04	3.4E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.39E-06	4.16E-07	9.04E-07	1.28E-06	6.75E-07	2.4E+03	8.2E+03	3.8E+03	2.7E+03	5.0E+03	2.1E-09
Lanthanum (57)	La-136	3.69E+04	1.88E-05	4.64E-05	9.85E-06	2.75E-05	4.20E-05	9.91E-06	8.7E+03	4.1E+04	1.5E+04	9.6E+03	4.1E+04	6.2E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	1.86E-07	1.58E-07	1.85E-07	1.86E-07	4.13E-07	2.4E+00	2.8E+00	2.4E+00	2.4E+00	1.1E+00	5.4E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	1.63E-04	2.97E-05	8.53E-05	1.37E-04	2.87E-05	2.7E-03	1.5E-02	5.1E-03	3.2E-03	1.5E-02	1.1E-01
Lanthanum (57)	La-140	1.51E+02	4.60E-03	3.10E-04	5.55E-05	1.61E-04	2.59E-04	5.40E-05	5.3E+00	3.0E+01	1.0E+01	6.4E+00	3.1E+01	9.6E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	4.23E-06	8.28E-07	2.26E-06	3.57E-06	1.10E-06	4.0E+03	2.0E+04	7.5E+03	4.8E+03	1.5E+04	7.1E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	3.35E-04	5.55E-05	1.63E-04	2.68E-04	5.33E-05	1.3E+02	7.9E+02	2.7E+02	1.6E+02	8.2E+02	9.0E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	3.66E-05	6.61E-06	1.89E-05	3.05E-05	6.72E-06	7.7E+03	4.2E+04	1.5E+04	9.2E+03	4.2E+04	8.3E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	1.32E-04	2.65E-05	7.42E-05	1.15E-04	2.62E-05	2.8E+03	1.4E+04	5.0E+03	3.2E+03	1.4E+04	2.7E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.19E-04	4.00E-05	1.15E-04	1.83E-04	3.88E-05	3.5E+02	1.9E+03	6.8E+02	4.2E+02	2.0E+03	1.6E-11
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	1.65E-04	3.14E-05	8.89E-05	1.40E-04	3.07E-05	1.2E+01	6.2E+01	2.2E+01	1.4E+01	6.3E+01	2.2E-11
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	4.17E-12	4.07E-12	4.17E-12	4.17E-12	1.04E-10	3.6E+11	3.7E+11	3.6E+11	3.6E+11	1.4E+10	8.6E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	3.50E-04	6.01E-05	1.74E-04	2.84E-04	5.78E-05	3.9E+00	2.3E+01	7.9E+00	4.8E+00	2.4E+01	1.0E-11
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	7.26E-05	1.53E-05	4.20E-05	6.44E-05	1.54E-05	4.6E+00	2.2E+01	8.0E+00	5.2E+00	2.2E+01	5.0E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	1.17E-08	5.45E-09	1.07E-08	1.17E-08	6.85E-09	2.6E+08	5.6E+08	2.8E+08	2.6E+08	4.4E+08	3.1E-07
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	2.44E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	1.7E+00	8.7E+00	3.1E+00	2.0E+00	8.9E+00	1.5E-11
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	2.52E-11	1.80E-11	2.50E-11	2.52E-11	6.72E-11	4.3E+10	6.0E+10	4.3E+10	4.3E+10	1.6E+10	1.5E-04
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	1.21E-05	3.60E-06	8.63E-06	1.16E-05	4.04E-06	4.6E-01	1.5E+00	6.4E-01	4.8E-01	1.4E+00	3.0E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	1.01E-05	2.35E-06	5.91E-06	8.77E-06	2.56E-06	2.3E-01	9.8E-01	3.9E-01	2.6E-01	9.0E-01	3.7E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	2.48E-06	9.85E-07	1.98E-06	2.37E-06	1.25E-06	7.9E+00	2.0E+01	9.9E+00	8.2E+00	1.6E+01	1.5E-09
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.83E-05	1.15E-05	3.17E-05	4.61E-05	1.13E-05	9.1E-03	3.8E-02	1.4E-02	9.5E-03	3.9E-02	1.7E-01
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	7.61E-07	2.93E-07	6.36E-07	7.57E-07	4.61E-07	2.4E+04	6.2E+04	2.9E+04	2.4E+04	4.0E+04	4.9E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	3.08E-06	8.03E-07	2.15E-06	2.99E-06	8.05E-07	1.4E+02	5.2E+02	1.9E+02	1.4E+02	5.2E+02	1.2E-09
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	9.81E-05	2.35E-05	6.46E-05	9.31E-05	2.34E-05	1.8E-01	7.3E-01	2.7E-01	1.9E-01	7.4E-01	3.8E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.64E-05	3.09E-06	8.68E-06	1.38E-05	3.25E-06	8.6E+03	4.5E+04	1.6E+04	1.0E+04	4.3E+04	2.3E-10
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.09E-04	2.52E-05	6.97E-05	1.02E-04	2.50E-05	1.6E+03	6.9E+03	2.5E+03	1.7E+03	6.9E+03	3.5E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	3.12E-06	7.52E-07	2.07E-06	2.98E-06	8.90E-07	4.6E+03	1.9E+04	7.0E+03	4.9E+03	1.6E+04	1.2E-09
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	1.93E-04	3.69E-05	1.05E-04	1.66E-04	3.60E-05	3.6E+03	1.9E+04	6.7E+03	4.2E+03	1.9E+04	2.0E-11
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	6.56E-05	1.40E-05	3.89E-05	5.93E-05	1.40E-05	1.7E+04	8.1E+04	2.9E+04	1.9E+04	8.1E+04	5.9E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	1.14E-04	2.22E-05	6.26E-05	9.88E-05	2.18E-05	3.7E+03	1.9E+04	6.7E+03	4.3E+03	1.9E+04	5.0E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.77E-04	3.31E-05	9.44E-05	1.51E-04	3.22E-05	1.8E+01	9.6E+01	3.4E+01	2.1E+01	9.9E+01	3.4E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	6.00E-04	1.14E-04	3.26E-04	5.14E-04	1.11E-04	3.8E+03	2.0E+04	7.0E+03	4.4E+03	2.1E+04	1.8E-12
Manganese (25)	Mn-51	7.88E+03	8.79E-05	1.18E-04	2.49E-05	7.02E-05	1.07E-04	2.47E-05	7.3E+02	3.5E+03	1.2E+03	8.0E+02	3.5E+03	9.2E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	4.51E-04	8.48E-05	2.42E-04	3.85E-04	8.20E-05	1.1E+00	5.8E+00	2.0E+00	1.3E+00	6.0E+00	2.4E-12
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	3.11E-04	5.91E-05	1.69E-04	2.67E-04	5.74E-05	6.1E+02	3.2E+03	1.1E+03	7.1E+02	3.3E+03	3.6E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Manganese (25)	Mn-54	8.10E-01	8.55E-01	1.05E-04	2.07E-05	5.86E-05	9.21E-05	2.02E-05	8.4E-02	4.3E-01	1.5E-01	9.6E-02	4.4E-01	1.1E-11
Manganese (25)	Mn-56	2.35E+03	2.94E-04	2.28E-04	4.10E-05	1.18E-04	1.90E-04	3.98E-05	1.1E+02	6.3E+02	2.2E+02	1.4E+02	6.5E+02	5.2E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	1.19E-05	2.55E-06	7.02E-06	1.06E-05	2.82E-06	2.4E+05	1.1E+06	4.0E+05	2.6E+05	9.9E+05	1.0E-10
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	3.19E-04	5.86E-05	1.68E-04	2.68E-04	5.71E-05	1.2E+04	6.3E+04	2.2E+04	1.4E+04	6.4E+04	3.9E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.92E-04	3.58E-05	1.02E-04	1.63E-04	3.47E-05	1.4E+03	7.6E+03	2.7E+03	1.7E+03	7.9E+03	1.1E-11
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.84E-06	4.59E-07	1.26E-06	1.78E-06	5.30E-07	1.9E+05	7.7E+05	2.8E+05	2.0E+05	6.7E+05	1.2E-09
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	1.49E-04	3.07E-05	8.68E-05	1.34E-04	3.05E-05	1.3E+04	6.1E+04	2.2E+04	1.4E+04	6.2E+04	1.3E-11
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	9.31E-05	1.99E-05	5.60E-05	8.46E-05	1.96E-05	1.3E+02	6.0E+02	2.1E+02	1.4E+02	6.1E+02	2.1E-11
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.17E-04	2.46E-05	6.92E-05	1.06E-04	2.45E-05	2.2E+03	1.0E+04	3.7E+03	2.4E+03	1.1E+04	1.7E-11
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	1.76E-04	3.41E-05	9.69E-05	1.53E-04	3.31E-05	2.1E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	1.1E-11
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	5.74E-09	5.76E-09	5.76E-09	5.74E-09	6.28E-08	7.6E+01	7.6E+01	7.6E+01	7.6E+01	7.0E+00	8.0E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	3.03E-04	5.60E-05	1.62E-04	2.58E-04	5.46E-05	3.2E+01	1.7E+02	6.0E+01	3.8E+01	1.8E+02	6.5E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.78E-05	3.67E-06	1.03E-05	1.59E-05	3.69E-06	5.7E+01	2.7E+02	9.8E+01	6.4E+01	2.7E+02	1.2E-10
Nitrogen (7)	N-13	3.66E+04	1.90E-05	1.20E-04	2.54E-05	7.17E-05	1.10E-04	2.50E-05	3.7E+03	1.8E+04	6.2E+03	4.1E+03	1.8E+04	2.6E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	7.04E-04	9.29E-05	2.71E-04	4.80E-04	8.49E-05	4.8E+04	3.6E+05	1.2E+05	7.0E+04	4.0E+05	4.8E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.79E-04	5.40E-05	1.53E-04	2.42E-04	5.24E-05	1.0E-02	5.4E-02	1.9E-02	1.2E-02	5.6E-02	1.7E-12
Sodium (11)	Na-24	4.06E+02	1.71E-03	5.93E-04	9.54E-05	2.80E-04	4.67E-04	9.09E-05	7.5E+00	4.7E+01	1.6E+01	9.5E+00	4.9E+01	8.6E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	1.40E-04	3.04E-05	8.48E-05	1.28E-04	3.01E-05	7.6E+03	3.5E+04	1.3E+04	8.3E+03	3.5E+04	1.3E-11
Niobium (41)	Nb-88	2.51E+04	2.76E-05	5.27E-04	1.05E-04	2.95E-04	4.61E-04	1.02E-04	5.2E+02	2.6E+03	9.3E+02	6.0E+02	2.7E+03	3.5E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	5.21E-04	1.01E-04	2.88E-04	4.51E-04	9.88E-05	9.8E+02	5.1E+03	1.8E+03	1.1E+03	5.2E+03	3.6E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.76E-04	3.32E-05	9.49E-05	1.50E-04	3.25E-05	1.9E+02	9.9E+02	3.4E+02	2.2E+02	1.0E+03	1.1E-11
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	1.55E-04	3.25E-05	9.19E-05	1.40E-04	3.22E-05	3.9E+02	1.9E+03	6.6E+02	4.3E+02	1.9E+03	1.2E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Niobium (41)	Nb-90	4.16E+02	1.67E-03	5.74E-04	1.00E-04	2.89E-04	4.70E-04	9.59E-05	7.9E+00	4.6E+01	1.6E+01	9.7E+00	4.7E+01	3.3E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.93E-07	4.41E-08	1.17E-07	1.76E-07	9.15E-08	2.3E+00	1.0E+01	3.8E+00	2.5E+00	4.8E+00	4.0E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.28E-06	6.11E-07	1.74E-06	2.78E-06	6.41E-07	1.4E+01	7.4E+01	2.6E+01	1.6E+01	7.1E+01	5.9E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	1.87E-04	3.71E-05	1.05E-04	1.64E-04	3.63E-05	2.3E-03	1.2E-02	4.2E-03	2.7E-03	1.2E-02	2.1E-05
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	1.23E-04	2.37E-05	6.72E-05	1.06E-04	2.31E-05	2.2E+00	1.1E+01	4.1E+00	2.6E+00	1.2E+01	1.6E-11
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.03E-09	1.04E-09	1.02E-09	1.03E-09	1.12E-08	6.9E+02	6.9E+02	7.0E+02	6.9E+02	6.4E+01	2.9E-06
Niobium (41)	Nb-94	3.41E-05	2.03E+04	1.95E-04	3.87E-05	1.10E-04	1.71E-04	3.76E-05	2.2E-03	1.1E-02	4.0E-03	2.6E-03	1.2E-02	1.2E-08
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	5.62E-07	1.13E-07	3.13E-07	4.89E-07	1.50E-07	1.1E+06	5.6E+06	2.0E+06	1.3E+06	4.3E+06	3.6E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	9.53E-05	1.90E-05	5.35E-05	8.39E-05	1.85E-05	8.3E-01	4.2E+00	1.5E+00	9.4E-01	4.3E+00	2.1E-11
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	6.44E-06	1.52E-06	4.25E-06	6.19E-06	1.52E-06	1.2E+02	5.0E+02	1.8E+02	1.2E+02	5.0E+02	3.1E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	3.10E-04	6.11E-05	1.73E-04	2.71E-04	5.93E-05	9.2E+00	4.7E+01	1.6E+01	1.1E+01	4.8E+01	6.6E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	8.14E-05	1.66E-05	4.68E-05	7.26E-05	1.63E-05	6.8E+02	3.3E+03	1.2E+03	7.6E+02	3.4E+03	2.5E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.66E-04	6.92E-05	1.97E-04	3.13E-04	6.72E-05	2.1E+02	1.1E+03	3.9E+02	2.5E+02	1.2E+03	5.7E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	1.46E-05	4.18E-06	1.08E-05	1.44E-05	4.54E-06	1.1E+06	3.8E+06	1.5E+06	1.1E+06	3.5E+06	1.4E-10
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	1.06E-04	1.81E-05	5.25E-05	8.55E-05	1.77E-05	1.4E+04	8.5E+04	2.9E+04	1.8E+04	8.7E+04	2.0E-11
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	5.71E-05	1.28E-05	3.54E-05	5.27E-05	1.28E-05	8.2E+03	3.7E+04	1.3E+04	8.9E+03	3.7E+04	5.0E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.45E-04	3.09E-05	8.63E-05	1.31E-04	3.07E-05	2.2E+03	1.0E+04	3.7E+03	2.5E+03	1.0E+04	2.0E-11
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	2.64E-05	6.06E-06	1.62E-05	2.40E-05	6.37E-06	3.0E+03	1.3E+04	4.9E+03	3.3E+03	1.2E+04	1.1E-10
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.43E-04	2.83E-05	7.98E-05	1.25E-04	2.80E-05	7.3E+02	3.7E+03	1.3E+03	8.3E+02	3.7E+03	2.0E-11
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	1.85E-06	5.91E-07	1.29E-06	1.76E-06	8.68E-07	7.1E+03	2.2E+04	1.0E+04	7.5E+03	1.5E+04	1.6E-09
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	5.11E-05	1.06E-05	2.97E-05	4.58E-05	1.07E-05	2.6E+03	1.3E+04	4.5E+03	2.9E+03	1.3E+04	5.8E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.95E-04	3.83E-05	1.08E-04	1.69E-04	3.76E-05	6.2E+01	3.2E+02	1.1E+02	7.1E+01	3.2E+02	1.5E-11
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	3.03E-07	2.35E-07	3.02E-07	3.03E-07	5.11E-07	2.7E+03	3.5E+03	2.7E+03	2.7E+03	1.6E+03	9.8E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	6.25E-06	1.41E-06	3.65E-06	5.52E-06	1.66E-06	4.3E+03	1.9E+04	7.3E+03	4.8E+03	1.6E+04	4.8E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	8.62E-05	1.73E-05	4.87E-05	7.61E-05	1.69E-05	4.5E+04	2.2E+05	7.9E+04	5.1E+04	2.3E+05	3.5E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	1.32E-05	3.12E-06	8.33E-06	1.22E-05	3.28E-06	1.9E+01	8.1E+01	3.0E+01	2.1E+01	7.7E+01	2.4E-10
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	3.91E-05	8.89E-06	2.45E-05	3.63E-05	8.93E-06	9.8E+02	4.3E+03	1.6E+03	1.1E+03	4.3E+03	8.1E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.04E-04	2.07E-05	5.86E-05	9.06E-05	2.04E-05	3.1E+03	1.5E+04	5.5E+03	3.5E+03	1.6E+04	3.1E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.74E-05	3.96E-06	1.11E-05	1.64E-05	3.98E-06	2.0E+04	8.8E+04	3.1E+04	2.1E+04	8.8E+04	1.9E-10
Neon (10)	Ne-19	1.27E+06	5.46E-07	1.21E-04	2.55E-05	7.17E-05	1.10E-04	2.53E-05	1.1E+05	5.4E+05	1.9E+05	1.3E+05	5.5E+05	3.3E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	6.41E-05	1.36E-05	3.82E-05	5.84E-05	1.35E-05	1.8E+04	8.7E+04	3.1E+04	2.0E+04	8.7E+04	8.0E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	2.09E-04	4.23E-05	1.19E-04	1.85E-04	4.10E-05	2.2E+00	1.1E+01	3.8E+00	2.5E+00	1.1E+01	5.7E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	2.56E-04	4.70E-05	1.35E-04	2.16E-04	4.54E-05	7.3E+00	4.0E+01	1.4E+01	8.7E+00	4.1E+01	4.7E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	1.83E-09	3.86E-10	1.09E-09	1.66E-09	3.79E-10	2.4E+02	1.1E+03	4.0E+02	2.6E+02	1.2E+03	4.0E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	7.54E-05	1.36E-05	3.92E-05	6.31E-05	1.33E-05	3.5E+02	1.9E+03	6.7E+02	4.2E+02	2.0E+03	1.8E-11
Nickel (28)	Ni-66	1.11E+02	6.23E-03	9.53E-10	4.41E-10	8.33E-10	9.50E-10	7.42E-10	1.4E+06	3.1E+06	1.6E+06	1.4E+06	1.8E+06	1.6E-06
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.41E-04	2.90E-05	8.13E-05	1.25E-04	2.83E-05	1.9E+03	9.3E+03	3.3E+03	2.2E+03	9.6E+03	3.5E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	6.15E-06	1.86E-06	4.71E-06	6.09E-06	1.92E-06	1.8E+04	5.9E+04	2.3E+04	1.8E+04	5.8E+04	8.0E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	1.45E-04	2.64E-05	7.57E-05	1.21E-04	2.55E-05	4.3E+00	2.4E+01	8.3E+00	5.2E+00	2.5E+01	3.4E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	1.8E+02	5.0E+02	2.3E+02	1.8E+02	1.8E+02	1.3E-07
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	1.8E+02	5.0E+02	2.3E+02	1.8E+02	1.8E+02	1.3E-07
Neptunium (93)	Np-236	4.50E-06	1.54E+05	1.05E-05	3.05E-06	7.88E-06	1.04E-05	3.16E-06	4.2E-02	1.4E-01	5.6E-02	4.2E-02	1.4E-01	4.2E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.57E-06	1.02E-06	2.62E-06	3.47E-06	1.06E-06	8.3E+02	2.9E+03	1.1E+03	8.5E+02	2.8E+03	1.4E-09
Neptunium (93)	Np-237	3.23E-07	2.14E+06	1.40E-06	4.69E-07	1.12E-06	1.39E-06	5.68E-07	3.1E-01	9.3E-01	3.9E-01	3.1E-01	7.7E-01	4.5E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	2.31E-05	5.60E-06	1.52E-05	2.19E-05	5.65E-06	1.9E-02	7.8E-02	2.9E-02	2.0E-02	7.8E-02	2.7E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	7.51E-05	1.43E-05	4.08E-05	6.47E-05	1.40E-05	1.7E+01	9.1E+01	3.2E+01	2.0E+01	9.3E+01	6.7E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.54E-05	4.03E-06	1.08E-05	1.49E-05	4.04E-06	7.6E+01	2.9E+02	1.1E+02	7.9E+01	2.9E+02	3.3E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Neptunium (93)	Np-240	5.88E+03	1.18E-04	1.26E-04	2.55E-05	7.22E-05	1.12E-04	2.51E-05	5.1E+02	2.5E+03	8.9E+02	5.8E+02	2.6E+03	4.0E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	3.94E-05	7.93E-06	2.24E-05	3.47E-05	7.95E-06	1.4E+04	7.0E+04	2.5E+04	1.6E+04	6.9E+04	1.3E-10
Neptunium (93)	Np-241	2.62E+04	2.64E-05	3.10E-06	8.58E-07	2.23E-06	3.01E-06	9.88E-07	9.3E+04	3.3E+05	1.3E+05	9.5E+04	2.9E+05	1.7E-09
Neptunium (93)	Np-242	1.66E+05	4.19E-06	3.57E-05	6.56E-06	1.88E-05	3.01E-05	6.63E-06	5.1E+04	2.8E+05	9.7E+04	6.0E+04	2.7E+05	1.4E-10
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	1.11E-04	2.23E-05	6.31E-05	9.81E-05	2.20E-05	6.5E+03	3.2E+04	1.1E+04	7.4E+03	3.3E+04	4.6E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	4.54E-04	7.88E-05	2.28E-04	3.72E-04	7.54E-05	7.5E+03	4.3E+04	1.5E+04	9.1E+03	4.5E+04	6.5E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	1.8E+04	8.5E+04	3.0E+04	2.0E+04	8.6E+04	2.9E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	1.22E-04	2.32E-05	6.61E-05	1.04E-04	2.28E-05	7.4E+04	3.9E+05	1.4E+05	8.7E+04	4.0E+05	3.3E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	9.85E-06	2.59E-06	6.51E-06	9.12E-06	2.77E-06	1.9E+04	7.2E+04	2.8E+04	2.0E+04	6.7E+04	3.9E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	1.69E-04	3.31E-05	9.34E-05	1.46E-04	3.25E-05	2.3E+02	1.1E+03	4.1E+02	2.6E+02	1.2E+03	2.3E-11
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.39E-05	1.01E-05	2.76E-05	4.07E-05	1.02E-05	6.9E+01	3.0E+02	1.1E+02	7.4E+01	3.0E+02	8.8E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	6.44E-05	1.47E-05	3.98E-05	5.90E-05	1.47E-05	7.9E+01	3.5E+02	1.3E+02	8.7E+01	3.5E+02	6.0E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.27E-04	2.43E-05	6.87E-05	1.09E-04	2.38E-05	5.3E+01	2.8E+02	9.8E+01	6.2E+01	2.8E+02	3.1E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	8.05E-05	1.68E-05	4.68E-05	7.20E-05	1.66E-05	3.7E-01	1.8E+00	6.3E-01	4.1E-01	1.8E+00	4.9E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Osmium (76)	Os-189m	1.05E+03	6.62E-04	1.60E-11	1.60E-11	1.60E-11	1.60E-11	4.92E-10	7.2E+08	7.2E+08	7.2E+08	7.2E+08	2.3E+07	2.5E-04
Osmium (76)	Os-190m	3.68E+04	1.88E-05	1.83E-04	3.91E-05	1.10E-04	1.67E-04	3.82E-05	2.2E+03	1.0E+04	3.7E+03	2.4E+03	1.1E+04	2.2E-11
Osmium (76)	Os-191	1.64E+01	4.22E-02	4.80E-06	1.63E-06	3.84E-06	4.77E-06	1.76E-06	3.7E+01	1.1E+02	4.7E+01	3.8E+01	1.0E+02	8.5E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	2.23E-07	1.01E-07	2.03E-07	2.23E-07	1.22E-07	2.3E+04	5.0E+04	2.5E+04	2.3E+04	4.2E+04	1.8E-08
Osmium (76)	Os-193	2.02E+02	3.44E-03	6.66E-06	1.58E-06	4.27E-06	6.22E-06	1.67E-06	3.3E+02	1.4E+03	5.2E+02	3.6E+02	1.3E+03	6.2E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	4.17E-08	2.78E-08	4.12E-08	4.17E-08	4.86E-08	3.2E+01	4.8E+01	3.2E+01	3.2E+01	2.8E+01	1.0E-07
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	1.12E-05	2.39E-06	6.66E-06	1.01E-05	2.61E-06	1.2E-01	5.6E-01	2.0E-01	1.3E-01	5.1E-01	3.9E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	8.14E-06	1.91E-06	5.20E-06	7.61E-06	2.00E-06	1.4E+04	6.0E+04	2.2E+04	1.5E+04	5.7E+04	5.1E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	1.21E-04	2.58E-05	7.22E-05	1.10E-04	2.56E-05	1.3E+04	6.2E+04	2.2E+04	1.4E+04	6.2E+04	5.2E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	2.55E-07	8.58E-08	1.82E-07	2.43E-07	3.25E-07	8.5E+02	2.5E+03	1.2E+03	8.9E+02	6.6E+02	3.0E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.00E-09	4.65E-10	8.79E-10	1.00E-09	7.83E-10	1.2E+05	2.6E+05	1.4E+05	1.2E+05	1.6E+05	7.8E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	1.13E-06	3.95E-07	9.29E-07	1.13E-06	4.35E-07	9.2E+04	2.6E+05	1.1E+05	9.2E+04	2.4E+05	4.3E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	1.67E-04	3.30E-05	9.29E-05	1.45E-04	3.22E-05	1.8E+01	9.2E+01	3.3E+01	2.1E+01	9.4E+01	2.9E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	3.91E-06	1.28E-06	3.14E-06	3.91E-06	1.35E-06	4.7E+02	1.4E+03	5.9E+02	4.7E+02	1.4E+03	1.2E-09
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	7.95E-05	1.62E-05	4.53E-05	6.97E-05	1.58E-05	2.0E+00	9.9E+00	3.5E+00	2.3E+00	1.0E+01	6.1E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	3.44E-06	8.03E-07	2.22E-06	3.25E-06	8.49E-07	1.3E-01	5.5E-01	2.0E-01	1.3E-01	5.2E-01	2.7E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.16E-04	2.30E-05	6.51E-05	1.02E-04	2.24E-05	1.8E+01	9.2E+01	3.2E+01	2.1E+01	9.4E+01	4.3E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	2.17E-05	5.15E-06	1.41E-05	2.05E-05	5.08E-06	4.7E+00	2.0E+01	7.3E+00	5.0E+00	2.0E+01	2.3E-10
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	1.79E-04	3.57E-05	1.01E-04	1.57E-04	3.47E-05	5.5E+01	2.8E+02	9.8E+01	6.3E+01	2.9E+02	2.8E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	2.45E-06	5.20E-07	1.39E-06	2.14E-06	7.73E-07	1.4E+06	6.6E+06	2.4E+06	1.6E+06	4.4E+06	2.0E-09
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	1.20E-07	4.13E-08	8.74E-08	1.16E-07	1.88E-07	1.4E+06	3.9E+06	1.9E+06	1.4E+06	8.6E+05	4.2E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	1.20E-04	2.22E-05	6.36E-05	1.01E-04	2.17E-05	3.7E+03	2.0E+04	6.9E+03	4.3E+03	2.0E+04	4.2E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	7.57E-05	1.51E-05	4.29E-05	6.69E-05	1.50E-05	6.1E+03	3.0E+04	1.1E+04	6.9E+03	3.1E+04	6.6E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	1.32E-04	2.59E-05	7.32E-05	1.14E-04	2.53E-05	2.5E+03	1.3E+04	4.5E+03	2.9E+03	1.3E+04	3.1E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.95E-04	4.05E-05	1.14E-04	1.74E-04	3.98E-05	1.4E+03	6.6E+03	2.3E+03	1.5E+03	6.7E+03	2.1E-11
Lead (82)	Pb-196	9.84E+03	7.04E-05	5.05E-05	1.17E-05	3.18E-05	4.67E-05	1.16E-05	2.1E+03	9.2E+03	3.4E+03	2.3E+03	9.3E+03	8.2E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	1.95E-04	3.68E-05	1.05E-04	1.66E-04	3.57E-05	2.6E+03	1.4E+04	4.8E+03	3.0E+03	1.4E+04	2.1E-11
Lead (82)	Pb-197m	8.47E+03	8.18E-05	1.35E-04	2.84E-05	7.98E-05	1.21E-04	2.79E-05	6.9E+02	3.3E+03	1.2E+03	7.6E+02	3.3E+03	3.1E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.39E-05	1.03E-05	2.80E-05	4.10E-05	1.02E-05	6.3E+02	2.7E+03	9.9E+02	6.8E+02	2.7E+03	9.6E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.29E-04	2.49E-05	7.07E-05	1.11E-04	2.43E-05	3.4E+02	1.8E+03	6.3E+02	4.0E+02	1.8E+03	3.3E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	1.61E-05	4.51E-06	1.16E-05	1.56E-05	4.61E-06	1.9E+02	6.9E+02	2.7E+02	2.0E+02	6.7E+02	2.6E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	8.55E-05	1.82E-05	5.05E-05	7.70E-05	1.79E-05	8.3E+01	3.9E+02	1.4E+02	9.3E+01	4.0E+02	5.0E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	4.26E-05	8.94E-06	2.50E-05	3.82E-05	8.90E-06	9.2E+04	4.4E+05	1.6E+05	1.0E+05	4.4E+05	1.0E-10
Lead (82)	Pb-202	1.32E-05	5.25E+04	8.08E-11	8.08E-11	8.08E-11	8.08E-11	2.34E-09	5.4E+03	5.4E+03	5.4E+03	5.4E+03	1.9E+02	1.6E-01

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	4.89E-05	1.11E-05	3.03E-05	4.54E-05	1.10E-05	9.0E-03	4.0E-02	1.4E-02	9.6E-03	4.0E-02	2.7E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	2.45E-04	4.93E-05	1.39E-04	2.16E-04	4.80E-05	7.7E+01	3.8E+02	1.4E+02	8.7E+01	3.9E+02	1.8E-11
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.96E-05	7.27E-06	1.97E-05	2.81E-05	7.26E-06	4.3E+01	1.8E+02	6.5E+01	4.6E+01	1.8E+02	1.5E-10
Lead (82)	Pb-204m	5.42E+03	1.28E-04	2.58E-04	5.10E-05	1.44E-04	2.26E-04	4.95E-05	2.3E+02	1.2E+03	4.1E+02	2.6E+02	1.2E+03	1.7E-11
Lead (82)	Pb-205	4.53E-08	1.53E+07	8.17E-11	8.18E-11	8.18E-11	8.17E-11	2.38E-09	5.4E+03	5.4E+03	5.4E+03	5.4E+03	1.8E+02	4.7E+01
Lead (82)	Pb-209	1.87E+03	3.71E-04	1.45E-08	4.98E-09	1.13E-08	1.43E-08	1.53E-08	1.6E+06	4.6E+06	2.0E+06	1.6E+06	1.5E+06	3.4E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.01E-08	2.58E-08	3.96E-08	4.01E-08	4.64E-08	1.6E+01	2.5E+01	1.6E+01	1.6E+01	1.4E+01	2.1E-07
Lead (82)	Pb-211	1.01E+04	6.87E-05	7.86E-06	1.63E-06	4.56E-06	7.04E-06	1.73E-06	1.4E+04	6.8E+04	2.4E+04	1.6E+04	6.4E+04	5.7E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.34E-05	3.36E-06	9.09E-06	1.29E-05	3.35E-06	4.7E+02	1.9E+03	6.9E+02	4.8E+02	1.9E+03	3.4E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	2.69E-05	6.11E-06	1.70E-05	2.52E-05	6.03E-06	5.5E+03	2.4E+04	8.7E+03	5.9E+03	2.5E+04	1.7E-10
Palladium (46)	Pd-100	6.97E+01	9.95E-03	5.46E-06	1.99E-06	4.55E-06	5.46E-06	2.36E-06	1.4E+02	3.8E+02	1.7E+02	1.4E+02	3.2E+02	3.9E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	3.91E-05	8.03E-06	2.27E-05	3.50E-05	8.05E-06	2.0E+02	9.8E+02	3.5E+02	2.2E+02	9.8E+02	5.5E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	3.06E-08	2.12E-08	2.61E-08	2.99E-08	1.30E-07	5.3E+03	7.7E+03	6.3E+03	5.5E+03	1.3E+03	7.1E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Palladium (46)	Pd-109	4.43E+02	1.56E-03	3.44E-07	1.18E-07	2.64E-07	3.35E-07	2.75E-07	1.4E+04	4.1E+04	1.8E+04	1.5E+04	1.8E+04	6.7E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	1.02E-05	2.52E-06	6.97E-06	9.88E-06	2.51E-06	8.4E+04	3.4E+05	1.2E+05	8.6E+04	3.4E+05	2.3E-10
Palladium (46)	Pd-111	1.56E+04	4.45E-05	6.41E-06	1.30E-06	3.60E-06	5.62E-06	1.54E-06	2.7E+04	1.3E+05	4.7E+04	3.0E+04	1.1E+05	3.7E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	5.11E-09	4.53E-09	4.96E-09	5.11E-09	3.69E-08	6.2E+05	7.0E+05	6.4E+05	6.2E+05	8.6E+04	4.7E-07
Palladium (46)	Pd-114	1.51E+05	4.60E-06	2.69E-06	6.66E-07	1.81E-06	2.58E-06	8.27E-07	6.1E+05	2.5E+06	9.1E+05	6.4E+05	2.0E+06	9.0E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	1.1E+04	5.6E+04	2.0E+04	1.3E+04	5.7E+04	1.2E-11
Palladium (46)	Pd-97	1.17E+05	5.90E-06	3.07E-04	5.76E-05	1.65E-04	2.62E-04	5.62E-05	4.2E+03	2.2E+04	7.8E+03	4.9E+03	2.3E+04	6.7E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	4.45E-05	9.64E-06	2.67E-05	4.01E-05	9.59E-06	5.1E+03	2.3E+04	8.5E+03	5.6E+03	2.3E+04	4.7E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	1.57E-04	3.11E-05	8.79E-05	1.37E-04	3.04E-05	1.2E+03	6.0E+03	2.1E+03	1.4E+03	6.1E+03	1.3E-11
Promethium (61)	Pm-136	2.04E+05	3.39E-06	3.31E-04	6.82E-05	1.92E-04	2.96E-04	6.69E-05	6.7E+03	3.3E+04	1.2E+04	7.6E+03	3.3E+04	8.7E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	2.07E-04	4.37E-05	1.23E-04	1.87E-04	4.32E-05	8.0E+03	3.8E+04	1.4E+04	8.9E+03	3.8E+04	1.4E-11
Promethium (61)	Pm-139	8.78E+04	7.90E-06	1.12E-04	2.33E-05	6.56E-05	1.01E-04	2.31E-05	8.6E+03	4.1E+04	1.5E+04	9.5E+03	4.2E+04	2.6E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	1.28E-04	2.68E-05	7.52E-05	1.16E-04	2.66E-05	2.0E+05	9.7E+05	3.5E+05	2.3E+05	9.8E+05	2.3E-11
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	3.76E-04	7.52E-05	2.12E-04	3.31E-04	7.35E-05	1.8E+03	8.9E+03	3.2E+03	2.0E+03	9.1E+03	7.9E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	8.90E-05	1.80E-05	5.10E-05	7.86E-05	1.79E-05	2.1E+03	1.1E+04	3.7E+03	2.4E+03	1.1E+04	3.4E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	1.03E-04	2.15E-05	6.06E-05	9.28E-05	2.14E-05	5.7E+04	2.8E+05	9.8E+04	6.4E+04	2.8E+05	2.9E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	3.60E-05	7.37E-06	2.04E-05	3.16E-05	7.48E-06	2.9E-01	1.4E+00	5.1E-01	3.3E-01	1.4E+00	8.4E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.87E-04	3.84E-05	1.08E-04	1.67E-04	3.79E-05	4.1E-02	2.0E-01	7.1E-02	4.6E-02	2.0E-01	1.6E-11
Promethium (61)	Pm-145	3.92E-02	1.77E+01	4.26E-07	2.95E-07	4.17E-07	4.26E-07	5.78E-07	1.6E+00	2.3E+00	1.6E+00	1.6E+00	1.2E+00	1.2E-08
Promethium (61)	Pm-146	1.25E-01	5.53E+00	8.84E-05	1.83E-05	5.15E-05	7.92E-05	1.81E-05	1.6E-02	7.8E-02	2.8E-02	1.8E-02	7.9E-02	3.7E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	8.71E-10	3.75E-10	7.42E-10	8.68E-10	6.09E-10	3.3E+03	7.7E+03	3.9E+03	3.3E+03	4.8E+03	3.6E-06
Promethium (61)	Pm-148	4.71E+01	1.47E-02	7.57E-05	1.41E-05	4.05E-05	6.44E-05	1.39E-05	6.8E+00	3.6E+01	1.3E+01	8.0E+00	3.7E+01	4.2E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	2.42E-04	4.94E-05	1.39E-04	2.16E-04	4.83E-05	2.8E-01	1.4E+00	4.8E-01	3.1E-01	1.4E+00	1.3E-11
Promethium (61)	Pm-149	1.14E+02	6.06E-03	1.38E-06	3.12E-07	8.63E-07	1.28E-06	3.94E-07	9.1E+02	4.0E+03	1.5E+03	9.8E+02	3.2E+03	2.3E-09
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.91E-04	3.59E-05	1.03E-04	1.63E-04	3.50E-05	1.3E+02	6.9E+02	2.4E+02	1.5E+02	7.1E+02	1.7E-11
Promethium (61)	Pm-151	2.14E+02	3.24E-03	3.53E-05	7.88E-06	2.19E-05	3.28E-05	7.86E-06	6.6E+01	3.0E+02	1.1E+02	7.1E+01	3.0E+02	9.1E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	3.69E-05	7.22E-06	2.03E-05	3.19E-05	7.38E-06	2.6E+04	1.3E+05	4.8E+04	3.0E+04	1.3E+05	8.7E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	1.89E-04	3.69E-05	1.05E-04	1.64E-04	3.60E-05	2.8E+03	1.4E+04	5.1E+03	3.2E+03	1.5E+04	1.7E-11
Promethium (61)	Pm-153	6.94E+04	9.99E-06	5.96E-06	1.67E-06	4.27E-06	5.81E-06	1.99E-06	1.3E+05	4.5E+05	1.8E+05	1.3E+05	3.8E+05	5.5E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	2.44E-04	4.28E-05	1.24E-04	2.01E-04	4.13E-05	9.4E+03	5.4E+04	1.9E+04	1.1E+04	5.6E+04	1.3E-11
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	2.32E-04	4.34E-05	1.24E-04	1.97E-04	4.23E-05	6.4E+03	3.4E+04	1.2E+04	7.5E+03	3.5E+04	1.4E-11
Polonium (84)	Po-203	9.92E+03	6.98E-05	2.05E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	5.3E+02	2.7E+03	9.7E+02	6.2E+02	2.8E+03	2.1E-11
Polonium (84)	Po-204	1.72E+03	4.03E-04	1.34E-04	2.79E-05	7.78E-05	1.19E-04	2.74E-05	1.4E+02	6.7E+02	2.4E+02	1.6E+02	6.9E+02	3.2E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	1.99E-04	3.84E-05	1.09E-04	1.71E-04	3.76E-05	2.0E+02	1.0E+03	3.7E+02	2.3E+02	1.1E+03	2.2E-11
Polonium (84)	Po-206	2.87E+01	2.41E-02	1.41E-04	2.89E-05	8.08E-05	1.25E-04	2.83E-05	2.2E+00	1.1E+01	3.9E+00	2.5E+00	1.1E+01	3.1E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Polonium (84)	Po-207	1.05E+03	6.62E-04	1.58E-04	3.13E-05	8.79E-05	1.38E-04	3.05E-05	7.2E+01	3.7E+02	1.3E+02	8.3E+01	3.8E+02	2.8E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	2.41E-09	5.15E-10	1.43E-09	2.17E-09	5.08E-10	1.1E+03	5.1E+03	1.8E+03	1.2E+03	5.2E+03	1.8E-06
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.16E-07	1.49E-07	4.18E-07	6.37E-07	1.46E-07	6.6E-01	3.2E+00	1.1E+00	7.5E-01	3.3E+00	4.0E-08
Polonium (84)	Po-210	1.83E+00	3.79E-01	1.22E-09	2.42E-10	6.87E-10	1.07E-09	2.35E-10	1.6E+04	8.3E+04	2.9E+04	1.9E+04	8.5E+04	3.7E-06
Polonium (84)	Po-211	4.24E+07	1.64E-08	1.02E-06	2.02E-07	5.71E-07	8.96E-07	1.98E-07	4.6E+08	2.3E+09	8.1E+08	5.2E+08	2.3E+09	4.4E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	1.14E-05	1.83E-06	5.35E-06	8.93E-06	1.74E-06	4.7E+05	2.9E+06	9.9E+05	5.9E+05	3.1E+06	4.0E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	4.67E-09	9.34E-10	2.63E-09	4.10E-09	9.09E-10	1.2E+16	6.1E+16	2.2E+16	1.4E+16	6.3E+16	9.7E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	1.04E-08	2.06E-09	5.81E-09	9.12E-09	2.01E-09	1.4E+14	7.1E+14	2.5E+14	1.6E+14	7.3E+14	4.4E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	2.02E-08	4.37E-09	1.23E-08	1.86E-08	4.29E-09	6.6E+12	3.1E+13	1.1E+13	7.2E+12	3.1E+13	2.3E-07
Polonium (84)	Po-216	1.51E+08	4.60E-09	1.92E-09	3.80E-10	1.08E-09	1.69E-09	3.69E-10	8.6E+11	4.3E+12	1.5E+12	9.8E+11	4.5E+12	2.4E-06
Polonium (84)	Po-218	1.17E+05	5.90E-06	1.85E-13	8.53E-14	1.62E-13	1.84E-13	1.43E-13	7.7E+12	1.7E+13	8.8E+12	7.8E+12	1.0E+13	2.8E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	3.85E-04	7.78E-05	2.20E-04	3.41E-04	7.61E-05	9.4E+02	4.7E+03	1.7E+03	1.1E+03	4.8E+03	7.4E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.93E-04	5.66E-05	1.62E-04	2.54E-04	5.55E-05	8.0E+02	4.1E+03	1.5E+03	9.2E+02	4.2E+03	9.7E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.01E-04	2.12E-05	5.91E-05	9.09E-05	2.11E-05	1.6E+03	7.9E+03	2.8E+03	1.8E+03	7.9E+03	2.8E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	2.70E-04	5.25E-05	1.49E-04	2.34E-04	5.11E-05	1.1E+03	5.8E+03	2.0E+03	1.3E+03	6.0E+03	1.1E-11
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	4.23E-05	8.79E-06	2.46E-05	3.79E-05	8.87E-06	1.2E+03	5.9E+03	2.1E+03	1.4E+03	5.9E+03	6.9E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	9.69E-05	2.04E-05	5.76E-05	8.77E-05	2.04E-05	2.8E+04	1.3E+05	4.8E+04	3.1E+04	1.4E+05	3.0E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	3.07E-04	6.06E-05	1.72E-04	2.69E-04	5.93E-05	1.0E+02	5.2E+02	1.8E+02	1.2E+02	5.3E+02	9.6E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.28E-05	2.77E-06	7.52E-06	1.15E-05	2.97E-06	1.2E+03	5.4E+03	2.0E+03	1.3E+03	5.1E+03	2.3E-10
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	6.34E-05	1.34E-05	3.77E-05	5.74E-05	1.35E-05	1.9E+04	8.8E+04	3.1E+04	2.0E+04	8.7E+04	4.7E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	8.46E-06	1.52E-06	4.33E-06	6.97E-06	1.72E-06	4.1E+02	2.3E+03	8.0E+02	5.0E+02	2.0E+03	3.6E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	4.42E-08	1.51E-08	3.33E-08	4.32E-08	7.86E-08	4.6E+03	1.3E+04	6.1E+03	4.7E+03	2.6E+03	6.9E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	4.83E-06	9.59E-07	2.59E-06	4.07E-06	1.26E-06	4.8E+04	2.4E+05	8.9E+04	5.7E+04	1.8E+05	6.3E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	3.35E-07	1.33E-07	2.34E-07	3.02E-07	2.40E-07	1.7E+06	4.2E+06	2.4E+06	1.8E+06	2.3E+06	9.1E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.56E-06	5.40E-07	1.46E-06	2.25E-06	7.57E-07	4.3E+03	2.1E+04	7.6E+03	4.9E+03	1.5E+04	1.2E-09
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.34E-04	2.48E-05	7.12E-05	1.13E-04	2.43E-05	1.2E+03	6.7E+03	2.3E+03	1.5E+03	6.8E+03	2.3E-11
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	5.52E-05	1.15E-05	3.17E-05	4.89E-05	1.18E-05	5.4E+03	2.6E+04	9.4E+03	6.1E+03	2.5E+04	5.7E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	1.30E-04	2.45E-05	7.02E-05	1.11E-04	2.40E-05	1.3E+04	7.1E+04	2.5E+04	1.6E+04	7.2E+04	2.4E-11
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	1.12E-04	2.35E-05	6.61E-05	1.01E-04	2.33E-05	1.8E+04	8.5E+04	3.0E+04	2.0E+04	8.5E+04	2.8E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	7.07E-05	1.68E-05	4.50E-05	6.56E-05	1.69E-05	3.3E+03	1.4E+04	5.1E+03	3.5E+03	1.4E+04	5.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	7.70E-05	1.65E-05	4.54E-05	6.91E-05	1.63E-05	4.2E+02	1.9E+03	7.0E+02	4.6E+02	2.0E+03	5.1E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	6.56E-05	1.45E-05	3.95E-05	5.93E-05	1.45E-05	4.3E+02	2.0E+03	7.2E+02	4.8E+02	2.0E+03	6.1E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	1.66E-05	4.46E-06	1.15E-05	1.59E-05	4.61E-06	1.6E+01	6.1E+01	2.4E+01	1.7E+01	5.9E+01	2.4E-10
Platinum (78)	Pt-189	5.58E+02	1.24E-03	5.05E-05	1.13E-05	3.05E-05	4.54E-05	1.13E-05	1.2E+02	5.4E+02	2.0E+02	1.3E+02	5.4E+02	8.0E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Platinum (78)	Pt-191	9.03E+01	7.68E-03	2.62E-05	6.56E-06	1.71E-05	2.44E-05	6.75E-06	3.8E+01	1.5E+02	5.8E+01	4.1E+01	1.5E+02	1.6E-10
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.18E-11	5.20E-11	5.20E-11	5.18E-11	1.42E-09	1.0E+04	1.0E+04	1.0E+04	1.0E+04	3.6E+02	2.7E-04
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	4.48E-07	1.90E-07	3.97E-07	4.45E-07	2.21E-07	1.4E+03	3.4E+03	1.6E+03	1.4E+03	2.9E+03	9.2E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	3.44E-06	1.34E-06	2.94E-06	3.44E-06	1.52E-06	2.0E+02	5.1E+02	2.3E+02	2.0E+02	4.5E+02	1.2E-09
Platinum (78)	Pt-197	3.05E+02	2.27E-03	1.55E-06	4.97E-07	1.20E-06	1.53E-06	5.36E-07	2.2E+03	6.7E+03	2.8E+03	2.2E+03	6.2E+03	2.7E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	6.44E-06	1.74E-06	4.43E-06	6.12E-06	1.81E-06	6.5E+03	2.4E+04	9.4E+03	6.8E+03	2.3E+04	6.5E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	2.32E-05	4.96E-06	1.39E-05	2.11E-05	5.02E-06	5.6E+03	2.6E+04	9.3E+03	6.1E+03	2.6E+04	1.8E-10
Platinum (78)	Pt-200	4.86E+02	1.43E-03	4.26E-06	1.25E-06	3.13E-06	4.13E-06	1.31E-06	1.2E+03	4.3E+03	1.7E+03	1.3E+03	4.1E+03	1.0E-09
Platinum (78)	Pt-202	1.38E+02	5.02E-03	2.40E-07	8.08E-08	1.71E-07	2.29E-07	2.99E-07	7.0E+03	2.1E+04	9.8E+03	7.3E+03	5.6E+03	2.0E-08
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	2.27E-05	4.53E-06	1.27E-05	1.98E-05	4.92E-06	6.6E+01	3.3E+02	1.2E+02	7.6E+01	3.1E+02	1.9E-10
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	4.04E-06	1.27E-06	3.19E-06	4.04E-06	1.31E-06	2.9E+04	9.3E+04	3.7E+04	2.9E+04	9.0E+04	1.2E-09
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	4.39E-06	1.37E-06	3.44E-06	4.35E-06	1.42E-06	1.7E+03	5.5E+03	2.2E+03	1.7E+03	5.3E+03	1.1E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	6.44E-06	1.90E-06	4.81E-06	6.28E-06	1.97E-06	2.4E+04	8.3E+04	3.3E+04	2.5E+04	8.0E+04	7.8E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	3.09E-09	1.79E-09	2.68E-09	3.05E-09	1.13E-08	8.6E+02	1.5E+03	9.9E+02	8.7E+02	2.4E+02	1.6E-06
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	3.09E-06	9.85E-07	2.44E-06	3.08E-06	1.04E-06	2.0E+01	6.2E+01	2.5E+01	2.0E+01	5.9E+01	1.6E-09
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.87E-09	1.30E-09	1.70E-09	1.86E-09	9.94E-09	2.6E+02	3.7E+02	2.8E+02	2.6E+02	4.9E+01	1.5E-05
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	7.8E+01	2.4E+02	1.1E+02	8.1E+01	7.9E+01	1.3E-03
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	7.8E+01	2.4E+02	1.1E+02	8.1E+01	7.9E+01	1.3E-03
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.93E-09	1.29E-09	1.74E-09	1.90E-09	9.47E-09	2.3E+02	3.4E+02	2.5E+02	2.3E+02	4.6E+01	1.0E-03
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	1.10E-10	3.37E-11	8.53E-11	1.09E-10	3.50E-11	6.9E+03	2.2E+04	8.8E+03	6.9E+03	2.2E+04	6.7E-05
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.18E-08	2.86E-09	6.56E-09	9.94E-09	9.81E-09	3.7E+01	1.5E+02	6.7E+01	4.4E+01	4.5E+01	9.5E-03
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	1.49E-06	4.95E-07	1.18E-06	1.47E-06	5.40E-07	9.0E+03	2.7E+04	1.1E+04	9.1E+03	2.5E+04	3.5E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	2.67E-06	4.73E-07	1.36E-06	2.20E-06	4.64E-07	1.6E-01	9.3E-01	3.2E-01	2.0E-01	9.4E-01	9.0E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	4.26E-05	8.53E-06	2.40E-05	3.72E-05	8.55E-06	1.0E-02	5.1E-02	1.8E-02	1.2E-02	5.1E-02	5.6E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	4.67E-05	9.85E-06	2.76E-05	4.20E-05	9.66E-06	1.4E+02	6.4E+02	2.3E+02	1.5E+02	6.6E+02	1.1E-10
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	1.10E-05	2.99E-06	7.88E-06	1.08E-05	3.10E-06	2.3E+01	8.5E+01	3.2E+01	2.4E+01	8.3E+01	4.7E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	1.3E+09	5.9E+09	2.1E+09	1.4E+09	6.0E+09	2.6E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	1.3E+09	5.9E+09	2.1E+09	1.4E+09	6.0E+09	2.6E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	5.40E-07	1.16E-07	3.26E-07	4.95E-07	1.14E-07	2.5E+10	1.2E+11	4.1E+10	2.7E+10	1.2E+11	8.7E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	2.86E-06	8.03E-07	2.10E-06	2.81E-06	8.14E-07	3.0E+06	1.1E+07	4.1E+06	3.0E+06	1.0E+07	1.6E-09
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	2.87E-06	8.03E-07	2.11E-06	2.81E-06	8.14E-07	3.0E+06	1.1E+07	4.1E+06	3.0E+06	1.0E+07	1.6E-09
Radium (88)	Ra-222	5.75E+05	1.20E-06	1.00E-06	2.25E-07	6.36E-07	9.44E-07	2.20E-07	6.3E+06	2.8E+07	9.9E+06	6.7E+06	2.9E+07	4.7E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	1.23E-05	3.17E-06	8.43E-06	1.18E-05	3.19E-06	2.0E+01	7.6E+01	2.9E+01	2.1E+01	7.6E+01	3.8E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	1.87E-05	4.61E-06	1.25E-05	1.78E-05	4.58E-06	1.3E+01	5.3E+01	1.9E+01	1.4E+01	5.3E+01	2.5E-10
Radium (88)	Ra-224	6.91E+01	1.00E-02	1.06E-06	2.49E-07	6.97E-07	1.01E-06	2.44E-07	7.2E+02	3.0E+03	1.1E+03	7.5E+02	3.1E+03	4.5E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	1.13E-06	2.66E-07	7.42E-07	1.08E-06	2.59E-07	6.7E+02	2.8E+03	1.0E+03	7.0E+02	2.9E+03	4.2E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	1.65E-07	1.20E-07	1.64E-07	1.65E-07	2.39E-07	1.1E+03	1.5E+03	1.1E+03	1.1E+03	7.8E+02	2.9E-08
Radium (88)	Ra-226	4.33E-04	1.60E+03	6.75E-07	1.71E-07	4.68E-07	6.56E-07	1.69E-07	6.5E-01	2.6E+00	9.4E-01	6.7E-01	2.6E+00	6.6E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	2.26E-04	4.22E-05	1.21E-04	1.92E-04	4.10E-05	1.9E-03	1.0E-02	3.6E-03	2.3E-03	1.1E-02	2.0E-09
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.51E-05	3.42E-06	9.49E-06	1.41E-05	3.53E-06	6.2E+03	2.8E+04	1.0E+04	6.7E+03	2.7E+04	3.2E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	9.28E-10	9.34E-10	9.29E-10	9.28E-10	1.20E-08	1.5E+03	1.5E+03	1.5E+03	1.5E+03	1.2E+02	5.5E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	1.3E-02	6.6E-02	2.3E-02	1.5E-02	6.7E-02	4.7E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	7.32E-06	1.80E-06	4.84E-06	6.91E-06	1.83E-06	5.9E+03	2.4E+04	8.9E+03	6.2E+03	2.3E+04	6.7E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	1.84E-04	3.84E-05	1.08E-04	1.65E-04	3.79E-05	5.7E+03	2.8E+04	9.8E+03	6.4E+03	2.8E+04	8.9E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	5.65E-04	9.54E-05	2.77E-04	4.51E-04	9.15E-05	4.0E+02	2.4E+03	8.2E+02	5.0E+02	2.5E+03	2.9E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	4.13E-04	7.88E-05	2.24E-04	3.53E-04	7.64E-05	1.7E+03	8.8E+03	3.1E+03	2.0E+03	9.1E+03	4.0E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.70E-04	3.58E-05	1.00E-04	1.54E-04	3.53E-05	1.0E+03	4.9E+03	1.7E+03	1.1E+03	4.9E+03	9.9E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	1.44E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	5.0E+04	2.4E+05	8.4E+04	5.5E+04	2.4E+05	1.2E-11
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.22E-05	2.4E+02	1.2E+03	4.1E+02	2.7E+02	1.2E+03	2.9E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	2.66E-06	5.76E-07	1.58E-06	2.38E-06	5.93E-07	4.9E+04	2.3E+05	8.3E+04	5.5E+04	2.2E+05	6.5E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.76E-05	2.4E+04	1.1E+05	4.0E+04	2.6E+04	1.1E+05	1.3E-11
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	3.69E-04	7.22E-05	2.04E-04	3.22E-04	7.01E-05	2.8E+01	1.4E+02	5.0E+01	3.2E+01	1.5E+02	4.7E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	5.74E-05	1.20E-05	3.39E-05	5.21E-05	1.18E-05	5.6E-01	2.7E+00	9.5E-01	6.2E-01	2.7E+00	3.1E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	1.12E-04	2.24E-05	6.31E-05	9.88E-05	2.19E-05	7.5E-01	3.8E+00	1.3E+00	8.6E-01	3.9E+00	1.6E-11
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.13E-05	9.34E-06	2.62E-05	3.88E-05	9.09E-06	4.8E+03	2.1E+04	7.5E+03	5.1E+03	2.2E+04	4.3E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	1.24E-05	2.38E-06	6.72E-06	1.06E-05	2.52E-06	1.2E+01	6.2E+01	2.2E+01	1.4E+01	5.9E+01	1.5E-10
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	6.53E-05	1.36E-05	3.83E-05	5.90E-05	1.33E-05	6.0E+04	2.9E+05	1.0E+05	6.6E+04	3.0E+05	2.8E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	2.74E-09	1.15E-09	2.32E-09	2.73E-09	1.75E-09	1.8E+02	4.2E+02	2.1E+02	1.8E+02	2.8E+02	2.1E+03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	9.21E-05	1.59E-05	4.59E-05	7.48E-05	1.56E-05	2.4E+03	1.4E+04	4.9E+03	3.0E+03	1.4E+04	2.0E-11
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	3.06E-04	5.40E-05	1.56E-04	2.52E-04	5.21E-05	8.6E+02	4.9E+03	1.7E+03	1.0E+03	5.1E+03	6.2E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	3.00E-04	4.64E-05	1.35E-04	2.28E-04	4.39E-05	5.1E+03	3.3E+04	1.1E+04	6.7E+03	3.5E+04	6.4E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	4.54E-04	7.62E-05	2.21E-04	3.63E-04	7.29E-05	2.0E+03	1.2E+04	4.2E+03	2.6E+03	1.3E+04	4.2E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	2.22E-04	4.03E-05	1.15E-04	1.84E-04	3.91E-05	1.4E+03	7.5E+03	2.6E+03	1.6E+03	7.7E+03	1.7E-11
Rhenium (75)	Re-179	1.87E+04	3.71E-05	1.29E-04	2.59E-05	7.27E-05	1.13E-04	2.54E-05	1.6E+03	7.9E+03	2.8E+03	1.8E+03	8.1E+03	3.0E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	1.46E-04	2.92E-05	8.18E-05	1.27E-04	2.87E-05	1.1E+04	5.6E+04	2.0E+04	1.3E+04	5.7E+04	2.6E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	8.96E-05	1.92E-05	5.30E-05	8.08E-05	1.90E-05	3.7E+01	1.7E+02	6.3E+01	4.1E+01	1.8E+02	4.3E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	2.12E-04	4.27E-05	1.19E-04	1.84E-04	4.20E-05	4.9E+00	2.4E+01	8.7E+00	5.6E+00	2.5E+01	1.8E-11
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.51E-04	2.90E-05	8.13E-05	1.28E-04	2.84E-05	3.5E+01	1.8E+02	6.4E+01	4.1E+01	1.8E+02	2.6E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	9.59E-06	3.06E-06	7.27E-06	9.37E-06	3.38E-06	4.1E+00	1.3E+01	5.4E+00	4.2E+00	1.2E+01	4.1E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	1.06E-04	2.16E-05	6.01E-05	9.34E-05	2.12E-05	6.9E-01	3.4E+00	1.2E+00	7.8E-01	3.4E+00	3.7E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	4.01E-05	8.89E-06	2.42E-05	3.63E-05	8.90E-06	4.1E-01	1.8E+00	6.8E-01	4.5E-01	1.8E+00	9.8E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.48E-06	4.53E-07	1.12E-06	1.46E-06	5.46E-07	5.0E+02	1.6E+03	6.6E+02	5.1E+02	1.4E+03	2.7E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.89E-07	2.36E-07	4.47E-07	4.89E-07	3.09E-07	9.0E-01	1.9E+00	9.8E-01	9.0E-01	1.4E+00	9.3E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	1.97E-06	6.87E-07	1.57E-06	1.95E-06	8.55E-07	2.2E-01	6.4E-01	2.8E-01	2.2E-01	5.1E-01	2.3E-05
Rhenium (75)	Re-187	1.68E-11	4.12E+10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.82E-06	1.57E-06	4.24E-06	6.25E-06	1.79E-06	5.7E+02	2.5E+03	9.2E+02	6.3E+02	2.2E+03	5.9E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	3.09E-06	1.25E-06	2.68E-06	3.09E-06	1.45E-06	6.9E+04	1.7E+05	8.0E+04	6.9E+04	1.5E+05	1.3E-09
Rhenium (75)	Re-189	2.50E+02	2.77E-03	5.52E-06	1.32E-06	3.64E-06	5.24E-06	1.37E-06	5.0E+02	2.1E+03	7.5E+02	5.2E+02	2.0E+03	7.3E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	1.58E-04	3.30E-05	9.29E-05	1.42E-04	3.25E-05	8.2E+03	3.9E+04	1.4E+04	9.1E+03	4.0E+04	2.6E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.23E-05	2.0E+02	9.2E+02	3.3E+02	2.2E+02	9.3E+02	3.8E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	3.69E-04	6.51E-05	1.89E-04	3.05E-04	6.31E-05	8.7E+00	4.9E+01	1.7E+01	1.0E+01	5.1E+01	5.8E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	5.05E-06	1.06E-06	2.88E-06	4.42E-06	1.21E-06	1.7E+05	8.2E+05	3.0E+05	2.0E+05	7.2E+05	4.2E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	2.57E-05	6.46E-06	1.77E-05	2.49E-05	6.44E-06	9.0E-02	3.6E-01	1.3E-01	9.3E-02	3.6E-01	8.4E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	3.01E-05	6.77E-06	1.90E-05	2.82E-05	6.66E-06	2.1E+01	9.4E+01	3.4E+01	2.3E+01	9.6E+01	7.1E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	5.93E-05	1.24E-05	3.48E-05	5.33E-05	1.22E-05	2.3E-01	1.1E+00	3.8E-01	2.5E-01	1.1E+00	3.7E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	2.64E-04	5.30E-05	1.50E-04	2.34E-04	5.18E-05	7.8E-03	3.9E-02	1.4E-02	8.8E-03	4.0E-02	8.3E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.34E-09	2.24E-09	2.34E-09	2.34E-09	1.41E-08	3.0E+07	3.2E+07	3.0E+07	3.0E+07	5.1E+06	9.4E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	2.05E-06	4.86E-07	1.25E-06	1.87E-06	7.83E-07	2.8E+06	1.2E+07	4.5E+06	3.0E+06	7.2E+06	1.1E-09
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	1.04E-06	5.01E-07	9.19E-07	1.03E-06	7.64E-07	8.9E+05	1.8E+06	1.0E+06	9.0E+05	1.2E+06	2.1E-09
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	8.46E-06	1.90E-06	5.35E-06	7.95E-06	1.86E-06	2.2E+02	9.9E+02	3.5E+02	2.4E+02	1.0E+03	2.6E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	3.1E+05	1.5E+06	5.3E+05	3.4E+05	1.4E+06	8.6E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	3.60E-04	7.02E-05	2.00E-04	3.14E-04	6.82E-05	8.5E+01	4.3E+02	1.5E+02	9.7E+01	4.5E+02	6.3E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	3.47E-05	7.73E-06	2.18E-05	3.25E-05	7.67E-06	5.3E+03	2.4E+04	8.4E+03	5.7E+03	2.4E+04	6.5E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	3.94E-05	8.43E-06	2.35E-05	3.60E-05	8.65E-06	3.6E+05	1.7E+06	6.1E+05	4.0E+05	1.6E+06	5.8E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	3.28E-05	7.42E-06	2.08E-05	3.08E-05	7.57E-06	9.1E+04	4.0E+05	1.4E+05	9.7E+04	3.9E+05	7.1E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	4.95E-04	9.29E-05	2.66E-04	4.23E-04	9.03E-05	6.8E+03	3.6E+04	1.3E+04	8.0E+03	3.8E+04	4.0E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	3.31E-04	6.21E-05	1.78E-04	2.83E-04	6.06E-05	2.4E+03	1.3E+04	4.5E+03	2.8E+03	1.3E+04	6.1E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	1.17E-04	2.14E-05	6.11E-05	9.78E-05	2.07E-05	1.7E+04	9.5E+04	3.3E+04	2.1E+04	9.8E+04	1.7E-11
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	4.95E-04	9.69E-05	2.75E-04	4.32E-04	9.44E-05	8.1E+02	4.2E+03	1.5E+03	9.3E+02	4.3E+03	4.1E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	1.65E-04	3.13E-05	8.94E-05	1.41E-04	3.05E-05	1.6E+04	8.5E+04	3.0E+04	1.9E+04	8.7E+04	1.2E-11
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.77E-04	3.55E-05	1.00E-04	1.56E-04	3.47E-05	7.4E+02	3.7E+03	1.3E+03	8.3E+02	3.7E+03	1.2E-11
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	2.97E-04	5.20E-05	1.50E-04	2.44E-04	5.02E-05	2.9E+02	1.7E+03	5.7E+02	3.5E+02	1.7E+03	6.9E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	2.23E-04	4.50E-05	1.27E-04	1.98E-04	4.42E-05	2.1E+03	1.0E+04	3.6E+03	2.3E+03	1.0E+04	9.3E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	6.25E-05	1.33E-05	3.74E-05	5.68E-05	1.32E-05	2.8E+00	1.3E+01	4.6E+00	3.0E+00	1.3E+01	3.4E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	7.67E-05	1.58E-05	4.45E-05	6.85E-05	1.54E-05	1.8E+02	9.0E+02	3.2E+02	2.1E+02	9.2E+02	2.7E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	1.16E-04	2.41E-05	6.77E-05	1.04E-04	2.37E-05	3.7E+03	1.8E+04	6.4E+03	4.2E+03	1.8E+04	3.8E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	1.46E-04	2.89E-05	8.18E-05	1.27E-04	2.82E-05	9.6E+02	4.8E+03	1.7E+03	1.1E+03	5.0E+03	3.0E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	7.07E-06	1.48E-06	4.13E-06	6.31E-06	1.45E-06	3.9E+03	1.9E+04	6.7E+03	4.4E+03	1.9E+04	6.3E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	2.35E-04	4.57E-05	1.30E-04	2.04E-04	4.45E-05	1.9E+01	1.0E+02	3.5E+01	2.2E+01	1.0E+02	1.9E-11
Radon (86)	Rn-212	1.52E+04	4.55E-05	4.17E-08	8.43E-09	2.38E-08	3.69E-08	8.20E-09	4.0E+06	2.0E+07	7.0E+06	4.5E+06	2.0E+07	1.1E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	9.15E-08	1.88E-08	5.30E-08	8.20E-08	1.84E-08	7.5E+10	3.6E+11	1.3E+11	8.3E+10	3.7E+11	5.1E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	6.34E-06	1.43E-06	4.01E-06	5.96E-06	1.40E-06	9.5E+06	4.2E+07	1.5E+07	1.0E+07	4.3E+07	7.3E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	6.37E-06	1.43E-06	4.02E-06	6.00E-06	1.40E-06	9.5E+06	4.2E+07	1.5E+07	1.0E+07	4.3E+07	7.3E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	7.48E-08	1.56E-08	4.40E-08	6.75E-08	1.53E-08	5.8E+07	2.8E+08	9.8E+07	6.4E+07	2.8E+08	6.2E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	1.6E+04	7.5E+04	2.7E+04	1.7E+04	7.7E+04	1.0E-07
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	1.6E+04	7.5E+04	2.7E+04	1.7E+04	7.7E+04	1.0E-07
Radon (86)	Rn-223	1.50E+04	4.62E-05	4.01E-05	8.33E-06	2.33E-05	3.57E-05	8.36E-06	4.1E+03	2.0E+04	7.1E+03	4.6E+03	2.0E+04	1.2E-10
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	5.81E-05	1.23E-05	3.47E-05	5.30E-05	1.21E-05	1.2E+00	5.7E+00	2.0E+00	1.3E+00	5.9E+00	3.8E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	9.03E-05	1.85E-05	5.20E-05	8.05E-05	1.82E-05	1.7E+02	8.1E+02	2.9E+02	1.9E+02	8.2E+02	2.5E-11
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	2.8E-01	1.4E+00	4.9E-01	3.2E-01	1.3E+00	8.6E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	4.39E-05	8.68E-06	2.45E-05	3.82E-05	8.74E-06	2.4E+04	1.2E+05	4.3E+04	2.8E+04	1.2E+05	5.2E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	5.55E-06	1.46E-06	3.94E-06	5.43E-06	1.60E-06	1.6E+05	6.0E+05	2.2E+05	1.6E+05	5.5E+05	4.1E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	2.46E-04	5.01E-05	1.41E-04	2.18E-04	4.92E-05	4.4E+03	2.2E+04	7.7E+03	5.0E+03	2.2E+04	7.9E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.03E-05	1.26E-05	3.54E-05	5.43E-05	1.23E-05	1.3E+03	6.1E+03	2.2E+03	1.4E+03	6.3E+03	3.3E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	1.54E-04	3.02E-05	8.58E-05	1.34E-04	2.94E-05	2.6E+02	1.3E+03	4.7E+02	3.0E+02	1.4E+03	1.3E-11
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	2.34E-05	5.50E-06	1.54E-05	2.24E-05	5.46E-06	4.1E+01	1.7E+02	6.2E+01	4.3E+01	1.7E+02	8.8E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	2.36E-10	1.32E-10	2.19E-10	2.36E-10	2.73E-10	1.5E+05	2.7E+05	1.6E+05	1.5E+05	1.3E+05	3.5E-06
Sulphur (16)	S-37	7.21E+04	9.61E-06	4.39E-04	6.56E-05	1.94E-04	3.31E-04	6.19E-05	1.8E+03	1.2E+04	4.1E+03	2.4E+03	1.3E+04	1.8E-12
Sulphur (16)	S-38	2.14E+03	3.24E-04	2.42E-04	3.98E-05	1.17E-04	1.93E-04	3.82E-05	9.7E+01	5.9E+02	2.0E+02	1.2E+02	6.1E+02	3.3E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	1.75E-04	3.69E-05	1.04E-04	1.58E-04	3.66E-05	1.8E+04	8.6E+04	3.1E+04	2.0E+04	8.7E+04	1.3E-11
Antimony (51)	Sb-113	5.46E+04	1.27E-05	1.50E-04	3.14E-05	8.84E-05	1.36E-04	3.10E-05	4.0E+03	1.9E+04	6.8E+03	4.4E+03	1.9E+04	1.6E-11
Antimony (51)	Sb-114	1.04E+05	6.64E-06	3.47E-04	6.61E-05	1.88E-04	2.99E-04	6.44E-05	3.3E+03	1.7E+04	6.1E+03	3.8E+03	1.8E+04	7.0E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	1.04E-04	2.18E-05	6.16E-05	9.40E-05	2.16E-05	1.2E+03	5.7E+03	2.0E+03	1.3E+03	5.8E+03	2.4E-11
Antimony (51)	Sb-116	2.31E+04	3.01E-05	2.99E-04	5.50E-05	1.59E-04	2.53E-04	5.36E-05	8.4E+02	4.6E+03	1.6E+03	1.0E+03	4.7E+03	8.2E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	3.94E-04	7.57E-05	2.15E-04	3.38E-04	7.35E-05	1.7E+02	8.7E+02	3.1E+02	2.0E+02	9.0E+02	6.2E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.58E-05	3.97E-06	1.08E-05	1.52E-05	4.10E-06	1.5E+03	6.0E+03	2.2E+03	1.6E+03	5.8E+03	1.6E-10
Antimony (51)	Sb-118	1.01E+05	6.85E-06	9.53E-05	2.00E-05	5.66E-05	8.65E-05	1.99E-05	1.2E+04	5.5E+04	2.0E+04	1.3E+04	5.6E+04	2.6E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	3.31E-04	6.31E-05	1.80E-04	2.85E-04	6.15E-05	4.0E+01	2.1E+02	7.4E+01	4.7E+01	2.2E+02	7.6E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	6.94E-08	6.77E-08	6.97E-08	6.94E-08	2.87E-07	2.5E+04	2.6E+04	2.5E+04	2.5E+04	6.1E+03	3.6E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	5.24E-05	1.10E-05	3.10E-05	4.73E-05	1.10E-05	4.8E+03	2.3E+04	8.1E+03	5.3E+03	2.3E+04	4.9E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	3.10E-04	5.96E-05	1.69E-04	2.66E-04	5.81E-05	1.6E+00	8.1E+00	2.8E+00	1.8E+00	8.3E+00	8.2E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	5.36E-05	1.11E-05	3.14E-05	4.83E-05	1.10E-05	1.9E+01	9.2E+01	3.2E+01	2.1E+01	9.2E+01	4.8E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	2.07E-06	9.69E-07	1.88E-06	2.07E-06	1.35E-06	4.6E+05	9.8E+05	5.1E+05	4.6E+05	7.0E+05	1.3E-09
Antimony (51)	Sb-124	4.20E+00	1.65E-01	2.45E-04	4.50E-05	1.29E-04	2.07E-04	4.35E-05	1.9E-01	1.0E+00	3.6E-01	2.2E-01	1.1E+00	1.1E-11
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	5.30E-05	1.10E-05	3.09E-05	4.77E-05	1.07E-05	4.9E+04	2.3E+05	8.3E+04	5.4E+04	2.4E+05	5.0E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	2.60E-12	2.55E-12	2.61E-12	2.60E-12	1.05E-11	7.6E+10	7.7E+10	7.6E+10	7.6E+10	1.9E+10	1.0E-03
Antimony (51)	Sb-125	2.51E-01	2.76E+00	4.95E-05	1.05E-05	2.95E-05	4.51E-05	1.04E-05	5.6E-02	2.6E-01	9.3E-02	6.1E-02	2.6E-01	5.4E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.38E-04	6.87E-05	1.93E-04	3.00E-04	6.69E-05	6.6E-01	3.3E+00	1.2E+00	7.5E-01	3.4E+00	7.9E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	1.87E-04	3.85E-05	1.09E-04	1.68E-04	3.79E-05	1.1E+03	5.4E+03	1.9E+03	1.2E+03	5.5E+03	1.4E-11
Antimony (51)	Sb-127	6.57E+01	1.05E-02	8.36E-05	1.72E-05	4.85E-05	7.48E-05	1.69E-05	8.6E+00	4.2E+01	1.5E+01	9.6E+00	4.3E+01	3.2E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	3.82E-04	7.67E-05	2.17E-04	3.38E-04	7.48E-05	1.9E+01	9.6E+01	3.4E+01	2.2E+01	9.9E+01	7.1E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	2.34E-04	4.75E-05	1.34E-04	2.08E-04	4.67E-05	1.6E+03	8.1E+03	2.9E+03	1.8E+03	8.2E+03	1.2E-11
Antimony (51)	Sb-129	1.38E+03	5.02E-04	1.88E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	8.0E+01	4.2E+02	1.5E+02	9.3E+01	4.4E+02	1.5E-11
Antimony (51)	Sb-130	9.22E+03	7.52E-05	4.07E-04	8.08E-05	2.29E-04	3.57E-04	7.86E-05	2.5E+02	1.2E+03	4.4E+02	2.8E+02	1.3E+03	6.8E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	3.44E-04	6.72E-05	1.90E-04	2.99E-04	6.53E-05	1.8E+03	9.4E+03	3.3E+03	2.1E+03	9.7E+03	8.0E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.74E-04	5.05E-05	1.45E-04	2.31E-04	4.89E-05	6.3E+02	3.4E+03	1.2E+03	7.5E+02	3.5E+03	1.0E-11
Antimony (51)	Sb-133	1.46E+05	4.76E-06	3.72E-04	6.56E-05	1.90E-04	3.08E-04	6.37E-05	4.3E+03	2.4E+04	8.4E+03	5.2E+03	2.5E+04	7.6E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	5.46E-04	1.03E-04	2.94E-04	4.67E-04	1.00E-04	7.1E+03	3.7E+04	1.3E+04	8.3E+03	3.9E+04	1.6E-12
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.16E-04	2.45E-05	6.92E-05	1.05E-04	2.41E-05	1.5E+02	7.0E+02	2.5E+02	1.6E+02	7.1E+02	7.9E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	2.69E-04	5.25E-05	1.50E-04	2.35E-04	5.14E-05	6.2E+01	3.2E+02	1.1E+02	7.1E+01	3.3E+02	3.5E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	3.02E-05	6.72E-06	1.89E-05	2.82E-05	6.53E-06	3.8E+01	1.7E+02	6.0E+01	4.0E+01	1.7E+02	3.1E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	2.60E-04	4.95E-05	1.41E-04	2.24E-04	4.80E-05	1.3E-01	6.7E-01	2.3E-01	1.5E-01	6.9E-01	3.8E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	9.81E-06	2.56E-06	6.97E-06	9.63E-06	2.51E-06	8.4E+01	3.2E+02	1.2E+02	8.6E+01	3.3E+02	1.0E-10
Scandium (21)	Sc-48	1.39E+02	4.99E-03	4.42E-04	8.23E-05	2.35E-04	3.76E-04	7.95E-05	3.4E+00	1.8E+01	6.5E+00	4.1E+00	1.9E+01	2.3E-12
Scandium (21)	Sc-49	6.37E+03	1.09E-04	5.14E-07	1.46E-07	3.30E-07	4.67E-07	4.20E-07	1.4E+05	4.8E+05	2.1E+05	1.5E+05	1.7E+05	2.0E-09
Scandium (21)	Sc-50	2.13E+05	3.25E-06	4.29E-04	7.83E-05	2.25E-04	3.60E-04	7.57E-05	5.4E+03	3.0E+04	1.0E+04	6.5E+03	3.1E+04	2.5E-12
Selenium (34)	Se-70	8.86E+03	7.82E-05	8.08E-05	1.74E-05	4.88E-05	7.38E-05	1.73E-05	1.2E+03	5.6E+03	2.0E+03	1.3E+03	5.6E+03	1.8E-11
Selenium (34)	Se-71	7.68E+04	9.02E-06	1.95E-04	4.00E-05	1.13E-04	1.74E-04	3.94E-05	4.3E+03	2.1E+04	7.5E+03	4.8E+03	2.1E+04	7.7E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	5.21E-07	3.37E-07	5.15E-07	5.21E-07	5.46E-07	6.3E+02	9.8E+02	6.4E+02	6.3E+02	6.0E+02	2.9E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	1.23E-04	2.67E-05	7.47E-05	1.13E-04	2.65E-05	7.6E+01	3.5E+02	1.2E+02	8.3E+01	3.5E+02	1.3E-11
Selenium (34)	Se-73m	9.15E+03	7.57E-05	3.07E-05	6.51E-06	1.83E-05	2.79E-05	6.41E-06	3.3E+03	1.5E+04	5.5E+03	3.6E+03	1.6E+04	5.1E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	3.85E-05	9.24E-06	2.55E-05	3.69E-05	9.03E-06	6.0E-01	2.5E+00	9.1E-01	6.3E-01	2.6E+00	4.1E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	7.83E-06	2.03E-06	5.50E-06	7.67E-06	1.99E-06	1.8E+06	6.8E+06	2.5E+06	1.8E+06	6.9E+06	2.1E-10
Selenium (34)	Se-79	2.35E-06	2.95E+05	2.46E-10	1.41E-10	2.29E-10	2.46E-10	2.97E-10	2.0E+03	3.5E+03	2.1E+03	2.0E+03	1.6E+03	1.3E-01
Selenium (34)	Se-79m	9.29E+04	7.46E-06	5.96E-07	1.96E-07	4.80E-07	5.96E-07	2.08E-07	1.7E+06	5.2E+06	2.1E+06	1.7E+06	4.9E+06	2.8E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	1.13E-06	2.65E-07	7.02E-07	1.04E-06	4.67E-07	1.9E+05	8.2E+05	3.1E+05	2.1E+05	4.6E+05	1.5E-09
Selenium (34)	Se-81m	6.36E+03	1.09E-04	9.66E-07	3.01E-07	7.57E-07	9.63E-07	3.12E-07	7.2E+04	2.3E+05	9.2E+04	7.2E+04	2.2E+05	1.8E-09
Selenium (34)	Se-83	1.63E+04	4.24E-05	3.41E-04	6.36E-05	1.83E-04	2.90E-04	6.19E-05	5.2E+02	2.8E+03	9.8E+02	6.2E+02	2.9E+03	5.2E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	1.31E-04	2.42E-05	6.92E-05	1.11E-04	2.38E-05	2.6E+04	1.4E+05	4.9E+04	3.1E+04	1.4E+05	1.3E-11
Selenium (34)	Se-84	1.17E+05	5.90E-06	4.80E-05	1.05E-05	2.94E-05	4.45E-05	1.04E-05	2.7E+04	1.2E+05	4.4E+04	2.9E+04	1.2E+05	3.7E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	2.99E-07	8.33E-08	1.92E-07	2.73E-07	2.85E-07	8.5E+04	3.0E+05	1.3E+05	9.3E+04	8.9E+04	2.2E-09
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.13E-10	3.47E-10	6.36E-10	7.13E-10	6.12E-10	7.3E+02	1.5E+03	8.2E+02	7.3E+02	8.5E+02	8.6E-06
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	2.55E-07	8.63E-08	1.82E-07	2.44E-07	3.25E-07	2.0E+00	6.0E+00	2.8E+00	2.1E+00	1.6E+00	2.4E-08
Samarium (62)	Sm-139	1.42E+05	4.89E-06	1.75E-04	3.59E-05	1.01E-04	1.56E-04	3.53E-05	8.9E+03	4.3E+04	1.5E+04	1.0E+04	4.4E+04	1.7E-11
Samarium (62)	Sm-140	2.46E+04	2.82E-05	6.66E-05	1.35E-05	3.79E-05	5.87E-05	1.34E-05	4.0E+03	2.0E+04	7.1E+03	4.6E+03	2.0E+04	4.5E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	1.73E-04	3.45E-05	9.80E-05	1.52E-04	3.38E-05	2.3E+03	1.1E+04	4.0E+03	2.6E+03	1.2E+04	1.7E-11
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	2.40E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	7.4E+02	3.7E+03	1.3E+03	8.4E+02	3.8E+03	1.2E-11
Samarium (62)	Sm-142	5.02E+03	1.38E-04	1.00E-05	2.29E-06	6.06E-06	9.09E-06	2.52E-06	5.5E+03	2.4E+04	9.1E+03	6.1E+03	2.2E+04	3.0E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	6.15E-05	1.29E-05	3.62E-05	5.55E-05	1.30E-05	7.4E+03	3.5E+04	1.3E+04	8.2E+03	3.5E+04	4.9E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	8.49E-05	1.70E-05	4.80E-05	7.48E-05	1.66E-05	4.3E+04	2.1E+05	7.5E+04	4.8E+04	2.2E+05	3.6E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.01E-06	6.66E-07	9.85E-07	1.01E-06	1.21E-06	8.1E+00	1.2E+01	8.3E+00	8.1E+00	6.7E+00	3.1E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-147	6.54E-12	1.06E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-148	9.90E-17	7.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-151	7.70E-03	9.00E+01	1.04E-11	1.04E-11	1.04E-11	1.04E-11	6.50E-11	4.6E+04	4.7E+04	4.6E+04	4.6E+04	7.4E+03	1.8E-03
Samarium (62)	Sm-153	1.31E+02	5.31E-03	3.00E-06	1.11E-06	2.44E-06	2.99E-06	1.37E-06	4.8E+02	1.3E+03	5.8E+02	4.8E+02	1.0E+03	1.1E-09
Samarium (62)	Sm-155	1.63E+04	4.24E-05	7.57E-06	2.27E-06	5.71E-06	7.45E-06	2.53E-06	2.4E+04	7.9E+04	3.1E+04	2.4E+04	7.1E+04	4.3E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	9.78E-06	2.57E-06	6.87E-06	9.50E-06	2.62E-06	7.2E+02	2.8E+03	1.0E+03	7.4E+02	2.7E+03	3.4E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	4.67E-05	1.00E-05	2.80E-05	4.23E-05	1.01E-05	1.1E+04	4.9E+04	1.8E+04	1.2E+04	4.9E+04	7.1E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	1.43E-04	2.94E-05	8.28E-05	1.28E-04	2.88E-05	1.4E+04	7.1E+04	2.5E+04	1.6E+04	7.2E+04	1.6E-11
Tin (50)	Sn-108	3.54E+04	1.96E-05	7.54E-05	1.64E-05	4.59E-05	6.91E-05	1.62E-05	5.1E+03	2.4E+04	8.4E+03	5.6E+03	2.4E+04	3.0E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	2.95E-04	5.25E-05	1.52E-04	2.46E-04	5.08E-05	7.5E+02	4.2E+03	1.5E+03	9.0E+02	4.4E+03	7.8E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.94E-05	6.72E-06	1.89E-05	2.79E-05	6.72E-06	5.5E+02	2.4E+03	8.6E+02	5.8E+02	2.4E+03	7.9E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	5.96E-05	1.18E-05	3.34E-05	5.21E-05	1.16E-05	1.9E+03	9.6E+03	3.4E+03	2.2E+03	9.7E+03	4.0E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Tin (50)	Sn-113	2.20E+00	3.15E-01	6.15E-07	1.79E-07	4.18E-07	5.90E-07	3.44E-07	3.9E+01	1.3E+02	5.8E+01	4.1E+01	7.0E+01	3.9E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	6.06E-08	4.72E-08	5.81E-08	6.06E-08	1.74E-07	3.1E+06	3.9E+06	3.2E+06	3.1E+06	1.1E+06	4.0E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	1.27E-05	3.35E-06	8.99E-06	1.24E-05	3.44E-06	1.6E+01	6.0E+01	2.2E+01	1.6E+01	5.9E+01	2.0E-10
Tin (50)	Sn-119m	8.63E-01	8.03E-01	4.23E-08	4.10E-08	4.23E-08	4.23E-08	1.79E-07	2.2E+02	2.3E+02	2.2E+02	2.2E+02	5.3E+01	6.0E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.60E-09	1.41E-09	2.97E-09	3.60E-09	2.03E-09	7.6E+05	1.9E+06	9.2E+05	7.6E+05	1.3E+06	7.9E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	2.41E-08	2.13E-08	2.39E-08	2.41E-08	7.04E-08	2.2E+01	2.5E+01	2.2E+01	2.2E+01	7.5E+00	3.3E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	2.69E-08	2.24E-08	2.62E-08	2.69E-08	7.20E-08	2.0E+01	2.4E+01	2.0E+01	2.0E+01	7.4E+00	2.9E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.05E-06	2.20E-07	5.91E-07	9.12E-07	3.85E-07	2.0E+01	9.7E+01	3.6E+01	2.4E+01	5.6E+01	2.5E-09
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.26E-05	3.28E-06	8.89E-06	1.23E-05	3.38E-06	7.9E+03	3.0E+04	1.1E+04	8.1E+03	2.9E+04	2.1E-10
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.42E-05	8.33E-06	2.37E-05	3.76E-05	8.30E-06	6.5E+00	3.4E+01	1.2E+01	7.7E+00	3.5E+01	6.0E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	3.91E-05	8.63E-06	2.43E-05	3.63E-05	8.68E-06	1.1E+04	4.9E+04	1.7E+04	1.2E+04	4.8E+04	6.8E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	2.69E-06	9.90E-07	2.26E-06	2.70E-06	1.15E-06	1.6E-01	4.4E-01	1.9E-01	1.6E-01	3.8E-01	1.3E-05
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	2.37E-04	4.91E-05	1.38E-04	2.13E-04	4.83E-05	1.8E-03	8.9E-03	3.2E-03	2.1E-03	9.1E-03	1.5E-07
Tin (50)	Sn-127	2.89E+03	2.40E-04	2.50E-04	4.65E-05	1.33E-04	2.12E-04	4.51E-05	1.3E+02	6.8E+02	2.4E+02	1.5E+02	7.0E+02	1.1E-11
Tin (50)	Sn-127m	8.82E+04	7.86E-06	6.97E-05	1.42E-05	4.02E-05	6.22E-05	1.42E-05	1.4E+04	6.8E+04	2.4E+04	1.6E+04	6.8E+04	3.9E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.44E-05	1.40E-05	3.87E-05	5.87E-05	1.42E-05	1.0E+03	4.8E+03	1.7E+03	1.2E+03	4.8E+03	4.2E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	1.28E-04	2.51E-05	7.12E-05	1.12E-04	2.48E-05	1.4E+04	7.1E+04	2.5E+04	1.6E+04	7.2E+04	2.1E-11
Tin (50)	Sn-130	9.79E+04	7.08E-06	1.08E-04	2.27E-05	6.36E-05	9.69E-05	2.25E-05	1.0E+04	4.7E+04	1.7E+04	1.1E+04	4.8E+04	2.6E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	1.12E-04	2.17E-05	6.16E-05	9.66E-05	2.16E-05	2.1E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	2.5E-11
Strontium (38)	Sr-79	1.62E+05	4.28E-06	1.37E-04	2.95E-05	8.28E-05	1.25E-04	2.95E-05	1.3E+04	6.0E+04	2.1E+04	1.4E+04	6.0E+04	1.2E-11
Strontium (38)	Sr-80	3.43E+03	2.02E-04	5.05E-05	1.07E-05	3.00E-05	4.58E-05	1.04E-05	7.4E+02	3.5E+03	1.2E+03	8.2E+02	3.6E+03	3.4E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.62E-04	3.44E-05	9.64E-05	1.47E-04	3.41E-05	1.1E+03	5.2E+03	1.9E+03	1.2E+03	5.2E+03	1.1E-11
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.29E-09	1.29E-09	1.29E-09	1.29E-09	2.40E-08	8.4E+04	8.4E+04	8.4E+04	8.4E+04	4.5E+03	1.3E-06
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.77E-05	8.2E-01	3.9E+00	1.4E+00	9.1E-01	3.9E+00	1.3E-11
Strontium (38)	Sr-83	1.87E+02	3.70E-03	9.97E-05	2.00E-05	5.66E-05	8.80E-05	1.96E-05	2.1E+01	1.0E+02	3.6E+01	2.3E+01	1.0E+02	1.8E-11
Strontium (38)	Sr-85	3.90E+00	1.78E-01	5.81E-05	1.22E-05	3.45E-05	5.27E-05	1.20E-05	7.4E-01	3.5E+00	1.2E+00	8.1E-01	3.6E+00	3.1E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.20E-05	5.20E-06	1.46E-05	2.11E-05	5.08E-06	2.7E+03	1.1E+04	4.0E+03	2.8E+03	1.2E+04	8.2E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	3.60E-05	7.88E-06	2.22E-05	3.35E-05	7.70E-06	6.6E+02	3.0E+03	1.1E+03	7.1E+02	3.1E+03	5.1E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	1.96E-07	6.51E-08	1.39E-07	1.87E-07	2.61E-07	2.8E+02	8.4E+02	3.9E+02	2.9E+02	2.1E+02	9.7E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.31E-08	4.51E-09	1.02E-08	1.29E-08	1.01E-08	5.0E+01	1.4E+02	6.4E+01	5.0E+01	6.4E+01	3.6E-07
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	5.27E-07	1.69E-07	3.64E-07	4.99E-07	4.61E-07	1.1E+00	3.4E+00	1.6E+00	1.2E+00	1.3E+00	8.0E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	9.03E-05	1.76E-05	4.98E-05	7.86E-05	1.73E-05	7.6E+01	3.9E+02	1.4E+02	8.8E+01	4.0E+02	2.1E-11
Strontium (38)	Sr-92	2.28E+03	3.04E-04	1.81E-04	3.24E-05	9.34E-05	1.51E-04	3.12E-05	1.4E+02	7.7E+02	2.7E+02	1.7E+02	8.0E+02	1.1E-11
Strontium (38)	Sr-93	4.91E+04	1.41E-05	2.94E-04	5.50E-05	1.58E-04	2.51E-04	5.36E-05	1.8E+03	9.8E+03	3.4E+03	2.1E+03	1.0E+04	6.7E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	1.94E-04	3.47E-05	1.00E-04	1.62E-04	3.35E-05	1.6E+04	9.2E+04	3.2E+04	2.0E+04	9.5E+04	1.0E-11
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	1.26E-04	2.65E-05	7.42E-05	1.13E-04	2.64E-05	4.7E+03	2.2E+04	7.9E+03	5.2E+03	2.2E+04	2.9E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.10E-04	4.11E-05	1.16E-04	1.82E-04	4.01E-05	5.2E+02	2.6E+03	9.3E+02	6.0E+02	2.7E+03	1.7E-11
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	6.56E-05	1.35E-05	3.72E-05	5.71E-05	1.35E-05	3.2E+02	1.6E+03	5.7E+02	3.7E+02	1.6E+03	5.6E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	1.17E-04	2.33E-05	6.56E-05	1.02E-04	2.30E-05	5.0E+02	2.5E+03	8.9E+02	5.7E+02	2.5E+03	3.2E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.36E-04	2.62E-05	7.37E-05	1.16E-04	2.58E-05	4.7E+01	2.4E+02	8.6E+01	5.5E+01	2.5E+02	2.7E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	2.99E-04	5.30E-05	1.52E-04	2.46E-04	5.11E-05	2.8E+01	1.5E+02	5.4E+01	3.3E+01	1.6E+02	1.3E-11
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	3.28E-06	1.20E-06	2.57E-06	3.16E-06	1.43E-06	3.6E+02	9.8E+02	4.6E+02	3.7E+02	8.2E+02	1.1E-09
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	1.05E-05	2.50E-06	6.31E-06	9.18E-06	2.69E-06	4.1E+04	1.7E+05	6.8E+04	4.7E+04	1.6E+05	3.6E-10
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	1.17E-04	2.74E-05	7.52E-05	1.10E-04	2.73E-05	2.4E+02	1.0E+03	3.7E+02	2.6E+02	1.0E+03	3.2E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	7.57E-07	3.88E-07	7.12E-07	7.57E-07	5.05E-07	5.5E+00	1.1E+01	5.9E+00	5.5E+00	8.3E+00	5.0E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	1.64E-06	7.83E-07	1.50E-06	1.64E-06	9.91E-07	5.0E+03	1.0E+04	5.4E+03	5.0E+03	8.2E+03	2.3E-09
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.03E-05	1.5E-01	7.8E-01	2.8E-01	1.7E-01	8.0E-01	2.4E-11
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	2.10E-05	5.76E-06	1.49E-05	2.04E-05	5.93E-06	1.2E+04	4.4E+04	1.7E+04	1.2E+04	4.2E+04	1.8E-10
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.55E-05	6.61E-06	1.74E-05	2.44E-05	6.72E-06	2.1E+01	8.2E+01	3.1E+01	2.2E+01	8.1E+01	1.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	1.85E-04	3.85E-05	1.09E-04	1.66E-04	3.79E-05	4.1E+01	2.0E+02	7.0E+01	4.6E+01	2.0E+02	2.1E-11
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	1.33E-05	3.50E-06	9.19E-06	1.28E-05	3.79E-06	6.0E+03	2.3E+04	8.8E+03	6.3E+03	2.1E+04	2.9E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	1.66E-04	3.50E-05	9.85E-05	1.50E-04	3.44E-05	2.3E+03	1.1E+04	3.9E+03	2.5E+03	1.1E+04	2.4E-11
Terbium (65)	Tb-146	9.50E+05	7.29E-07	4.86E-04	8.79E-05	2.52E-04	4.04E-04	8.49E-05	2.1E+04	1.2E+05	4.1E+04	2.6E+04	1.2E+05	6.4E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	2.79E-04	5.30E-05	1.50E-04	2.39E-04	5.18E-05	1.5E+02	7.6E+02	2.7E+02	1.7E+02	7.8E+02	1.1E-11
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	2.54E-04	4.59E-05	1.32E-04	2.12E-04	4.45E-05	8.4E+03	4.7E+04	1.6E+04	1.0E+04	4.8E+04	1.2E-11
Terbium (65)	Tb-148	6.07E+03	1.14E-04	3.04E-04	5.76E-05	1.64E-04	2.59E-04	5.59E-05	2.2E+02	1.2E+03	4.1E+02	2.6E+02	1.2E+03	1.0E-11
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	3.85E-04	7.78E-05	2.19E-04	3.41E-04	7.57E-05	4.7E+03	2.3E+04	8.3E+03	5.3E+03	2.4E+04	8.2E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	1.70E-04	3.27E-05	9.29E-05	1.46E-04	3.19E-05	9.5E+01	4.9E+02	1.7E+02	1.1E+02	5.1E+02	1.9E-11
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	1.67E-04	3.37E-05	9.49E-05	1.48E-04	3.31E-05	5.7E+03	2.8E+04	1.0E+04	6.5E+03	2.9E+04	1.9E-11
Terbium (65)	Tb-150	1.74E+03	3.97E-04	3.25E-04	5.81E-05	1.67E-04	2.69E-04	5.59E-05	5.9E+01	3.3E+02	1.1E+02	7.1E+01	3.4E+02	9.8E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	2.99E-04	6.21E-05	1.75E-04	2.69E-04	6.09E-05	2.3E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	1.1E-11
Terbium (65)	Tb-151	3.45E+02	2.01E-03	1.12E-04	2.37E-05	6.61E-05	1.01E-04	2.36E-05	3.4E+01	1.6E+02	5.7E+01	3.7E+01	1.6E+02	2.9E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	7.92E-06	1.76E-06	4.75E-06	7.16E-06	1.83E-06	1.2E+06	5.4E+06	2.0E+06	1.3E+06	5.2E+06	4.1E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	1.90E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	2.0E+01	1.1E+02	3.7E+01	2.4E+01	1.1E+02	1.7E-11
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	8.24E-05	1.81E-05	5.02E-05	7.54E-05	1.81E-05	1.2E+04	5.3E+04	1.9E+04	1.3E+04	5.3E+04	3.9E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	3.22E-05	7.42E-06	1.99E-05	2.94E-05	7.64E-06	3.7E+01	1.6E+02	5.9E+01	4.0E+01	1.5E+02	1.0E-10
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.10E-04	5.35E-05	1.55E-04	2.52E-04	5.18E-05	1.0E+01	5.8E+01	2.0E+01	1.2E+01	6.0E+01	1.1E-11
Terbium (65)	Tb-155	4.75E+01	1.46E-02	1.16E-05	3.48E-06	8.53E-06	1.13E-05	3.88E-06	4.5E+01	1.5E+02	6.1E+01	4.6E+01	1.3E+02	2.8E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	2.41E-04	4.66E-05	1.32E-04	2.08E-04	4.54E-05	2.2E+00	1.1E+01	3.9E+00	2.5E+00	1.1E+01	1.4E-11
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	8.58E-07	5.15E-07	8.38E-07	8.58E-07	7.57E-07	3.2E+03	5.3E+03	3.3E+03	3.2E+03	3.6E+03	3.9E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.13E-07	5.40E-08	1.01E-07	1.13E-07	7.48E-08	1.1E+05	2.3E+05	1.2E+05	1.1E+05	1.7E+05	2.9E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	8.11E-08	5.40E-08	8.03E-08	8.11E-08	9.12E-08	6.1E+00	9.1E+00	6.1E+00	6.1E+00	5.4E+00	1.9E-07
Terbium (65)	Tb-158	3.85E-03	1.80E+02	9.72E-05	1.93E-05	5.40E-05	8.46E-05	1.91E-05	4.7E-03	2.4E-02	8.5E-03	5.4E-03	2.4E-02	3.8E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	1.42E-04	2.76E-05	7.83E-05	1.23E-04	2.69E-05	2.7E-01	1.4E+00	4.9E-01	3.1E-01	1.4E+00	2.4E-11
Terbium (65)	Tb-161	3.66E+01	1.89E-02	9.47E-07	4.68E-07	8.53E-07	9.40E-07	6.85E-07	4.2E+02	8.6E+02	4.7E+02	4.3E+02	5.9E+02	3.6E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	1.33E-04	2.72E-05	7.67E-05	1.19E-04	2.67E-05	3.9E+03	1.9E+04	6.8E+03	4.4E+03	2.0E+04	2.6E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	9.03E-05	1.95E-05	5.45E-05	8.30E-05	1.92E-05	2.3E+03	1.0E+04	3.8E+03	2.5E+03	1.1E+04	3.8E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	3.10E-04	5.96E-05	1.70E-04	2.67E-04	5.81E-05	4.3E+03	2.2E+04	7.8E+03	5.0E+03	2.3E+04	1.1E-11
Terbium (65)	Tb-165	1.73E+05	4.01E-06	1.11E-04	2.04E-05	5.86E-05	9.37E-05	2.00E-05	1.7E+04	9.2E+04	3.2E+04	2.0E+04	9.4E+04	3.1E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	3.72E-05	8.33E-06	2.34E-05	3.47E-05	8.24E-06	7.5E+03	3.4E+04	1.2E+04	8.1E+03	3.4E+04	5.8E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	1.26E-05	2.63E-06	7.17E-06	1.10E-05	2.95E-06	3.6E+06	1.7E+07	6.3E+06	4.1E+06	1.5E+07	1.7E-10
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	3.28E-04	6.01E-05	1.72E-04	2.76E-04	5.81E-05	2.8E+03	1.5E+04	5.3E+03	3.3E+03	1.6E+04	6.6E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	3.02E-04	5.40E-05	1.56E-04	2.51E-04	5.24E-05	7.2E+02	4.0E+03	1.4E+03	8.7E+02	4.2E+03	7.3E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	9.81E-05	1.95E-05	5.50E-05	8.55E-05	1.93E-05	5.3E+03	2.7E+04	9.5E+03	6.1E+03	2.7E+04	2.3E-11
Technetium (43)	Tc-91	1.16E+05	5.97E-06	3.31E-04	6.01E-05	1.73E-04	2.77E-04	5.84E-05	3.8E+03	2.1E+04	7.4E+03	4.6E+03	2.2E+04	5.8E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	1.73E-04	3.58E-05	1.01E-04	1.55E-04	3.53E-05	7.0E+03	3.4E+04	1.2E+04	7.8E+03	3.4E+04	1.1E-11
Technetium (43)	Tc-92	8.57E+04	8.09E-06	4.86E-04	9.39E-05	2.67E-04	4.20E-04	9.12E-05	1.9E+03	1.0E+04	3.5E+03	2.2E+03	1.0E+04	4.0E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.10E-04	3.77E-05	1.09E-04	1.75E-04	3.63E-05	1.1E+02	6.4E+02	2.2E+02	1.4E+02	6.7E+02	9.4E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.30E-04	2.22E-05	6.46E-05	1.05E-04	2.12E-05	7.1E+02	4.1E+03	1.4E+03	8.7E+02	4.3E+03	1.5E-11
Technetium (43)	Tc-94	1.24E+03	5.57E-04	3.31E-04	6.56E-05	1.86E-04	2.92E-04	6.41E-05	4.1E+01	2.1E+02	7.3E+01	4.7E+01	2.1E+02	6.0E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.48E-04	4.80E-05	1.36E-04	2.15E-04	4.70E-05	3.1E+02	1.6E+03	5.6E+02	3.6E+02	1.6E+03	8.1E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	9.81E-05	1.95E-05	5.50E-05	8.65E-05	1.91E-05	3.4E+01	1.7E+02	6.0E+01	3.8E+01	1.7E+02	2.1E-11
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	8.08E-05	1.67E-05	4.71E-05	7.23E-05	1.63E-05	5.6E-01	2.7E+00	9.6E-01	6.3E-01	2.8E+00	2.5E-11
Technetium (43)	Tc-96	5.91E+01	1.17E-02	3.14E-04	6.16E-05	1.75E-04	2.75E-04	6.03E-05	2.1E+00	1.1E+01	3.7E+00	2.4E+00	1.1E+01	6.5E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.33E-06	1.03E-06	2.91E-06	4.61E-06	1.04E-06	1.5E+04	7.5E+04	2.7E+04	1.7E+04	7.5E+04	3.8E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	7.73E-09	7.78E-09	7.73E-09	7.73E-09	7.51E-08	5.7E+01	5.6E+01	5.7E+01	5.7E+01	5.8E+00	4.0E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	2.79E-08	1.44E-08	2.40E-08	2.79E-08	7.48E-08	1.1E+03	2.1E+03	1.3E+03	1.1E+03	4.1E+02	7.4E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	2.5E-03	1.2E-02	4.4E-03	2.8E-03	1.3E-02	2.9E-06

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Technetium (43)	Tc-99	3.28E-06	2.11E+05	2.24E-09	9.44E-10	1.90E-09	2.23E-09	1.44E-09	2.0E+02	4.6E+02	2.3E+02	2.0E+02	3.0E+02	1.1E-02
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.07E-05	2.90E-06	7.78E-06	1.05E-05	2.87E-06	1.0E+03	3.8E+03	1.4E+03	1.1E+03	3.9E+03	2.0E-10
Tellurium (52)	Te-113	2.14E+05	3.23E-06	2.86E-04	5.45E-05	1.56E-04	2.46E-04	5.33E-05	8.2E+03	4.3E+04	1.5E+04	9.5E+03	4.4E+04	8.4E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	1.63E-04	3.05E-05	8.74E-05	1.39E-04	2.98E-05	1.6E+03	8.6E+03	3.0E+03	1.9E+03	8.8E+03	1.5E-11
Tellurium (52)	Te-115	6.28E+04	1.10E-05	2.86E-04	5.50E-05	1.57E-04	2.47E-04	5.36E-05	2.4E+03	1.2E+04	4.4E+03	2.8E+03	1.3E+04	8.5E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	3.38E-04	6.36E-05	1.81E-04	2.88E-04	6.15E-05	1.8E+03	9.4E+03	3.3E+03	2.1E+03	9.7E+03	7.2E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	7.98E-06	1.99E-06	5.15E-06	7.35E-06	2.30E-06	3.3E+03	1.3E+04	5.2E+03	3.6E+03	1.2E+04	3.1E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.00E-04	3.74E-05	1.07E-04	1.70E-04	3.63E-05	3.2E+02	1.7E+03	6.0E+02	3.8E+02	1.8E+03	1.2E-11
Tellurium (52)	Te-118	4.22E+01	1.64E-02	7.35E-08	7.07E-08	7.37E-08	7.35E-08	2.68E-07	6.3E+03	6.5E+03	6.3E+03	6.3E+03	1.7E+03	3.4E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	9.53E-05	2.00E-05	5.66E-05	8.65E-05	2.01E-05	4.8E+00	2.3E+01	8.2E+00	5.3E+00	2.3E+01	2.6E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	9.31E-05	1.86E-05	5.25E-05	8.20E-05	1.83E-05	4.4E+01	2.2E+02	7.9E+01	5.0E+01	2.3E+02	2.7E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	1.91E-04	3.62E-05	1.03E-04	1.63E-04	3.53E-05	3.1E+00	1.6E+01	5.7E+00	3.6E+00	1.7E+01	1.3E-11
Tellurium (52)	Te-121	1.32E+01	5.25E-02	6.66E-05	1.39E-05	3.91E-05	6.00E-05	1.38E-05	2.2E+00	1.0E+01	3.7E+00	2.4E+00	1.0E+01	3.9E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	2.12E-05	4.95E-06	1.37E-05	2.00E-05	4.95E-06	8.5E-01	3.6E+00	1.3E+00	9.0E-01	3.6E+00	1.2E-10
Tellurium (52)	Te-123	1.16E-15	6.00E+14	1.27E-10	1.23E-10	1.28E-10	1.27E-10	4.67E-10	3.4E+03	3.6E+03	3.4E+03	3.4E+03	9.4E+02	7.1E+08
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	1.21E-05	3.20E-06	8.58E-06	1.19E-05	3.28E-06	1.9E+00	7.3E+00	2.7E+00	2.0E+00	7.1E+00	2.2E-10
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	1.87E-07	1.60E-07	1.82E-07	1.87E-07	5.21E-07	2.6E+02	3.0E+02	2.6E+02	2.6E+02	9.3E+01	1.4E-08
Tellurium (52)	Te-127	6.49E+02	1.07E-03	5.68E-07	1.26E-07	3.52E-07	5.27E-07	1.43E-07	1.3E+04	5.6E+04	2.0E+04	1.3E+04	5.0E+04	4.8E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	7.23E-08	5.25E-08	6.61E-08	7.10E-08	1.63E-07	3.5E+02	4.8E+02	3.8E+02	3.6E+02	1.6E+02	3.7E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	6.94E-06	1.49E-06	4.15E-06	6.31E-06	1.68E-06	8.3E+03	3.8E+04	1.4E+04	9.1E+03	3.4E+04	3.9E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	3.76E-06	7.93E-07	2.16E-06	3.35E-06	9.21E-07	2.2E+01	1.0E+02	3.8E+01	2.5E+01	8.9E+01	7.3E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	4.80E-05	1.02E-05	2.86E-05	4.32E-05	1.03E-05	3.3E+03	1.6E+04	5.6E+03	3.7E+03	1.6E+04	5.8E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	1.82E-04	3.56E-05	1.01E-04	1.59E-04	3.47E-05	1.2E+01	6.2E+01	2.2E+01	1.4E+01	6.4E+01	1.5E-11
Tellurium (52)	Te-132	7.89E+01	8.78E-03	2.11E-05	5.15E-06	1.41E-05	2.03E-05	5.30E-06	4.1E+01	1.7E+02	6.1E+01	4.3E+01	1.6E+02	1.3E-10
Tellurium (52)	Te-133	2.91E+04	2.38E-05	1.54E-04	2.93E-05	8.38E-05	1.32E-04	2.85E-05	2.1E+03	1.1E+04	3.8E+03	2.4E+03	1.1E+04	1.8E-11
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.37E-04	4.55E-05	1.29E-04	2.04E-04	4.42E-05	3.0E+02	1.6E+03	5.6E+02	3.5E+02	1.6E+03	1.2E-11
Tellurium (52)	Te-134	8.71E+03	7.95E-05	1.01E-04	2.13E-05	5.96E-05	9.09E-05	2.09E-05	9.5E+02	4.5E+03	1.6E+03	1.0E+03	4.6E+03	2.8E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	4.99E-06	1.53E-06	3.82E-06	4.92E-06	1.58E-06	8.0E+07	2.6E+08	1.0E+08	8.1E+07	2.5E+08	9.5E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	2.17E-06	5.35E-07	1.47E-06	2.09E-06	5.30E-07	1.1E+08	4.3E+08	1.5E+08	1.1E+08	4.3E+08	2.2E-09
Thorium (90)	Th-226	1.19E+04	5.82E-05	6.37E-07	1.76E-07	4.63E-07	6.25E-07	1.79E-07	2.0E+05	7.4E+05	2.8E+05	2.1E+05	7.3E+05	7.5E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	1.20E-05	2.90E-06	7.93E-06	1.15E-05	2.90E-06	1.2E+01	5.1E+01	1.9E+01	1.3E+01	5.1E+01	4.0E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	1.52E-07	4.51E-08	1.14E-07	1.50E-07	5.11E-08	2.6E+01	8.8E+01	3.5E+01	2.6E+01	7.8E+01	3.2E-08
Thorium (90)	Th-229	9.44E-05	7.34E+03	6.06E-06	1.83E-06	4.61E-06	6.00E-06	1.91E-06	7.2E-02	2.4E-01	9.5E-02	7.3E-02	2.3E-01	3.4E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	6.22E-06	1.95E-06	4.77E-06	6.15E-06	2.15E-06	7.1E-02	2.2E-01	9.2E-02	7.1E-02	2.0E-01	3.3E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	2.28E-08	8.13E-09	1.83E-08	2.26E-08	1.33E-08	1.9E+01	5.4E+01	2.4E+01	1.9E+01	3.3E+01	9.3E-04
Thorium (90)	Th-231	2.38E+02	2.91E-03	6.72E-07	2.41E-07	5.50E-07	6.72E-07	3.35E-07	3.9E+03	1.1E+04	4.7E+03	3.9E+03	7.8E+03	7.3E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	9.69E-09	4.12E-09	8.38E-09	9.66E-09	8.80E-09	4.5E+01	1.1E+02	5.2E+01	4.5E+01	5.0E+01	4.1E+02
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	4.0E-03	2.1E-02	7.3E-03	4.6E-03	2.1E-02	3.7E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	3.88E-06	8.68E-07	2.37E-06	3.53E-06	9.78E-07	4.6E+04	2.1E+05	7.5E+04	5.1E+04	1.8E+05	1.3E-09
Thorium (90)	Th-234	1.05E+01	6.60E-02	4.80E-07	1.76E-07	4.01E-07	4.80E-07	1.98E-07	2.4E+02	6.5E+02	2.9E+02	2.4E+02	5.8E+02	1.0E-08
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	2.93E-06	6.97E-07	1.80E-06	2.62E-06	9.72E-07	3.9E+01	1.6E+02	6.4E+01	4.4E+01	1.2E+02	1.7E-09
Thorium (90)	Th-235	5.13E+04	1.35E-05	6.69E-06	1.41E-06	3.91E-06	6.00E-06	1.60E-06	8.4E+04	4.0E+05	1.4E+05	9.4E+04	3.5E+05	7.5E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.57E-06	8.23E-07	2.25E-06	3.31E-06	8.99E-07	3.0E+04	1.3E+05	4.7E+04	3.2E+04	1.2E+05	1.4E-09
Titanium (22)	Ti-44	1.16E-02	6.00E+01	6.69E-06	2.70E-06	5.86E-06	6.69E-06	3.03E-06	7.5E-02	1.9E-01	8.6E-02	7.5E-02	1.7E-01	5.6E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	2.75E-04	5.50E-05	1.56E-04	2.41E-04	5.46E-05	1.8E-03	9.2E-03	3.2E-03	2.1E-03	9.2E-03	1.4E-11
Titanium (22)	Ti-45	1.97E+03	3.52E-04	1.03E-04	2.17E-05	6.11E-05	9.34E-05	2.13E-05	2.1E+02	1.0E+03	3.5E+02	2.3E+02	1.0E+03	9.3E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	4.23E-05	9.24E-06	2.60E-05	3.91E-05	9.28E-06	1.6E+04	7.5E+04	2.7E+04	1.8E+04	7.5E+04	2.6E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	1.02E-05	2.94E-06	7.67E-06	1.01E-05	3.19E-06	2.3E+05	8.0E+05	3.1E+05	2.3E+05	7.4E+05	1.1E-10
Thallium (81)	Tl-190	1.40E+05	4.95E-06	1.54E-04	3.24E-05	9.09E-05	1.39E-04	3.22E-05	9.9E+03	4.7E+04	1.7E+04	1.1E+04	4.8E+04	2.6E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	2.95E-04	6.06E-05	1.71E-04	2.64E-04	5.96E-05	3.7E+03	1.8E+04	6.3E+03	4.1E+03	1.8E+04	1.4E-11
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.06E-04	2.26E-05	6.31E-05	9.59E-05	2.23E-05	1.1E+03	5.4E+03	1.9E+03	1.3E+03	5.4E+03	3.9E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	2.99E-04	6.21E-05	1.74E-04	2.68E-04	6.09E-05	4.1E+02	2.0E+03	7.0E+02	4.5E+02	2.0E+03	1.4E-11
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.57E-04	2.91E-05	8.28E-05	1.32E-04	2.82E-05	3.6E+02	2.0E+03	6.9E+02	4.3E+02	2.0E+03	2.6E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	2.41E-04	4.50E-05	1.29E-04	2.04E-04	4.35E-05	1.5E+02	8.0E+02	2.8E+02	1.8E+02	8.3E+02	1.7E-11
Thallium (81)	Tl-197	2.14E+03	3.24E-04	5.11E-05	1.08E-05	2.97E-05	4.51E-05	1.07E-05	4.6E+02	2.2E+03	7.9E+02	5.2E+02	2.2E+03	8.2E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	2.62E-04	4.81E-05	1.38E-04	2.20E-04	4.67E-05	4.8E+01	2.6E+02	9.1E+01	5.7E+01	2.7E+02	1.6E-11
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	1.39E-04	2.97E-05	8.33E-05	1.26E-04	2.92E-05	2.6E+02	1.2E+03	4.3E+02	2.8E+02	1.2E+03	3.0E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	2.34E-05	5.71E-06	1.52E-05	2.18E-05	5.78E-06	3.8E+02	1.6E+03	5.9E+02	4.1E+02	1.6E+03	1.8E-10
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.60E-04	3.17E-05	8.99E-05	1.40E-04	3.10E-05	1.6E+01	8.0E+01	2.8E+01	1.8E+01	8.2E+01	2.7E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	5.08E-06	1.80E-06	4.15E-06	5.05E-06	1.96E-06	1.8E+02	5.1E+02	2.2E+02	1.8E+02	4.7E+02	8.4E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	4.95E-05	1.12E-05	3.06E-05	4.58E-05	1.11E-05	4.6E+00	2.0E+01	7.4E+00	4.9E+00	2.0E+01	8.7E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	8.08E-08	3.13E-08	6.82E-08	8.02E-08	6.47E-08	2.5E+01	6.5E+01	3.0E+01	2.5E+01	3.1E+01	5.4E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	1.65E-07	5.60E-08	1.19E-07	1.58E-07	2.32E-07	5.8E+06	1.7E+07	8.0E+06	6.0E+06	4.1E+06	2.7E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	2.88E-04	5.96E-05	1.68E-04	2.58E-04	5.81E-05	3.7E+03	1.8E+04	6.3E+03	4.1E+03	1.8E+04	1.5E-11
Thallium (81)	Tl-207	7.64E+04	9.08E-06	4.29E-07	1.03E-07	2.60E-07	3.85E-07	2.58E-07	1.9E+06	8.1E+06	3.2E+06	2.2E+06	3.2E+06	1.0E-08
Thallium (81)	Tl-208	1.19E+05	5.81E-06	4.73E-04	7.83E-05	2.28E-04	3.76E-04	7.48E-05	2.8E+03	1.7E+04	5.7E+03	3.5E+03	1.7E+04	9.3E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	2.79E-04	5.15E-05	1.48E-04	2.35E-04	5.02E-05	6.6E+03	3.6E+04	1.2E+04	7.8E+03	3.7E+04	1.6E-11
Thallium (81)	Tl-210	2.80E+05	2.47E-06	3.63E-04	6.72E-05	1.92E-04	3.07E-04	6.50E-05	8.5E+03	4.6E+04	1.6E+04	1.0E+04	4.7E+04	1.2E-11
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.57E-04	3.00E-05	8.43E-05	1.33E-04	2.99E-05	8.4E+02	4.4E+03	1.6E+03	1.0E+03	4.4E+03	2.2E-11
Thulium (69)	Tm-162	1.68E+04	4.13E-05	2.52E-04	4.56E-05	1.31E-04	2.10E-04	4.45E-05	7.3E+02	4.0E+03	1.4E+03	8.8E+02	4.1E+03	1.4E-11
Thulium (69)	Tm-163	3.35E+03	2.07E-04	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.06E-05	2.3E+02	1.2E+03	4.2E+02	2.6E+02	1.2E+03	2.1E-11
Thulium (69)	Tm-164	1.82E+05	3.81E-06	9.47E-05	1.88E-05	5.30E-05	8.27E-05	1.86E-05	2.1E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	3.7E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	5.96E-05	1.31E-05	3.59E-05	5.40E-05	1.32E-05	3.7E+01	1.7E+02	6.2E+01	4.1E+01	1.7E+02	5.9E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	2.57E-04	4.71E-05	1.35E-04	2.16E-04	4.58E-05	3.4E+01	1.8E+02	6.4E+01	4.0E+01	1.9E+02	1.4E-11
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.09E-05	3.02E-06	7.62E-06	1.05E-05	3.28E-06	2.8E+01	9.9E+01	3.9E+01	2.9E+01	9.1E+01	3.3E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	1.45E-04	3.01E-05	8.38E-05	1.29E-04	2.97E-05	2.1E-01	9.9E-01	3.5E-01	2.3E-01	1.0E+00	2.5E-11
Thulium (69)	Tm-170	1.97E+00	3.52E-01	2.16E-07	8.63E-08	1.83E-07	2.15E-07	1.64E-07	1.0E+02	2.5E+02	1.2E+02	1.0E+02	1.3E+02	1.7E-08
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.80E-08	9.44E-09	1.70E-08	1.80E-08	1.26E-08	2.2E+02	4.2E+02	2.3E+02	2.2E+02	3.1E+02	2.0E-07
Thulium (69)	Tm-172	9.55E+01	7.26E-03	6.31E-05	1.15E-05	3.28E-05	5.27E-05	1.12E-05	1.7E+01	9.1E+01	3.2E+01	2.0E+01	9.3E+01	5.8E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	4.39E-05	9.54E-06	2.69E-05	4.04E-05	9.44E-06	1.8E+02	8.5E+02	3.0E+02	2.0E+02	8.5E+02	8.4E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	2.11E-04	4.35E-05	1.23E-04	1.88E-04	4.26E-05	3.5E+03	1.7E+04	6.0E+03	3.9E+03	1.7E+04	1.8E-11
Thulium (69)	Tm-175	2.40E+04	2.89E-05	1.33E-04	2.68E-05	7.57E-05	1.18E-04	2.62E-05	2.0E+03	9.8E+03	3.5E+03	2.2E+03	1.0E+04	2.8E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	2.56E-04	4.73E-05	1.35E-04	2.15E-04	4.58E-05	8.4E+03	4.6E+04	1.6E+04	1.0E+04	4.7E+04	1.5E-11
Uranium (92)	U-227	3.31E+05	2.09E-06	1.05E-05	2.67E-06	7.22E-06	1.01E-05	2.67E-06	3.5E+05	1.4E+06	5.0E+05	3.6E+05	1.4E+06	4.6E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	3.09E-07	8.74E-08	2.26E-07	3.03E-07	9.44E-08	1.4E+06	5.0E+06	1.9E+06	1.4E+06	4.6E+06	1.6E-08
Uranium (92)	U-230	1.22E+01	5.70E-02	8.30E-08	2.47E-08	6.16E-08	8.11E-08	3.35E-08	1.6E+03	5.4E+03	2.2E+03	1.6E+03	4.0E+03	5.9E-08
Uranium (92)	U-231	6.02E+01	1.15E-02	4.48E-06	1.46E-06	3.57E-06	4.45E-06	1.61E-06	1.5E+02	4.5E+02	1.8E+02	1.5E+02	4.1E+02	1.1E-09
Uranium (92)	U-232	1.01E-02	6.89E+01	1.47E-08	5.45E-09	1.17E-08	1.45E-08	1.36E-08	3.4E+01	9.1E+01	4.2E+01	3.4E+01	3.6E+01	1.5E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	1.92E-08	5.60E-09	1.37E-08	1.86E-08	9.66E-09	2.3E+01	7.8E+01	3.2E+01	2.4E+01	4.5E+01	2.4E-03
Uranium (92)	U-234	2.82E-06	2.46E+05	6.85E-09	2.95E-09	5.71E-09	6.82E-09	1.03E-08	6.4E+01	1.5E+02	7.7E+01	6.4E+01	4.2E+01	1.0E-02
Uranium (92)	U-235	9.84E-10	7.04E+08	1.49E-05	3.80E-06	1.04E-05	1.45E-05	3.76E-06	2.9E-02	1.2E-01	4.2E-02	3.0E-02	1.2E-01	1.4E-02
Uranium (92)	U-235+D	9.84E-10	7.04E+08	1.56E-05	4.04E-06	1.09E-05	1.51E-05	4.10E-06	2.8E-02	1.1E-01	4.0E-02	2.9E-02	1.1E-01	1.3E-02
Uranium (92)	U-235m	1.40E+04	4.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Uranium (92)	U-236	2.96E-08	2.34E+07	3.35E-09	1.69E-09	2.90E-09	3.31E-09	8.27E-09	1.3E+02	2.6E+02	1.5E+02	1.3E+02	5.3E+01	2.0E+00
Uranium (92)	U-237	3.75E+01	1.85E-02	1.01E-05	2.90E-06	7.37E-06	9.88E-06	3.04E-06	4.1E+01	1.4E+02	5.6E+01	4.2E+01	1.4E+02	5.0E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	3.35E-09	1.42E-09	2.54E-09	3.14E-09	6.69E-09	1.3E+02	3.1E+02	1.7E+02	1.4E+02	6.5E+01	3.9E+02
Uranium (92)	U-238+D	1.55E-10	4.47E+09	3.22E-06	7.52E-07	1.96E-06	2.88E-06	1.04E-06	1.4E-01	5.8E-01	2.2E-01	1.5E-01	4.2E-01	4.1E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	3.22E-06	1.04E-06	2.41E-06	3.07E-06	1.24E-06	5.3E+04	1.6E+05	7.0E+04	5.5E+04	1.4E+05	1.6E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Uranium (92)	U-240	4.31E+02	1.61E-03	3.12E-07	9.80E-08	2.40E-07	3.09E-07	1.26E-07	1.5E+04	4.8E+04	2.0E+04	1.5E+04	3.8E+04	1.6E-08
Uranium (92)	U-242	2.17E+04	3.20E-05	4.10E-06	9.74E-07	2.59E-06	3.79E-06	1.09E-06	5.8E+04	2.4E+05	9.2E+04	6.3E+04	2.2E+05	1.3E-09
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.18E-04	2.48E-05	6.97E-05	1.07E-04	2.46E-05	1.0E+03	4.9E+03	1.8E+03	1.1E+03	5.0E+03	8.5E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	3.79E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	4.6E-01	2.4E+00	8.5E-01	5.3E-01	2.5E+00	2.7E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Vanadium (23)	V-50	4.62E-18	1.50E+17	1.95E-04	3.42E-05	9.90E-05	1.61E-04	3.28E-05	2.3E-03	1.3E-02	4.6E-03	2.8E-03	1.4E-02	4.9E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	1.98E-04	3.51E-05	1.01E-04	1.64E-04	3.41E-05	5.4E+03	3.0E+04	1.0E+04	6.5E+03	3.1E+04	5.6E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	1.35E-04	2.58E-05	7.32E-05	1.16E-04	2.53E-05	1.8E+04	9.6E+04	3.4E+04	2.1E+04	9.8E+04	8.3E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	1.00E-04	2.16E-05	5.91E-05	8.93E-05	2.15E-05	3.0E+02	1.4E+03	5.1E+02	3.4E+02	1.4E+03	3.8E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	4.86E-07	2.41E-07	4.53E-07	4.86E-07	3.07E-07	2.6E+02	5.3E+02	2.8E+02	2.6E+02	4.2E+02	7.8E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	1.10E-05	2.75E-06	6.77E-06	9.66E-06	3.00E-06	1.2E+01	4.7E+01	1.9E+01	1.3E+01	4.3E+01	3.5E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	1.59E-06	8.03E-07	1.49E-06	1.59E-06	1.07E-06	6.8E+04	1.3E+05	7.2E+04	6.8E+04	1.0E+05	2.4E-09
Tungsten (74)	W-179m	5.69E+04	1.22E-05	3.28E-06	1.08E-06	2.50E-06	3.22E-06	1.20E-06	1.9E+05	5.8E+05	2.5E+05	1.9E+05	5.2E+05	1.2E-09
Tungsten (74)	W-181	2.09E+00	3.32E-01	1.29E-06	6.41E-07	1.21E-06	1.29E-06	8.14E-07	1.8E+01	3.6E+01	1.9E+01	1.8E+01	2.8E+01	3.0E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	7.61E-09	2.80E-09	6.16E-09	7.57E-09	3.63E-09	4.8E+03	1.3E+04	6.0E+03	4.9E+03	1.0E+04	5.2E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	1.63E-06	5.04E-07	1.24E-06	1.61E-06	5.33E-07	1.5E+06	5.0E+06	2.0E+06	1.6E+06	4.7E+06	2.4E-09
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.18E-05	1.10E-05	3.05E-05	4.67E-05	1.09E-05	5.4E+01	2.6E+02	9.2E+01	6.0E+01	2.6E+02	7.7E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.90E-07	4.56E-08	1.25E-07	1.81E-07	4.58E-08	2.1E+02	8.7E+02	3.2E+02	2.2E+02	8.7E+02	2.1E-08
Tungsten (74)	W-190	1.21E+04	5.71E-05	9.75E-06	3.08E-06	7.47E-06	9.59E-06	3.38E-06	1.4E+04	4.3E+04	1.8E+04	1.4E+04	3.9E+04	4.1E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	4.23E-05	9.04E-06	2.50E-05	3.82E-05	9.25E-06	2.4E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	6.0E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	1.89E-04	3.52E-05	1.00E-04	1.60E-04	3.44E-05	5.3E+02	2.8E+03	9.9E+02	6.2E+02	2.9E+03	1.4E-11
Xenon (54)	Xe-122	3.02E+02	2.29E-03	4.95E-06	1.21E-06	3.18E-06	4.67E-06	1.42E-06	6.7E+02	2.7E+03	1.0E+03	7.1E+02	2.3E+03	5.2E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	7.45E-05	1.51E-05	4.27E-05	6.60E-05	1.50E-05	4.3E+02	2.1E+03	7.5E+02	4.8E+02	2.1E+03	3.5E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	2.53E-05	5.96E-06	1.63E-05	2.38E-05	6.15E-06	1.6E+02	6.6E+02	2.4E+02	1.7E+02	6.4E+02	1.0E-10
Xenon (54)	Xe-127	6.95E+00	9.97E-02	2.57E-05	6.26E-06	1.71E-05	2.46E-05	6.37E-06	3.0E+00	1.2E+01	4.4E+00	3.1E+00	1.2E+01	1.0E-10
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	1.30E-05	3.60E-06	9.49E-06	1.28E-05	3.72E-06	2.7E+05	9.6E+05	3.6E+05	2.7E+05	9.3E+05	2.1E-10
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	1.15E-06	4.49E-07	8.63E-07	1.12E-06	8.84E-07	2.7E+02	6.9E+02	3.6E+02	2.8E+02	3.5E+02	2.4E-09
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	3.91E-07	1.65E-07	3.04E-07	3.85E-07	3.41E-07	6.0E+02	1.4E+03	7.7E+02	6.1E+02	6.9E+02	7.1E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	1.82E-06	7.32E-07	1.56E-06	1.82E-06	9.47E-07	2.9E+02	7.2E+02	3.4E+02	2.9E+02	5.6E+02	1.6E-09
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	2.50E-06	6.56E-07	1.68E-06	2.40E-06	8.24E-07	5.1E+02	1.9E+03	7.5E+02	5.3E+02	1.5E+03	1.1E-09
Xenon (54)	Xe-135	6.64E+02	1.04E-03	2.62E-05	6.06E-06	1.69E-05	2.49E-05	5.93E-06	2.8E+02	1.2E+03	4.3E+02	2.9E+02	1.2E+03	1.1E-10
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	4.99E-05	1.05E-05	2.95E-05	4.51E-05	1.03E-05	5.2E+03	2.5E+04	8.8E+03	5.8E+03	2.5E+04	5.8E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	2.49E-05	5.20E-06	1.44E-05	2.22E-05	5.43E-06	4.2E+04	2.0E+05	7.2E+04	4.7E+04	1.9E+05	1.2E-10
Xenon (54)	Xe-138	2.59E+04	2.68E-05	1.51E-04	2.68E-05	7.73E-05	1.25E-04	2.59E-05	1.9E+03	1.1E+04	3.7E+03	2.3E+03	1.1E+04	1.9E-11
Yttrium (39)	Y-81	3.10E+05	2.23E-06	1.35E-04	2.93E-05	8.18E-05	1.23E-04	2.92E-05	2.5E+04	1.2E+05	4.2E+04	2.8E+04	1.2E+05	1.3E-11
Yttrium (39)	Y-83	5.14E+04	1.35E-05	1.63E-04	3.33E-05	9.39E-05	1.45E-04	3.28E-05	3.5E+03	1.7E+04	6.0E+03	3.9E+03	1.7E+04	1.1E-11
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	9.69E-05	2.08E-05	5.86E-05	8.87E-05	2.06E-05	1.4E+04	6.7E+04	2.4E+04	1.6E+04	6.8E+04	1.8E-11
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	5.05E-04	9.85E-05	2.79E-04	4.39E-04	9.59E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.1E+03	3.5E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	1.28E-04	2.68E-05	7.57E-05	1.16E-04	2.64E-05	1.9E+02	9.3E+02	3.3E+02	2.1E+02	9.4E+02	1.4E-11
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.68E-04	3.23E-05	9.19E-05	1.45E-04	3.15E-05	8.1E+01	4.2E+02	1.5E+02	9.4E+01	4.3E+02	1.1E-11
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.67E-04	8.68E-05	2.49E-04	3.98E-04	8.43E-05	9.7E+00	5.2E+01	1.8E+01	1.1E+01	5.4E+01	3.9E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.25E-05	5.30E-06	1.48E-05	2.14E-05	5.14E-06	3.7E+03	1.6E+04	5.6E+03	3.9E+03	1.6E+04	8.1E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	5.11E-05	1.09E-05	3.06E-05	4.67E-05	1.07E-05	1.6E+01	7.7E+01	2.7E+01	1.8E+01	7.8E+01	3.6E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	3.44E-05	7.52E-06	2.13E-05	3.19E-05	7.38E-06	1.4E+02	6.6E+02	2.3E+02	1.6E+02	6.7E+02	5.4E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	3.69E-04	6.46E-05	1.87E-04	3.03E-04	6.19E-05	7.0E-02	4.0E-01	1.4E-01	8.6E-02	4.2E-01	5.1E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	1.15E-04	2.23E-05	6.31E-05	9.97E-05	2.17E-05	1.3E+05	6.8E+05	2.4E+05	1.5E+05	7.0E+05	1.6E-11
Yttrium (39)	Y-90	9.47E+01	7.32E-03	5.14E-07	1.65E-07	3.54E-07	4.86E-07	4.51E-07	2.0E+03	6.3E+03	2.9E+03	2.1E+03	2.3E+03	3.7E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	7.04E-05	1.56E-05	4.37E-05	6.53E-05	1.52E-05	3.0E+02	1.3E+03	4.8E+02	3.2E+02	1.4E+03	2.7E-11
Yttrium (39)	Y-91	4.32E+00	1.60E-01	6.15E-07	1.44E-07	3.62E-07	5.43E-07	3.44E-07	7.7E+01	3.3E+02	1.3E+02	8.7E+01	1.4E+02	3.1E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	1.1E+06	4.7E+06	1.7E+06	1.2E+06	4.7E+06	2.9E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	6.31E-05	1.31E-05	3.70E-05	5.68E-05	1.28E-05	1.3E+03	6.1E+03	2.2E+03	1.4E+03	6.2E+03	3.1E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	3.41E-05	6.56E-06	1.85E-05	2.93E-05	6.72E-06	5.5E+02	2.9E+03	1.0E+03	6.4E+02	2.8E+03	5.7E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	1.34E-05	2.58E-06	7.22E-06	1.14E-05	2.81E-06	4.9E+02	2.5E+03	9.0E+02	5.7E+02	2.3E+03	1.5E-10
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.03E-04	1.95E-05	5.55E-05	8.80E-05	1.93E-05	2.1E+03	1.1E+04	3.8E+03	2.4E+03	1.1E+04	1.9E-11
Yttrium (39)	Y-95	3.54E+04	1.96E-05	1.60E-04	2.62E-05	7.62E-05	1.26E-04	2.52E-05	2.4E+03	1.5E+04	5.1E+03	3.1E+03	1.5E+04	1.3E-11
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	2.18E-05	5.55E-06	1.45E-05	2.05E-05	5.74E-06	9.7E+03	3.8E+04	1.5E+04	1.0E+04	3.7E+04	1.6E-10
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	8.74E-05	1.74E-05	4.89E-05	7.61E-05	1.73E-05	4.1E+03	2.1E+04	7.4E+03	4.7E+03	2.1E+04	4.0E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	2.44E-06	8.99E-07	1.84E-06	2.31E-06	1.14E-06	2.2E+04	5.9E+04	2.9E+04	2.3E+04	4.6E+04	1.4E-09
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	3.25E-05	7.37E-06	1.94E-05	2.89E-05	7.70E-06	1.2E+04	5.5E+04	2.1E+04	1.4E+04	5.2E+04	1.1E-10
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	2.57E-06	1.32E-06	2.39E-06	2.57E-06	1.77E-06	4.6E+02	8.9E+02	4.9E+02	4.6E+02	6.6E+02	1.4E-09
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	1.69E-05	5.25E-06	1.25E-05	1.63E-05	5.84E-06	1.4E+04	4.3E+04	1.8E+04	1.4E+04	3.9E+04	2.1E-10
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	2.17E-05	6.56E-06	1.60E-05	2.12E-05	7.26E-06	4.0E+00	1.3E+01	5.4E+00	4.1E+00	1.2E+01	1.7E-10
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	4.10E-06	9.39E-07	2.60E-06	3.82E-06	9.31E-07	1.6E+02	7.0E+02	2.6E+02	1.7E+02	7.1E+02	9.1E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	2.32E-05	4.70E-06	1.31E-05	2.02E-05	4.73E-06	1.5E+03	7.4E+03	2.7E+03	1.7E+03	7.3E+03	1.6E-10
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	4.23E-06	9.39E-07	2.63E-06	3.94E-06	9.31E-07	1.3E+04	5.7E+04	2.0E+04	1.4E+04	5.8E+04	8.9E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	1.16E-04	2.42E-05	6.82E-05	1.04E-04	2.39E-05	4.3E+03	2.1E+04	7.3E+03	4.8E+03	2.1E+04	3.3E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	1.81E-04	3.81E-05	1.07E-04	1.64E-04	3.76E-05	9.3E+03	4.4E+04	1.6E+04	1.0E+04	4.5E+04	7.1E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	1.93E-04	3.81E-05	1.08E-04	1.69E-04	3.76E-05	1.4E+04	7.0E+04	2.5E+04	1.6E+04	7.2E+04	6.7E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	5.11E-05	1.08E-05	3.02E-05	4.64E-05	1.06E-05	1.4E+02	6.7E+02	2.4E+02	1.6E+02	6.8E+02	2.6E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	1.31E-04	2.74E-05	7.73E-05	1.18E-04	2.70E-05	7.9E+02	3.8E+03	1.3E+03	8.8E+02	3.8E+03	1.0E-11
Zinc (30)	Zn-65	1.04E+00	6.69E-01	7.57E-05	1.42E-05	4.06E-05	6.47E-05	1.38E-05	1.5E-01	8.0E-01	2.8E-01	1.8E-01	8.2E-01	1.8E-11
Zinc (30)	Zn-69	6.46E+03	1.07E-04	4.54E-08	1.54E-08	3.39E-08	4.42E-08	7.92E-08	1.6E+06	4.6E+06	2.1E+06	1.6E+06	8.9E+05	3.2E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	4.77E-05	1.03E-05	2.90E-05	4.39E-05	1.01E-05	1.0E+02	4.7E+02	1.7E+02	1.1E+02	4.8E+02	3.1E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	3.91E-05	7.98E-06	2.25E-05	3.47E-05	8.11E-06	4.2E+04	2.0E+05	7.2E+04	4.7E+04	2.0E+05	3.9E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.86E-04	3.87E-05	1.09E-04	1.68E-04	3.79E-05	9.0E+01	4.3E+02	1.5E+02	1.0E+02	4.4E+02	8.1E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.26E-05	3.40E-06	9.14E-06	1.24E-05	3.35E-06	1.1E+02	4.2E+02	1.6E+02	1.1E+02	4.3E+02	1.2E-10
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	1.77E-04	3.67E-05	1.04E-04	1.59E-04	3.63E-05	2.9E+03	1.4E+04	4.9E+03	3.2E+03	1.4E+04	1.0E-11
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	2.89E-05	6.66E-06	1.86E-05	2.74E-05	6.63E-06	1.4E+02	6.0E+02	2.2E+02	1.5E+02	6.1E+02	6.3E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	1.11E-04	2.31E-05	6.51E-05	1.00E-04	2.28E-05	3.6E+02	1.7E+03	6.1E+02	4.0E+02	1.7E+03	1.7E-11
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	4.32E-05	9.44E-06	2.66E-05	4.01E-05	9.28E-06	7.7E-01	3.5E+00	1.2E+00	8.3E-01	3.6E+00	4.3E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	1.45E-04	2.85E-05	8.08E-05	1.27E-04	2.77E-05	5.9E+00	3.0E+01	1.0E+01	6.7E+00	3.1E+01	1.3E-11
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	7.76E-05	1.57E-05	4.45E-05	6.91E-05	1.53E-05	1.2E+04	6.1E+04	2.2E+04	1.4E+04	6.3E+04	2.4E-11
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	9.09E-05	1.82E-05	5.15E-05	8.05E-05	1.78E-05	4.8E-01	2.4E+00	8.4E-01	5.4E-01	2.4E+00	2.2E-11
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.10E-04	2.19E-05	6.21E-05	9.69E-05	2.16E-05	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.06E-06	0.00E+00	1.36E+09	.	.	4.1E+05	4.1E+05	1.0E-09
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	1.91E-05	7.14E-11	1.36E+09	1.4E+06	6.3E+07	5.6E+02	5.6E+02	1.1E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.11E-06	2.44E-09	1.36E+09	4.6E+02	9.9E+03	1.1E+02	8.8E+01	1.5E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	3.98E-06	2.44E-09	1.36E+09	4.6E+02	9.9E+03	3.1E+01	2.9E+01	5.0E-10
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.23E-05	7.76E-10	1.36E+09	1.2E+04	5.2E+05	8.2E+01	8.1E+01	1.7E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	5.36E-09	5.44E-09	1.36E+09	4.7E-01	4.3E+00	5.3E+01	4.2E-01	5.9E-09
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.09E-04	2.32E-11	1.36E+09	1.9E+06	2.2E+08	4.4E+01	4.4E+01	2.0E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	7.29E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.0E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	5.1E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	1.4E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.93E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.7E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	2.6E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.91E-04	1.22E-12	1.36E+09	1.2E+09	1.6E+13	8.4E+02	8.4E+02	5.0E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.39E-04	1.60E-12	1.36E+09	7.8E+08	1.2E+13	3.1E+02	3.1E+02	2.2E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.71E-04	0.00E+00	1.36E+09	.	.	8.5E+02	8.5E+02	3.5E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.97E-05	1.74E-12	1.36E+09	1.4E+08	1.1E+12	2.7E+02	2.7E+02	9.8E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.41E-04	2.98E-12	1.36E+09	7.9E+07	8.9E+11	7.5E+01	7.5E+01	2.9E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.30E-04	2.62E-12	1.36E+09	1.8E+08	2.1E+12	2.3E+02	2.3E+02	4.3E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.68E-05	2.61E-11	1.36E+09	1.0E+04	2.2E+07	5.2E-01	5.2E-01	1.7E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.13E-07	0.00E+00	1.36E+09	.	.	2.2E+06	2.2E+06	8.8E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	8.20E-05	1.18E-12	1.36E+09	5.7E+08	6.1E+12	9.0E+02	9.0E+02	1.2E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.53E-04	7.56E-11	1.36E+09	1.8E+04	9.7E+07	4.2E-01	4.2E-01	2.8E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.39E-06	0.00E+00	1.36E+09	.	.	3.1E+05	3.1E+05	4.3E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.93E-04	1.36E-10	1.36E+09	1.3E+01	4.3E+03	1.0E-03	1.0E-03	1.3E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.94E-04	1.36E-10	1.36E+09	1.3E+01	4.3E+03	1.0E-03	1.0E-03	1.3E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	2.06E-07	0.00E+00	1.36E+09	.	.	1.3E+07	1.3E+07	5.0E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.61E-06	0.00E+00	1.36E+09	.	.	9.4E+05	9.4E+05	2.3E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	2.8E+02	2.5E+05	1.4E-02	1.4E-02	2.9E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.53E-04	1.63E-10	1.36E+09	2.8E+02	2.5E+05	1.4E-02	1.4E-02	2.9E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	2.97E-06	9.08E-11	1.36E+09	1.7E+04	5.1E+07	5.6E+01	5.5E+01	3.5E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	3.69E-07	0.00E+00	1.36E+09	.	.	4.4E+06	4.4E+06	2.8E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	9.18E-05	2.43E-11	1.36E+09	3.5E+06	2.8E+10	1.0E+02	1.0E+02	1.2E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.65E-06	2.54E-11	1.36E+09	2.0E+06	1.4E+10	6.4E+02	6.4E+02	1.2E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.42E-05	0.00E+00	1.36E+09	.	.	6.4E+04	6.4E+04	4.4E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.66E-05	0.00E+00	1.36E+09	.	.	6.3E+05	6.3E+05	2.9E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	6.41E-05	2.45E-12	1.36E+09	3.3E+08	2.8E+12	1.4E+03	1.4E+03	1.7E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.96E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	3.7E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.80E-04	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	6.1E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.91E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	3.2E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.60E-04	2.21E-10	1.36E+09	8.0E+00	1.5E+03	5.4E-04	5.4E-04	2.8E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.52E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	1.0E-12
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	1.4E+03	1.4E+03	1.5E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.66E-05	8.68E-13	1.36E+09	2.6E+08	8.8E+11	6.6E+02	6.6E+02	6.1E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.10E-04	1.61E-12	1.36E+09	1.0E+08	3.7E+11	1.6E+02	1.6E+02	2.0E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	1.89E-05	1.67E-11	1.36E+09	1.4E+06	6.1E+09	1.3E+02	1.3E+02	1.2E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.27E-04	3.50E-11	1.36E+09	1.5E+05	8.7E+08	4.6E+00	4.6E+00	1.8E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	7.48E-07	2.46E-09	1.36E+09	7.4E-01	1.2E+01	2.7E-01	1.9E-01	5.6E-08
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	9.40E-07	2.05E-11	1.36E+09	8.2E+05	6.3E+07	2.0E+03	2.0E+03	2.4E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	2.05E-08	1.98E-09	1.36E+09	9.5E-01	1.4E+01	1.0E+01	8.2E-01	7.8E-08
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.29E-06	2.00E-09	1.36E+09	9.4E-01	1.4E+01	1.6E-01	1.4E-01	1.3E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	2.64E-06	2.44E-09	1.36E+09	7.3E-01	1.2E+01	7.4E-02	6.7E-02	3.3E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	1.80E-05	2.50E-09	1.36E+09	7.1E-01	1.2E+01	1.1E-02	1.1E-02	5.3E-08
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.66E-05	2.98E-11	1.36E+09	9.0E+05	1.8E+09	3.0E+01	3.0E+01	2.4E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.96E-06	1.05E-12	1.36E+09	5.9E+08	1.2E+12	3.5E+04	3.5E+04	1.2E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	2.81E-06	2.96E-12	1.36E+09	4.4E+07	2.0E+11	5.1E+03	5.1E+03	8.2E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.49E-05	2.52E-12	1.36E+09	1.6E+08	6.7E+11	5.4E+02	5.4E+02	2.7E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.26E-04	1.33E-12	1.36E+09	4.9E+08	3.9E+12	5.6E+02	5.6E+02	1.8E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.22E-05	1.09E-12	1.36E+09	6.5E+08	3.6E+12	6.3E+03	6.3E+03	1.9E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	1.61E-08	0.00E+00	1.36E+09	.	.	1.4E+01	1.4E+01	4.1E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	9.4E+01	9.4E+01	2.2E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	1.88E-08	0.00E+00	1.36E+09	.	.	1.5E+01	1.5E+01	5.7E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.98E-05	2.27E-11	1.36E+09	1.0E+02	4.6E+05	6.3E-03	6.3E-03	2.4E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.9E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	5.6E+02	5.6E+02	1.6E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.83E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	1.3E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.37E-04	2.00E-12	1.36E+09	5.3E+08	6.3E+12	8.5E+02	8.5E+02	4.7E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.52E-04	6.00E-12	1.36E+09	5.1E+07	5.3E+11	6.1E+01	6.1E+01	1.2E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.50E-05	2.92E-11	1.36E+09	1.4E+05	6.5E+08	7.0E+00	7.0E+00	1.0E-11
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.20E-04	1.24E-10	1.36E+09	8.4E+04	5.8E+08	5.2E+00	5.2E+00	3.1E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	1.55E-07	1.86E-11	1.36E+09	7.5E+03	7.0E+06	9.9E+01	9.8E+01	4.4E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	9.06E-05	8.53E-11	1.36E+09	7.4E+03	1.7E+07	7.6E-01	7.6E-01	7.7E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	5.24E-05	1.11E-10	1.36E+09	9.4E+04	6.2E+08	2.2E+01	2.2E+01	1.4E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.15E-07	2.82E-11	1.36E+09	2.5E+05	9.4E+08	8.3E+02	8.3E+02	7.9E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.72E-04	9.07E-12	1.36E+09	2.0E+07	1.7E+11	1.1E+02	1.1E+02	4.3E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.48E-06	0.00E+00	1.36E+09	.	.	4.4E+04	4.4E+04	1.7E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	7.0E+02	7.0E+02	7.0E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.39E-04	2.84E-12	1.36E+09	2.2E+08	6.5E+10	4.9E+02	4.9E+02	1.4E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	3.00E-04	3.27E-12	1.36E+09	1.6E+08	1.7E+11	1.9E+02	1.9E+02	6.5E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.55E-04	1.22E-11	1.36E+09	1.2E+07	5.1E+09	6.4E+01	6.4E+01	7.7E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.79E-04	4.82E-12	1.36E+09	3.4E+07	2.1E+10	4.8E+01	4.8E+01	5.2E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.75E-04	2.10E-11	1.36E+09	2.4E+06	1.4E+09	2.0E+01	2.0E+01	7.2E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.88E-04	4.94E-11	1.36E+09	6.7E+05	2.3E+08	9.4E+00	9.4E+00	5.1E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	2.00E-06	6.02E-10	1.36E+09	6.2E+04	2.4E+07	2.1E+03	2.0E+03	9.7E-10
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	2.59E-06	6.02E-10	1.36E+09	6.2E+04	2.4E+07	1.6E+03	1.5E+03	7.5E-10
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.91E-08	0.00E+00	1.36E+09	.	.	5.6E+13	5.6E+13	1.1E-07
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	1.75E-07	0.00E+00	1.36E+09	.	.	2.0E+12	2.0E+12	1.2E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.53E-08	0.00E+00	1.36E+09	.	.	1.3E+11	1.3E+11	8.1E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	7.42E-10	0.00E+00	1.36E+09	.	.	1.1E+11	1.1E+11	3.1E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.02E-05	0.00E+00	1.36E+09	.	.	9.5E+03	9.5E+03	4.1E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.80E-04	1.78E-12	1.36E+09	8.5E+08	9.3E+12	9.2E+02	9.2E+02	9.8E-12
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.3E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	3.19E-04	1.92E-12	1.36E+09	2.0E+08	2.2E+12	1.3E+02	1.3E+02	5.6E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.31E-05	4.10E-12	1.36E+09	2.1E+07	1.1E+11	1.5E+02	1.5E+02	2.9E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.57E-04	9.34E-12	1.36E+09	5.8E+06	5.5E+10	2.3E+01	2.3E+01	7.1E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.26E-05	8.26E-12	1.36E+09	1.9E+06	9.5E+09	1.3E+02	1.3E+02	1.4E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	1.95E-05	0.00E+00	1.36E+09	.	.	1.4E+06	1.4E+06	9.4E-11
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.29E-04	2.27E-11	1.36E+09	3.1E+05	2.4E+09	6.0E+00	6.0E+00	1.4E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	3.69E-06	1.80E-11	1.36E+09	3.4E+03	2.3E+06	1.8E+00	1.8E+00	5.0E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	1.98E-05	0.00E+00	1.36E+09	.	.	1.8E+05	1.8E+05	9.3E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	4.89E-05	2.05E-11	1.36E+09	8.9E+04	3.6E+08	4.1E+00	4.1E+00	3.8E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	1.93E-05	2.60E-11	1.36E+09	1.1E+06	4.0E+09	1.6E+02	1.6E+02	9.6E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.58E-05	7.18E-11	1.36E+09	5.8E+04	2.6E+08	1.0E+01	1.0E+01	4.1E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	4.73E-05	8.25E-11	1.36E+09	6.0E+04	1.7E+08	1.1E+01	1.1E+01	3.9E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	8.14E-06	3.18E-11	1.36E+09	1.1E+05	2.8E+08	4.8E+01	4.8E+01	2.3E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.53E-05	2.65E-12	1.36E+09	1.3E+08	9.9E+11	1.0E+03	1.0E+03	5.3E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.30E-04	6.30E-11	1.36E+09	2.3E+05	1.4E+09	6.9E+00	6.9E+00	8.2E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	4.01E-06	8.50E-13	1.36E+09	7.3E+08	4.8E+12	1.7E+04	1.7E+04	4.7E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.25E-05	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	8.5E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.56E-05	2.44E-12	1.36E+09	6.0E+08	9.2E+12	2.5E+03	2.5E+03	1.8E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.78E-05	1.27E-11	1.36E+09	1.3E+07	1.1E+11	2.6E+02	2.6E+02	1.8E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.55E-05	9.40E-13	1.36E+09	1.4E+09	1.6E+13	1.6E+03	1.6E+03	1.4E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	4.64E-06	1.92E-10	1.36E+09	2.4E+04	1.5E+08	1.1E+02	1.1E+02	2.6E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.76E-05	2.60E-12	1.36E+09	4.7E+07	3.4E+11	3.5E+02	3.5E+02	3.2E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.94E-04	3.73E-12	1.36E+09	3.3E+07	3.1E+11	7.0E+01	7.0E+01	6.3E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	4.99E-05	2.80E-11	1.36E+09	3.5E+04	7.5E+07	2.1E+00	2.1E+00	2.5E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	4.51E-06	1.89E-13	1.36E+09	5.9E+09	1.5E+13	2.7E+04	2.7E+04	2.7E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	3.88E-05	1.19E-10	1.36E+09	3.0E+01	2.8E+04	1.0E-02	1.0E-02	4.0E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.40E-06	3.93E-11	1.36E+09	1.8E+05	7.7E+08	1.4E+02	1.4E+02	2.3E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	4.58E-06	3.09E-11	1.36E+09	3.0E+05	1.4E+09	2.2E+02	2.2E+02	2.8E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	7.26E-05	0.00E+00	1.36E+09	.	.	9.6E+03	9.6E+03	1.8E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	4.70E-06	5.63E-12	1.36E+09	3.5E+07	2.6E+11	4.5E+03	4.5E+03	2.8E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.05E-05	1.85E-10	1.36E+09	4.8E+03	9.6E+06	4.7E+00	4.7E+00	6.4E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.14E-04	3.48E-12	1.36E+09	2.5E+08	2.1E+12	8.5E+02	8.5E+02	1.2E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.31E-04	1.53E-12	1.36E+09	1.0E+09	8.4E+12	1.3E+03	1.3E+03	1.0E-11
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	2.03E-08	7.99E-11	1.36E+09	2.2E+01	4.8E+03	1.1E+01	7.2E+00	3.0E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.81E-06	1.38E-12	1.36E+09	1.5E+05	2.5E+08	4.0E+00	4.0E+00	1.1E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	2.14E-04	0.00E+00	1.36E+09	.	.	8.9E+02	8.9E+02	8.7E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.91E-04	2.70E-12	1.36E+09	1.6E+08	1.3E+12	1.7E+02	1.7E+02	6.5E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.23E-04	6.17E-12	1.36E+09	2.4E+07	1.9E+11	7.3E+01	7.3E+01	8.5E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.41E-04	5.01E-12	1.36E+09	3.1E+07	3.1E+11	5.0E+01	5.0E+01	5.6E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	3.13E-04	2.73E-11	1.36E+09	8.4E+05	6.7E+09	8.0E+00	8.0E+00	6.1E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.66E-04	3.09E-11	1.36E+09	7.8E+05	6.9E+09	7.2E+00	7.2E+00	5.3E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.22E-04	4.90E-11	1.36E+09	1.5E+04	5.0E+07	3.6E-01	3.6E-01	8.7E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	4.10E-04	1.08E-10	1.36E+09	1.7E+04	7.1E+07	4.8E-01	4.8E-01	4.7E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.91E-04	7.56E-11	1.36E+09	3.0E+01	5.2E+03	1.3E-03	1.3E-03	2.5E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.85E-04	5.99E-11	1.36E+09	3.0E+01	4.5E+03	5.1E-04	5.1E-04	1.1E-07
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	7.48E-08	1.01E-10	1.36E+09	2.2E+04	1.2E+06	3.3E+03	2.9E+03	2.3E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.77E-05	7.90E-10	1.36E+09	2.3E+00	1.5E+01	7.0E-03	7.0E-03	1.3E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.79E-05	7.90E-10	1.36E+09	2.3E+00	1.5E+01	7.0E-03	7.0E-03	1.2E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.14E-06	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	3.9E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	2.2E+07	8.0E+08	2.2E+03	2.2E+03	1.5E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.34E-05	1.20E-11	1.36E+09	2.2E+07	8.0E+08	2.2E+03	2.2E+03	1.5E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	1.55E-07	0.00E+00	1.36E+09	.	.	1.8E+06	1.8E+06	1.4E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	4.1E+07	1.2E+09	2.6E+03	2.6E+03	1.4E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.47E-05	8.57E-12	1.36E+09	4.1E+07	1.2E+09	2.6E+03	2.6E+03	1.4E-10
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	2.0E+08	6.6E+09	4.5E+02	4.5E+02	1.0E-11
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.98E-04	3.98E-12	1.36E+09	2.0E+08	6.6E+09	4.5E+02	4.5E+02	1.0E-11
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	6.9E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	6.9E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.77E-05	0.00E+00	1.36E+09	.	.	9.3E+03	9.3E+03	2.3E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	1.92E-05	3.95E-11	1.36E+09	5.8E+04	7.1E+07	1.3E+01	1.3E+01	1.2E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	1.03E-04	2.58E-11	1.36E+09	2.4E+05	1.7E+09	6.7E+00	6.7E+00	2.3E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.26E-05	3.04E-09	1.36E+09	5.9E-01	9.4E+00	1.6E-02	1.5E-02	1.4E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.02E-06	2.76E-11	1.36E+09	4.1E+05	5.4E+07	2.5E+02	2.5E+02	4.7E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	1.27E-10	1.62E-11	1.36E+09	2.1E+03	7.2E+04	2.9E+04	1.9E+03	1.2E-06
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.16E-04	7.53E-12	1.36E+09	1.1E+07	1.6E+10	8.0E+01	8.0E+01	2.0E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	6.50E-06	1.53E-12	1.36E+09	1.9E+08	7.9E+11	4.9E+03	4.9E+03	3.6E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.82E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	1.8E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.70E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	4.1E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	6.41E-04	3.22E-12	1.36E+09	2.0E+08	2.4E+12	1.1E+02	1.1E+02	1.1E-12
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.52E-04	5.37E-12	1.36E+09	6.6E+07	7.0E+11	7.0E+01	7.0E+01	1.3E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.39E-04	3.27E-12	1.36E+09	5.1E+07	3.5E+11	1.3E+02	1.3E+02	5.1E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.72E-04	2.69E-11	1.36E+09	6.2E+05	3.7E+09	4.9E+00	4.9E+00	1.9E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	1.42E-06	0.00E+00	1.36E+09	.	.	5.7E+07	5.7E+07	5.0E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.63E-05	6.06E-12	1.36E+09	7.8E+05	5.4E+09	1.4E+01	1.4E+01	2.0E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	4.0E+05	4.0E+05	7.0E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	6.0E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.44E-06	1.05E-12	1.36E+09	8.7E+08	8.9E+12	1.1E+04	1.1E+04	8.0E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	1.61E-07	5.32E-12	1.36E+09	1.1E+07	4.4E+10	4.1E+04	4.1E+04	4.7E-09
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.35E-04	3.38E-11	1.36E+09	2.3E+05	1.1E+09	2.5E+00	2.5E+00	2.3E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.72E-07	0.00E+00	1.36E+09	.	.	7.8E+05	7.8E+05	2.1E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.62E-07	1.73E-12	1.36E+09	6.5E+07	2.1E+11	1.4E+04	1.4E+04	9.1E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.49E-04	3.22E-12	1.36E+09	1.6E+08	1.7E+12	2.2E+02	2.2E+02	3.2E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.60E-04	0.00E+00	1.36E+09	.	.	8.2E+02	8.2E+02	2.2E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	9.15E-06	0.00E+00	1.36E+09	.	.	6.7E+04	6.7E+04	8.8E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	4.5E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.20E-04	8.99E-13	1.36E+09	8.8E+08	6.8E+12	8.0E+02	8.0E+02	9.6E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	2.12E-10	3.72E-11	1.36E+09	4.8E+01	2.6E+04	1.0E+03	4.6E+01	1.0E-05
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	1.03E-11	1.36E+09	1.7E+02	7.6E+05	.	1.7E+02	2.0E-03
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	1.07E-09	4.10E-11	1.36E+09	1.7E+03	1.4E+06	7.1E+03	1.4E+03	7.6E-08
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.40E-04	1.05E-10	1.36E+09	2.4E+04	7.0E+07	1.9E+00	1.9E+00	3.2E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	4.3E+02	4.3E+02	9.8E-13
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	3.22E-04	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	3.0E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.91E-05	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	9.7E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.80E-04	0.00E+00	1.36E+09	.	.	8.7E+02	8.7E+02	3.5E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.53E-05	4.49E-12	1.36E+09	6.2E+07	5.0E+11	1.2E+03	1.2E+03	3.9E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.70E-04	1.89E-12	1.36E+09	1.5E+08	1.5E+12	1.9E+02	1.9E+02	5.8E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	8.80E-07	4.05E-12	1.36E+09	1.0E+07	3.3E+10	5.2E+03	5.2E+03	1.1E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	2.35E-07	9.07E-11	1.36E+09	2.7E+02	2.8E+05	1.1E+01	1.1E+01	4.2E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	2.80E-05	5.81E-13	1.36E+09	5.7E+08	1.9E+12	1.3E+03	1.3E+03	3.7E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.95E-09	5.86E-10	1.36E+09	3.1E+00	4.1E+03	1.1E+02	3.0E+00	7.3E+06
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	1.84E-08	7.18E-10	1.36E+09	4.3E+00	5.9E+03	1.8E+01	3.5E+00	1.6E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.26E-05	1.00E-10	1.36E+09	5.0E+04	2.4E+08	2.4E+01	2.4E+01	4.8E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.48E-06	2.08E-10	1.36E+09	1.2E+03	2.2E+06	6.2E+00	6.1E+00	2.4E-10
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.40E-04	1.68E-11	1.36E+09	6.4E+06	4.2E+10	8.4E+01	8.4E+01	7.9E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.78E-04	1.63E-11	1.36E+09	4.9E+06	3.1E+10	3.2E+01	3.2E+01	4.0E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	8.52E-09	7.22E-12	1.36E+09	4.5E+07	3.8E+11	4.6E+06	4.2E+06	1.3E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.22E-04	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	5.1E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	3.12E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	3.6E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.40E-05	2.79E-12	1.36E+09	2.5E+08	2.5E+12	1.4E+03	1.4E+03	2.3E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.99E-04	1.08E-12	1.36E+09	1.5E+09	1.6E+13	8.7E+02	8.7E+02	6.2E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.45E-05	2.15E-11	1.36E+09	3.6E+06	3.0E+10	3.4E+02	3.4E+02	5.1E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.65E-05	4.44E-12	1.36E+09	3.8E+07	2.6E+11	3.2E+02	3.2E+02	2.2E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.16E-04	1.17E-11	1.36E+09	4.7E+06	4.0E+10	2.8E+01	2.8E+01	5.8E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	3.69E-07	1.88E-10	1.36E+09	1.9E+04	1.1E+08	1.1E+03	1.0E+03	3.2E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.40E-05	1.43E-11	1.36E+09	1.1E+06	8.9E+09	1.8E+01	1.8E+01	1.4E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	1.51E-06	1.62E-12	1.36E+09	1.9E+07	1.7E+11	2.2E+03	2.2E+03	8.6E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.01E-06	3.92E-11	1.36E+09	2.0E+05	9.2E+08	2.1E+02	2.1E+02	3.2E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.22E-05	1.65E-11	1.36E+09	5.0E+03	3.0E+06	7.3E-01	7.3E-01	1.1E-10
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	6.15E-06	5.14E-11	1.36E+09	6.7E+03	6.4E+06	6.2E+00	6.1E+00	2.2E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.91E-05	7.99E-11	1.36E+09	1.0E+05	5.0E+08	3.1E+01	3.1E+01	4.6E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.33E-06	3.85E-10	1.36E+09	1.0E+02	5.5E+04	3.3E+00	3.2E+00	9.9E-10
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.15E-06	3.87E-10	1.36E+09	1.0E+02	5.5E+04	7.0E-01	7.0E-01	2.2E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.63E-05	0.00E+00	1.36E+09	.	.	6.1E+03	6.1E+03	1.4E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	1.64E-09	2.44E-12	1.36E+09	3.4E+08	6.5E+09	5.6E+07	4.8E+07	1.2E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	5.62E-09	2.32E-10	1.36E+09	3.3E+04	1.1E+06	1.5E+05	2.6E+04	7.3E-08
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	6.78E-06	1.20E-12	1.36E+09	7.2E+07	2.1E+11	1.4E+03	1.4E+03	3.4E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.58E-08	6.54E-10	1.36E+09	5.1E+01	3.3E+02	8.1E+01	2.9E+01	1.8E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-05	3.09E-09	1.36E+09	5.9E-01	9.5E+00	5.5E-03	5.5E-03	1.3E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.32E-06	1.98E-09	1.36E+09	1.6E+00	2.2E+01	2.7E-01	2.3E-01	2.1E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	9.78E-06	3.15E-09	1.36E+09	5.7E-01	9.2E+00	2.0E-02	1.9E-02	1.2E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	6.15E-05	2.16E-09	1.36E+09	5.4E+00	6.6E+01	2.1E-02	2.1E-02	3.9E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	1.06E-08	5.69E-11	1.36E+09	1.1E+04	2.9E+04	6.5E+03	3.6E+03	1.2E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.27E-03	2.73E-08	1.36E+09	6.8E+00	3.1E+02	9.0E-03	8.9E-03	1.1E-12
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	1.88E-08	1.82E-12	1.36E+09	1.0E+08	2.1E+09	1.2E+06	1.2E+06	1.4E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.23E-04	0.00E+00	1.36E+09	.	.	5.7E+05	5.7E+05	2.6E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.87E-04	3.86E-12	1.36E+09	1.3E+08	1.5E+12	1.9E+02	1.9E+02	1.1E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	4.58E-08	6.18E-11	1.36E+09	2.9E+01	4.4E+03	4.3E+00	3.7E+00	1.1E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	2.08E-04	4.21E-12	1.36E+09	1.0E+08	1.1E+12	2.3E+02	2.3E+02	1.7E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.93E-04	3.27E-12	1.36E+09	8.9E+07	7.4E+11	1.6E+02	1.6E+02	1.9E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.90E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	6.4E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	5.49E-06	3.51E-12	1.36E+09	3.2E+07	4.4E+09	2.2E+03	2.2E+03	4.1E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.16E-05	5.46E-12	1.36E+09	1.7E+07	8.8E+10	4.7E+02	4.7E+02	1.0E-10
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	2.65E-09	4.16E-10	1.36E+09	1.0E+03	9.0E+03	1.7E+04	8.6E+02	4.3E-08
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.24E-05	5.93E-11	1.36E+09	5.8E+03	7.0E+05	7.2E-01	7.2E-01	4.3E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	2.12E-09	5.06E-10	1.36E+09	1.4E+02	8.7E+02	3.6E+03	1.1E+02	3.4E-08
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.14E-05	2.13E-09	1.36E+09	1.1E+00	1.6E+01	2.3E-02	2.2E-02	4.4E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	3.79E-09	1.86E-09	1.36E+09	1.5E+00	2.0E+01	8.0E+01	1.4E+00	1.7E-08
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	7.42E-06	2.48E-09	1.36E+09	7.2E-01	1.2E+01	2.6E-02	2.5E-02	1.5E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.86E-07	2.46E-09	1.36E+09	7.2E-01	1.2E+01	4.0E-01	2.5E-01	8.3E-07
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.53E-05	2.32E-09	1.36E+09	7.7E-01	1.3E+01	5.5E-03	5.5E-03	5.9E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-05	2.33E-09	1.36E+09	7.6E-01	1.3E+01	5.3E-03	5.2E-03	5.6E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.77E-04	1.02E-08	1.36E+09	1.7E-01	3.1E+00	1.1E-03	1.1E-03	2.6E-07
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.30E-06	1.33E-12	1.36E+09	1.9E+08	8.1E+11	1.2E+04	1.2E+04	1.0E-09
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.80E-03	7.20E-08	1.36E+09	2.5E-02	4.5E-01	1.1E-04	1.1E-04	6.3E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.83E-03	7.20E-08	1.36E+09	2.5E-02	4.5E-01	1.1E-04	1.1E-04	6.1E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.28E-05	1.11E-12	1.36E+09	8.7E+08	4.7E+12	8.2E+03	8.2E+03	1.8E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	5.05E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	1.0E-12
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.50E-04	6.45E-11	1.36E+09	2.4E+05	1.7E+09	6.8E+00	6.8E+00	2.1E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.95E-04	1.43E-10	1.36E+09	1.0E+03	1.5E+06	3.2E-02	3.2E-02	1.1E-12
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	9.59E-06	1.32E-11	1.36E+09	3.1E+03	2.8E+06	4.7E-01	4.7E-01	5.6E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.21E-04	4.22E-11	1.36E+09	3.8E+03	5.0E+06	1.4E-01	1.4E-01	4.5E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	2.71E-11	1.60E-12	1.36E+09	1.9E+07	9.1E+10	1.2E+08	1.6E+07	2.7E-06
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.35E-04	1.98E-10	1.36E+09	3.1E+01	1.5E+04	2.0E-03	2.0E-03	1.8E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.83E-07	5.61E-14	1.36E+09	2.8E+10	9.1E+13	3.5E+05	3.5E+05	1.2E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	7.57E-06	3.60E-12	1.36E+09	4.5E+07	2.7E+11	2.4E+03	2.4E+03	7.6E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.21E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	2.7E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.66E-04	1.82E-12	1.36E+09	6.4E+08	8.7E+12	3.5E+02	3.5E+02	1.6E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.39E-05	1.07E-11	1.36E+09	1.2E+06	4.4E+09	3.1E+01	3.1E+01	1.0E-11
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.20E-04	2.47E-12	1.36E+09	1.5E+08	1.3E+12	3.5E+02	3.5E+02	3.9E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-06	2.40E-12	1.36E+09	1.7E+05	6.1E+08	1.3E+01	1.3E+01	1.4E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	7.95E-07	0.00E+00	1.36E+09	.	.	6.4E+05	6.4E+05	6.5E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	4.70E-06	0.00E+00	1.36E+09	.	.	6.3E+04	6.3E+04	1.1E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	4.9E+03	4.9E+03	8.2E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	6.3E+03	6.3E+03	8.2E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	9.1E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.41E-04	0.00E+00	1.36E+09	.	.	2.4E+04	2.4E+04	8.3E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.90E-05	1.34E-12	1.36E+09	2.7E+08	2.0E+12	4.4E+02	4.4E+02	1.3E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.38E-04	0.00E+00	1.36E+09	.	.	7.8E+03	7.8E+03	8.6E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.70E-05	1.38E-12	1.36E+09	3.1E+07	9.7E+10	1.0E+02	1.0E+02	2.6E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.05E-04	0.00E+00	1.36E+09	.	.	4.6E+03	4.6E+03	1.1E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.81E-05	3.72E-12	1.36E+09	2.3E+06	8.1E+09	3.3E+01	3.3E+01	4.3E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.84E-05	9.83E-13	1.36E+09	5.6E+08	5.2E+12	1.0E+03	1.0E+03	2.1E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	3.02E-06	0.00E+00	1.36E+09	.	.	1.7E+05	1.7E+05	4.1E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	1.33E-07	3.70E-12	1.36E+09	3.1E+05	1.6E+09	9.6E+02	9.5E+02	9.3E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	8.49E-05	3.24E-11	1.36E+09	5.4E+04	4.3E+08	2.2E+00	2.2E+00	1.5E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.92E-04	1.21E-09	1.36E+09	1.2E+01	5.4E+04	8.5E-03	8.5E-03	6.6E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.37E-06	8.93E-13	1.36E+09	1.0E+08	1.3E+11	7.4E+03	7.4E+03	9.3E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	1.58E-09	1.70E-10	1.36E+09	1.0E+01	1.3E+04	1.4E+02	9.7E+00	8.4E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	2.01E-04	9.92E-13	1.36E+09	3.1E+08	3.0E+12	1.7E+02	1.7E+02	6.4E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.68E-04	1.94E-10	1.36E+09	4.4E+03	2.1E+07	3.5E-01	3.5E-01	4.8E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	1.49E-08	8.59E-10	1.36E+09	2.7E+00	5.2E+03	1.7E+01	2.3E+00	2.7E-08
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.85E-05	8.59E-10	1.36E+09	2.7E+00	5.2E+03	3.7E-03	3.7E-03	4.3E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	3.22E-04	3.61E-12	1.36E+09	1.3E+08	1.3E+12	1.6E+02	1.6E+02	4.0E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	5.18E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	2.5E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	3.0E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.47E-04	0.00E+00	1.36E+09	.	.	6.8E+03	6.8E+03	5.4E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.45E-04	0.00E+00	1.36E+09	.	.	3.7E+06	3.7E+06	3.7E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	7.4E+03	7.4E+03	3.2E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	5.24E-04	2.87E-12	1.36E+09	2.4E+08	2.9E+12	1.4E+02	1.4E+02	1.1E-12
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.75E-05	6.28E-12	1.36E+09	1.3E+07	8.7E+10	9.1E+01	9.1E+01	5.9E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	4.9E-12
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.18E-05	7.98E-12	1.36E+09	2.7E+06	1.2E+10	1.1E+02	1.1E+02	2.8E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.34E-05	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	4.7E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.04E-05	2.33E-11	1.36E+09	1.9E+05	4.8E+08	4.6E+01	4.6E+01	6.1E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	9.1E+03	9.1E+03	9.5E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	8.36E-05	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	1.7E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	2.06E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	6.8E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.93E-05	0.00E+00	1.36E+09	.	.	8.4E+03	8.4E+03	4.8E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.71E-04	9.30E-13	1.36E+09	9.7E+08	4.9E+11	5.8E+02	5.8E+02	8.3E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.71E-05	6.70E-12	1.36E+09	1.7E+07	1.1E+11	4.6E+02	4.6E+02	5.3E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.94E-05	1.03E-11	1.36E+09	4.1E+06	2.5E+10	4.6E+01	4.6E+01	1.5E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	6.48E-10	1.36E+09	2.7E+00	3.4E+01	.	2.5E+00	3.3E-03
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.70E-05	7.99E-12	1.36E+09	3.4E+06	2.4E+10	3.9E+01	3.9E+01	1.9E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.44E-05	3.27E-12	1.36E+09	1.0E+07	9.5E+10	1.1E+02	1.1E+02	4.3E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	8.71E-07	6.56E-12	1.36E+09	1.2E+04	1.1E+07	9.8E+00	9.8E+00	1.7E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.65E-06	5.26E-12	1.36E+09	2.2E+07	1.3E+11	4.8E+03	4.8E+03	5.9E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.52E-06	0.00E+00	1.36E+09	.	.	9.3E+05	9.3E+05	1.0E-09
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	1.75E-06	1.23E-10	1.36E+09	2.7E+04	8.9E+07	2.1E+02	2.1E+02	8.9E-10
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	6.06E-05	0.00E+00	1.36E+09	.	.	4.7E+03	4.7E+03	2.6E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-05	0.00E+00	1.36E+09	.	.	4.7E+03	4.7E+03	3.7E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	4.20E-06	0.00E+00	1.36E+09	.	.	1.1E+05	1.1E+05	3.5E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	2.41E-06	1.56E-12	1.36E+09	5.3E+08	3.9E+12	3.8E+04	3.8E+04	6.1E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.17E-04	1.06E-12	1.36E+09	4.2E+08	3.3E+12	4.2E+02	4.2E+02	1.3E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.20E-04	4.62E-12	1.36E+09	1.8E+07	1.4E+11	7.7E+01	7.7E+01	1.3E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	9.85E-07	1.21E-13	1.36E+09	1.8E+09	1.8E+13	2.4E+04	2.4E+04	1.6E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	8.27E-07	1.14E-12	1.36E+09	2.3E+07	2.0E+11	3.4E+03	3.4E+03	1.9E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	8.84E-06	0.00E+00	1.36E+09	.	.	5.3E+06	5.3E+06	1.8E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	2.58E-09	2.75E-11	1.36E+09	4.3E+04	6.9E+07	5.1E+04	2.3E+04	2.9E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.76E-05	2.34E-11	1.36E+09	1.5E+06	9.0E+09	1.0E+02	1.0E+02	4.3E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.74E-05	7.11E-11	1.36E+09	7.7E+04	2.6E+08	1.0E+01	1.0E+01	2.8E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.44E-05	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	1.7E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.35E-05	1.04E-12	1.36E+09	1.5E+08	5.8E+10	4.0E+02	4.0E+02	5.4E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.35E-04	2.82E-11	1.36E+09	1.1E+06	2.0E+09	2.5E+01	2.5E+01	1.8E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.63E-05	1.44E-12	1.36E+09	8.4E+07	4.0E+10	2.0E+02	2.0E+02	3.6E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	6.72E-06	1.21E-11	1.36E+09	6.8E+05	2.9E+08	1.3E+02	1.3E+02	3.5E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.38E-08	3.87E-10	1.36E+09	1.4E+03	1.3E+04	1.8E+03	7.4E+02	3.0E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	2.21E-07	7.65E-10	1.36E+09	5.3E+01	4.0E+02	2.0E+01	1.4E+01	7.6E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.16E-04	7.73E-10	1.36E+09	5.3E+01	4.0E+02	3.9E-02	3.9E-02	2.1E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.71E-05	3.12E-10	1.36E+09	2.2E+04	1.0E+06	1.3E+01	1.3E+01	4.2E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.31E-08	3.25E-10	1.36E+09	8.7E+02	4.7E+03	3.3E+02	2.3E+02	1.8E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	1.87E-07	2.24E-10	1.36E+09	2.8E+06	1.1E+09	3.7E+05	3.3E+05	1.1E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	3.0E+05	3.0E+05	8.9E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.26E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	3.1E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	4.9E+03	4.9E+03	9.7E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.36E-04	0.00E+00	1.36E+09	.	.	7.7E+04	7.7E+04	1.0E-11
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.65E-04	3.49E-11	1.36E+09	5.4E+04	2.8E+08	1.3E+00	1.3E+00	8.3E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	3.04E-04	6.29E-11	1.36E+09	3.9E+04	2.4E+08	8.8E-01	8.8E-01	4.5E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.21E-05	2.59E-11	1.36E+09	1.8E+04	2.7E+07	9.8E-01	9.8E-01	2.7E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.73E-04	6.58E-11	1.36E+09	3.1E+03	4.1E+06	8.3E-02	8.3E-02	5.1E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.04E-06	1.04E-11	1.36E+09	1.2E+04	1.8E+07	3.3E+00	3.3E+00	3.5E-10
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.83E-04	6.31E-11	1.36E+09	3.5E+01	2.1E+03	1.3E-03	1.3E-03	2.1E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.55E-06	2.68E-11	1.36E+09	7.9E+05	4.8E+09	4.2E+02	4.2E+02	2.5E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.46E-04	7.75E-11	1.36E+09	4.1E+01	4.1E+03	2.4E-03	2.4E-03	1.4E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.63E-05	3.37E-11	1.36E+09	8.6E+05	6.1E+09	8.7E+01	8.7E+01	4.0E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	4.07E-06	6.25E-13	1.36E+09	2.7E+08	1.4E+12	4.5E+03	4.5E+03	3.5E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.58E-04	1.22E-10	1.36E+09	3.4E+01	5.0E+03	2.9E-03	2.9E-03	1.1E-11
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	3.03E-06	3.19E-13	1.36E+09	1.1E+09	7.9E+12	1.3E+04	1.3E+04	4.8E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	3.38E-06	2.24E-11	1.36E+09	3.0E+02	8.7E+04	2.2E-01	2.2E-01	4.4E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.66E-04	1.54E-10	1.36E+09	4.8E+03	1.2E+07	4.9E-01	4.9E-01	8.9E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	2.98E-05	4.22E-11	1.36E+09	4.2E+05	2.6E+09	6.5E+01	6.5E+01	5.0E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.69E-04	3.68E-12	1.36E+09	9.6E+07	7.8E+11	2.3E+02	2.3E+02	8.8E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.13E-05	1.99E-12	1.36E+09	4.5E+08	3.7E+12	3.1E+03	3.1E+03	4.8E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.4E+04	1.4E+04	1.3E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.16E-04	2.06E-12	1.36E+09	7.2E+07	3.2E+11	1.5E+02	1.5E+02	1.6E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.30E-05	8.89E-11	1.36E+09	3.7E+05	2.7E+09	4.3E+01	4.3E+01	5.9E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.39E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	3.6E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	4.04E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	1.2E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.29E-14	1.39E-11	1.36E+09	8.1E+02	1.9E+06	9.5E+07	8.1E+02	3.4E-07
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.57E-04	1.10E-10	1.36E+09	2.3E+03	4.3E+06	1.8E-01	1.8E-01	3.5E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	4.77E-10	3.61E-09	1.36E+09	4.9E-01	1.2E+03	4.5E+02	4.9E-01	1.2E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.35E-04	3.81E-09	1.36E+09	4.7E-01	9.2E+02	5.8E-04	5.8E-04	1.5E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	3.1E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	6.00E-05	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	9.8E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.42E-05	4.63E-12	1.36E+09	1.1E+07	1.9E+09	3.9E+02	3.9E+02	1.7E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	3.60E-08	2.00E-10	1.36E+09	5.3E+04	2.1E+06	3.2E+04	2.0E+04	4.1E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	4.51E-06	7.70E-11	1.36E+09	4.9E+04	6.2E+05	9.1E+01	9.1E+01	5.3E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	9.47E-07	2.69E-11	1.36E+09	3.1E+06	9.6E+07	9.6E+03	9.6E+03	2.5E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	1.06E-07	1.82E-10	1.36E+09	7.4E+04	3.4E+06	1.4E+04	1.2E+04	1.9E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.67E-03	1.38E-09	1.36E+09	7.4E+04	2.9E+07	6.7E+00	6.7E+00	1.4E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.33E-05	6.15E-10	1.36E+09	1.8E+02	1.0E+03	9.2E-01	9.2E-01	1.8E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.42E-04	3.39E-11	1.36E+09	2.4E+07	9.7E+09	6.2E+02	6.2E+02	1.4E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	1.4E+10	1.4E+10	5.3E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	6.15E-07	0.00E+00	1.36E+09	.	.	6.3E+06	6.3E+06	3.4E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	7.89E-07	0.00E+00	1.36E+09	.	.	4.9E+06	4.9E+06	2.6E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	2.83E-06	0.00E+00	1.36E+09	.	.	1.3E+05	1.3E+05	7.4E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	1.3E+05	1.3E+05	7.3E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.84E-05	2.85E-11	1.36E+09	4.0E+07	4.9E+09	6.8E+03	6.8E+03	1.1E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	3.66E-06	1.32E-10	1.36E+09	5.6E+06	4.5E+09	2.2E+04	2.2E+04	5.7E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.91E-05	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	3.1E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.86E-05	0.00E+00	1.36E+09	.	.	1.5E+04	1.5E+04	4.4E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	1.3E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.35E-04	1.32E-12	1.36E+09	8.1E+08	9.0E+12	8.6E+02	8.6E+02	4.5E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.44E-04	7.63E-11	1.36E+09	3.7E+05	3.1E+09	9.1E+00	9.1E+00	1.8E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.46E-05	1.26E-11	1.36E+09	2.7E+05	8.1E+08	2.6E+01	2.6E+01	4.3E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.13E-04	4.46E-12	1.36E+09	5.4E+07	4.5E+11	2.3E+02	2.3E+02	5.7E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.15E-06	1.07E-12	1.36E+09	7.2E+08	6.3E+12	7.3E+04	7.3E+04	5.8E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.66E-04	6.95E-11	1.36E+09	2.8E+05	2.1E+09	5.7E+00	5.7E+00	1.9E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-05	1.66E-11	1.36E+09	3.3E+06	2.1E+10	1.6E+02	1.6E+02	1.8E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	5.0E+02	5.0E+02	1.6E-12
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.27E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.1E-11
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.60E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	5.2E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	3.5E+03	3.5E+03	1.2E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.31E-04	1.44E-12	1.36E+09	4.9E+08	5.8E+12	2.3E+02	2.3E+02	4.1E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	8.30E-05	0.00E+00	1.36E+09	.	.	1.5E+04	1.5E+04	1.6E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	1.52E-05	5.99E-11	1.36E+09	3.9E+03	2.3E+06	1.7E+00	1.7E+00	9.0E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.67E-04	3.53E-11	1.36E+09	2.0E+05	1.2E+09	4.6E+00	4.6E+00	8.3E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	9.00E-10	1.36E+09	2.2E+00	3.3E+01	.	2.1E+00	6.4E-08
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.52E-05	3.30E-11	1.36E+09	3.7E+04	8.5E+07	2.4E+00	2.4E+00	2.5E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	8.26E-10	1.36E+09	2.2E+00	3.7E+01	.	2.0E+00	1.5E-03
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	3.82E-06	1.51E-11	1.36E+09	6.0E+03	5.2E+06	2.6E+00	2.6E+00	3.7E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	6.48E-10	1.36E+09	2.7E+00	4.9E+01	.	2.6E+00	1.2E+05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	4.35E-06	1.80E-11	1.36E+09	2.6E+03	1.4E+06	1.2E+00	1.2E+00	3.3E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.14E-06	3.59E-11	1.36E+09	4.1E+05	2.3E+09	3.1E+02	3.1E+02	2.9E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.73E-05	0.00E+00	1.36E+09	.	.	4.5E+03	4.5E+03	3.2E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.64E-05	6.88E-12	1.36E+09	1.7E+07	1.2E+11	1.7E+02	1.7E+02	8.2E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.71E-04	2.15E-12	1.36E+09	4.0E+08	4.7E+12	5.5E+02	5.5E+02	3.7E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.10E-11	9.38E-11	1.36E+09	4.4E+02	1.0E+05	4.1E+05	4.4E+02	6.2E-08
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.13E-04	9.83E-11	1.36E+09	4.2E+02	1.0E+05	4.0E-02	4.0E-02	5.7E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.20E-04	1.36E-11	1.36E+09	5.1E+05	2.4E+09	6.3E+00	6.3E+00	5.4E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.11E-11	8.68E-13	1.36E+09	1.1E+06	4.5E+09	9.7E+06	1.0E+06	6.3E-06
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	3.82E-06	1.88E-12	1.36E+09	1.0E+08	5.4E+11	5.6E+03	5.6E+03	1.9E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.30E-04	2.14E-11	1.36E+09	1.1E+06	4.9E+09	2.0E+01	2.0E+01	5.6E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	2.98E-05	6.26E-12	1.36E+09	2.9E+07	1.8E+11	6.8E+02	6.8E+02	2.5E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	1.22E-12	1.70E+01	2.7E+03	1.2E-02	.	1.2E-02	1.3E-12
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.85E-05	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	2.3E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	7.07E-05	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	2.3E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.39E-05	2.35E-11	1.36E+09	7.2E+05	4.0E+09	4.2E+01	4.2E+01	3.7E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	2.5E+02	4.8E+04	4.4E-01	4.4E-01	4.0E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	4.07E-06	6.54E-11	1.36E+09	2.5E+02	4.8E+04	4.4E-01	4.4E-01	4.0E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	3.50E-05	1.33E-11	1.36E+09	8.6E+05	4.5E+09	3.6E+01	3.6E+01	4.7E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	1.63E-09	1.36E+09	1.1E+00	4.4E+01	.	1.1E+00	1.0E+06
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.47E-05	2.43E-11	1.36E+09	6.6E+03	7.7E+06	5.1E-01	5.1E-01	4.8E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.36E-04	3.65E-12	1.36E+09	8.6E+07	4.0E+11	1.5E+02	1.5E+02	7.1E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-04	1.88E-10	1.36E+09	1.2E+01	1.8E+03	1.0E-03	1.0E-03	1.6E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.44E-05	8.07E-11	1.36E+09	5.6E+03	6.9E+06	5.2E-01	5.2E-01	1.8E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.05E-04	9.70E-12	1.36E+09	5.1E+06	2.7E+10	5.1E+01	5.1E+01	1.6E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.78E-05	7.45E-11	1.36E+09	3.6E+03	3.1E+06	5.0E-01	5.0E-01	3.0E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.46E-05	9.25E-11	1.36E+09	1.9E+01	1.4E+03	7.9E-03	7.9E-03	3.6E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.87E-04	1.88E-10	1.36E+09	9.5E+00	1.2E+03	1.0E-03	1.0E-03	4.8E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-04	2.04E-12	1.36E+09	1.3E+08	5.3E+11	2.9E+02	2.9E+02	1.7E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	9.21E-05	3.56E-12	1.36E+09	7.1E+07	3.5E+11	3.0E+02	3.0E+02	1.9E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.18E-05	3.39E-11	1.36E+09	1.9E+06	1.1E+10	3.3E+02	3.3E+02	8.0E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.43E-05	9.98E-13	1.36E+09	8.1E+08	7.9E+11	6.2E+03	6.2E+03	1.3E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.77E-04	2.72E-12	1.36E+09	1.2E+08	7.5E+10	2.0E+02	2.0E+02	1.0E-11
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.36E-05	1.29E-11	1.36E+09	4.3E+06	4.2E+09	2.6E+02	2.6E+02	7.7E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	1.01E-04	6.15E-12	1.36E+09	1.2E+07	6.1E+09	7.7E+01	7.7E+01	1.8E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	1.02E-04	6.15E-12	1.36E+09	1.2E+07	6.1E+09	7.6E+01	7.6E+01	1.8E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.25E-04	2.59E-11	1.36E+09	8.8E+05	5.7E+08	2.0E+01	2.0E+01	1.5E-11
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	9.75E-11	5.41E-11	1.36E+09	3.4E+01	6.1E+03	2.0E+03	3.3E+01	7.8E-06
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.29E-04	7.68E-11	1.36E+09	2.4E+01	6.1E+03	1.5E-03	1.5E-03	3.7E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	1.94E-05	6.48E-12	1.36E+09	4.0E+06	1.3E+09	1.4E+02	1.4E+02	9.5E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	1.97E-05	3.79E-11	1.36E+09	1.7E+05	6.0E+07	3.6E+01	3.6E+01	9.3E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	3.28E-06	1.73E-11	1.36E+09	2.4E+05	6.7E+07	1.4E+02	1.4E+02	5.7E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	7.04E-06	3.40E-11	1.36E+09	3.3E+05	1.5E+08	1.8E+02	1.8E+02	2.6E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.54E-05	1.19E-12	1.36E+09	3.2E+08	1.6E+11	2.7E+03	2.7E+03	1.2E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.49E-05	3.65E-11	1.36E+09	6.6E+03	2.5E+06	1.1E+00	1.1E+00	7.7E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	6.66E-07	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	2.9E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.31E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	1.5E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.57E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	5.5E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	6.0E+03	6.0E+03	6.1E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	7.4E+03	7.4E+03	1.2E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.2E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.29E-04	1.47E-12	1.36E+09	9.4E+08	1.4E+13	6.6E+02	6.6E+02	6.3E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.87E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	5.1E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.94E-05	1.82E-12	1.36E+09	1.9E+08	1.4E+12	5.3E+02	5.3E+02	2.1E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.63E-04	4.22E-12	1.36E+09	6.9E+07	5.8E+11	1.2E+02	1.2E+02	5.6E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.09E-05	3.18E-13	1.36E+09	4.0E+09	3.8E+13	2.3E+03	2.3E+03	2.4E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.38E-05	3.70E-13	1.36E+09	1.3E+09	9.2E+12	1.6E+03	1.6E+03	4.4E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	2.07E-04	7.95E-13	1.36E+09	8.0E+08	7.1E+12	3.3E+02	3.3E+02	7.3E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	1.46E-06	6.59E-13	1.36E+09	1.7E+08	1.2E+12	8.2E+03	8.2E+03	1.0E-09
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.58E-05	1.23E-13	1.36E+09	8.8E+09	4.7E+13	7.5E+03	7.5E+03	9.7E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.50E-05	1.18E-12	1.36E+09	2.0E+08	1.2E+12	4.1E+02	4.1E+02	2.4E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.15E-13	1.36E+09	8.3E+03	3.7E+05	.	8.1E+03	1.7E-02
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	7.48E-07	3.39E-13	1.36E+09	1.6E+09	8.0E+12	8.2E+04	8.2E+04	2.1E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	9.75E-07	6.83E-13	1.36E+09	6.2E+08	2.8E+12	4.8E+04	4.8E+04	1.6E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.25E-06	1.01E-10	1.36E+09	1.0E+05	6.3E+08	3.4E+02	3.4E+02	4.8E-10
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.93E-04	1.18E-10	1.36E+09	1.5E+01	5.9E+02	1.0E-03	1.0E-03	5.7E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.91E-05	4.92E-12	1.36E+09	1.8E+07	8.7E+10	2.4E+02	2.4E+02	4.0E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.09E-04	0.00E+00	1.36E+09	.	.	5.4E+03	5.4E+03	1.5E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	1.38E-07	0.00E+00	1.36E+09	.	.	5.8E+06	5.8E+06	1.1E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	2.10E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	7.6E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.50E-04	8.06E-12	1.36E+09	1.5E+08	5.1E+11	5.2E+02	5.2E+02	4.5E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.64E-04	0.00E+00	1.36E+09	.	.	4.5E+02	4.5E+02	2.4E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.04E-04	1.72E-12	1.36E+09	4.9E+08	1.3E+12	8.9E+02	8.9E+02	1.1E-11
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.50E-04	1.31E-11	1.36E+09	1.5E+07	5.3E+10	6.2E+01	6.2E+01	3.2E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.45E-04	6.84E-12	1.36E+09	4.5E+07	1.6E+11	7.5E+01	7.5E+01	2.5E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.20E-05	3.55E-12	1.36E+09	3.6E+07	1.2E+11	3.3E+02	3.3E+02	2.7E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	4.3E+03	4.3E+03	1.0E-11
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.39E-05	1.04E-11	1.36E+09	2.0E+06	6.1E+09	1.6E+02	1.6E+02	8.4E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.39E-04	5.91E-10	1.36E+09	4.6E+03	1.5E+07	2.1E+00	2.1E+00	8.4E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	1.97E-07	4.61E-10	1.36E+09	4.1E+02	1.7E+06	1.1E+02	8.4E+01	4.8E-09
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	5.08E-05	1.32E-09	1.36E+09	6.6E+02	2.3E+06	1.9E+00	1.9E+00	2.3E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	8.02E-06	1.65E-12	1.36E+09	3.9E+08	7.8E+11	8.8E+03	8.8E+03	1.5E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	1.67E-07	3.16E-09	1.36E+09	5.6E-01	2.7E+03	1.2E+00	3.8E-01	2.2E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.61E-04	8.76E-11	1.36E+09	2.5E+05	7.9E+08	9.2E+00	9.2E+00	4.7E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.28E-05	0.00E+00	1.36E+09	.	.	1.6E+04	1.6E+04	9.6E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.32E-05	6.55E-10	1.36E+09	2.1E+03	7.0E+06	3.5E+00	3.5E+00	2.9E-11
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.85E-04	1.36E-11	1.36E+09	8.6E+06	2.6E+10	4.5E+01	4.5E+01	4.4E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	4.01E-05	3.55E-12	1.36E+09	5.5E+07	1.2E+11	5.3E+02	5.3E+02	3.1E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.38E-05	1.98E-10	1.36E+09	6.6E+04	2.0E+08	1.9E+01	1.9E+01	1.7E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.31E-04	4.50E-12	1.36E+09	6.9E+07	1.8E+11	1.0E+02	1.0E+02	3.8E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.88E-05	0.00E+00	1.36E+09	.	.	1.7E+04	1.7E+04	4.4E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	2.12E-04	4.18E-11	1.36E+09	9.8E+05	3.0E+09	2.1E+01	2.1E+01	6.0E-12
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.53E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	2.8E-12
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.40E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	4.1E-12
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.42E-04	0.00E+00	1.36E+09	.	.	6.5E+02	6.5E+02	2.3E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.69E-04	0.00E+00	1.36E+09	.	.	9.2E+02	9.2E+02	2.7E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.96E-04	1.81E-12	1.36E+09	2.8E+08	2.1E+12	2.8E+02	2.8E+02	5.2E-12
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.99E-04	3.73E-12	1.36E+09	7.5E+07	8.7E+11	6.1E+01	6.1E+01	2.0E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.76E-04	3.36E-12	1.36E+09	1.2E+08	1.4E+12	1.2E+02	1.2E+02	2.7E-12
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.54E-05	3.12E-12	1.36E+09	2.1E+07	1.6E+11	9.3E+01	9.3E+01	1.4E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	7.42E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.4E-11
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.88E-04	1.24E-11	1.36E+09	4.4E+06	5.0E+10	1.6E+01	1.6E+01	2.7E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.96E-04	4.57E-12	1.36E+09	5.1E+07	4.8E+11	1.3E+02	1.3E+02	5.3E-12
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	3.85E-05	1.70E-11	1.36E+09	2.4E+05	1.2E+09	1.1E+01	1.1E+01	2.7E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.55E-05	0.00E+00	1.36E+09	.	.	4.1E+03	4.1E+03	1.9E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	3.11E-05	3.74E-13	1.36E+09	2.9E+09	2.2E+13	3.8E+03	3.8E+03	3.4E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	1.87E-06	6.31E-13	1.36E+09	1.2E+09	5.1E+12	4.6E+04	4.6E+04	5.7E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.88E-05	1.40E-12	1.36E+09	1.2E+08	7.3E+11	6.2E+02	6.2E+02	3.7E-11
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	6.34E-07	0.00E+00	1.36E+09	.	.	2.3E+06	2.3E+06	1.7E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	7.95E-06	2.93E-10	1.36E+09	7.7E+02	1.1E+06	3.1E+00	3.1E+00	1.3E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.55E-06	2.93E-10	1.36E+09	7.7E+02	1.1E+06	2.9E+00	2.9E+00	1.3E-10
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	7.42E-09	8.66E-10	1.36E+09	2.1E+00	1.1E+03	2.9E+01	1.9E+00	2.7E+05
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.71E-05	5.38E-12	1.36E+09	1.1E+07	6.5E+10	3.9E+02	3.9E+02	6.3E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.31E-04	2.92E-12	1.36E+09	1.0E+08	8.0E+11	9.8E+01	9.8E+01	3.3E-12
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.86E-05	1.26E-12	1.36E+09	3.0E+08	1.6E+12	5.2E+02	5.2E+02	1.4E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.06E-06	5.85E-12	1.36E+09	2.4E+07	1.4E+11	1.7E+03	1.7E+03	1.2E-10
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	1.7E+06	1.7E+06	8.8E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	3.1E-12
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	9.56E-05	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	1.2E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.93E-06	1.56E-12	1.36E+09	5.8E+08	6.4E+12	1.1E+04	1.1E+04	1.3E-10
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.18E-04	0.00E+00	1.36E+09	.	.	3.9E+04	3.9E+04	9.7E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.45E-06	0.00E+00	1.36E+09	.	.	6.1E+04	6.1E+04	1.5E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.88E-04	0.00E+00	1.36E+09	.	.	6.3E+03	6.3E+03	9.0E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.66E-04	2.04E-12	1.36E+09	5.3E+08	5.1E+12	7.1E+02	7.1E+02	1.0E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.47E-04	2.64E-12	1.36E+09	1.1E+08	6.9E+11	2.1E+02	2.1E+02	1.2E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.41E-04	1.02E-11	1.36E+09	8.6E+06	6.0E+10	4.0E+01	4.0E+01	7.2E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.06E-04	1.98E-11	1.36E+09	9.5E+05	5.4E+09	1.9E+01	1.9E+01	1.6E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	2.03E-04	3.27E-11	1.36E+09	5.0E+05	3.3E+09	8.7E+00	8.7E+00	8.6E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.58E-04	3.83E-12	1.36E+09	3.7E+07	2.7E+11	9.8E+01	9.8E+01	1.1E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.47E-05	6.94E-12	1.36E+09	3.7E+06	2.3E+10	8.1E+01	8.1E+01	5.1E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.82E-04	4.11E-11	1.36E+09	1.6E+05	1.1E+09	2.5E+00	2.5E+00	6.3E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	4.32E-06	1.65E-11	1.36E+09	5.2E+04	9.9E+07	2.2E+01	2.2E+01	4.1E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.68E-04	5.93E-11	1.36E+09	1.6E+04	4.6E+07	6.2E-01	6.2E-01	1.1E-11
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.92E-11	3.53E-13	1.36E+09	6.8E+08	2.6E+12	1.4E+09	4.6E+08	3.1E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	2.46E-06	6.30E-12	1.36E+09	1.4E+07	9.6E+10	3.9E+03	3.9E+03	7.3E-10
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	4.32E-06	0.00E+00	1.36E+09	.	.	5.0E+06	5.0E+06	4.2E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.15E-05	8.93E-11	1.36E+09	1.7E+03	1.6E+06	1.8E-01	1.8E-01	2.0E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	4.83E-09	0.00E+00	1.36E+09	.	.	2.5E+08	2.5E+08	3.8E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	3.16E-08	6.46E-11	1.36E+09	2.9E+01	2.9E+03	6.4E+00	5.2E+00	6.8E-07
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	1.25E-08	2.13E-11	1.36E+09	5.0E+04	6.0E+07	9.4E+03	7.9E+03	1.2E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.11E-05	9.53E-11	1.36E+09	1.5E+05	1.0E+09	1.4E+02	1.4E+02	1.6E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.73E-04	1.19E-10	1.36E+09	5.5E+02	3.8E+05	2.6E-02	2.6E-02	6.7E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	3.04E-06	5.01E-12	1.36E+09	2.2E+07	1.1E+11	3.9E+03	3.9E+03	6.1E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.01E-05	8.24E-12	1.36E+09	8.6E+06	4.0E+10	1.9E+02	1.9E+02	4.6E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	7.1E+04	7.1E+04	6.4E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.88E-04	5.30E-12	1.36E+09	3.6E+07	2.3E+11	7.3E+01	7.3E+01	6.4E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	4.35E-04	0.00E+00	1.36E+09	.	.	5.3E+02	5.3E+02	8.2E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	2.16E-05	4.07E-10	1.36E+09	4.4E+00	2.0E+03	9.0E-03	9.0E-03	1.3E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.98E-05	2.27E-11	1.36E+09	9.6E+05	4.4E+09	6.0E+01	6.0E+01	1.0E-11
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.14E-04	1.46E-11	1.36E+09	8.3E+05	2.8E+09	1.2E+01	1.2E+01	3.6E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.35E-04	3.03E-12	1.36E+09	2.4E+08	3.0E+12	2.4E+02	2.4E+02	1.2E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.52E-04	1.78E-12	1.36E+09	5.3E+08	6.2E+12	4.1E+02	4.1E+02	1.7E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	2.5E+03	2.5E+03	1.1E-12
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	5.8E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	2.8E+03	2.8E+03	4.7E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	4.4E+01	4.4E+01	1.6E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.58E-05	0.00E+00	1.36E+09	.	.	4.4E+01	4.4E+01	1.6E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	2.0E+02	2.0E+02	6.2E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.89E-05	0.00E+00	1.36E+09	.	.	2.9E+01	2.9E+01	2.6E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	8.80E-08	0.00E+00	1.36E+09	.	.	2.2E+00	2.2E+00	1.1E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.24E-05	0.00E+00	1.36E+09	.	.	6.5E+05	6.5E+05	6.2E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	3.38E-10	0.00E+00	1.36E+09	.	.	4.8E+07	4.8E+07	2.3E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	2.87E-07	0.00E+00	1.36E+09	.	.	1.4E+00	1.4E+00	3.5E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.47E-05	0.00E+00	1.36E+09	.	.	4.5E+02	4.5E+02	5.4E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	2.1E+02	2.1E+02	7.6E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.75E-04	0.00E+00	1.36E+09	.	.	3.8E+01	3.8E+01	3.0E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.65E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	3.2E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.50E-04	0.00E+00	1.36E+09	.	.	9.8E+02	9.8E+02	3.5E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.06E-04	1.04E-12	1.36E+09	1.3E+09	1.5E+13	1.4E+03	1.4E+03	1.1E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.77E-04	0.00E+00	1.36E+09	.	.	7.4E+02	7.4E+02	4.4E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.35E-05	1.50E-12	1.36E+09	1.8E+08	1.2E+12	4.1E+02	4.1E+02	1.7E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.55E-04	2.41E-11	1.36E+09	2.3E+06	2.0E+10	2.4E+01	2.4E+01	4.9E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.67E-05	2.03E-12	1.36E+09	3.3E+08	2.6E+12	9.5E+02	9.5E+02	1.6E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.63E-05	1.81E-12	1.36E+09	3.8E+07	3.0E+11	4.6E+02	4.6E+02	7.7E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	3.2E+03	3.2E+03	1.5E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.39E-06	1.81E-12	1.36E+09	7.6E+06	6.6E+10	1.1E+03	1.1E+03	9.1E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.64E-05	0.00E+00	1.36E+09	.	.	3.9E+03	3.9E+03	2.8E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	1.86E-07	4.56E-12	1.36E+09	3.9E+02	3.1E+04	1.0E+00	1.0E+00	2.4E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.63E-04	5.48E-11	1.36E+09	3.2E+01	1.5E+03	1.2E-03	1.2E-03	4.7E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	3.10E-04	1.30E-10	1.36E+09	5.2E+04	3.3E+08	2.4E+00	2.4E+00	4.3E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	4.23E-06	2.29E-11	1.36E+09	3.0E+06	2.1E+10	1.8E+03	1.8E+03	3.1E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.35E-04	8.36E-12	1.36E+09	2.1E+07	1.8E+11	5.8E+01	5.8E+01	4.0E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.66E-05	2.17E-12	1.36E+09	5.3E+08	4.8E+12	3.4E+03	3.4E+03	3.7E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.32E-04	8.67E-13	1.36E+09	1.7E+09	1.4E+13	1.3E+03	1.3E+03	1.2E-11
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.19E-04	2.29E-12	1.36E+09	1.4E+08	8.4E+11	1.6E+02	1.6E+02	7.2E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.65E-04	2.94E-11	1.36E+09	2.7E+05	1.3E+09	5.2E+00	5.2E+00	9.7E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	4.17E-12	0.00E+00	1.36E+09	.	.	1.6E+11	1.6E+11	3.8E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.50E-04	5.17E-11	1.36E+09	1.1E+05	6.9E+08	1.7E+00	1.7E+00	4.6E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.26E-05	4.24E-11	1.36E+09	3.2E+04	8.8E+07	2.1E+00	2.1E+00	2.2E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	1.17E-08	0.00E+00	1.36E+09	.	.	1.1E+08	1.1E+08	1.4E-07

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.44E-04	7.51E-11	1.36E+09	2.2E+04	7.0E+07	7.5E-01	7.5E-01	6.7E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	2.52E-11	0.00E+00	1.36E+09	.	.	1.9E+10	1.9E+10	6.4E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.21E-05	2.32E-11	1.36E+09	9.7E+02	4.5E+05	2.0E-01	2.0E-01	1.4E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.01E-05	1.85E-11	1.36E+09	5.1E+02	1.6E+05	1.0E-01	1.0E-01	1.6E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	2.48E-06	3.87E-11	1.36E+09	2.0E+03	1.3E+06	3.5E+00	3.5E+00	6.6E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	4.83E-05	1.13E-10	1.36E+09	1.6E+01	2.5E+03	4.0E-03	4.0E-03	7.6E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	7.61E-07	9.98E-12	1.36E+09	7.4E+06	4.2E+10	1.1E+04	1.1E+04	2.2E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.08E-06	3.88E-11	1.36E+09	4.4E+04	9.2E+07	6.0E+01	6.0E+01	5.4E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	9.81E-05	1.11E-10	1.36E+09	6.3E+02	3.1E+05	7.8E-02	7.8E-02	1.7E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.64E-05	1.65E-12	1.36E+09	3.5E+08	2.8E+12	3.8E+03	3.8E+03	1.0E-10
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.09E-04	1.27E-12	1.36E+09	5.5E+08	3.2E+12	7.0E+02	7.0E+02	1.5E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.12E-06	1.37E-11	1.36E+09	4.3E+06	2.8E+10	2.1E+03	2.1E+03	5.4E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	8.8E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.56E-05	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	2.6E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.14E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	2.2E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.77E-04	1.40E-10	1.36E+09	9.2E+04	6.0E+08	8.0E+00	8.0E+00	1.5E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	6.00E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	7.9E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.18E-04	3.70E-12	1.36E+09	9.5E+07	8.7E+11	3.3E+02	3.3E+02	4.1E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.51E-04	9.72E-11	1.36E+09	2.1E+04	1.1E+08	4.9E-01	4.9E-01	1.1E-12
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	3.11E-04	2.61E-12	1.36E+09	2.9E+08	3.6E+12	2.7E+02	2.7E+02	1.6E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	1.87E-12	1.36E+09	9.5E+02	4.6E+05	.	9.5E+02	5.2E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	1.05E-04	3.99E-11	1.36E+09	9.0E+02	7.5E+05	3.8E-02	3.8E-02	4.9E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.28E-04	1.38E-11	1.36E+09	7.6E+06	6.0E+10	5.0E+01	5.0E+01	2.3E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.19E-05	0.00E+00	1.36E+09	.	.	1.0E+05	1.0E+05	4.5E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	3.19E-04	0.00E+00	1.36E+09	.	.	5.1E+03	5.1E+03	1.7E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.92E-04	1.48E-12	1.36E+09	7.5E+08	6.2E+12	6.3E+02	6.3E+02	5.0E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	1.84E-06	2.30E-12	1.36E+09	6.2E+08	8.0E+12	8.5E+04	8.5E+04	5.2E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.49E-04	0.00E+00	1.36E+09	.	.	5.6E+03	5.6E+03	5.6E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.31E-05	1.34E-11	1.36E+09	3.6E+06	9.0E+09	5.7E+01	5.7E+01	9.1E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.17E-04	2.08E-12	1.36E+09	5.0E+08	6.8E+12	9.8E+02	9.8E+02	7.4E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.76E-04	0.00E+00	1.36E+09	.	.	9.3E+03	9.3E+03	4.9E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	5.74E-09	8.44E-11	1.36E+09	2.1E+01	8.1E+04	3.4E+01	1.3E+01	1.4E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	3.03E-04	7.04E-12	1.36E+09	5.6E+06	2.0E+10	1.4E+01	1.4E+01	2.9E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.78E-05	3.19E-11	1.36E+09	1.3E+05	2.1E+08	2.5E+01	2.5E+01	5.3E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.1E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	7.04E-04	0.00E+00	1.36E+09	.	.	2.1E+04	2.1E+04	2.1E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.79E-04	2.02E-10	1.36E+09	5.9E+01	3.1E+04	4.7E-03	4.7E-03	7.5E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.93E-04	2.51E-11	1.36E+09	7.2E+05	3.8E+09	3.3E+00	3.3E+00	3.8E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.40E-04	0.00E+00	1.36E+09	.	.	3.4E+03	3.4E+03	5.9E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	5.27E-04	2.72E-12	1.36E+09	4.1E+08	5.4E+12	2.3E+02	2.3E+02	1.6E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	5.21E-04	0.00E+00	1.36E+09	.	.	4.4E+02	4.4E+02	1.6E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.76E-04	1.38E-11	1.36E+09	9.6E+06	7.9E+10	8.3E+01	8.3E+01	4.8E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.55E-04	6.23E-12	1.36E+09	3.9E+07	3.4E+11	1.7E+02	1.7E+02	5.4E-12
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.74E-04	7.41E-11	1.36E+09	2.5E+05	1.9E+09	3.5E+00	3.5E+00	1.5E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	1.93E-07	2.99E-12	1.36E+09	6.0E+02	9.1E+04	1.0E+00	1.0E+00	1.8E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.28E-06	2.97E-11	1.36E+09	6.2E+03	3.2E+06	6.2E+00	6.2E+00	2.6E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.87E-04	5.38E-11	1.36E+09	3.3E+01	6.0E+03	1.0E-03	1.0E-03	9.3E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.23E-04	2.55E-11	1.36E+09	4.3E+04	2.0E+08	9.9E-01	9.9E-01	7.1E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	1.03E-09	9.31E-12	1.36E+09	3.1E+02	1.2E+05	3.1E+02	1.5E+02	6.5E-07
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.95E-04	1.05E-10	1.36E+09	1.7E+01	3.3E+03	1.0E-03	1.0E-03	5.3E-09
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.62E-07	0.00E+00	1.36E+09	.	.	5.0E+05	5.0E+05	1.6E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	9.53E-05	3.32E-11	1.36E+09	9.7E+03	1.3E+07	3.7E-01	3.7E-01	9.4E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.44E-06	4.36E-11	1.36E+09	7.1E+04	2.1E+08	5.3E+01	5.3E+01	1.4E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	3.10E-04	6.50E-11	1.36E+09	1.8E+05	1.2E+09	4.1E+00	4.1E+00	2.9E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	8.14E-05	3.08E-12	1.36E+09	7.3E+07	5.0E+11	3.0E+02	3.0E+02	1.1E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.66E-04	4.68E-12	1.36E+09	6.7E+07	6.3E+11	9.4E+01	9.4E+01	2.5E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.46E-05	0.00E+00	1.36E+09	.	.	4.8E+05	4.8E+05	6.4E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	1.06E-04	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	8.8E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.71E-05	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	2.2E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.45E-04	2.19E-12	1.36E+09	6.0E+08	6.2E+12	9.9E+02	9.9E+02	8.8E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.64E-05	4.45E-12	1.36E+09	7.2E+07	6.1E+11	1.3E+03	1.3E+03	4.9E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.43E-04	2.43E-12	1.36E+09	1.7E+08	1.5E+12	3.2E+02	3.2E+02	9.1E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	1.85E-06	4.03E-11	1.36E+09	1.3E+06	1.1E+10	3.2E+03	3.2E+03	7.0E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	5.11E-05	8.83E-13	1.36E+09	6.2E+08	5.5E+12	1.2E+03	1.2E+03	2.6E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.95E-04	1.36E-11	1.36E+09	3.6E+06	2.6E+10	2.8E+01	2.8E+01	6.7E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	3.03E-07	1.39E-10	1.36E+09	2.4E+04	1.4E+08	1.2E+03	1.1E+03	4.2E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.25E-06	4.43E-13	1.36E+09	2.4E+08	2.0E+12	1.9E+03	1.9E+03	2.1E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.62E-05	0.00E+00	1.36E+09	.	.	2.0E+04	2.0E+04	1.5E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	7.05E-10	1.36E+09	2.5E+00	4.3E+01	.	2.4E+00	2.2E+06
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.32E-05	7.73E-11	1.36E+09	1.3E+04	2.7E+07	8.5E+00	8.5E+00	1.1E-10
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	3.91E-05	6.91E-12	1.36E+09	2.3E+07	1.2E+11	4.4E+02	4.4E+02	3.6E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	1.04E-04	1.20E-12	1.36E+09	1.1E+09	8.5E+12	1.4E+03	1.4E+03	1.4E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.74E-05	1.64E-12	1.36E+09	8.7E+08	8.6E+12	9.0E+03	9.0E+03	8.3E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	5.1E+04	5.1E+04	1.5E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.41E-05	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	3.5E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	2.09E-04	4.44E-11	1.36E+09	4.2E+04	1.1E+08	9.7E-01	9.7E-01	2.5E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.56E-04	5.36E-11	1.36E+09	1.4E+05	9.4E+08	3.2E+00	3.2E+00	2.1E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.83E-09	3.86E-12	1.36E+09	4.6E+02	1.9E+05	1.1E+02	8.6E+01	1.4E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	9.62E-12	1.36E+09	2.0E+02	8.3E+04	.	2.0E+02	3.5E-06
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	7.54E-05	8.99E-12	1.36E+09	1.2E+07	3.8E+10	1.6E+02	1.6E+02	8.1E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	9.53E-10	2.22E-10	1.36E+09	2.2E+04	1.2E+08	6.3E+05	2.1E+04	2.5E-08
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.41E-04	4.25E-13	1.36E+09	2.6E+09	5.4E+12	8.5E+02	8.5E+02	1.6E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	6.15E-06	9.96E-14	1.36E+09	4.5E+09	3.6E+13	8.0E+03	8.0E+03	3.6E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.45E-04	3.74E-11	1.36E+09	6.8E+04	4.0E+08	1.9E+00	1.9E+00	1.5E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	6.9E+03	3.5E+06	8.1E+01	8.0E+01	5.7E-08
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	3.82E-08	4.14E-12	1.36E+09	6.9E+03	3.5E+06	8.1E+01	8.0E+01	5.7E-08
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.05E-05	2.60E-10	1.36E+09	6.8E+00	1.3E+02	1.8E-02	1.8E-02	1.9E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	3.57E-06	1.29E-11	1.36E+09	9.3E+05	2.3E+08	3.7E+02	3.7E+02	6.2E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	1.40E-06	1.27E-09	1.36E+09	1.4E+00	1.6E+01	1.4E-01	1.3E-01	1.8E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.31E-05	1.34E-09	1.36E+09	1.3E+00	1.6E+01	8.4E-03	8.4E-03	1.2E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	7.51E-05	6.14E-11	1.36E+09	8.6E+04	2.6E+08	7.7E+00	7.7E+00	3.0E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.54E-05	5.91E-11	1.36E+09	8.1E+04	2.7E+08	3.4E+01	3.4E+01	1.5E-10
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.26E-04	3.22E-12	1.36E+09	8.1E+07	3.9E+11	2.3E+02	2.3E+02	1.8E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	6.2E+03	6.2E+03	5.7E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.10E-06	5.31E-13	1.36E+09	2.2E+09	1.5E+13	4.1E+04	4.1E+04	7.4E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.57E-05	0.00E+00	1.36E+09	.	.	2.3E+04	2.3E+04	6.4E-11
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	2.1E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	2.9E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	8.0E+03	8.0E+03	1.3E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.22E-04	0.00E+00	1.36E+09	.	.	3.3E+04	3.3E+04	1.5E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	9.85E-06	7.75E-13	1.36E+09	9.7E+08	7.1E+12	8.4E+03	8.4E+03	1.7E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.69E-04	5.06E-12	1.36E+09	3.0E+07	2.1E+11	1.0E+02	1.0E+02	1.0E-11
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.39E-05	3.43E-11	1.36E+09	3.6E+05	2.0E+09	3.0E+01	3.0E+01	3.9E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.44E-05	1.34E-11	1.36E+09	1.5E+06	7.9E+09	3.5E+01	3.5E+01	2.7E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.27E-04	1.15E-11	1.36E+09	2.4E+06	1.5E+10	2.4E+01	2.4E+01	1.4E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	8.05E-05	2.72E-11	1.36E+09	4.4E+03	5.1E+06	1.6E-01	1.6E-01	2.2E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	1.47E-09	1.36E+09	1.2E+00	3.7E+01	.	1.2E+00	1.2E+06
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.60E-11	1.13E-12	1.36E+09	4.1E+07	3.5E+11	3.2E+08	3.6E+07	1.3E-05
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.83E-04	0.00E+00	1.36E+09	.	.	9.8E+02	9.8E+02	9.8E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	4.80E-06	4.15E-11	1.36E+09	1.8E+04	2.5E+07	1.7E+01	1.7E+01	3.8E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	2.23E-07	6.96E-12	1.36E+09	3.0E+06	7.8E+09	1.0E+04	1.0E+04	8.1E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	6.66E-06	5.94E-11	1.36E+09	1.5E+05	8.1E+08	1.5E+02	1.5E+02	2.7E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	4.17E-08	1.80E-10	1.36E+09	3.0E+01	5.3E+03	1.4E+01	9.7E+00	3.2E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.12E-05	2.75E-10	1.36E+09	2.0E+01	5.3E+03	5.3E-02	5.3E-02	1.7E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.14E-06	4.03E-12	1.36E+09	1.2E+08	9.3E+11	6.2E+03	6.2E+03	2.3E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.21E-04	0.00E+00	1.36E+09	.	.	5.8E+03	5.8E+03	2.3E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	2.55E-07	1.44E-10	1.36E+09	5.5E+03	1.4E+07	3.8E+02	3.5E+02	1.2E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	1.00E-09	1.52E-11	1.36E+09	2.9E+04	1.8E+07	5.4E+04	1.9E+04	1.2E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.13E-06	1.75E-11	1.36E+09	2.4E+07	5.0E+08	4.1E+04	4.1E+04	1.9E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.67E-04	4.56E-11	1.36E+09	2.7E+05	1.3E+07	8.0E+00	8.0E+00	1.3E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	3.91E-06	5.48E-12	1.36E+09	1.4E+06	7.8E+07	2.1E+02	2.1E+02	5.5E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.95E-05	4.79E-11	1.36E+09	1.3E+04	7.1E+04	8.9E-01	8.9E-01	2.7E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.44E-06	4.17E-09	1.36E+09	4.3E-01	5.9E+00	5.7E-02	5.0E-02	1.0E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.16E-04	4.30E-11	1.36E+09	2.0E+05	3.1E+08	8.1E+00	8.1E+00	1.9E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.17E-05	6.98E-11	1.36E+09	6.0E+03	6.9E+06	2.1E+00	2.1E+00	1.0E-10
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.79E-04	2.61E-11	1.36E+09	1.5E+06	8.4E+09	2.5E+01	2.5E+01	1.2E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.45E-06	0.00E+00	1.36E+09	.	.	6.2E+05	6.2E+05	9.0E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.20E-07	9.32E-13	1.36E+09	7.1E+08	5.2E+12	6.0E+05	6.0E+05	1.8E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.20E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	1.9E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.57E-05	0.00E+00	1.36E+09	.	.	2.7E+03	2.7E+03	3.0E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.32E-04	8.40E-13	1.36E+09	1.6E+09	1.5E+13	1.1E+03	1.1E+03	1.4E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.95E-04	1.09E-12	1.36E+09	9.9E+08	6.7E+12	6.1E+02	6.1E+02	9.5E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.05E-05	1.34E-12	1.36E+09	3.3E+08	2.3E+12	9.5E+02	9.5E+02	3.7E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	9.6E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.35E-04	2.06E-12	1.36E+09	1.8E+08	9.7E+11	3.0E+02	3.0E+02	1.4E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.39E-05	4.39E-12	1.36E+09	2.6E+07	1.8E+11	2.8E+02	2.8E+02	4.3E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.29E-04	2.05E-12	1.36E+09	8.8E+07	6.4E+11	1.5E+02	1.5E+02	1.5E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	1.61E-05	2.37E-11	1.36E+09	5.3E+05	2.4E+09	8.5E+01	8.5E+01	1.2E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.55E-05	9.31E-12	1.36E+09	3.1E+06	1.9E+10	3.7E+01	3.7E+01	2.2E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.26E-05	0.00E+00	1.36E+09	.	.	4.1E+04	4.1E+04	4.5E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.08E-11	6.66E-10	1.36E+09	2.7E+00	3.2E+03	2.4E+03	2.7E+00	7.9E-05
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.89E-05	6.94E-10	1.36E+09	2.6E+00	3.2E+03	4.0E-03	4.0E-03	1.2E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.45E-04	7.88E-12	1.36E+09	9.7E+06	7.2E+10	3.4E+01	3.4E+01	7.8E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	2.96E-05	1.53E-11	1.36E+09	3.4E+05	1.5E+09	1.9E+01	1.9E+01	6.5E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.58E-04	2.38E-12	1.36E+09	1.0E+08	1.1E+12	1.0E+02	1.0E+02	7.5E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.17E-11	1.30E-11	1.36E+09	1.4E+02	2.0E+05	2.4E+03	1.3E+02	1.1E+00
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	1.45E-08	3.30E-12	1.36E+09	2.5E+07	1.0E+11	7.0E+05	6.8E+05	1.5E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	4.01E-08	1.62E-08	1.36E+09	1.6E-01	4.1E+01	7.0E+00	1.5E-01	2.0E-09
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.86E-06	7.10E-12	1.36E+09	6.3E+07	2.8E+09	6.2E+03	6.2E+03	2.5E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.34E-05	3.55E-10	1.36E+09	7.1E+04	1.0E+07	2.1E+02	2.1E+02	1.5E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.69E-05	5.96E-12	1.36E+09	1.0E+08	3.8E+09	2.5E+03	2.5E+03	7.5E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	5.46E-06	5.12E-11	1.36E+09	6.0E+04	2.7E+08	6.2E+01	6.2E+01	1.7E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.91E-05	5.37E-12	1.36E+09	5.9E+06	4.3E+10	8.9E+01	8.9E+01	2.4E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	3.06E-08	1.37E-11	1.36E+09	4.8E+04	9.4E+07	2.4E+03	2.3E+03	3.0E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	2.84E-12	1.36E+09	6.3E+02	2.5E+05	.	6.2E+02	1.2E+00
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	3.44E-07	3.94E-11	1.36E+09	5.0E+05	2.6E+09	6.3E+03	6.2E+03	3.0E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	3.7E+04	3.7E+04	1.0E-10
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.41E-06	1.83E-12	1.36E+09	3.8E+08	2.7E+12	1.2E+04	1.2E+04	1.6E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	5.11E-09	1.89E-10	1.36E+09	6.8E+04	4.7E+08	2.7E+05	5.4E+04	4.1E-08
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	2.69E-06	0.00E+00	1.36E+09	.	.	2.7E+05	2.7E+05	4.0E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.74E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	5.2E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	3.07E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	3.0E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-05	2.34E-12	1.36E+09	3.9E+08	4.1E+12	2.3E+03	2.3E+03	2.1E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.57E-04	1.43E-12	1.36E+09	5.3E+08	5.4E+12	5.3E+02	5.3E+02	6.0E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	3.9E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.07E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	6.2E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	1.2E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	9.0E+04	9.0E+04	1.0E-11
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.76E-04	0.00E+00	1.36E+09	.	.	7.9E+02	7.9E+02	3.5E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.90E-05	1.29E-12	1.36E+09	6.0E+08	7.0E+12	9.5E+02	9.5E+02	1.5E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	1.03E-04	0.00E+00	1.36E+09	.	.	2.6E+04	2.6E+04	1.3E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.60E-05	1.24E-11	1.36E+09	3.4E+03	1.2E+06	1.3E-01	1.3E-01	3.8E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.87E-04	5.04E-11	1.36E+09	6.1E+02	1.4E+05	1.8E-02	1.8E-02	7.3E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	4.26E-07	6.50E-12	1.36E+09	4.3E+02	5.6E+04	7.2E-01	7.2E-01	5.1E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.84E-05	5.32E-11	1.36E+09	1.1E+02	1.4E+04	7.2E-03	7.2E-03	1.6E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	8.71E-10	1.87E-11	1.36E+09	6.3E+02	1.8E+05	1.5E+03	4.4E+02	4.8E-07
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	7.57E-05	1.92E-10	1.36E+09	1.1E+04	5.0E+07	3.0E+00	3.0E+00	1.8E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.42E-04	1.03E-10	1.36E+09	2.6E+03	3.3E+06	1.2E-01	1.2E-01	5.8E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.38E-06	7.26E-11	1.36E+09	7.0E+04	3.5E+08	4.0E+02	4.0E+02	1.0E-09
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.91E-04	1.43E-11	1.36E+09	7.0E+06	5.5E+10	5.8E+01	5.8E+01	7.4E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.53E-05	5.08E-11	1.36E+09	1.9E+05	1.0E+09	2.9E+01	2.9E+01	4.0E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.69E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	3.9E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	1.2E+03	1.2E+03	7.6E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	5.96E-06	0.00E+00	1.36E+09	.	.	5.7E+04	5.7E+04	2.4E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.44E-04	0.00E+00	1.36E+09	.	.	4.2E+03	4.2E+03	6.0E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.32E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	6.3E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	2.05E-04	2.37E-12	1.36E+09	1.9E+08	9.8E+11	2.4E+02	2.4E+02	9.3E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.34E-04	1.35E-11	1.36E+09	5.7E+06	1.3E+10	6.3E+01	6.3E+01	1.4E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.99E-04	2.91E-12	1.36E+09	5.6E+07	3.8E+11	8.9E+01	8.9E+01	9.7E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.41E-04	6.52E-10	1.36E+09	2.0E+03	1.5E+06	9.9E-01	9.9E-01	1.4E-11
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.58E-04	6.09E-12	1.36E+09	7.6E+06	4.7E+10	3.2E+01	3.2E+01	1.2E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.41E-09	4.86E-08	1.36E+09	2.2E-01	1.2E+02	4.8E+02	2.2E-01	3.7E-10
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	7.16E-07	4.83E-08	1.36E+09	4.0E-02	1.7E+01	3.0E-01	3.5E-02	2.1E-09
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.22E-09	3.88E-08	1.36E+09	2.1E+00	1.4E+03	7.3E+03	2.1E+00	4.7E-10
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	1.02E-06	0.00E+00	1.36E+09	.	.	2.0E+08	2.0E+08	2.0E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.14E-05	0.00E+00	1.36E+09	.	.	2.1E+05	2.1E+05	1.8E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.67E-09	0.00E+00	1.36E+09	.	.	5.4E+15	5.4E+15	4.3E-07

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	1.04E-08	0.00E+00	1.36E+09	.	.	6.2E+13	6.2E+13	1.9E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	2.02E-08	0.00E+00	1.36E+09	.	.	3.0E+12	3.0E+12	1.0E-07
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.92E-09	0.00E+00	1.36E+09	.	.	3.8E+11	3.8E+11	1.1E-06
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.85E-13	0.00E+00	1.36E+09	.	.	3.4E+12	3.4E+12	1.2E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.85E-04	2.05E-12	1.36E+09	7.2E+08	8.2E+12	4.2E+02	4.2E+02	3.3E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.93E-04	3.40E-12	1.36E+09	2.8E+08	3.1E+12	3.6E+02	3.6E+02	4.3E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	1.01E-04	1.72E-12	1.36E+09	3.9E+08	3.9E+12	7.3E+02	7.3E+02	1.3E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.70E-04	1.28E-12	1.36E+09	9.7E+08	1.4E+13	5.0E+02	5.0E+02	4.8E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.23E-05	1.74E-12	1.36E+09	1.2E+08	1.0E+12	5.5E+02	5.5E+02	3.1E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	1.3E+04	1.3E+04	1.3E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	3.07E-04	6.54E-12	1.36E+09	1.9E+07	1.8E+11	4.5E+01	4.5E+01	4.2E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.28E-05	1.89E-12	1.36E+09	3.2E+07	2.2E+11	5.2E+02	5.2E+02	1.0E-10
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.34E-05	0.00E+00	1.36E+09	.	.	8.2E+03	8.2E+03	2.1E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	8.46E-06	9.48E-11	1.36E+09	1.5E+05	1.0E+09	1.8E+02	1.8E+02	1.6E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	1.21E-12	1.36E+09	9.2E+08	6.4E+12	.	9.2E+08	1.0E-05
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	4.42E-08	8.65E-11	1.36E+09	9.6E+03	2.1E+07	2.1E+03	1.7E+03	2.5E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.83E-06	1.71E-12	1.36E+09	5.5E+08	6.6E+12	2.1E+04	2.1E+04	2.8E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	3.35E-07	0.00E+00	1.36E+09	.	.	7.4E+05	7.4E+05	4.1E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.56E-06	2.61E-11	1.36E+09	1.7E+06	1.2E+10	1.9E+03	1.9E+03	5.3E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.34E-04	2.78E-12	1.36E+09	2.4E+08	2.8E+12	5.5E+02	5.5E+02	1.0E-11
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.52E-05	1.20E-12	1.36E+09	1.0E+09	8.5E+12	2.4E+03	2.4E+03	2.5E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.30E-04	0.00E+00	1.36E+09	.	.	6.0E+03	6.0E+03	1.1E-11
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	7.9E+03	7.9E+03	1.2E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.07E-05	1.45E-12	1.36E+09	6.5E+08	3.8E+12	1.4E+03	1.4E+03	2.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.70E-05	6.05E-12	1.36E+09	2.1E+07	1.6E+11	1.8E+02	1.8E+02	2.3E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.56E-05	4.73E-12	1.36E+09	2.4E+07	1.3E+11	1.9E+02	1.9E+02	2.7E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.66E-05	5.10E-11	1.36E+09	2.2E+04	3.6E+07	7.3E+00	7.3E+00	1.1E-10
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.05E-05	1.21E-11	1.36E+09	2.1E+06	9.8E+09	5.4E+01	5.4E+01	3.5E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	4.60E-10	1.36E+09	3.9E+00	3.0E+01	.	3.4E+00	1.2E+03
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.62E-05	2.36E-11	1.36E+09	1.7E+05	6.6E+08	1.7E+01	1.7E+01	6.9E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.18E-11	2.64E-12	1.36E+09	8.0E+02	2.7E+05	4.5E+03	6.7E+02	1.8E-05
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	4.48E-07	3.35E-11	1.36E+09	7.8E+04	1.7E+08	6.3E+02	6.3E+02	4.0E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	3.44E-06	4.63E-11	1.36E+09	6.0E+04	1.5E+08	8.9E+01	8.9E+01	5.3E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	1.55E-06	3.09E-11	1.36E+09	4.4E+05	1.9E+09	9.6E+02	9.6E+02	1.2E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	6.44E-06	4.91E-12	1.36E+09	3.5E+07	1.6E+11	2.9E+03	2.9E+03	2.9E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.32E-05	1.55E-12	1.36E+09	3.4E+08	1.9E+12	2.5E+03	2.5E+03	8.1E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	4.26E-06	8.36E-11	1.36E+09	2.6E+05	1.6E+09	5.5E+02	5.5E+02	4.4E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	2.40E-07	3.20E-10	1.36E+09	1.9E+04	1.2E+08	3.1E+03	2.7E+03	7.6E-09
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.27E-05	3.20E-10	1.36E+09	1.9E+04	1.2E+08	3.0E+01	3.0E+01	8.4E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	4.04E-06	5.33E-12	1.36E+09	9.0E+07	1.9E+09	1.3E+04	1.3E+04	5.4E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	4.39E-06	9.89E-12	1.36E+09	3.1E+06	9.6E+07	7.7E+02	7.7E+02	5.0E-10
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	6.44E-06	9.28E-14	1.36E+09	6.9E+09	5.9E+13	1.1E+04	1.1E+04	3.4E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	3.09E-09	1.53E-09	1.36E+09	7.1E+00	9.2E+01	3.8E+02	6.4E+00	1.2E-08
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	3.09E-06	7.56E-12	1.36E+09	3.3E+04	4.2E+07	8.8E+00	8.8E+00	7.2E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	1.87E-09	3.15E-09	1.36E+09	6.2E-01	9.4E+00	1.1E+02	5.8E-01	3.4E-08
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	5.4E-01	8.1E+00	3.4E+01	5.0E-01	8.1E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	5.65E-09	3.27E-09	1.36E+09	5.4E-01	8.1E+00	3.4E+01	5.0E-01	8.1E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	1.93E-09	3.27E-09	1.36E+09	5.4E-01	8.1E+00	1.0E+02	5.1E-01	2.2E-06
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.10E-10	4.68E-11	1.36E+09	6.5E+01	8.9E+02	3.1E+03	6.0E+01	5.8E-07
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.18E-08	3.11E-09	1.36E+09	5.7E-01	8.5E+00	1.7E+01	5.2E-01	1.3E-04
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	1.49E-06	5.59E-12	1.36E+09	9.7E+06	4.3E+10	4.0E+03	4.0E+03	1.5E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.67E-06	3.27E-09	1.36E+09	5.4E-01	8.6E+00	7.3E-02	6.4E-02	3.5E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	4.26E-05	3.35E-09	1.36E+09	5.3E-01	8.6E+00	4.6E-03	4.5E-03	2.5E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.67E-05	4.87E-11	1.36E+09	5.3E+05	3.0E+09	6.0E+01	6.0E+01	5.0E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.10E-05	1.99E-10	1.36E+09	5.2E+03	1.4E+07	1.0E+01	1.0E+01	2.1E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	6.0E+08	6.0E+08	1.2E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.78E-05	0.00E+00	1.36E+09	.	.	6.0E+08	6.0E+08	1.2E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.40E-07	0.00E+00	1.36E+09	.	.	1.1E+10	1.1E+10	3.8E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	2.86E-06	0.00E+00	1.36E+09	.	.	1.3E+06	1.3E+06	7.3E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	2.87E-06	0.00E+00	1.36E+09	.	.	1.3E+06	1.3E+06	7.3E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.00E-06	0.00E+00	1.36E+09	.	.	2.8E+06	2.8E+06	2.1E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.23E-05	3.33E-09	1.36E+09	3.0E+02	8.5E+03	8.8E+00	8.5E+00	1.7E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	1.87E-05	3.33E-09	1.36E+09	3.0E+02	8.5E+03	5.8E+00	5.7E+00	1.1E-10
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.06E-06	2.29E-09	1.36E+09	1.3E+03	6.8E+04	3.2E+02	2.6E+02	1.6E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-06	2.29E-09	1.36E+09	1.3E+03	6.8E+04	3.0E+02	2.4E+02	1.5E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	1.65E-07	2.01E-09	1.36E+09	3.8E+02	7.3E+03	5.0E+02	2.1E+02	5.4E-09

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	6.75E-07	7.96E-09	1.36E+09	2.2E-01	1.6E+01	2.9E-01	1.3E-01	1.3E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.26E-04	7.97E-09	1.36E+09	2.2E-01	1.6E+01	8.7E-04	8.6E-04	8.7E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.51E-05	2.04E-12	1.36E+09	1.9E+08	1.6E+11	2.8E+03	2.8E+03	1.4E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	9.28E-10	1.81E-08	1.36E+09	3.1E-01	3.2E+01	6.6E+02	3.1E-01	1.1E-09
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.09E-04	1.81E-08	1.36E+09	3.1E-01	3.2E+01	5.6E-03	5.5E-03	2.0E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	7.32E-06	8.76E-12	1.36E+09	2.0E+07	1.2E+11	2.6E+03	2.6E+03	3.0E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.84E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	3.9E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.65E-04	2.67E-12	1.36E+09	3.4E+08	4.8E+12	1.8E+02	1.8E+02	1.3E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	4.13E-04	0.00E+00	1.36E+09	.	.	7.5E+02	7.5E+02	1.8E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.70E-04	1.84E-12	1.36E+09	3.8E+08	3.7E+12	4.6E+02	4.6E+02	4.4E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.44E-04	0.00E+00	1.36E+09	.	.	2.2E+04	2.2E+04	5.3E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.93E-05	2.39E-12	1.36E+09	2.5E+07	9.3E+10	1.1E+02	1.1E+02	1.3E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.66E-06	4.03E-13	1.36E+09	1.3E+09	3.4E+12	2.2E+04	2.2E+04	2.9E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	1.0E+04	1.0E+04	5.8E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.69E-04	7.69E-12	1.36E+09	5.4E+06	4.2E+10	1.2E+01	1.2E+01	2.1E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.74E-05	1.12E-10	1.36E+09	1.2E+03	6.3E+06	2.5E-01	2.5E-01	1.4E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.12E-04	1.78E-10	1.36E+09	1.9E+03	8.3E+06	3.3E-01	3.3E-01	7.1E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.13E-05	3.15E-13	1.36E+09	2.5E+09	1.4E+13	2.1E+03	2.1E+03	1.9E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.24E-05	1.77E-10	1.36E+09	3.4E+03	9.1E+06	5.3E+00	5.3E+00	6.5E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.53E-05	0.00E+00	1.36E+09	.	.	2.7E+04	2.7E+04	1.2E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	2.74E-09	9.60E-11	1.36E+09	1.9E+01	1.0E+04	7.9E+01	1.5E+01	1.8E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	9.21E-05	3.08E-12	1.36E+09	3.0E+08	4.1E+12	1.1E+03	1.1E+03	9.0E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	3.06E-04	1.69E-12	1.36E+09	6.3E+08	6.9E+12	3.8E+02	3.8E+02	2.7E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	3.00E-04	0.00E+00	1.36E+09	.	.	2.2E+03	2.2E+03	2.8E-12
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.54E-04	0.00E+00	1.36E+09	.	.	9.1E+02	9.1E+02	1.9E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.22E-04	1.05E-12	1.36E+09	1.2E+09	1.2E+13	6.1E+02	6.1E+02	7.6E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.29E-04	5.67E-13	1.36E+09	1.5E+09	1.1E+13	7.1E+02	7.1E+02	1.3E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	5.0E+03	5.0E+03	1.2E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.96E-05	2.17E-11	1.36E+09	6.2E+05	4.1E+09	1.7E+01	1.7E+01	1.9E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.12E-04	7.44E-11	1.36E+09	5.7E+04	2.3E+08	2.2E+00	2.2E+00	8.1E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.51E-04	1.47E-11	1.36E+09	1.4E+06	8.8E+09	1.5E+01	1.5E+01	1.1E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	9.59E-06	4.90E-11	1.36E+09	3.3E+03	3.2E+06	1.8E+00	1.8E+00	1.8E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.06E-04	5.26E-11	1.36E+09	5.6E+03	9.0E+06	3.0E-01	3.0E-01	1.6E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.01E-05	7.53E-11	1.36E+09	8.8E+02	4.7E+05	1.8E-01	1.8E-01	4.3E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	1.48E-06	7.44E-11	1.36E+09	4.1E+04	1.7E+08	2.2E+02	2.2E+02	1.2E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	4.89E-07	1.09E-10	1.36E+09	1.6E+01	2.7E+03	4.0E-01	3.9E-01	4.0E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	1.97E-06	1.83E-10	1.36E+09	9.7E+00	2.7E+03	9.9E-02	9.8E-02	1.0E-05
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	2.40E-13	1.36E+09	7.4E+03	4.1E+06	.	7.4E+03	1.6E+05
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	6.82E-06	6.82E-11	1.36E+09	2.3E+05	1.8E+09	2.5E+02	2.5E+02	2.6E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	3.09E-06	1.42E-12	1.36E+09	6.1E+08	4.1E+12	3.1E+04	3.1E+04	5.7E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	5.52E-06	3.77E-11	1.36E+09	2.9E+05	1.7E+09	2.2E+02	2.2E+02	3.2E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.58E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	1.1E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.06E-04	1.69E-11	1.36E+09	5.0E+06	3.6E+10	8.7E+01	8.7E+01	1.7E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.69E-04	3.59E-11	1.36E+09	3.6E+05	3.4E+09	3.8E+00	3.8E+00	2.6E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.05E-06	0.00E+00	1.36E+09	.	.	7.6E+04	7.6E+04	1.9E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.57E-05	3.22E-11	1.36E+09	2.9E+02	1.4E+05	4.0E-02	4.0E-02	3.7E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.01E-05	1.21E-11	1.36E+09	2.1E+05	9.3E+08	9.4E+00	9.4E+00	3.2E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.93E-05	7.84E-11	1.36E+09	6.9E+02	5.3E+05	1.0E-01	1.0E-01	1.6E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.64E-04	1.51E-10	1.36E+09	5.5E+01	3.1E+04	3.4E-03	3.4E-03	3.7E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	2.34E-09	1.51E-13	1.36E+09	1.9E+09	8.0E+12	1.4E+07	1.3E+07	4.1E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.05E-06	0.00E+00	1.36E+09	.	.	1.2E+06	1.2E+06	4.8E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	1.04E-06	0.00E+00	1.36E+09	.	.	3.9E+05	3.9E+05	9.5E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.46E-06	2.61E-11	1.36E+09	2.9E+05	1.2E+09	9.9E+01	9.9E+01	1.2E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.63E-05	0.00E+00	1.36E+09	.	.	1.4E+05	1.4E+05	3.8E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.60E-04	8.57E-12	1.36E+09	1.4E+07	1.1E+11	3.8E+01	3.8E+01	2.8E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-05	8.54E-13	1.36E+09	8.7E+08	6.5E+12	2.4E+03	2.4E+03	2.9E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.94E-05	0.00E+00	1.36E+09	.	.	1.6E+05	1.6E+05	2.6E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.28E-05	0.00E+00	1.36E+09	.	.	4.1E+04	4.1E+04	3.1E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	3.0E+03	3.0E+03	1.8E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	2.7E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.17E-04	0.00E+00	1.36E+09	.	.	7.7E+03	7.7E+03	7.7E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.95E-04	0.00E+00	1.36E+09	.	.	3.6E+02	3.6E+02	1.8E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.65E-04	0.00E+00	1.36E+09	.	.	7.1E+03	7.1E+03	5.5E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.77E-04	1.89E-12	1.36E+09	2.8E+08	2.9E+12	3.3E+02	3.3E+02	5.2E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.97E-04	2.15E-12	1.36E+09	1.6E+08	1.7E+12	1.3E+02	1.3E+02	3.1E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.23E-04	0.00E+00	1.36E+09	.	.	9.1E+02	9.1E+02	4.2E-12

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.25E-05	3.40E-11	1.36E+09	2.1E+04	3.7E+07	1.2E+00	1.2E+00	1.5E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.67E-05	3.58E-12	1.36E+09	1.6E+07	1.4E+11	8.2E+01	8.2E+01	1.2E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	1.7E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.46E-04	0.00E+00	1.36E+09	.	.	4.3E+02	4.3E+02	1.4E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	7.07E-06	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	2.8E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.35E-04	0.00E+00	1.36E+09	.	.	8.6E+00	8.6E+00	8.5E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	4.17E-08	0.00E+00	1.36E+09	.	.	1.8E+06	1.8E+06	4.8E-08
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	1.36E+09	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	9.15E-08	0.00E+00	1.36E+09	.	.	3.3E+10	3.3E+10	2.2E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.34E-06	0.00E+00	1.36E+09	.	.	4.2E+06	4.2E+06	3.3E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.37E-06	0.00E+00	1.36E+09	.	.	4.2E+06	4.2E+06	3.2E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.48E-08	0.00E+00	1.36E+09	.	.	2.6E+07	2.6E+07	2.8E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.3E+07	7.0E+03	7.0E+03	4.6E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.58E-08	0.00E+00	1.36E+09	.	2.3E+07	7.0E+03	7.0E+03	4.6E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	4.01E-05	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	5.3E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.81E-05	4.56E-11	1.36E+09	6.3E+03	6.9E+06	5.4E-01	5.4E-01	1.7E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	9.03E-05	1.73E-11	1.36E+09	3.5E+06	1.5E+10	7.4E+01	7.4E+01	1.1E-11
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	4.98E-10	1.36E+09	6.0E+01	3.4E+04	.	6.0E+01	1.8E-08
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.63E-05	4.98E-10	1.36E+09	6.0E+01	3.4E+04	1.3E-01	1.3E-01	3.8E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.39E-05	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	2.3E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	5.55E-06	0.00E+00	1.36E+09	.	.	7.0E+04	7.0E+04	1.8E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.46E-04	0.00E+00	1.36E+09	.	.	2.0E+03	2.0E+03	3.5E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	6.03E-05	4.41E-12	1.36E+09	7.1E+07	3.5E+11	5.7E+02	5.7E+02	1.5E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.54E-04	3.07E-12	1.36E+09	5.3E+07	2.9E+11	1.2E+02	1.2E+02	5.8E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.34E-05	8.52E-12	1.36E+09	4.5E+05	1.8E+09	1.8E+01	1.8E+01	3.9E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	2.36E-10	8.82E-12	1.36E+09	1.5E+04	5.0E+06	6.6E+04	1.2E+04	2.8E-07
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	4.39E-04	0.00E+00	1.36E+09	.	.	8.0E+02	8.0E+02	8.0E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.42E-04	2.02E-11	1.36E+09	4.7E+06	1.9E+10	4.3E+01	4.3E+01	1.5E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	8.1E+03	8.1E+03	6.0E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.50E-04	0.00E+00	1.36E+09	.	.	1.8E+03	1.8E+03	7.1E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.47E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	3.1E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	1.04E-04	9.89E-13	1.36E+09	5.1E+08	5.2E+12	5.3E+02	5.3E+02	1.0E-11
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.99E-04	1.19E-12	1.36E+09	8.6E+08	1.2E+13	3.8E+02	3.8E+02	3.7E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.94E-04	3.11E-12	1.36E+09	8.6E+07	7.6E+11	7.5E+01	7.5E+01	2.8E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.58E-05	9.60E-13	1.36E+09	1.0E+08	5.5E+11	6.7E+02	6.7E+02	7.0E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.53E-05	0.00E+00	1.36E+09	.	.	5.2E+03	5.2E+03	1.2E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.31E-04	1.11E-11	1.36E+09	4.9E+06	4.9E+10	1.8E+01	1.8E+01	3.4E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	6.94E-08	5.50E-12	1.36E+09	1.3E+06	9.6E+09	1.1E+04	1.1E+04	1.6E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.24E-05	5.24E-13	1.36E+09	1.9E+09	2.2E+13	2.1E+03	2.1E+03	2.2E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	3.10E-04	6.62E-11	1.36E+09	2.9E+04	1.4E+08	6.9E-01	6.9E-01	3.7E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.36E-05	1.20E-10	1.36E+09	3.4E+04	1.8E+08	8.4E+00	8.4E+00	2.1E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	2.07E-06	0.00E+00	1.36E+09	.	.	2.0E+05	2.0E+05	5.6E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.45E-04	1.63E-10	1.36E+09	1.1E+03	1.5E+06	8.4E-02	8.3E-02	4.8E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.30E-05	0.00E+00	1.36E+09	.	.	2.2E+04	2.2E+04	2.2E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	2.60E-12	3.88E-13	1.36E+09	2.1E+09	1.4E+13	3.4E+10	1.9E+09	2.6E-05
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.95E-05	6.51E-11	1.36E+09	1.7E+02	7.0E+04	2.5E-02	2.5E-02	2.4E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.38E-04	1.63E-10	1.36E+09	5.6E+03	1.6E+07	3.0E-01	3.0E-01	3.5E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.87E-04	1.45E-12	1.36E+09	5.8E+08	6.2E+12	4.9E+02	4.9E+02	6.3E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	8.36E-05	1.16E-10	1.36E+09	2.5E+04	8.9E+07	3.8E+00	3.8E+00	1.4E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.82E-04	4.86E-11	1.36E+09	6.2E+05	4.6E+09	8.6E+00	8.6E+00	3.2E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.34E-04	1.24E-12	1.36E+09	1.3E+09	1.7E+13	7.3E+02	7.3E+02	5.2E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.88E-04	2.68E-11	1.36E+09	2.3E+06	1.5E+10	3.6E+01	3.6E+01	6.5E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	4.07E-04	3.94E-12	1.36E+09	1.0E+08	1.0E+12	1.1E+02	1.1E+02	3.0E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.44E-04	0.00E+00	1.36E+09	.	.	8.2E+02	8.2E+02	3.6E-12
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.74E-04	4.48E-12	1.36E+09	1.6E+08	1.8E+12	2.8E+02	2.8E+02	4.5E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.72E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	3.4E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.46E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	7.3E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.16E-04	1.27E-11	1.36E+09	5.5E+06	3.9E+10	6.6E+01	6.6E+01	3.5E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.69E-04	2.05E-11	1.36E+09	3.3E+06	2.6E+10	2.8E+01	2.8E+01	1.5E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.02E-05	1.63E-10	1.36E+09	2.8E+04	1.7E+08	1.7E+01	1.7E+01	1.4E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.60E-04	8.30E-11	1.36E+09	1.6E+03	1.4E+06	5.6E-02	5.6E-02	1.7E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	9.81E-06	3.89E-11	1.36E+09	8.6E+04	2.8E+08	3.7E+01	3.7E+01	4.5E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.42E-04	9.55E-11	1.36E+09	6.5E+04	4.0E+08	1.5E+00	1.5E+00	1.0E-12
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	5.14E-07	3.28E-12	1.36E+09	8.6E+07	6.7E+11	6.0E+04	6.0E+04	9.0E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	4.29E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	1.1E-12
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	8.08E-05	4.53E-12	1.36E+09	8.7E+07	5.9E+11	5.3E+02	5.3E+02	8.2E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.95E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	3.4E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	5.21E-07	3.00E-10	1.36E+09	4.5E+03	2.2E+07	2.8E+02	2.6E+02	1.2E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.23E-04	1.22E-11	1.36E+09	3.1E+06	1.1E+10	3.4E+01	3.4E+01	5.6E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	3.07E-05	1.37E-12	1.36E+09	3.0E+08	1.3E+12	1.5E+03	1.5E+03	2.2E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	3.85E-05	1.67E-10	1.36E+09	5.6E+02	4.8E+06	2.7E-01	2.7E-01	1.8E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	7.83E-06	0.00E+00	1.36E+09	.	.	7.8E+05	7.8E+05	9.3E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	2.46E-10	1.36E-10	1.36E+09	1.3E+01	2.4E+04	8.8E+02	1.3E+01	8.4E-04
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	5.96E-07	0.00E+00	1.36E+09	.	.	7.6E+05	7.6E+05	1.3E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.13E-06	9.03E-13	1.36E+09	9.7E+08	8.5E+12	8.5E+04	8.5E+04	6.8E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	9.66E-07	2.19E-12	1.36E+09	1.3E+08	4.9E+11	3.2E+04	3.2E+04	7.9E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.41E-04	1.93E-12	1.36E+09	3.8E+08	2.6E+12	2.3E+02	2.3E+02	2.3E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.31E-04	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	6.0E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.80E-05	0.00E+00	1.36E+09	.	.	1.2E+04	1.2E+04	1.7E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	2.99E-07	8.03E-12	1.36E+09	1.3E+07	8.5E+10	3.8E+04	3.8E+04	9.8E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	7.13E-10	4.18E-11	1.36E+09	4.5E+01	1.6E+03	3.2E+02	3.9E+01	4.6E-07
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	2.55E-07	1.86E-10	1.36E+09	1.0E+01	1.6E+03	9.0E-01	8.3E-01	9.8E-09
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.75E-04	0.00E+00	1.36E+09	.	.	4.0E+03	4.0E+03	7.5E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.66E-05	3.58E-12	1.36E+09	3.1E+08	3.7E+12	1.8E+03	1.8E+03	2.0E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.73E-04	1.44E-12	1.36E+09	1.1E+09	1.4E+13	1.0E+03	1.0E+03	7.7E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.40E-04	2.54E-12	1.36E+09	2.8E+08	2.8E+12	3.3E+02	3.3E+02	5.6E-12
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.00E-05	8.03E-12	1.36E+09	2.8E+07	2.5E+11	2.4E+03	2.4E+03	1.3E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	6.15E-05	0.00E+00	1.36E+09	.	.	3.3E+03	3.3E+03	2.2E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	8.49E-05	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	1.6E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	1.01E-06	1.35E-11	1.36E+09	2.4E+03	1.4E+06	3.6E+00	3.6E+00	1.4E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	9.36E-10	1.36E+09	1.9E+00	3.2E+01	.	1.8E+00	7.6E-02
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	8.56E-10	1.36E+09	2.1E+00	3.5E+01	.	2.0E+00	8.6E+01
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	7.36E-10	1.36E+09	2.4E+00	4.2E+01	.	2.3E+00	6.7E+06
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	1.04E-11	6.41E-12	1.36E+09	3.0E+02	5.3E+04	2.1E+04	3.0E+02	1.1E-05
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	3.00E-06	5.28E-11	1.36E+09	1.1E+05	4.6E+08	2.1E+02	2.1E+02	4.8E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	7.57E-06	1.03E-12	1.36E+09	7.0E+08	5.4E+12	1.0E+04	1.0E+04	1.9E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	9.78E-06	1.73E-11	1.36E+09	1.7E+06	6.7E+09	3.2E+02	3.2E+02	1.5E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-05	0.00E+00	1.36E+09	.	.	4.7E+03	4.7E+03	3.2E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.43E-04	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	7.0E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.54E-05	9.62E-13	1.36E+09	1.6E+09	1.7E+13	2.3E+03	2.3E+03	1.4E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.95E-04	9.26E-13	1.36E+09	9.7E+08	1.2E+13	3.3E+02	3.3E+02	3.5E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	2.94E-05	2.34E-11	1.36E+09	2.8E+06	2.3E+10	2.4E+02	2.4E+02	3.5E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.96E-05	8.92E-13	1.36E+09	5.1E+08	4.2E+12	8.4E+02	8.4E+02	1.8E-11
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	6.15E-07	5.11E-11	1.36E+09	1.9E+03	1.7E+06	1.7E+01	1.7E+01	1.7E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	6.06E-08	1.16E-13	1.36E+09	6.5E+09	1.6E+13	1.4E+06	1.4E+06	1.8E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.27E-05	4.97E-11	1.36E+09	1.6E+04	2.0E+07	7.1E+00	7.0E+00	8.7E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	4.23E-08	2.52E-11	1.36E+09	1.5E+03	7.9E+05	9.9E+01	9.3E+01	2.5E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	3.60E-09	1.67E-11	1.36E+09	6.0E+05	2.3E+09	3.4E+05	2.2E+05	2.3E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	2.41E-08	2.72E-11	1.36E+09	7.9E+01	1.2E+04	9.8E+00	8.7E+00	1.3E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	2.69E-08	4.02E-11	1.36E+09	5.4E+01	1.2E+04	8.8E+00	7.5E+00	1.1E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.05E-06	1.54E-10	1.36E+09	5.7E+02	4.7E+05	9.1E+00	8.9E+00	1.1E-09
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.26E-05	1.45E-12	1.36E+09	2.8E+08	1.7E+12	3.5E+03	3.5E+03	9.2E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.42E-05	2.21E-10	1.36E+09	5.3E+03	1.9E+07	2.9E+00	2.9E+00	2.7E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	4.8E+03	4.8E+03	3.0E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	2.69E-06	3.18E-10	1.36E+09	5.6E+00	1.1E+03	7.2E-02	7.1E-02	5.8E-06
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.37E-04	3.42E-10	1.36E+09	5.2E+00	1.1E+03	8.2E-04	8.2E-04	6.7E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.50E-04	1.10E-11	1.36E+09	1.2E+07	7.0E+10	5.6E+01	5.6E+01	4.8E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.97E-05	0.00E+00	1.36E+09	.	.	6.2E+03	6.2E+03	1.7E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.44E-05	7.07E-12	1.36E+09	3.9E+07	2.8E+11	4.7E+02	4.7E+02	1.9E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.28E-04	0.00E+00	1.36E+09	.	.	6.2E+03	6.2E+03	9.5E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.08E-04	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	1.1E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.12E-04	0.00E+00	1.36E+09	.	.	9.3E+03	9.3E+03	1.1E-11
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.37E-04	0.00E+00	1.36E+09	.	.	5.7E+03	5.7E+03	5.4E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	5.05E-05	1.88E-11	1.36E+09	8.1E+06	6.9E+10	3.3E+02	3.3E+02	1.5E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.62E-04	2.71E-12	1.36E+09	2.7E+08	2.6E+12	4.9E+02	4.9E+02	4.7E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	1.29E-09	4.26E-10	1.36E+09	1.0E+03	2.5E+06	3.8E+04	1.0E+03	1.6E-08
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.33E-04	4.26E-10	1.36E+09	1.0E+03	2.5E+06	3.7E-01	3.7E-01	5.8E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.97E-05	3.25E-11	1.36E+09	2.6E+05	1.4E+09	9.1E+00	9.1E+00	7.9E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.81E-05	3.77E-11	1.36E+09	4.6E+03	1.4E+07	3.3E-01	3.3E-01	1.4E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.20E-05	3.02E-13	1.36E+09	7.9E+08	6.6E+12	1.2E+03	1.2E+03	3.7E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.60E-05	1.65E-12	1.36E+09	5.8E+07	3.9E+11	2.9E+02	2.9E+02	2.3E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	1.96E-07	1.76E-10	1.36E+09	1.3E+03	1.8E+06	1.2E+02	1.1E+02	3.9E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	1.31E-08	1.39E-09	1.36E+09	1.7E+00	1.4E+03	2.2E+01	1.6E+00	1.1E-08
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	5.27E-07	1.59E-09	1.36E+09	1.5E+00	1.4E+03	4.9E-01	3.7E-01	2.7E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	9.03E-05	4.30E-11	1.36E+09	6.5E+05	3.6E+09	3.4E+01	3.4E+01	9.5E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.81E-04	2.84E-11	1.36E+09	3.6E+06	2.3E+10	6.1E+01	6.1E+01	4.8E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.94E-04	0.00E+00	1.36E+09	.	.	8.1E+02	8.1E+02	3.0E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.94E-04	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	4.6E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.26E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	1.3E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	2.10E-04	2.35E-12	1.36E+09	1.9E+08	1.5E+12	2.3E+02	2.3E+02	7.7E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.56E-05	6.21E-12	1.36E+09	1.4E+07	7.9E+10	1.4E+02	1.4E+02	2.5E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.17E-04	3.20E-12	1.36E+09	7.4E+07	4.8E+11	2.2E+02	2.2E+02	1.4E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.36E-04	1.33E-11	1.36E+09	1.9E+06	1.3E+10	2.1E+01	2.1E+01	1.2E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.99E-04	1.72E-11	1.36E+09	1.9E+06	1.4E+10	1.2E+01	1.2E+01	5.6E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	3.28E-06	7.08E-12	1.36E+09	6.7E+05	2.7E+09	1.6E+02	1.6E+02	5.1E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.6E-10
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.17E-04	4.39E-12	1.36E+09	2.6E+07	1.4E+11	1.1E+02	1.1E+02	1.4E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	7.57E-07	3.85E-12	1.36E+09	4.4E+03	2.4E+06	2.4E+00	2.4E+00	2.2E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	1.64E-06	3.63E-12	1.36E+09	9.1E+06	4.4E+10	2.2E+03	2.2E+03	1.0E-09
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.63E-04	9.52E-11	1.36E+09	1.0E+03	6.7E+05	6.6E-02	6.6E-02	1.1E-11
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.10E-05	4.42E-13	1.36E+09	2.3E+09	7.2E+12	5.3E+03	5.3E+03	8.2E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.55E-05	9.55E-11	1.36E+09	2.3E+04	6.1E+07	9.5E+00	9.5E+00	6.8E-11
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.85E-04	4.23E-11	1.36E+09	7.3E+05	4.6E+09	1.8E+01	1.8E+01	9.4E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.33E-05	2.72E-12	1.36E+09	1.2E+08	6.7E+11	2.7E+03	2.7E+03	1.3E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.66E-04	1.25E-12	1.36E+09	1.2E+09	1.4E+13	1.0E+03	1.0E+03	1.1E-11
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	9.5E+03	9.5E+03	2.8E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.79E-04	6.39E-12	1.36E+09	2.6E+07	2.1E+11	6.5E+01	6.5E+01	5.0E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.54E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	5.5E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	3.04E-04	5.43E-12	1.36E+09	5.0E+07	4.4E+11	9.7E+01	9.7E+01	4.6E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.85E-04	0.00E+00	1.36E+09	.	.	2.1E+03	2.1E+03	3.6E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.70E-04	1.04E-11	1.36E+09	6.3E+06	1.1E+09	4.2E+01	4.2E+01	8.3E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.67E-04	0.00E+00	1.36E+09	.	.	2.6E+03	2.6E+03	8.4E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.25E-04	1.19E-11	1.36E+09	6.5E+06	6.2E+10	2.6E+01	2.6E+01	4.4E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.99E-04	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	4.7E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.12E-04	2.07E-11	1.36E+09	7.4E+05	4.5E+09	1.5E+01	1.5E+01	1.3E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	7.92E-06	0.00E+00	1.36E+09	.	.	5.4E+05	5.4E+05	1.8E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.90E-04	4.31E-11	1.36E+09	3.6E+05	2.9E+09	8.9E+00	8.9E+00	7.6E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-05	0.00E+00	1.36E+09	.	.	5.1E+03	5.1E+03	1.7E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.22E-05	1.75E-11	1.36E+09	2.7E+05	1.3E+09	1.6E+01	1.6E+01	4.5E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	3.10E-04	3.40E-11	1.36E+09	3.7E+05	2.8E+09	4.4E+00	4.4E+00	4.7E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.16E-05	1.67E-11	1.36E+09	1.3E+05	4.2E+08	2.0E+01	2.0E+01	1.3E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.41E-04	6.42E-11	1.36E+09	3.3E+04	1.2E+08	9.6E-01	9.6E-01	6.1E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	8.58E-07	9.53E-12	1.36E+09	1.2E+06	3.4E+09	1.4E+03	1.4E+03	1.7E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	1.13E-07	5.26E-12	1.36E+09	9.7E+06	3.0E+10	4.9E+04	4.9E+04	1.3E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	8.11E-08	2.45E-12	1.36E+09	8.2E+02	1.4E+05	2.7E+00	2.7E+00	8.4E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.72E-05	6.33E-11	1.36E+09	2.9E+01	2.7E+03	2.1E-03	2.1E-03	1.7E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.42E-04	1.05E-10	1.36E+09	1.5E+03	1.3E+06	1.2E-01	1.2E-01	1.1E-11
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	9.47E-07	5.41E-11	1.36E+09	3.0E+04	7.1E+07	1.9E+02	1.9E+02	1.6E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.33E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	1.1E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	9.03E-05	8.05E-13	1.36E+09	1.0E+09	7.5E+12	1.0E+03	1.0E+03	1.7E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	3.10E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	5.0E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.11E-04	0.00E+00	1.36E+09	.	.	7.5E+03	7.5E+03	1.4E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.72E-05	6.48E-13	1.36E+09	1.8E+09	1.5E+13	3.4E+03	3.4E+03	2.6E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.26E-05	0.00E+00	1.36E+09	.	.	1.6E+06	1.6E+06	7.7E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.28E-04	0.00E+00	1.36E+09	.	.	1.2E+03	1.2E+03	2.9E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	3.02E-04	2.95E-12	1.36E+09	3.0E+08	4.0E+12	3.2E+02	3.2E+02	3.2E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.81E-05	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	1.0E-11
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.31E-04	0.00E+00	1.36E+09	.	.	1.7E+03	1.7E+03	2.6E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.73E-04	0.00E+00	1.36E+09	.	.	3.1E+03	3.1E+03	5.0E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.86E-04	0.00E+00	1.36E+09	.	.	8.6E+02	8.6E+02	1.8E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	2.10E-04	3.59E-12	1.36E+09	2.7E+07	2.6E+11	5.1E+01	5.1E+01	4.2E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.30E-04	1.53E-12	1.36E+09	2.4E+08	2.2E+12	3.1E+02	3.1E+02	6.8E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.31E-04	1.06E-11	1.36E+09	5.2E+06	4.8E+10	1.8E+01	1.8E+01	2.7E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.48E-04	4.24E-12	1.36E+09	7.3E+07	7.5E+11	1.4E+02	1.4E+02	3.6E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.81E-05	9.48E-12	1.36E+09	1.4E+06	1.2E+10	1.5E+01	1.5E+01	9.1E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	8.08E-05	3.00E-11	1.36E+09	6.1E+03	1.0E+07	2.5E-01	2.5E-01	1.1E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	3.14E-04	5.81E-11	1.36E+09	4.5E+04	3.1E+08	9.2E-01	9.2E-01	2.9E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	5.33E-06	6.08E-13	1.36E+09	5.2E+08	3.7E+12	6.5E+03	6.5E+03	1.7E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	7.73E-09	3.64E-12	1.36E+09	4.9E+02	9.3E+04	2.5E+01	2.4E+01	1.7E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	2.79E-08	3.08E-11	1.36E+09	4.1E+03	2.2E+06	4.9E+02	4.4E+02	2.9E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.74E-04	9.98E-11	1.36E+09	1.8E+01	3.8E+03	1.1E-03	1.1E-03	1.3E-06
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	2.24E-09	3.58E-11	1.36E+09	5.0E+01	1.2E+04	8.7E+01	3.2E+01	1.8E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.07E-05	1.18E-12	1.36E+09	3.8E+07	1.9E+11	4.6E+02	4.6E+02	8.8E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	3.6E+03	3.6E+03	3.7E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.63E-04	2.53E-12	1.36E+09	4.2E+08	3.1E+12	7.2E+02	7.2E+02	6.6E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.86E-04	0.00E+00	1.36E+09	.	.	1.1E+03	1.1E+03	3.8E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.38E-04	0.00E+00	1.36E+09	.	.	7.8E+02	7.8E+02	3.2E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	7.98E-06	1.08E-11	1.36E+09	1.0E+07	6.8E+10	1.5E+03	1.5E+03	1.4E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	2.00E-04	2.49E-12	1.36E+09	1.0E+08	8.8E+11	1.4E+02	1.4E+02	5.5E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	7.35E-08	2.09E-10	1.36E+09	9.0E+03	3.7E+07	2.8E+03	2.1E+03	1.2E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.53E-05	2.09E-10	1.36E+09	9.0E+03	3.7E+07	2.2E+00	2.2E+00	1.2E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	9.31E-05	9.84E-12	1.36E+09	1.7E+06	1.3E+10	2.0E+01	2.0E+01	1.2E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.91E-04	3.94E-11	1.36E+09	6.1E+04	3.0E+08	1.4E+00	1.4E+00	5.9E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.66E-05	2.56E-11	1.36E+09	2.3E+04	7.5E+07	9.6E-01	9.6E-01	1.7E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.12E-05	1.23E-10	1.36E+09	5.9E+02	8.9E+05	3.8E-01	3.8E-01	5.4E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	1.27E-10	3.05E-11	1.36E+09	5.8E+01	1.5E+05	1.5E+03	5.6E+01	1.2E+07
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.21E-05	6.63E-11	1.36E+09	1.4E+03	1.3E+06	8.5E-01	8.5E-01	9.6E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	1.87E-07	4.60E-11	1.36E+09	4.3E+03	3.4E+06	1.1E+02	1.1E+02	6.2E-09
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.68E-07	1.15E-11	1.36E+09	2.5E+06	1.1E+10	5.6E+03	5.6E+03	2.1E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	7.23E-08	1.29E-10	1.36E+09	8.0E+02	7.5E+05	1.6E+02	1.3E+02	1.4E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.94E-06	2.67E-12	1.36E+09	8.7E+07	5.1E+11	3.7E+03	3.7E+03	1.8E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.76E-06	1.94E-10	1.36E+09	1.7E+03	2.8E+06	9.8E+00	9.7E+00	3.2E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.80E-05	3.54E-12	1.36E+09	1.8E+08	6.6E+11	1.5E+03	1.5E+03	2.6E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.82E-04	1.06E-10	1.36E+09	8.5E+04	2.4E+08	5.4E+00	5.4E+00	6.8E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.11E-05	2.21E-10	1.36E+09	1.6E+04	4.2E+07	1.8E+01	1.8E+01	5.9E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.54E-04	2.94E-12	1.36E+09	4.4E+08	1.5E+12	9.2E+02	9.2E+02	8.2E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.37E-04	1.15E-11	1.36E+09	2.5E+07	8.7E+10	1.4E+02	1.4E+02	5.3E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	1.01E-04	4.69E-12	1.36E+09	8.3E+07	3.3E+11	4.2E+02	4.2E+02	1.3E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	4.99E-06	0.00E+00	1.36E+09	.	.	3.6E+07	3.6E+07	4.2E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.17E-06	0.00E+00	1.36E+09	.	.	4.7E+07	4.7E+07	9.8E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	6.37E-07	1.28E-11	1.36E+09	4.1E+07	8.7E+08	9.1E+04	9.1E+04	3.3E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.20E-05	5.57E-10	1.36E+09	1.1E+03	4.3E+03	5.5E+00	5.4E+00	1.8E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	1.52E-07	1.73E-09	1.36E+09	9.3E+00	3.1E+01	1.2E+01	4.4E+00	5.4E-09
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	6.06E-06	5.32E-09	1.36E+09	3.3E-01	2.6E+00	3.2E-02	2.9E-02	1.4E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	6.22E-06	7.33E-09	1.36E+09	2.4E-01	2.2E+00	3.1E-02	2.7E-02	1.3E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	2.28E-08	2.09E-09	1.36E+09	8.5E-01	1.3E+01	8.5E+00	7.3E-01	3.5E-05
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	6.72E-07	2.45E-11	1.36E+09	4.3E+05	1.8E+09	1.7E+03	1.7E+03	3.2E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	9.69E-09	2.29E-09	1.36E+09	7.8E-01	1.0E+01	2.0E+01	7.0E-01	6.4E+00
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.09E-04	2.04E-08	1.36E+09	8.7E-02	5.1E+00	1.8E-03	1.7E-03	1.6E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.88E-06	7.85E-13	1.36E+09	9.2E+08	4.9E+12	2.0E+04	2.0E+04	5.7E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	4.80E-07	2.57E-10	1.36E+09	1.8E+03	3.8E+06	1.1E+02	1.0E+02	4.4E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	2.93E-06	2.57E-10	1.36E+09	1.8E+03	3.8E+06	1.7E+01	1.7E+01	7.5E-10
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.69E-06	0.00E+00	1.36E+09	.	.	3.7E+04	3.7E+04	3.3E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.57E-06	3.50E-12	1.36E+09	1.2E+08	8.3E+11	1.3E+04	1.3E+04	6.2E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	6.69E-06	3.63E-10	1.36E+09	5.6E+00	1.5E+03	3.4E-02	3.3E-02	2.5E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.75E-04	3.83E-10	1.36E+09	5.3E+00	1.5E+03	8.1E-04	8.1E-04	6.0E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	1.03E-04	8.44E-12	1.36E+09	1.0E+07	7.1E+10	9.4E+01	9.4E+01	4.1E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	7.3E+03	7.3E+03	1.1E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.02E-05	0.00E+00	1.36E+09	.	.	1.0E+05	1.0E+05	4.8E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.54E-04	0.00E+00	1.36E+09	.	.	4.4E+03	4.4E+03	1.2E-11
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.95E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	6.1E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.06E-04	1.71E-12	1.36E+09	2.9E+08	3.3E+12	5.1E+02	5.1E+02	1.7E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.99E-04	1.71E-12	1.36E+09	2.9E+08	2.5E+12	1.8E+02	1.8E+02	6.1E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.57E-04	1.25E-12	1.36E+09	1.9E+08	1.2E+12	1.6E+02	1.6E+02	1.2E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.41E-04	2.50E-12	1.36E+09	5.9E+07	5.4E+11	6.7E+01	6.7E+01	7.7E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.11E-05	1.25E-12	1.36E+09	7.6E+07	2.3E+11	2.0E+02	2.0E+02	3.6E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.62E-04	4.35E-12	1.36E+09	1.2E+07	1.0E+11	2.1E+01	2.1E+01	7.1E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.39E-04	2.75E-12	1.36E+09	5.2E+07	2.7E+11	1.1E+02	1.1E+02	1.3E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.34E-05	1.49E-12	1.36E+09	2.4E+07	7.2E+10	1.7E+02	1.7E+02	8.0E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.60E-04	1.24E-11	1.36E+09	8.3E+05	6.3E+09	7.1E+00	7.1E+00	1.2E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	5.08E-06	6.16E-12	1.36E+09	6.0E+05	1.3E+09	8.0E+01	8.0E+01	3.7E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	4.95E-05	2.84E-11	1.36E+09	3.2E+04	1.7E+08	2.0E+00	2.0E+00	3.8E-11

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	8.08E-08	8.52E-11	1.36E+09	9.7E+01	3.4E+04	1.1E+01	1.0E+01	2.2E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	1.65E-07	0.00E+00	1.36E+09	.	.	2.6E+06	2.6E+06	1.2E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.88E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	6.7E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.29E-07	0.00E+00	1.36E+09	.	.	8.7E+05	8.7E+05	4.6E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.73E-04	0.00E+00	1.36E+09	.	.	1.2E+03	1.2E+03	4.1E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.79E-04	0.00E+00	1.36E+09	.	.	2.9E+03	2.9E+03	7.1E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.63E-04	0.00E+00	1.36E+09	.	.	3.8E+03	3.8E+03	5.5E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.57E-04	1.82E-12	1.36E+09	2.9E+08	2.3E+12	3.7E+02	3.7E+02	9.7E-12
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.52E-04	1.53E-12	1.36E+09	4.9E+08	5.2E+12	3.2E+02	3.2E+02	6.1E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.63E-04	2.72E-12	1.36E+09	5.5E+07	4.2E+11	1.0E+02	1.0E+02	9.4E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	9.47E-05	0.00E+00	1.36E+09	.	.	9.4E+03	9.4E+03	1.6E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	5.96E-05	2.12E-11	1.36E+09	4.2E+05	2.6E+09	1.6E+01	1.6E+01	2.6E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.57E-04	1.56E-11	1.36E+09	2.2E+06	1.6E+10	1.5E+01	1.5E+01	6.1E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.09E-05	4.05E-11	1.36E+09	3.0E+04	6.0E+07	1.2E+01	1.2E+01	1.4E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.45E-04	5.94E-11	1.36E+09	2.0E+03	1.6E+06	9.1E-02	9.1E-02	1.1E-11
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	2.16E-07	9.65E-11	1.36E+09	9.1E+02	6.7E+05	4.4E+01	4.2E+01	7.1E-09
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	1.80E-08	7.68E-12	1.36E+09	2.1E+03	9.3E+05	9.8E+01	9.3E+01	8.6E-08
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	6.31E-05	1.21E-10	1.36E+09	3.5E+04	1.8E+08	7.4E+00	7.4E+00	2.6E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.39E-05	1.96E-11	1.36E+09	1.7E+06	1.0E+10	8.2E+01	8.2E+01	3.7E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.11E-04	0.00E+00	1.36E+09	.	.	1.6E+03	1.6E+03	7.8E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.33E-04	9.96E-13	1.36E+09	1.1E+09	7.9E+12	8.7E+02	8.7E+02	1.2E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.56E-04	0.00E+00	1.36E+09	.	.	3.7E+03	3.7E+03	6.5E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.05E-05	0.00E+00	1.36E+09	.	.	1.5E+05	1.5E+05	2.0E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.09E-07	0.00E+00	1.36E+09	.	.	6.3E+05	6.3E+05	7.0E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	8.30E-08	2.80E-09	1.36E+09	1.9E+02	2.5E+03	7.1E+02	1.4E+02	5.3E-09
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	4.48E-06	2.42E-11	1.36E+09	1.1E+05	3.2E+08	6.5E+01	6.5E+01	4.9E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	1.47E-08	6.57E-09	1.36E+09	3.1E-01	5.5E+00	1.5E+01	2.8E-01	1.3E-08
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	1.92E-08	1.41E-09	1.36E+09	1.3E+00	1.6E+01	1.0E+01	1.0E+00	1.1E-04
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	6.85E-09	1.38E-09	1.36E+09	1.3E+00	1.6E+01	2.8E+01	1.1E+00	1.8E-04
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.49E-05	1.33E-09	1.36E+09	1.3E+00	1.8E+01	1.3E-02	1.3E-02	6.0E-03
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.56E-05	1.35E-09	1.36E+09	1.3E+00	1.8E+01	1.3E-02	1.2E-02	5.7E-03
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	1.53E-16	1.36E+09	4.1E+12	8.4E+16	.	4.1E+12	1.3E-01
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	3.35E-09	1.30E-09	1.36E+09	1.4E+00	1.7E+01	5.8E+01	1.2E+00	1.9E-02
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.01E-05	5.66E-11	1.36E+09	2.9E+04	5.7E+07	1.8E+01	1.8E+01	2.2E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	3.35E-09	1.26E-09	1.36E+09	1.4E+00	1.9E+01	5.8E+01	1.3E+00	3.8E+00
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.22E-06	1.52E-09	1.36E+09	1.2E+00	1.9E+01	6.0E-02	5.7E-02	1.7E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	3.22E-06	1.19E-12	1.36E+09	5.8E+08	2.8E+12	2.3E+04	2.3E+04	7.0E-10
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	3.12E-07	7.85E-11	1.36E+09	2.4E+05	1.6E+09	6.7E+03	6.5E+03	7.1E-09
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.10E-06	1.83E-12	1.36E+09	5.3E+08	4.7E+12	2.6E+04	2.6E+04	5.6E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.18E-04	2.40E-12	1.36E+09	2.1E+08	2.0E+12	4.6E+02	4.6E+02	3.8E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.79E-04	1.12E-10	1.36E+09	6.3E+03	1.7E+07	2.0E-01	2.0E-01	1.2E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	1.34E-12	1.36E+09	2.5E+04	3.1E+07	.	2.5E+04	3.2E-06
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.95E-04	1.23E-10	1.36E+09	1.5E+01	4.9E+03	1.0E-03	1.0E-03	2.2E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.98E-04	0.00E+00	1.36E+09	.	.	2.4E+03	2.4E+03	2.5E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	8.1E+03	8.1E+03	3.7E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-04	2.95E-12	1.36E+09	4.2E+07	2.6E+11	1.3E+02	1.3E+02	1.7E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	4.86E-07	1.65E-11	1.36E+09	3.2E+04	4.2E+07	1.2E+02	1.2E+02	3.4E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.10E-05	1.65E-11	1.36E+09	3.2E+04	4.2E+07	5.2E+00	5.2E+00	1.5E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	1.59E-06	1.42E-13	1.36E+09	3.1E+09	3.7E+13	3.0E+04	3.0E+04	1.1E-09
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	3.28E-06	0.00E+00	1.36E+09	.	.	8.4E+04	8.4E+04	5.2E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	1.29E-06	5.59E-12	1.36E+09	1.7E+04	2.1E+07	7.8E+00	7.8E+00	1.3E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	7.61E-09	3.28E-11	1.36E+09	4.6E+03	2.8E+06	2.2E+03	1.5E+03	1.6E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	1.63E-06	0.00E+00	1.36E+09	.	.	6.8E+05	6.8E+05	1.1E-09
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.18E-05	4.07E-11	1.36E+09	2.8E+05	1.5E+09	2.4E+01	2.4E+01	3.4E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	1.90E-07	1.56E-10	1.36E+09	1.0E+03	7.3E+05	9.3E+01	8.5E+01	8.6E-09
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	9.75E-06	3.18E-12	1.36E+09	1.7E+08	9.5E+11	6.1E+03	6.1E+03	1.8E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.23E-05	0.00E+00	1.36E+09	.	.	1.0E+03	1.0E+03	2.7E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.89E-04	0.00E+00	1.36E+09	.	.	2.3E+02	2.3E+02	6.0E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	4.95E-06	0.00E+00	1.36E+09	.	.	3.0E+02	3.0E+02	2.3E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.45E-05	0.00E+00	1.36E+09	.	.	1.9E+02	1.9E+02	1.6E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.53E-05	0.00E+00	1.36E+09	.	.	6.9E+01	6.9E+01	4.7E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.57E-05	0.00E+00	1.36E+09	.	.	1.3E+00	1.3E+00	4.7E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.30E-05	0.00E+00	1.36E+09	.	.	1.2E+05	1.2E+05	9.2E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.15E-06	0.00E+00	1.36E+09	.	.	1.2E+02	1.2E+02	1.1E-09
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	3.91E-07	0.00E+00	1.36E+09	.	.	2.7E+02	2.7E+02	3.2E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	1.82E-06	0.00E+00	1.36E+09	.	.	1.3E+02	1.3E+02	6.9E-10

Radionuclides		Slope Factors and Isotope-specific Information						Carcinogenic Target Risk (TR) = 1E-06				
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	External Exposure Slope Factor (risk/yr per Bq/g)	Adult Soil Ingestion Slope Factor (risk/Bq)	Particulate Emission or Volatilization factor (m^3/kg)	Ingestion PRG (Bq/g)	Inhalation PRG (Bq/g)	External Exposure PRG (Bq/g)	Total PRG (Bq/g)	Total PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.65E-06	0.00E+00	1.36E+09	.	.	5.1E+05	5.1E+05	1.3E-09
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.50E-06	0.00E+00	1.36E+09	.	.	2.2E+02	2.2E+02	5.0E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.62E-05	0.00E+00	1.36E+09	.	.	1.2E+02	1.2E+02	4.9E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.99E-05	0.00E+00	1.36E+09	.	.	2.3E+03	2.3E+03	2.6E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.49E-05	0.00E+00	1.36E+09	.	.	1.9E+04	1.9E+04	5.2E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.51E-04	0.00E+00	1.36E+09	.	.	8.3E+02	8.3E+02	8.6E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.35E-04	0.00E+00	1.36E+09	.	.	1.1E+04	1.1E+04	5.7E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.63E-04	0.00E+00	1.36E+09	.	.	1.5E+03	1.5E+03	4.8E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.69E-05	0.00E+00	1.36E+09	.	.	6.4E+03	6.4E+03	8.1E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	5.05E-04	5.65E-12	1.36E+09	7.3E+07	8.2E+11	8.9E+01	8.9E+01	1.6E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.28E-04	9.95E-12	1.36E+09	1.0E+07	7.9E+10	8.6E+01	8.6E+01	6.3E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.68E-04	2.24E-11	1.36E+09	2.5E+06	2.0E+10	3.6E+01	3.6E+01	4.8E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.67E-04	5.40E-11	1.36E+09	3.4E+05	3.0E+09	4.3E+00	4.3E+00	1.7E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.25E-05	3.15E-12	1.36E+09	1.1E+08	9.3E+11	1.6E+03	1.6E+03	3.6E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	5.11E-05	3.26E-11	1.36E+09	1.0E+05	5.7E+08	7.2E+00	7.2E+00	1.6E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.44E-05	1.36E-11	1.36E+09	1.5E+06	9.0E+09	6.4E+01	6.4E+01	2.4E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.69E-04	6.49E-11	1.36E+09	1.6E+03	1.3E+06	3.1E-02	3.1E-02	2.3E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.15E-04	0.00E+00	1.36E+09	.	.	5.9E+04	5.9E+04	7.3E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	5.14E-07	1.97E-10	1.36E+09	2.1E+04	1.3E+08	9.0E+02	8.6E+02	1.6E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-05	1.20E-11	1.36E+09	7.0E+06	4.4E+10	1.3E+02	1.3E+02	1.2E-11
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.15E-07	1.75E-10	1.36E+09	1.1E+03	1.4E+06	3.4E+01	3.3E+01	1.4E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.31E-05	5.83E-13	1.36E+09	5.6E+08	2.7E+12	5.6E+02	5.6E+02	1.4E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.41E-05	2.97E-11	1.36E+09	2.6E+06	2.1E+10	2.4E+02	2.4E+02	2.5E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.34E-05	8.07E-11	1.36E+09	3.3E+05	2.5E+09	2.2E+02	2.2E+02	6.6E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	1.03E-04	2.93E-12	1.36E+09	3.0E+08	3.9E+12	9.2E+02	9.2E+02	8.6E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.60E-04	1.46E-12	1.36E+09	1.1E+09	1.4E+13	1.1E+03	1.1E+03	5.6E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.18E-05	1.29E-12	1.36E+09	6.7E+08	5.6E+12	4.3E+03	4.3E+03	7.0E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.74E-05	6.69E-13	1.36E+09	2.2E+09	2.2E+13	1.8E+03	1.8E+03	1.8E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	2.44E-06	4.18E-12	1.36E+09	5.1E+07	4.2E+11	9.6E+03	9.6E+03	6.3E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.25E-05	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	4.8E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	2.57E-06	5.54E-11	1.36E+09	8.6E+04	4.2E+08	2.0E+02	2.0E+02	6.1E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	1.69E-05	2.91E-13	1.36E+09	3.2E+09	1.3E+13	6.0E+03	6.0E+03	9.4E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.17E-05	5.45E-11	1.36E+09	6.4E+03	7.1E+06	1.8E+00	1.8E+00	7.3E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.10E-06	3.18E-11	1.36E+09	8.4E+04	2.3E+08	7.2E+01	7.2E+01	4.0E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.32E-05	4.67E-12	1.36E+09	3.0E+07	1.5E+11	6.7E+02	6.7E+02	7.2E-11
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.23E-06	5.09E-12	1.36E+09	4.3E+07	2.3E+11	5.7E+03	5.7E+03	4.0E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.16E-04	0.00E+00	1.36E+09	.	.	1.9E+03	1.9E+03	1.5E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.81E-04	0.00E+00	1.36E+09	.	.	4.1E+03	4.1E+03	3.1E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.93E-04	0.00E+00	1.36E+09	.	.	6.2E+03	6.2E+03	3.0E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	5.11E-05	6.03E-11	1.36E+09	4.9E+05	2.5E+09	6.3E+01	6.3E+01	1.1E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.31E-04	3.08E-12	1.36E+09	1.4E+08	1.3E+12	3.5E+02	3.5E+02	4.5E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	7.57E-05	2.41E-10	1.36E+09	1.9E+02	1.5E+06	6.7E-02	6.7E-02	8.1E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	4.54E-08	1.21E-12	1.36E+09	2.4E+08	1.1E+12	6.9E+05	6.9E+05	1.4E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.77E-05	2.25E-11	1.36E+09	8.7E+05	3.5E+09	4.5E+01	4.5E+01	1.4E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.91E-05	0.00E+00	1.36E+09	.	.	1.8E+04	1.8E+04	1.7E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.86E-04	1.34E-11	1.36E+09	5.1E+06	2.9E+10	4.0E+01	4.0E+01	3.6E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.26E-05	9.11E-11	1.36E+09	6.4E+04	2.4E+08	5.0E+01	5.0E+01	5.4E-11
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.77E-04	0.00E+00	1.36E+09	.	.	1.3E+03	1.3E+03	4.5E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	2.89E-05	4.97E-11	1.36E+09	3.3E+05	2.5E+09	6.2E+01	6.2E+01	2.8E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.11E-04	9.28E-12	1.36E+09	1.7E+07	1.3E+11	1.6E+02	1.6E+02	7.4E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.32E-05	2.49E-11	1.36E+09	5.4E+03	2.5E+06	3.4E-01	3.4E-01	1.9E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.45E-04	4.64E-11	1.36E+09	7.4E+04	4.2E+08	2.6E+00	2.6E+00	5.8E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.76E-05	0.00E+00	1.36E+09	.	.	5.5E+03	5.5E+03	1.1E-11
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	0.00E+00	2.56E-11	1.36E+09	6.9E+01	3.1E+04	.	6.9E+01	2.8E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	9.09E-05	5.90E-11	1.36E+09	3.0E+03	2.1E+06	2.1E-01	2.1E-01	9.9E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.10E-04	1.42E-10	1.36E+09	1.1E+05	7.9E+08	.	1.1E+05	5.9E-08

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	0.00E+00	2.22E-09	.	3.8E+08	3.8E+08	.	8.8E+01	8.8E+01
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.0E-08 (S)	2.30E-08	4.7E+01	4.6E+05	4.7E+01	8.5E-04	8.5E+00	8.5E-04
Actinium (89)	Ac-225	2.53E+01	2.74E-02	7.7E-07 (S)	1.39E-09	7.3E-03	8.8E+04	7.3E-03	1.2E-05	1.4E+02	1.2E-05
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	7.7E-07 (S)	4.54E-09	7.3E-03	2.7E+04	7.3E-03	1.2E-05	4.3E+01	1.2E-05
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.2E-07 (S)	1.38E-08	3.9E-01	7.3E+04	3.9E-01	7.5E-05	1.4E+01	7.5E-05
Actinium (89)	Ac-227	3.18E-02	2.18E+01	4.0E-06 (S)	8.52E-12	3.2E-06	3.3E+04	3.2E-06	2.2E-06	2.3E+04	2.2E-06
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.3E-09 (S)	1.02E-07	1.6E+02	4.7E+04	1.6E+02	6.7E-03	1.9E+00	6.7E-03
Actinium (89)	Ac-230	1.79E+05	3.87E-06	0.00E+00	6.69E-08	.	1.3E+07	1.3E+07	.	2.9E+00	2.9E+00
Actinium (89)	Ac-231	4.86E+04	1.43E-05	0.00E+00	4.51E-08	.	5.2E+06	5.2E+06	.	4.3E+00	4.3E+00
Actinium (89)	Ac-232	1.84E+05	3.77E-06	0.00E+00	1.43E-07	.	6.2E+06	6.2E+06	.	1.4E+00	1.4E+00
Actinium (89)	Ac-233	1.51E+05	4.60E-06	0.00E+00	5.68E-08	.	1.3E+07	1.3E+07	.	3.4E+00	3.4E+00
Silver (47)	Ag-100m	1.63E+05	4.26E-06	0.00E+00	3.35E-07	.	2.4E+06	2.4E+06	.	5.8E-01	5.8E-01
Silver (47)	Ag-101	3.28E+04	2.11E-05	6.4E-13 (S)	1.81E-07	1.1E+07	8.8E+05	8.2E+05	1.4E+01	1.1E+00	1.0E+00
Silver (47)	Ag-102	2.82E+04	2.45E-05	7.4E-13 (S)	4.07E-07	8.5E+06	3.4E+05	3.2E+05	1.2E+01	4.8E-01	4.6E-01
Silver (47)	Ag-102m	4.73E+04	1.46E-05	0.00E+00	2.48E-07	.	9.3E+05	9.3E+05	.	7.8E-01	7.8E-01
Silver (47)	Ag-103	5.54E+03	1.25E-04	1.6E-12 (S)	9.56E-08	7.8E+05	2.8E+05	2.1E+05	5.6E+00	2.0E+00	1.5E+00
Silver (47)	Ag-104	5.26E+03	1.32E-04	1.8E-12 (S)	3.16E-07	6.6E+05	8.1E+04	7.2E+04	5.0E+00	6.2E-01	5.5E-01
Silver (47)	Ag-104m	1.09E+04	6.37E-05	1.6E-12 (S)	2.14E-07	1.5E+06	2.5E+05	2.1E+05	5.6E+00	9.1E-01	7.8E-01
Silver (47)	Ag-105	6.13E+00	1.13E-01	8.5E-11 (S)	5.59E-08	1.6E+01	5.3E+02	1.6E+01	1.0E-01	3.5E+00	1.0E-01
Silver (47)	Ag-105m	5.04E+04	1.38E-05	0.00E+00	1.11E-10	.	2.2E+09	2.2E+09	.	1.7E+03	1.7E+03
Silver (47)	Ag-106	1.52E+04	4.56E-05	7.6E-13 (S)	7.86E-08	4.5E+06	9.4E+05	7.8E+05	1.2E+01	2.5E+00	2.0E+00
Silver (47)	Ag-106m	3.05E+01	2.27E-02	9.5E-11 (S)	3.28E-07	7.1E+01	4.5E+02	6.1E+01	9.3E-02	5.9E-01	8.1E-02
Silver (47)	Ag-108	1.54E+05	4.51E-06	0.00E+00	2.37E-09	.	3.2E+08	3.2E+08	.	8.2E+01	8.2E+01
Silver (47)	Ag-108m	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	3.2E-03	1.1E+00	3.2E-03	3.1E-03	1.1E+00	3.1E-03
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	2.8E-09 (S)	1.83E-07	3.2E-03	1.1E+00	3.2E-03	3.1E-03	1.1E+00	3.1E-03
Silver (47)	Ag-109m	5.52E+05	1.26E-06	0.00E+00	3.63E-10	.	7.4E+09	7.4E+09	.	5.4E+02	5.4E+02
Silver (47)	Ag-110	8.88E+05	7.80E-07	0.00E+00	4.45E-09	.	9.7E+08	9.7E+08	.	4.4E+01	4.4E+01
Silver (47)	Ag-110m	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.8E-01	1.5E+01	1.8E-01	7.2E-03	6.0E-01	7.1E-03
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	1.2E-09 (S)	3.25E-07	1.8E-01	1.5E+01	1.8E-01	7.2E-03	6.0E-01	7.1E-03
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.0E-10 (S)	3.05E-09	3.8E+01	5.4E+04	3.8E+01	4.4E-02	6.4E+01	4.4E-02
Silver (47)	Ag-111m	3.37E+05	2.05E-06	0.00E+00	4.10E-10	.	4.0E+09	4.0E+09	.	4.7E+02	4.7E+02
Silver (47)	Ag-112	1.94E+03	3.57E-04	2.1E-11 (S)	8.46E-08	2.1E+04	1.1E+05	1.7E+04	4.3E-01	2.3E+00	3.6E-01
Silver (47)	Ag-113	1.13E+03	6.13E-04	2.4E-11 (S)	8.55E-09	1.0E+04	6.4E+05	1.0E+04	3.7E-01	2.3E+01	3.6E-01
Silver (47)	Ag-113m	3.18E+05	2.18E-06	0.00E+00	2.38E-08	.	6.5E+07	6.5E+07	.	8.2E+00	8.2E+00
Silver (47)	Ag-114	4.75E+06	1.46E-07	0.00E+00	3.38E-08	.	6.8E+08	6.8E+08	.	5.8E+00	5.8E+00
Silver (47)	Ag-115	1.82E+04	3.81E-05	2.0E-12 (S)	5.96E-08	2.0E+06	1.5E+06	8.6E+05	4.5E+00	3.3E+00	1.9E+00
Silver (47)	Ag-116	1.36E+05	5.10E-06	0.00E+00	2.70E-07	.	2.4E+06	2.4E+06	.	7.2E-01	7.2E-01
Silver (47)	Ag-117	2.97E+05	2.33E-06	0.00E+00	1.65E-07	.	8.8E+06	8.8E+06	.	1.2E+00	1.2E+00
Silver (47)	Ag-99	1.76E+05	3.93E-06	0.00E+00	2.73E-07	.	3.1E+06	3.1E+06	.	7.1E-01	7.1E-01
Aluminum (13)	Al-26	9.67E-07	7.17E+05	7.9E-09 (S)	3.28E-07	1.1E-03	5.9E-01	1.1E-03	1.1E-03	5.9E-01	1.1E-03
Aluminum (13)	Al-28	1.63E+05	4.26E-06	0.00E+00	2.26E-07	.	3.5E+06	3.5E+06	.	8.6E-01	8.6E-01
Aluminum (13)	Al-29	5.55E+04	1.25E-05	0.00E+00	1.70E-07	.	1.6E+06	1.6E+06	.	1.1E+00	1.1E+00
Americium (95)	Am-237	4.99E+03	1.39E-04	1.7E-12 (S)	3.88E-08	6.4E+05	6.3E+05	3.2E+05	5.2E+00	5.0E+00	2.5E+00
Americium (95)	Am-238	3.72E+03	1.86E-04	3.1E-12 (S)	1.04E-07	2.7E+05	1.7E+05	1.1E+05	2.9E+00	1.9E+00	1.1E+00
Americium (95)	Am-239	5.10E+02	1.36E-03	2.5E-11 (S)	2.30E-08	4.5E+03	1.1E+05	4.3E+03	3.5E-01	8.5E+00	3.4E-01
Americium (95)	Am-240	1.20E+02	5.80E-03	4.2E-11 (S)	1.19E-07	6.4E+02	4.9E+03	5.7E+02	2.1E-01	1.6E+00	1.9E-01
Americium (95)	Am-241	1.60E-03	4.32E+02	1.0E-06 (F)	1.57E-09	8.9E-06	1.3E+02	8.9E-06	8.7E-06	1.2E+02	8.7E-06
Americium (95)	Am-242	3.79E+02	1.83E-03	1.8E-09 (S)	1.33E-09	4.7E+01	1.4E+06	4.7E+01	4.9E-03	1.5E+02	4.9E-03
Americium (95)	Am-242m	4.91E-03	1.41E+02	9.3E-07 (F)	4.35E-11	1.0E-05	4.8E+03	1.0E-05	9.6E-06	4.5E+03	9.6E-06
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	9.3E-07 (F)	1.68E-09	1.0E-05	1.2E+02	1.0E-05	9.6E-06	1.2E+02	9.6E-06
Americium (95)	Am-243	9.40E-05	7.37E+03	1.0E-06 (F)	4.61E-09	8.9E-06	4.2E+01	8.9E-06	8.9E-06	4.2E+01	8.9E-06
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.0E-06 (F)	2.27E-08	8.9E-06	8.6E+00	8.9E-06	8.9E-06	8.6E+00	8.9E-06
Americium (95)	Am-244	6.01E+02	1.15E-03	1.0E-10 (S)	9.09E-08	1.3E+03	3.2E+04	1.2E+03	8.6E-02	2.1E+00	8.3E-02
Americium (95)	Am-244m	1.40E+04	4.95E-05	3.6E-12 (S)	1.93E-09	8.7E+05	3.5E+07	8.5E+05	2.5E+00	1.0E+02	2.4E+00
Americium (95)	Am-245	2.96E+03	2.34E-04	4.5E-12 (S)	3.28E-09	1.4E+05	4.4E+06	1.4E+05	2.0E+00	5.9E+01	1.9E+00
Americium (95)	Am-246	9.34E+03	7.42E-05	4.2E-12 (S)	8.20E-08	5.0E+05	5.5E+05	2.6E+05	2.1E+00	2.4E+00	1.1E+00
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.1E-12 (S)	1.16E-07	2.9E+06	6.1E+05	5.0E+05	7.9E+00	1.7E+00	1.4E+00
Americium (95)	Am-247	1.58E+04	4.38E-05	1.3E-12 (S)	1.39E-08	2.7E+06	5.6E+06	1.8E+06	6.7E+00	1.4E+01	4.5E+00
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	0.00E+00	5.24E-11	.	3.8E+03	3.8E+03	.	3.7E+03	3.7E+03
Argon (18)	Ar-41	3.32E+03	2.09E-04	0.00E+00	1.57E-07	.	1.0E+05	1.0E+05	.	1.2E+00	1.2E+00
Argon (18)	Ar-42	2.11E-02	3.29E+01	0.00E+00	5.84E-11	.	4.3E+03	4.3E+03	.	3.3E+03	3.3E+03
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.4E-11 (G)	3.60E-08	3.4E-01	7.0E+00	3.2E-01	2.6E-01	5.4E+00	2.5E-01
Argon (18)	Ar-43	6.78E+04	1.02E-05	0.00E+00	1.91E-07	.	1.7E+06	1.7E+06	.	1.0E+00	1.0E+00
Argon (18)	Ar-44	3.07E+04	2.26E-05	0.00E+00	2.41E-07	.	6.2E+05	6.2E+05	.	8.1E-01	8.1E-01
Arsenic (33)	As-68	1.44E+05	4.81E-06	0.00E+00	4.45E-07	.	1.6E+06	1.6E+06	.	4.4E-01	4.4E-01
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.1E-12 (S)	1.31E-07	4.7E+06	8.9E+05	7.5E+05	7.8E+00	1.5E+00	1.2E+00
Arsenic (33)	As-70	6.92E+03	1.00E-04	4.0E-12 (S)	5.08E-07	3.9E+05	6.6E+04	5.7E+04	2.3E+00	3.8E-01	3.3E-01
Arsenic (33)	As-71	9.30E+01	7.45E-03	4.3E-11 (S)	6.44E-08	4.8E+02	7.0E+03	4.5E+02	2.1E-01	3.0E+00	1.9E-01
Arsenic (33)	As-72	2.33E+02	2.97E-03	1.2E-10 (S)	2.07E-07	4.3E+02	5.5E+03	3.9E+02	7.3E-02	9.4E-01	6.8E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.4E-10 (S)	3.57E-10	5.2E+00	4.3E+04	5.2E+00	6.6E-02	5.5E+02	6.6E-02
Arsenic (33)	As-74	1.42E+01	4.87E-02	2.6E-10 (S)	8.58E-08	1.2E+01	8.1E+02	1.2E+01	3.4E-02	2.3E+00	3.4E-02
Arsenic (33)	As-76	2.35E+02	2.95E-03	1.2E-10 (S)	4.92E-08	4.5E+02	2.3E+04	4.4E+02	7.7E-02	4.0E+00	7.6E-02
Arsenic (33)	As-77	1.56E+02	4.43E-03	5.1E-11 (S)	9.72E-10	6.9E+02	7.8E+05	6.9E+02	1.8E-01	2.0E+02	1.8E-01
Arsenic (33)	As-78	4.02E+03	1.73E-04	7.2E-12 (S)	1.58E-07	1.2E+05	1.2E+05	6.2E+04	1.2E+00	1.2E+00	6.2E-01
Arsenic (33)	As-79	4.04E+04	1.71E-05	0.00E+00	4.39E-09	.	4.5E+07	4.5E+07	.	4.4E+01	4.4E+01
Astatine (85)	At-204	3.96E+04	1.75E-05	0.00E+00	2.63E-07	.	7.3E+05	7.3E+05	.	7.4E-01	7.4E-01
Astatine (85)	At-205	1.39E+04	4.98E-05	6.5E-11 (S)	1.32E-07	4.8E+04	5.1E+05	4.4E+04	1.4E-01	1.5E+00	1.3E-01
Astatine (85)	At-206	1.19E+04	5.82E-05	2.2E-11 (S)	2.85E-07	1.2E+05	2.0E+05	7.6E+04	4.1E-01	6.8E-01	2.6E-01
Astatine (85)	At-207	3.37E+03	2.05E-04	2.0E-10 (S)	2.38E-07	3.8E+03	6.9E+04	3.6E+03	4.5E-02	8.2E-01	4.2E-02
Astatine (85)	At-208	3.72E+03	1.86E-04	5.3E-11 (S)	3.57E-07	1.5E+04	5.1E+04	1.2E+04	1.7E-01	5.5E-01	1.3E-01
Astatine (85)	At-209	1.12E+03	6.18E-04	2.5E-10 (S)	2.61E-07	9.9E+02	2.1E+04	9.5E+02	3.5E-02	7.5E-01	3.4E-02
Astatine (85)	At-210	7.49E+02	9.25E-04	9.8E-10 (S)	3.57E-07	1.7E+02	1.0E+04	1.7E+02	9.1E-03	5.5E-01	8.9E-03
Astatine (85)	At-211	8.42E+02	8.24E-04	1.1E-08 (S)	3.08E-09	1.7E+01	1.3E+06	1.7E+01	8.3E-04	6.3E+01	8.3E-04
Astatine (85)	At-211+D	8.42E+02	8.24E-04	1.1E-08 (S)	3.63E-09	1.7E+01	1.1E+06	1.7E+01	8.3E-04	5.4E+01	8.3E-04
Astatine (85)	At-215	2.19E+11	3.17E-12	0.00E+00	1.90E-11	.	5.6E+16	5.6E+16	.	1.0E+04	1.0E+04
Astatine (85)	At-216	7.28E+10	9.51E-12	0.00E+00	2.32E-10	.	1.5E+15	1.5E+15	.	8.4E+02	8.4E+02
Astatine (85)	At-217	6.77E+08	1.02E-09	0.00E+00	2.64E-11	.	1.2E+14	1.2E+14	.	7.4E+03	7.4E+03
Astatine (85)	At-218	1.46E+07	4.76E-08	0.00E+00	8.33E-13	.	8.5E+13	8.5E+13	.	2.3E+05	2.3E+05
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	0.00E+00	5.05E-08	.	9.5E+06	9.5E+06	.	3.9E+00	3.9E+00
Gold (79)	Au-186	3.40E+04	2.04E-05	1.1E-12 (S)	1.73E-07	6.9E+06	9.6E+05	8.4E+05	8.1E+00	1.1E+00	9.9E-01
Gold (79)	Au-187	4.34E+04	1.60E-05	0.00E+00	1.26E-07	.	1.7E+06	1.7E+06	.	1.5E+00	1.5E+00
Gold (79)	Au-190	8.51E+03	8.14E-05	1.2E-12 (S)	2.95E-07	1.6E+06	1.4E+05	1.3E+05	7.7E+00	6.6E-01	6.1E-01
Gold (79)	Au-191	1.91E+03	3.63E-04	5.4E-12 (S)	6.41E-08	7.9E+04	1.5E+05	5.1E+04	1.6E+00	3.0E+00	1.1E+00
Gold (79)	Au-192	1.23E+03	5.64E-04	6.7E-12 (S)	2.37E-07	4.1E+04	2.5E+04	1.6E+04	1.3E+00	8.2E-01	5.1E-01
Gold (79)	Au-193	3.44E+02	2.01E-03	1.1E-11 (S)	1.57E-08	7.0E+03	1.1E+05	6.6E+03	8.2E-01	1.2E+01	7.7E-01
Gold (79)	Au-193m	5.60E+06	1.24E-07	0.00E+00	2.09E-08	.	1.3E+09	1.3E+09	.	9.3E+00	9.3E+00
Gold (79)	Au-194	1.60E+02	4.34E-03	2.1E-11 (S)	1.22E-07	1.7E+03	6.3E+03	1.4E+03	4.3E-01	1.6E+00	3.4E-01
Gold (79)	Au-195	1.36E+00	5.10E-01	1.8E-10 (S)	6.44E-09	1.7E+00	1.0E+03	1.7E+00	5.0E-02	3.0E+01	5.0E-02
Gold (79)	Au-195m	7.17E+05	9.67E-07	0.00E+00	2.12E-08	.	1.6E+08	1.6E+08	.	9.2E+00	9.2E+00
Gold (79)	Au-196	4.09E+01	1.69E-02	3.5E-11 (S)	5.08E-08	2.6E+02	3.9E+03	2.5E+02	2.6E-01	3.8E+00	2.4E-01
Gold (79)	Au-196m	6.32E+02	1.10E-03	4.8E-11 (S)	2.37E-08	2.9E+03	1.3E+05	2.8E+03	1.8E-01	8.2E+00	1.8E-01
Gold (79)	Au-198	9.39E+01	7.38E-03	1.1E-10 (S)	4.51E-08	1.9E+02	1.0E+04	1.9E+02	8.2E-02	4.3E+00	8.1E-02
Gold (79)	Au-198m	1.11E+02	6.22E-03	2.0E-10 (S)	5.46E-08	1.2E+02	9.9E+03	1.2E+02	4.4E-02	3.6E+00	4.4E-02
Gold (79)	Au-199	8.06E+01	8.60E-03	8.7E-11 (S)	9.75E-09	2.1E+02	4.0E+04	2.1E+02	1.0E-01	2.0E+01	1.0E-01
Gold (79)	Au-200	7.53E+03	9.21E-05	2.3E-12 (S)	3.28E-08	7.3E+05	1.1E+06	4.4E+05	3.9E+00	5.9E+00	2.3E+00
Gold (79)	Au-200m	3.25E+02	2.13E-03	7.0E-11 (S)	2.23E-07	1.0E+03	7.1E+03	9.0E+02	1.3E-01	8.7E-01	1.1E-01
Gold (79)	Au-201	1.40E+04	4.95E-05	8.7E-13 (S)	3.98E-09	3.6E+06	1.7E+07	2.9E+06	1.0E+01	4.9E+01	8.4E+00
Gold (79)	Au-202	7.59E+05	9.13E-07	0.00E+00	2.10E-08	.	1.8E+08	1.8E+08	.	9.3E+00	9.3E+00
Barium (56)	Ba-124	3.31E+04	2.09E-05	1.1E-12 (S)	6.34E-08	6.8E+06	2.5E+06	1.8E+06	8.2E+00	3.1E+00	2.2E+00
Barium (56)	Ba-126	3.64E+03	1.90E-04	9.7E-12 (S)	6.47E-08	8.4E+04	2.7E+05	6.4E+04	9.2E-01	3.0E+00	7.0E-01
Barium (56)	Ba-127	2.87E+04	2.42E-05	5.5E-13 (S)	8.20E-08	1.2E+07	1.7E+06	1.5E+06	1.6E+01	2.4E+00	2.1E+00
Barium (56)	Ba-128	1.04E+02	6.66E-03	2.1E-10 (S)	5.18E-09	1.1E+02	9.8E+04	1.1E+02	4.2E-02	3.8E+01	4.2E-02
Barium (56)	Ba-129	2.72E+03	2.55E-04	2.4E-12 (S)	3.63E-08	2.5E+05	3.7E+05	1.5E+05	3.7E+00	5.4E+00	2.2E+00
Barium (56)	Ba-129m	2.81E+03	2.47E-04	2.8E-12 (S)	1.83E-07	2.3E+05	7.5E+04	5.6E+04	3.2E+00	1.1E+00	8.0E-01
Barium (56)	Ba-131	2.20E+01	3.15E-02	8.8E-11 (S)	5.02E-08	5.5E+01	2.1E+03	5.4E+01	1.0E-01	3.9E+00	9.8E-02
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.9E-13 (S)	6.41E-09	1.1E+07	1.9E+07	7.1E+06	1.8E+01	3.0E+01	1.1E+01
Barium (56)	Ba-133	6.59E-02	1.05E+01	8.9E-10 (S)	4.04E-08	2.0E-02	9.8E+00	2.0E-02	1.0E-02	4.8E+00	1.0E-02
Barium (56)	Ba-133m	1.56E+02	4.44E-03	6.1E-11 (S)	5.93E-09	5.6E+02	1.3E+05	5.6E+02	1.4E-01	3.3E+01	1.4E-01
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.7E-11 (S)	5.11E-09	1.0E+03	2.0E+05	9.9E+02	1.9E-01	3.8E+01	1.9E-01
Barium (56)	Ba-137m	1.43E+05	4.86E-06	0.00E+00	6.82E-08	.	1.0E+07	1.0E+07	.	2.9E+00	2.9E+00
Barium (56)	Ba-139	4.39E+03	1.58E-04	5.1E-12 (S)	5.36E-09	1.9E+05	4.0E+06	1.8E+05	1.8E+00	3.6E+01	1.7E+00
Barium (56)	Ba-140	1.98E+01	3.49E-02	6.2E-10 (S)	2.00E-08	7.1E+00	4.8E+03	7.1E+00	1.4E-02	9.7E+00	1.4E-02
Barium (56)	Ba-141	1.99E+04	3.48E-05	2.9E-12 (S)	1.08E-07	1.6E+06	9.0E+05	5.7E+05	3.1E+00	1.8E+00	1.1E+00
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.2E-12 (S)	1.22E-07	6.2E+06	1.4E+06	1.1E+06	7.2E+00	1.6E+00	1.3E+00
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.5E-09 (S)	6.41E-11	3.5E-03	3.0E+03	3.5E-03	3.5E-03	3.0E+03	3.5E-03
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.8E-12 (S)	5.59E-09	1.8E+02	4.1E+03	1.7E+02	1.5E+00	3.5E+01	1.5E+00
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	0.00E+00	1.99E-07	.	9.6E+05	9.6E+05	.	9.8E-01	9.8E-01
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.2E-12 (S)	2.78E-07	9.9E+05	1.8E+05	1.5E+05	4.0E+00	7.0E-01	6.0E-01
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	5.4E-12 (S)	2.07E-07	1.4E+05	7.9E+04	5.1E+04	1.6E+00	9.4E-01	6.0E-01
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.5E-12 (S)	3.22E-07	2.2E+05	5.3E+04	4.3E+04	2.5E+00	6.0E-01	4.9E-01
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	2.3E-11 (S)	2.88E-07	4.9E+03	8.7E+03	3.1E+03	3.8E-01	6.8E-01	2.4E-01
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	2.4E-11 (S)	3.41E-07	5.1E+03	7.7E+03	3.1E+03	3.8E-01	5.7E-01	2.3E-01
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	1.0E-10 (S)	2.04E-07	3.7E+01	3.9E+02	3.4E+01	8.9E-02	9.5E-01	8.1E-02
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	1.7E-10 (S)	3.85E-07	5.2E+01	5.1E+02	4.7E+01	5.1E-02	5.1E-01	4.7E-02
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	3.0E-09 (S)	1.79E-07	3.8E-03	1.4E+00	3.8E-03	3.0E-03	1.1E+00	3.0E-03
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	2.7E-09 (S)	3.47E-07	3.3E-03	5.6E-01	3.3E-03	3.3E-03	5.6E-01	3.3E-03
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	1.2E-08 (S)	1.43E-10	9.1E-01	1.7E+06	9.1E-01	7.2E-04	1.4E+03	7.2E-04
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	7.9E-07 (S)	2.86E-08	1.1E-05	6.8E+00	1.1E-05	1.1E-05	6.8E+00	1.1E-05

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	7.9E-07 (S)	2.88E-08	1.1E-05	6.8E+00	1.1E-05	1.1E-05	6.8E+00	1.1E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	0.00E+00	5.18E-09	.	1.6E+08	1.6E+08	.	3.8E+01	3.8E+01
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.9E+02	2.3E+06	5.9E+02	3.9E-03	1.6E+01	3.9E-03
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	2.3E-09 (S)	1.25E-08	5.9E+02	2.3E+06	5.9E+02	3.9E-03	1.6E+01	3.9E-03
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	0.00E+00	2.41E-10	.	1.0E+09	1.0E+09	.	8.1E+02	8.1E+02
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.9E+02	2.7E+06	8.9E+02	4.4E-03	1.4E+01	4.4E-03
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	2.0E-09 (S)	1.44E-08	8.9E+02	2.7E+06	8.9E+02	4.4E-03	1.4E+01	4.4E-03
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.9E+03	4.9E+05	4.8E+03	1.1E-02	1.1E+00	1.1E-02
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	8.4E-10 (S)	1.81E-07	4.9E+03	4.9E+05	4.8E+03	1.1E-02	1.1E+00	1.1E-02
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	0.00E+00	2.88E-08	.	8.1E+06	8.1E+06	.	6.7E+00	6.7E+00
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	0.00E+00	2.89E-08	.	8.1E+06	8.1E+06	.	6.7E+00	6.7E+00
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	0.00E+00	8.43E-08	.	9.7E+06	9.7E+06	.	2.3E+00	2.3E+00
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	2.2E-10 (S)	2.29E-08	5.2E+01	1.1E+04	5.2E+01	4.1E-02	8.5E+00	4.0E-02
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	2.6E-11 (S)	9.69E-08	1.2E+03	7.1E+03	1.0E+03	3.5E-01	2.0E+00	3.0E-01
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.3E-06 (F)	1.48E-08	6.9E-06	1.3E+01	6.9E-06	6.8E-06	1.3E+01	6.8E-06
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	1.4E-09 (S)	5.49E-09	4.0E+01	2.3E+05	4.0E+01	6.3E-03	3.5E+01	6.3E-03
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	3.2E-09 (F)	3.06E-13	5.3E-02	1.2E+07	5.3E-02	2.8E-03	6.4E+05	2.8E-03
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	3.7E-11 (S)	1.06E-07	1.2E+04	8.7E+04	1.0E+04	2.4E-01	1.8E+00	2.2E-01
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	2.5E-12 (S)	8.39E-09	5.8E+05	3.8E+06	5.0E+05	3.6E+00	2.3E+01	3.1E+00
Bromine (35)	Br-72	2.78E+05	2.49E-06	0.00E+00	3.53E-07	.	3.8E+06	3.8E+06	.	5.5E-01	5.5E-01
Bromine (35)	Br-73	1.07E+05	6.47E-06	0.00E+00	1.63E-07	.	3.2E+06	3.2E+06	.	1.2E+00	1.2E+00
Bromine (35)	Br-74	1.43E+04	4.83E-05	1.8E-12 (S)	5.87E-07	1.8E+06	1.2E+05	1.1E+05	5.0E+00	3.3E-01	3.1E-01
Bromine (35)	Br-74m	7.92E+03	8.75E-05	3.4E-12 (S)	5.08E-07	5.2E+05	7.6E+04	6.6E+04	2.6E+00	3.8E-01	3.3E-01
Bromine (35)	Br-75	3.77E+03	1.84E-04	3.2E-12 (S)	1.35E-07	2.6E+05	1.4E+05	8.9E+04	2.7E+00	1.4E+00	9.5E-01
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.1E-11 (S)	3.41E-07	2.7E+03	5.4E+03	1.8E+03	2.9E-01	5.7E-01	1.9E-01
Bromine (35)	Br-76m	1.67E+07	4.15E-08	0.00E+00	2.27E-09	.	3.6E+10	3.6E+10	.	8.6E+01	8.6E+01
Bromine (35)	Br-77	1.06E+02	6.51E-03	6.0E-12 (S)	3.53E-08	4.0E+03	1.5E+04	3.1E+03	1.5E+00	5.5E+00	1.2E+00
Bromine (35)	Br-77m	8.51E+04	8.14E-06	0.00E+00	1.44E-09	.	2.9E+08	2.9E+08	.	1.3E+02	1.3E+02
Bromine (35)	Br-78	5.64E+04	1.23E-05	0.00E+00	1.17E-07	.	2.3E+06	2.3E+06	.	1.7E+00	1.7E+00
Bromine (35)	Br-80	2.06E+04	3.36E-05	7.0E-13 (S)	9.03E-09	6.5E+06	1.1E+07	4.1E+06	1.3E+01	2.2E+01	8.0E+00
Bromine (35)	Br-80m	1.37E+03	5.05E-04	9.4E-12 (S)	5.14E-10	3.2E+04	1.3E+07	3.2E+04	9.4E-01	3.8E+02	9.4E-01
Bromine (35)	Br-82	1.72E+02	4.03E-03	4.8E-11 (S)	3.09E-07	7.9E+02	2.7E+03	6.1E+02	1.8E-01	6.3E-01	1.4E-01
Bromine (35)	Br-82m	5.94E+04	1.17E-05	0.00E+00	3.53E-10	.	8.2E+08	8.2E+08	.	5.5E+02	5.5E+02
Bromine (35)	Br-83	2.53E+03	2.74E-04	3.6E-12 (S)	8.80E-10	1.6E+05	1.4E+07	1.6E+05	2.5E+00	2.2E+02	2.5E+00
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.0E-12 (S)	2.26E-07	1.2E+06	2.5E+05	2.1E+05	4.4E+00	8.6E-01	7.2E-01
Bromine (35)	Br-84m	6.07E+04	1.14E-05	0.00E+00	3.31E-07	.	8.9E+05	8.9E+05	.	5.9E-01	5.9E-01
Bromine (35)	Br-85	1.26E+05	5.52E-06	0.00E+00	8.58E-09	.	7.1E+07	7.1E+07	.	2.3E+01	2.3E+01
Carbon (6)	C-10	1.14E+06	6.11E-07	0.00E+00	1.99E-07	.	2.8E+07	2.8E+07	.	9.8E-01	9.8E-01
Carbon (6)	C-11	1.79E+04	3.88E-05	7.9E-13 (S)	1.15E-07	.	.	.	.	.	.
Carbon (6)	C-14	1.22E-04	5.70E+03	4.6E-10 (S)	1.16E-12	.	.	.	.	.	.
Calcium (20)	Ca-41	6.79E-06	1.02E+05	1.6E-11 (S)	0.00E+00	5.6E-01	.	5.6E-01	5.6E-01	.	5.6E-01
Calcium (20)	Ca-45	1.55E+00	4.46E-01	3.5E-10 (S)	6.19E-12	1.0E+00	1.2E+06	1.0E+00	2.6E-02	3.1E+04	2.6E-02
Calcium (20)	Ca-47	5.58E+01	1.24E-02	2.4E-10 (S)	1.28E-07	5.1E+01	2.1E+03	5.0E+01	3.7E-02	1.5E+00	3.6E-02
Calcium (20)	Ca-49	4.18E+04	1.66E-05	0.00E+00	4.29E-07	.	4.7E+05	4.7E+05	.	4.5E-01	4.5E-01
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	0.00E+00	2.97E-07	.	4.4E+06	4.4E+06	.	6.5E-01	6.5E-01
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	0.00E+00	9.44E-08	.	3.4E+06	3.4E+06	.	2.1E+00	2.1E+00
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	0.00E+00	2.56E-07	.	9.5E+05	9.5E+05	.	7.6E-01	7.6E-01
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	3.8E-12 (S)	2.54E-08	3.7E+05	1.2E+06	2.8E+05	2.3E+00	7.7E+00	1.8E+00
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.4E-12 (S)	1.57E-07	1.1E+06	2.0E+05	1.7E+05	6.6E+00	1.2E+00	1.0E+00
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.5E-12 (S)	1.16E-09	2.5E+04	3.9E+06	2.4E+04	1.1E+00	1.7E+02	1.0E+00
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	5.9E-10 (S)	4.99E-10	2.1E-01	5.4E+03	2.1E-01	1.5E-02	3.9E+02	1.5E-02
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	1.2E-12 (S)	3.00E-08	1.4E+06	1.2E+06	6.5E+05	7.5E+00	6.5E+00	3.5E+00
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	3.0E-09 (F)	1.02E-11	3.0E-03	1.9E+04	3.0E-03	3.0E-03	1.9E+04	3.0E-03
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	3.6E-09 (F)	4.73E-11	4.3E-03	7.1E+03	4.3E-03	2.5E-03	4.1E+03	2.5E-03
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	1.4E-10 (S)	2.17E-08	1.8E+02	2.5E+04	1.8E+02	6.3E-02	9.0E+00	6.2E-02
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	7.9E-10 (S)	4.20E-09	1.6E+00	6.6E+03	1.6E+00	1.1E-02	4.6E+01	1.1E-02
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.8E-11 (S)	1.30E-07	3.1E+04	9.1E+04	2.3E+04	5.1E-01	1.5E+00	3.8E-01
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	1.8E-11 (S)	2.53E-07	2.3E+04	3.5E+04	1.4E+04	5.0E-01	7.7E-01	3.0E-01
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	5.8E-12 (S)	3.19E-11	2.8E+05	1.1E+09	2.8E+05	1.5E+00	6.1E+03	1.5E+00
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	0.00E+00	2.03E-07	.	3.3E+06	3.3E+06	.	9.6E-01	9.6E-01
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	0.00E+00	2.84E-07	.	2.8E+06	2.8E+06	.	6.9E-01	6.9E-01
Cerium (58)	Ce-130	1.59E+04	4.36E-05	1.9E-12 (S)	5.36E-08	1.8E+06	1.4E+06	8.1E+05	4.6E+00	3.6E+00	2.0E+00
Cerium (58)	Ce-131	3.57E+04	1.94E-05	6.8E-13 (S)	1.88E-07	1.2E+07	9.3E+05	8.6E+05	1.3E+01	1.0E+00	9.6E-01
Cerium (58)	Ce-132	1.73E+03	4.01E-04	1.8E-11 (S)	2.71E-08	2.2E+04	3.1E+05	2.0E+04	5.1E-01	7.2E+00	4.7E-01
Cerium (58)	Ce-133	3.76E+03	1.85E-04	4.4E-12 (S)	5.68E-08	1.9E+05	3.2E+05	1.2E+05	2.0E+00	3.4E+00	1.3E+00
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	9.3E-12 (S)	2.02E-07	3.0E+04	3.0E+04	1.5E+04	9.6E-01	9.6E-01	4.8E-01
Cerium (58)	Ce-134	8.00E+01	8.66E-03	2.1E-10 (S)	9.12E-10	8.3E+01	4.3E+05	8.3E+01	4.2E-02	2.1E+02	4.2E-02
Cerium (58)	Ce-135	3.43E+02	2.02E-03	1.2E-11 (S)	9.09E-08	6.6E+03	1.8E+04	4.8E+03	7.7E-01	2.1E+00	5.6E-01
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.2E-12 (S)	2.00E-09	1.2E+05	1.6E+06	1.2E+05	7.4E+00	9.7E+01	6.9E+00
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	5.8E-11 (S)	4.54E-09	6.8E+02	1.9E+05	6.8E+02	1.5E-01	4.3E+01	1.5E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.9E-10 (S)	1.47E-08	2.2E+00	6.1E+02	2.2E+00	4.8E-02	1.3E+01	4.7E-02
Cerium (58)	Ce-141	7.78E+00	8.91E-02	3.7E-10 (S)	7.57E-09	4.7E+00	5.0E+03	4.7E+00	2.4E-02	2.6E+01	2.4E-02
Cerium (58)	Ce-143	1.84E+02	3.77E-03	1.1E-10 (S)	2.94E-08	3.7E+02	3.0E+04	3.7E+02	8.1E-02	6.6E+00	8.0E-02
Cerium (58)	Ce-144	8.88E-01	7.81E-01	4.9E-09 (S)	1.75E-09	4.1E-02	2.5E+03	4.1E-02	1.8E-03	1.1E+02	1.8E-03
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	4.9E-09 (S)	6.31E-09	4.1E-02	6.8E+02	4.1E-02	1.8E-03	3.1E+01	1.8E-03
Cerium (58)	Ce-145	1.21E+05	5.73E-06	0.00E+00	9.12E-08	.	6.5E+06	6.5E+06	.	2.1E+00	2.1E+00
Californium (98)	Cf-244	1.88E+04	3.69E-05	8.7E-10 (S)	8.52E-12	4.8E+03	1.1E+10	4.8E+03	1.0E-02	2.3E+04	1.0E-02
Californium (98)	Cf-246	1.70E+02	4.08E-03	4.5E-08 (S)	1.07E-11	8.4E-01	7.8E+07	8.4E-01	2.0E-04	1.8E+04	2.0E-04
Californium (98)	Cf-247	1.95E+03	3.55E-04	2.8E-12 (S)	8.77E-09	1.5E+05	1.1E+06	1.3E+05	3.1E+00	2.2E+01	2.7E+00
Californium (98)	Cf-248	7.57E-01	9.15E-01	6.9E-07 (S)	4.89E-11	2.4E-04	7.5E+04	2.4E-04	1.3E-05	4.0E+03	1.3E-05
Californium (98)	Cf-249	1.97E-03	3.51E+02	1.3E-06 (F)	3.60E-08	7.0E-06	5.5E+00	7.0E-06	6.8E-06	5.4E+00	6.8E-06
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.0E-06 (S)	1.22E-09	1.6E-05	2.9E+02	1.6E-05	8.8E-06	1.6E+02	8.8E-06
Californium (98)	Cf-251	7.70E-04	9.00E+02	1.3E-06 (F)	1.19E-08	6.7E-06	1.7E+01	6.7E-06	6.7E-06	1.6E+01	6.7E-06
Californium (98)	Cf-252	2.62E-01	2.65E+00	1.2E-06 (S)	5.65E-08	4.9E-05	2.3E+01	4.9E-05	7.4E-06	3.4E+00	7.4E-06
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.5E-07 (S)	4.20E-11	2.2E-02	1.6E+06	2.2E-02	6.1E-05	4.6E+03	6.1E-05
Californium (98)	Cf-254	4.18E+00	1.66E-01	4.1E-06 (S)	2.09E-06	2.3E-04	9.7E+00	2.3E-04	2.2E-06	9.3E-02	2.2E-06
Californium (98)	Cf-255	4.29E+03	1.62E-04	6.1E-10 (S)	5.49E-11	1.6E+03	3.8E+08	1.6E+03	1.5E-02	3.5E+03	1.5E-02
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	0.00E+00	1.18E-07	.	5.9E+08	5.9E+08	.	1.7E+00	1.7E+00
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.4E-12 (S)	2.64E-07	1.1E+06	2.1E+05	1.8E+05	3.8E+00	7.4E-01	6.2E-01
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	2.7E-09 (S)	9.34E-11	3.3E-03	2.1E+03	3.3E-03	3.3E-03	2.1E+03	3.3E-03
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.7E-12 (S)	1.87E-07	8.1E+05	2.5E+05	1.9E+05	3.3E+00	1.0E+00	7.9E-01
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	2.7E-12 (S)	1.77E-07	5.4E+05	1.8E+05	1.4E+05	3.3E+00	1.1E+00	8.3E-01
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	0.00E+00	5.36E-07	.	2.4E+06	2.4E+06	.	3.6E-01	3.6E-01
Curium (96)	Cm-238	2.53E+03	2.74E-04	1.7E-10 (S)	7.45E-09	3.3E+03	1.7E+06	3.3E+03	5.2E-02	2.6E+01	5.2E-02
Curium (96)	Cm-239	2.09E+03	3.31E-04	7.2E-12 (S)	2.59E-08	6.5E+04	3.9E+05	5.5E+04	1.2E+00	7.5E+00	1.1E+00
Curium (96)	Cm-240	9.37E+00	7.40E-02	3.1E-07 (S)	9.34E-12	6.6E-03	4.9E+06	6.6E-03	2.8E-05	2.1E+04	2.8E-05
Curium (96)	Cm-241	7.71E+00	8.99E-02	3.3E-09 (S)	5.33E-08	5.2E-01	7.0E+02	5.2E-01	2.7E-03	3.7E+00	2.7E-03
Curium (96)	Cm-242	1.55E+00	4.46E-01	5.4E-07 (S)	7.95E-12	6.4E-04	9.5E+05	6.4E-04	1.6E-05	2.4E+04	1.6E-05
Curium (96)	Cm-243	2.38E-02	2.91E+01	9.9E-07 (S)	1.32E-08	1.2E-05	2.0E+01	1.2E-05	8.9E-06	1.5E+01	8.9E-06
Curium (96)	Cm-244	3.83E-02	1.81E+01	9.6E-07 (S)	8.52E-12	1.4E-05	3.5E+04	1.4E-05	9.2E-06	2.3E+04	9.2E-06
Curium (96)	Cm-245	8.15E-05	8.50E+03	1.0E-06 (F)	9.78E-09	8.6E-06	2.0E+01	8.6E-06	8.6E-06	2.0E+01	8.6E-06
Curium (96)	Cm-246	1.46E-04	4.76E+03	1.0E-06 (F)	4.54E-10	8.6E-06	4.3E+02	8.6E-06	8.6E-06	4.3E+02	8.6E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	9.4E-07 (F)	3.47E-08	9.4E-06	5.6E+00	9.4E-06	9.4E-06	5.6E+00	9.4E-06
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	9.4E-07 (F)	3.69E-08	9.4E-06	5.3E+00	9.4E-06	9.4E-06	5.3E+00	9.4E-06
Curium (96)	Cm-248	1.99E-06	3.48E+05	3.9E-06 (F)	1.63E-07	2.3E-06	1.2E+00	2.3E-06	2.3E-06	1.2E+00	2.3E-06
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.1E-12 (S)	2.24E-09	6.0E+05	1.2E+07	5.7E+05	4.2E+00	8.7E+01	4.0E+00
Curium (96)	Cm-250	8.35E-05	8.30E+03	2.7E-05 (F)	1.65E-06	3.3E-07	1.2E-01	3.3E-07	3.3E-07	1.2E-01	3.3E-07
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	2.7E-05 (F)	1.69E-06	3.3E-07	1.2E-01	3.3E-07	3.3E-07	1.2E-01	3.3E-07
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.4E-12 (S)	1.25E-08	3.5E+06	8.4E+06	2.5E+06	6.4E+00	1.6E+01	4.5E+00
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	0.00E+00	4.67E-07	.	2.6E+06	2.6E+06	.	4.2E-01	4.2E-01
Cobalt (27)	Co-55	3.46E+02	2.00E-03	6.2E-11 (S)	2.33E-07	1.2E+03	7.2E+03	1.1E+03	1.4E-01	8.4E-01	1.2E-01
Cobalt (27)	Co-56	3.28E+00	2.12E-01	6.8E-10 (S)	4.51E-07	1.1E+00	3.5E+01	1.0E+00	1.3E-02	4.3E-01	1.3E-02
Cobalt (27)	Co-57	9.31E-01	7.44E-01	1.0E-10 (S)	1.23E-08	2.0E+00	3.7E+02	2.0E+00	8.8E-02	1.6E+01	8.8E-02
Cobalt (27)	Co-58	3.57E+00	1.94E-01	2.1E-10 (S)	1.13E-07	3.7E+00	1.5E+02	3.6E+00	4.2E-02	1.7E+00	4.1E-02
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.2E-12 (S)	1.20E-13	6.7E+04	2.7E+10	6.7E+04	4.0E+00	1.6E+06	4.0E+00
Cobalt (27)	Co-60	1.31E-01	5.27E+00	2.7E-09 (S)	3.04E-07	1.1E-02	2.2E+00	1.1E-02	3.3E-03	6.4E-01	3.3E-03
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	1.2E-13 (S)	4.86E-10	6.7E+07	3.5E+08	5.6E+07	7.7E+01	4.0E+02	6.4E+01
Cobalt (27)	Co-61	3.68E+03	1.88E-04	4.2E-12 (S)	9.37E-09	2.0E+05	1.9E+06	1.8E+05	2.1E+00	2.1E+01	1.9E+00
Cobalt (27)	Co-62	2.43E+05	2.85E-06	0.00E+00	2.00E-07	.	5.9E+06	5.9E+06	.	9.7E-01	9.7E-01
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	9.1E-13 (S)	3.31E-07	6.4E+06	3.8E+05	3.6E+05	9.8E+00	5.9E-01	5.5E-01
Chromium (24)	Cr-48	2.82E+02	2.46E-03	1.9E-11 (S)	4.70E-08	3.2E+03	2.9E+04	2.9E+03	4.6E-01	4.1E+00	4.1E-01
Chromium (24)	Cr-49	8.61E+03	8.05E-05	2.0E-12 (S)	1.17E-07	9.6E+05	3.6E+05	2.6E+05	4.4E+00	1.7E+00	1.2E+00
Chromium (24)	Cr-51	9.13E+00	7.59E-02	4.5E-12 (S)	3.50E-09	4.5E+02	1.3E+04	4.3E+02	2.0E+00	5.6E+01	1.9E+00
Chromium (24)	Cr-55	1.04E+05	6.65E-06	0.00E+00	8.87E-10	.	5.7E+08	5.7E+08	.	2.2E+02	2.2E+02
Chromium (24)	Cr-56	6.13E+04	1.13E-05	0.00E+00	7.57E-09	.	3.9E+07	3.9E+07	.	2.6E+01	2.6E+01
Cesium (55)	Cs-121	1.41E+05	4.92E-06	0.00E+00	1.34E-07	.	5.1E+06	5.1E+06	.	1.5E+00	1.5E+00
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	0.00E+00	1.34E-07	.	6.5E+06	6.5E+06	.	1.5E+00	1.5E+00
Cesium (55)	Cs-123	6.19E+04	1.12E-05	0.00E+00	1.22E-07	.	2.5E+06	2.5E+06	.	1.6E+00	1.6E+00
Cesium (55)	Cs-124	7.10E+05	9.77E-07	0.00E+00	1.34E-07	.	2.6E+07	2.6E+07	.	1.4E+00	1.4E+00
Cesium (55)	Cs-125	8.09E+03	8.56E-05	1.2E-12 (S)	8.49E-08	1.5E+06	4.6E+05	3.5E+05	7.4E+00	2.3E+00	1.8E+00
Cesium (55)	Cs-126	2.22E+05	3.12E-06	0.00E+00	1.32E-07	.	8.2E+06	8.2E+06	.	1.5E+00	1.5E+00
Cesium (55)	Cs-127	9.71E+02	7.13E-04	3.0E-12 (S)	4.64E-08	7.2E+04	1.0E+05	4.2E+04	3.0E+00	4.2E+00	1.7E+00
Cesium (55)	Cs-128	1.00E+05	6.93E-06	0.00E+00	1.01E-07	.	4.8E+06	4.8E+06	.	1.9E+00	1.9E+00
Cesium (55)	Cs-129	1.89E+02	3.66E-03	7.0E-12 (S)	2.82E-08	6.0E+03	3.3E+04	5.1E+03	1.3E+00	6.9E+00	1.1E+00
Cesium (55)	Cs-130	1.25E+04	5.56E-05	7.2E-13 (S)	5.59E-08	3.8E+06	1.1E+06	8.5E+05	1.2E+01	3.5E+00	2.7E+00
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	0.00E+00	4.77E-09	.	1.1E+08	1.1E+08	.	4.1E+01	4.1E+01
Cesium (55)	Cs-131	2.61E+01	2.65E-02	5.0E-12 (S)	4.92E-10	1.2E+03	2.6E+05	1.1E+03	1.8E+00	4.0E+02	1.8E+00
Cesium (55)	Cs-132	3.90E+01	1.78E-02	2.8E-11 (S)	7.98E-08	3.1E+02	2.4E+03	2.8E+02	3.2E-01	2.4E+00	2.8E-01
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.9E-09 (S)	1.79E-07	3.9E-02	9.1E+00	3.9E-02	4.7E-03	1.1E+00	4.7E-03
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	4.8E-12 (S)	1.89E-09	9.7E+04	5.4E+06	9.5E+04	1.8E+00	1.0E+02	1.8E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Cesium (55)	Cs-135	3.01E-07	2.30E+06	9.1E-10 (S)	8.80E-12	9.8E-03	2.2E+04	9.8E-03	9.8E-03	2.2E+04	9.8E-03
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	6.9E-13 (S)	1.86E-07	2.2E+06	1.8E+05	1.7E+05	1.3E+01	1.0E+00	9.7E-01
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.8E-10 (S)	2.49E-07	1.5E+01	3.8E+02	1.5E+01	3.2E-02	7.8E-01	3.1E-02
Cesium (55)	Cs-137	2.30E-02	3.02E+01	3.0E-09 (S)	4.39E-11	3.8E-03	5.8E+03	3.8E-03	2.9E-03	4.4E+03	2.9E-03
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	3.0E-09 (S)	6.44E-08	3.8E-03	4.0E+00	3.8E-03	2.9E-03	3.0E+00	2.9E-03
Cesium (55)	Cs-138	1.09E+04	6.36E-05	2.5E-12 (S)	2.93E-07	9.6E+05	1.8E+05	1.5E+05	3.5E+00	6.7E-01	5.6E-01
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	0.00E+00	4.83E-08	.	1.3E+07	1.3E+07	.	4.0E+00	4.0E+00
Cesium (55)	Cs-139	3.93E+04	1.76E-05	0.00E+00	3.98E-08	.	4.8E+06	4.8E+06	.	4.9E+00	4.9E+00
Cesium (55)	Cs-140	3.43E+05	2.02E-06	0.00E+00	2.25E-07	.	7.4E+06	7.4E+06	.	8.7E-01	8.7E-01
Copper (29)	Cu-57	1.11E+08	6.22E-09	0.00E+00	1.37E-07	.	3.9E+09	3.9E+09	.	1.4E+00	1.4E+00
Copper (29)	Cu-59	2.68E+05	2.58E-06	0.00E+00	1.67E-07	.	7.8E+06	7.8E+06	.	1.2E+00	1.2E+00
Copper (29)	Cu-60	1.54E+04	4.51E-05	1.6E-12 (S)	4.80E-07	2.1E+06	1.6E+05	1.5E+05	5.5E+00	4.1E-01	3.8E-01
Copper (29)	Cu-61	1.82E+03	3.80E-04	6.3E-12 (S)	9.34E-08	6.4E+04	9.5E+04	3.8E+04	1.4E+00	2.1E+00	8.4E-01
Copper (29)	Cu-62	3.77E+04	1.84E-05	0.00E+00	1.15E-07	.	1.6E+06	1.6E+06	.	1.7E+00	1.7E+00
Copper (29)	Cu-64	4.78E+02	1.45E-03	1.2E-11 (S)	2.09E-08	8.9E+03	1.1E+05	8.3E+03	7.5E-01	9.3E+00	6.9E-01
Copper (29)	Cu-66	7.11E+04	9.74E-06	0.00E+00	1.24E-08	.	2.8E+07	2.8E+07	.	1.6E+01	1.6E+01
Copper (29)	Cu-67	9.82E+01	7.06E-03	6.2E-11 (S)	1.21E-08	3.5E+02	4.0E+04	3.5E+02	1.4E-01	1.6E+01	1.4E-01
Copper (29)	Cu-69	1.28E+05	5.42E-06	0.00E+00	6.31E-08	.	9.9E+06	9.9E+06	.	3.1E+00	3.1E+00
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	0.00E+00	7.95E-08	.	6.8E+06	6.8E+06	.	2.4E+00	2.4E+00
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	0.00E+00	1.92E-07	.	2.2E+06	2.2E+06	.	1.0E+00	1.0E+00
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	0.00E+00	2.96E-08	.	8.4E+06	8.4E+06	.	6.6E+00	6.6E+00
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.3E-11 (S)	1.60E-07	3.6E+05	6.2E+05	2.3E+05	7.1E-01	1.2E+00	4.5E-01
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	6.7E-12 (S)	2.93E-08	8.4E+04	4.2E+05	7.0E+04	1.3E+00	6.6E+00	1.1E+00
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	1.2E-11 (S)	9.66E-08	1.8E+04	4.8E+04	1.3E+04	7.7E-01	2.0E+00	5.6E-01
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	3.5E-07 (S)	0.00E+00	2.5E-05	.	2.5E-05	2.5E-05	.	2.5E-05
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.8E-12 (S)	7.48E-08	1.7E+04	4.0E+04	1.2E+04	1.1E+00	2.6E+00	7.9E-01
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	2.4E-12 (S)	3.60E-08	7.0E+04	1.0E+05	4.1E+04	3.8E+00	5.4E+00	2.2E+00
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	4.7E-11 (S)	2.27E-09	8.3E+00	3.8E+03	8.3E+00	1.9E-01	8.6E+01	1.9E-01
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	6.1E-12 (S)	2.87E-09	9.6E+04	4.4E+06	9.4E+04	1.5E+00	6.8E+01	1.4E+00
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	0.00E+00	1.72E-09	.	8.2E+08	8.2E+08	.	1.1E+02	1.1E+02
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	2.5E-10 (S)	3.00E-09	6.6E+01	1.2E+05	6.6E+01	3.5E-02	6.5E+01	3.5E-02
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	0.00E+00	5.93E-08	.	4.8E+06	4.8E+06	.	3.3E+00	3.3E+00
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	0.00E+00	4.29E-08	.	4.7E+06	4.7E+06	.	4.5E+00	4.5E+00
Erbium (68)	Er-154	9.77E+04	7.10E-06	0.00E+00	5.40E-09	.	8.8E+07	8.8E+07	.	3.6E+01	3.6E+01
Erbium (68)	Er-156	1.87E+04	3.71E-05	1.5E-12 (S)	4.01E-09	2.9E+06	2.3E+07	2.5E+06	6.1E+00	4.9E+01	5.4E+00
Erbium (68)	Er-159	1.01E+04	6.85E-05	9.3E-13 (S)	1.10E-07	2.4E+06	4.5E+05	3.8E+05	9.6E+00	1.8E+00	1.5E+00
Erbium (68)	Er-161	1.89E+03	3.66E-04	4.0E-12 (S)	1.13E-07	1.1E+05	8.1E+04	4.6E+04	2.2E+00	1.7E+00	9.7E-01
Erbium (68)	Er-163	4.86E+03	1.43E-04	8.1E-14 (S)	2.25E-09	1.3E+07	1.0E+07	5.9E+06	1.1E+02	8.6E+01	4.8E+01
Erbium (68)	Er-165	5.86E+02	1.18E-03	9.0E-13 (S)	2.06E-09	1.4E+05	1.4E+06	1.3E+05	9.9E+00	9.5E+01	8.9E+00
Erbium (68)	Er-167m	9.63E+06	7.19E-08	0.00E+00	9.91E-09	.	4.7E+09	4.7E+09	.	2.0E+01	2.0E+01
Erbium (68)	Er-169	2.69E+01	2.58E-02	1.2E-10 (S)	1.24E-11	5.1E+01	1.1E+07	5.1E+01	7.5E-02	1.6E+04	7.5E-02
Erbium (68)	Er-171	8.08E+02	8.58E-04	2.7E-11 (S)	3.98E-08	6.6E+03	9.9E+04	6.2E+03	3.3E-01	4.9E+00	3.1E-01
Erbium (68)	Er-172	1.23E+02	5.63E-03	1.4E-10 (S)	5.62E-08	1.9E+02	1.1E+04	1.9E+02	6.3E-02	3.5E+00	6.1E-02
Erbium (68)	Er-173	2.54E+05	2.73E-06	0.00E+00	9.31E-08	.	1.3E+07	1.3E+07	.	2.1E+00	2.1E+00
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	1.9E-11 (S)	4.45E-08	4.3E+04	3.9E+05	3.8E+04	4.8E-01	4.4E+00	4.3E-01
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.1E-10 (S)	1.32E-07	1.5E+03	2.6E+04	1.4E+03	8.2E-02	1.5E+00	7.8E-02
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	2.1E-11 (S)	6.31E-08	3.0E+04	2.1E+05	2.6E+04	4.3E-01	3.1E+00	3.8E-01
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	1.9E-10 (S)	8.77E-09	2.1E+02	1.0E+05	2.1E+02	4.6E-02	2.2E+01	4.6E-02
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	2.9E-07 (S)	3.69E-11	9.6E-03	1.6E+06	9.6E-03	3.1E-05	5.3E+03	3.1E-05
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	7.0E-07 (S)	3.41E-10	2.9E-04	1.3E+04	2.9E-04	1.3E-05	5.7E+02	1.3E-05
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	7.0E-07 (S)	1.06E-07	2.9E-04	4.2E+01	2.9E-04	1.3E-05	1.8E+00	1.3E-05
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	4.7E-08 (S)	5.36E-08	7.3E-01	1.4E+04	7.3E-01	1.9E-04	3.6E+00	1.9E-04
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	4.1E-07 (S)	9.12E-11	3.4E-03	3.4E+05	3.4E-03	2.2E-05	2.1E+03	2.2E-05
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	3.9E-09 (S)	2.92E-10	8.2E+02	2.4E+08	8.2E+02	2.3E-03	6.7E+02	2.3E-03
Europium (63)	Eu-142	9.34E+06	7.42E-08	0.00E+00	1.42E-07	.	3.2E+08	3.2E+08	.	1.4E+00	1.4E+00
Europium (63)	Eu-142m	2.98E+05	2.33E-06	0.00E+00	4.01E-07	.	3.6E+06	3.6E+06	.	4.9E-01	4.9E-01
Europium (63)	Eu-143	1.41E+05	4.93E-06	0.00E+00	1.32E-07	.	5.2E+06	5.2E+06	.	1.5E+00	1.5E+00
Europium (63)	Eu-144	2.14E+06	3.23E-07	0.00E+00	1.28E-07	.	8.1E+07	8.1E+07	.	1.5E+00	1.5E+00
Europium (63)	Eu-145	4.27E+01	1.62E-02	4.7E-11 (S)	1.52E-07	2.0E+02	1.4E+03	1.8E+02	1.9E-01	1.3E+00	1.7E-01
Europium (63)	Eu-146	5.49E+01	1.26E-02	6.9E-11 (S)	2.81E-07	1.8E+02	9.5E+02	1.5E+02	1.3E-01	6.9E-01	1.1E-01
Europium (63)	Eu-147	1.05E+01	6.60E-02	1.2E-10 (S)	5.11E-08	2.0E+01	1.0E+03	1.9E+01	7.5E-02	3.8E+00	7.4E-02
Europium (63)	Eu-148	4.64E+00	1.49E-01	3.5E-10 (F)	2.56E-07	3.0E+00	8.8E+01	2.9E+00	2.6E-02	7.6E-01	2.5E-02
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.7E-11 (S)	4.92E-09	1.3E+01	2.7E+03	1.3E+01	1.9E-01	4.0E+01	1.9E-01
Europium (63)	Eu-150	1.88E-02	3.69E+01	7.3E-09 (F)	1.75E-07	1.5E-03	1.4E+00	1.5E-03	1.2E-03	1.1E+00	1.2E-03
Europium (63)	Eu-150m	4.74E+02	1.46E-03	3.0E-11 (S)	5.49E-09	3.5E+03	4.2E+05	3.5E+03	3.0E-01	3.5E+01	2.9E-01
Europium (63)	Eu-152	5.12E-02	1.35E+01	5.2E-09 (F)	1.37E-07	3.0E-03	2.5E+00	3.0E-03	1.7E-03	1.4E+00	1.7E-03
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.2E-11 (S)	3.41E-08	4.5E+03	9.3E+04	4.3E+03	2.8E-01	5.7E+00	2.6E-01
Europium (63)	Eu-152n	3.79E+03	1.83E-04	8.0E-13 (S)	6.34E-09	1.1E+06	2.9E+06	7.7E+05	1.1E+01	3.1E+01	8.1E+00
Europium (63)	Eu-154	8.06E-02	8.59E+00	5.6E-09 (F)	1.47E-07	3.7E-03	3.1E+00	3.7E-03	1.6E-03	1.3E+00	1.6E-03
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.0E-13 (S)	5.11E-09	5.8E+06	7.5E+06	3.3E+06	3.0E+01	3.8E+01	1.7E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Europium (63)	Eu-155	1.46E-01	4.76E+00	5.2E-10 (S)	5.21E-09	6.4E-02	1.4E+02	6.4E-02	1.7E-02	3.7E+01	1.7E-02
Europium (63)	Eu-156	1.67E+01	4.16E-02	4.3E-10 (S)	1.51E-07	8.7E+00	5.4E+02	8.5E+00	2.1E-02	1.3E+00	2.0E-02
Europium (63)	Eu-157	4.00E+02	1.73E-03	4.6E-11 (S)	3.05E-08	1.9E+03	6.4E+04	1.9E+03	1.9E-01	6.4E+00	1.9E-01
Europium (63)	Eu-158	7.94E+03	8.73E-05	3.1E-12 (S)	1.55E-07	5.7E+05	2.5E+05	1.7E+05	2.9E+00	1.3E+00	8.7E-01
Europium (63)	Eu-159	2.01E+04	3.44E-05	1.7E-12 (S)	3.19E-08	2.7E+06	3.1E+06	1.4E+06	5.4E+00	6.1E+00	2.9E+00
Fluorine (9)	F-17	3.39E+05	2.04E-06	0.00E+00	1.16E-07	.	1.4E+07	1.4E+07	.	1.7E+00	1.7E+00
Fluorine (9)	F-18	3.32E+03	2.09E-04	3.2E-12 (S)	1.11E-07	2.3E+05	1.4E+05	8.9E+04	2.8E+00	1.7E+00	1.1E+00
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.1E-11 (S)	8.24E-08	2.0E+03	4.3E+04	1.9E+03	1.1E-01	2.4E+00	1.1E-01
Iron (26)	Fe-53	4.28E+04	1.62E-05	0.00E+00	1.34E-07	.	1.6E+06	1.6E+06	.	1.5E+00	1.5E+00
Iron (26)	Fe-53m	1.44E+05	4.81E-06	0.00E+00	3.69E-07	.	1.9E+06	1.9E+06	.	5.3E-01	5.3E-01
Iron (26)	Fe-55	2.53E-01	2.74E+00	4.0E-11 (F)	1.65E-17	1.4E+00	7.5E+10	1.4E+00	2.2E-01	1.2E+10	2.2E-01
Iron (26)	Fe-59	5.68E+00	1.22E-01	4.0E-10 (S)	1.43E-07	3.2E+00	1.9E+02	3.1E+00	2.2E-02	1.4E+00	2.2E-02
Iron (26)	Fe-60	4.62E-07	1.50E+06	1.0E-08 (F)	2.88E-12	8.5E-04	6.8E+04	8.5E-04	8.5E-04	6.8E+04	8.5E-04
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	1.3E-08 (F)	3.04E-07	6.8E-04	6.4E-01	6.8E-04	6.8E-04	6.4E-01	6.8E-04
Iron (26)	Fe-61	6.09E+04	1.14E-05	0.00E+00	1.69E-07	.	1.8E+06	1.8E+06	.	1.2E+00	1.2E+00
Iron (26)	Fe-62	3.21E+05	2.16E-06	0.00E+00	5.74E-08	.	2.7E+07	2.7E+07	.	3.4E+00	3.4E+00
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.8E-10 (S)	1.58E-08	1.4E+03	3.5E+05	1.4E+03	5.0E-02	1.2E+01	5.0E-02
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.5E-08 (S)	4.10E-11	1.5E+00	2.8E+07	1.5E+00	2.6E-04	4.7E+03	2.6E-04
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.1E-08 (S)	5.68E-09	4.5E-01	7.2E+04	4.5E-01	2.1E-04	3.4E+01	2.1E-04
Fermium (100)	Fm-254	1.87E+03	3.70E-04	5.9E-09 (S)	8.80E-10	7.1E+01	1.0E+07	7.1E+01	1.5E-03	2.2E+02	1.5E-03
Fermium (100)	Fm-255	3.02E+02	2.29E-03	2.7E-08 (S)	2.13E-10	2.5E+00	6.9E+06	2.5E+00	3.4E-04	9.1E+02	3.4E-04
Fermium (100)	Fm-256	2.31E+03	3.00E-04	2.4E-08 (S)	1.54E-06	2.1E+01	7.3E+03	2.1E+01	3.7E-04	1.3E-01	3.7E-04
Fermium (100)	Fm-257	2.52E+00	2.75E-01	7.6E-07 (S)	1.49E-08	7.3E-04	8.2E+02	7.3E-04	1.2E-05	1.3E+01	1.2E-05
Francium (87)	Fr-212	1.82E+04	3.81E-05	5.7E-10 (S)	1.33E-07	7.1E+03	6.6E+05	7.0E+03	1.6E-02	1.5E+00	1.5E-02
Francium (87)	Fr-219	1.09E+09	6.34E-10	0.00E+00	3.94E-10	.	1.3E+13	1.3E+13	.	4.9E+02	4.9E+02
Francium (87)	Fr-220	7.98E+05	8.69E-07	0.00E+00	8.55E-10	.	4.5E+09	4.5E+09	.	2.3E+02	2.3E+02
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	0.00E+00	1.09E-09	.	3.6E+09	3.6E+09	.	1.8E+02	1.8E+02
Francium (87)	Fr-221	7.43E+04	9.32E-06	0.00E+00	3.11E-09	.	1.2E+08	1.2E+08	.	6.2E+01	6.2E+01
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	0.00E+00	3.14E-09	.	1.2E+08	1.2E+08	.	6.2E+01	6.2E+01
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.6E-09 (S)	1.96E-08	3.6E+03	6.4E+06	3.6E+03	5.7E-03	9.9E+00	5.7E-03
Francium (87)	Fr-223	1.66E+04	4.19E-05	1.1E-09 (S)	4.80E-09	3.3E+03	1.7E+07	3.3E+03	8.1E-03	4.1E+01	8.1E-03
Francium (87)	Fr-224	1.09E+05	6.34E-06	0.00E+00	6.53E-08	.	8.1E+06	8.1E+06	.	3.0E+00	3.0E+00
Francium (87)	Fr-227	1.47E+05	4.70E-06	0.00E+00	4.92E-08	.	1.5E+07	1.5E+07	.	4.0E+00	4.0E+00
Gallium (31)	Ga-64	1.39E+05	5.00E-06	0.00E+00	4.17E-07	.	1.6E+06	1.6E+06	.	4.7E-01	4.7E-01
Gallium (31)	Ga-65	2.40E+04	2.89E-05	8.0E-13 (S)	1.31E-07	6.6E+06	8.9E+05	7.8E+05	1.1E+01	1.5E+00	1.3E+00
Gallium (31)	Ga-66	6.40E+02	1.08E-03	6.2E-11 (S)	3.16E-07	2.3E+03	9.9E+03	1.9E+03	1.4E-01	6.2E-01	1.2E-01
Gallium (31)	Ga-67	7.76E+01	8.93E-03	2.9E-11 (S)	1.63E-08	6.0E+02	2.3E+04	5.8E+02	3.1E-01	1.2E+01	3.0E-01
Gallium (31)	Ga-68	5.38E+03	1.29E-04	3.6E-12 (S)	1.08E-07	3.3E+05	2.4E+05	1.4E+05	2.4E+00	1.8E+00	1.0E+00
Gallium (31)	Ga-70	1.72E+04	4.02E-05	8.3E-13 (S)	1.18E-09	4.6E+06	7.1E+07	4.3E+06	1.1E+01	1.6E+02	1.0E+01
Gallium (31)	Ga-72	4.31E+02	1.61E-03	6.3E-11 (S)	3.35E-07	1.5E+03	6.3E+03	1.2E+03	1.4E-01	5.8E-01	1.1E-01
Gallium (31)	Ga-73	1.25E+03	5.55E-04	1.8E-11 (S)	3.85E-08	1.6E+04	1.6E+05	1.4E+04	5.0E-01	5.1E+00	4.6E-01
Gallium (31)	Ga-74	4.49E+04	1.54E-05	0.00E+00	3.94E-07	.	5.5E+05	5.5E+05	.	4.9E-01	4.9E-01
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	0.00E+00	1.20E-07	.	1.3E+07	1.3E+07	.	1.6E+00	1.6E+00
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	0.00E+00	2.46E-07	.	3.9E+06	3.9E+06	.	7.9E-01	7.9E-01
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	0.00E+00	1.07E-07	.	3.7E+06	3.7E+06	.	1.8E+00	1.8E+00
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	8.2E-13 (S)	3.02E-07	4.3E+06	2.6E+05	2.4E+05	1.1E+01	6.5E-01	6.1E-01
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	0.00E+00	7.79E-08	.	1.6E+07	1.6E+07	.	2.5E+00	2.5E+00
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	6.9E-10 (S)	2.11E-08	1.7E+00	1.2E+03	1.7E+00	1.3E-02	9.2E+00	1.3E-02
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	4.0E-11 (S)	1.59E-07	8.9E+02	4.9E+03	7.5E+02	2.2E-01	1.2E+00	1.9E-01
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	4.1E-07 (S)	0.00E+00	2.4E-05	.	2.4E-05	2.2E-05	.	2.2E-05
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	9.7E-11 (S)	5.62E-08	6.2E+01	2.4E+03	6.1E+01	9.1E-02	3.5E+00	8.9E-02
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	3.3E-07 (S)	0.00E+00	2.7E-05	.	2.7E-05	2.7E-05	.	2.7E-05
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	1.2E-10 (S)	5.18E-09	3.8E+00	1.9E+03	3.8E+00	7.5E-02	3.8E+01	7.5E-02
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	2.5E-07 (F)	0.00E+00	3.6E-05	.	3.6E-05	3.6E-05	.	3.6E-05
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	2.3E-10 (S)	7.35E-09	1.0E+00	7.0E+02	1.0E+00	3.8E-02	2.6E+01	3.8E-02
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	4.3E-11 (S)	5.49E-09	1.7E+03	2.9E+05	1.7E+03	2.1E-01	3.5E+01	2.1E-01
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	0.00E+00	4.64E-08	.	4.5E+06	4.5E+06	.	4.2E+00	4.2E+00
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.0E-12 (S)	7.48E-08	8.5E+04	1.7E+05	5.7E+04	1.3E+00	2.6E+00	8.5E-01
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.2E-12 (S)	1.64E-07	3.5E+06	5.7E+05	4.9E+05	7.2E+00	1.2E+00	1.0E+00
Germanium (32)	Ge-68	9.34E-01	7.42E-01	2.8E-09 (S)	1.35E-13	7.4E-02	3.4E+07	7.4E-02	3.2E-03	1.4E+06	3.2E-03
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	2.8E-09 (S)	1.08E-07	7.4E-02	4.2E+01	7.4E-02	3.2E-03	1.8E+00	3.2E-03
Germanium (32)	Ge-69	1.55E+02	4.46E-03	2.0E-11 (S)	1.11E-07	1.8E+03	6.8E+03	1.4E+03	4.5E-01	1.7E+00	3.6E-01
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.5E-12 (S)	1.37E-13	3.3E+03	7.9E+08	3.3E+03	6.0E+00	1.4E+06	6.0E+00
Germanium (32)	Ge-75	4.40E+03	1.57E-04	2.4E-12 (S)	4.04E-09	4.0E+05	5.3E+06	3.7E+05	3.6E+00	4.8E+01	3.4E+00
Germanium (32)	Ge-77	5.37E+02	1.29E-03	3.3E-11 (S)	1.25E-07	3.6E+03	2.1E+04	3.1E+03	2.7E-01	1.6E+00	2.3E-01
Germanium (32)	Ge-78	4.14E+03	1.67E-04	6.9E-12 (S)	3.06E-08	1.3E+05	6.6E+05	1.1E+05	1.3E+00	6.4E+00	1.1E+00
Hydrogen (1)	H-3	5.63E-02	1.23E+01	2.3E-11 (S)	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	0.00E+00	6.82E-08	.	1.3E+07	1.3E+07	.	2.9E+00	2.9E+00
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	0.00E+00	6.97E-08	.	7.8E+06	7.8E+06	.	2.8E+00	2.8E+00
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	2.8E-11 (S)	4.58E-08	3.0E+03	4.0E+04	2.8E+03	3.1E-01	4.3E+00	2.9E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.6E-02	2.5E+02	3.6E-02	3.8E-03	2.7E+01	3.8E-03
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	2.3E-09 (S)	7.32E-09	3.6E-02	2.5E+02	3.6E-02	3.8E-03	2.7E+01	3.8E-03
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	1.7E-11 (S)	4.01E-08	3.3E+03	3.1E+04	3.0E+03	5.1E-01	4.9E+00	4.6E-01
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	2.7E-07 (S)	0.00E+00	3.3E-05	.	3.3E-05	3.3E-05	.	3.3E-05
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	1.4E-10 (S)	3.66E-08	5.7E+00	4.8E+02	5.6E+00	6.3E-02	5.3E+00	6.2E-02
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	5.3E-12 (S)	2.46E-07	3.0E+05	1.4E+05	9.5E+04	1.7E+00	7.9E-01	5.4E-01
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	8.8E-09 (F)	2.46E-07	1.3E-03	1.0E+00	1.3E-03	1.0E-03	7.9E-01	1.0E-03
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	4.4E-10 (S)	9.81E-08	5.1E+00	5.0E+02	5.1E+00	2.0E-02	2.0E+00	2.0E-02
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.2E-11 (S)	1.07E-07	2.0E+04	5.0E+04	1.4E+04	7.3E-01	1.8E+00	5.2E-01
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.8E-10 (S)	5.81E-08	2.3E+00	5.0E+02	2.3E+00	1.5E-02	3.4E+00	1.5E-02
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	8.9E-09 (F)	2.59E-08	1.0E-03	7.5E+00	1.0E-03	1.0E-03	7.5E+00	1.0E-03
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	9.9E-09 (F)	1.78E-07	9.0E-04	1.1E+00	9.0E-04	9.0E-04	1.1E+00	9.0E-04
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	3.4E-12 (S)	1.00E-07	3.9E+05	2.9E+05	1.7E+05	2.6E+00	1.9E+00	1.1E+00
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	4.9E-12 (S)	8.80E-08	2.6E+05	3.1E+05	1.4E+05	1.8E+00	2.2E+00	1.0E+00
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	4.0E-11 (S)	2.42E-08	8.3E+03	3.0E+05	8.0E+03	2.2E-01	8.0E+00	2.2E-01
Mercury (80)	Hg-190	1.82E+04	3.81E-05	7.0E-12 (V)	1.89E-08	5.8E+05	4.7E+06	5.2E+05	1.3E+00	1.0E+01	1.1E+00
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	2.9E-11 (V)	1.70E-07	5.5E+04	2.0E+05	4.3E+04	3.1E-01	1.1E+00	2.4E-01
Mercury (80)	Hg-192	1.25E+03	5.54E-04	9.1E-11 (V)	2.73E-08	3.1E+03	2.2E+05	3.0E+03	9.8E-02	7.1E+00	9.7E-02
Mercury (80)	Hg-193	1.60E+03	4.34E-04	7.9E-11 (V)	9.66E-08	.	.	.	.	.	.
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	7.9E-11 (V)	9.72E-08	4.5E+03	8.0E+04	4.3E+03	1.1E-01	2.0E+00	1.1E-01
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	2.7E-10 (V)	1.18E-07	.	.	.	.	.	.
Mercury (80)	Hg-194	1.58E-03	4.40E+02	2.0E-09 (S)	8.52E-13	.	.	.	.	.	.
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	2.0E-09 (S)	1.22E-07	.	.	.	.	.	.
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.4E-10 (V)	2.06E-08	.	.	.	.	.	.
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	7.3E-10 (V)	2.09E-08	.	.	.	.	.	.
Mercury (80)	Hg-197	9.35E+01	7.41E-03	4.2E-10 (V)	5.71E-09	.	.	.	.	.	.
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	5.3E-10 (V)	9.09E-09	.	.	.	.	.	.
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.6E-11 (V)	1.83E-08	.	.	.	.	.	.
Mercury (80)	Hg-203	5.43E+00	1.28E-01	6.6E-10 (V)	2.59E-08	.	.	.	.	.	.
Mercury (80)	Hg-205	7.00E+04	9.89E-06	0.00E+00	8.08E-10	.	4.2E+08	4.2E+08	.	2.4E+02	2.4E+02
Mercury (80)	Hg-206	4.47E+04	1.55E-05	0.00E+00	1.34E-08	.	1.6E+07	1.6E+07	.	1.5E+01	1.5E+01
Mercury (80)	Hg-207	1.26E+05	5.52E-06	0.00E+00	3.25E-07	.	1.9E+06	1.9E+06	.	6.0E-01	6.0E-01
Holmium (67)	Ho-150	2.85E+05	2.44E-06	0.00E+00	2.18E-07	.	6.3E+06	6.3E+06	.	8.9E-01	8.9E-01
Holmium (67)	Ho-153	1.81E+05	3.82E-06	0.00E+00	1.16E-07	.	7.6E+06	7.6E+06	.	1.7E+00	1.7E+00
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	0.00E+00	1.18E-07	.	1.6E+06	1.6E+06	.	1.6E+00	1.6E+00
Holmium (67)	Ho-154	3.10E+04	2.24E-05	6.8E-13 (S)	2.17E-07	1.0E+07	6.9E+05	6.5E+05	1.3E+01	9.0E-01	8.4E-01
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	0.00E+00	2.76E-07	.	2.1E+06	2.1E+06	.	7.1E-01	7.1E-01
Holmium (67)	Ho-155	7.59E+03	9.13E-05	1.7E-12 (S)	6.82E-08	1.0E+06	5.4E+05	3.5E+05	5.4E+00	2.9E+00	1.9E+00
Holmium (67)	Ho-156	6.50E+03	1.07E-04	3.4E-12 (S)	2.48E-07	4.3E+05	1.3E+05	9.9E+04	2.6E+00	7.9E-01	6.1E-01
Holmium (67)	Ho-157	2.89E+04	2.40E-05	2.3E-13 (S)	6.15E-08	2.8E+07	2.3E+06	2.1E+06	3.9E+01	3.2E+00	2.9E+00
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.6E-13 (S)	3.79E-08	6.8E+06	1.4E+06	1.2E+06	2.5E+01	5.1E+00	4.3E+00
Holmium (67)	Ho-160	1.42E+04	4.87E-05	6.1E-13 (S)	1.94E-07	5.2E+06	3.6E+05	3.3E+05	1.5E+01	1.0E+00	9.4E-01
Holmium (67)	Ho-161	2.45E+03	2.83E-04	6.4E-13 (S)	3.07E-09	8.5E+05	3.9E+06	7.0E+05	1.4E+01	6.3E+01	1.1E+01
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.6E-13 (S)	1.63E-08	3.5E+07	7.2E+06	6.0E+06	5.7E+01	1.2E+01	9.9E+00
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	1.4E-12 (S)	6.28E-08	8.6E+05	4.2E+05	2.8E+05	6.3E+00	3.1E+00	2.1E+00
Holmium (67)	Ho-163	1.52E-04	4.57E+03	3.2E-11 (F)	0.00E+00	2.8E-01	.	2.8E-01	2.8E-01	.	2.8E-01
Holmium (67)	Ho-164	1.26E+04	5.52E-05	4.7E-13 (S)	1.71E-09	5.9E+06	3.6E+07	5.1E+06	1.9E+01	1.1E+02	1.6E+01
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	1.0E-12 (S)	2.41E-09	2.1E+06	1.9E+07	1.9E+06	8.7E+00	8.1E+01	7.9E+00
Holmium (67)	Ho-166	2.27E+02	3.06E-03	1.1E-10 (S)	3.44E-09	4.6E+02	3.2E+05	4.6E+02	8.2E-02	5.7E+01	8.1E-02
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	2.1E-08 (F)	1.85E-07	4.3E-04	1.1E+00	4.3E-04	4.3E-04	1.1E+00	4.3E-04
Holmium (67)	Ho-167	1.96E+03	3.54E-04	6.8E-12 (S)	3.98E-08	6.4E+04	2.4E+05	5.1E+04	1.3E+00	4.9E+00	1.0E+00
Holmium (67)	Ho-168	1.22E+05	5.69E-06	0.00E+00	1.02E-07	.	5.8E+06	5.8E+06	.	1.9E+00	1.9E+00
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	0.00E+00	3.44E-10	.	2.3E+09	2.3E+09	.	5.7E+02	5.7E+02
Holmium (67)	Ho-170	1.32E+05	5.25E-06	0.00E+00	1.98E-07	.	3.2E+06	3.2E+06	.	9.8E-01	9.8E-01
Iodine (53)	I-118	2.66E+04	2.61E-05	1.6E-11 (V)	2.35E-07	3.8E+05	5.5E+05	2.2E+05	5.7E-01	8.3E-01	3.4E-01
Iodine (53)	I-118m	4.29E+04	1.62E-05	0.00E+00	4.35E-07	.	4.8E+05	4.8E+05	.	4.5E-01	4.5E-01
Iodine (53)	I-119	1.91E+04	3.63E-05	4.4E-12 (V)	1.02E-07	9.7E+05	9.1E+05	4.7E+05	2.0E+00	1.9E+00	9.9E-01
Iodine (53)	I-120	4.46E+03	1.55E-04	2.6E-11 (V)	3.25E-07	.	.	.	.	.	.
Iodine (53)	I-120m	6.87E+03	1.01E-04	1.3E-11 (V)	4.13E-07	.	.	.	.	.	.
Iodine (53)	I-121	2.86E+03	2.42E-04	7.3E-12 (V)	4.26E-08	.	.	.	.	.	.
Iodine (53)	I-122	1.00E+05	6.91E-06	0.00E+00	1.10E-07	.	4.5E+06	4.5E+06	.	1.8E+00	1.8E+00
Iodine (53)	I-123	4.57E+02	1.51E-03	2.3E-11 (V)	1.62E-08	.	.	.	.	.	.
Iodine (53)	I-124	6.06E+01	1.14E-02	1.2E-09 (V)	1.30E-07	.	.	.	.	.	.
Iodine (53)	I-125	4.26E+00	1.63E-01	7.5E-10 (V)	7.67E-10	.	.	.	.	.	.
Iodine (53)	I-126	1.96E+01	3.54E-02	2.6E-09 (V)	4.83E-08	.	.	.	.	.	.
Iodine (53)	I-128	1.46E+04	4.75E-05	5.6E-12 (V)	7.89E-09	.	.	.	.	.	.
Iodine (53)	I-129	4.41E-08	1.57E+07	4.4E-09 (V)	5.93E-10	.	.	.	.	.	.
Iodine (53)	I-130	4.91E+02	1.41E-03	1.9E-10 (V)	2.46E-07	.	.	.	.	.	.
Iodine (53)	I-130m	4.12E+04	1.68E-05	0.00E+00	1.21E-08	.	1.7E+07	1.7E+07	.	1.6E+01	1.6E+01
Iodine (53)	I-131	3.15E+01	2.20E-02	1.4E-09 (V)	4.26E-08	.	.	.	.	.	.

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Iodine (53)	I-132	2.65E+03	2.62E-04	3.1E-11 (V)	2.64E-07	.	.	.	.	.	.
Iodine (53)	I-132m	4.38E+03	1.58E-04	1.1E-11 (V)	3.79E-08	.	.	.	.	.	.
Iodine (53)	I-133	2.92E+02	2.37E-03	4.4E-10 (V)	7.01E-08	.	.	.	.	.	.
Iodine (53)	I-134	6.94E+03	9.99E-05	1.2E-11 (V)	3.06E-07	.	.	.	.	.	.
Iodine (53)	I-134m	1.01E+05	6.85E-06	0.00E+00	2.97E-08	.	1.7E+07	1.7E+07	.	6.6E+00	6.6E+00
Iodine (53)	I-135	9.24E+02	7.50E-04	9.3E-11 (V)	1.93E-07	.	.	.	.	.	.
Indium (49)	In-103	3.64E+05	1.90E-06	0.00E+00	3.31E-07	.	5.3E+06	5.3E+06	.	5.9E-01	5.9E-01
Indium (49)	In-105	7.18E+04	9.65E-06	0.00E+00	2.27E-07	.	1.5E+06	1.5E+06	.	8.6E-01	8.6E-01
Indium (49)	In-106	5.87E+04	1.18E-05	0.00E+00	4.13E-07	.	6.9E+05	6.9E+05	.	4.7E-01	4.7E-01
Indium (49)	In-106m	7.00E+04	9.89E-06	0.00E+00	3.41E-07	.	1.0E+06	1.0E+06	.	5.7E-01	5.7E-01
Indium (49)	In-107	1.12E+04	6.16E-05	1.6E-12 (S)	1.82E-07	1.6E+06	3.0E+05	2.5E+05	5.5E+00	1.1E+00	8.9E-01
Indium (49)	In-108	6.28E+03	1.10E-04	2.2E-12 (S)	4.61E-07	6.4E+05	6.6E+04	6.0E+04	4.1E+00	4.2E-01	3.8E-01
Indium (49)	In-108m	9.20E+03	7.53E-05	2.0E-12 (S)	3.44E-07	1.0E+06	1.3E+05	1.2E+05	4.4E+00	5.7E-01	5.0E-01
Indium (49)	In-109	1.45E+03	4.79E-04	2.7E-12 (S)	7.26E-08	1.2E+05	9.7E+04	5.4E+04	3.4E+00	2.7E+00	1.5E+00
Indium (49)	In-109m	2.72E+05	2.55E-06	0.00E+00	6.94E-08	.	1.9E+07	1.9E+07	.	2.8E+00	2.8E+00
Indium (49)	In-110	1.24E+03	5.59E-04	7.5E-12 (S)	3.60E-07	3.7E+04	1.7E+04	1.1E+04	1.2E+00	5.4E-01	3.7E-01
Indium (49)	In-110m	5.27E+03	1.31E-04	3.4E-12 (S)	1.84E-07	3.5E+05	1.4E+05	1.0E+05	2.7E+00	1.1E+00	7.6E-01
Indium (49)	In-111	9.02E+01	7.68E-03	2.3E-11 (S)	4.20E-08	8.6E+02	1.0E+04	7.9E+02	3.8E-01	4.6E+00	3.5E-01
Indium (49)	In-111m	4.73E+04	1.46E-05	0.00E+00	5.30E-08	.	4.3E+06	4.3E+06	.	3.7E+00	3.7E+00
Indium (49)	In-112	2.43E+04	2.85E-05	3.3E-13 (S)	2.97E-08	1.7E+07	4.0E+06	3.2E+06	2.7E+01	6.5E+00	5.3E+00
Indium (49)	In-112m	1.77E+04	3.91E-05	1.0E-12 (S)	2.33E-09	3.8E+06	3.7E+07	3.4E+06	8.5E+00	8.4E+01	7.8E+00
Indium (49)	In-113m	3.66E+03	1.89E-04	1.5E-12 (S)	2.84E-08	5.4E+05	6.3E+05	2.9E+05	5.8E+00	6.9E+00	3.2E+00
Indium (49)	In-114	3.04E+05	2.28E-06	0.00E+00	7.13E-10	.	2.1E+09	2.1E+09	.	2.7E+02	2.7E+02
Indium (49)	In-114m	5.11E+00	1.36E-01	1.4E-09 (S)	8.08E-09	8.3E-01	3.1E+03	8.3E-01	6.5E-03	2.4E+01	6.5E-03
Indium (49)	In-114m+D	5.11E+00	1.36E-01	1.4E-09 (S)	8.77E-09	8.3E-01	2.8E+03	8.3E-01	6.5E-03	2.2E+01	6.5E-03
Indium (49)	In-115	1.57E-15	4.41E+14	1.1E-08 (F)	2.87E-11	8.1E-04	6.8E+03	8.1E-04	8.1E-04	6.8E+03	8.1E-04
Indium (49)	In-115m	1.35E+03	5.12E-04	6.3E-12 (S)	1.72E-08	4.8E+04	3.8E+05	4.2E+04	1.4E+00	1.1E+01	1.3E+00
Indium (49)	In-116m	6.69E+03	1.04E-04	2.5E-12 (S)	3.00E-07	5.9E+05	1.1E+05	9.2E+04	3.5E+00	6.5E-01	5.5E-01
Indium (49)	In-117	8.43E+03	8.22E-05	1.6E-12 (S)	7.73E-08	1.2E+06	5.3E+05	3.7E+05	5.6E+00	2.5E+00	1.7E+00
Indium (49)	In-117m	3.13E+03	2.21E-04	6.7E-12 (S)	9.63E-09	1.0E+05	1.6E+06	9.7E+04	1.3E+00	2.0E+01	1.2E+00
Indium (49)	In-118	4.37E+06	1.59E-07	0.00E+00	1.16E-08	.	1.8E+09	1.8E+09	.	1.7E+01	1.7E+01
Indium (49)	In-118m	8.35E+04	8.30E-06	0.00E+00	3.31E-07	.	1.2E+06	1.2E+06	.	5.9E-01	5.9E-01
Indium (49)	In-119	1.52E+05	4.57E-06	0.00E+00	8.90E-08	.	8.3E+06	8.3E+06	.	2.2E+00	2.2E+00
Indium (49)	In-119m	2.02E+04	3.42E-05	9.5E-13 (S)	8.36E-09	4.7E+06	1.2E+07	3.4E+06	9.4E+00	2.3E+01	6.7E+00
Indium (49)	In-121	9.46E+05	7.32E-07	0.00E+00	1.10E-07	.	4.2E+07	4.2E+07	.	1.8E+00	1.8E+00
Indium (49)	In-121m	9.39E+04	7.38E-06	0.00E+00	7.54E-09	.	6.1E+07	6.1E+07	.	2.6E+01	2.6E+01
Iridium (77)	Ir-180	2.43E+05	2.85E-06	0.00E+00	1.81E-07	.	6.5E+06	6.5E+06	.	1.1E+00	1.1E+00
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.4E-12 (S)	1.61E-07	3.7E+06	7.3E+05	6.1E+05	6.2E+00	1.2E+00	1.0E+00
Iridium (77)	Ir-183	6.28E+03	1.10E-04	2.7E-12 (S)	1.39E-07	5.1E+05	2.2E+05	1.5E+05	3.3E+00	1.4E+00	9.8E-01
Iridium (77)	Ir-184	1.96E+03	3.53E-04	9.9E-12 (S)	2.28E-07	4.4E+04	4.2E+04	2.2E+04	9.0E-01	8.5E-01	4.4E-01
Iridium (77)	Ir-185	4.22E+02	1.64E-03	2.3E-11 (S)	1.00E-07	4.0E+03	2.0E+04	3.3E+03	3.8E-01	1.9E+00	3.2E-01
Iridium (77)	Ir-186	3.65E+02	1.90E-03	3.3E-11 (S)	1.93E-07	2.4E+03	9.2E+03	1.9E+03	2.7E-01	1.0E+00	2.1E-01
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	3.5E-12 (S)	1.48E-07	2.0E+05	1.0E+05	6.9E+04	2.5E+00	1.3E+00	8.7E-01
Iridium (77)	Ir-187	5.78E+02	1.20E-03	7.6E-12 (S)	3.53E-08	1.7E+04	8.0E+04	1.4E+04	1.2E+00	5.5E+00	9.6E-01
Iridium (77)	Ir-188	1.46E+02	4.74E-03	4.1E-11 (S)	2.59E-07	8.0E+02	2.8E+03	6.2E+02	2.2E-01	7.5E-01	1.7E-01
Iridium (77)	Ir-189	1.92E+01	3.62E-02	5.9E-11 (S)	6.44E-09	7.3E+01	1.4E+04	7.2E+01	1.5E-01	3.0E+01	1.5E-01
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.4E-10 (S)	1.64E-07	3.4E+01	6.4E+02	3.2E+01	6.3E-02	1.2E+00	6.0E-02
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	6.2E-13 (S)	1.98E-13	1.9E+06	1.3E+11	1.9E+06	1.4E+01	9.8E+05	1.4E+01
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	6.2E-12 (S)	4.32E-09	7.1E+04	2.2E+06	6.9E+04	1.4E+00	4.5E+01	1.4E+00
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	0.00E+00	6.44E-09	.	3.3E+09	3.3E+09	.	3.0E+01	3.0E+01
Iridium (77)	Ir-192	3.43E+00	2.02E-01	6.5E-10 (S)	9.09E-08	1.2E+00	1.8E+02	1.2E+00	1.4E-02	2.1E+00	1.4E-02
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	0.00E+00	6.25E-12	.	2.0E+11	2.0E+11	.	3.1E+04	3.1E+04
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	4.3E-09 (S)	6.56E-11	2.2E-03	3.1E+03	2.2E-03	2.1E-03	3.0E+03	2.1E-03
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.2E-10 (S)	2.39E-11	4.4E+01	4.9E+06	4.4E+01	7.3E-02	8.1E+03	7.3E-02
Iridium (77)	Ir-194	3.15E+02	2.20E-03	9.2E-11 (S)	1.09E-08	7.6E+02	1.4E+05	7.5E+02	9.6E-02	1.8E+01	9.6E-02
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	1.2E-09 (S)	2.63E-07	2.8E-01	2.7E+01	2.8E-01	7.5E-03	7.4E-01	7.5E-03
Iridium (77)	Ir-195	2.43E+03	2.85E-04	6.5E-12 (S)	4.89E-09	8.4E+04	2.4E+06	8.1E+04	1.4E+00	4.0E+01	1.3E+00
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	1.2E-11 (S)	4.07E-08	2.9E+04	1.9E+05	2.5E+04	7.3E-01	4.8E+00	6.4E-01
Iridium (77)	Ir-196	4.20E+05	1.65E-06	0.00E+00	2.76E-08	.	7.4E+07	7.4E+07	.	7.0E+00	7.0E+00
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	5.7E-12 (S)	2.78E-07	1.7E+05	7.6E+04	5.2E+04	1.6E+00	7.0E-01	4.8E-01
Potassium (19)	K-38	4.77E+04	1.45E-05	0.00E+00	3.98E-07	.	5.8E+05	5.8E+05	.	4.9E-01	4.9E-01
Potassium (19)	K-40	5.54E-10	1.25E+09	6.0E-09 (S)	1.96E-08	1.5E-03	9.9E+00	1.5E-03	1.5E-03	9.9E+00	1.5E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.4E-11 (S)	3.60E-08	3.2E+03	6.6E+04	3.1E+03	2.6E-01	5.4E+00	2.5E-01
Potassium (19)	K-43	2.72E+02	2.55E-03	2.9E-11 (S)	1.09E-07	2.1E+03	1.2E+04	1.8E+03	3.0E-01	1.8E+00	2.6E-01
Potassium (19)	K-44	1.65E+04	4.21E-05	1.7E-12 (S)	3.04E-07	2.2E+06	2.6E+05	2.4E+05	5.4E+00	6.4E-01	5.7E-01
Potassium (19)	K-45	2.11E+04	3.29E-05	1.0E-12 (S)	2.30E-07	4.6E+06	4.4E+05	4.1E+05	8.7E+00	8.5E-01	7.7E-01
Potassium (19)	K-46	2.08E+05	3.33E-06	0.00E+00	3.76E-07	.	2.7E+06	2.7E+06	.	5.2E-01	5.2E-01
Krypton (36)	Kr-74	3.17E+04	2.19E-05	0.00E+00	1.18E-07	.	1.3E+06	1.3E+06	.	1.7E+00	1.7E+00
Krypton (36)	Kr-75	8.49E+04	8.16E-06	0.00E+00	1.45E-07	.	2.8E+06	2.8E+06	.	1.3E+00	1.3E+00
Krypton (36)	Kr-76	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	4.3E+04	4.3E+04	.	4.2E+00	4.2E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	0.00E+00	4.61E-08	.	4.3E+04	4.3E+04	.	4.2E+00	4.2E+00
Krypton (36)	Kr-77	4.90E+03	1.42E-04	0.00E+00	1.16E-07	.	2.1E+05	2.1E+05	.	1.7E+00	1.7E+00
Krypton (36)	Kr-79	1.73E+02	4.00E-03	0.00E+00	2.81E-08	.	3.0E+04	3.0E+04	.	6.9E+00	6.9E+00
Krypton (36)	Kr-81	3.03E-06	2.29E+05	0.00E+00	9.47E-11	.	2.1E+03	2.1E+03	.	2.1E+03	2.1E+03
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	0.00E+00	1.38E-08	.	5.9E+08	5.9E+08	.	1.4E+01	1.4E+01
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	0.00E+00	2.20E-12	.	7.3E+09	7.3E+09	.	8.8E+04	8.8E+04
Krypton (36)	Kr-85	6.44E-02	1.08E+01	0.00E+00	3.19E-10	.	1.2E+03	1.2E+03	.	6.1E+02	6.1E+02
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	0.00E+00	1.68E-08	.	3.9E+05	3.9E+05	.	1.2E+01	1.2E+01
Krypton (36)	Kr-87	4.77E+03	1.45E-04	0.00E+00	9.97E-08	.	2.3E+05	2.3E+05	.	2.0E+00	2.0E+00
Krypton (36)	Kr-88	2.14E+03	3.24E-04	0.00E+00	2.49E-07	.	4.2E+04	4.2E+04	.	7.8E-01	7.8E-01
Krypton (36)	Kr-89	1.16E+05	5.99E-06	0.00E+00	2.43E-07	.	2.3E+06	2.3E+06	.	8.0E-01	8.0E-01
Lanthanum (57)	La-128	7.03E+04	9.86E-06	0.00E+00	3.28E-07	.	1.0E+06	1.0E+06	.	5.9E-01	5.9E-01
Lanthanum (57)	La-129	3.14E+04	2.21E-05	6.4E-13 (S)	1.03E-07	1.1E+07	1.5E+06	1.3E+06	1.4E+01	1.9E+00	1.7E+00
Lanthanum (57)	La-130	4.19E+04	1.66E-05	0.00E+00	2.60E-07	.	7.8E+05	7.8E+05	.	7.5E-01	7.5E-01
Lanthanum (57)	La-131	6.17E+03	1.12E-04	1.6E-12 (S)	7.23E-08	8.8E+05	4.2E+05	2.8E+05	5.7E+00	2.7E+00	1.8E+00
Lanthanum (57)	La-132	1.26E+03	5.48E-04	1.9E-11 (S)	2.37E-07	1.5E+04	2.6E+04	9.4E+03	4.7E-01	8.2E-01	3.0E-01
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	1.7E-12 (S)	7.45E-08	1.9E+06	9.8E+05	6.5E+05	5.1E+00	2.6E+00	1.7E+00
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.6E-12 (S)	1.60E-08	2.2E+05	4.7E+05	1.5E+05	5.7E+00	1.2E+01	3.9E+00
Lanthanum (57)	La-134	5.65E+04	1.23E-05	0.00E+00	8.14E-08	.	3.4E+06	3.4E+06	.	2.4E+00	2.4E+00
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.4E-12 (S)	1.82E-09	4.8E+04	8.3E+05	4.6E+04	6.2E+00	1.1E+02	5.9E+00
Lanthanum (57)	La-136	3.69E+04	1.88E-05	0.00E+00	4.48E-08	.	4.0E+06	4.0E+06	.	4.3E+00	4.3E+00
Lanthanum (57)	La-137	1.16E-05	6.00E+04	3.8E-10 (F)	6.44E-10	2.3E-02	3.0E+02	2.3E-02	2.3E-02	3.0E+02	2.3E-02
Lanthanum (57)	La-138	6.79E-12	1.02E+11	8.2E-09 (F)	1.49E-07	1.1E-03	1.3E+00	1.1E-03	1.1E-03	1.3E+00	1.1E-03
Lanthanum (57)	La-140	1.51E+02	4.60E-03	1.4E-10 (S)	2.82E-07	2.5E+02	2.6E+03	2.2E+02	6.5E-02	6.9E-01	6.0E-02
Lanthanum (57)	La-141	1.55E+03	4.47E-04	2.2E-11 (S)	3.98E-09	1.6E+04	1.9E+06	1.5E+04	4.0E-01	4.9E+01	4.0E-01
Lanthanum (57)	La-142	4.00E+03	1.73E-04	6.7E-12 (S)	3.03E-07	1.3E+05	6.4E+04	4.3E+04	1.3E+00	6.4E-01	4.3E-01
Lanthanum (57)	La-143	2.57E+04	2.70E-05	1.6E-12 (S)	3.35E-08	3.5E+06	3.7E+06	1.8E+06	5.5E+00	5.8E+00	2.8E+00
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	7.5E-13 (S)	1.27E-07	1.0E+07	1.3E+06	1.2E+06	1.2E+01	1.5E+00	1.4E+00
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.5E-12 (S)	2.03E-07	6.2E+05	1.7E+05	1.3E+05	3.5E+00	9.6E-01	7.5E-01
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	4.0E-11 (S)	1.55E-07	9.9E+02	5.6E+03	8.4E+02	2.2E-01	1.3E+00	1.9E-01
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	0.00E+00	3.91E-14	.	1.7E+13	1.7E+13	.	5.0E+06	5.0E+06
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	5.5E-11 (S)	3.19E-07	5.1E+02	1.9E+03	4.0E+02	1.6E-01	6.1E-01	1.3E-01
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	1.1E-10 (S)	7.07E-08	6.5E+01	2.1E+03	6.3E+01	8.5E-02	2.8E+00	8.2E-02
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	0.00E+00	2.32E-11	.	5.8E+10	5.8E+10	.	8.4E+03	8.4E+03
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	1.6E-10 (S)	2.28E-07	5.1E+01	8.1E+02	4.8E+01	5.5E-02	8.5E-01	5.1E-02
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	0.00E+00	8.14E-14	.	5.9E+12	5.9E+12	.	2.4E+06	2.4E+06
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	3.4E-10 (S)	1.57E-08	3.3E-01	1.6E+02	3.3E-01	2.6E-02	1.2E+01	2.6E-02
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	4.1E-10 (S)	1.11E-08	1.2E-01	9.2E+01	1.2E-01	2.2E-02	1.8E+01	2.2E-02
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	4.2E-10 (S)	4.23E-09	9.3E-01	2.1E+03	9.3E-01	2.1E-02	4.6E+01	2.1E-02
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.8E-09 (F)	5.14E-08	1.9E-03	3.8E+00	1.9E-03	1.9E-03	3.8E+00	1.9E-03
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	1.2E-11 (S)	1.30E-09	3.1E+04	6.3E+06	3.1E+04	7.3E-01	1.5E+02	7.3E-01
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	1.3E-10 (S)	3.60E-09	6.8E+01	5.1E+04	6.8E+01	7.1E-02	5.4E+01	7.1E-02
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	1.5E-09 (S)	1.06E-07	2.3E-01	7.3E+01	2.3E-01	5.8E-03	1.8E+00	5.8E-03
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.4E-12 (S)	1.53E-08	2.0E+06	4.1E+06	1.4E+06	6.3E+00	1.3E+01	4.2E+00
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.5E-12 (S)	1.13E-07	2.3E+06	6.8E+05	5.3E+05	5.9E+00	1.7E+00	1.3E+00
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	1.4E-11 (S)	3.44E-09	2.0E+04	1.9E+06	2.0E+04	6.2E-01	5.7E+01	6.1E-01
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	0.00E+00	1.80E-07	.	1.7E+06	1.7E+06	.	1.1E+00	1.1E+00
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	0.00E+00	6.41E-08	.	7.9E+06	7.9E+06	.	3.0E+00	3.0E+00
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	0.00E+00	1.05E-07	.	1.8E+06	1.8E+06	.	1.9E+00	1.9E+00
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.5E-10 (S)	1.63E-07	4.4E+02	8.7E+03	4.2E+02	6.1E-02	1.2E+00	5.8E-02
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	0.00E+00	5.52E-07	.	1.8E+06	1.8E+06	.	3.5E-01	3.5E-01
Manganese (25)	Mn-51	7.88E+03	8.79E-05	2.7E-12 (S)	1.13E-07	6.4E+05	3.4E+05	2.2E+05	3.3E+00	1.7E+00	1.1E+00
Manganese (25)	Mn-52	4.52E+01	1.53E-02	1.3E-10 (S)	4.13E-07	8.0E+01	5.3E+02	6.9E+01	7.1E-02	4.7E-01	6.1E-02
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	1.4E-12 (S)	2.87E-07	2.7E+06	2.9E+05	2.6E+05	6.2E+00	6.8E-01	6.1E-01
Manganese (25)	Mn-53	1.87E-07	3.70E+06	2.6E-11 (S)	0.00E+00	3.4E-01	.	3.4E-01	3.4E-01	.	3.4E-01
Manganese (25)	Mn-54	8.10E-01	8.55E-01	3.3E-10 (S)	9.72E-08	5.5E-01	4.1E+01	5.5E-01	2.7E-02	2.0E+00	2.7E-02
Manganese (25)	Mn-56	2.35E+03	2.94E-04	1.2E-11 (S)	2.08E-07	4.4E+04	5.5E+04	2.4E+04	7.5E-01	9.4E-01	4.2E-01
Manganese (25)	Mn-57	2.56E+05	2.71E-06	0.00E+00	1.18E-08	.	1.1E+08	1.1E+08	.	1.7E+01	1.7E+01
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	0.00E+00	2.90E-07	.	5.6E+06	5.6E+06	.	6.7E-01	6.7E-01
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.2E-12 (S)	1.77E-07	4.5E+06	6.9E+05	6.0E+05	7.3E+00	1.1E+00	9.6E-01
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.2E-12 (S)	2.10E-09	5.9E+06	7.5E+07	5.5E+06	7.3E+00	9.3E+01	6.8E+00
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	0.00E+00	1.41E-07	.	5.9E+06	5.9E+06	.	1.4E+00	1.4E+00
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	3.7E-11 (S)	9.21E-08	6.6E+03	5.8E+04	5.9E+03	2.4E-01	2.1E+00	2.2E-01
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.1E-12 (S)	1.12E-07	5.0E+06	1.0E+06	8.5E+05	8.5E+00	1.7E+00	1.4E+00
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	0.00E+00	1.63E-07	.	1.0E+07	1.0E+07	.	1.2E+00	1.2E+00
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	1.5E-10 (S)	3.38E-11	5.9E-02	5.8E+03	5.9E-02	5.9E-02	5.8E+03	5.9E-02
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	1.3E-11 (S)	2.78E-07	1.5E+04	1.5E+04	7.5E+03	6.6E-01	7.0E-01	3.4E-01
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.3E-10 (S)	1.70E-08	1.6E+02	2.6E+04	1.6E+02	6.8E-02	1.1E+01	6.8E-02
Nitrogen (7)	N-13	3.66E+04	1.90E-05	0.00E+00	1.15E-07	.	1.5E+06	1.5E+06	.	1.7E+00	1.7E+00
Nitrogen (7)	N-16	3.07E+06	2.26E-07	0.00E+00	6.63E-07	.	2.3E+07	2.3E+07	.	2.9E-01	2.9E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.6E-09 (S)	2.58E-07	2.3E-02	5.0E+00	2.2E-02	3.4E-03	7.5E-01	3.4E-03
Sodium (11)	Na-24	4.06E+02	1.71E-03	3.3E-11 (S)	5.36E-07	2.8E+03	3.7E+03	1.6E+03	2.7E-01	3.6E-01	1.6E-01
Niobium (41)	Nb-87	9.71E+04	7.13E-06	0.00E+00	1.37E-07	.	3.4E+06	3.4E+06	.	1.4E+00	1.4E+00
Niobium (41)	Nb-88	2.51E+04	2.76E-05	1.4E-12 (S)	4.92E-07	4.0E+06	2.5E+05	2.3E+05	6.3E+00	4.0E-01	3.7E-01
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	0.00E+00	4.83E-07	.	4.7E+05	4.7E+05	.	4.0E-01	4.0E-01
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.1E-11 (S)	1.64E-07	5.8E+04	8.9E+04	3.5E+04	7.8E-01	1.2E+00	4.7E-01
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	4.9E-12 (S)	1.48E-07	2.5E+05	1.8E+05	1.1E+05	1.8E+00	1.3E+00	7.6E-01
Niobium (41)	Nb-90	4.16E+02	1.67E-03	6.5E-11 (S)	5.24E-07	1.4E+03	3.9E+03	1.0E+03	1.4E-01	3.7E-01	1.0E-01
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.4E-10 (S)	2.07E-10	6.7E-02	9.5E+02	6.7E-02	6.6E-02	9.4E+02	6.6E-02
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.9E-10 (S)	3.03E-09	2.3E+00	6.7E+03	2.3E+00	2.3E-02	6.4E+01	2.3E-02
Niobium (41)	Nb-92	2.00E-08	3.47E+07	2.0E-09 (S)	1.74E-07	4.4E-03	1.1E+00	4.4E-03	4.4E-03	1.1E+00	4.4E-03
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	3.9E-11 (S)	1.13E-07	1.4E+02	1.1E+03	1.3E+02	2.3E-01	1.7E+00	2.0E-01
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.6E-10 (S)	6.03E-12	8.9E-02	5.3E+04	8.9E-02	5.5E-02	3.2E+04	5.5E-02
Niobium (41)	Nb-94	3.41E-05	2.03E+04	3.6E-09 (S)	1.81E-07	2.5E-03	1.1E+00	2.5E-03	2.5E-03	1.1E+00	2.4E-03
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	0.00E+00	5.36E-10	.	5.3E+08	5.3E+08	.	3.6E+02	3.6E+02
Niobium (41)	Nb-95	7.23E+00	9.59E-02	1.7E-10 (S)	8.87E-08	9.3E+00	4.0E+02	9.1E+00	5.1E-02	2.2E+00	5.0E-02
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	1.0E-10 (S)	6.88E-09	1.5E+02	5.0E+04	1.5E+02	8.8E-02	2.8E+01	8.8E-02
Niobium (41)	Nb-96	2.60E+02	2.67E-03	6.6E-11 (S)	2.87E-07	8.8E+02	4.4E+03	7.3E+02	1.4E-01	6.8E-01	1.1E-01
Niobium (41)	Nb-97	5.05E+03	1.37E-04	3.1E-12 (S)	7.64E-08	3.6E+05	3.2E+05	1.7E+05	2.9E+00	2.5E+00	1.4E+00
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.4E-12 (S)	3.35E-07	4.7E+05	1.0E+05	8.5E+04	2.6E+00	5.8E-01	4.8E-01
Niobium (41)	Nb-99	1.46E+06	4.76E-07	0.00E+00	1.84E-08	.	3.9E+08	3.9E+08	.	1.1E+01	1.1E+01
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	0.00E+00	9.69E-08	.	7.0E+06	7.0E+06	.	2.0E+00	2.0E+00
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	0.00E+00	5.81E-08	.	3.6E+06	3.6E+06	.	3.4E+00	3.4E+00
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.4E-12 (S)	1.41E-07	4.6E+06	1.0E+06	8.3E+05	6.3E+00	1.4E+00	1.1E+00
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	3.6E-12 (S)	2.75E-08	4.5E+05	1.3E+06	3.3E+05	2.5E+00	7.1E+00	1.8E+00
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.9E-12 (S)	1.35E-07	1.1E+06	3.4E+05	2.6E+05	4.8E+00	1.4E+00	1.1E+00
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	3.4E-11 (S)	2.56E-09	7.9E+03	2.3E+06	7.9E+03	2.6E-01	7.6E+01	2.6E-01
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	6.7E-13 (S)	4.89E-08	4.1E+06	1.2E+06	9.4E+05	1.3E+01	4.0E+00	3.1E+00
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.3E-11 (S)	1.82E-07	1.9E+04	2.9E+04	1.2E+04	7.0E-01	1.1E+00	4.2E-01
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	1.6E-10 (S)	9.56E-10	1.0E+02	3.8E+05	1.0E+02	5.5E-02	2.0E+02	5.5E-02
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	3.7E-13 (S)	6.50E-09	1.5E+06	1.8E+06	8.1E+05	2.4E+01	3.0E+01	1.3E+01
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	0.0E+00 (0)	8.02E-08	.	2.1E+07	2.1E+07	.	2.4E+00	2.4E+00
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	2.8E-07 (F)	0.00E+00	3.2E-05	.	3.2E-05	3.2E-05	.	3.2E-05
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	2.5E-10 (S)	1.40E-08	2.0E+01	8.0E+03	2.0E+01	3.5E-02	1.4E+01	3.5E-02
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	8.6E-12 (S)	4.01E-08	9.1E+04	4.3E+05	7.5E+04	1.0E+00	4.9E+00	8.5E-01
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.0E-12 (S)	9.88E-08	6.3E+06	1.4E+06	1.2E+06	8.5E+00	2.0E+00	1.6E+00
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.1E-12 (S)	1.79E-08	6.3E+06	8.7E+06	3.7E+06	7.9E+00	1.1E+01	4.6E+00
Neon (10)	Ne-19	1.27E+06	5.46E-07	0.00E+00	1.16E-07	.	5.3E+07	5.3E+07	.	1.7E+00	1.7E+00
Neon (10)	Ne-24	1.08E+05	6.43E-06	0.00E+00	6.15E-08	.	8.5E+06	8.5E+06	.	3.2E+00	3.2E+00
Nickel (28)	Ni-56	4.16E+01	1.66E-02	1.1E-10 (V)	1.98E-07	.	.	.	.	.	.
Nickel (28)	Ni-57	1.71E+02	4.06E-03	5.5E-11 (S)	2.34E-07	.	.	.	.	.	.
Nickel (28)	Ni-59	6.86E-06	1.01E+05	6.5E-11 (V)	1.75E-12	.	.	.	.	.	.
Nickel (28)	Ni-63	6.92E-03	1.00E+02	1.6E-10 (V)	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	1.9E-11 (V)	6.85E-08	.	.	.	.	.	.
Nickel (28)	Ni-66	1.11E+02	6.23E-03	2.7E-10 (S)	5.55E-12	.	.	.	.	.	.
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.4E-12 (S)	1.35E-07	4.0E+06	8.9E+05	7.3E+05	6.4E+00	1.4E+00	1.2E+00
Neptunium (93)	Np-233	1.01E+04	6.89E-05	8.4E-14 (S)	8.27E-09	2.7E+07	5.9E+06	4.8E+06	1.1E+02	2.4E+01	1.9E+01
Neptunium (93)	Np-234	5.75E+01	1.21E-02	4.4E-11 (S)	1.33E-07	2.9E+02	2.1E+03	2.6E+02	2.0E-01	1.5E+00	1.8E-01
Neptunium (93)	Np-235	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.6E+00	4.7E+04	2.6E+00	1.6E-01	3.0E+03	1.6E-01
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	5.5E-11 (S)	6.56E-11	2.6E+00	4.7E+04	2.6E+00	1.6E-01	3.0E+03	1.6E-01
Neptunium (93)	Np-236	4.50E-06	1.54E+05	9.1E-08 (F)	1.36E-08	9.8E-05	1.4E+01	9.8E-05	9.8E-05	1.4E+01	9.8E-05
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.5E-10 (S)	4.61E-09	1.7E+02	2.8E+05	1.7E+02	2.5E-02	4.2E+01	2.5E-02
Neptunium (93)	Np-237	3.23E-07	2.14E+06	7.8E-07 (S)	2.07E-09	1.1E-05	9.4E+01	1.1E-05	1.1E-05	9.4E+01	1.1E-05
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	7.8E-07 (S)	2.52E-08	1.1E-05	7.7E+00	1.1E-05	1.1E-05	7.7E+00	1.1E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	1.4E-10 (S)	6.88E-08	1.9E+02	8.5E+03	1.8E+02	6.3E-02	2.8E+00	6.2E-02
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.2E-10 (S)	1.81E-08	2.0E+02	2.9E+04	2.0E+02	7.3E-02	1.1E+01	7.3E-02
Neptunium (93)	Np-240	5.88E+03	1.18E-04	4.6E-12 (S)	1.20E-07	2.8E+05	2.4E+05	1.3E+05	1.9E+00	1.6E+00	8.8E-01
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	0.00E+00	3.69E-08	.	6.6E+06	6.6E+06	.	5.3E+00	5.3E+00
Neptunium (93)	Np-241	2.62E+04	2.64E-05	5.2E-13 (S)	3.88E-09	1.1E+07	3.3E+07	8.4E+06	1.7E+01	5.0E+01	1.3E+01
Neptunium (93)	Np-242	1.66E+05	4.19E-06	0.00E+00	3.28E-08	.	2.5E+07	2.5E+07	.	5.9E+00	5.9E+00
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	0.00E+00	1.05E-07	.	3.1E+06	3.1E+06	.	1.9E+00	1.9E+00
Oxygen (8)	O-14	3.10E+05	2.24E-06	0.00E+00	4.17E-07	.	3.6E+06	3.6E+06	.	4.7E-01	4.7E-01
Oxygen (8)	O-15	1.79E+05	3.88E-06	0.00E+00	1.16E-07	.	7.5E+06	7.5E+06	.	1.7E+00	1.7E+00
Oxygen (8)	O-19	8.26E+05	8.39E-07	0.00E+00	1.14E-07	.	3.5E+07	3.5E+07	.	1.7E+00	1.7E+00
Osmium (76)	Os-180	1.69E+04	4.09E-05	7.2E-13 (S)	1.15E-08	5.2E+06	7.2E+06	3.0E+06	1.2E+01	1.7E+01	7.1E+00
Osmium (76)	Os-181	3.47E+03	2.00E-04	5.1E-12 (S)	1.60E-07	1.5E+05	1.1E+05	6.2E+04	1.7E+00	1.2E+00	7.2E-01
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.1E-11 (S)	4.54E-08	1.5E+03	2.9E+04	1.4E+03	2.2E-01	4.3E+00	2.1E-01
Osmium (76)	Os-183	4.67E+02	1.48E-03	1.8E-11 (S)	6.66E-08	5.8E+03	3.4E+04	5.0E+03	5.0E-01	2.9E+00	4.3E-01
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.2E-11 (S)	1.18E-07	1.1E+04	2.5E+04	7.7E+03	7.2E-01	1.7E+00	5.0E-01
Osmium (76)	Os-185	2.70E+00	2.56E-01	1.6E-10 (S)	7.73E-08	3.8E+00	1.7E+02	3.7E+00	5.6E-02	2.5E+00	5.4E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Osmium (76)	Os-186	3.47E-16	2.00E+15	3.2E-07 (S)	0.00E+00	2.7E-05	.	2.7E-05	2.7E-05	.	2.7E-05
Osmium (76)	Os-189m	1.05E+03	6.62E-04	8.9E-13 (S)	1.71E-13	2.6E+05	3.0E+10	2.6E+05	1.0E+01	1.1E+06	1.0E+01
Osmium (76)	Os-190m	3.68E+04	1.88E-05	0.00E+00	1.78E-07	.	1.0E+06	1.0E+06	.	1.1E+00	1.1E+00
Osmium (76)	Os-191	1.64E+01	4.22E-02	2.0E-10 (S)	7.13E-09	1.8E+01	1.1E+04	1.8E+01	4.4E-02	2.7E+01	4.4E-02
Osmium (76)	Os-191m	4.63E+02	1.50E-03	1.8E-11 (S)	4.32E-10	5.8E+03	5.2E+06	5.7E+03	5.0E-01	4.5E+02	5.0E-01
Osmium (76)	Os-193	2.02E+02	3.44E-03	7.5E-11 (S)	7.13E-09	5.9E+02	1.4E+05	5.9E+02	1.2E-01	2.7E+01	1.2E-01
Osmium (76)	Os-194	1.16E-01	6.00E+00	6.9E-09 (S)	1.14E-10	3.9E-03	5.2E+03	3.9E-03	1.3E-03	1.7E+03	1.3E-03
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	7.0E-09 (S)	1.10E-08	3.9E-03	5.4E+01	3.9E-03	1.3E-03	1.8E+01	1.3E-03
Osmium (76)	Os-196	1.04E+04	6.64E-05	3.4E-12 (S)	8.65E-09	6.9E+05	5.9E+06	6.1E+05	2.6E+00	2.3E+01	2.4E+00
Phosphorus (15)	P-30	1.46E+05	4.75E-06	0.00E+00	1.16E-07	.	6.1E+06	6.1E+06	.	1.7E+00	1.7E+00
Phosphorus (15)	P-32	1.77E+01	3.91E-02	3.8E-10 (S)	3.60E-10	1.0E+01	2.4E+05	1.0E+01	2.4E-02	5.4E+02	2.4E-02
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.7E-10 (S)	5.87E-12	1.3E+01	8.3E+06	1.3E+01	5.4E-02	3.3E+04	5.4E-02
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	5.7E-09 (S)	1.74E-09	3.7E+02	2.7E+07	3.7E+02	1.6E-03	1.1E+02	1.6E-03
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	6.5E-09 (S)	1.58E-07	9.5E+00	8.5E+03	9.5E+00	1.4E-03	1.2E+00	1.4E-03
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	6.6E-10 (S)	5.68E-09	5.7E+01	1.4E+05	5.7E+01	1.4E-02	3.4E+01	1.4E-02
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	6.2E-08 (S)	7.57E-08	5.2E-02	9.3E+02	5.2E-02	1.4E-04	2.6E+00	1.4E-04
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	2.1E-06 (F)	3.63E-09	4.3E-06	5.4E+01	4.3E-06	4.3E-06	5.4E+01	4.3E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.9E-10 (S)	1.08E-07	2.3E+02	8.7E+03	2.2E+02	4.7E-02	1.8E+00	4.6E-02
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	4.1E-10 (S)	2.31E-08	5.0E+00	2.0E+03	5.0E+00	2.2E-02	8.4E+00	2.1E-02
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	3.2E-11 (S)	1.69E-07	6.2E+03	2.6E+04	5.0E+03	2.7E-01	1.2E+00	2.2E-01
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	0.00E+00	2.40E-09	.	6.3E+08	6.3E+08	.	8.1E+01	8.1E+01
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	8.6E-13 (S)	1.99E-10	3.8E+06	3.6E+08	3.8E+06	1.0E+01	9.8E+02	1.0E+01
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	0.00E+00	1.10E-07	.	1.8E+06	1.8E+06	.	1.8E+00	1.8E+00
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	0.00E+00	7.07E-08	.	2.9E+06	2.9E+06	.	2.8E+00	2.8E+00
Lead (82)	Pb-194	3.04E+04	2.28E-05	6.1E-13 (S)	1.25E-07	1.1E+07	1.2E+06	1.1E+06	1.5E+01	1.6E+00	1.4E+00
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.1E-12 (S)	1.87E-07	5.0E+06	6.3E+05	5.6E+05	8.2E+00	1.0E+00	9.2E-01
Lead (82)	Pb-196	9.84E+03	7.04E-05	1.3E-12 (S)	5.27E-08	1.7E+06	9.1E+05	5.9E+05	6.9E+00	3.7E+00	2.4E+00
Lead (82)	Pb-197	4.55E+04	1.52E-05	0.00E+00	1.82E-07	.	1.2E+06	1.2E+06	.	1.1E+00	1.1E+00
Lead (82)	Pb-197m	8.47E+03	8.18E-05	2.7E-12 (S)	1.32E-07	7.1E+05	3.1E+05	2.2E+05	3.4E+00	1.5E+00	1.0E+00
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.2E-12 (S)	4.64E-08	1.4E+05	2.7E+05	9.0E+04	2.1E+00	4.2E+00	1.4E+00
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.9E-12 (S)	1.22E-07	4.7E+05	1.6E+05	1.2E+05	4.6E+00	1.6E+00	1.2E+00
Lead (82)	Pb-200	2.82E+02	2.45E-03	3.5E-11 (S)	2.00E-08	1.8E+03	6.9E+04	1.8E+03	2.5E-01	9.7E+00	2.5E-01
Lead (82)	Pb-201	6.51E+02	1.07E-03	1.1E-11 (S)	8.43E-08	1.4E+04	3.8E+04	1.0E+04	8.4E-01	2.3E+00	6.2E-01
Lead (82)	Pb-201m	3.58E+05	1.93E-06	0.00E+00	4.10E-08	.	4.3E+07	4.3E+07	.	4.7E+00	4.7E+00
Lead (82)	Pb-202	1.32E-05	5.25E+04	3.7E-09 (S)	8.20E-13	2.4E-03	2.4E+05	2.4E-03	2.4E-03	2.4E+05	2.4E-03
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	3.8E-09 (S)	4.95E-08	2.4E-03	3.9E+00	2.4E-03	2.4E-03	3.9E+00	2.4E-03
Lead (82)	Pb-202m	1.72E+03	4.03E-04	7.2E-12 (S)	2.30E-07	5.3E+04	3.6E+04	2.2E+04	1.2E+00	8.5E-01	5.0E-01
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.3E-11 (S)	3.25E-08	1.1E+03	1.8E+04	1.1E+03	3.9E-01	6.0E+00	3.6E-01
Lead (82)	Pb-204m	5.42E+03	1.28E-04	1.5E-12 (S)	2.40E-07	8.3E+05	1.1E+05	9.7E+04	6.1E+00	8.1E-01	7.2E-01
Lead (82)	Pb-205	4.53E-08	1.53E+07	6.2E-11 (S)	8.33E-13	1.4E-01	2.3E+05	1.4E-01	1.4E-01	2.3E+05	1.4E-01
Lead (82)	Pb-209	1.87E+03	3.71E-04	5.6E-12 (S)	4.61E-11	7.4E+04	2.0E+08	7.4E+04	1.6E+00	4.2E+03	1.6E+00
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.3E-07 (S)	1.06E-10	3.0E-05	2.6E+03	3.0E-05	2.1E-05	1.8E+03	2.1E-05
Lead (82)	Pb-211	1.01E+04	6.87E-05	1.1E-09 (S)	7.54E-09	2.1E+03	6.5E+06	2.1E+03	8.2E-03	2.6E+01	8.2E-03
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.7E-08 (S)	1.51E-08	7.3E+00	1.8E+05	7.3E+00	5.1E-04	1.3E+01	5.1E-04
Lead (82)	Pb-214	1.36E+04	5.10E-05	1.1E-09 (S)	2.75E-08	2.8E+03	2.4E+06	2.8E+03	8.2E-03	7.1E+00	8.2E-03
Palladium (46)	Pd-100	6.97E+01	9.95E-03	7.8E-11 (S)	8.74E-09	2.0E+02	3.9E+04	2.0E+02	1.1E-01	2.2E+01	1.1E-01
Palladium (46)	Pd-101	7.17E+02	9.67E-04	5.1E-12 (S)	3.76E-08	3.1E+04	9.3E+04	2.3E+04	1.7E+00	5.2E+00	1.3E+00
Palladium (46)	Pd-103	1.49E+01	4.66E-02	4.8E-11 (S)	1.06E-10	6.9E+01	6.8E+05	6.9E+01	1.9E-01	1.8E+03	1.9E-01
Palladium (46)	Pd-107	1.07E-07	6.50E+06	4.7E-11 (S)	0.00E+00	1.9E-01	.	1.9E-01	1.9E-01	.	1.9E-01
Palladium (46)	Pd-109	4.43E+02	1.56E-03	5.1E-11 (S)	5.62E-10	1.9E+03	3.8E+06	1.9E+03	1.7E-01	3.5E+02	1.7E-01
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	0.00E+00	1.14E-08	.	3.3E+07	3.3E+07	.	1.7E+01	1.7E+01
Palladium (46)	Pd-111	1.56E+04	4.45E-05	1.8E-12 (S)	6.09E-09	2.0E+06	1.2E+07	1.7E+06	5.1E+00	3.2E+01	4.4E+00
Palladium (46)	Pd-112	2.89E+02	2.40E-03	1.8E-10 (S)	2.84E-11	3.5E+02	4.9E+07	3.5E+02	4.8E-02	6.8E+03	4.8E-02
Palladium (46)	Pd-114	1.51E+05	4.60E-06	0.00E+00	3.00E-09	.	2.4E+08	2.4E+08	.	6.5E+01	6.5E+01
Palladium (46)	Pd-96	1.79E+05	3.87E-06	0.00E+00	1.65E-07	.	5.3E+06	5.3E+06	.	1.2E+00	1.2E+00
Palladium (46)	Pd-97	1.17E+05	5.90E-06	0.00E+00	2.85E-07	.	2.0E+06	2.0E+06	.	6.8E-01	6.8E-01
Palladium (46)	Pd-98	2.06E+04	3.37E-05	1.5E-12 (S)	4.45E-08	3.0E+06	2.3E+06	1.3E+06	5.9E+00	4.4E+00	2.5E+00
Palladium (46)	Pd-99	1.70E+04	4.07E-05	9.4E-13 (S)	1.49E-07	4.0E+06	5.6E+05	4.9E+05	9.4E+00	1.3E+00	1.1E+00
Promethium (61)	Pm-136	2.04E+05	3.39E-06	0.00E+00	3.13E-07	.	3.2E+06	3.2E+06	.	6.2E-01	6.2E-01
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	0.00E+00	2.01E-07	.	3.7E+06	3.7E+06	.	9.7E-01	9.7E-01
Promethium (61)	Pm-139	8.78E+04	7.90E-06	0.00E+00	1.07E-07	.	4.0E+06	4.0E+06	.	1.8E+00	1.8E+00
Promethium (61)	Pm-140	2.38E+06	2.92E-07	0.00E+00	1.22E-07	.	9.5E+07	9.5E+07	.	1.6E+00	1.6E+00
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	0.00E+00	3.50E-07	.	8.5E+05	8.5E+05	.	5.6E-01	5.6E-01
Promethium (61)	Pm-141	1.74E+04	3.98E-05	7.5E-13 (S)	8.39E-08	5.2E+06	1.0E+06	8.5E+05	1.2E+01	2.3E+00	1.9E+00
Promethium (61)	Pm-142	5.40E+05	1.28E-06	0.00E+00	9.81E-08	.	2.7E+07	2.7E+07	.	2.0E+00	2.0E+00
Promethium (61)	Pm-143	9.55E-01	7.26E-01	2.5E-10 (F)	3.41E-08	8.7E-01	1.4E+02	8.6E-01	3.6E-02	5.7E+00	3.6E-02
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.5E-09 (F)	1.76E-07	1.0E-01	1.9E+01	1.0E-01	6.0E-03	1.1E+00	5.9E-03
Promethium (61)	Pm-145	3.92E-02	1.77E+01	3.4E-10 (F)	1.21E-09	4.1E-02	2.5E+02	4.1E-02	2.6E-02	1.6E+02	2.6E-02
Promethium (61)	Pm-146	1.25E-01	5.53E+00	2.8E-09 (F)	8.43E-08	1.1E-02	7.6E+00	1.0E-02	3.2E-03	2.3E+00	3.2E-03
Promethium (61)	Pm-147	2.64E-01	2.62E+00	4.3E-10 (S)	3.88E-12	1.4E-01	3.3E+05	1.4E-01	2.0E-02	5.0E+04	2.0E-02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Promethium (61)	Pm-148	4.71E+01	1.47E-02	2.9E-10 (S)	6.94E-08	3.7E+01	3.3E+03	3.6E+01	3.1E-02	2.8E+00	3.1E-02
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	5.7E-10 (S)	2.28E-07	2.4E+00	1.3E+02	2.4E+00	1.6E-02	8.5E-01	1.5E-02
Promethium (61)	Pm-149	1.14E+02	6.06E-03	9.9E-11 (S)	1.45E-09	2.6E+02	3.9E+05	2.6E+02	9.0E-02	1.3E+02	9.0E-02
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.2E-11 (S)	1.76E-07	4.1E+04	6.2E+04	2.5E+04	7.2E-01	1.1E+00	4.3E-01
Promethium (61)	Pm-151	2.14E+02	3.24E-03	6.4E-11 (S)	3.57E-08	7.4E+02	2.9E+04	7.3E+02	1.4E-01	5.5E+00	1.4E-01
Promethium (61)	Pm-152	8.84E+04	7.84E-06	0.00E+00	3.47E-08	.	1.2E+07	1.2E+07	.	5.6E+00	5.6E+00
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	0.00E+00	1.78E-07	.	1.3E+06	1.3E+06	.	1.1E+00	1.1E+00
Promethium (61)	Pm-153	6.94E+04	9.99E-06	0.00E+00	7.42E-09	.	4.6E+07	4.6E+07	.	2.6E+01	2.6E+01
Promethium (61)	Pm-154	2.11E+05	3.29E-06	0.00E+00	2.22E-07	.	4.6E+06	4.6E+06	.	8.7E-01	8.7E-01
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	0.00E+00	2.15E-07	.	3.1E+06	3.1E+06	.	9.0E-01	9.0E-01
Polonium (84)	Po-203	9.92E+03	6.98E-05	3.1E-12 (S)	1.92E-07	7.2E+05	2.5E+05	1.9E+05	2.9E+00	1.0E+00	7.5E-01
Polonium (84)	Po-204	1.72E+03	4.03E-04	3.9E-11 (S)	1.30E-07	9.7E+03	6.4E+04	8.5E+03	2.3E-01	1.5E+00	2.0E-01
Polonium (84)	Po-205	3.66E+03	1.89E-04	2.9E-12 (S)	1.86E-07	2.8E+05	9.6E+04	7.1E+04	3.0E+00	1.0E+00	7.8E-01
Polonium (84)	Po-206	2.87E+01	2.41E-02	5.9E-09 (S)	1.35E-07	1.1E+00	1.0E+03	1.1E+00	1.5E-03	1.4E+00	1.5E-03
Polonium (84)	Po-207	1.05E+03	6.62E-04	6.7E-12 (S)	1.49E-07	3.5E+04	3.4E+04	1.7E+04	1.3E+00	1.3E+00	6.6E-01
Polonium (84)	Po-208	2.39E-01	2.90E+00	6.1E-07 (S)	2.36E-12	8.7E-05	4.9E+05	8.7E-05	1.5E-05	8.2E+04	1.5E-05
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.6E-07 (S)	6.97E-10	1.3E-05	3.0E+02	1.3E-05	1.2E-05	2.8E+02	1.2E-05
Polonium (84)	Po-210	1.83E+00	3.79E-01	3.9E-07 (S)	1.13E-12	1.0E-03	7.9E+06	1.0E-03	2.3E-05	1.7E+05	2.3E-05
Polonium (84)	Po-211	4.24E+07	1.64E-08	0.00E+00	9.47E-10	.	2.2E+11	2.2E+11	.	2.1E+02	2.1E+02
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	0.00E+00	1.03E-08	.	2.3E+08	2.3E+08	.	1.9E+01	1.9E+01
Polonium (84)	Po-213	5.20E+12	1.33E-13	0.00E+00	4.35E-12	.	5.8E+18	5.8E+18	.	4.5E+04	4.5E+04
Polonium (84)	Po-214	1.33E+11	5.21E-12	0.00E+00	9.66E-12	.	6.7E+16	6.7E+16	.	2.0E+04	2.0E+04
Polonium (84)	Po-215	1.23E+10	5.65E-11	0.00E+00	1.97E-11	.	3.0E+15	3.0E+15	.	9.9E+03	9.9E+03
Polonium (84)	Po-216	1.51E+08	4.60E-09	0.00E+00	1.78E-12	.	4.1E+14	4.1E+14	.	1.1E+05	1.1E+05
Polonium (84)	Po-218	1.17E+05	5.90E-06	0.00E+00	1.07E-15	.	5.4E+14	5.4E+14	.	1.8E+08	1.8E+08
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	1.2E-12 (S)	3.63E-07	6.0E+06	4.4E+05	4.1E+05	7.3E+00	5.4E-01	5.0E-01
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.1E-12 (S)	2.73E-07	2.3E+06	3.8E+05	3.3E+05	4.2E+00	7.1E-01	6.1E-01
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.2E-12 (S)	9.75E-08	2.9E+06	7.6E+05	6.0E+05	7.6E+00	2.0E+00	1.6E+00
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	5.9E-13 (S)	2.52E-07	1.0E+07	5.4E+05	5.1E+05	1.5E+01	7.7E-01	7.4E-01
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	1.4E-12 (S)	4.07E-08	7.5E+05	5.7E+05	3.2E+05	6.3E+00	4.8E+00	2.7E+00
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	0.00E+00	9.28E-08	.	1.3E+07	1.3E+07	.	2.1E+00	2.1E+00
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	4.8E-12 (S)	2.87E-07	1.3E+05	4.9E+04	3.6E+04	1.9E+00	6.8E-01	5.0E-01
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.9E-12 (S)	1.27E-08	1.6E+05	5.3E+05	1.2E+05	4.6E+00	1.5E+01	3.6E+00
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	0.00E+00	6.09E-08	.	8.6E+06	8.6E+06	.	3.2E+00	3.2E+00
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	9.1E-11 (S)	7.76E-09	7.7E+02	2.0E+05	7.7E+02	9.7E-02	2.5E+01	9.7E-02
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	1.2E-12 (S)	0.00E+00	4.7E+06	.	4.7E+06	7.6E+00	.	7.6E+00
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	2.6E-10 (S)	1.00E-10	1.6E+01	9.0E+05	1.6E+01	3.4E-02	1.9E+03	3.4E-02
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	9.7E-13 (S)	4.54E-09	4.8E+06	2.3E+07	4.0E+06	9.2E+00	4.3E+01	7.6E+00
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	0.00E+00	5.74E-10	.	4.3E+08	4.3E+08	.	3.4E+02	3.4E+02
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.5E-11 (S)	2.50E-09	9.0E+03	2.0E+06	9.0E+03	3.6E-01	7.8E+01	3.5E-01
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.6E-12 (S)	1.24E-07	2.0E+06	5.9E+05	4.6E+05	5.4E+00	1.6E+00	1.2E+00
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	9.6E-13 (S)	5.40E-08	6.3E+06	2.5E+06	1.8E+06	9.2E+00	3.6E+00	2.6E+00
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	0.00E+00	1.21E-07	.	6.4E+06	6.4E+06	.	1.6E+00	1.6E+00
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	0.00E+00	1.08E-07	.	8.2E+06	8.2E+06	.	1.8E+00	1.8E+00
Platinum (78)	Pt-184	2.11E+04	3.29E-05	1.7E-12 (S)	7.54E-08	2.8E+06	1.4E+06	9.1E+05	5.3E+00	2.6E+00	1.7E+00
Platinum (78)	Pt-186	2.92E+03	2.37E-04	5.7E-12 (S)	7.54E-08	1.1E+05	1.9E+05	7.1E+04	1.6E+00	2.6E+00	9.7E-01
Platinum (78)	Pt-187	2.58E+03	2.68E-04	5.8E-12 (S)	6.69E-08	9.8E+04	1.9E+05	6.5E+04	1.5E+00	2.9E+00	1.0E+00
Platinum (78)	Pt-188	2.48E+01	2.79E-02	2.1E-10 (S)	1.98E-08	2.6E+01	6.1E+03	2.6E+01	4.3E-02	9.8E+00	4.2E-02
Platinum (78)	Pt-189	5.58E+02	1.24E-03	1.7E-11 (S)	5.18E-08	7.2E+03	5.3E+04	6.3E+03	5.2E-01	3.8E+00	4.5E-01
Platinum (78)	Pt-190	1.07E-12	6.50E+11	4.1E-07 (S)	0.00E+00	2.2E-05	.	2.2E-05	2.2E-05	.	2.2E-05
Platinum (78)	Pt-191	9.03E+01	7.68E-03	4.1E-11 (S)	2.93E-08	4.9E+02	1.5E+04	4.7E+02	2.2E-01	6.6E+00	2.1E-01
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.3E-11 (S)	5.05E-13	2.0E-01	4.6E+05	2.0E-01	1.7E-01	3.9E+05	1.7E-01
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	1.0E-10 (S)	8.24E-10	1.3E+02	3.5E+05	1.3E+02	8.6E-02	2.4E+02	8.6E-02
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	1.3E-10 (S)	5.84E-09	1.1E+02	5.2E+04	1.1E+02	7.1E-02	3.3E+01	7.1E-02
Platinum (78)	Pt-197	3.05E+02	2.27E-03	4.7E-11 (S)	2.21E-09	1.4E+03	6.7E+05	1.4E+03	1.9E-01	8.8E+01	1.9E-01
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	7.4E-12 (S)	7.73E-09	1.1E+05	2.4E+06	1.1E+05	1.2E+00	2.5E+01	1.1E+00
Platinum (78)	Pt-199	1.18E+04	5.86E-05	1.9E-12 (S)	2.26E-08	1.4E+06	2.5E+06	9.1E+05	4.8E+00	8.6E+00	3.1E+00
Platinum (78)	Pt-200	4.86E+02	1.43E-03	9.0E-11 (S)	5.55E-09	1.2E+03	4.3E+05	1.2E+03	9.8E-02	3.5E+01	9.8E-02
Platinum (78)	Pt-202	1.38E+02	5.02E-03	3.4E-10 (S)	3.38E-10	8.9E+01	2.0E+06	8.9E+01	2.6E-02	5.8E+02	2.6E-02
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	3.4E-10 (S)	2.14E-08	8.9E+01	3.1E+04	8.9E+01	2.6E-02	9.1E+00	2.6E-02
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	1.7E-09 (S)	5.65E-09	1.4E+03	9.3E+06	1.4E+03	5.2E-03	3.4E+01	5.2E-03
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	2.2E-09 (S)	6.09E-09	7.1E+01	5.5E+05	7.1E+01	4.1E-03	3.2E+01	4.1E-03
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	7.4E-14 (S)	8.49E-09	4.3E+07	8.3E+06	6.9E+06	1.2E+02	2.3E+01	1.9E+01
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	8.0E-07 (S)	9.15E-12	6.7E-05	1.3E+05	6.7E-05	1.1E-05	2.1E+04	1.1E-05
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	4.0E-11 (S)	4.35E-09	3.1E+01	6.3E+03	3.1E+01	2.2E-01	4.5E+01	2.2E-01
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.4E-06 (F)	6.91E-12	6.9E-06	3.1E+04	6.9E-06	6.3E-06	2.8E+04	6.3E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.9E-06	2.2E+04	5.9E-06	5.9E-06	2.2E+04	5.9E-06
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	1.5E-06 (F)	8.71E-12	5.9E-06	2.2E+04	5.9E-06	5.9E-06	2.2E+04	5.9E-06
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.5E-06 (F)	6.82E-12	5.9E-06	2.9E+04	5.9E-06	5.9E-06	2.9E+04	5.9E-06

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	2.3E-08 (F)	1.50E-13	6.5E-04	2.2E+06	6.5E-04	3.8E-04	1.3E+06	3.8E-04
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.4E-06 (F)	1.50E-11	6.3E-06	1.3E+04	6.3E-06	6.3E-06	1.3E+04	6.3E-06
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	8.6E-12 (S)	2.20E-09	3.2E+04	2.7E+06	3.1E+04	1.0E+00	8.9E+01	1.0E+00
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	1.4E-06 (F)	2.46E-09	6.3E-06	7.9E+01	6.3E-06	6.3E-06	7.9E+01	6.3E-06
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	1.4E-06 (F)	3.98E-08	6.3E-06	4.9E+00	6.3E-06	6.3E-06	4.9E+00	6.3E-06
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	5.8E-11 (S)	4.54E-08	2.2E+03	6.2E+04	2.1E+03	1.5E-01	4.3E+00	1.5E-01
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	5.1E-10 (S)	1.33E-08	1.0E+01	8.5E+03	1.0E+01	1.7E-02	1.5E+01	1.7E-02
Radium (88)	Ra-219	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.8E+11	5.8E+11	.	1.1E+01	1.1E+01
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	0.00E+00	1.84E-08	.	5.8E+11	5.8E+11	.	1.1E+01	1.1E+01
Radium (88)	Ra-220	1.22E+09	5.68E-10	0.00E+00	5.24E-10	.	1.1E+13	1.1E+13	.	3.7E+02	3.7E+02
Radium (88)	Ra-221	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	1.1E+09	1.1E+09	.	5.4E+01	5.4E+01
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	0.00E+00	3.60E-09	.	1.1E+09	1.1E+09	.	5.4E+01	5.4E+01
Radium (88)	Ra-222	5.75E+05	1.20E-06	0.00E+00	1.01E-09	.	2.8E+09	2.8E+09	.	1.9E+02	1.9E+02
Radium (88)	Ra-223	2.21E+01	3.13E-02	7.9E-07 (S)	1.42E-08	6.2E-03	7.6E+03	6.2E-03	1.1E-05	1.4E+01	1.1E-05
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	7.9E-07 (S)	2.07E-08	6.2E-03	5.2E+03	6.2E-03	1.1E-05	9.4E+00	1.1E-05
Radium (88)	Ra-224	6.91E+01	1.00E-02	3.1E-07 (S)	1.13E-09	5.0E-02	3.0E+05	5.0E-02	2.9E-05	1.7E+02	2.9E-05
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	3.1E-07 (S)	1.20E-09	5.0E-02	2.8E+05	5.0E-02	2.9E-05	1.6E+02	2.9E-05
Radium (88)	Ra-225	1.70E+01	4.08E-02	7.1E-07 (S)	4.99E-10	5.3E-03	1.7E+05	5.3E-03	1.3E-05	3.9E+02	1.3E-05
Radium (88)	Ra-226	4.33E-04	1.60E+03	7.6E-07 (S)	7.70E-10	1.2E-05	2.5E+02	1.2E-05	1.2E-05	2.5E+02	1.2E-05
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	7.6E-07 (S)	2.09E-07	1.2E-05	9.4E-01	1.2E-05	1.2E-05	9.3E-01	1.2E-05
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.7E-11 (S)	1.55E-08	1.2E+05	2.7E+06	1.1E+05	5.4E-01	1.3E+01	5.2E-01
Radium (88)	Ra-228	1.21E-01	5.75E+00	1.2E-06 (S)	5.81E-12	2.4E-05	1.1E+05	2.4E-05	7.5E-06	3.4E+04	7.5E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.2E-06 (S)	1.02E-07	2.4E-05	6.1E+00	2.4E-05	7.5E-06	1.9E+00	7.5E-06
Radium (88)	Ra-230	3.92E+03	1.77E-04	9.5E-12 (S)	8.11E-09	9.2E+04	2.4E+06	8.8E+04	9.4E-01	2.4E+01	9.0E-01
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	0.00E+00	1.77E-07	.	2.7E+06	2.7E+06	.	1.1E+00	1.1E+00
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	1.3E-12 (S)	5.21E-07	3.5E+06	1.9E+05	1.8E+05	6.8E+00	3.7E-01	3.5E-01
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	0.00E+00	3.85E-07	.	8.0E+05	8.0E+05	.	5.1E-01	5.1E-01
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.3E-12 (S)	1.64E-07	2.7E+06	4.7E+05	4.0E+05	6.8E+00	1.2E+00	1.0E+00
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	0.00E+00	1.37E-07	.	2.3E+07	2.3E+07	.	1.4E+00	1.4E+00
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	4.3E-12 (S)	5.68E-08	6.8E+04	1.1E+05	4.3E+04	2.1E+00	3.4E+00	1.3E+00
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	1.1E-12 (S)	2.68E-09	2.5E+06	2.2E+07	2.3E+06	8.5E+00	7.3E+01	7.6E+00
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	0.00E+00	1.27E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	6.8E-12 (S)	3.41E-07	3.1E+04	1.3E+04	9.3E+03	1.3E+00	5.7E-01	4.0E-01
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	1.4E-10 (S)	5.46E-08	4.7E+00	2.6E+02	4.6E+00	6.3E-02	3.6E+00	6.2E-02
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	2.8E-10 (S)	1.05E-07	6.1E+00	3.6E+02	6.0E+00	3.2E-02	1.9E+00	3.1E-02
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.0E-13 (S)	4.20E-08	1.0E+07	2.1E+06	1.7E+06	2.2E+01	4.6E+00	3.8E+00
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	4.5E-10 (S)	1.15E-08	6.7E+00	5.8E+03	6.7E+00	2.0E-02	1.7E+01	2.0E-02
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	0.00E+00	6.19E-08	.	2.8E+07	2.8E+07	.	3.1E+00	3.1E+00
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	1.2E-09 (S)	1.46E-11	7.3E-03	1.3E+04	7.3E-03	7.3E-03	1.3E+04	7.3E-03
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	1.5E-12 (S)	8.33E-08	3.0E+06	1.2E+06	8.6E+05	5.8E+00	2.3E+00	1.7E+00
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	1.1E-12 (S)	2.78E-07	5.1E+06	4.2E+05	3.9E+05	8.5E+00	7.0E-01	6.5E-01
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	0.00E+00	2.74E-07	.	2.5E+06	2.5E+06	.	7.1E-01	7.1E-01
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	0.00E+00	4.17E-07	.	9.9E+05	9.9E+05	.	4.7E-01	4.7E-01
Rhenium (75)	Re-178	2.76E+04	2.51E-05	7.1E-13 (S)	2.08E-07	8.7E+06	6.5E+05	6.0E+05	1.3E+01	9.4E-01	8.7E-01
Rhenium (75)	Re-179	1.87E+04	3.71E-05	5.0E-13 (S)	1.24E-07	8.2E+06	7.3E+05	6.7E+05	1.8E+01	1.6E+00	1.4E+00
Rhenium (75)	Re-180	1.49E+05	4.64E-06	0.00E+00	1.38E-07	.	5.3E+06	5.3E+06	.	1.4E+00	1.4E+00
Rhenium (75)	Re-181	3.05E+02	2.27E-03	2.3E-11 (S)	8.84E-08	3.0E+03	1.7E+04	2.6E+03	4.0E-01	2.2E+00	3.3E-01
Rhenium (75)	Re-182	9.49E+01	7.31E-03	1.3E-10 (S)	2.05E-07	1.7E+02	2.3E+03	1.6E+02	7.1E-02	9.5E-01	6.6E-02
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.6E-11 (S)	1.42E-07	6.5E+03	1.6E+04	4.6E+03	5.4E-01	1.4E+00	3.9E-01
Rhenium (75)	Re-183	3.61E+00	1.92E-01	3.4E-10 (S)	1.34E-08	2.4E+00	1.3E+03	2.4E+00	2.6E-02	1.5E+01	2.6E-02
Rhenium (75)	Re-184	6.66E+00	1.04E-01	2.2E-10 (S)	1.01E-07	6.6E+00	3.2E+02	6.5E+00	4.0E-02	1.9E+00	3.9E-02
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	9.6E-10 (S)	4.10E-08	3.5E-01	1.8E+02	3.5E-01	9.2E-03	4.7E+00	9.2E-03
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.2E-10 (S)	2.04E-09	1.3E+02	1.6E+05	1.3E+02	7.5E-02	9.6E+01	7.5E-02
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.4E-09 (S)	9.97E-10	2.0E-03	2.0E+02	2.0E-03	2.0E-03	2.0E+02	2.0E-03
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	4.5E-09 (S)	3.03E-09	2.0E-03	6.4E+01	2.0E-03	2.0E-03	6.4E+01	2.0E-03
Rhenium (75)	Re-187	1.68E-11	4.12E+10	3.0E-12 (S)	0.00E+00	3.0E+00	.	3.0E+00	3.0E+00	.	3.0E+00
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.1E-11 (S)	7.13E-09	1.3E+03	2.4E+05	1.3E+03	1.4E-01	2.7E+01	1.4E-01
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	1.4E-12 (S)	5.40E-09	3.0E+06	1.8E+07	2.6E+06	6.2E+00	3.6E+01	5.3E+00
Rhenium (75)	Re-189	2.50E+02	2.77E-03	4.6E-11 (S)	6.00E-09	1.2E+03	2.0E+05	1.2E+03	1.9E-01	3.2E+01	1.9E-01
Rhenium (75)	Re-190	1.17E+05	5.90E-06	0.00E+00	1.52E-07	.	3.8E+06	3.8E+06	.	1.3E+00	1.3E+00
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.6E-11 (S)	1.04E-07	2.6E+04	8.9E+04	2.0E+04	5.6E-01	1.9E+00	4.3E-01
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	2.6E-11 (S)	3.38E-07	2.5E+03	4.2E+03	1.6E+03	3.4E-01	5.8E-01	2.2E-01
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	0.00E+00	5.08E-09	.	7.6E+07	7.6E+07	.	3.8E+01	3.8E+01
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	4.6E-10 (S)	2.91E-08	1.0E-01	3.5E+01	1.0E-01	1.9E-02	6.7E+00	1.9E-02
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	1.9E-11 (S)	3.05E-08	6.8E+02	9.3E+03	6.4E+02	4.7E-01	6.4E+00	4.4E-01
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	7.0E-10 (S)	5.65E-08	3.9E-01	1.1E+02	3.9E-01	1.3E-02	3.4E+00	1.3E-02
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	1.8E-09 (S)	2.47E-07	2.3E-02	3.7E+00	2.3E-02	4.9E-03	7.9E-01	4.9E-03
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.5E-13 (S)	1.11E-11	5.9E+06	2.8E+09	5.9E+06	3.6E+01	1.8E+04	3.6E+01
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	0.00E+00	2.08E-09	.	1.2E+09	1.2E+09	.	9.4E+01	9.4E+01
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	0.00E+00	2.12E-09	.	1.9E+08	1.9E+08	.	9.2E+01	9.2E+01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	4.3E-11 (S)	8.58E-09	8.9E+02	9.7E+04	8.8E+02	2.1E-01	2.3E+01	2.0E-01
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	0.00E+00	2.49E-08	.	1.4E+08	1.4E+08	.	7.8E+00	7.8E+00
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	7.5E-12 (S)	3.35E-07	8.3E+04	4.0E+04	2.7E+04	1.2E+00	5.8E-01	3.9E-01
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	7.8E-13 (S)	3.47E-08	4.8E+06	2.4E+06	1.6E+06	1.1E+01	5.6E+00	3.8E+00
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	0.00E+00	3.79E-08	.	1.7E+08	1.7E+08	.	5.1E+00	5.1E+00
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	0.00E+00	3.35E-08	.	4.0E+07	4.0E+07	.	5.8E+00	5.8E+00
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	0.00E+00	4.54E-07	.	3.3E+06	3.3E+06	.	4.3E-01	4.3E-01
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	0.00E+00	3.07E-07	.	1.2E+06	1.2E+06	.	6.3E-01	6.3E-01
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	0.00E+00	1.09E-07	.	8.3E+06	8.3E+06	.	1.8E+00	1.8E+00
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	0.00E+00	4.61E-07	.	3.9E+05	3.9E+05	.	4.2E-01	4.2E-01
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	0.00E+00	1.53E-07	.	7.7E+06	7.7E+06	.	1.3E+00	1.3E+00
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.2E-12 (S)	1.67E-07	2.1E+06	3.5E+05	3.0E+05	7.2E+00	1.2E+00	1.0E+00
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	1.4E-12 (S)	2.72E-07	1.3E+06	1.4E+05	1.3E+05	6.3E+00	7.2E-01	6.4E-01
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	0.00E+00	2.10E-07	.	9.7E+05	9.7E+05	.	9.3E-01	9.3E-01
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	1.3E-10 (S)	6.12E-08	2.7E+01	1.2E+03	2.7E+01	6.9E-02	3.2E+00	6.8E-02
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	2.8E-12 (S)	7.32E-08	1.0E+05	8.6E+04	4.7E+04	3.2E+00	2.7E+00	1.5E+00
Radon (86)	Rn-207	3.94E+04	1.76E-05	0.00E+00	1.11E-07	.	1.7E+06	1.7E+06	.	1.7E+00	1.7E+00
Radon (86)	Rn-209	1.28E+04	5.42E-05	0.00E+00	1.39E-07	.	4.5E+05	4.5E+05	.	1.4E+00	1.4E+00
Radon (86)	Rn-210	2.53E+03	2.74E-04	0.00E+00	6.85E-09	.	1.8E+06	1.8E+06	.	2.8E+01	2.8E+01
Radon (86)	Rn-211	4.16E+02	1.67E-03	0.00E+00	2.19E-07	.	9.2E+03	9.2E+03	.	8.9E-01	8.9E-01
Radon (86)	Rn-212	1.52E+04	4.55E-05	0.00E+00	3.88E-11	.	1.9E+09	1.9E+09	.	5.0E+03	5.0E+03
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	0.00E+00	8.62E-11	.	3.5E+13	3.5E+13	.	2.3E+03	2.3E+03
Radon (86)	Rn-219	5.52E+06	1.26E-07	0.00E+00	6.44E-09	.	4.2E+09	4.2E+09	.	3.0E+01	3.0E+01
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	0.00E+00	6.47E-09	.	4.2E+09	4.2E+09	.	3.0E+01	3.0E+01
Radon (86)	Rn-220	3.93E+05	1.76E-06	0.00E+00	7.10E-11	.	2.7E+10	2.7E+10	.	2.7E+03	2.7E+03
Radon (86)	Rn-222	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.7E+01	7.3E+06	1.7E+01	1.0E-02	4.4E+03	1.0E-02
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	8.60E-10	4.39E-11	1.7E+01	7.3E+06	1.7E+01	1.0E-02	4.4E+03	1.0E-02
Radon (86)	Rn-223	1.50E+04	4.62E-05	0.00E+00	3.88E-08	.	1.9E+06	1.9E+06	.	5.0E+00	5.0E+00
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	2.8E-10 (S)	5.59E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	2.7E-11 (V)	8.55E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	6.1E-09 (S)	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	6.1E-09 (S)	2.49E-08	2.5E-02	1.3E+02	2.5E-02	1.5E-03	7.8E+00	1.5E-03
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	0.00E+00	4.13E-08	.	1.1E+07	1.1E+07	.	4.7E+00	4.7E+00
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	0.00E+00	6.60E-09	.	5.9E+07	5.9E+07	.	3.0E+01	3.0E+01
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	0.00E+00	2.38E-07	.	2.0E+06	2.0E+06	.	8.2E-01	8.2E-01
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.0E-12 (V)	5.78E-08	.	.	.	.	.	.
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	3.9E-12 (V)	1.44E-07	2.1E+05	1.2E+05	7.8E+04	2.3E+00	1.3E+00	8.5E-01
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	1.5E-11 (V)	2.49E-08	.	.	.	.	.	.
Sulfur (16)	S-35	2.89E+00	2.40E-01	1.8E-10 (S)	1.33E-12	.	.	.	.	.	.
Sulphur (16)	S-37	7.21E+04	9.61E-06	0.00E+00	3.94E-07	.	8.9E+05	8.9E+05	.	4.9E-01	4.9E-01
Sulphur (16)	S-38	2.14E+03	3.24E-04	3.3E-11 (S)	2.17E-07	1.4E+04	4.8E+04	1.1E+04	2.7E-01	9.0E-01	2.1E-01
Antimony (51)	Sb-111	2.91E+05	2.38E-06	0.00E+00	1.69E-07	.	8.4E+06	8.4E+06	.	1.2E+00	1.2E+00
Antimony (51)	Sb-113	5.46E+04	1.27E-05	0.00E+00	1.44E-07	.	1.9E+06	1.9E+06	.	1.4E+00	1.4E+00
Antimony (51)	Sb-114	1.04E+05	6.64E-06	0.00E+00	3.22E-07	.	1.6E+06	1.6E+06	.	6.0E-01	6.0E-01
Antimony (51)	Sb-115	1.13E+04	6.11E-05	6.6E-13 (S)	9.94E-08	3.8E+06	5.6E+05	4.9E+05	1.3E+01	2.0E+00	1.7E+00
Antimony (51)	Sb-116	2.31E+04	3.01E-05	6.0E-13 (S)	2.74E-07	8.5E+06	4.1E+05	3.9E+05	1.5E+01	7.1E-01	6.8E-01
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	2.4E-12 (S)	3.63E-07	5.6E+05	8.1E+04	7.1E+04	3.7E+00	5.4E-01	4.7E-01
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.2E-12 (S)	1.79E-08	4.0E+05	5.9E+05	2.4E+05	7.5E+00	1.1E+01	4.4E+00
Antimony (51)	Sb-118	1.01E+05	6.85E-06	0.00E+00	9.12E-08	.	5.4E+06	5.4E+06	.	2.1E+00	2.1E+00
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	7.4E-12 (S)	3.07E-07	3.6E+04	1.9E+04	1.3E+04	1.2E+00	6.3E-01	4.1E-01
Antimony (51)	Sb-119	1.59E+02	4.36E-03	5.0E-12 (S)	2.99E-10	7.1E+03	2.6E+06	7.1E+03	1.8E+00	6.5E+02	1.8E+00
Antimony (51)	Sb-120	2.29E+04	3.02E-05	3.2E-13 (S)	5.02E-08	1.6E+07	2.2E+06	2.0E+06	2.8E+01	3.9E+00	3.4E+00
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	9.6E-11 (S)	2.88E-07	1.0E+02	7.4E+02	8.9E+01	9.2E-02	6.7E-01	8.1E-02
Antimony (51)	Sb-122	9.29E+01	7.46E-03	1.6E-10 (S)	5.08E-08	1.3E+02	8.9E+03	1.3E+02	5.6E-02	3.8E+00	5.5E-02
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	0.00E+00	4.13E-09	.	1.0E+08	1.0E+08	.	4.7E+01	4.7E+01
Antimony (51)	Sb-124	4.20E+00	1.65E-01	8.6E-10 (S)	2.24E-07	1.1E+00	9.1E+01	1.1E+00	1.0E-02	8.7E-01	1.0E-02
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	0.00E+00	5.02E-08	.	2.3E+07	2.3E+07	.	3.9E+00	3.9E+00
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	4.0E-13 (S)	1.11E-14	1.0E+07	7.9E+12	1.0E+07	2.2E+01	1.7E+07	2.2E+01
Antimony (51)	Sb-125	2.51E-01	2.76E+00	1.1E-09 (S)	4.80E-08	5.1E-02	2.6E+01	5.1E-02	8.2E-03	4.1E+00	8.1E-03
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.8E-10 (S)	3.16E-07	1.2E+01	3.2E+02	1.2E+01	2.3E-02	6.2E-01	2.2E-02
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	9.3E-13 (S)	1.77E-07	4.5E+06	5.2E+05	4.7E+05	9.5E+00	1.1E+00	9.9E-01
Antimony (51)	Sb-127	6.57E+01	1.05E-02	2.2E-10 (S)	7.92E-08	6.5E+01	4.0E+03	6.4E+01	4.0E-02	2.5E+00	3.9E-02
Antimony (51)	Sb-128	6.74E+02	1.03E-03	4.4E-11 (S)	3.57E-07	3.4E+03	9.2E+03	2.5E+03	2.0E-01	5.5E-01	1.5E-01
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	6.2E-13 (S)	2.20E-07	1.3E+07	7.7E+05	7.3E+05	1.4E+01	8.8E-01	8.3E-01
Antimony (51)	Sb-129	1.38E+03	5.02E-04	2.8E-11 (S)	1.74E-07	1.1E+04	3.9E+04	8.5E+03	3.2E-01	1.1E+00	2.5E-01
Antimony (51)	Sb-130	9.22E+03	7.52E-05	2.8E-12 (S)	3.82E-07	7.4E+05	1.2E+05	1.0E+05	3.2E+00	5.1E-01	4.4E-01
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	0.00E+00	3.19E-07	.	8.8E+05	8.8E+05	.	6.1E-01	6.1E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.7E-12 (M)	2.51E-07	1.3E+06	3.1E+05	2.5E+05	3.3E+00	7.8E-01	6.3E-01
Antimony (51)	Sb-133	1.46E+05	4.76E-06	0.00E+00	3.41E-07	.	2.1E+06	2.1E+06	.	5.7E-01	5.7E-01
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	0.00E+00	5.02E-07	.	3.4E+06	3.4E+06	.	3.9E-01	3.9E-01
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.2E-11 (S)	1.11E-07	2.9E+04	6.9E+04	2.0E+04	7.3E-01	1.8E+00	5.2E-01
Scandium (21)	Sc-44	1.53E+03	4.53E-04	1.8E-11 (S)	2.50E-07	1.9E+04	3.0E+04	1.2E+04	5.1E-01	7.8E-01	3.1E-01
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	1.9E-10 (S)	3.06E-08	1.2E+02	1.6E+04	1.2E+02	4.7E-02	6.4E+00	4.7E-02
Scandium (21)	Sc-46	3.02E+00	2.30E-01	6.7E-10 (S)	2.39E-07	1.0E+00	6.2E+01	9.9E-01	1.3E-02	8.2E-01	1.3E-02
Scandium (21)	Sc-47	7.55E+01	9.18E-03	8.3E-11 (S)	1.15E-08	2.0E+02	3.2E+04	2.0E+02	1.1E-01	1.7E+01	1.1E-01
Scandium (21)	Sc-48	1.39E+02	4.99E-03	1.1E-10 (S)	4.01E-07	2.9E+02	1.7E+03	2.5E+02	8.4E-02	4.9E-01	7.2E-02
Scandium (21)	Sc-49	6.37E+03	1.09E-04	2.9E-12 (S)	6.09E-10	4.9E+05	5.1E+07	4.9E+05	3.1E+00	3.2E+02	3.1E+00
Scandium (21)	Sc-50	2.13E+05	3.25E-06	0.00E+00	3.91E-07	.	2.7E+06	2.7E+06	.	5.0E-01	5.0E-01
Selenium (34)	Se-70	8.86E+03	7.82E-05	4.6E-12 (S)	7.89E-08	4.3E+05	5.5E+05	2.4E+05	1.9E+00	2.5E+00	1.1E+00
Selenium (34)	Se-71	7.68E+04	9.02E-06	0.00E+00	1.86E-07	.	2.0E+06	2.0E+06	.	1.0E+00	1.0E+00
Selenium (34)	Se-72	3.01E+01	2.30E-02	4.2E-10 (S)	1.38E-09	1.6E+01	1.1E+05	1.6E+01	2.1E-02	1.4E+02	2.1E-02
Selenium (34)	Se-73	8.49E+02	8.16E-04	2.3E-11 (S)	1.21E-07	8.2E+03	3.4E+04	6.6E+03	3.8E-01	1.6E+00	3.1E-01
Selenium (34)	Se-73m	9.15E+03	7.57E-05	2.1E-12 (S)	2.96E-08	9.8E+05	1.5E+06	5.9E+05	4.3E+00	6.6E+00	2.6E+00
Selenium (34)	Se-75	2.11E+00	3.28E-01	1.3E-10 (S)	4.13E-08	3.5E+00	2.5E+02	3.5E+00	6.7E-02	4.7E+00	6.6E-02
Selenium (34)	Se-77m	1.26E+06	5.50E-07	0.00E+00	9.12E-09	.	6.7E+08	6.7E+08	.	2.1E+01	2.1E+01
Selenium (34)	Se-79	2.35E-06	2.95E+05	5.0E-10 (S)	1.35E-12	1.8E-02	1.4E+05	1.8E-02	1.8E-02	1.4E+05	1.8E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	0.00E+00	8.68E-10	.	5.2E+08	5.2E+08	.	2.2E+02	2.2E+02
Selenium (34)	Se-81	1.97E+04	3.51E-05	7.0E-13 (S)	1.20E-09	6.2E+06	8.0E+07	5.8E+06	1.3E+01	1.6E+02	1.2E+01
Selenium (34)	Se-81m	6.36E+03	1.09E-04	3.9E-12 (S)	1.34E-09	3.6E+05	2.3E+07	3.6E+05	2.3E+00	1.5E+02	2.2E+00
Selenium (34)	Se-83	1.63E+04	4.24E-05	1.9E-12 (S)	3.14E-07	1.9E+06	2.5E+05	2.2E+05	4.6E+00	6.2E-01	5.5E-01
Selenium (34)	Se-83m	3.12E+05	2.22E-06	0.00E+00	1.20E-07	.	1.3E+07	1.3E+07	.	1.6E+00	1.6E+00
Selenium (34)	Se-84	1.17E+05	5.90E-06	0.00E+00	4.70E-08	.	1.2E+07	1.2E+07	.	4.1E+00	4.1E+00
Silicon (14)	Si-31	2.32E+03	2.99E-04	8.2E-12 (S)	3.85E-10	6.3E+04	2.9E+07	6.2E+04	1.1E+00	5.1E+02	1.1E+00
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.8E-09 (S)	4.26E-12	1.2E-03	4.9E+04	1.2E-03	1.1E-03	4.6E+04	1.1E-03
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	8.2E-09 (S)	3.63E-10	1.2E-03	5.7E+02	1.2E-03	1.1E-03	5.4E+02	1.1E-03
Samarium (62)	Sm-139	1.42E+05	4.89E-06	0.00E+00	1.67E-07	.	4.1E+06	4.1E+06	.	1.2E+00	1.2E+00
Samarium (62)	Sm-140	2.46E+04	2.82E-05	2.0E-12 (S)	6.37E-08	2.7E+06	1.9E+06	1.1E+06	4.5E+00	3.1E+00	1.8E+00
Samarium (62)	Sm-141	3.57E+04	1.94E-05	7.8E-13 (S)	1.63E-07	1.0E+07	1.1E+06	9.6E+05	1.1E+01	1.2E+00	1.1E+00
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	1.7E-12 (S)	2.26E-07	2.1E+06	3.5E+05	3.0E+05	5.2E+00	8.6E-01	7.4E-01
Samarium (62)	Sm-142	5.02E+03	1.38E-04	6.0E-12 (S)	1.03E-08	1.9E+05	2.4E+06	1.7E+05	1.5E+00	1.9E+01	1.4E+00
Samarium (62)	Sm-143	4.16E+04	1.66E-05	0.00E+00	5.90E-08	.	3.4E+06	3.4E+06	.	3.3E+00	3.3E+00
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	0.00E+00	7.89E-08	.	2.0E+07	2.0E+07	.	2.5E+00	2.5E+00
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.6E-10 (F)	2.74E-09	1.1E+00	1.3E+03	1.1E+00	5.7E-02	7.1E+01	5.7E-02
Samarium (62)	Sm-146	6.73E-09	1.03E+08	3.7E-07 (F)	0.00E+00	2.4E-05	.	2.4E-05	2.4E-05	.	2.4E-05
Samarium (62)	Sm-147	6.54E-12	1.06E+11	3.4E-07 (F)	0.00E+00	2.6E-05	.	2.6E-05	2.6E-05	.	2.6E-05
Samarium (62)	Sm-148	9.90E-17	7.00E+15	2.9E-07 (F)	0.00E+00	3.1E-05	.	3.1E-05	3.0E-05	.	3.0E-05
Samarium (62)	Sm-151	7.70E-03	9.00E+01	2.5E-10 (F)	5.14E-14	3.9E-02	4.2E+06	3.9E-02	3.6E-02	3.8E+06	3.6E-02
Samarium (62)	Sm-153	1.31E+02	5.31E-03	8.6E-11 (S)	4.83E-09	3.4E+02	1.3E+05	3.4E+02	1.0E-01	4.0E+01	1.0E-01
Samarium (62)	Sm-155	1.63E+04	4.24E-05	9.1E-13 (S)	1.01E-08	4.0E+06	7.9E+06	2.6E+06	9.8E+00	1.9E+01	6.5E+00
Samarium (62)	Sm-156	6.46E+02	1.07E-03	2.9E-11 (S)	1.15E-08	4.9E+03	2.7E+05	4.9E+03	3.1E-01	1.7E+01	3.0E-01
Samarium (62)	Sm-157	4.54E+04	1.53E-05	0.00E+00	4.67E-08	.	4.7E+06	4.7E+06	.	4.2E+00	4.2E+00
Tin (50)	Sn-106	1.90E+05	3.65E-06	0.00E+00	1.37E-07	.	6.7E+06	6.7E+06	.	1.4E+00	1.4E+00
Tin (50)	Sn-108	3.54E+04	1.96E-05	6.4E-13 (S)	7.45E-08	1.2E+07	2.3E+06	1.9E+06	1.4E+01	2.6E+00	2.2E+00
Tin (50)	Sn-109	2.02E+04	3.42E-05	5.0E-13 (S)	2.69E-07	8.9E+06	3.7E+05	3.5E+05	1.8E+01	7.2E-01	7.0E-01
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.0E-11 (S)	3.04E-08	1.7E+04	2.4E+05	1.6E+04	4.5E-01	6.4E+00	4.2E-01
Tin (50)	Sn-111	1.03E+04	6.72E-05	7.5E-13 (S)	5.59E-08	3.1E+06	9.0E+05	6.9E+05	1.2E+01	3.5E+00	2.7E+00
Tin (50)	Sn-113	2.20E+00	3.15E-01	4.0E-10 (S)	8.08E-10	1.2E+00	1.3E+04	1.2E+00	2.2E-02	2.4E+02	2.2E-02
Tin (50)	Sn-113m	1.70E+04	4.07E-05	3.2E-13 (S)	2.07E-10	1.2E+07	4.0E+08	1.2E+07	2.8E+01	9.4E+02	2.7E+01
Tin (50)	Sn-117m	1.84E+01	3.77E-02	2.8E-10 (S)	1.51E-08	1.5E+01	5.9E+03	1.5E+01	3.2E-02	1.3E+01	3.2E-02
Tin (50)	Sn-119m	8.63E-01	8.03E-01	3.3E-10 (S)	1.82E-10	5.8E-01	2.3E+04	5.8E-01	2.7E-02	1.1E+03	2.7E-02
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.0E-11 (S)	1.67E-11	1.7E+03	6.6E+07	1.7E+03	3.0E-01	1.2E+04	3.0E-01
Tin (50)	Sn-121m	1.58E-02	4.39E+01	1.2E-09 (S)	9.25E-11	9.2E-03	2.5E+03	9.2E-03	7.6E-03	2.1E+03	7.6E-03
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	1.2E-09 (S)	1.05E-10	9.0E-03	2.2E+03	9.0E-03	7.5E-03	1.8E+03	7.5E-03
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.3E-09 (S)	1.06E-09	3.5E-01	9.0E+03	3.5E-01	7.1E-03	1.8E+02	7.1E-03
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.6E-12 (S)	1.48E-08	1.2E+06	3.0E+06	8.8E+05	5.5E+00	1.3E+01	3.9E+00
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.2E-10 (S)	4.07E-08	1.4E+01	3.1E+03	1.4E+01	2.1E-02	4.8E+00	2.1E-02
Tin (50)	Sn-125m	3.83E+04	1.81E-05	0.00E+00	3.91E-08	.	4.8E+06	4.8E+06	.	5.0E+00	5.0E+00
Tin (50)	Sn-126	3.01E-06	2.30E+05	1.1E-08 (S)	4.32E-09	7.8E-04	4.5E+01	7.8E-04	7.8E-04	4.5E+01	7.8E-04
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	1.2E-08 (S)	2.26E-07	7.7E-04	8.6E-01	7.7E-04	7.7E-04	8.6E-01	7.7E-04
Tin (50)	Sn-127	2.89E+03	2.40E-04	1.3E-11 (S)	2.30E-07	5.1E+04	6.1E+04	2.8E+04	7.1E-01	8.5E-01	3.9E-01
Tin (50)	Sn-127m	8.82E+04	7.86E-06	0.00E+00	6.63E-08	.	6.5E+06	6.5E+06	.	2.9E+00	2.9E+00
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.6E-12 (S)	6.34E-08	2.1E+05	4.7E+05	1.4E+05	1.3E+00	3.1E+00	9.4E-01
Tin (50)	Sn-129	1.63E+05	4.24E-06	0.00E+00	1.19E-07	.	6.7E+06	6.7E+06	.	1.6E+00	1.6E+00
Tin (50)	Sn-130	9.79E+04	7.08E-06	0.00E+00	1.04E-07	.	4.6E+06	4.6E+06	.	1.9E+00	1.9E+00
Tin (50)	Sn-130m	2.14E+05	3.23E-06	0.00E+00	1.05E-07	.	1.0E+07	1.0E+07	.	1.9E+00	1.9E+00
Strontium (38)	Sr-79	1.62E+05	4.28E-06	0.00E+00	1.33E-07	.	5.9E+06	5.9E+06	.	1.5E+00	1.5E+00
Strontium (38)	Sr-80	3.43E+03	2.02E-04	1.5E-11 (S)	4.86E-08	5.1E+04	3.4E+05	4.4E+04	5.9E-01	4.0E+00	5.2E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.9E-12 (S)	1.57E-07	1.9E+06	5.1E+05	4.0E+05	4.6E+00	1.2E+00	9.8E-01
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.2E-09 (S)	9.53E-12	1.8E+00	5.1E+06	1.8E+00	7.3E-03	2.0E+04	7.3E-03
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.2E-09 (S)	1.27E-07	1.8E+00	3.8E+02	1.8E+00	7.3E-03	1.5E+00	7.3E-03
Strontium (38)	Sr-83	1.87E+02	3.70E-03	4.0E-11 (S)	9.37E-08	1.0E+03	9.7E+03	9.4E+02	2.2E-01	2.1E+00	2.0E-01
Strontium (38)	Sr-85	3.90E+00	1.78E-01	8.6E-11 (S)	5.55E-08	1.0E+01	3.4E+02	9.8E+00	1.0E-01	3.5E+00	1.0E-01
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.5E-13 (S)	2.35E-08	4.9E+06	1.1E+06	9.1E+05	3.6E+01	8.3E+00	6.7E+00
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	1.7E-12 (S)	3.53E-08	2.9E+05	3.0E+05	1.5E+05	5.4E+00	5.5E+00	2.7E+00
Strontium (38)	Sr-89	5.01E+00	1.38E-01	8.2E-10 (S)	2.87E-10	1.4E+00	8.5E+04	1.4E+00	1.1E-02	6.8E+02	1.1E-02
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.2E-08 (S)	4.42E-11	1.0E-03	5.9E+03	1.0E-03	7.7E-04	4.4E+03	7.7E-04
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	1.2E-08 (S)	6.63E-10	1.0E-03	3.9E+02	1.0E-03	7.6E-04	2.9E+02	7.6E-04
Strontium (38)	Sr-91	6.30E+02	1.10E-03	5.3E-11 (S)	8.36E-08	2.7E+03	3.7E+04	2.5E+03	1.7E-01	2.3E+00	1.6E-01
Strontium (38)	Sr-92	2.28E+03	3.04E-04	3.0E-11 (S)	1.64E-07	1.7E+04	6.8E+04	1.3E+04	2.9E-01	1.2E+00	2.4E-01
Strontium (38)	Sr-93	4.91E+04	1.41E-05	0.00E+00	2.72E-07	.	8.8E+05	8.8E+05	.	7.2E-01	7.2E-01
Strontium (38)	Sr-94	2.90E+05	2.39E-06	0.00E+00	1.76E-07	.	8.0E+06	8.0E+06	.	1.1E+00	1.1E+00
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	0.00E+00	1.21E-07	.	2.2E+06	2.2E+06	.	1.6E+00	1.6E+00
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.0E-12 (S)	1.98E-07	1.1E+06	2.4E+05	2.0E+05	4.4E+00	9.8E-01	8.0E-01
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	7.4E-12 (S)	6.47E-08	5.8E+04	1.5E+05	4.1E+04	1.2E+00	3.0E+00	8.6E-01
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	3.3E-12 (S)	1.13E-07	3.6E+05	2.3E+05	1.4E+05	2.7E+00	1.7E+00	1.1E+00
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.3E-11 (S)	1.29E-07	9.9E+03	2.2E+04	6.8E+03	6.8E-01	1.5E+00	4.7E-01
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	1.6E-11 (S)	2.73E-07	1.1E+04	1.3E+04	5.9E+03	5.7E-01	7.1E-01	3.2E-01
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	1.2E-11 (S)	5.18E-09	2.0E+03	1.0E+05	1.9E+03	7.3E-01	3.8E+01	7.1E-01
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	0.00E+00	1.17E-08	.	1.6E+07	1.6E+07	.	1.7E+01	1.7E+01
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	5.5E-12 (S)	1.23E-07	1.0E+05	1.0E+05	5.1E+04	1.6E+00	1.6E+00	8.0E-01
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	4.8E-11 (S)	1.63E-09	1.8E+00	1.1E+03	1.8E+00	1.8E-01	1.2E+02	1.8E-01
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	5.2E-12 (S)	3.31E-09	3.2E+04	1.1E+06	3.1E+04	1.7E+00	5.9E+01	1.7E+00
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.0E-09 (S)	1.52E-07	4.9E-01	7.1E+01	4.9E-01	8.9E-03	1.3E+00	8.8E-03
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	9.7E-13 (S)	2.57E-08	5.3E+06	4.4E+06	2.4E+06	9.2E+00	7.6E+00	4.2E+00
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.5E-10 (S)	2.93E-08	4.5E+01	8.2E+03	4.5E+01	3.6E-02	6.6E+00	3.6E-02
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	4.6E-11 (S)	1.78E-07	3.3E+03	1.9E+04	2.8E+03	1.9E-01	1.1E+00	1.6E-01
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	3.3E-12 (S)	1.57E-08	4.9E+05	2.3E+06	4.1E+05	2.7E+00	1.2E+01	2.2E+00
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	7.4E-13 (S)	1.61E-07	1.0E+07	1.0E+06	9.5E+05	1.2E+01	1.2E+00	1.1E+00
Terbium (65)	Tb-146	9.50E+05	7.29E-07	0.00E+00	4.45E-07	.	1.0E+07	1.0E+07	.	4.4E-01	4.4E-01
Terbium (65)	Tb-147	3.70E+03	1.87E-04	5.3E-12 (S)	2.58E-07	1.6E+05	7.0E+04	4.8E+04	1.7E+00	7.5E-01	5.2E-01
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	0.00E+00	2.33E-07	.	4.1E+06	4.1E+06	.	8.4E-01	8.4E-01
Terbium (65)	Tb-148	6.07E+03	1.14E-04	4.2E-12 (S)	2.81E-07	3.2E+05	1.0E+05	7.9E+04	2.1E+00	6.9E-01	5.2E-01
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	0.00E+00	3.60E-07	.	2.2E+06	2.2E+06	.	5.4E-01	5.4E-01
Terbium (65)	Tb-149	1.47E+03	4.70E-04	4.1E-10 (S)	1.60E-07	8.1E+02	4.5E+04	7.9E+02	2.2E-02	1.2E+00	2.2E-02
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	0.00E+00	1.57E-07	.	2.7E+06	2.7E+06	.	1.2E+00	1.2E+00
Terbium (65)	Tb-150	1.74E+03	3.97E-04	8.6E-12 (S)	3.00E-07	4.5E+04	2.8E+04	1.7E+04	1.0E+00	6.5E-01	4.0E-01
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	0.00E+00	2.85E-07	.	1.1E+06	1.1E+06	.	6.8E-01	6.8E-01
Terbium (65)	Tb-151	3.45E+02	2.01E-03	2.3E-11 (S)	1.10E-07	3.3E+03	1.5E+04	2.7E+03	3.8E-01	1.8E+00	3.2E-01
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	0.00E+00	8.02E-09	.	5.3E+08	5.3E+08	.	2.4E+01	2.4E+01
Terbium (65)	Tb-152	3.47E+02	2.00E-03	3.6E-11 (S)	1.77E-07	2.1E+03	9.5E+03	1.7E+03	2.5E-01	1.1E+00	2.0E-01
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	0.00E+00	8.24E-08	.	5.1E+06	5.1E+06	.	2.4E+00	2.4E+00
Terbium (65)	Tb-153	1.08E+02	6.41E-03	2.6E-11 (S)	3.38E-08	9.3E+02	1.6E+04	8.8E+02	3.4E-01	5.8E+00	3.2E-01
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.0E-11 (S)	2.83E-07	2.1E+03	4.9E+03	1.5E+03	3.0E-01	6.9E-01	2.1E-01
Terbium (65)	Tb-155	4.75E+01	1.46E-02	3.4E-11 (S)	1.53E-08	3.1E+02	1.5E+04	3.0E+02	2.6E-01	1.3E+01	2.6E-01
Terbium (65)	Tb-156	4.73E+01	1.47E-02	1.2E-10 (S)	2.26E-07	9.1E+01	1.0E+03	8.3E+01	7.7E-02	8.6E-01	7.0E-02
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	2.2E-11 (S)	2.11E-09	2.5E+03	5.7E+05	2.5E+03	4.1E-01	9.2E+01	4.0E-01
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.2E-11 (S)	2.28E-10	2.2E+04	2.4E+07	2.2E+04	7.6E-01	8.5E+02	7.6E-01
Terbium (65)	Tb-157	9.76E-03	7.10E+01	1.0E-10 (F)	2.21E-10	1.0E-01	9.9E+02	1.0E-01	8.9E-02	8.8E+02	8.9E-02
Terbium (65)	Tb-158	3.85E-03	1.80E+02	4.7E-09 (F)	9.15E-08	2.0E-03	2.2E+00	2.0E-03	1.9E-03	2.1E+00	1.9E-03
Terbium (65)	Tb-160	3.50E+00	1.98E-01	8.2E-10 (S)	1.32E-07	9.5E-01	1.3E+02	9.5E-01	1.1E-02	1.5E+00	1.1E-02
Terbium (65)	Tb-161	3.66E+01	1.89E-02	1.6E-10 (S)	1.99E-09	5.3E+01	9.0E+04	5.2E+01	5.7E-02	9.8E+01	5.7E-02
Terbium (65)	Tb-162	4.79E+04	1.45E-05	0.00E+00	1.27E-07	.	1.8E+06	1.8E+06	.	1.5E+00	1.5E+00
Terbium (65)	Tb-163	1.87E+04	3.71E-05	7.6E-13 (S)	8.80E-08	5.5E+06	1.0E+06	8.7E+05	1.2E+01	2.2E+00	1.9E+00
Terbium (65)	Tb-164	1.21E+05	5.71E-06	0.00E+00	2.88E-07	.	2.0E+06	2.0E+06	.	6.7E-01	6.7E-01
Terbium (65)	Tb-165	1.73E+05	4.01E-06	0.00E+00	1.02E-07	.	8.2E+06	8.2E+06	.	1.9E+00	1.9E+00
Technetium (43)	Tc-101	2.57E+04	2.70E-05	5.1E-13 (S)	3.76E-08	1.1E+07	3.3E+06	2.6E+06	1.7E+01	5.2E+00	4.0E+00
Technetium (43)	Tc-102	4.14E+06	1.67E-07	0.00E+00	1.18E-08	.	1.7E+09	1.7E+09	.	1.6E+01	1.6E+01
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	0.00E+00	3.01E-07	.	1.4E+06	1.4E+06	.	6.5E-01	6.5E-01
Technetium (43)	Tc-104	1.99E+04	3.48E-05	1.5E-12 (S)	2.78E-07	3.0E+06	3.5E+05	3.1E+05	6.0E+00	7.0E-01	6.3E-01
Technetium (43)	Tc-105	4.79E+04	1.45E-05	0.00E+00	9.37E-08	.	2.5E+06	2.5E+06	.	2.1E+00	2.1E+00
Technetium (43)	Tc-91	1.16E+05	5.97E-06	0.00E+00	3.05E-07	.	1.8E+06	1.8E+06	.	6.4E-01	6.4E-01
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	0.00E+00	1.64E-07	.	3.3E+06	3.3E+06	.	1.2E+00	1.2E+00
Technetium (43)	Tc-92	8.57E+04	8.09E-06	0.00E+00	4.54E-07	.	9.2E+05	9.2E+05	.	4.3E-01	4.3E-01
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.6E-12 (S)	1.91E-07	1.9E+05	5.6E+04	4.3E+04	3.4E+00	1.0E+00	7.8E-01
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.1E-12 (S)	1.19E-07	1.6E+06	3.4E+05	2.8E+05	7.8E+00	1.6E+00	1.3E+00
Technetium (43)	Tc-94	1.24E+03	5.57E-04	7.8E-12 (S)	3.09E-07	3.5E+04	2.0E+04	1.3E+04	1.1E+00	6.3E-01	4.1E-01
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.8E-12 (S)	2.31E-07	5.5E+05	1.5E+05	1.2E+05	3.1E+00	8.4E-01	6.6E-01

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Technetium (43)	Tc-95	3.04E+02	2.28E-03	7.4E-12 (S)	9.12E-08	9.1E+03	1.6E+04	5.8E+03	1.2E+00	2.1E+00	7.7E-01
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	1.3E-10 (S)	7.73E-08	7.4E+00	2.6E+02	7.2E+00	7.1E-02	2.5E+00	6.9E-02
Technetium (43)	Tc-96	5.91E+01	1.17E-02	5.7E-11 (S)	2.91E-07	2.3E+02	9.9E+02	1.9E+02	1.6E-01	6.7E-01	1.3E-01
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.8E-13 (S)	4.92E-09	2.7E+06	7.0E+06	2.0E+06	1.5E+01	4.0E+01	1.1E+01
Technetium (43)	Tc-97	2.67E-07	2.60E+06	1.3E-10 (S)	4.39E-11	6.8E-02	4.4E+03	6.8E-02	6.8E-02	4.4E+03	6.8E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	3.9E-10 (S)	7.26E-11	1.6E+00	1.9E+05	1.6E+00	2.3E-02	2.7E+03	2.3E-02
Technetium (43)	Tc-98	1.65E-07	4.20E+06	3.2E-09 (S)	1.63E-07	2.8E-03	1.2E+00	2.8E-03	2.8E-03	1.2E+00	2.8E-03
Technetium (43)	Tc-99	3.28E-06	2.11E+05	1.0E-09 (S)	1.18E-11	8.6E-03	1.7E+04	8.6E-03	8.6E-03	1.7E+04	8.6E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.6E-12 (S)	1.30E-08	1.4E+05	3.8E+05	1.0E+05	5.4E+00	1.5E+01	4.0E+00
Tellurium (52)	Te-113	2.14E+05	3.23E-06	0.00E+00	2.65E-07	.	3.9E+06	3.9E+06	.	7.3E-01	7.3E-01
Tellurium (52)	Te-114	2.40E+04	2.89E-05	2.3E-12 (V)	1.51E-07	2.3E+06	7.7E+05	5.8E+05	3.8E+00	1.3E+00	9.6E-01
Tellurium (52)	Te-115	6.28E+04	1.10E-05	0.00E+00	2.65E-07	.	1.2E+06	1.2E+06	.	7.3E-01	7.3E-01
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	0.00E+00	3.11E-07	.	8.5E+05	8.5E+05	.	6.3E-01	6.3E-01
Tellurium (52)	Te-116	2.44E+03	2.84E-04	1.1E-11 (S)	9.03E-09	.	.	.	.	.	.
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.0E-12 (V)	1.85E-07	6.5E+05	1.5E+05	1.2E+05	4.4E+00	1.1E+00	8.5E-01
Tellurium (52)	Te-118	4.22E+01	1.64E-02	3.4E-10 (S)	3.03E-10	2.8E+01	6.8E+05	2.8E+01	2.6E-02	6.4E+02	2.6E-02
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	3.4E-10 (S)	9.15E-08	2.8E+01	2.2E+03	2.7E+01	2.6E-02	2.1E+00	2.6E-02
Tellurium (52)	Te-119	3.78E+02	1.83E-03	8.7E-12 (S)	8.71E-08	9.7E+03	2.1E+04	6.6E+03	1.0E+00	2.2E+00	7.0E-01
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	5.4E-11 (V)	1.77E-07	2.2E+02	1.5E+03	1.9E+02	1.6E-01	1.1E+00	1.4E-01
Tellurium (52)	Te-121	1.32E+01	5.25E-02	5.3E-11 (V)	6.34E-08	.	.	.	.	.	.
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	5.6E-10 (S)	2.25E-08	.	.	.	.	.	.
Tellurium (52)	Te-123	1.16E-15	6.00E+14	8.3E-11 (V)	5.27E-13	.	.	.	.	.	.
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	4.8E-10 (S)	1.43E-08	.	.	.	.	.	.
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	3.9E-10 (S)	6.75E-10	.	.	.	.	.	.
Tellurium (52)	Te-127	6.49E+02	1.07E-03	1.8E-11 (S)	5.96E-10	.	.	.	.	.	.
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	9.4E-10 (S)	2.24E-10	.	.	.	.	.	.
Tellurium (52)	Te-129	5.23E+03	1.32E-04	3.1E-12 (V)	6.82E-09	.	.	.	.	.	.
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	8.1E-10 (S)	3.63E-09	.	.	.	.	.	.
Tellurium (52)	Te-131	1.46E+04	4.76E-05	6.6E-12 (V)	4.77E-08	.	.	.	.	.	.
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	2.6E-10 (V)	1.70E-07	.	.	.	.	.	.
Tellurium (52)	Te-132	7.89E+01	8.78E-03	5.7E-10 (V)	2.32E-08	.	.	.	.	.	.
Tellurium (52)	Te-133	2.91E+04	2.38E-05	5.8E-12 (V)	1.44E-07	.	.	.	.	.	.
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.3E-11 (V)	2.19E-07	.	.	.	.	.	.
Tellurium (52)	Te-134	8.71E+03	7.95E-05	8.0E-12 (V)	9.75E-08	.	.	.	.	.	.
Thorium (90)	Th-223	3.64E+07	1.90E-08	0.00E+00	6.78E-09	.	2.6E+10	2.6E+10	.	2.9E+01	2.9E+01
Thorium (90)	Th-224	2.08E+07	3.33E-08	0.00E+00	2.42E-09	.	4.2E+10	4.2E+10	.	8.0E+01	8.0E+01
Thorium (90)	Th-226	1.19E+04	5.82E-05	4.2E-09 (S)	7.86E-10	6.4E+02	7.4E+07	6.4E+02	2.1E-03	2.5E+02	2.1E-03
Thorium (90)	Th-227	1.35E+01	5.12E-02	9.5E-07 (S)	1.30E-08	3.2E-03	5.1E+03	3.2E-03	9.4E-06	1.5E+01	9.4E-06
Thorium (90)	Th-228	3.63E-01	1.91E+00	3.6E-06 (S)	2.01E-10	2.3E-05	8.8E+03	2.3E-05	2.5E-06	9.7E+02	2.5E-06
Thorium (90)	Th-229	9.44E-05	7.34E+03	4.7E-06 (S)	8.11E-09	1.9E-06	2.4E+01	1.9E-06	1.9E-06	2.4E+01	1.9E-06
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	5.4E-06 (S)	8.62E-09	1.6E-06	2.3E+01	1.6E-06	1.6E-06	2.3E+01	1.6E-06
Thorium (90)	Th-230	9.19E-06	7.54E+04	9.2E-07 (F)	3.63E-11	9.7E-06	5.4E+03	9.7E-06	9.7E-06	5.4E+03	9.7E-06
Thorium (90)	Th-231	2.38E+02	2.91E-03	4.1E-11 (S)	1.07E-09	1.3E+03	1.1E+06	1.3E+03	2.2E-01	1.8E+02	2.2E-01
Thorium (90)	Th-232	4.93E-11	1.41E+10	1.2E-06 (S)	1.84E-11	7.6E-06	1.1E+04	7.6E-06	7.6E-06	1.1E+04	7.6E-06
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	2.4E-06 (S)	1.02E-07	3.8E-06	1.9E+00	3.8E-06	3.8E-06	1.9E+00	3.8E-06
Thorium (90)	Th-233	1.63E+04	4.24E-05	1.0E-12 (S)	3.98E-09	3.6E+06	2.0E+07	3.0E+06	8.8E+00	4.9E+01	7.5E+00
Thorium (90)	Th-234	1.05E+01	6.60E-02	8.3E-10 (S)	7.70E-10	2.8E+00	6.6E+04	2.8E+00	1.1E-02	2.5E+02	1.1E-02
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	8.3E-10 (S)	3.16E-09	2.8E+00	1.6E+04	2.8E+00	1.1E-02	6.2E+01	1.1E-02
Thorium (90)	Th-235	5.13E+04	1.35E-05	0.00E+00	6.47E-09	.	3.9E+07	3.9E+07	.	3.0E+01	3.0E+01
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.5E-12 (S)	3.76E-09	6.1E+05	1.3E+07	5.8E+05	2.5E+00	5.2E+01	2.4E+00
Titanium (22)	Ti-44	1.16E-02	6.00E+01	9.3E-09 (S)	1.17E-08	1.1E-03	1.9E+01	1.1E-03	9.6E-04	1.7E+01	9.6E-04
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	9.3E-09 (S)	2.62E-07	1.1E-03	8.6E-01	1.1E-03	9.5E-04	7.4E-01	9.5E-04
Titanium (22)	Ti-45	1.97E+03	3.52E-04	8.3E-12 (S)	9.81E-08	5.3E+04	9.8E+04	3.4E+04	1.1E+00	2.0E+00	6.9E-01
Titanium (22)	Ti-51	6.32E+04	1.10E-05	0.00E+00	4.20E-08	.	7.3E+06	7.3E+06	.	4.6E+00	4.6E+00
Titanium (22)	Ti-52	2.14E+05	3.23E-06	0.00E+00	1.31E-08	.	7.9E+07	7.9E+07	.	1.5E+01	1.5E+01
Thallium (81)	Tl-190	1.40E+05	4.95E-06	0.00E+00	1.48E-07	.	4.6E+06	4.6E+06	.	1.3E+00	1.3E+00
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	0.00E+00	2.81E-07	.	1.7E+06	1.7E+06	.	6.9E-01	6.9E-01
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.0E-12 (S)	1.03E-07	2.4E+06	5.2E+05	4.3E+05	8.8E+00	1.9E+00	1.6E+00
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	1.3E-12 (S)	2.86E-07	1.8E+06	1.9E+05	1.7E+05	6.6E+00	6.8E-01	6.2E-01
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.4E-12 (S)	1.46E-07	8.5E+05	1.7E+05	1.4E+05	6.5E+00	1.3E+00	1.1E+00
Thallium (81)	Tl-196	3.30E+03	2.10E-04	1.8E-12 (S)	2.24E-07	4.0E+05	7.2E+04	6.1E+04	4.9E+00	8.7E-01	7.4E-01
Thallium (81)	Tl-197	2.14E+03	3.24E-04	2.8E-12 (S)	5.08E-08	1.7E+05	2.0E+05	9.4E+04	3.2E+00	3.8E+00	1.8E+00
Thallium (81)	Tl-198	1.15E+03	6.05E-04	3.3E-12 (S)	2.42E-07	7.7E+04	2.3E+04	1.8E+04	2.7E+00	8.0E-01	6.2E-01
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	3.7E-12 (S)	1.35E-07	2.0E+05	1.2E+05	7.3E+04	2.4E+00	1.4E+00	9.0E-01
Thallium (81)	Tl-199	8.18E+02	8.47E-04	3.4E-12 (S)	2.58E-08	5.3E+04	1.5E+05	4.0E+04	2.6E+00	7.6E+00	1.9E+00
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.1E-11 (S)	1.52E-07	4.7E+03	7.5E+03	2.9E+03	8.0E-01	1.3E+00	4.9E-01
Thallium (81)	Tl-201	8.33E+01	8.32E-03	1.9E-11 (S)	7.86E-09	9.8E+02	5.2E+04	9.7E+02	4.7E-01	2.5E+01	4.6E-01
Thallium (81)	Tl-202	2.07E+01	3.35E-02	3.7E-11 (S)	5.02E-08	1.2E+02	2.0E+03	1.2E+02	2.4E-01	3.9E+00	2.3E-01
Thallium (81)	Tl-204	1.83E-01	3.78E+00	1.6E-09 (S)	1.64E-10	2.5E-02	5.5E+03	2.5E-02	5.5E-03	1.2E+03	5.5E-03
Thallium (81)	Tl-206	8.67E+04	7.99E-06	0.00E+00	2.54E-10	.	1.7E+09	1.7E+09	.	7.7E+02	7.7E+02

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	0.00E+00	2.76E-07	.	1.7E+06	1.7E+06	.	7.0E-01	7.0E-01
Thallium (81)	Tl-207	7.64E+04	9.08E-06	0.00E+00	4.89E-10	.	7.6E+08	7.6E+08	.	4.0E+02	4.0E+02
Thallium (81)	Tl-208	1.19E+05	5.81E-06	0.00E+00	4.29E-07	.	1.4E+06	1.4E+06	.	4.5E-01	4.5E-01
Thallium (81)	Tl-209	1.69E+05	4.11E-06	0.00E+00	2.59E-07	.	3.2E+06	3.2E+06	.	7.5E-01	7.5E-01
Thallium (81)	Tl-210	2.80E+05	2.47E-06	0.00E+00	3.35E-07	.	4.1E+06	4.1E+06	.	5.8E-01	5.8E-01
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.6E-12 (S)	1.49E-07	1.7E+06	3.9E+05	3.2E+05	5.7E+00	1.3E+00	1.1E+00
Thulium (69)	Tm-162	1.68E+04	4.13E-05	9.7E-13 (S)	2.32E-07	3.9E+06	3.5E+05	3.2E+05	9.2E+00	8.4E-01	7.7E-01
Thulium (69)	Tm-163	3.35E+03	2.07E-04	2.4E-12 (S)	1.53E-07	3.1E+05	1.1E+05	7.9E+04	3.7E+00	1.3E+00	9.5E-01
Thulium (69)	Tm-164	1.82E+05	3.81E-06	0.00E+00	8.96E-08	.	9.9E+06	9.9E+06	.	2.2E+00	2.2E+00
Thulium (69)	Tm-165	2.02E+02	3.43E-03	2.4E-11 (S)	6.00E-08	1.9E+03	1.6E+04	1.7E+03	3.7E-01	3.2E+00	3.3E-01
Thulium (69)	Tm-166	7.88E+02	8.79E-04	1.5E-11 (S)	2.37E-07	1.2E+04	1.6E+04	6.9E+03	6.1E-01	8.2E-01	3.5E-01
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.4E-10 (S)	1.33E-08	4.4E+01	1.0E+04	4.4E+01	6.4E-02	1.5E+01	6.4E-02
Thulium (69)	Tm-168	2.72E+00	2.55E-01	5.0E-10 (S)	1.39E-07	1.2E+00	9.5E+01	1.2E+00	1.8E-02	1.4E+00	1.8E-02
Thulium (69)	Tm-170	1.97E+00	3.52E-01	8.9E-10 (S)	4.07E-10	4.9E-01	2.4E+04	4.9E-01	1.0E-02	4.8E+02	1.0E-02
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.2E-10 (S)	3.94E-11	6.9E-01	4.5E+04	6.9E-01	7.6E-02	4.9E+03	7.6E-02
Thulium (69)	Tm-172	9.55E+01	7.26E-03	1.6E-10 (S)	5.78E-08	1.3E+02	8.0E+03	1.3E+02	5.4E-02	3.4E+00	5.3E-02
Thulium (69)	Tm-173	7.37E+02	9.41E-04	2.2E-11 (S)	4.32E-08	7.5E+03	8.3E+04	6.9E+03	4.1E-01	4.5E+00	3.7E-01
Thulium (69)	Tm-174	6.75E+04	1.03E-05	0.00E+00	2.03E-07	.	1.6E+06	1.6E+06	.	9.6E-01	9.6E-01
Thulium (69)	Tm-175	2.40E+04	2.89E-05	9.2E-13 (S)	1.25E-07	5.8E+06	9.3E+05	8.0E+05	9.7E+00	1.6E+00	1.3E+00
Thulium (69)	Tm-176	1.97E+05	3.52E-06	0.00E+00	2.38E-07	.	4.0E+06	4.0E+06	.	8.2E-01	8.2E-01
Uranium (92)	U-227	3.31E+05	2.09E-06	0.00E+00	1.20E-08	.	1.3E+08	1.3E+08	.	1.6E+01	1.6E+01
Uranium (92)	U-228	4.00E+04	1.73E-05	0.00E+00	3.91E-10	.	5.0E+08	5.0E+08	.	5.0E+02	5.0E+02
Uranium (92)	U-230	1.22E+01	5.70E-02	1.5E-06 (S)	1.11E-10	1.8E-03	5.3E+05	1.8E-03	6.0E-06	1.8E+03	6.0E-06
Uranium (92)	U-231	6.02E+01	1.15E-02	5.7E-11 (S)	6.47E-09	2.3E+02	4.5E+04	2.3E+02	1.6E-01	3.0E+01	1.5E-01
Uranium (92)	U-232	1.01E-02	6.89E+01	2.5E-06 (S)	2.50E-11	4.0E-06	8.8E+03	4.0E-06	3.6E-06	7.8E+03	3.6E-06
Uranium (92)	U-233	4.35E-06	1.59E+05	7.7E-07 (S)	2.53E-11	1.2E-05	7.7E+03	1.2E-05	1.2E-05	7.7E+03	1.2E-05
Uranium (92)	U-234	2.82E-06	2.46E+05	7.5E-07 (S)	1.39E-11	1.2E-05	1.4E+04	1.2E-05	1.2E-05	1.4E+04	1.2E-05
Uranium (92)	U-235	9.84E-10	7.04E+08	6.8E-07 (S)	1.71E-08	1.3E-05	1.1E+01	1.3E-05	1.3E-05	1.1E+01	1.3E-05
Uranium (92)	U-235+D	9.84E-10	7.04E+08	6.8E-07 (S)	1.81E-08	1.3E-05	1.1E+01	1.3E-05	1.3E-05	1.1E+01	1.3E-05
Uranium (92)	U-235m	1.40E+04	4.95E-05	5.1E-17 (M)	0.00E+00	6.2E+10	.	6.2E+10	1.8E+05	.	1.8E+05
Uranium (92)	U-236	2.96E-08	2.34E+07	6.9E-07 (S)	8.27E-12	1.3E-05	2.4E+04	1.3E-05	1.3E-05	2.4E+04	1.3E-05
Uranium (92)	U-237	3.75E+01	1.85E-02	2.0E-10 (S)	1.29E-08	4.2E+01	1.4E+04	4.2E+01	4.5E-02	1.5E+01	4.5E-02
Uranium (92)	U-238	1.55E-10	4.47E+09	6.4E-07 (S)	7.07E-12	1.4E-05	2.8E+04	1.4E-05	1.4E-05	2.8E+04	1.4E-05
Uranium (92)	U-238+D	1.55E-10	4.47E+09	6.4E-07 (S)	3.44E-09	1.4E-05	5.7E+01	1.4E-05	1.4E-05	5.7E+01	1.4E-05
Uranium (92)	U-239	1.55E+04	4.46E-05	1.7E-12 (S)	4.61E-09	2.1E+06	1.6E+07	1.9E+06	5.4E+00	4.2E+01	4.8E+00
Uranium (92)	U-240	4.31E+02	1.61E-03	8.4E-11 (S)	4.45E-10	1.1E+03	4.7E+06	1.1E+03	1.1E-01	4.4E+02	1.1E-01
Uranium (92)	U-242	2.17E+04	3.20E-05	1.4E-12 (S)	4.39E-09	3.5E+06	2.4E+07	3.0E+06	6.4E+00	4.4E+01	5.6E+00
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.7E-12 (S)	1.13E-07	1.5E+06	4.8E+05	3.6E+05	5.3E+00	1.7E+00	1.3E+00
Vanadium (23)	V-48	1.58E+01	4.38E-02	2.8E-10 (S)	3.47E-07	1.2E+01	2.2E+02	1.2E+01	3.1E-02	5.6E-01	3.0E-02
Vanadium (23)	V-49	7.67E-01	9.04E-01	7.6E-12 (S)	0.00E+00	2.2E+01	.	2.2E+01	1.2E+00	.	1.2E+00
Vanadium (23)	V-50	4.62E-18	1.50E+17	2.6E-09 (F)	1.76E-07	3.6E-03	1.2E+00	3.6E-03	3.5E-03	1.1E+00	3.4E-03
Vanadium (23)	V-52	9.73E+04	7.12E-06	0.00E+00	1.79E-07	.	2.6E+06	2.6E+06	.	1.1E+00	1.1E+00
Vanadium (23)	V-53	2.26E+05	3.06E-06	0.00E+00	1.24E-07	.	8.9E+06	8.9E+06	.	1.6E+00	1.6E+00
Tungsten (74)	W-177	2.76E+03	2.51E-04	3.2E-12 (S)	1.00E-07	1.9E+05	1.3E+05	7.8E+04	2.7E+00	1.9E+00	1.1E+00
Tungsten (74)	W-178	1.17E+01	5.92E-02	8.4E-11 (S)	1.01E-09	3.1E+01	5.6E+04	3.1E+01	1.1E-01	1.9E+02	1.1E-01
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	8.4E-11 (S)	1.27E-08	3.1E+01	4.5E+03	3.1E+01	1.1E-01	1.5E+01	1.1E-01
Tungsten (74)	W-179	9.83E+03	7.05E-05	8.0E-14 (S)	3.38E-09	2.7E+07	1.4E+07	9.3E+06	1.1E+02	5.8E+01	3.8E+01
Tungsten (74)	W-179m	5.69E+04	1.22E-05	0.00E+00	4.70E-09	.	5.9E+07	5.9E+07	.	4.1E+01	4.1E+01
Tungsten (74)	W-181	2.09E+00	3.32E-01	3.1E-11 (S)	2.70E-09	1.5E+01	3.8E+03	1.5E+01	2.9E-01	7.2E+01	2.9E-01
Tungsten (74)	W-185	3.37E+00	2.06E-01	3.7E-10 (S)	2.47E-11	2.0E+00	6.6E+05	2.0E+00	2.4E-02	7.9E+03	2.4E-02
Tungsten (74)	W-185m	2.28E+05	3.04E-06	0.00E+00	2.23E-09	.	5.0E+08	5.0E+08	.	8.7E+01	8.7E+01
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.3E-11 (S)	5.02E-08	1.1E+03	2.5E+04	1.0E+03	1.7E-01	3.9E+00	1.6E-01
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.5E-09 (S)	2.12E-10	5.3E-01	8.3E+04	5.3E-01	5.9E-03	9.2E+02	5.9E-03
Tungsten (74)	W-190	1.21E+04	5.71E-05	3.9E-12 (S)	1.36E-08	7.0E+05	4.4E+06	6.0E+05	2.3E+00	1.4E+01	2.0E+00
Xenon (54)	Xe-120	9.11E+03	7.61E-05	0.00E+00	4.17E-08	.	1.1E+06	1.1E+06	.	4.7E+00	4.7E+00
Xenon (54)	Xe-121	9.08E+03	7.63E-05	0.00E+00	1.76E-07	.	2.5E+05	2.5E+05	.	1.1E+00	1.1E+00
Xenon (54)	Xe-122	3.02E+02	2.29E-03	0.00E+00	5.40E-09	.	2.7E+05	2.7E+05	.	3.6E+01	3.6E+01
Xenon (54)	Xe-123	2.92E+03	2.37E-04	0.00E+00	7.20E-08	.	2.0E+05	2.0E+05	.	2.7E+00	2.7E+00
Xenon (54)	Xe-125	3.59E+02	1.93E-03	0.00E+00	2.70E-08	.	6.5E+04	6.5E+04	.	7.2E+00	7.2E+00
Xenon (54)	Xe-127	6.95E+00	9.97E-02	0.00E+00	2.80E-08	.	1.2E+03	1.2E+03	.	6.9E+00	6.9E+00
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	0.00E+00	1.61E-08	.	9.5E+07	9.5E+07	.	1.2E+01	1.2E+01
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	0.00E+00	1.95E-09	.	7.1E+04	7.1E+04	.	1.0E+02	1.0E+02
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	0.00E+00	7.20E-10	.	1.4E+05	1.4E+05	.	2.7E+02	2.7E+02
Xenon (54)	Xe-133	4.82E+01	1.44E-02	0.00E+00	3.16E-09	.	7.4E+04	7.4E+04	.	6.2E+01	6.2E+01
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	0.00E+00	2.95E-09	.	1.9E+05	1.9E+05	.	6.6E+01	6.6E+01
Xenon (54)	Xe-135	6.64E+02	1.04E-03	0.00E+00	2.73E-08	.	1.2E+05	1.2E+05	.	7.1E+00	7.1E+00
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	0.00E+00	4.77E-08	.	2.4E+06	2.4E+06	.	4.1E+00	4.1E+00
Xenon (54)	Xe-137	9.54E+04	7.26E-06	0.00E+00	2.38E-08	.	2.0E+07	2.0E+07	.	8.2E+00	8.2E+00
Xenon (54)	Xe-138	2.59E+04	2.68E-05	0.00E+00	1.39E-07	.	9.0E+05	9.0E+05	.	1.4E+00	1.4E+00
Yttrium (39)	Y-81	3.10E+05	2.23E-06	0.00E+00	1.32E-07	.	1.1E+07	1.1E+07	.	1.5E+00	1.5E+00

Radionuclides		Slope Factors and Isotope-specific Information				Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	Inhalation Slope Factor (Lungtype) (risk/Bq)	Submersion External Exposure Slope Factor (risk/yr per Bq/m^3)	Inhalation PRG (Bq/m^3)	External Exposure PRG (Bq/m^3)	Ambient Air PRG (Bq/m^3)	Inhalation PRG (no decay) (Bq/m^3)	External Exposure PRG (no decay) (Bq/m^3)	Ambient Air PRG (no decay) (Bq/m^3)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	0.00E+00	1.81E-09	.	4.7E+08	4.7E+08	.	1.1E+02	1.1E+02
Yttrium (39)	Y-83	5.14E+04	1.35E-05	0.00E+00	1.54E-07	.	1.6E+06	1.6E+06	.	1.3E+00	1.3E+00
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	0.00E+00	9.40E-08	.	6.6E+06	6.6E+06	.	2.1E+00	2.1E+00
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	3.4E-12 (S)	4.67E-07	6.0E+05	9.6E+04	8.3E+04	2.6E+00	4.2E-01	3.6E-01
Yttrium (39)	Y-85	2.27E+03	3.06E-04	8.6E-12 (S)	1.22E-07	5.8E+04	9.0E+04	3.5E+04	1.0E+00	1.6E+00	6.3E-01
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.9E-11 (S)	1.57E-07	1.5E+04	3.9E+04	1.1E+04	4.7E-01	1.2E+00	3.4E-01
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.2E-11 (S)	4.29E-07	2.2E+03	4.7E+03	1.5E+03	2.1E-01	4.5E-01	1.4E-01
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.5E-12 (S)	2.40E-08	6.8E+05	1.5E+06	4.7E+05	3.6E+00	8.1E+00	2.5E+00
Yttrium (39)	Y-87	7.61E+01	9.11E-03	4.0E-11 (S)	4.92E-08	4.2E+02	7.5E+03	4.0E+02	2.2E-01	4.0E+00	2.1E-01
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	1.5E-11 (S)	3.41E-08	6.6E+03	6.5E+04	6.0E+03	5.8E-01	5.7E+00	5.3E-01
Yttrium (39)	Y-88	2.37E+00	2.92E-01	5.5E-10 (F)	3.35E-07	9.6E-01	3.5E+01	9.3E-01	1.6E-02	5.8E-01	1.6E-02
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	0.00E+00	1.06E-07	.	6.4E+07	6.4E+07	.	1.8E+00	1.8E+00
Yttrium (39)	Y-90	9.47E+01	7.32E-03	2.3E-10 (S)	6.19E-10	9.3E+01	7.5E+05	9.3E+01	3.9E-02	3.1E+02	3.9E-02
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	1.3E-11 (S)	7.04E-08	3.3E+04	1.3E+05	2.6E+04	6.8E-01	2.8E+00	5.5E-01
Yttrium (39)	Y-91	4.32E+00	1.60E-01	9.1E-10 (S)	6.69E-10	1.1E+00	3.1E+04	1.1E+00	9.8E-03	2.9E+02	9.8E-03
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	8.2E-13 (S)	6.00E-08	2.0E+06	5.9E+05	4.6E+05	1.1E+01	3.2E+00	2.5E+00
Yttrium (39)	Y-92	1.71E+03	4.04E-04	2.5E-11 (S)	3.13E-08	1.5E+04	2.7E+05	1.4E+04	3.5E-01	6.2E+00	3.3E-01
Yttrium (39)	Y-93	5.96E+02	1.16E-03	7.2E-11 (S)	1.26E-08	1.8E+03	2.3E+05	1.8E+03	1.2E-01	1.5E+01	1.2E-01
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.5E-12 (S)	9.44E-08	2.9E+06	1.0E+06	7.4E+05	5.9E+00	2.1E+00	1.5E+00
Yttrium (39)	Y-95	3.54E+04	1.96E-05	7.4E-13 (S)	1.45E-07	1.1E+07	1.2E+06	1.1E+06	1.2E+01	1.3E+00	1.2E+00
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	1.0E-12 (S)	2.48E-08	4.1E+06	3.8E+06	2.0E+06	8.5E+00	7.8E+00	4.1E+00
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	4.5E-13 (S)	8.30E-08	1.6E+07	1.9E+06	1.7E+06	2.0E+01	2.3E+00	2.1E+00
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	3.5E-12 (S)	3.82E-09	3.1E+05	6.1E+06	2.9E+05	2.6E+00	5.1E+01	2.5E+00
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	0.00E+00	3.44E-08	.	5.2E+06	5.2E+06	.	5.7E+00	5.7E+00
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	7.7E-11 (S)	5.52E-09	3.1E+02	9.4E+04	3.1E+02	1.2E-01	3.5E+01	1.2E-01
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	4.7E-13 (S)	2.32E-08	9.8E+06	4.4E+06	3.0E+06	1.9E+01	8.4E+00	5.8E+00
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	3.4E-10 (S)	2.88E-08	5.2E+00	1.3E+03	5.2E+00	2.6E-02	6.7E+00	2.6E-02
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	8.0E-11 (S)	4.23E-09	1.7E+02	7.0E+04	1.7E+02	1.1E-01	4.6E+01	1.1E-01
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	6.5E-12 (S)	2.25E-08	1.1E+05	6.9E+05	9.4E+04	1.4E+00	8.6E+00	1.2E+00
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	6.3E-12 (S)	4.26E-09	1.7E+05	5.6E+06	1.7E+05	1.4E+00	4.6E+01	1.4E+00
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	0.00E+00	1.10E-07	.	2.0E+06	2.0E+06	.	1.8E+00	1.8E+00
Zinc (30)	Zn-60	1.53E+05	4.53E-06	0.00E+00	1.73E-07	.	4.3E+06	4.3E+06	.	1.1E+00	1.1E+00
Zinc (30)	Zn-61	2.45E+05	2.83E-06	0.00E+00	1.81E-07	.	6.6E+06	6.6E+06	.	1.1E+00	1.1E+00
Zinc (30)	Zn-62	6.61E+02	1.05E-03	7.9E-11 (S)	4.89E-08	1.9E+03	6.6E+04	1.8E+03	1.1E-01	4.0E+00	1.1E-01
Zinc (30)	Zn-63	9.47E+03	7.32E-05	2.2E-12 (S)	1.25E-07	9.6E+05	3.7E+05	2.7E+05	4.1E+00	1.6E+00	1.1E+00
Zinc (30)	Zn-65	1.04E+00	6.69E-01	2.0E-10 (F)	6.91E-08	1.1E+00	7.3E+01	1.1E+00	4.4E-02	2.8E+00	4.3E-02
Zinc (30)	Zn-69	6.46E+03	1.07E-04	1.8E-12 (S)	1.03E-10	8.2E+05	3.1E+08	8.1E+05	5.1E+00	1.9E+03	5.0E+00
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	3.9E-11 (S)	4.64E-08	2.5E+03	4.6E+04	2.4E+03	2.3E-01	4.2E+00	2.2E-01
Zinc (30)	Zn-71	1.49E+05	4.66E-06	0.00E+00	3.69E-08	.	2.0E+07	2.0E+07	.	5.3E+00	5.3E+00
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.6E-11 (S)	1.78E-07	2.2E+04	4.2E+04	1.4E+04	5.6E-01	1.1E+00	3.7E-01
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.7E-10 (S)	1.52E-08	1.7E+02	4.2E+04	1.7E+02	5.4E-02	1.3E+01	5.3E-02
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	0.00E+00	1.69E-07	.	1.3E+06	1.3E+06	.	1.2E+00	1.2E+00
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	4.4E-11 (S)	3.00E-08	1.9E+03	6.0E+04	1.8E+03	2.0E-01	6.5E+00	2.0E-01
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	8.1E-12 (S)	1.06E-07	9.9E+04	1.7E+05	6.2E+04	1.1E+00	1.8E+00	6.9E-01
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	3.6E-10 (S)	4.26E-08	1.9E+00	3.5E+02	1.8E+00	2.4E-02	4.6E+00	2.4E-02
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	5.5E-11 (S)	1.34E-07	3.1E+02	2.8E+03	2.8E+02	1.6E-01	1.5E+00	1.4E-01
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	0.00E+00	7.29E-08	.	5.8E+06	5.8E+06	.	2.7E+00	2.7E+00
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	4.0E-10 (F)	2.03E-16	2.3E-02	9.6E+08	2.3E-02	2.3E-02	9.6E+08	2.3E-02
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	5.7E-10 (S)	8.46E-08	1.5E+00	2.3E+02	1.5E+00	1.5E-02	2.3E+00	1.5E-02
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.4E-10 (S)	1.03E-07	5.8E+02	1.7E+04	5.6E+02	6.4E-02	1.9E+00	6.2E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Actinium (89)	Ac-223+D	1.73E+05	4.00E-06	2.06E-06	4.95E-07	1.35E-06	1.94E-06	4.92E-07	4.1E+05	1.7E+06	6.3E+05	4.3E+05	1.7E+06	1.0E-09
Actinium (89)	Ac-224	2.18E+03	3.17E-04	1.91E-05	5.15E-06	1.37E-05	1.87E-05	5.14E-06	5.6E+02	2.1E+03	7.8E+02	5.7E+02	2.1E+03	1.1E-10
Actinium (89)	Ac-225	2.53E+01	2.74E-02	1.11E-06	3.12E-07	8.08E-07	1.09E-06	3.25E-07	1.1E+02	3.9E+02	1.5E+02	1.1E+02	3.8E+02	1.9E-09
Actinium (89)	Ac-225+D	2.53E+01	2.74E-02	3.98E-06	1.01E-06	2.73E-06	3.85E-06	1.01E-06	3.1E+01	1.2E+02	4.5E+01	3.2E+01	1.2E+02	5.3E-10
Actinium (89)	Ac-226	2.07E+02	3.35E-03	1.23E-05	3.07E-06	8.38E-06	1.19E-05	3.08E-06	8.2E+01	3.3E+02	1.2E+02	8.5E+01	3.3E+02	1.7E-10
Actinium (89)	Ac-227	3.18E-02	2.18E+01	5.36E-09	1.86E-09	4.13E-09	5.27E-09	4.45E-09	5.3E+01	1.5E+02	6.8E+01	5.4E+01	6.3E+01	7.3E-07
Actinium (89)	Ac-228	9.87E+02	7.02E-04	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	4.4E+01	2.3E+02	8.0E+01	5.1E+01	2.3E+02	2.0E-11
Actinium (89)	Ac-230	1.79E+05	3.87E-06	7.29E-05	1.32E-05	3.79E-05	6.09E-05	1.30E-05	1.2E+04	6.6E+04	2.3E+04	1.4E+04	6.7E+04	3.0E-11
Actinium (89)	Ac-231	4.86E+04	1.43E-05	4.26E-05	1.00E-05	2.78E-05	4.04E-05	1.00E-05	5.5E+03	2.4E+04	8.5E+03	5.9E+03	2.4E+04	5.1E-11
Actinium (89)	Ac-232	1.84E+05	3.77E-06	1.58E-04	2.77E-05	8.03E-05	1.30E-04	2.69E-05	5.7E+03	3.2E+04	1.1E+04	6.9E+03	3.3E+04	1.4E-11
Actinium (89)	Ac-233	1.51E+05	4.60E-06	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.25E-05	1.2E+04	5.9E+04	2.1E+04	1.4E+04	5.9E+04	3.7E-11
Silver (47)	Ag-100m	1.63E+05	4.26E-06	3.63E-04	6.97E-05	1.99E-04	3.13E-04	6.82E-05	2.2E+03	1.1E+04	4.0E+03	2.5E+03	1.2E+04	2.6E-12
Silver (47)	Ag-101	3.28E+04	2.11E-05	1.91E-04	3.87E-05	1.10E-04	1.69E-04	3.79E-05	8.4E+02	4.1E+03	1.5E+03	9.4E+02	4.2E+03	5.0E-12
Silver (47)	Ag-102	2.82E+04	2.45E-05	4.39E-04	8.28E-05	2.37E-04	3.76E-04	8.08E-05	3.1E+02	1.7E+03	5.8E+02	3.7E+02	1.7E+03	2.2E-12
Silver (47)	Ag-102m	4.73E+04	1.46E-05	2.71E-04	4.73E-05	1.37E-04	2.22E-04	4.54E-05	8.5E+02	4.9E+03	1.7E+03	1.0E+03	5.1E+03	3.5E-12
Silver (47)	Ag-103	5.54E+03	1.25E-04	9.97E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	2.7E+02	1.3E+03	4.7E+02	3.1E+02	1.4E+03	9.8E-12
Silver (47)	Ag-104	5.26E+03	1.32E-04	3.41E-04	6.61E-05	1.89E-04	2.97E-04	6.47E-05	7.5E+01	3.9E+02	1.4E+02	8.6E+01	4.0E+02	2.9E-12
Silver (47)	Ag-104m	1.09E+04	6.37E-05	2.30E-04	4.38E-05	1.25E-04	1.97E-04	4.29E-05	2.3E+02	1.2E+03	4.2E+02	2.7E+02	1.2E+03	4.3E-12
Silver (47)	Ag-105	6.13E+00	1.13E-01	5.68E-05	1.22E-05	3.43E-05	5.21E-05	1.21E-05	5.2E-01	2.4E+00	8.7E-01	5.7E-01	2.5E+00	1.7E-11
Silver (47)	Ag-105m	5.04E+04	1.38E-05	1.13E-07	2.44E-08	6.87E-08	1.04E-07	2.42E-08	2.2E+06	1.0E+07	3.6E+06	2.4E+06	1.0E+07	8.8E-09
Silver (47)	Ag-106	1.52E+04	4.56E-05	8.20E-05	1.73E-05	4.87E-05	7.45E-05	1.72E-05	9.0E+02	4.3E+03	1.5E+03	9.9E+02	4.3E+03	1.2E-11
Silver (47)	Ag-106m	3.05E+01	2.27E-02	3.53E-04	6.87E-05	1.95E-04	3.07E-04	6.69E-05	4.2E-01	2.2E+00	7.6E-01	4.8E-01	2.2E+00	2.8E-12
Silver (47)	Ag-108	1.54E+05	4.51E-06	2.39E-06	5.20E-07	1.42E-06	2.16E-06	7.20E-07	3.1E+05	1.4E+06	5.3E+05	3.5E+05	1.0E+06	4.3E-10
Silver (47)	Ag-108m	1.66E-03	4.18E+02	1.93E-04	3.99E-05	1.13E-04	1.74E-04	3.91E-05	1.0E-03	5.0E-03	1.8E-03	1.1E-03	5.1E-03	1.3E-10
Silver (47)	Ag-108m+D	1.66E-03	4.18E+02	1.94E-04	4.00E-05	1.13E-04	1.74E-04	3.91E-05	1.0E-03	5.0E-03	1.8E-03	1.1E-03	5.1E-03	1.3E-10
Silver (47)	Ag-109m	5.52E+05	1.26E-06	2.06E-07	8.13E-08	1.73E-07	2.06E-07	1.50E-07	1.3E+07	3.3E+07	1.6E+07	1.3E+07	1.8E+07	5.0E-09
Silver (47)	Ag-110	8.88E+05	7.80E-07	4.61E-06	1.02E-06	2.72E-06	4.13E-06	1.33E-06	9.4E+05	4.2E+06	1.6E+06	1.0E+06	3.2E+06	2.3E-10
Silver (47)	Ag-110m	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	1.4E-02	7.2E-02	2.5E-02	1.6E-02	7.4E-02	2.9E-12
Silver (47)	Ag-110m+D	1.01E+00	6.84E-01	3.53E-04	6.82E-05	1.94E-04	3.05E-04	6.63E-05	1.4E-02	7.2E-02	2.5E-02	1.6E-02	7.4E-02	2.9E-12
Silver (47)	Ag-111	3.40E+01	2.04E-02	2.97E-06	6.72E-07	1.87E-06	2.78E-06	7.38E-07	5.6E+01	2.5E+02	8.8E+01	5.9E+01	2.2E+02	3.5E-10
Silver (47)	Ag-111m	3.37E+05	2.05E-06	3.69E-07	9.04E-08	2.34E-07	3.44E-07	1.26E-07	4.4E+06	1.8E+07	7.0E+06	4.8E+06	1.3E+07	2.8E-09
Silver (47)	Ag-112	1.94E+03	3.57E-04	9.18E-05	1.71E-05	4.89E-05	7.79E-05	1.69E-05	1.0E+02	5.5E+02	1.9E+02	1.2E+02	5.6E+02	1.2E-11
Silver (47)	Ag-113	1.13E+03	6.13E-04	8.65E-06	1.88E-06	5.25E-06	7.89E-06	2.08E-06	6.4E+02	2.9E+03	1.0E+03	7.0E+02	2.6E+03	1.2E-10
Silver (47)	Ag-113m	3.18E+05	2.18E-06	2.42E-05	5.25E-06	1.47E-05	2.22E-05	5.21E-06	6.4E+04	2.9E+05	1.1E+05	7.0E+04	3.0E+05	4.4E-11
Silver (47)	Ag-114	4.75E+06	1.46E-07	3.66E-05	7.07E-06	1.98E-05	3.13E-05	7.23E-06	6.3E+05	3.3E+06	1.2E+06	7.4E+05	3.2E+06	2.9E-11
Silver (47)	Ag-115	1.82E+04	3.81E-05	6.41E-05	1.18E-05	3.38E-05	5.40E-05	1.17E-05	1.4E+03	7.5E+03	2.6E+03	1.6E+03	7.6E+03	1.7E-11
Silver (47)	Ag-116	1.36E+05	5.10E-06	2.96E-04	5.15E-05	1.49E-04	2.42E-04	4.99E-05	2.2E+03	1.3E+04	4.4E+03	2.7E+03	1.3E+04	3.7E-12
Silver (47)	Ag-117	2.97E+05	2.33E-06	1.80E-04	3.10E-05	8.99E-05	1.46E-04	2.99E-05	8.0E+03	4.7E+04	1.6E+04	9.9E+03	4.8E+04	6.1E-12
Silver (47)	Ag-99	1.76E+05	3.93E-06	2.91E-04	5.66E-05	1.61E-04	2.53E-04	5.52E-05	2.9E+03	1.5E+04	5.3E+03	3.4E+03	1.6E+04	3.2E-12
Aluminum (13)	Al-26	9.67E-07	7.17E+05	3.60E-04	6.41E-05	1.86E-04	2.99E-04	6.22E-05	5.4E-04	3.0E-03	1.0E-03	6.5E-04	3.1E-03	2.8E-08
Aluminum (13)	Al-28	1.63E+05	4.26E-06	2.52E-04	4.24E-05	1.24E-04	2.04E-04	4.10E-05	3.1E+03	1.9E+04	6.4E+03	3.9E+03	1.9E+04	1.0E-12
Aluminum (13)	Al-29	5.55E+04	1.25E-05	1.88E-04	3.35E-05	9.64E-05	1.56E-04	3.25E-05	1.4E+03	8.1E+03	2.8E+03	1.7E+03	8.3E+03	1.5E-12
Americium (95)	Am-237	4.99E+03	1.39E-04	3.66E-05	8.58E-06	2.36E-05	3.44E-05	8.52E-06	6.6E+02	2.8E+03	1.0E+03	7.1E+02	2.8E+03	6.1E-11
Americium (95)	Am-238	3.72E+03	1.86E-04	1.10E-04	2.17E-05	6.11E-05	9.56E-05	2.12E-05	1.6E+02	8.3E+02	3.0E+02	1.9E+02	8.5E+02	2.0E-11
Americium (95)	Am-239	5.10E+02	1.36E-03	1.89E-05	5.15E-06	1.36E-05	1.85E-05	5.21E-06	1.3E+02	4.8E+02	1.8E+02	1.3E+02	4.8E+02	1.2E-10
Americium (95)	Am-240	1.20E+02	5.80E-03	1.27E-04	2.50E-05	7.07E-05	1.10E-04	2.44E-05	4.6E+00	2.3E+01	8.2E+00	5.3E+00	2.4E+01	1.8E-11
Americium (95)	Am-241	1.60E-03	4.32E+02	7.48E-07	3.72E-07	6.97E-07	7.48E-07	5.05E-07	2.7E-01	5.3E-01	2.9E-01	2.7E-01	3.9E-01	7.7E-08
Americium (95)	Am-242	3.79E+02	1.83E-03	9.40E-07	2.94E-07	7.37E-07	9.37E-07	3.35E-07	2.0E+03	6.3E+03	2.5E+03	2.0E+03	5.5E+03	2.4E-09
Americium (95)	Am-242m	4.91E-03	1.41E+02	2.05E-08	9.09E-09	1.68E-08	2.03E-08	3.63E-08	1.0E+01	2.3E+01	1.2E+01	1.0E+01	5.7E+00	9.7E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Americium (95)	Am-242m+D	4.91E-03	1.41E+02	1.29E-06	3.67E-07	9.34E-07	1.24E-06	4.32E-07	1.6E-01	5.6E-01	2.2E-01	1.7E-01	4.8E-01	1.5E-08
Americium (95)	Am-243	9.40E-05	7.37E+03	2.64E-06	1.06E-06	2.31E-06	2.64E-06	1.21E-06	7.4E-02	1.8E-01	8.4E-02	7.4E-02	1.6E-01	3.7E-07
Americium (95)	Am-243+D	9.40E-05	7.37E+03	1.80E-05	5.10E-06	1.31E-05	1.75E-05	5.24E-06	1.1E-02	3.8E-02	1.5E-02	1.1E-02	3.7E-02	5.4E-08
Americium (95)	Am-244	6.01E+02	1.15E-03	9.66E-05	1.94E-05	5.45E-05	8.52E-05	1.91E-05	3.0E+01	1.5E+02	5.4E+01	3.4E+01	1.5E+02	2.4E-11
Americium (95)	Am-244m	1.40E+04	4.95E-05	1.96E-06	4.03E-07	1.10E-06	1.71E-06	5.68E-07	3.5E+04	1.7E+05	6.2E+04	4.0E+04	1.2E+05	1.2E-09
Americium (95)	Am-245	2.96E+03	2.34E-04	2.81E-06	7.27E-07	1.95E-06	2.72E-06	7.64E-07	5.1E+03	2.0E+04	7.4E+03	5.3E+03	1.9E+04	8.2E-10
Americium (95)	Am-246	9.34E+03	7.42E-05	8.49E-05	1.78E-05	4.99E-05	7.64E-05	1.76E-05	5.4E+02	2.6E+03	9.1E+02	6.0E+02	2.6E+03	2.7E-11
Americium (95)	Am-246m	1.46E+04	4.76E-05	1.26E-04	2.40E-05	6.82E-05	1.08E-04	2.35E-05	5.6E+02	3.0E+03	1.0E+03	6.6E+02	3.0E+03	1.8E-11
Americium (95)	Am-247	1.58E+04	4.38E-05	1.22E-05	3.09E-06	8.38E-06	1.18E-05	3.22E-06	6.3E+03	2.5E+04	9.2E+03	6.5E+03	2.4E+04	1.9E-10
Argon (18)	Ar-37	7.22E+00	9.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Argon (18)	Ar-39	2.58E-03	2.69E+02	1.61E-08	5.50E-09	1.25E-08	1.59E-08	1.39E-08	1.4E+01	4.1E+01	1.8E+01	1.4E+01	1.6E+01	4.1E-07
Argon (18)	Ar-41	3.32E+03	2.09E-04	1.73E-04	3.13E-05	8.99E-05	1.45E-04	3.03E-05	9.4E+01	5.2E+02	1.8E+02	1.1E+02	5.3E+02	2.2E-12
Argon (18)	Ar-42	2.11E-02	3.29E+01	1.88E-08	6.36E-09	1.45E-08	1.85E-08	1.96E-08	1.5E+01	4.4E+01	1.9E+01	1.5E+01	1.4E+01	5.7E-08
Argon (18)	Ar-42+D	2.11E-02	3.29E+01	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.20E-06	6.3E-03	3.5E-02	1.2E-02	7.6E-03	3.5E-02	2.4E-11
Argon (18)	Ar-43	6.78E+04	1.02E-05	2.10E-04	3.72E-05	1.07E-04	1.74E-04	3.60E-05	1.6E+03	8.9E+03	3.1E+03	1.9E+03	9.2E+03	1.9E-12
Argon (18)	Ar-44	3.07E+04	2.26E-05	2.65E-04	4.61E-05	1.34E-04	2.18E-04	4.45E-05	5.6E+02	3.2E+03	1.1E+03	6.9E+02	3.4E+03	1.6E-12
Arsenic (33)	As-68	1.44E+05	4.81E-06	4.83E-04	9.09E-05	2.60E-04	4.13E-04	8.87E-05	1.5E+03	7.7E+03	2.7E+03	1.7E+03	7.9E+03	1.3E-12
Arsenic (33)	As-69	2.39E+04	2.90E-05	1.37E-04	2.85E-05	8.03E-05	1.23E-04	2.82E-05	8.5E+02	4.1E+03	1.4E+03	9.4E+02	4.1E+03	4.7E-12
Arsenic (33)	As-70	6.92E+03	1.00E-04	5.52E-04	1.04E-04	2.97E-04	4.70E-04	1.01E-04	6.1E+01	3.2E+02	1.1E+02	7.2E+01	3.3E+02	1.2E-12
Arsenic (33)	As-71	9.30E+01	7.45E-03	6.50E-05	1.40E-05	3.93E-05	5.93E-05	1.37E-05	7.0E+00	3.2E+01	1.2E+01	7.6E+00	3.3E+01	1.0E-11
Arsenic (33)	As-72	2.33E+02	2.97E-03	2.20E-04	4.43E-05	1.25E-04	1.95E-04	4.35E-05	5.2E+00	2.6E+01	9.1E+00	5.8E+00	2.6E+01	3.1E-12
Arsenic (33)	As-73	3.15E+00	2.20E-01	1.55E-07	8.63E-08	1.49E-07	1.55E-07	1.20E-07	9.9E+01	1.8E+02	1.0E+02	9.9E+01	1.3E+02	4.4E-09
Arsenic (33)	As-74	1.42E+01	4.87E-02	9.06E-05	1.88E-05	5.30E-05	8.17E-05	1.85E-05	7.6E-01	3.7E+00	1.3E+00	8.5E-01	3.7E+00	7.7E-12
Arsenic (33)	As-76	2.35E+02	2.95E-03	5.24E-05	1.05E-05	2.96E-05	4.61E-05	1.05E-05	2.2E+01	1.1E+02	3.9E+01	2.5E+01	1.1E+02	1.4E-11
Arsenic (33)	As-77	1.56E+02	4.43E-03	9.15E-07	2.10E-07	5.81E-07	8.58E-07	2.22E-07	8.3E+02	3.6E+03	1.3E+03	8.9E+02	3.4E+03	7.9E-10
Arsenic (33)	As-78	4.02E+03	1.73E-04	1.72E-04	3.22E-05	9.19E-05	1.46E-04	3.14E-05	1.1E+02	6.1E+02	2.1E+02	1.3E+02	6.2E+02	4.3E-12
Arsenic (33)	As-79	4.04E+04	1.71E-05	4.48E-06	9.80E-07	2.67E-06	4.04E-06	1.24E-06	4.4E+04	2.0E+05	7.4E+04	4.9E+04	1.6E+05	1.7E-10
Astatine (85)	At-204	3.96E+04	1.75E-05	2.75E-04	5.76E-05	1.62E-04	2.48E-04	5.65E-05	7.0E+02	3.3E+03	1.2E+03	7.8E+02	3.4E+03	7.0E-12
Astatine (85)	At-205	1.39E+04	4.98E-05	1.39E-04	2.78E-05	7.83E-05	1.22E-04	2.72E-05	4.9E+02	2.4E+03	8.6E+02	5.6E+02	2.5E+03	1.4E-11
Astatine (85)	At-206	1.19E+04	5.82E-05	3.00E-04	6.11E-05	1.72E-04	2.66E-04	5.96E-05	1.9E+02	9.5E+02	3.4E+02	2.2E+02	9.7E+02	6.5E-12
Astatine (85)	At-207	3.37E+03	2.05E-04	2.55E-04	4.87E-05	1.38E-04	2.18E-04	4.73E-05	6.4E+01	3.4E+02	1.2E+02	7.5E+01	3.5E+02	7.7E-12
Astatine (85)	At-208	3.72E+03	1.86E-04	3.79E-04	7.42E-05	2.10E-04	3.28E-04	7.23E-05	4.8E+01	2.4E+02	8.6E+01	5.5E+01	2.5E+02	5.2E-12
Astatine (85)	At-209	1.12E+03	6.18E-04	2.75E-04	5.60E-05	1.57E-04	2.43E-04	5.46E-05	2.0E+01	9.7E+01	3.5E+01	2.2E+01	1.0E+02	7.2E-12
Astatine (85)	At-210	7.49E+02	9.25E-04	3.88E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	9.4E+00	5.1E+01	1.8E+01	1.1E+01	5.3E+01	5.1E-12
Astatine (85)	At-211	8.42E+02	8.24E-04	2.00E-06	7.02E-07	1.63E-06	1.98E-06	7.57E-07	2.1E+03	5.8E+03	2.5E+03	2.1E+03	5.4E+03	1.0E-09
Astatine (85)	At-211+D	8.42E+02	8.24E-04	2.59E-06	8.18E-07	1.96E-06	2.50E-06	8.71E-07	1.6E+03	5.0E+03	2.1E+03	1.6E+03	4.7E+03	7.7E-10
Astatine (85)	At-215	2.19E+11	3.17E-12	1.91E-08	4.21E-09	1.18E-08	1.77E-08	4.13E-09	5.6E+13	2.5E+14	9.0E+13	6.0E+13	2.6E+14	1.1E-07
Astatine (85)	At-216	7.28E+10	9.51E-12	1.75E-07	5.25E-08	1.31E-07	1.71E-07	5.46E-08	2.0E+12	6.8E+12	2.7E+12	2.1E+12	6.5E+12	1.2E-08
Astatine (85)	At-217	6.77E+08	1.02E-09	2.53E-08	5.86E-09	1.62E-08	2.37E-08	5.74E-09	1.3E+11	5.6E+11	2.0E+11	1.4E+11	5.7E+11	8.1E-08
Astatine (85)	At-218	1.46E+07	4.76E-08	7.42E-10	2.27E-10	4.98E-10	6.91E-10	5.40E-10	1.1E+11	3.5E+11	1.6E+11	1.1E+11	1.5E+11	3.1E-06
Astatine (85)	At-219	3.90E+05	1.78E-06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Astatine (85)	At-220	9.82E+04	7.06E-06	5.02E-05	1.13E-05	3.15E-05	4.67E-05	1.13E-05	9.5E+03	4.2E+04	1.5E+04	1.0E+04	4.2E+04	4.1E-11
Gold (79)	Au-186	3.40E+04	2.04E-05	1.80E-04	3.68E-05	1.04E-04	1.60E-04	3.63E-05	9.2E+02	4.5E+03	1.6E+03	1.0E+03	4.6E+03	9.8E-12
Gold (79)	Au-187	4.34E+04	1.60E-05	1.35E-04	2.53E-05	7.22E-05	1.14E-04	2.47E-05	1.6E+03	8.3E+03	2.9E+03	1.9E+03	8.5E+03	1.3E-11
Gold (79)	Au-190	8.51E+03	8.14E-05	3.19E-04	5.60E-05	1.61E-04	2.61E-04	5.36E-05	1.3E+02	7.4E+02	2.6E+02	1.6E+02	7.7E+02	5.6E-12
Gold (79)	Au-191	1.91E+03	3.63E-04	6.31E-05	1.41E-05	3.88E-05	5.78E-05	1.40E-05	1.5E+02	6.6E+02	2.4E+02	1.6E+02	6.6E+02	2.9E-11
Gold (79)	Au-192	1.23E+03	5.64E-04	2.57E-04	4.59E-05	1.32E-04	2.12E-04	4.42E-05	2.3E+01	1.3E+02	4.5E+01	2.8E+01	1.4E+02	7.1E-12
Gold (79)	Au-193	3.44E+02	2.01E-03	1.26E-05	3.55E-06	8.94E-06	1.21E-05	3.72E-06	1.3E+02	4.7E+02	1.9E+02	1.4E+02	4.5E+02	1.4E-10
Gold (79)	Au-193m	5.60E+06	1.24E-07	1.95E-05	4.63E-06	1.28E-05	1.86E-05	4.58E-06	1.4E+06	5.9E+06	2.1E+06	1.5E+06	6.0E+06	9.4E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Gold (79)	Au-194	1.60E+02	4.34E-03	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	6.0E+00	3.1E+01	1.1E+01	7.0E+00	3.2E+01	1.4E-11
Gold (79)	Au-195	1.36E+00	5.10E-01	3.69E-06	1.49E-06	3.22E-06	3.69E-06	1.70E-06	1.8E+00	4.4E+00	2.1E+00	1.8E+00	3.9E+00	5.0E-10
Gold (79)	Au-195m	7.17E+05	9.67E-07	1.98E-05	4.72E-06	1.31E-05	1.89E-05	4.64E-06	1.8E+05	7.4E+05	2.7E+05	1.8E+05	7.5E+05	9.3E-11
Gold (79)	Au-196	4.09E+01	1.69E-02	4.89E-05	1.13E-05	3.12E-05	4.58E-05	1.12E-05	4.1E+00	1.8E+01	6.4E+00	4.4E+00	1.8E+01	3.8E-11
Gold (79)	Au-196m	6.32E+02	1.10E-03	1.93E-05	5.30E-06	1.38E-05	1.88E-05	5.43E-06	1.6E+02	5.8E+02	2.2E+02	1.6E+02	5.7E+02	9.6E-11
Gold (79)	Au-198	9.39E+01	7.38E-03	4.58E-05	9.95E-06	2.81E-05	4.23E-05	9.85E-06	1.0E+01	4.6E+01	1.6E+01	1.1E+01	4.6E+01	4.1E-11
Gold (79)	Au-198m	1.11E+02	6.22E-03	4.73E-05	1.22E-05	3.27E-05	4.58E-05	1.21E-05	1.1E+01	4.4E+01	1.7E+01	1.2E+01	4.5E+01	3.9E-11
Gold (79)	Au-199	8.06E+01	8.60E-03	8.14E-06	2.18E-06	5.81E-06	7.95E-06	2.17E-06	4.8E+01	1.8E+02	6.8E+01	4.9E+01	1.8E+02	2.3E-10
Gold (79)	Au-200	7.53E+03	9.21E-05	3.53E-05	6.82E-06	1.93E-05	3.05E-05	6.82E-06	1.0E+03	5.4E+03	1.9E+03	1.2E+03	5.4E+03	5.3E-11
Gold (79)	Au-200m	3.25E+02	2.13E-03	2.30E-04	4.89E-05	1.37E-04	2.09E-04	4.80E-05	6.9E+00	3.2E+01	1.2E+01	7.6E+00	3.3E+01	8.2E-12
Gold (79)	Au-201	1.40E+04	4.95E-05	4.01E-06	8.68E-07	2.41E-06	3.66E-06	9.75E-07	1.7E+04	7.9E+04	2.8E+04	1.9E+04	7.0E+04	4.7E-10
Gold (79)	Au-202	7.59E+05	9.13E-07	2.25E-05	4.45E-06	1.25E-05	1.96E-05	4.64E-06	1.6E+05	8.3E+05	2.9E+05	1.9E+05	8.0E+05	8.5E-11
Barium (56)	Ba-124	3.31E+04	2.09E-05	6.56E-05	1.36E-05	3.83E-05	5.87E-05	1.36E-05	2.5E+03	1.2E+04	4.2E+03	2.7E+03	1.2E+04	1.8E-11
Barium (56)	Ba-126	3.64E+03	1.90E-04	6.78E-05	1.38E-05	3.88E-05	6.00E-05	1.37E-05	2.6E+02	1.3E+03	4.6E+02	3.0E+02	1.3E+03	1.8E-11
Barium (56)	Ba-127	2.87E+04	2.42E-05	8.55E-05	1.77E-05	4.98E-05	7.67E-05	1.76E-05	1.6E+03	7.9E+03	2.8E+03	1.8E+03	7.9E+03	1.4E-11
Barium (56)	Ba-128	1.04E+02	6.66E-03	4.64E-06	1.17E-06	3.04E-06	4.42E-06	1.39E-06	1.1E+02	4.3E+02	1.7E+02	1.1E+02	3.6E+02	2.6E-10
Barium (56)	Ba-129	2.72E+03	2.55E-04	3.76E-05	7.78E-06	2.18E-05	3.35E-05	7.83E-06	3.5E+02	1.7E+03	6.1E+02	4.0E+02	1.7E+03	3.2E-11
Barium (56)	Ba-129m	2.81E+03	2.47E-04	1.94E-04	3.82E-05	1.09E-04	1.69E-04	3.76E-05	7.0E+01	3.6E+02	1.3E+02	8.1E+01	3.6E+02	6.3E-12
Barium (56)	Ba-131	2.20E+01	3.15E-02	4.99E-05	1.11E-05	3.07E-05	4.61E-05	1.12E-05	2.1E+00	9.6E+00	3.5E+00	2.3E+00	9.6E+00	2.5E-11
Barium (56)	Ba-131m	2.49E+04	2.78E-05	4.51E-06	1.45E-06	3.54E-06	4.51E-06	1.63E-06	2.7E+04	8.3E+04	3.4E+04	2.7E+04	7.5E+04	2.7E-10
Barium (56)	Ba-133	6.59E-02	1.05E+01	3.88E-05	9.04E-06	2.48E-05	3.63E-05	9.31E-06	1.0E-02	4.4E-02	1.6E-02	1.1E-02	4.3E-02	4.0E-11
Barium (56)	Ba-133m	1.56E+02	4.44E-03	5.40E-06	1.32E-06	3.52E-06	5.11E-06	1.47E-06	1.4E+02	5.8E+02	2.2E+02	1.5E+02	5.2E+02	2.3E-10
Barium (56)	Ba-135m	2.12E+02	3.28E-03	4.58E-06	1.14E-06	3.01E-06	4.35E-06	1.30E-06	2.2E+02	9.1E+02	3.4E+02	2.4E+02	7.9E+02	2.8E-10
Barium (56)	Ba-137m	1.43E+05	4.86E-06	7.26E-05	1.48E-05	4.17E-05	6.47E-05	1.45E-05	9.6E+03	4.7E+04	1.7E+04	1.1E+04	4.8E+04	1.8E-11
Barium (56)	Ba-139	4.39E+03	1.58E-04	4.70E-06	1.20E-06	3.19E-06	4.51E-06	1.48E-06	4.5E+03	1.8E+04	6.7E+03	4.7E+03	1.4E+04	2.8E-10
Barium (56)	Ba-140	1.98E+01	3.49E-02	2.05E-05	4.40E-06	1.24E-05	1.87E-05	4.42E-06	4.7E+00	2.2E+01	7.8E+00	5.1E+00	2.2E+01	6.4E-11
Barium (56)	Ba-141	1.99E+04	3.48E-05	1.14E-04	2.27E-05	6.46E-05	9.97E-05	2.24E-05	8.5E+02	4.3E+03	1.5E+03	9.7E+02	4.3E+03	1.2E-11
Barium (56)	Ba-142	3.44E+04	2.02E-05	1.31E-04	2.56E-05	7.27E-05	1.14E-04	2.50E-05	1.3E+03	6.5E+03	2.3E+03	1.5E+03	6.7E+03	1.0E-11
Beryllium (4)	Be-10	4.59E-07	1.51E+06	2.03E-08	6.87E-09	1.57E-08	1.99E-08	1.81E-08	1.1E+01	3.1E+01	1.4E+01	1.1E+01	1.2E+01	4.5E-04
Beryllium (4)	Be-7	4.75E+00	1.46E-01	5.81E-06	1.24E-06	3.48E-06	5.30E-06	1.21E-06	4.0E+00	1.9E+01	6.6E+00	4.4E+00	1.9E+01	1.1E-11
Bismuth (83)	Bi-197	3.92E+04	1.77E-05	2.14E-04	4.13E-05	1.17E-04	1.84E-04	4.04E-05	8.9E+02	4.6E+03	1.6E+03	1.0E+03	4.7E+03	8.7E-12
Bismuth (83)	Bi-200	1.00E+04	6.93E-05	2.91E-04	5.96E-05	1.68E-04	2.59E-04	5.84E-05	1.7E+02	8.2E+02	2.9E+02	1.9E+02	8.3E+02	6.5E-12
Bismuth (83)	Bi-201	3.37E+03	2.05E-04	2.23E-04	4.17E-05	1.19E-04	1.89E-04	4.04E-05	7.3E+01	3.9E+02	1.4E+02	8.7E+01	4.1E+02	8.5E-12
Bismuth (83)	Bi-202	3.53E+03	1.96E-04	3.41E-04	6.77E-05	1.91E-04	2.98E-04	6.56E-05	5.0E+01	2.5E+02	9.0E+01	5.8E+01	2.6E+02	5.6E-12
Bismuth (83)	Bi-203	5.16E+02	1.34E-03	3.13E-04	5.71E-05	1.64E-04	2.63E-04	5.55E-05	8.0E+00	4.4E+01	1.5E+01	9.6E+00	4.5E+01	6.1E-12
Bismuth (83)	Bi-204	5.41E+02	1.28E-03	3.66E-04	7.12E-05	2.01E-04	3.19E-04	6.91E-05	7.2E+00	3.7E+01	1.3E+01	8.3E+00	3.8E+01	5.3E-12
Bismuth (83)	Bi-205	1.65E+01	4.19E-02	2.22E-04	4.06E-05	1.16E-04	1.86E-04	3.91E-05	3.6E-01	2.0E+00	6.9E-01	4.3E-01	2.1E+00	8.7E-12
Bismuth (83)	Bi-206	4.05E+01	1.71E-02	4.10E-04	7.98E-05	2.27E-04	3.57E-04	7.79E-05	4.8E-01	2.5E+00	8.7E-01	5.5E-01	2.5E+00	4.7E-12
Bismuth (83)	Bi-207	2.11E-02	3.29E+01	1.91E-04	3.75E-05	1.06E-04	1.66E-04	3.66E-05	1.3E-03	6.7E-03	2.4E-03	1.5E-03	6.8E-03	2.5E-11
Bismuth (83)	Bi-208	1.88E-06	3.68E+05	3.85E-04	6.01E-05	1.77E-04	2.97E-04	5.68E-05	5.1E-04	3.2E-03	1.1E-03	6.5E-04	3.4E-03	1.1E-07
Bismuth (83)	Bi-210	5.05E+01	1.37E-02	7.48E-08	2.58E-08	5.55E-08	7.26E-08	1.30E-07	3.3E+03	9.5E+03	4.4E+03	3.4E+03	1.9E+03	2.7E-08
Bismuth (83)	Bi-210m	2.28E-07	3.04E+06	2.77E-05	6.31E-06	1.77E-05	2.61E-05	6.19E-06	7.0E-03	3.1E-02	1.1E-02	7.5E-03	3.1E-02	1.3E-05
Bismuth (83)	Bi-210m+D	2.28E-07	3.04E+06	2.79E-05	6.36E-06	1.78E-05	2.63E-05	6.41E-06	7.0E-03	3.1E-02	1.1E-02	7.4E-03	3.0E-02	1.2E-05
Bismuth (83)	Bi-211	1.70E+05	4.07E-06	5.14E-06	1.15E-06	3.23E-06	4.80E-06	1.13E-06	1.6E+05	7.2E+05	2.6E+05	1.7E+05	7.3E+05	3.9E-10
Bismuth (83)	Bi-212	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	2.2E+03	1.1E+04	4.0E+03	2.5E+03	1.1E+04	1.5E-10
Bismuth (83)	Bi-212+D	6.02E+03	1.15E-04	1.34E-05	2.59E-06	7.32E-06	1.16E-05	2.68E-06	2.2E+03	1.1E+04	4.0E+03	2.5E+03	1.1E+04	1.5E-10
Bismuth (83)	Bi-212n	5.20E+04	1.33E-05	1.55E-07	5.30E-08	1.12E-07	1.49E-07	2.26E-07	1.8E+06	5.3E+06	2.5E+06	1.9E+06	1.2E+06	1.4E-08
Bismuth (83)	Bi-213	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	2.6E+03	1.2E+04	4.4E+03	2.9E+03	1.2E+04	1.4E-10
Bismuth (83)	Bi-213+D	7.99E+03	8.67E-05	1.47E-05	3.18E-06	8.89E-06	1.34E-05	3.25E-06	2.6E+03	1.2E+04	4.4E+03	2.9E+03	1.2E+04	1.4E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Bismuth (83)	Bi-214	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	4.5E+02	2.5E+03	8.6E+02	5.4E+02	2.6E+03	1.0E-11
Bismuth (83)	Bi-214+D	1.83E+04	3.79E-05	1.98E-04	3.58E-05	1.03E-04	1.66E-04	3.47E-05	4.5E+02	2.5E+03	8.6E+02	5.4E+02	2.6E+03	1.0E-11
Bismuth (83)	Bi-215	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	8.0E+03	3.8E+04	1.3E+04	8.8E+03	3.7E+04	6.9E-11
Bismuth (83)	Bi-215+D	4.79E+04	1.45E-05	2.93E-05	6.21E-06	1.74E-05	2.64E-05	6.28E-06	8.0E+03	3.8E+04	1.3E+04	8.8E+03	3.7E+04	6.9E-11
Bismuth (83)	Bi-216	1.68E+05	4.13E-06	8.77E-05	1.86E-05	5.25E-05	7.98E-05	1.86E-05	9.3E+03	4.4E+04	1.6E+04	1.0E+04	4.4E+04	2.3E-11
Berkelium (97)	Bk-245	5.12E+01	1.35E-02	1.92E-05	5.10E-06	1.36E-05	1.87E-05	5.14E-06	1.3E+01	4.9E+01	1.8E+01	1.3E+01	4.8E+01	1.2E-10
Berkelium (97)	Bk-246	1.41E+02	4.93E-03	1.03E-04	2.06E-05	5.81E-05	8.99E-05	2.02E-05	6.7E+00	3.3E+01	1.2E+01	7.6E+00	3.4E+01	2.3E-11
Berkelium (97)	Bk-247	5.02E-04	1.38E+03	1.26E-05	3.31E-06	8.79E-06	1.21E-05	3.31E-06	1.6E-02	5.9E-02	2.2E-02	1.6E-02	5.9E-02	1.5E-08
Berkelium (97)	Bk-248m	2.56E+02	2.71E-03	5.02E-06	1.21E-06	3.27E-06	4.70E-06	1.26E-06	2.5E+02	1.0E+03	3.8E+02	2.7E+02	9.9E+02	4.7E-10
Berkelium (97)	Bk-249	7.67E-01	9.04E-01	1.27E-10	5.45E-11	1.00E-10	1.23E-10	1.15E-10	2.9E+04	6.8E+04	3.7E+04	3.0E+04	3.3E+04	1.9E-05
Berkelium (97)	Bk-250	1.89E+03	3.67E-04	1.16E-04	2.21E-05	6.26E-05	9.94E-05	2.15E-05	8.0E+01	4.2E+02	1.5E+02	9.3E+01	4.3E+02	2.0E-11
Berkelium (97)	Bk-251	6.55E+03	1.06E-04	6.50E-06	1.87E-06	4.87E-06	6.44E-06	1.96E-06	4.9E+03	1.7E+04	6.5E+03	5.0E+03	1.6E+04	3.6E-10
Bromine (35)	Br-72	2.78E+05	2.49E-06	3.82E-04	7.37E-05	2.10E-04	3.31E-04	7.20E-05	3.5E+03	1.8E+04	6.4E+03	4.1E+03	1.9E+04	1.8E-12
Bromine (35)	Br-73	1.07E+05	6.47E-06	1.70E-04	3.57E-05	1.00E-04	1.53E-04	3.53E-05	3.1E+03	1.5E+04	5.2E+03	3.4E+03	1.5E+04	4.1E-12
Bromine (35)	Br-74	1.43E+04	4.83E-05	6.41E-04	1.08E-04	3.12E-04	5.11E-04	1.03E-04	1.1E+02	6.5E+02	2.2E+02	1.4E+02	6.8E+02	1.1E-12
Bromine (35)	Br-74m	7.92E+03	8.75E-05	5.52E-04	9.95E-05	2.86E-04	4.61E-04	9.59E-05	7.0E+01	3.9E+02	1.3E+02	8.4E+01	4.0E+02	1.3E-12
Bromine (35)	Br-75	3.77E+03	1.84E-04	1.39E-04	2.96E-05	8.38E-05	1.27E-04	2.92E-05	1.3E+02	6.2E+02	2.2E+02	1.4E+02	6.3E+02	5.1E-12
Bromine (35)	Br-76	3.75E+02	1.85E-03	3.72E-04	6.72E-05	1.93E-04	3.10E-04	6.47E-05	4.9E+00	2.7E+01	9.5E+00	5.9E+00	2.8E+01	1.9E-12
Bromine (35)	Br-76m	1.67E+07	4.15E-08	1.42E-06	5.35E-07	1.06E-06	1.34E-06	7.42E-07	5.7E+07	1.5E+08	7.7E+07	6.1E+07	1.1E+08	5.0E-10
Bromine (35)	Br-77	1.06E+02	6.51E-03	3.63E-05	7.78E-06	2.19E-05	3.31E-05	7.61E-06	1.4E+01	6.7E+01	2.4E+01	1.6E+01	6.8E+01	2.0E-11
Bromine (35)	Br-77m	8.51E+04	8.14E-06	1.04E-06	3.24E-07	8.18E-07	1.04E-06	3.35E-07	4.0E+05	1.3E+06	5.1E+05	4.0E+05	1.2E+06	7.0E-10
Bromine (35)	Br-78	5.64E+04	1.23E-05	1.23E-04	2.59E-05	7.27E-05	1.11E-04	2.57E-05	2.2E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	6.0E-12
Bromine (35)	Br-80	2.06E+04	3.36E-05	9.44E-06	1.98E-06	5.55E-06	8.49E-06	2.18E-06	1.1E+04	5.1E+04	1.8E+04	1.2E+04	4.6E+04	8.0E-11
Bromine (35)	Br-80m	1.37E+03	5.05E-04	1.61E-07	1.25E-07	1.61E-07	1.61E-07	2.87E-07	4.1E+04	5.3E+04	4.1E+04	4.1E+04	2.3E+04	4.7E-09
Bromine (35)	Br-82	1.72E+02	4.03E-03	3.35E-04	6.51E-05	1.85E-04	2.91E-04	6.34E-05	2.5E+00	1.3E+01	4.5E+00	2.9E+00	1.3E+01	2.3E-12
Bromine (35)	Br-82m	5.94E+04	1.17E-05	3.72E-07	7.62E-08	2.10E-07	3.25E-07	9.28E-08	7.8E+05	3.8E+06	1.4E+06	8.9E+05	3.1E+06	2.1E-09
Bromine (35)	Br-83	2.53E+03	2.74E-04	8.62E-07	1.87E-07	5.15E-07	7.83E-07	2.51E-07	1.4E+04	6.6E+04	2.4E+04	1.6E+04	4.9E+04	9.1E-10
Bromine (35)	Br-84	1.15E+04	6.05E-05	2.49E-04	4.15E-05	1.20E-04	1.98E-04	3.98E-05	2.2E+02	1.3E+03	4.6E+02	2.8E+02	1.4E+03	3.2E-12
Bromine (35)	Br-84m	6.07E+04	1.14E-05	3.60E-04	6.77E-05	1.94E-04	3.08E-04	6.60E-05	8.2E+02	4.4E+03	1.5E+03	9.6E+02	4.5E+03	2.2E-12
Bromine (35)	Br-85	1.26E+05	5.52E-06	9.15E-06	1.82E-06	5.05E-06	7.92E-06	2.09E-06	6.7E+04	3.4E+05	1.2E+05	7.7E+04	2.9E+05	8.8E-11
Carbon (6)	C-10	1.14E+06	6.11E-07	2.10E-04	4.35E-05	1.23E-04	1.89E-04	4.26E-05	2.6E+04	1.3E+05	4.5E+04	2.9E+04	1.3E+05	4.5E-13
Carbon (6)	C-11	1.79E+04	3.88E-05	1.20E-04	2.53E-05	7.17E-05	1.09E-04	2.49E-05	8.0E+02	3.8E+03	1.3E+03	8.8E+02	3.9E+03	9.6E-13
Carbon (6)	C-14	1.22E-04	5.70E+03	2.12E-10	1.22E-10	1.98E-10	2.12E-10	2.61E-10	1.0E+03	1.8E+03	1.1E+03	1.0E+03	8.3E+02	2.3E-04
Calcium (20)	Ca-41	6.79E-06	1.02E+05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Calcium (20)	Ca-45	1.55E+00	4.46E-01	1.07E-09	4.92E-10	9.34E-10	1.07E-09	8.17E-10	7.1E+03	1.5E+04	8.1E+03	7.1E+03	9.3E+03	4.0E-07
Calcium (20)	Ca-47	5.58E+01	1.24E-02	1.40E-04	2.57E-05	7.37E-05	1.18E-04	2.48E-05	1.9E+00	1.1E+01	3.7E+00	2.3E+00	1.1E+01	3.2E-12
Calcium (20)	Ca-49	4.18E+04	1.66E-05	4.73E-04	7.07E-05	2.09E-04	3.57E-04	6.66E-05	4.3E+02	2.9E+03	9.7E+02	5.7E+02	3.1E+03	9.8E-13
Cadmium (48)	Cd-101	2.68E+05	2.59E-06	3.22E-04	6.01E-05	1.72E-04	2.73E-04	5.87E-05	4.0E+03	2.2E+04	7.6E+03	4.8E+03	2.2E+04	3.0E-12
Cadmium (48)	Cd-102	6.62E+04	1.05E-05	9.91E-05	2.03E-05	5.76E-05	8.84E-05	2.00E-05	3.3E+03	1.6E+04	5.6E+03	3.6E+03	1.6E+04	9.7E-12
Cadmium (48)	Cd-103	4.99E+04	1.39E-05	2.80E-04	4.98E-05	1.43E-04	2.32E-04	4.80E-05	8.7E+02	4.9E+03	1.7E+03	1.0E+03	5.1E+03	3.5E-12
Cadmium (48)	Cd-104	6.31E+03	1.10E-04	2.53E-05	5.55E-06	1.52E-05	2.28E-05	5.68E-06	1.2E+03	5.5E+03	2.0E+03	1.3E+03	5.4E+03	3.9E-11
Cadmium (48)	Cd-105	6.56E+03	1.06E-04	1.70E-04	3.11E-05	8.94E-05	1.43E-04	3.02E-05	1.9E+02	1.0E+03	3.6E+02	2.2E+02	1.1E+03	5.8E-12
Cadmium (48)	Cd-107	9.34E+02	7.42E-04	8.80E-07	2.52E-07	5.96E-07	8.20E-07	4.61E-07	5.2E+03	1.8E+04	7.6E+03	5.5E+03	9.9E+03	1.1E-09
Cadmium (48)	Cd-109	5.48E-01	1.26E+00	2.35E-07	1.10E-07	2.01E-07	2.35E-07	3.08E-07	1.1E+01	2.4E+01	1.3E+01	1.1E+01	8.7E+00	4.4E-09
Cadmium (48)	Cd-111m	7.51E+03	9.23E-05	2.80E-05	6.66E-06	1.85E-05	2.68E-05	6.56E-06	1.3E+03	5.5E+03	2.0E+03	1.4E+03	5.6E+03	3.7E-11
Cadmium (48)	Cd-113	9.00E-17	7.70E+15	1.95E-09	8.23E-10	1.66E-09	1.95E-09	1.27E-09	1.1E+02	2.7E+02	1.3E+02	1.1E+02	1.7E+02	2.7E+08
Cadmium (48)	Cd-113m	4.91E-02	1.41E+01	1.84E-08	5.66E-09	1.35E-08	1.79E-08	1.15E-08	1.8E+01	6.0E+01	2.5E+01	1.9E+01	2.9E+01	8.2E-08
Cadmium (48)	Cd-115	1.14E+02	6.10E-03	2.26E-05	4.77E-06	1.34E-05	2.05E-05	4.77E-06	2.4E+01	1.2E+02	4.1E+01	2.7E+01	1.2E+02	4.8E-11
Cadmium (48)	Cd-115m	5.67E+00	1.22E-01	4.48E-06	8.79E-07	2.45E-06	3.85E-06	1.05E-06	6.2E+00	3.1E+01	1.1E+01	7.2E+00	2.6E+01	2.4E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Cadmium (48)	Cd-117	2.44E+03	2.84E-04	1.40E-04	2.63E-05	7.52E-05	1.20E-04	2.55E-05	8.4E+01	4.5E+02	1.6E+02	9.9E+01	4.7E+02	7.9E-12
Cadmium (48)	Cd-117m	1.81E+03	3.84E-04	2.78E-04	4.90E-05	1.42E-04	2.30E-04	4.70E-05	3.2E+01	1.8E+02	6.2E+01	3.8E+01	1.9E+02	4.0E-12
Cadmium (48)	Cd-118	7.24E+03	9.57E-05	8.52E-09	3.03E-09	6.77E-09	8.43E-09	5.27E-09	4.6E+06	1.3E+07	5.8E+06	4.6E+06	7.4E+06	1.5E-07
Cadmium (48)	Cd-119	1.35E+05	5.12E-06	2.22E-04	3.93E-05	1.14E-04	1.83E-04	3.82E-05	3.0E+03	1.7E+04	5.8E+03	3.6E+03	1.7E+04	5.1E-12
Cadmium (48)	Cd-119m	1.66E+05	4.19E-06	3.12E-04	5.55E-05	1.60E-04	2.59E-04	5.33E-05	2.6E+03	1.5E+04	5.0E+03	3.1E+03	1.5E+04	3.6E-12
Cerium (58)	Ce-130	1.59E+04	4.36E-05	5.40E-05	1.16E-05	3.21E-05	4.86E-05	1.16E-05	1.4E+03	6.7E+03	2.4E+03	1.6E+03	6.6E+03	2.3E-11
Cerium (58)	Ce-131	3.57E+04	1.94E-05	1.99E-04	3.96E-05	1.12E-04	1.75E-04	3.88E-05	8.7E+02	4.4E+03	1.6E+03	1.0E+03	4.5E+03	6.2E-12
Cerium (58)	Ce-132	1.73E+03	4.01E-04	2.45E-05	6.06E-06	1.64E-05	2.35E-05	6.22E-06	3.4E+02	1.4E+03	5.1E+02	3.6E+02	1.4E+03	5.1E-11
Cerium (58)	Ce-133	3.76E+03	1.85E-04	5.65E-05	1.26E-05	3.45E-05	5.18E-05	1.29E-05	3.2E+02	1.5E+03	5.3E+02	3.5E+02	1.4E+03	2.2E-11
Cerium (58)	Ce-133m	1.24E+03	5.59E-04	2.16E-04	4.16E-05	1.18E-04	1.86E-04	4.07E-05	2.8E+01	1.4E+02	5.1E+01	3.2E+01	1.5E+02	5.8E-12
Cerium (58)	Ce-134	8.00E+01	8.66E-03	3.69E-07	2.20E-07	3.23E-07	3.66E-07	4.86E-07	1.1E+03	1.8E+03	1.2E+03	1.1E+03	8.0E+02	3.4E-09
Cerium (58)	Ce-135	3.43E+02	2.02E-03	9.40E-05	1.98E-05	5.55E-05	8.49E-05	1.96E-05	1.8E+01	8.4E+01	3.0E+01	2.0E+01	8.5E+01	1.4E-11
Cerium (58)	Ce-137	6.75E+02	1.03E-03	1.51E-06	4.58E-07	9.90E-07	1.39E-06	7.26E-07	2.2E+03	7.2E+03	3.3E+03	2.4E+03	4.5E+03	8.6E-10
Cerium (58)	Ce-137m	1.76E+02	3.93E-03	4.01E-06	1.01E-06	2.61E-06	3.79E-06	1.19E-06	2.1E+02	8.5E+02	3.3E+02	2.3E+02	7.2E+02	3.2E-10
Cerium (58)	Ce-139	1.84E+00	3.77E-01	1.22E-05	3.29E-06	8.68E-06	1.20E-05	3.50E-06	7.3E-01	2.7E+00	1.0E+00	7.5E-01	2.6E+00	1.1E-10
Cerium (58)	Ce-141	7.78E+00	8.91E-02	6.15E-06	1.69E-06	4.46E-06	6.06E-06	1.73E-06	6.2E+00	2.2E+01	8.5E+00	6.2E+00	2.2E+01	2.2E-10
Cerium (58)	Ce-143	1.84E+02	3.77E-03	2.91E-05	6.46E-06	1.78E-05	2.68E-05	6.69E-06	3.1E+01	1.4E+02	5.0E+01	3.3E+01	1.3E+02	4.6E-11
Cerium (58)	Ce-144	8.88E-01	7.81E-01	1.33E-06	3.94E-07	9.95E-07	1.31E-06	4.23E-07	3.3E+00	1.1E+01	4.3E+00	3.3E+00	1.0E+01	1.0E-09
Cerium (58)	Ce-144+D	8.88E-01	7.81E-01	6.15E-06	1.35E-06	3.58E-06	5.40E-06	1.69E-06	7.0E-01	3.2E+00	1.2E+00	8.0E-01	2.6E+00	2.2E-10
Cerium (58)	Ce-145	1.21E+05	5.73E-06	9.63E-05	1.96E-05	5.50E-05	8.52E-05	1.97E-05	6.1E+03	3.0E+04	1.1E+04	6.9E+03	3.0E+04	1.4E-11
Californium (98)	Cf-244	1.88E+04	3.69E-05	1.64E-09	1.62E-09	1.64E-09	1.64E-09	1.27E-08	5.6E+07	5.6E+07	5.6E+07	5.6E+07	7.2E+06	1.4E-06
Californium (98)	Cf-246	1.70E+02	4.08E-03	5.62E-09	2.11E-09	3.79E-09	5.08E-09	9.78E-09	1.5E+05	3.9E+05	2.2E+05	1.6E+05	8.5E+04	4.1E-07
Californium (98)	Cf-247	1.95E+03	3.55E-04	6.78E-06	1.96E-06	5.10E-06	6.72E-06	2.06E-06	1.4E+03	4.8E+03	1.9E+03	1.4E+03	4.6E+03	3.4E-10
Californium (98)	Cf-248	7.57E-01	9.15E-01	4.58E-08	9.44E-09	2.44E-08	3.82E-08	1.84E-08	8.1E+01	3.9E+02	1.5E+02	9.7E+01	2.0E+02	5.1E-08
Californium (98)	Cf-249	1.97E-03	3.51E+02	3.60E-05	7.98E-06	2.24E-05	3.35E-05	7.83E-06	5.5E-03	2.5E-02	8.9E-03	6.0E-03	2.5E-02	1.4E-09
Californium (98)	Cf-250	5.30E-02	1.31E+01	1.32E-06	2.36E-07	6.77E-07	1.09E-06	2.35E-07	2.7E-01	1.5E+00	5.2E-01	3.2E-01	1.5E+00	2.4E-09
Californium (98)	Cf-251	7.70E-04	9.00E+02	9.78E-06	2.64E-06	7.02E-06	9.56E-06	2.67E-06	2.0E-02	7.4E-02	2.8E-02	2.1E-02	7.4E-02	1.3E-08
Californium (98)	Cf-252	2.62E-01	2.65E+00	6.15E-05	1.09E-05	3.14E-05	5.05E-05	1.05E-05	2.1E-02	1.2E-01	4.1E-02	2.5E-02	1.2E-01	3.9E-11
Californium (98)	Cf-253	1.42E+01	4.88E-02	1.06E-08	8.33E-09	1.04E-08	1.06E-08	3.76E-08	6.5E+03	8.3E+03	6.6E+03	6.5E+03	1.8E+03	2.3E-07
Californium (98)	Cf-254	4.18E+00	1.66E-01	2.27E-03	4.02E-04	1.16E-03	1.87E-03	3.88E-04	9.0E-03	5.1E-02	1.8E-02	1.1E-02	5.2E-02	1.1E-12
Californium (98)	Cf-255	4.29E+03	1.62E-04	1.88E-08	6.41E-09	1.44E-08	1.85E-08	2.46E-08	1.2E+06	3.6E+06	1.6E+06	1.3E+06	9.4E+05	1.4E-07
Chlorine (17)	Cl-34	1.43E+07	4.84E-08	1.23E-04	2.61E-05	7.32E-05	1.12E-04	2.59E-05	5.7E+05	2.7E+06	9.5E+05	6.2E+05	2.7E+06	2.6E-12
Chlorine (17)	Cl-34m	1.14E+04	6.09E-05	2.87E-04	4.98E-05	1.44E-04	2.34E-04	4.80E-05	1.9E+02	1.1E+03	3.8E+02	2.4E+02	1.2E+03	1.1E-12
Chlorine (17)	Cl-36	2.30E-06	3.01E+05	4.58E-08	1.33E-08	3.20E-08	4.35E-08	4.77E-08	4.3E+00	1.5E+01	6.1E+00	4.5E+00	4.1E+00	1.3E-04
Chlorine (17)	Cl-38	9.78E+03	7.09E-05	2.08E-04	3.44E-05	1.00E-04	1.66E-04	3.31E-05	2.3E+02	1.4E+03	4.7E+02	2.9E+02	1.4E+03	1.7E-12
Chlorine (17)	Cl-39	6.55E+03	1.06E-04	1.93E-04	3.53E-05	1.01E-04	1.63E-04	3.44E-05	1.6E+02	9.0E+02	3.1E+02	2.0E+02	9.3E+02	1.9E-12
Chlorine (17)	Cl-40	2.70E+05	2.57E-06	5.90E-04	9.39E-05	2.75E-04	4.61E-04	8.96E-05	2.2E+03	1.4E+04	4.8E+03	2.8E+03	1.5E+04	6.4E-13
Curium (96)	Cm-238	2.53E+03	2.74E-04	5.49E-06	1.68E-06	4.26E-06	5.46E-06	1.72E-06	2.2E+03	7.3E+03	2.9E+03	2.3E+03	7.1E+03	4.1E-10
Curium (96)	Cm-239	2.09E+03	3.31E-04	2.16E-05	5.76E-06	1.55E-05	2.12E-05	5.74E-06	4.7E+02	1.8E+03	6.6E+02	4.8E+02	1.8E+03	1.0E-10
Curium (96)	Cm-240	9.37E+00	7.40E-02	2.65E-09	1.79E-09	2.37E-09	2.63E-09	1.26E-08	1.7E+04	2.5E+04	1.9E+04	1.7E+04	3.6E+03	8.5E-07
Curium (96)	Cm-241	7.71E+00	8.99E-02	5.24E-05	1.18E-05	3.27E-05	4.83E-05	1.17E-05	7.2E-01	3.2E+00	1.1E+00	7.8E-01	3.2E+00	4.3E-11
Curium (96)	Cm-242	1.55E+00	4.46E-01	2.12E-09	1.51E-09	1.89E-09	2.08E-09	1.11E-08	3.6E+03	5.0E+03	4.0E+03	3.6E+03	6.8E+02	1.1E-06
Curium (96)	Cm-243	2.38E-02	2.91E+01	1.14E-05	2.93E-06	7.88E-06	1.10E-05	2.94E-06	2.3E-02	8.8E-02	3.3E-02	2.3E-02	8.8E-02	4.5E-10
Curium (96)	Cm-244	3.83E-02	1.81E+01	3.79E-09	1.62E-09	2.57E-09	3.38E-09	9.85E-09	8.0E+01	1.9E+02	1.2E+02	9.0E+01	3.1E+01	9.9E-07
Curium (96)	Cm-245	8.15E-05	8.50E+03	7.42E-06	2.20E-06	5.66E-06	7.35E-06	2.25E-06	2.6E-02	8.9E-02	3.4E-02	2.7E-02	8.6E-02	1.5E-07
Curium (96)	Cm-246	1.46E-04	4.76E+03	4.86E-07	8.74E-08	2.49E-07	4.01E-07	9.09E-08	4.0E-01	2.2E+00	7.8E-01	4.9E-01	2.1E+00	1.3E-06
Curium (96)	Cm-247	4.44E-08	1.56E+07	3.53E-05	7.73E-06	2.18E-05	3.28E-05	7.57E-06	5.5E-03	2.5E-02	8.9E-03	5.9E-03	2.6E-02	5.9E-05
Curium (96)	Cm-247+D	4.44E-08	1.56E+07	3.69E-05	8.23E-06	2.29E-05	3.44E-05	8.11E-06	5.3E-03	2.4E-02	8.5E-03	5.7E-03	2.4E-02	5.7E-05
Curium (96)	Cm-248	1.99E-06	3.48E+05	1.77E-04	3.14E-05	9.04E-05	1.46E-04	3.03E-05	1.1E-03	6.2E-03	2.2E-03	1.3E-03	6.4E-03	2.7E-07

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Curium (96)	Cm-249	5.68E+03	1.22E-04	2.30E-06	4.85E-07	1.36E-06	2.07E-06	5.21E-07	1.2E+04	5.7E+04	2.0E+04	1.3E+04	5.3E+04	1.0E-09
Curium (96)	Cm-250	8.35E-05	8.30E+03	1.80E-03	3.19E-04	9.19E-04	1.48E-03	3.08E-04	1.1E-04	6.1E-04	2.1E-04	1.3E-04	6.3E-04	6.3E-10
Curium (96)	Cm-250+D	8.35E-05	8.30E+03	1.83E-03	3.25E-04	9.39E-04	1.51E-03	3.15E-04	1.1E-04	6.0E-04	2.1E-04	1.3E-04	6.2E-04	6.2E-10
Curium (96)	Cm-251	2.17E+04	3.20E-05	1.28E-05	2.75E-06	7.67E-06	1.17E-05	2.82E-06	8.2E+03	3.8E+04	1.4E+04	9.0E+03	3.7E+04	1.8E-10
Cobalt (27)	Co-54m	2.46E+05	2.82E-06	5.05E-04	9.69E-05	2.77E-04	4.35E-04	9.44E-05	2.4E+03	1.2E+04	4.3E+03	2.8E+03	1.3E+04	1.0E-12
Cobalt (27)	Co-55	3.46E+02	2.00E-03	2.50E-04	4.93E-05	1.40E-04	2.19E-04	4.80E-05	6.8E+00	3.4E+01	1.2E+01	7.7E+00	3.5E+01	2.1E-12
Cobalt (27)	Co-56	3.28E+00	2.12E-01	4.95E-04	8.68E-05	2.51E-04	4.07E-04	8.36E-05	3.2E-02	1.8E-01	6.4E-02	3.9E-02	1.9E-01	1.1E-12
Cobalt (27)	Co-57	9.31E-01	7.44E-01	9.59E-06	2.75E-06	7.17E-06	9.50E-06	2.72E-06	4.7E-01	1.6E+00	6.3E-01	4.8E-01	1.7E+00	5.6E-11
Cobalt (27)	Co-58	3.57E+00	1.94E-01	1.21E-04	2.42E-05	6.82E-05	1.07E-04	2.35E-05	1.4E-01	7.2E-01	2.5E-01	1.6E-01	7.4E-01	4.5E-12
Cobalt (27)	Co-58m	6.72E+02	1.03E-03	2.71E-11	2.67E-11	2.72E-11	2.71E-11	1.21E-10	1.2E+08	1.2E+08	1.2E+08	1.2E+08	2.7E+07	2.0E-05
Cobalt (27)	Co-60	1.31E-01	5.27E+00	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	2.0E-03	1.1E-02	3.8E-03	2.4E-03	1.1E-02	1.8E-12
Cobalt (27)	Co-60m	3.48E+04	1.99E-05	4.83E-07	1.00E-07	2.67E-07	4.10E-07	1.03E-07	3.5E+05	1.7E+06	6.3E+05	4.1E+05	1.6E+06	1.2E-09
Cobalt (27)	Co-61	3.68E+03	1.88E-04	7.57E-06	2.08E-06	5.04E-06	6.91E-06	2.37E-06	2.4E+03	8.6E+03	3.6E+03	2.6E+03	7.6E+03	7.6E-11
Cobalt (27)	Co-62	2.43E+05	2.85E-06	2.21E-04	3.90E-05	1.12E-04	1.82E-04	3.79E-05	5.4E+03	3.0E+04	1.1E+04	6.5E+03	3.1E+04	2.7E-12
Cobalt (27)	Co-62m	2.62E+04	2.65E-05	3.66E-04	6.56E-05	1.88E-04	3.04E-04	6.31E-05	3.5E+02	1.9E+03	6.8E+02	4.2E+02	2.0E+03	1.6E-12
Chromium (24)	Cr-48	2.82E+02	2.46E-03	4.39E-05	1.05E-05	2.88E-05	4.17E-05	1.03E-05	3.1E+01	1.3E+02	4.8E+01	3.3E+01	1.3E+02	1.0E-11
Chromium (24)	Cr-49	8.61E+03	8.05E-05	1.20E-04	2.59E-05	7.22E-05	1.09E-04	2.57E-05	3.5E+02	1.6E+03	5.8E+02	3.8E+02	1.6E+03	3.9E-12
Chromium (24)	Cr-51	9.13E+00	7.59E-02	3.50E-06	7.83E-07	2.20E-06	3.28E-06	7.61E-07	1.3E+01	5.7E+01	2.0E+01	1.4E+01	5.8E+01	1.4E-10
Chromium (24)	Cr-55	1.04E+05	6.65E-06	7.95E-07	2.34E-07	5.20E-07	7.35E-07	5.62E-07	6.4E+05	2.2E+06	9.7E+05	6.9E+05	9.0E+05	6.5E-10
Chromium (24)	Cr-56	6.13E+04	1.13E-05	4.70E-06	1.73E-06	3.93E-06	4.70E-06	2.16E-06	6.3E+04	1.7E+05	7.6E+04	6.3E+04	1.4E+05	1.1E-10
Cesium (55)	Cs-121	1.41E+05	4.92E-06	1.39E-04	2.95E-05	8.28E-05	1.27E-04	2.92E-05	4.9E+03	2.3E+04	8.3E+03	5.4E+03	2.3E+04	8.2E-12
Cesium (55)	Cs-121m	1.79E+05	3.87E-06	1.39E-04	2.94E-05	8.28E-05	1.26E-04	2.91E-05	6.3E+03	3.0E+04	1.1E+04	6.9E+03	3.0E+04	8.2E-12
Cesium (55)	Cs-123	6.19E+04	1.12E-05	1.27E-04	2.68E-05	7.52E-05	1.15E-04	2.66E-05	2.4E+03	1.1E+04	4.0E+03	2.6E+03	1.1E+04	9.1E-12
Cesium (55)	Cs-124	7.10E+05	9.77E-07	1.41E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	2.4E+04	1.2E+05	4.2E+04	2.7E+04	1.2E+05	8.3E-12
Cesium (55)	Cs-125	8.09E+03	8.56E-05	8.90E-05	1.84E-05	5.20E-05	7.98E-05	1.82E-05	4.4E+02	2.1E+03	7.6E+02	4.9E+02	2.2E+03	1.3E-11
Cesium (55)	Cs-126	2.22E+05	3.12E-06	1.38E-04	2.88E-05	8.13E-05	1.25E-04	2.86E-05	7.8E+03	3.7E+04	1.3E+04	8.7E+03	3.8E+04	8.6E-12
Cesium (55)	Cs-127	9.71E+02	7.13E-04	4.70E-05	1.02E-05	2.85E-05	4.32E-05	1.03E-05	1.0E+02	4.6E+02	1.7E+02	1.1E+02	4.6E+02	2.6E-11
Cesium (55)	Cs-128	1.00E+05	6.93E-06	1.05E-04	2.22E-05	6.21E-05	9.53E-05	2.20E-05	4.6E+03	2.2E+04	7.8E+03	5.1E+03	2.2E+04	1.1E-11
Cesium (55)	Cs-129	1.89E+02	3.66E-03	2.81E-05	6.26E-06	1.74E-05	2.60E-05	6.47E-06	3.3E+01	1.5E+02	5.3E+01	3.5E+01	1.4E+02	4.3E-11
Cesium (55)	Cs-130	1.25E+04	5.56E-05	5.84E-05	1.23E-05	3.45E-05	5.27E-05	1.23E-05	1.0E+03	4.9E+03	1.8E+03	1.2E+03	4.9E+03	2.1E-11
Cesium (55)	Cs-130m	1.05E+05	6.58E-06	3.02E-06	1.10E-06	2.41E-06	2.98E-06	1.45E-06	1.7E+05	4.7E+05	2.1E+05	1.7E+05	3.5E+05	4.1E-10
Cesium (55)	Cs-131	2.61E+01	2.65E-02	1.33E-07	1.20E-07	1.33E-07	1.33E-07	3.60E-07	9.6E+02	1.1E+03	9.6E+02	9.6E+02	3.5E+02	9.3E-09
Cesium (55)	Cs-132	3.90E+01	1.78E-02	8.49E-05	1.73E-05	4.88E-05	7.57E-05	1.72E-05	2.2E+00	1.1E+01	3.9E+00	2.5E+00	1.1E+01	1.5E-11
Cesium (55)	Cs-134	3.36E-01	2.06E+00	1.92E-04	3.86E-05	1.09E-04	1.70E-04	3.76E-05	8.5E-03	4.2E-02	1.5E-02	9.6E-03	4.4E-02	6.6E-12
Cesium (55)	Cs-134m	2.09E+03	3.31E-04	1.37E-06	4.26E-07	1.04E-06	1.35E-06	5.27E-07	7.4E+03	2.4E+04	9.8E+03	7.5E+03	1.9E+04	9.3E-10
Cesium (55)	Cs-135	3.01E-07	2.30E+06	1.58E-09	6.97E-10	1.36E-09	1.57E-09	1.10E-09	1.4E+02	3.1E+02	1.6E+02	1.4E+02	2.0E+02	1.2E-01
Cesium (55)	Cs-135m	6.87E+03	1.01E-04	2.01E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	1.7E+02	8.4E+02	3.0E+02	1.9E+02	8.7E+02	6.4E-12
Cesium (55)	Cs-136	1.92E+01	3.61E-02	2.68E-04	5.25E-05	1.48E-04	2.34E-04	5.08E-05	3.5E-01	1.8E+00	6.3E-01	4.0E-01	1.8E+00	4.8E-12
Cesium (55)	Cs-137	2.30E-02	3.02E+01	1.49E-08	5.20E-09	1.15E-08	1.46E-08	1.50E-08	1.7E+01	4.9E+01	2.2E+01	1.7E+01	1.7E+01	2.0E-07
Cesium (55)	Cs-137+D	2.30E-02	3.02E+01	6.85E-05	1.40E-05	3.94E-05	6.12E-05	1.37E-05	3.7E-03	1.8E-02	6.5E-03	4.2E-03	1.9E-02	4.3E-11
Cesium (55)	Cs-138	1.09E+04	6.36E-05	3.22E-04	5.71E-05	1.64E-04	2.66E-04	5.52E-05	1.6E+02	9.3E+02	3.2E+02	2.0E+02	9.6E+02	4.0E-12
Cesium (55)	Cs-138m	1.25E+05	5.54E-06	5.18E-05	9.85E-06	2.81E-05	4.42E-05	9.75E-06	1.2E+04	6.2E+04	2.2E+04	1.4E+04	6.2E+04	2.5E-11
Cesium (55)	Cs-139	3.93E+04	1.76E-05	4.39E-05	7.67E-06	2.21E-05	3.60E-05	7.73E-06	4.4E+03	2.5E+04	8.7E+03	5.3E+03	2.5E+04	3.0E-11
Cesium (55)	Cs-140	3.43E+05	2.02E-06	2.47E-04	4.26E-05	1.23E-04	2.01E-04	4.13E-05	6.8E+03	3.9E+04	1.4E+04	8.3E+03	4.0E+04	5.4E-12
Copper (29)	Cu-57	1.11E+08	6.22E-09	1.45E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	3.7E+06	1.8E+07	6.4E+06	4.2E+06	1.8E+07	3.7E-12
Copper (29)	Cu-59	2.68E+05	2.58E-06	1.77E-04	3.62E-05	1.02E-04	1.58E-04	3.57E-05	7.4E+03	3.6E+04	1.3E+04	8.3E+03	3.7E+04	3.2E-12
Copper (29)	Cu-60	1.54E+04	4.51E-05	5.24E-04	9.44E-05	2.72E-04	4.35E-04	9.12E-05	1.4E+02	7.9E+02	2.8E+02	1.7E+02	8.2E+02	1.1E-12
Copper (29)	Cu-61	1.82E+03	3.80E-04	9.75E-05	2.04E-05	5.76E-05	8.84E-05	2.01E-05	9.1E+01	4.3E+02	1.5E+02	1.0E+02	4.4E+02	5.9E-12
Copper (29)	Cu-62	3.77E+04	1.84E-05	1.20E-04	2.53E-05	7.12E-05	1.09E-04	2.51E-05	1.5E+03	7.2E+03	2.6E+03	1.7E+03	7.3E+03	4.9E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Copper (29)	Cu-64	4.78E+02	1.45E-03	2.18E-05	4.58E-06	1.29E-05	1.98E-05	4.48E-06	1.1E+02	5.1E+02	1.8E+02	1.2E+02	5.2E+02	2.8E-11
Copper (29)	Cu-66	7.11E+04	9.74E-06	1.34E-05	2.62E-06	7.32E-06	1.15E-05	2.86E-06	2.6E+04	1.3E+05	4.7E+04	3.0E+04	1.2E+05	4.7E-11
Copper (29)	Cu-67	9.82E+01	7.06E-03	1.04E-05	2.68E-06	7.27E-06	1.01E-05	2.65E-06	4.6E+01	1.8E+02	6.6E+01	4.7E+01	1.8E+02	6.1E-11
Copper (29)	Cu-69	1.28E+05	5.42E-06	6.85E-05	1.32E-05	3.74E-05	5.90E-05	1.31E-05	9.1E+03	4.7E+04	1.7E+04	1.1E+04	4.8E+04	9.5E-12
Dysprosium (66)	Dy-148	1.10E+05	6.28E-06	8.36E-05	1.74E-05	4.85E-05	7.48E-05	1.72E-05	6.4E+03	3.1E+04	1.1E+04	7.2E+03	3.1E+04	1.7E-11
Dysprosium (66)	Dy-149	8.67E+04	7.99E-06	2.06E-04	3.88E-05	1.10E-04	1.75E-04	3.79E-05	2.0E+03	1.1E+04	3.8E+03	2.4E+03	1.1E+04	6.8E-12
Dysprosium (66)	Dy-150	5.08E+04	1.36E-05	2.93E-05	6.56E-06	1.82E-05	2.72E-05	6.63E-06	8.4E+03	3.8E+04	1.4E+04	9.1E+03	3.7E+04	4.8E-11
Dysprosium (66)	Dy-151	2.03E+04	3.41E-05	1.71E-04	3.31E-05	9.34E-05	1.48E-04	3.25E-05	5.8E+02	3.0E+03	1.1E+03	6.7E+02	3.0E+03	8.3E-12
Dysprosium (66)	Dy-152	2.55E+03	2.72E-04	2.71E-05	6.56E-06	1.78E-05	2.58E-05	6.63E-06	4.6E+02	1.9E+03	7.0E+02	4.8E+02	1.9E+03	5.3E-11
Dysprosium (66)	Dy-153	9.49E+02	7.31E-04	9.94E-05	2.03E-05	5.66E-05	8.68E-05	2.04E-05	4.6E+01	2.3E+02	8.2E+01	5.3E+01	2.3E+02	1.5E-11
Dysprosium (66)	Dy-154	2.31E-07	3.00E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Dysprosium (66)	Dy-155	6.13E+02	1.13E-03	7.70E-05	1.58E-05	4.40E-05	6.78E-05	1.57E-05	3.9E+01	1.9E+02	6.8E+01	4.4E+01	1.9E+02	1.9E-11
Dysprosium (66)	Dy-157	7.46E+02	9.29E-04	3.44E-05	8.03E-06	2.20E-05	3.25E-05	8.14E-06	1.1E+02	4.5E+02	1.6E+02	1.1E+02	4.5E+02	4.3E-11
Dysprosium (66)	Dy-159	1.75E+00	3.96E-01	8.71E-07	5.55E-07	8.53E-07	8.68E-07	8.93E-07	9.8E+00	1.5E+01	1.0E+01	9.8E+00	9.5E+00	1.7E-09
Dysprosium (66)	Dy-165	2.60E+03	2.66E-04	2.65E-06	6.31E-07	1.65E-06	2.42E-06	7.86E-07	4.8E+03	2.0E+04	7.7E+03	5.2E+03	1.6E+04	5.9E-10
Dysprosium (66)	Dy-165m	2.90E+05	2.39E-06	1.52E-06	3.86E-07	9.95E-07	1.42E-06	4.13E-07	9.3E+05	3.7E+06	1.4E+06	1.0E+06	3.4E+06	1.0E-09
Dysprosium (66)	Dy-166	7.44E+01	9.32E-03	1.75E-06	7.02E-07	1.43E-06	1.71E-06	8.96E-07	2.1E+02	5.2E+02	2.5E+02	2.1E+02	4.0E+02	9.0E-10
Dysprosium (66)	Dy-167	5.87E+04	1.18E-05	6.06E-05	1.31E-05	3.65E-05	5.52E-05	1.31E-05	4.7E+03	2.2E+04	7.8E+03	5.2E+03	2.2E+04	2.6E-11
Dysprosium (66)	Dy-168	4.19E+04	1.66E-05	4.29E-05	9.49E-06	2.63E-05	3.94E-05	9.53E-06	4.7E+03	2.1E+04	7.7E+03	5.2E+03	2.1E+04	3.7E-11
Erbium (68)	Er-154	9.77E+04	7.10E-06	4.20E-06	1.24E-06	2.82E-06	3.88E-06	1.57E-06	1.1E+05	3.8E+05	1.7E+05	1.2E+05	3.0E+05	3.5E-10
Erbium (68)	Er-156	1.87E+04	3.71E-05	2.41E-06	9.49E-07	1.89E-06	2.34E-06	1.32E-06	3.8E+04	9.6E+04	4.8E+04	3.9E+04	6.9E+04	6.1E-10
Erbium (68)	Er-159	1.01E+04	6.85E-05	1.17E-04	2.31E-05	6.51E-05	1.02E-04	2.28E-05	4.2E+02	2.1E+03	7.6E+02	4.8E+02	2.2E+03	1.3E-11
Erbium (68)	Er-161	1.89E+03	3.66E-04	1.20E-04	2.39E-05	6.72E-05	1.05E-04	2.35E-05	7.7E+01	3.9E+02	1.4E+02	8.8E+01	3.9E+02	1.3E-11
Erbium (68)	Er-163	4.86E+03	1.43E-04	9.85E-07	5.45E-07	9.09E-07	9.72E-07	8.05E-07	2.4E+04	4.3E+04	2.6E+04	2.4E+04	2.9E+04	1.6E-09
Erbium (68)	Er-165	5.86E+02	1.18E-03	8.27E-07	5.01E-07	8.08E-07	8.27E-07	7.51E-07	3.4E+03	5.7E+03	3.5E+03	3.4E+03	3.8E+03	1.9E-09
Erbium (68)	Er-167m	9.63E+06	7.19E-08	8.84E-06	2.21E-06	6.01E-06	8.55E-06	2.22E-06	5.3E+06	2.1E+07	7.8E+06	5.5E+06	2.1E+07	1.8E-10
Erbium (68)	Er-169	2.69E+01	2.58E-02	2.58E-09	1.05E-09	2.16E-09	2.57E-09	1.56E-09	5.1E+04	1.2E+05	6.1E+04	5.1E+04	8.4E+04	6.2E-07
Erbium (68)	Er-171	8.08E+02	8.58E-04	3.76E-05	8.84E-06	2.43E-05	3.57E-05	8.90E-06	1.0E+02	4.4E+02	1.6E+02	1.1E+02	4.4E+02	4.3E-11
Erbium (68)	Er-172	1.23E+02	5.63E-03	5.74E-05	1.24E-05	3.44E-05	5.21E-05	1.24E-05	1.0E+01	4.8E+01	1.7E+01	1.2E+01	4.8E+01	2.8E-11
Erbium (68)	Er-173	2.54E+05	2.73E-06	9.44E-05	2.00E-05	5.55E-05	8.43E-05	1.99E-05	1.3E+04	6.2E+04	2.2E+04	1.5E+04	6.2E+04	1.7E-11
Einsteinium (99)	Es-249	3.56E+03	1.94E-04	4.35E-05	9.69E-06	2.69E-05	4.01E-05	9.59E-06	4.0E+02	1.8E+03	6.4E+02	4.3E+02	1.8E+03	5.4E-11
Einsteinium (99)	Es-250	7.06E+02	9.82E-04	1.35E-04	2.86E-05	7.98E-05	1.21E-04	2.83E-05	2.5E+01	1.2E+02	4.3E+01	2.8E+01	1.2E+02	1.8E-11
Einsteinium (99)	Es-250m	2.73E+03	2.53E-04	6.63E-05	1.32E-05	3.70E-05	5.74E-05	1.29E-05	2.0E+02	1.0E+03	3.6E+02	2.3E+02	1.0E+03	3.6E-11
Einsteinium (99)	Es-251	1.84E+02	3.77E-03	6.72E-06	1.96E-06	5.10E-06	6.66E-06	2.04E-06	1.3E+02	4.6E+02	1.8E+02	1.3E+02	4.4E+02	3.5E-10
Einsteinium (99)	Es-253	1.24E+01	5.61E-02	3.38E-08	8.13E-09	2.15E-08	3.14E-08	1.10E-08	1.8E+03	7.4E+03	2.8E+03	1.9E+03	5.5E+03	7.1E-08
Einsteinium (99)	Es-254	9.17E-01	7.55E-01	2.21E-07	7.57E-08	1.63E-07	2.12E-07	1.71E-07	2.0E+01	5.9E+01	2.7E+01	2.1E+01	2.6E+01	1.1E-08
Einsteinium (99)	Es-254+D	9.17E-01	7.55E-01	1.16E-04	2.22E-05	6.26E-05	9.97E-05	2.16E-05	3.9E-02	2.0E-01	7.1E-02	4.5E-02	2.1E-01	2.1E-11
Einsteinium (99)	Es-254m	1.54E+02	4.49E-03	5.71E-05	1.17E-05	3.29E-05	5.11E-05	1.15E-05	1.3E+01	6.4E+01	2.3E+01	1.5E+01	6.6E+01	4.2E-11
Einsteinium (99)	Es-255	6.36E+00	1.09E-01	9.31E-08	1.68E-08	4.78E-08	7.67E-08	1.65E-08	3.3E+02	1.8E+03	6.5E+02	4.0E+02	1.9E+03	2.6E-08
Einsteinium (99)	Es-256	1.43E+04	4.83E-05	1.87E-07	6.61E-08	1.35E-07	1.79E-07	2.72E-07	3.7E+05	1.1E+06	5.2E+05	3.9E+05	2.6E+05	1.3E-08
Europium (63)	Eu-142	9.34E+06	7.42E-08	1.51E-04	3.09E-05	8.68E-05	1.34E-04	3.05E-05	3.0E+05	1.5E+06	5.2E+05	3.4E+05	1.5E+06	8.9E-12
Europium (63)	Eu-142m	2.98E+05	2.33E-06	4.26E-04	8.53E-05	2.42E-04	3.76E-04	8.36E-05	3.4E+03	1.7E+04	6.0E+03	3.9E+03	1.7E+04	3.1E-12
Europium (63)	Eu-143	1.41E+05	4.93E-06	1.40E-04	2.79E-05	7.88E-05	1.23E-04	2.75E-05	4.9E+03	2.5E+04	8.7E+03	5.6E+03	2.5E+04	9.7E-12
Europium (63)	Eu-144	2.14E+06	3.23E-07	1.36E-04	2.77E-05	7.83E-05	1.21E-04	2.74E-05	7.7E+04	3.8E+05	1.3E+05	8.6E+04	3.8E+05	1.0E-11
Europium (63)	Eu-145	4.27E+01	1.62E-02	1.65E-04	3.07E-05	8.74E-05	1.39E-04	3.00E-05	1.3E+00	6.8E+00	2.4E+00	1.5E+00	6.9E+00	8.3E-12
Europium (63)	Eu-146	5.49E+01	1.26E-02	3.04E-04	5.86E-05	1.66E-04	2.62E-04	5.71E-05	8.8E-01	4.6E+00	1.6E+00	1.0E+00	4.7E+00	4.5E-12
Europium (63)	Eu-147	1.05E+01	6.60E-02	5.21E-05	1.10E-05	3.02E-05	4.64E-05	1.10E-05	9.8E-01	4.7E+00	1.7E+00	1.1E+00	4.6E+00	2.7E-11
Europium (63)	Eu-148	4.64E+00	1.49E-01	2.73E-04	5.45E-05	1.55E-04	2.40E-04	5.33E-05	8.3E-02	4.1E-01	1.5E-01	9.4E-02	4.2E-01	5.1E-12
Europium (63)	Eu-149	2.72E+00	2.55E-01	4.04E-06	1.13E-06	2.70E-06	3.79E-06	1.39E-06	3.3E+00	1.2E+01	4.9E+00	3.5E+00	9.5E+00	3.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Europium (63)	Eu-150	1.88E-02	3.69E+01	1.83E-04	3.80E-05	1.07E-04	1.64E-04	3.72E-05	1.3E-03	6.4E-03	2.3E-03	1.5E-03	6.6E-03	2.1E-11
Europium (63)	Eu-150m	4.74E+02	1.46E-03	5.55E-06	1.18E-06	3.28E-06	5.02E-06	1.26E-06	4.2E+02	2.0E+03	7.0E+02	4.6E+02	1.8E+03	2.6E-10
Europium (63)	Eu-152	5.12E-02	1.35E+01	1.46E-04	2.83E-05	8.03E-05	1.26E-04	2.77E-05	2.4E-03	1.2E-02	4.3E-03	2.7E-03	1.2E-02	1.4E-11
Europium (63)	Eu-152m	6.52E+02	1.06E-03	3.63E-05	7.22E-06	2.02E-05	3.16E-05	7.26E-06	8.7E+01	4.4E+02	1.6E+02	1.0E+02	4.4E+02	4.0E-11
Europium (63)	Eu-152n	3.79E+03	1.83E-04	4.07E-06	1.45E-06	3.37E-06	4.07E-06	1.59E-06	4.5E+03	1.3E+04	5.5E+03	4.5E+03	1.2E+04	3.5E-10
Europium (63)	Eu-154	8.06E-02	8.59E+00	1.58E-04	3.04E-05	8.63E-05	1.36E-04	2.97E-05	2.9E-03	1.5E-02	5.2E-03	3.3E-03	1.5E-02	1.1E-11
Europium (63)	Eu-154m	7.92E+03	8.75E-05	3.03E-06	1.19E-06	2.57E-06	3.02E-06	1.43E-06	1.3E+04	3.2E+04	1.5E+04	1.3E+04	2.7E+04	4.8E-10
Europium (63)	Eu-155	1.46E-01	4.76E+00	3.38E-06	1.19E-06	2.78E-06	3.38E-06	1.32E-06	2.2E-01	6.1E-01	2.6E-01	2.2E-01	5.5E-01	4.5E-10
Europium (63)	Eu-156	1.67E+01	4.16E-02	1.66E-04	2.97E-05	8.53E-05	1.38E-04	2.88E-05	4.9E-01	2.7E+00	9.5E-01	5.9E-01	2.8E+00	8.9E-12
Europium (63)	Eu-157	4.00E+02	1.73E-03	2.98E-05	6.77E-06	1.83E-05	2.74E-05	7.01E-06	6.5E+01	2.9E+02	1.1E+02	7.1E+01	2.8E+02	5.0E-11
Europium (63)	Eu-158	7.94E+03	8.73E-05	1.69E-04	3.17E-05	9.04E-05	1.44E-04	3.10E-05	2.3E+02	1.2E+03	4.3E+02	2.7E+02	1.2E+03	8.8E-12
Europium (63)	Eu-159	2.01E+04	3.44E-05	3.13E-05	6.92E-06	1.84E-05	2.78E-05	7.42E-06	3.1E+03	1.4E+04	5.3E+03	3.5E+03	1.3E+04	4.8E-11
Fluorine (9)	F-17	3.39E+05	2.04E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	1.4E+04	6.5E+04	2.3E+04	1.5E+04	6.5E+04	1.3E-12
Fluorine (9)	F-18	3.32E+03	2.09E-04	1.16E-04	2.46E-05	6.92E-05	1.06E-04	2.41E-05	1.5E+02	7.3E+02	2.6E+02	1.7E+02	7.5E+02	1.6E-12
Iron (26)	Fe-52	7.34E+02	9.45E-04	8.30E-05	1.82E-05	5.10E-05	7.64E-05	1.78E-05	4.3E+01	2.0E+02	7.0E+01	4.7E+01	2.0E+02	5.9E-12
Iron (26)	Fe-53	4.28E+04	1.62E-05	1.39E-04	2.94E-05	8.28E-05	1.27E-04	2.91E-05	1.5E+03	7.1E+03	2.5E+03	1.6E+03	7.2E+03	3.6E-12
Iron (26)	Fe-53m	1.44E+05	4.81E-06	4.04E-04	7.47E-05	2.14E-04	3.41E-04	7.20E-05	1.7E+03	9.4E+03	3.3E+03	2.1E+03	9.8E+03	1.2E-12
Iron (26)	Fe-55	2.53E-01	2.74E+00	1.29E-14	3.69E-15	9.69E-15	1.28E-14	3.66E-15	9.5E+07	3.3E+08	1.3E+08	9.6E+07	3.4E+08	4.0E-02
Iron (26)	Fe-59	5.68E+00	1.22E-01	1.57E-04	2.90E-05	8.33E-05	1.33E-04	2.81E-05	1.8E-01	9.5E-01	3.3E-01	2.1E-01	9.9E-01	3.5E-12
Iron (26)	Fe-60	4.62E-07	1.50E+06	4.77E-10	2.50E-10	4.34E-10	4.77E-10	4.80E-10	4.5E+02	8.6E+02	5.0E+02	4.5E+02	4.5E+02	1.1E-01
Iron (26)	Fe-60+D	4.62E-07	1.50E+06	3.35E-04	6.11E-05	1.75E-04	2.81E-04	5.90E-05	5.8E-04	3.2E-03	1.1E-03	6.9E-04	3.3E-03	1.5E-07
Iron (26)	Fe-61	6.09E+04	1.14E-05	1.84E-04	3.41E-05	9.74E-05	1.56E-04	3.31E-05	1.6E+03	8.7E+03	3.0E+03	1.9E+03	8.9E+03	3.1E-12
Iron (26)	Fe-62	3.21E+05	2.16E-06	6.00E-05	1.27E-05	3.57E-05	5.46E-05	1.27E-05	2.6E+04	1.2E+05	4.4E+04	2.9E+04	1.2E+05	9.8E-12
Fermium (100)	Fm-251	1.15E+03	6.05E-04	1.42E-05	3.48E-06	9.39E-06	1.33E-05	3.50E-06	3.9E+02	1.6E+03	5.9E+02	4.2E+02	1.6E+03	1.7E-10
Fermium (100)	Fm-252	2.39E+02	2.90E-03	3.60E-08	8.03E-09	1.98E-08	3.04E-08	1.72E-08	3.2E+04	1.4E+05	5.9E+04	3.8E+04	6.8E+04	6.6E-08
Fermium (100)	Fm-253	8.43E+01	8.22E-03	4.51E-06	1.27E-06	3.32E-06	4.42E-06	1.36E-06	9.1E+01	3.2E+02	1.2E+02	9.3E+01	3.0E+02	5.3E-10
Fermium (100)	Fm-254	1.87E+03	3.70E-04	9.47E-07	1.70E-07	4.84E-07	7.79E-07	1.73E-07	9.6E+03	5.4E+04	1.9E+04	1.2E+04	5.3E+04	2.5E-09
Fermium (100)	Fm-255	3.02E+02	2.29E-03	1.06E-07	4.65E-08	8.94E-08	1.05E-07	1.33E-07	1.4E+04	3.2E+04	1.6E+04	1.4E+04	1.1E+04	2.3E-08
Fermium (100)	Fm-256	2.31E+03	3.00E-04	1.67E-03	2.97E-04	8.53E-04	1.38E-03	2.87E-04	6.7E+00	3.8E+01	1.3E+01	8.2E+00	3.9E+01	1.4E-12
Fermium (100)	Fm-257	2.52E+00	2.75E-01	1.33E-05	3.22E-06	8.68E-06	1.23E-05	3.25E-06	9.2E-01	3.8E+00	1.4E+00	9.9E-01	3.8E+00	1.8E-10
Francium (87)	Fr-212	1.82E+04	3.81E-05	1.42E-04	2.75E-05	7.78E-05	1.22E-04	2.68E-05	6.2E+02	3.2E+03	1.1E+03	7.2E+02	3.3E+03	1.4E-11
Francium (87)	Fr-219	1.09E+09	6.34E-10	3.91E-07	8.74E-08	2.44E-07	3.66E-07	8.58E-08	1.4E+10	6.1E+10	2.2E+10	1.5E+10	6.2E+10	5.3E-09
Francium (87)	Fr-220	7.98E+05	8.69E-07	6.15E-07	1.93E-07	4.76E-07	6.06E-07	2.06E-07	6.3E+06	2.0E+07	8.2E+06	6.4E+06	1.9E+07	3.4E-09
Francium (87)	Fr-220+D	7.98E+05	8.69E-07	7.89E-07	2.46E-07	6.06E-07	7.76E-07	2.60E-07	4.9E+06	1.6E+07	6.4E+06	5.0E+06	1.5E+07	2.6E-09
Francium (87)	Fr-221	7.43E+04	9.32E-06	2.83E-06	6.92E-07	1.91E-06	2.73E-06	6.82E-07	1.3E+05	5.2E+05	1.9E+05	1.3E+05	5.3E+05	7.4E-10
Francium (87)	Fr-221+D	7.43E+04	9.32E-06	2.86E-06	6.97E-07	1.92E-06	2.75E-06	6.88E-07	1.3E+05	5.2E+05	1.9E+05	1.3E+05	5.3E+05	7.3E-10
Francium (87)	Fr-222	2.57E+04	2.70E-05	1.84E-05	4.27E-06	1.18E-05	1.72E-05	4.39E-06	6.8E+03	2.9E+04	1.1E+04	7.3E+03	2.8E+04	1.1E-10
Francium (87)	Fr-223	1.66E+04	4.19E-05	3.66E-06	1.08E-06	2.60E-06	3.50E-06	1.31E-06	2.2E+04	7.5E+04	3.1E+04	2.3E+04	6.2E+04	5.8E-10
Francium (87)	Fr-224	1.09E+05	6.34E-06	6.91E-05	1.34E-05	3.82E-05	5.96E-05	1.33E-05	7.7E+03	4.0E+04	1.4E+04	8.9E+03	4.0E+04	3.1E-11
Francium (87)	Fr-227	1.47E+05	4.70E-06	4.86E-05	1.08E-05	2.96E-05	4.42E-05	1.09E-05	1.5E+04	6.7E+04	2.4E+04	1.6E+04	6.6E+04	4.4E-11
Gallium (31)	Ga-64	1.39E+05	5.00E-06	4.54E-04	8.08E-05	2.33E-04	3.76E-04	7.83E-05	1.5E+03	8.4E+03	2.9E+03	1.8E+03	8.6E+03	1.3E-12
Gallium (31)	Ga-65	2.40E+04	2.89E-05	1.35E-04	2.87E-05	8.03E-05	1.22E-04	2.84E-05	8.6E+02	4.1E+03	1.5E+03	9.5E+02	4.1E+03	4.5E-12
Gallium (31)	Ga-66	6.40E+02	1.08E-03	3.44E-04	5.86E-05	1.69E-04	2.77E-04	5.62E-05	9.1E+00	5.3E+01	1.8E+01	1.1E+01	5.5E+01	1.8E-12
Gallium (31)	Ga-67	7.76E+01	8.93E-03	1.46E-05	3.64E-06	9.90E-06	1.40E-05	3.60E-06	2.6E+01	1.0E+02	3.8E+01	2.7E+01	1.0E+02	4.3E-11
Gallium (31)	Ga-68	5.38E+03	1.29E-04	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	2.3E+02	1.1E+03	3.9E+02	2.6E+02	1.1E+03	5.7E-12
Gallium (31)	Ga-70	1.72E+04	4.02E-05	1.15E-06	2.54E-07	6.66E-07	1.01E-06	4.67E-07	7.3E+04	3.3E+05	1.3E+05	8.3E+04	1.8E+05	5.8E-10
Gallium (31)	Ga-72	4.31E+02	1.61E-03	3.66E-04	6.51E-05	1.87E-04	3.03E-04	6.25E-05	5.7E+00	3.2E+01	1.1E+01	6.9E+00	3.4E+01	1.9E-12
Gallium (31)	Ga-73	1.25E+03	5.55E-04	3.85E-05	8.48E-06	2.39E-05	3.57E-05	8.46E-06	1.6E+02	7.2E+02	2.5E+02	1.7E+02	7.2E+02	1.8E-11
Gallium (31)	Ga-74	4.49E+04	1.54E-05	4.35E-04	7.47E-05	2.17E-04	3.53E-04	7.23E-05	5.0E+02	2.9E+03	1.0E+03	6.2E+02	3.0E+03	1.6E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Gadolinium (64)	Gd-142	3.11E+05	2.23E-06	1.27E-04	2.56E-05	7.22E-05	1.12E-04	2.52E-05	1.2E+04	5.9E+04	2.1E+04	1.4E+04	6.0E+04	1.1E-11
Gadolinium (64)	Gd-143m	1.99E+05	3.49E-06	2.60E-04	5.20E-05	1.47E-04	2.29E-04	5.11E-05	3.7E+03	1.9E+04	6.6E+03	4.2E+03	1.9E+04	5.2E-12
Gadolinium (64)	Gd-144	8.15E+04	8.50E-06	1.15E-04	2.19E-05	6.21E-05	9.81E-05	2.15E-05	3.5E+03	1.8E+04	6.4E+03	4.0E+03	1.8E+04	1.2E-11
Gadolinium (64)	Gd-145	1.58E+04	4.38E-05	3.31E-04	5.71E-05	1.66E-04	2.70E-04	5.52E-05	2.3E+02	1.4E+03	4.7E+02	2.8E+02	1.4E+03	4.1E-12
Gadolinium (64)	Gd-145m	2.57E+05	2.70E-06	8.30E-05	1.69E-05	4.76E-05	7.38E-05	1.66E-05	1.5E+04	7.4E+04	2.6E+04	1.7E+04	7.6E+04	1.6E-11
Gadolinium (64)	Gd-146	5.24E+00	1.32E-01	1.52E-05	4.81E-06	1.16E-05	1.51E-05	5.43E-06	1.7E+00	5.3E+00	2.2E+00	1.7E+00	4.7E+00	9.0E-11
Gadolinium (64)	Gd-147	1.59E+02	4.35E-03	1.67E-04	3.40E-05	9.59E-05	1.48E-04	3.35E-05	4.6E+00	2.3E+01	8.1E+00	5.2E+00	2.3E+01	8.3E-12
Gadolinium (64)	Gd-148	9.29E-03	7.46E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-149	2.73E+01	2.54E-02	5.52E-05	1.23E-05	3.39E-05	5.05E-05	1.24E-05	2.4E+00	1.1E+01	3.9E+00	2.6E+00	1.1E+01	2.5E-11
Gadolinium (64)	Gd-150	3.87E-07	1.79E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-151	2.04E+00	3.40E-01	3.82E-06	1.19E-06	2.76E-06	3.72E-06	1.47E-06	2.6E+00	8.4E+00	3.6E+00	2.7E+00	6.8E+00	3.7E-10
Gadolinium (64)	Gd-152	6.42E-15	1.08E+14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Gadolinium (64)	Gd-153	1.05E+00	6.59E-01	4.35E-06	1.71E-06	3.64E-06	4.35E-06	2.18E-06	1.2E+00	3.0E+00	1.4E+00	1.2E+00	2.3E+00	3.3E-10
Gadolinium (64)	Gd-159	3.29E+02	2.11E-03	5.14E-06	1.22E-06	3.28E-06	4.80E-06	1.33E-06	3.1E+02	1.3E+03	4.9E+02	3.3E+02	1.2E+03	2.9E-10
Gadolinium (64)	Gd-162	4.34E+04	1.60E-05	4.73E-05	1.03E-05	2.90E-05	4.39E-05	1.02E-05	4.5E+03	2.0E+04	7.3E+03	4.8E+03	2.1E+04	3.2E-11
Germanium (32)	Ge-66	2.69E+03	2.58E-04	7.64E-05	1.64E-05	4.59E-05	6.94E-05	1.62E-05	1.7E+02	8.0E+02	2.8E+02	1.9E+02	8.1E+02	8.2E-12
Germanium (32)	Ge-67	1.93E+04	3.60E-05	1.71E-04	3.52E-05	9.95E-05	1.53E-04	3.47E-05	5.5E+02	2.7E+03	9.4E+02	6.1E+02	2.7E+03	3.7E-12
Germanium (32)	Ge-68	9.34E-01	7.42E-01	1.10E-11	1.10E-11	1.10E-11	1.10E-11	3.98E-10	4.1E+05	4.1E+05	4.1E+05	4.1E+05	1.1E+04	5.9E-05
Germanium (32)	Ge-68+D	9.34E-01	7.42E-01	1.13E-04	2.36E-05	6.66E-05	1.02E-04	2.34E-05	4.0E-02	1.9E-01	6.8E-02	4.5E-02	1.9E-01	5.7E-12
Germanium (32)	Ge-69	1.55E+02	4.46E-03	1.20E-04	2.33E-05	6.61E-05	1.04E-04	2.27E-05	6.3E+00	3.2E+01	1.1E+01	7.2E+00	3.3E+01	5.4E-12
Germanium (32)	Ge-71	2.21E+01	3.13E-02	1.11E-11	1.11E-11	1.11E-11	1.11E-11	4.04E-10	9.7E+06	9.7E+06	9.7E+06	9.7E+06	2.7E+05	6.0E-05
Germanium (32)	Ge-75	4.40E+03	1.57E-04	3.82E-06	8.89E-07	2.48E-06	3.63E-06	9.85E-07	5.6E+03	2.4E+04	8.6E+03	5.9E+03	2.2E+04	1.9E-10
Germanium (32)	Ge-77	5.37E+02	1.29E-03	1.30E-04	2.65E-05	7.52E-05	1.16E-04	2.60E-05	2.0E+01	9.9E+01	3.5E+01	2.3E+01	1.0E+02	5.6E-12
Germanium (32)	Ge-78	4.14E+03	1.67E-04	2.98E-05	6.82E-06	1.92E-05	2.83E-05	6.63E-06	6.8E+02	3.0E+03	1.0E+03	7.1E+02	3.0E+03	2.5E-11
Hydrogen (1)	H-3	5.63E-02	1.23E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-167	1.78E+05	3.90E-06	6.85E-05	1.51E-05	4.20E-05	6.31E-05	1.51E-05	1.3E+04	5.7E+04	2.1E+04	1.4E+04	5.7E+04	2.3E-11
Hafnium (72)	Hf-169	1.12E+05	6.16E-06	7.07E-05	1.55E-05	4.29E-05	6.47E-05	1.55E-05	7.7E+03	3.5E+04	1.3E+04	8.5E+03	3.5E+04	2.3E-11
Hafnium (72)	Hf-170	3.79E+02	1.83E-03	4.39E-05	1.01E-05	2.73E-05	4.04E-05	1.03E-05	4.2E+01	1.8E+02	6.8E+01	4.6E+01	1.8E+02	3.7E-11
Hafnium (72)	Hf-172	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	4.4E-01	1.1E+00	5.1E-01	4.4E-01	8.5E-01	4.0E-10
Hafnium (72)	Hf-172+D	3.71E-01	1.87E+00	4.07E-06	1.71E-06	3.52E-06	4.07E-06	2.13E-06	4.4E-01	1.1E+00	5.1E-01	4.4E-01	8.5E-01	4.0E-10
Hafnium (72)	Hf-173	2.57E+02	2.69E-03	3.50E-05	8.94E-06	2.36E-05	3.35E-05	9.09E-06	3.6E+01	1.4E+02	5.3E+01	3.7E+01	1.4E+02	4.7E-11
Hafnium (72)	Hf-174	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Hafnium (72)	Hf-175	3.61E+00	1.92E-01	3.47E-05	8.23E-06	2.23E-05	3.25E-05	8.30E-06	5.1E-01	2.1E+00	7.9E-01	5.4E-01	2.1E+00	4.8E-11
Hafnium (72)	Hf-177m	7.09E+03	9.78E-05	2.36E-04	5.45E-05	1.51E-04	2.22E-04	5.40E-05	1.5E+02	6.3E+02	2.3E+02	1.6E+02	6.4E+02	7.1E-12
Hafnium (72)	Hf-178m	2.24E-02	3.10E+01	2.46E-04	5.45E-05	1.52E-04	2.27E-04	5.36E-05	1.0E-03	4.7E-03	1.7E-03	1.1E-03	4.7E-03	1.6E-11
Hafnium (72)	Hf-179m	1.01E+01	6.86E-02	9.44E-05	2.19E-05	6.01E-05	8.84E-05	2.17E-05	5.2E-01	2.2E+00	8.2E-01	5.6E-01	2.3E+00	1.8E-11
Hafnium (72)	Hf-180m	1.10E+03	6.28E-04	1.05E-04	2.38E-05	6.61E-05	9.78E-05	2.35E-05	5.1E+01	2.3E+02	8.1E+01	5.5E+01	2.3E+02	1.6E-11
Hafnium (72)	Hf-181	5.97E+00	1.16E-01	5.78E-05	1.29E-05	3.58E-05	5.33E-05	1.27E-05	5.0E-01	2.2E+00	8.1E-01	5.4E-01	2.3E+00	3.0E-11
Hafnium (72)	Hf-182	7.70E-08	9.00E+06	2.46E-05	5.76E-06	1.61E-05	2.34E-05	5.65E-06	7.9E-03	3.4E-02	1.2E-02	8.3E-03	3.4E-02	3.6E-05
Hafnium (72)	Hf-182+D	7.70E-08	9.00E+06	1.87E-04	3.69E-05	1.04E-04	1.62E-04	3.60E-05	1.0E-03	5.3E-03	1.9E-03	1.2E-03	5.4E-03	4.8E-06
Hafnium (72)	Hf-182m	5.92E+03	1.17E-04	1.00E-04	2.19E-05	6.06E-05	9.15E-05	2.17E-05	2.9E+02	1.3E+03	4.8E+02	3.1E+02	1.3E+03	1.7E-11
Hafnium (72)	Hf-183	5.69E+03	1.22E-04	9.21E-05	1.89E-05	5.30E-05	8.17E-05	1.87E-05	3.0E+02	1.5E+03	5.2E+02	3.4E+02	1.5E+03	1.9E-11
Hafnium (72)	Hf-184	1.47E+03	4.70E-04	2.18E-05	5.40E-06	1.46E-05	2.08E-05	5.49E-06	3.3E+02	1.3E+03	4.9E+02	3.4E+02	1.3E+03	8.0E-11
Mercury (80)	Hg-190	1.82E+04	3.81E-05	1.43E-05	4.27E-06	1.08E-05	1.41E-05	4.42E-06	6.2E+03	2.1E+04	8.2E+03	6.3E+03	2.0E+04	1.3E-10
Mercury (80)	Hg-191m	7.17E+03	9.67E-05	1.77E-04	3.59E-05	1.01E-04	1.56E-04	3.50E-05	2.0E+02	9.7E+02	3.4E+02	2.2E+02	1.0E+03	1.0E-11
Mercury (80)	Hg-192	1.25E+03	5.54E-04	2.36E-05	6.11E-06	1.62E-05	2.26E-05	6.22E-06	2.6E+02	1.0E+03	3.8E+02	2.7E+02	9.8E+02	7.7E-11
Mercury (80)	Hg-193	1.60E+03	4.34E-04	1.01E-04	1.99E-05	5.60E-05	8.74E-05	1.95E-05	7.7E+01	3.9E+02	1.4E+02	8.9E+01	4.0E+02	1.8E-11
Mercury (80)	Hg-193+D	1.60E+03	4.34E-04	1.02E-04	2.00E-05	5.66E-05	8.80E-05	1.97E-05	7.6E+01	3.9E+02	1.4E+02	8.8E+01	4.0E+02	1.8E-11
Mercury (80)	Hg-193m	5.14E+02	1.35E-03	1.25E-04	2.47E-05	6.97E-05	1.09E-04	2.41E-05	2.0E+01	1.0E+02	3.6E+01	2.3E+01	1.0E+02	1.5E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Mercury (80)	Hg-194	1.58E-03	4.40E+02	9.75E-11	9.74E-11	9.74E-11	9.75E-11	2.32E-09	2.0E+03	2.0E+03	2.0E+03	2.0E+03	8.5E+01	4.9E-04
Mercury (80)	Hg-194+D	1.58E-03	4.40E+02	1.29E-04	2.47E-05	7.02E-05	1.11E-04	2.41E-05	1.5E-03	8.0E-03	2.8E-03	1.8E-03	8.2E-03	3.7E-10
Mercury (80)	Hg-195	5.77E+02	1.20E-03	1.94E-05	4.47E-06	1.18E-05	1.74E-05	4.54E-06	1.4E+02	6.3E+02	2.4E+02	1.6E+02	6.2E+02	9.5E-11
Mercury (80)	Hg-195m	1.46E+02	4.75E-03	1.97E-05	4.63E-06	1.25E-05	1.83E-05	4.64E-06	3.6E+01	1.5E+02	5.7E+01	3.9E+01	1.5E+02	9.4E-11
Mercury (80)	Hg-197	9.35E+01	7.41E-03	3.28E-06	1.32E-06	2.85E-06	3.28E-06	1.50E-06	1.4E+02	3.4E+02	1.6E+02	1.4E+02	3.0E+02	5.7E-10
Mercury (80)	Hg-197m	2.55E+02	2.72E-03	7.04E-06	2.04E-06	5.20E-06	6.88E-06	2.10E-06	1.8E+02	6.1E+02	2.4E+02	1.8E+02	5.9E+02	2.6E-10
Mercury (80)	Hg-199m	8.54E+03	8.12E-05	1.54E-05	4.08E-06	1.08E-05	1.48E-05	4.13E-06	2.7E+03	1.0E+04	3.9E+03	2.8E+03	1.0E+04	1.2E-10
Mercury (80)	Hg-203	5.43E+00	1.28E-01	2.49E-05	5.76E-06	1.61E-05	2.36E-05	5.62E-06	1.1E+00	4.6E+00	1.6E+00	1.1E+00	4.7E+00	7.7E-11
Mercury (80)	Hg-205	7.00E+04	9.89E-06	6.66E-07	1.79E-07	4.55E-07	6.37E-07	3.50E-07	5.1E+05	1.9E+06	7.5E+05	5.3E+05	9.7E+05	2.9E-09
Mercury (80)	Hg-206	4.47E+04	1.55E-05	1.31E-05	2.97E-06	8.28E-06	1.22E-05	3.02E-06	1.7E+04	7.3E+04	2.6E+04	1.8E+04	7.2E+04	1.5E-10
Mercury (80)	Hg-207	1.26E+05	5.52E-06	3.57E-04	6.41E-05	1.85E-04	2.97E-04	6.19E-05	1.7E+03	9.5E+03	3.3E+03	2.1E+03	9.9E+03	5.5E-12
Holmium (67)	Ho-150	2.85E+05	2.44E-06	2.32E-04	4.75E-05	1.34E-04	2.07E-04	4.67E-05	6.0E+03	2.9E+04	1.0E+04	6.7E+03	3.0E+04	6.1E-12
Holmium (67)	Ho-153	1.81E+05	3.82E-06	1.20E-04	2.51E-05	7.07E-05	1.08E-04	2.49E-05	7.4E+03	3.5E+04	1.2E+04	8.2E+03	3.5E+04	1.2E-11
Holmium (67)	Ho-153m	3.92E+04	1.77E-05	1.21E-04	2.60E-05	7.22E-05	1.10E-04	2.58E-05	1.6E+03	7.3E+03	2.6E+03	1.7E+03	7.4E+03	1.2E-11
Holmium (67)	Ho-154	3.10E+04	2.24E-05	2.29E-04	4.64E-05	1.31E-04	2.03E-04	4.58E-05	6.6E+02	3.2E+03	1.1E+03	7.4E+02	3.3E+03	6.3E-12
Holmium (67)	Ho-154m	1.17E+05	5.90E-06	2.87E-04	6.01E-05	1.69E-04	2.59E-04	5.90E-05	2.0E+03	9.5E+03	3.4E+03	2.2E+03	9.7E+03	5.1E-12
Holmium (67)	Ho-155	7.59E+03	9.13E-05	6.94E-05	1.45E-05	4.04E-05	6.19E-05	1.45E-05	5.3E+02	2.5E+03	9.1E+02	6.0E+02	2.5E+03	2.1E-11
Holmium (67)	Ho-156	6.50E+03	1.07E-04	2.63E-04	5.10E-05	1.44E-04	2.27E-04	4.99E-05	1.2E+02	6.2E+02	2.2E+02	1.4E+02	6.3E+02	5.6E-12
Holmium (67)	Ho-157	2.89E+04	2.40E-05	6.09E-05	1.34E-05	3.67E-05	5.52E-05	1.36E-05	2.3E+03	1.0E+04	3.8E+03	2.5E+03	1.0E+04	2.4E-11
Holmium (67)	Ho-159	1.10E+04	6.29E-05	3.38E-05	8.38E-06	2.20E-05	3.15E-05	8.77E-06	1.6E+03	6.4E+03	2.4E+03	1.7E+03	6.1E+03	4.4E-11
Holmium (67)	Ho-160	1.42E+04	4.87E-05	2.07E-04	4.13E-05	1.16E-04	1.81E-04	4.07E-05	3.3E+02	1.7E+03	6.0E+02	3.8E+02	1.7E+03	7.3E-12
Holmium (67)	Ho-161	2.45E+03	2.83E-04	1.46E-06	7.32E-07	1.30E-06	1.45E-06	1.10E-06	8.2E+03	1.6E+04	9.1E+03	8.2E+03	1.1E+04	1.0E-09
Holmium (67)	Ho-162	2.43E+04	2.85E-05	1.58E-05	3.47E-06	9.14E-06	1.38E-05	3.69E-06	7.5E+03	3.4E+04	1.3E+04	8.5E+03	3.2E+04	9.7E-11
Holmium (67)	Ho-162m	5.44E+03	1.27E-04	6.50E-05	1.31E-05	3.64E-05	5.65E-05	1.31E-05	4.1E+02	2.0E+03	7.3E+02	4.7E+02	2.0E+03	2.4E-11
Holmium (67)	Ho-163	1.52E-04	4.57E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Holmium (67)	Ho-164	1.26E+04	5.52E-05	7.48E-07	4.09E-07	7.02E-07	7.48E-07	6.22E-07	8.2E+04	1.5E+05	8.7E+04	8.2E+04	9.8E+04	2.1E-09
Holmium (67)	Ho-164m	9.59E+03	7.23E-05	9.75E-07	5.86E-07	9.49E-07	9.75E-07	8.90E-07	4.8E+04	8.0E+04	4.9E+04	4.8E+04	5.2E+04	1.6E-09
Holmium (67)	Ho-166	2.27E+02	3.06E-03	3.25E-06	7.22E-07	1.86E-06	2.79E-06	9.69E-07	3.4E+02	1.5E+03	5.9E+02	3.9E+02	1.1E+03	4.8E-10
Holmium (67)	Ho-166m	5.78E-04	1.20E+03	1.93E-04	3.99E-05	1.12E-04	1.73E-04	3.91E-05	1.0E-03	4.9E-03	1.7E-03	1.1E-03	5.0E-03	5.7E-10
Holmium (67)	Ho-167	1.96E+03	3.54E-04	3.91E-05	8.89E-06	2.47E-05	3.66E-05	8.77E-06	2.4E+02	1.1E+03	3.9E+02	2.6E+02	1.1E+03	4.0E-11
Holmium (67)	Ho-168	1.22E+05	5.69E-06	1.09E-04	2.17E-05	6.11E-05	9.56E-05	2.14E-05	5.4E+03	2.7E+04	9.7E+03	6.2E+03	2.8E+04	1.5E-11
Holmium (67)	Ho-168m	1.66E+05	4.19E-06	1.38E-07	8.33E-08	1.35E-07	1.38E-07	1.25E-07	5.8E+06	9.7E+06	6.0E+06	5.8E+06	6.4E+06	1.1E-08
Holmium (67)	Ho-170	1.32E+05	5.25E-06	2.10E-04	4.17E-05	1.18E-04	1.84E-04	4.10E-05	3.1E+03	1.5E+04	5.5E+03	3.5E+03	1.6E+04	7.6E-12
Iodine (53)	I-118	2.66E+04	2.61E-05	2.50E-04	5.04E-05	1.43E-04	2.22E-04	4.95E-05	5.2E+02	2.6E+03	9.1E+02	5.8E+02	2.6E+03	4.5E-12
Iodine (53)	I-118m	4.29E+04	1.62E-05	4.64E-04	9.29E-05	2.63E-04	4.10E-04	9.09E-05	4.5E+02	2.2E+03	7.9E+02	5.1E+02	2.3E+03	2.4E-12
Iodine (53)	I-119	1.91E+04	3.63E-05	1.04E-04	2.23E-05	6.26E-05	9.53E-05	2.21E-05	8.9E+02	4.2E+03	1.5E+03	9.7E+02	4.2E+03	1.1E-11
Iodine (53)	I-120	4.46E+03	1.55E-04	3.50E-04	6.41E-05	1.84E-04	2.94E-04	6.22E-05	6.2E+01	3.4E+02	1.2E+02	7.4E+01	3.5E+02	3.2E-12
Iodine (53)	I-120m	6.87E+03	1.01E-04	4.45E-04	8.63E-05	2.46E-04	3.85E-04	8.43E-05	7.5E+01	3.9E+02	1.4E+02	8.7E+01	4.0E+02	2.5E-12
Iodine (53)	I-121	2.86E+03	2.42E-04	4.20E-05	9.34E-06	2.61E-05	3.88E-05	9.34E-06	3.3E+02	1.5E+03	5.3E+02	3.6E+02	1.5E+03	2.7E-11
Iodine (53)	I-122	1.00E+05	6.91E-06	1.15E-04	2.40E-05	6.77E-05	1.04E-04	2.39E-05	4.3E+03	2.0E+04	7.2E+03	4.7E+03	2.0E+04	1.0E-11
Iodine (53)	I-123	4.57E+02	1.51E-03	1.39E-05	3.60E-06	9.64E-06	1.35E-05	3.79E-06	1.6E+02	6.2E+02	2.3E+02	1.7E+02	5.9E+02	8.4E-11
Iodine (53)	I-124	6.06E+01	1.14E-02	1.39E-04	2.69E-05	7.67E-05	1.21E-04	2.64E-05	2.1E+00	1.1E+01	3.8E+00	2.4E+00	1.1E+01	8.4E-12
Iodine (53)	I-125	4.26E+00	1.63E-01	1.97E-07	1.82E-07	1.96E-07	1.97E-07	6.19E-07	1.1E+02	1.1E+02	1.1E+02	1.1E+02	3.4E+01	6.0E-09
Iodine (53)	I-126	1.96E+01	3.54E-02	5.08E-05	1.06E-05	2.98E-05	4.58E-05	1.05E-05	1.9E+00	9.0E+00	3.2E+00	2.1E+00	9.1E+00	2.3E-11
Iodine (53)	I-128	1.46E+04	4.75E-05	8.02E-06	1.76E-06	4.86E-06	7.35E-06	1.98E-06	8.8E+03	4.0E+04	1.5E+04	9.6E+03	3.6E+04	1.5E-10
Iodine (53)	I-129	4.41E-08	1.57E+07	1.67E-07	1.44E-07	1.66E-07	1.67E-07	4.01E-07	1.2E+00	1.4E+00	1.2E+00	1.2E+00	4.9E-01	6.6E-03
Iodine (53)	I-130	4.91E+02	1.41E-03	2.61E-04	5.30E-05	1.50E-04	2.33E-04	5.18E-05	9.2E+00	4.5E+01	1.6E+01	1.0E+01	4.6E+01	4.7E-12
Iodine (53)	I-130m	4.12E+04	1.68E-05	1.28E-05	2.63E-06	7.37E-06	1.14E-05	2.67E-06	1.6E+04	7.6E+04	2.7E+04	1.8E+04	7.5E+04	9.6E-11
Iodine (53)	I-131	3.15E+01	2.20E-02	4.32E-05	9.44E-06	2.65E-05	4.01E-05	9.25E-06	3.5E+00	1.6E+01	5.8E+00	3.8E+00	1.7E+01	2.9E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Iodine (53)	I-132	2.65E+03	2.62E-04	2.85E-04	5.60E-05	1.59E-04	2.49E-04	5.46E-05	4.5E+01	2.3E+02	8.1E+01	5.2E+01	2.4E+02	4.4E-12
Iodine (53)	I-132m	4.38E+03	1.58E-04	4.01E-05	8.23E-06	2.31E-05	3.57E-05	8.14E-06	5.3E+02	2.6E+03	9.2E+02	6.0E+02	2.6E+03	3.1E-11
Iodine (53)	I-133	2.92E+02	2.37E-03	7.38E-05	1.52E-05	4.29E-05	6.63E-05	1.50E-05	1.9E+01	9.3E+01	3.3E+01	2.1E+01	9.5E+01	1.7E-11
Iodine (53)	I-134	6.94E+03	9.99E-05	3.31E-04	6.41E-05	1.82E-04	2.87E-04	6.22E-05	1.0E+02	5.3E+02	1.9E+02	1.2E+02	5.4E+02	3.8E-12
Iodine (53)	I-134m	1.01E+05	6.85E-06	2.88E-05	6.56E-06	1.82E-05	2.70E-05	6.66E-06	1.7E+04	7.5E+04	2.7E+04	1.8E+04	7.4E+04	4.4E-11
Iodine (53)	I-135	9.24E+02	7.50E-04	2.12E-04	3.83E-05	1.11E-04	1.78E-04	3.72E-05	2.1E+01	1.2E+02	4.1E+01	2.5E+01	1.2E+02	6.0E-12
Indium (49)	In-103	3.64E+05	1.90E-06	3.53E-04	6.72E-05	1.91E-04	3.03E-04	6.53E-05	5.0E+03	2.6E+04	9.3E+03	5.9E+03	2.7E+04	2.8E-12
Indium (49)	In-105	7.18E+04	9.65E-06	2.40E-04	4.72E-05	1.34E-04	2.10E-04	4.61E-05	1.5E+03	7.4E+03	2.6E+03	1.7E+03	7.6E+03	4.1E-12
Indium (49)	In-106	5.87E+04	1.18E-05	4.42E-04	8.84E-05	2.49E-04	3.88E-04	8.62E-05	6.5E+02	3.2E+03	1.1E+03	7.4E+02	3.3E+03	2.3E-12
Indium (49)	In-106m	7.00E+04	9.89E-06	3.69E-04	6.87E-05	1.96E-04	3.13E-04	6.66E-05	9.2E+02	5.0E+03	1.7E+03	1.1E+03	5.1E+03	2.7E-12
Indium (49)	In-107	1.12E+04	6.16E-05	1.96E-04	3.68E-05	1.05E-04	1.67E-04	3.57E-05	2.8E+02	1.5E+03	5.2E+02	3.3E+02	1.5E+03	5.2E-12
Indium (49)	In-108	6.28E+03	1.10E-04	4.99E-04	9.59E-05	2.73E-04	4.32E-04	9.31E-05	6.1E+01	3.2E+02	1.1E+02	7.1E+01	3.3E+02	2.0E-12
Indium (49)	In-108m	9.20E+03	7.53E-05	3.76E-04	6.51E-05	1.89E-04	3.06E-04	6.28E-05	1.2E+02	6.9E+02	2.4E+02	1.5E+02	7.1E+02	2.7E-12
Indium (49)	In-109	1.45E+03	4.79E-04	7.54E-05	1.53E-05	4.33E-05	6.66E-05	1.50E-05	9.3E+01	4.6E+02	1.6E+02	1.1E+02	4.7E+02	1.4E-11
Indium (49)	In-109m	2.72E+05	2.55E-06	7.42E-05	1.51E-05	4.28E-05	6.63E-05	1.48E-05	1.8E+04	8.8E+04	3.1E+04	2.0E+04	8.9E+04	1.4E-11
Indium (49)	In-110	1.24E+03	5.59E-04	3.88E-04	7.62E-05	2.16E-04	3.38E-04	7.45E-05	1.6E+01	7.9E+01	2.8E+01	1.8E+01	8.1E+01	2.7E-12
Indium (49)	In-110m	5.27E+03	1.31E-04	1.96E-04	3.87E-05	1.10E-04	1.72E-04	3.79E-05	1.3E+02	6.6E+02	2.3E+02	1.5E+02	6.8E+02	5.3E-12
Indium (49)	In-111	9.02E+01	7.68E-03	3.85E-05	9.34E-06	2.59E-05	3.72E-05	9.28E-06	1.1E+01	4.7E+01	1.7E+01	1.2E+01	4.7E+01	2.7E-11
Indium (49)	In-111m	4.73E+04	1.46E-05	5.55E-05	1.17E-05	3.28E-05	5.05E-05	1.15E-05	4.1E+03	2.0E+04	7.0E+03	4.6E+03	2.0E+04	1.9E-11
Indium (49)	In-112	2.43E+04	2.85E-05	3.11E-05	6.51E-06	1.84E-05	2.81E-05	6.50E-06	3.8E+03	1.8E+04	6.4E+03	4.2E+03	1.8E+04	3.4E-11
Indium (49)	In-112m	1.77E+04	3.91E-05	1.87E-06	5.20E-07	1.34E-06	1.83E-06	6.37E-07	4.6E+04	1.7E+05	6.4E+04	4.7E+04	1.4E+05	5.7E-10
Indium (49)	In-113m	3.66E+03	1.89E-04	2.88E-05	6.31E-06	1.77E-05	2.67E-05	6.22E-06	6.2E+02	2.8E+03	1.0E+03	6.7E+02	2.9E+03	3.7E-11
Indium (49)	In-114	3.04E+05	2.28E-06	6.34E-07	1.67E-07	3.95E-07	5.71E-07	4.23E-07	2.3E+06	8.9E+06	3.7E+06	2.6E+06	3.5E+06	1.7E-09
Indium (49)	In-114m	5.11E+00	1.36E-01	7.95E-06	1.76E-06	4.91E-06	7.32E-06	1.81E-06	3.1E+00	1.4E+01	5.1E+00	3.4E+00	1.4E+01	1.4E-10
Indium (49)	In-114m+D	5.11E+00	1.36E-01	8.55E-06	1.92E-06	5.30E-06	7.89E-06	2.22E-06	2.9E+00	1.3E+01	4.7E+00	3.2E+00	1.1E+01	1.3E-10
Indium (49)	In-115	1.57E-15	4.41E+14	7.42E-09	2.68E-09	5.91E-09	7.35E-09	4.26E-09	2.9E+01	8.1E+01	3.7E+01	2.9E+01	5.1E+01	4.1E+06
Indium (49)	In-115m	1.35E+03	5.12E-04	1.71E-05	3.82E-06	1.07E-05	1.60E-05	3.82E-06	3.9E+02	1.7E+03	6.2E+02	4.1E+02	1.7E+03	6.3E-11
Indium (49)	In-116m	6.69E+03	1.04E-04	3.31E-04	6.01E-05	1.72E-04	2.77E-04	5.78E-05	9.8E+01	5.4E+02	1.9E+02	1.2E+02	5.6E+02	3.3E-12
Indium (49)	In-117	8.43E+03	8.22E-05	7.86E-05	1.70E-05	4.77E-05	7.20E-05	1.67E-05	5.2E+02	2.4E+03	8.6E+02	5.7E+02	2.5E+03	1.4E-11
Indium (49)	In-117m	3.13E+03	2.21E-04	9.06E-06	2.14E-06	5.91E-06	8.62E-06	2.25E-06	1.7E+03	7.1E+03	2.6E+03	1.8E+03	6.8E+03	1.2E-10
Indium (49)	In-118	4.37E+06	1.59E-07	1.26E-05	2.51E-06	6.87E-06	1.08E-05	2.82E-06	1.7E+06	8.5E+06	3.1E+06	2.0E+06	7.5E+06	8.8E-11
Indium (49)	In-118m	8.35E+04	8.30E-06	3.63E-04	6.82E-05	1.94E-04	3.10E-04	6.63E-05	1.1E+03	6.0E+03	2.1E+03	1.3E+03	6.1E+03	3.1E-12
Indium (49)	In-119	1.52E+05	4.57E-06	9.56E-05	1.91E-05	5.40E-05	8.43E-05	1.89E-05	7.7E+03	3.9E+04	1.4E+04	8.8E+03	3.9E+04	1.2E-11
Indium (49)	In-119m	2.02E+04	3.42E-05	8.93E-06	1.77E-06	4.91E-06	7.70E-06	2.04E-06	1.1E+04	5.6E+04	2.0E+04	1.3E+04	4.8E+04	1.3E-10
Indium (49)	In-121	9.46E+05	7.32E-07	1.18E-04	2.31E-05	6.51E-05	1.03E-04	2.28E-05	3.9E+04	2.0E+05	7.1E+04	4.5E+04	2.0E+05	9.7E-12
Indium (49)	In-121m	9.39E+04	7.38E-06	7.45E-06	1.65E-06	4.23E-06	6.41E-06	2.11E-06	6.1E+04	2.8E+05	1.1E+05	7.1E+04	2.2E+05	1.5E-10
Iridium (77)	Ir-180	2.43E+05	2.85E-06	1.88E-04	3.95E-05	1.11E-04	1.69E-04	3.88E-05	6.3E+03	3.0E+04	1.1E+04	7.0E+03	3.0E+04	9.0E-12
Iridium (77)	Ir-182	2.43E+04	2.85E-05	1.66E-04	3.47E-05	9.74E-05	1.49E-04	3.41E-05	7.1E+02	3.4E+03	1.2E+03	7.9E+02	3.5E+03	1.0E-11
Iridium (77)	Ir-183	6.28E+03	1.10E-04	1.47E-04	2.82E-05	7.98E-05	1.25E-04	2.75E-05	2.1E+02	1.1E+03	3.8E+02	2.4E+02	1.1E+03	1.2E-11
Iridium (77)	Ir-184	1.96E+03	3.53E-04	2.41E-04	4.74E-05	1.34E-04	2.09E-04	4.64E-05	4.0E+01	2.0E+02	7.1E+01	4.6E+01	2.1E+02	7.2E-12
Iridium (77)	Ir-185	4.22E+02	1.64E-03	1.06E-04	1.99E-05	5.66E-05	8.90E-05	1.95E-05	1.9E+01	1.0E+02	3.6E+01	2.3E+01	1.1E+02	1.6E-11
Iridium (77)	Ir-186	3.65E+02	1.90E-03	2.03E-04	4.00E-05	1.13E-04	1.76E-04	3.91E-05	8.7E+00	4.4E+01	1.6E+01	1.0E+01	4.5E+01	8.6E-12
Iridium (77)	Ir-186m	3.16E+03	2.19E-04	1.58E-04	3.01E-05	8.53E-05	1.35E-04	2.93E-05	9.8E+01	5.1E+02	1.8E+02	1.1E+02	5.2E+02	1.1E-11
Iridium (77)	Ir-187	5.78E+02	1.20E-03	3.47E-05	7.67E-06	2.07E-05	3.11E-05	7.73E-06	8.1E+01	3.7E+02	1.4E+02	9.1E+01	3.6E+02	5.1E-11
Iridium (77)	Ir-188	1.46E+02	4.74E-03	2.82E-04	4.94E-05	1.42E-04	2.31E-04	4.77E-05	2.5E+00	1.4E+01	5.0E+00	3.1E+00	1.5E+01	6.3E-12
Iridium (77)	Ir-189	1.92E+01	3.62E-02	4.32E-06	1.48E-06	3.38E-06	4.23E-06	1.66E-06	2.2E+01	6.3E+01	2.8E+01	2.2E+01	5.6E+01	4.1E-10
Iridium (77)	Ir-190	2.15E+01	3.23E-02	1.68E-04	3.60E-05	1.01E-04	1.53E-04	3.53E-05	6.2E-01	2.9E+00	1.0E+00	6.8E-01	3.0E+00	1.1E-11
Iridium (77)	Ir-190m	5.42E+03	1.28E-04	1.92E-11	1.92E-11	1.92E-11	1.92E-11	5.68E-10	1.4E+09	1.4E+09	1.4E+09	1.4E+09	4.6E+07	9.4E-05
Iridium (77)	Ir-190n	1.97E+03	3.52E-04	2.46E-06	1.01E-06	2.12E-06	2.45E-06	1.18E-06	3.9E+03	9.5E+03	4.5E+03	3.9E+03	8.1E+03	7.3E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Iridium (77)	Ir-191m	4.42E+06	1.57E-07	4.32E-06	1.46E-06	3.46E-06	4.29E-06	1.58E-06	5.0E+06	1.5E+07	6.2E+06	5.0E+06	1.4E+07	4.2E-10
Iridium (77)	Ir-192	3.43E+00	2.02E-01	9.15E-05	2.01E-05	5.66E-05	8.49E-05	1.97E-05	1.8E-01	8.3E-01	2.9E-01	2.0E-01	8.5E-01	2.0E-11
Iridium (77)	Ir-192m	2.51E+05	2.76E-06	4.83E-09	1.32E-09	3.27E-09	4.58E-09	3.35E-09	2.5E+08	9.2E+08	3.7E+08	2.7E+08	3.7E+08	3.8E-07
Iridium (77)	Ir-192n	2.88E-03	2.41E+02	3.16E-08	1.17E-08	2.61E-08	3.14E-08	1.71E-08	6.4E+00	1.7E+01	7.7E+00	6.4E+00	1.2E+01	8.3E-07
Iridium (77)	Ir-193m	2.40E+01	2.88E-02	1.25E-08	5.55E-09	1.13E-08	1.25E-08	7.16E-09	9.4E+03	2.1E+04	1.0E+04	9.3E+03	1.6E+04	1.5E-07
Iridium (77)	Ir-194	3.15E+02	2.20E-03	1.11E-05	2.36E-06	6.61E-06	1.00E-05	2.56E-06	1.4E+02	6.5E+02	2.3E+02	1.5E+02	6.0E+02	1.6E-10
Iridium (77)	Ir-194m	1.48E+00	4.68E-01	2.73E-04	5.76E-05	1.63E-04	2.48E-04	5.65E-05	2.6E-02	1.3E-01	4.4E-02	2.9E-02	1.3E-01	6.7E-12
Iridium (77)	Ir-195	2.43E+03	2.85E-04	3.04E-06	1.12E-06	2.51E-06	3.02E-06	1.31E-06	3.9E+03	1.1E+04	4.7E+03	3.9E+03	9.0E+03	6.1E-10
Iridium (77)	Ir-195m	1.60E+03	4.34E-04	4.01E-05	9.04E-06	2.49E-05	3.72E-05	8.96E-06	1.9E+02	8.6E+02	3.1E+02	2.1E+02	8.7E+02	4.6E-11
Iridium (77)	Ir-196	4.20E+05	1.65E-06	2.89E-05	5.96E-06	1.68E-05	2.58E-05	6.15E-06	7.1E+04	3.4E+05	1.2E+05	7.9E+04	3.3E+05	6.4E-11
Iridium (77)	Ir-196m	4.34E+03	1.60E-04	2.88E-04	6.11E-05	1.72E-04	2.62E-04	5.96E-05	7.3E+01	3.5E+02	1.2E+02	8.1E+01	3.5E+02	6.4E-12
Potassium (19)	K-38	4.77E+04	1.45E-05	4.35E-04	7.57E-05	2.20E-04	3.57E-04	7.32E-05	5.3E+02	3.1E+03	1.1E+03	6.5E+02	3.2E+03	8.2E-13
Potassium (19)	K-40	5.54E-10	1.25E+09	2.16E-05	3.83E-06	1.11E-05	1.79E-05	3.85E-06	9.0E-03	5.1E-02	1.8E-02	1.1E-02	5.1E-02	1.3E-03
Potassium (19)	K-42	4.91E+02	1.41E-03	3.98E-05	7.07E-06	2.03E-05	3.28E-05	7.16E-06	6.0E+01	3.4E+02	1.2E+02	7.3E+01	3.3E+02	1.0E-11
Potassium (19)	K-43	2.72E+02	2.55E-03	1.14E-04	2.39E-05	6.77E-05	1.03E-04	2.34E-05	1.2E+01	5.5E+01	2.0E+01	1.3E+01	5.7E+01	3.6E-12
Potassium (19)	K-44	1.65E+04	4.21E-05	3.35E-04	5.66E-05	1.65E-04	2.70E-04	5.46E-05	2.4E+02	1.4E+03	4.9E+02	3.0E+02	1.5E+03	1.2E-12
Potassium (19)	K-45	2.11E+04	3.29E-05	2.52E-04	4.37E-05	1.27E-04	2.06E-04	4.20E-05	4.1E+02	2.3E+03	8.1E+02	5.0E+02	2.4E+03	1.7E-12
Potassium (19)	K-46	2.08E+05	3.33E-06	4.13E-04	6.77E-05	1.96E-04	3.25E-04	6.47E-05	2.5E+03	1.5E+04	5.2E+03	3.1E+03	1.6E+04	1.1E-12
Krypton (36)	Kr-74	3.17E+04	2.19E-05	1.20E-04	2.60E-05	7.27E-05	1.10E-04	2.57E-05	1.3E+03	5.9E+03	2.1E+03	1.4E+03	6.0E+03	5.8E-12
Krypton (36)	Kr-75	8.49E+04	8.16E-06	1.49E-04	3.19E-05	8.94E-05	1.35E-04	3.15E-05	2.8E+03	1.3E+04	4.6E+03	3.1E+03	1.3E+04	4.7E-12
Krypton (36)	Kr-76	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	4.4E+01	2.0E+02	7.0E+01	4.7E+01	2.0E+02	1.6E-11
Krypton (36)	Kr-76+D	4.10E+02	1.69E-03	4.58E-05	1.02E-05	2.86E-05	4.26E-05	1.00E-05	4.4E+01	2.0E+02	7.0E+01	4.7E+01	2.0E+02	1.6E-11
Krypton (36)	Kr-77	4.90E+03	1.42E-04	1.17E-04	2.55E-05	7.12E-05	1.07E-04	2.53E-05	2.0E+02	9.3E+02	3.3E+02	2.2E+02	9.4E+02	6.2E-12
Krypton (36)	Kr-79	1.73E+02	4.00E-03	2.89E-05	6.16E-06	1.73E-05	2.64E-05	6.00E-06	2.9E+01	1.4E+02	4.9E+01	3.2E+01	1.4E+02	2.6E-11
Krypton (36)	Kr-81	3.03E-06	2.29E+05	8.80E-08	2.05E-08	5.71E-08	8.36E-08	3.13E-08	2.2E+00	9.5E+00	3.4E+00	2.3E+00	6.2E+00	1.1E-04
Krypton (36)	Kr-81m	1.67E+06	4.15E-07	1.24E-05	3.06E-06	8.48E-06	1.21E-05	2.99E-06	6.5E+05	2.6E+06	9.6E+05	6.7E+05	2.7E+06	6.2E-11
Krypton (36)	Kr-83m	3.32E+03	2.09E-04	3.38E-10	3.22E-10	3.36E-10	3.38E-10	5.05E-09	4.8E+07	5.0E+07	4.8E+07	4.8E+07	3.2E+06	2.3E-06
Krypton (36)	Kr-85	6.44E-02	1.08E+01	2.87E-07	6.36E-08	1.75E-07	2.63E-07	8.87E-08	1.4E+00	6.2E+00	2.2E+00	1.5E+00	4.4E+00	3.5E-09
Krypton (36)	Kr-85m	1.36E+03	5.11E-04	1.47E-05	3.72E-06	1.01E-05	1.43E-05	3.69E-06	4.5E+02	1.8E+03	6.5E+02	4.6E+02	1.8E+03	5.4E-11
Krypton (36)	Kr-87	4.77E+03	1.45E-04	1.08E-04	1.91E-05	5.50E-05	8.90E-05	1.87E-05	2.1E+02	1.2E+03	4.2E+02	2.6E+02	1.2E+03	7.6E-12
Krypton (36)	Kr-88	2.14E+03	3.24E-04	2.75E-04	4.58E-05	1.34E-04	2.20E-04	4.39E-05	3.8E+01	2.3E+02	7.8E+01	4.7E+01	2.4E+02	3.0E-12
Krypton (36)	Kr-89	1.16E+05	5.99E-06	2.65E-04	4.61E-05	1.33E-04	2.16E-04	4.45E-05	2.1E+03	1.2E+04	4.2E+03	2.6E+03	1.3E+04	3.2E-12
Lanthanum (57)	La-128	7.03E+04	9.86E-06	3.50E-04	6.97E-05	1.98E-04	3.08E-04	6.85E-05	9.8E+02	4.9E+03	1.7E+03	1.1E+03	5.0E+03	3.5E-12
Lanthanum (57)	La-129	3.14E+04	2.21E-05	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.24E-05	1.4E+03	6.8E+03	2.4E+03	1.6E+03	6.8E+03	1.1E-11
Lanthanum (57)	La-130	4.19E+04	1.66E-05	2.77E-04	5.50E-05	1.56E-04	2.43E-04	5.36E-05	7.4E+02	3.7E+03	1.3E+03	8.4E+02	3.8E+03	4.4E-12
Lanthanum (57)	La-131	6.17E+03	1.12E-04	7.35E-05	1.59E-05	4.43E-05	6.69E-05	1.58E-05	4.1E+02	1.9E+03	6.8E+02	4.5E+02	1.9E+03	1.7E-11
Lanthanum (57)	La-132	1.26E+03	5.48E-04	2.55E-04	4.82E-05	1.38E-04	2.18E-04	4.70E-05	2.4E+01	1.3E+02	4.5E+01	2.8E+01	1.3E+02	4.9E-12
Lanthanum (57)	La-132m	1.50E+04	4.62E-05	7.67E-05	1.62E-05	4.51E-05	6.91E-05	1.60E-05	9.5E+02	4.5E+03	1.6E+03	1.1E+03	4.6E+03	1.6E-11
Lanthanum (57)	La-133	1.55E+03	4.47E-04	1.63E-05	3.51E-06	9.64E-06	1.47E-05	3.69E-06	4.6E+02	2.2E+03	7.8E+02	5.1E+02	2.0E+03	7.7E-11
Lanthanum (57)	La-134	5.65E+04	1.23E-05	8.49E-05	1.78E-05	5.01E-05	7.67E-05	1.78E-05	3.2E+03	1.5E+04	5.5E+03	3.6E+03	1.5E+04	1.5E-11
Lanthanum (57)	La-135	3.11E+02	2.23E-03	1.39E-06	4.16E-07	9.04E-07	1.28E-06	6.75E-07	1.1E+03	3.6E+03	1.7E+03	1.2E+03	2.2E+03	9.1E-10
Lanthanum (57)	La-136	3.69E+04	1.88E-05	4.64E-05	9.85E-06	2.75E-05	4.20E-05	9.91E-06	3.9E+03	1.8E+04	6.5E+03	4.3E+03	1.8E+04	2.8E-11
Lanthanum (57)	La-137	1.16E-05	6.00E+04	1.86E-07	1.58E-07	1.85E-07	1.86E-07	4.13E-07	1.0E+00	1.2E+00	1.1E+00	1.0E+00	4.7E-01	2.4E-05
Lanthanum (57)	La-138	6.79E-12	1.02E+11	1.63E-04	2.97E-05	8.53E-05	1.37E-04	2.87E-05	1.2E-03	6.6E-03	2.3E-03	1.4E-03	6.8E-03	4.7E-02
Lanthanum (57)	La-140	1.51E+02	4.60E-03	3.10E-04	5.55E-05	1.61E-04	2.59E-04	5.40E-05	2.4E+00	1.3E+01	4.6E+00	2.8E+00	1.4E+01	4.3E-12
Lanthanum (57)	La-141	1.55E+03	4.47E-04	4.23E-06	8.28E-07	2.26E-06	3.57E-06	1.10E-06	1.8E+03	9.1E+03	3.3E+03	2.1E+03	6.8E+03	3.1E-10
Lanthanum (57)	La-142	4.00E+03	1.73E-04	3.35E-04	5.55E-05	1.63E-04	2.68E-04	5.33E-05	5.8E+01	3.5E+02	1.2E+02	7.3E+01	3.6E+02	4.0E-12
Lanthanum (57)	La-143	2.57E+04	2.70E-05	3.66E-05	6.61E-06	1.89E-05	3.05E-05	6.72E-06	3.4E+03	1.9E+04	6.6E+03	4.1E+03	1.9E+04	3.7E-11
Lutetium (71)	Lu-165	3.39E+04	2.04E-05	1.32E-04	2.65E-05	7.42E-05	1.15E-04	2.62E-05	1.3E+03	6.2E+03	2.2E+03	1.4E+03	6.3E+03	1.2E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Lutetium (71)	Lu-167	7.07E+03	9.80E-05	2.19E-04	4.00E-05	1.15E-04	1.83E-04	3.88E-05	1.6E+02	8.6E+02	3.0E+02	1.9E+02	8.9E+02	7.2E-12
Lutetium (71)	Lu-169	1.78E+02	3.89E-03	1.65E-04	3.14E-05	8.89E-05	1.40E-04	3.07E-05	5.2E+00	2.8E+01	9.8E+00	6.2E+00	2.8E+01	9.7E-12
Lutetium (71)	Lu-169m	1.37E+05	5.07E-06	4.17E-12	4.07E-12	4.17E-12	4.17E-12	1.04E-10	1.6E+11	1.6E+11	1.6E+11	1.6E+11	6.4E+09	3.8E-04
Lutetium (71)	Lu-170	1.26E+02	5.51E-03	3.50E-04	6.01E-05	1.74E-04	2.84E-04	5.78E-05	1.7E+00	1.0E+01	3.5E+00	2.2E+00	1.1E+01	4.6E-12
Lutetium (71)	Lu-171	3.07E+01	2.26E-02	7.26E-05	1.53E-05	4.20E-05	6.44E-05	1.54E-05	2.1E+00	9.8E+00	3.6E+00	2.3E+00	9.7E+00	2.2E-11
Lutetium (71)	Lu-171m	2.77E+05	2.51E-06	1.17E-08	5.45E-09	1.07E-08	1.17E-08	6.85E-09	1.1E+08	2.5E+08	1.3E+08	1.1E+08	2.0E+08	1.4E-07
Lutetium (71)	Lu-172	3.78E+01	1.84E-02	2.44E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	7.5E-01	3.9E+00	1.4E+00	8.7E-01	4.0E+00	6.7E-12
Lutetium (71)	Lu-172m	9.84E+04	7.04E-06	2.52E-11	1.80E-11	2.50E-11	2.52E-11	6.72E-11	1.9E+10	2.7E+10	1.9E+10	1.9E+10	7.1E+09	6.4E-05
Lutetium (71)	Lu-173	5.06E-01	1.37E+00	1.21E-05	3.60E-06	8.63E-06	1.16E-05	4.04E-06	2.0E-01	6.8E-01	2.9E-01	2.1E-01	6.1E-01	1.4E-10
Lutetium (71)	Lu-174	2.09E-01	3.31E+00	1.01E-05	2.35E-06	5.91E-06	8.77E-06	2.56E-06	1.0E-01	4.4E-01	1.7E-01	1.2E-01	4.0E-01	1.6E-10
Lutetium (71)	Lu-174m	1.78E+00	3.89E-01	2.48E-06	9.85E-07	1.98E-06	2.37E-06	1.25E-06	3.5E+00	8.8E+00	4.4E+00	3.7E+00	7.0E+00	6.6E-10
Lutetium (71)	Lu-176	1.80E-11	3.85E+10	4.83E-05	1.15E-05	3.17E-05	4.61E-05	1.13E-05	4.0E-03	1.7E-02	6.1E-03	4.2E-03	1.7E-02	7.6E-02
Lutetium (71)	Lu-176m	1.67E+03	4.15E-04	7.61E-07	2.93E-07	6.36E-07	7.57E-07	4.61E-07	1.1E+04	2.8E+04	1.3E+04	1.1E+04	1.8E+04	2.2E-09
Lutetium (71)	Lu-177	3.81E+01	1.82E-02	3.08E-06	8.03E-07	2.15E-06	2.99E-06	8.05E-07	6.0E+01	2.3E+02	8.6E+01	6.2E+01	2.3E+02	5.4E-10
Lutetium (71)	Lu-177m	1.58E+00	4.39E-01	9.81E-05	2.35E-05	6.46E-05	9.31E-05	2.34E-05	7.8E-02	3.3E-01	1.2E-01	8.2E-02	3.3E-01	1.7E-11
Lutetium (71)	Lu-178	1.28E+04	5.40E-05	1.64E-05	3.09E-06	8.68E-06	1.38E-05	3.25E-06	3.8E+03	2.0E+04	7.2E+03	4.5E+03	1.9E+04	1.0E-10
Lutetium (71)	Lu-178m	1.58E+04	4.39E-05	1.09E-04	2.52E-05	6.97E-05	1.02E-04	2.50E-05	7.0E+02	3.0E+03	1.1E+03	7.5E+02	3.1E+03	1.5E-11
Lutetium (71)	Lu-179	1.32E+03	5.24E-04	3.12E-06	7.52E-07	2.07E-06	2.98E-06	8.90E-07	2.1E+03	8.6E+03	3.1E+03	2.2E+03	7.2E+03	5.4E-10
Lutetium (71)	Lu-180	6.39E+04	1.08E-05	1.93E-04	3.69E-05	1.05E-04	1.66E-04	3.60E-05	1.6E+03	8.4E+03	3.0E+03	1.9E+03	8.6E+03	8.8E-12
Lutetium (71)	Lu-181	1.04E+05	6.66E-06	6.56E-05	1.40E-05	3.89E-05	5.93E-05	1.40E-05	7.7E+03	3.6E+04	1.3E+04	8.5E+03	3.6E+04	2.6E-11
Magnesium (12)	Mg-27	3.85E+04	1.80E-05	1.14E-04	2.22E-05	6.26E-05	9.88E-05	2.18E-05	1.6E+03	8.5E+03	3.0E+03	1.9E+03	8.6E+03	2.2E-12
Magnesium (12)	Mg-28	2.90E+02	2.39E-03	1.77E-04	3.31E-05	9.44E-05	1.51E-04	3.22E-05	8.0E+00	4.3E+01	1.5E+01	9.4E+00	4.4E+01	1.5E-12
Manganese (25)	Mn-50m	2.08E+05	3.33E-06	6.00E-04	1.14E-04	3.26E-04	5.14E-04	1.11E-04	1.7E+03	8.9E+03	3.1E+03	2.0E+03	9.1E+03	7.9E-13
Manganese (25)	Mn-51	7.88E+03	8.79E-05	1.18E-04	2.49E-05	7.02E-05	1.07E-04	2.47E-05	3.3E+02	1.5E+03	5.5E+02	3.6E+02	1.6E+03	4.1E-12
Manganese (25)	Mn-52	4.52E+01	1.53E-02	4.51E-04	8.48E-05	2.42E-04	3.85E-04	8.20E-05	4.9E-01	2.6E+00	9.1E-01	5.7E-01	2.7E+00	1.1E-12
Manganese (25)	Mn-52m	1.73E+04	4.01E-05	3.11E-04	5.91E-05	1.69E-04	2.67E-04	5.74E-05	2.7E+02	1.4E+03	5.0E+02	3.1E+02	1.5E+03	1.6E-12
Manganese (25)	Mn-53	1.87E-07	3.70E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Manganese (25)	Mn-54	8.10E-01	8.55E-01	1.05E-04	2.07E-05	5.86E-05	9.21E-05	2.02E-05	3.8E-02	1.9E-01	6.7E-02	4.3E-02	2.0E-01	4.9E-12
Manganese (25)	Mn-56	2.35E+03	2.94E-04	2.28E-04	4.10E-05	1.18E-04	1.90E-04	3.98E-05	5.0E+01	2.8E+02	9.7E+01	6.0E+01	2.9E+02	2.3E-12
Manganese (25)	Mn-57	2.56E+05	2.71E-06	1.19E-05	2.55E-06	7.02E-06	1.06E-05	2.82E-06	1.0E+05	4.9E+05	1.8E+05	1.2E+05	4.4E+05	4.5E-11
Manganese (25)	Mn-58m	3.35E+05	2.07E-06	3.19E-04	5.86E-05	1.68E-04	2.68E-04	5.71E-05	5.1E+03	2.8E+04	9.7E+03	6.1E+03	2.9E+04	1.7E-12
Molybdenum (42)	Mo-101	2.49E+04	2.78E-05	1.92E-04	3.58E-05	1.02E-04	1.63E-04	3.47E-05	6.3E+02	3.4E+03	1.2E+03	7.4E+02	3.5E+03	5.0E-12
Molybdenum (42)	Mo-102	3.22E+04	2.15E-05	1.84E-06	4.59E-07	1.26E-06	1.78E-06	5.30E-07	8.5E+04	3.4E+05	1.2E+05	8.8E+04	3.0E+05	5.2E-10
Molybdenum (42)	Mo-89	1.73E+05	4.01E-06	1.49E-04	3.07E-05	8.68E-05	1.34E-04	3.05E-05	5.6E+03	2.7E+04	9.7E+03	6.3E+03	2.8E+04	5.6E-12
Molybdenum (42)	Mo-90	1.09E+03	6.35E-04	9.31E-05	1.99E-05	5.60E-05	8.46E-05	1.96E-05	5.7E+01	2.7E+02	9.5E+01	6.3E+01	2.7E+02	9.1E-12
Molybdenum (42)	Mo-91	2.35E+04	2.95E-05	1.17E-04	2.46E-05	6.92E-05	1.06E-04	2.45E-05	9.8E+02	4.6E+03	1.7E+03	1.1E+03	4.7E+03	7.4E-12
Molybdenum (42)	Mo-91m	3.38E+05	2.05E-06	1.76E-04	3.41E-05	9.69E-05	1.53E-04	3.31E-05	9.3E+03	4.8E+04	1.7E+04	1.1E+04	5.0E+04	4.9E-12
Molybdenum (42)	Mo-93	1.73E-04	4.00E+03	5.74E-09	5.76E-09	5.76E-09	5.74E-09	6.28E-08	3.4E+01	3.4E+01	3.4E+01	3.4E+01	3.1E+00	3.5E-05
Molybdenum (42)	Mo-93m	8.86E+02	7.82E-04	3.03E-04	5.60E-05	1.62E-04	2.58E-04	5.46E-05	1.4E+01	7.7E+01	2.7E+01	1.7E+01	7.9E+01	2.9E-12
Molybdenum (42)	Mo-99	9.21E+01	7.53E-03	1.78E-05	3.67E-06	1.03E-05	1.59E-05	3.69E-06	2.5E+01	1.2E+02	4.3E+01	2.8E+01	1.2E+02	5.3E-11
Nitrogen (7)	N-13	3.66E+04	1.90E-05	1.20E-04	2.54E-05	7.17E-05	1.10E-04	2.50E-05	1.6E+03	7.8E+03	2.8E+03	1.8E+03	7.9E+03	1.1E-12
Nitrogen (7)	N-16	3.07E+06	2.26E-07	7.04E-04	9.29E-05	2.71E-04	4.80E-04	8.49E-05	2.1E+04	1.6E+05	5.5E+04	3.1E+04	1.8E+05	2.1E-13
Sodium (11)	Na-22	2.66E-01	2.60E+00	2.79E-04	5.40E-05	1.53E-04	2.42E-04	5.24E-05	4.7E-03	2.4E-02	8.5E-03	5.4E-03	2.5E-02	7.5E-13
Sodium (11)	Na-24	4.06E+02	1.71E-03	5.93E-04	9.54E-05	2.80E-04	4.67E-04	9.09E-05	3.3E+00	2.1E+01	7.0E+00	4.2E+00	2.2E+01	3.8E-13
Niobium (41)	Nb-87	9.71E+04	7.13E-06	1.40E-04	3.04E-05	8.48E-05	1.28E-04	3.01E-05	3.4E+03	1.6E+04	5.6E+03	3.7E+03	1.6E+04	5.9E-12
Niobium (41)	Nb-88	2.51E+04	2.76E-05	5.27E-04	1.05E-04	2.95E-04	4.61E-04	1.02E-04	2.3E+02	1.2E+03	4.1E+02	2.7E+02	1.2E+03	1.6E-12
Niobium (41)	Nb-88m	4.68E+04	1.48E-05	5.21E-04	1.01E-04	2.88E-04	4.51E-04	9.88E-05	4.4E+02	2.3E+03	7.9E+02	5.0E+02	2.3E+03	1.6E-12
Niobium (41)	Nb-89	2.99E+03	2.32E-04	1.76E-04	3.32E-05	9.49E-05	1.50E-04	3.25E-05	8.3E+01	4.4E+02	1.5E+02	9.7E+01	4.5E+02	4.8E-12
Niobium (41)	Nb-89m	5.52E+03	1.26E-04	1.55E-04	3.25E-05	9.19E-05	1.40E-04	3.22E-05	1.7E+02	8.3E+02	2.9E+02	1.9E+02	8.3E+02	5.4E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Niobium (41)	Nb-90	4.16E+02	1.67E-03	5.74E-04	1.00E-04	2.89E-04	4.70E-04	9.59E-05	3.5E+00	2.0E+01	7.0E+00	4.3E+00	2.1E+01	1.5E-12
Niobium (41)	Nb-91	1.02E-03	6.80E+02	1.93E-07	4.41E-08	1.17E-07	1.76E-07	9.15E-08	1.0E+00	4.5E+00	1.7E+00	1.1E+00	2.2E+00	1.8E-07
Niobium (41)	Nb-91m	4.16E+00	1.67E-01	3.28E-06	6.11E-07	1.74E-06	2.78E-06	6.41E-07	6.2E+00	3.3E+01	1.2E+01	7.3E+00	3.2E+01	2.6E-10
Niobium (41)	Nb-92	2.00E-08	3.47E+07	1.87E-04	3.71E-05	1.05E-04	1.64E-04	3.63E-05	1.0E-03	5.2E-03	1.9E-03	1.2E-03	5.4E-03	9.3E-06
Niobium (41)	Nb-92m	2.49E+01	2.78E-02	1.23E-04	2.37E-05	6.72E-05	1.06E-04	2.31E-05	9.9E-01	5.1E+00	1.8E+00	1.1E+00	5.3E+00	7.1E-12
Niobium (41)	Nb-93m	4.30E-02	1.61E+01	1.03E-09	1.04E-09	1.02E-09	1.03E-09	1.12E-08	3.1E+02	3.1E+02	3.1E+02	3.1E+02	2.8E+01	1.3E-06
Niobium (41)	Nb-94	3.41E-05	2.03E+04	1.95E-04	3.87E-05	1.10E-04	1.71E-04	3.76E-05	1.0E-03	5.0E-03	1.8E-03	1.1E-03	5.2E-03	5.3E-09
Niobium (41)	Nb-94m	5.82E+04	1.19E-05	5.62E-07	1.13E-07	3.13E-07	4.89E-07	1.50E-07	5.0E+05	2.5E+06	9.1E+05	5.8E+05	1.9E+06	1.6E-09
Niobium (41)	Nb-95	7.23E+00	9.59E-02	9.53E-05	1.90E-05	5.35E-05	8.39E-05	1.85E-05	3.7E-01	1.9E+00	6.6E-01	4.2E-01	1.9E+00	9.4E-12
Niobium (41)	Nb-95m	7.01E+01	9.89E-03	6.44E-06	1.52E-06	4.25E-06	6.19E-06	1.52E-06	5.3E+01	2.2E+02	8.0E+01	5.5E+01	2.2E+02	1.4E-10
Niobium (41)	Nb-96	2.60E+02	2.67E-03	3.10E-04	6.11E-05	1.73E-04	2.71E-04	5.93E-05	4.1E+00	2.1E+01	7.3E+00	4.7E+00	2.1E+01	2.9E-12
Niobium (41)	Nb-97	5.05E+03	1.37E-04	8.14E-05	1.66E-05	4.68E-05	7.26E-05	1.63E-05	3.0E+02	1.5E+03	5.3E+02	3.4E+02	1.5E+03	1.1E-11
Niobium (41)	Nb-98m	7.10E+03	9.76E-05	3.66E-04	6.92E-05	1.97E-04	3.13E-04	6.72E-05	9.4E+01	5.0E+02	1.8E+02	1.1E+02	5.1E+02	2.5E-12
Niobium (41)	Nb-99	1.46E+06	4.76E-07	1.46E-05	4.18E-06	1.08E-05	1.44E-05	4.54E-06	4.8E+05	1.7E+06	6.6E+05	4.9E+05	1.6E+06	6.4E-11
Niobium (41)	Nb-99m	1.40E+05	4.95E-06	1.06E-04	1.81E-05	5.25E-05	8.55E-05	1.77E-05	6.4E+03	3.8E+04	1.3E+04	8.0E+03	3.9E+04	8.8E-12
Neodymium (60)	Nd-134	4.29E+04	1.62E-05	5.71E-05	1.28E-05	3.54E-05	5.27E-05	1.28E-05	3.7E+03	1.6E+04	5.9E+03	4.0E+03	1.6E+04	2.2E-11
Neodymium (60)	Nd-135	2.94E+04	2.36E-05	1.45E-04	3.09E-05	8.63E-05	1.31E-04	3.07E-05	9.9E+02	4.6E+03	1.7E+03	1.1E+03	4.7E+03	8.8E-12
Neodymium (60)	Nd-136	7.19E+03	9.64E-05	2.64E-05	6.06E-06	1.62E-05	2.40E-05	6.37E-06	1.3E+03	5.8E+03	2.2E+03	1.5E+03	5.5E+03	4.9E-11
Neodymium (60)	Nd-137	9.46E+03	7.32E-05	1.43E-04	2.83E-05	7.98E-05	1.25E-04	2.80E-05	3.2E+02	1.6E+03	5.8E+02	3.7E+02	1.6E+03	9.1E-12
Neodymium (60)	Nd-138	1.20E+03	5.75E-04	1.85E-06	5.91E-07	1.29E-06	1.76E-06	8.68E-07	3.2E+03	9.9E+03	4.5E+03	3.3E+03	6.8E+03	7.0E-10
Neodymium (60)	Nd-139	1.23E+04	5.65E-05	5.11E-05	1.06E-05	2.97E-05	4.58E-05	1.07E-05	1.2E+03	5.6E+03	2.0E+03	1.3E+03	5.6E+03	2.6E-11
Neodymium (60)	Nd-139m	1.10E+03	6.28E-04	1.95E-04	3.83E-05	1.08E-04	1.69E-04	3.76E-05	2.8E+01	1.4E+02	5.0E+01	3.2E+01	1.4E+02	6.7E-12
Neodymium (60)	Nd-140	7.51E+01	9.23E-03	3.03E-07	2.35E-07	3.02E-07	3.03E-07	5.11E-07	1.2E+03	1.6E+03	1.2E+03	1.2E+03	7.1E+02	4.4E-09
Neodymium (60)	Nd-141	2.44E+03	2.84E-04	6.25E-06	1.41E-06	3.65E-06	5.52E-06	1.66E-06	1.9E+03	8.4E+03	3.2E+03	2.1E+03	7.1E+03	2.1E-10
Neodymium (60)	Nd-141m	3.52E+05	1.97E-06	8.62E-05	1.73E-05	4.87E-05	7.61E-05	1.69E-05	2.0E+04	9.9E+04	3.5E+04	2.3E+04	1.0E+05	1.5E-11
Neodymium (60)	Nd-144	3.03E-16	2.29E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Neodymium (60)	Nd-147	2.30E+01	3.01E-02	1.32E-05	3.12E-06	8.33E-06	1.22E-05	3.28E-06	8.5E+00	3.6E+01	1.3E+01	9.2E+00	3.4E+01	1.1E-10
Neodymium (60)	Nd-149	3.51E+03	1.97E-04	3.91E-05	8.89E-06	2.45E-05	3.63E-05	8.93E-06	4.4E+02	1.9E+03	7.0E+02	4.7E+02	1.9E+03	3.6E-11
Neodymium (60)	Nd-151	2.93E+04	2.37E-05	1.04E-04	2.07E-05	5.86E-05	9.06E-05	2.04E-05	1.4E+03	6.9E+03	2.4E+03	1.6E+03	7.0E+03	1.4E-11
Neodymium (60)	Nd-152	3.20E+04	2.17E-05	1.74E-05	3.96E-06	1.11E-05	1.64E-05	3.98E-06	9.0E+03	3.9E+04	1.4E+04	9.5E+03	3.9E+04	8.3E-11
Neon (10)	Ne-19	1.27E+06	5.46E-07	1.21E-04	2.55E-05	7.17E-05	1.10E-04	2.53E-05	5.1E+04	2.4E+05	8.6E+04	5.6E+04	2.4E+05	1.5E-12
Neon (10)	Ne-24	1.08E+05	6.43E-06	6.41E-05	1.36E-05	3.82E-05	5.84E-05	1.35E-05	8.2E+03	3.9E+04	1.4E+04	9.0E+03	3.9E+04	3.5E-12
Nickel (28)	Ni-56	4.16E+01	1.66E-02	2.09E-04	4.23E-05	1.19E-04	1.85E-04	4.10E-05	9.7E-01	4.8E+00	1.7E+00	1.1E+00	4.9E+00	2.5E-12
Nickel (28)	Ni-57	1.71E+02	4.06E-03	2.56E-04	4.70E-05	1.35E-04	2.16E-04	4.54E-05	3.2E+00	1.8E+01	6.2E+00	3.8E+00	1.8E+01	2.1E-12
Nickel (28)	Ni-59	6.86E-06	1.01E+05	1.83E-09	3.86E-10	1.09E-09	1.66E-09	3.79E-10	1.1E+02	5.0E+02	1.8E+02	1.2E+02	5.1E+02	1.8E-03
Nickel (28)	Ni-63	6.92E-03	1.00E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Nickel (28)	Ni-65	2.41E+03	2.87E-04	7.54E-05	1.36E-05	3.92E-05	6.31E-05	1.33E-05	1.6E+02	8.6E+02	3.0E+02	1.9E+02	8.8E+02	8.1E-12
Nickel (28)	Ni-66	1.11E+02	6.23E-03	9.53E-10	4.41E-10	8.33E-10	9.50E-10	7.42E-10	6.3E+05	1.4E+06	7.2E+05	6.3E+05	8.1E+05	7.3E-07
Neptunium (93)	Np-232	2.48E+04	2.80E-05	1.41E-04	2.90E-05	8.13E-05	1.25E-04	2.83E-05	8.5E+02	4.2E+03	1.5E+03	9.6E+02	4.3E+03	1.6E-11
Neptunium (93)	Np-233	1.01E+04	6.89E-05	6.15E-06	1.86E-06	4.71E-06	6.09E-06	1.92E-06	8.0E+03	2.6E+04	1.0E+04	8.0E+03	2.6E+04	3.6E-10
Neptunium (93)	Np-234	5.75E+01	1.21E-02	1.45E-04	2.64E-05	7.57E-05	1.21E-04	2.55E-05	1.9E+00	1.1E+01	3.7E+00	2.3E+00	1.1E+01	1.5E-11
Neptunium (93)	Np-235	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	8.1E+01	2.2E+02	1.0E+02	8.1E+01	7.9E+01	5.8E-08
Neptunium (93)	Np-235+D	6.39E-01	1.09E+00	3.82E-08	1.40E-08	3.09E-08	3.82E-08	3.94E-08	8.1E+01	2.2E+02	1.0E+02	8.1E+01	7.9E+01	5.8E-08
Neptunium (93)	Np-236	4.50E-06	1.54E+05	1.05E-05	3.05E-06	7.88E-06	1.04E-05	3.16E-06	1.8E-02	6.4E-02	2.5E-02	1.9E-02	6.2E-02	1.9E-06
Neptunium (93)	Np-236m	2.70E+02	2.57E-03	3.57E-06	1.02E-06	2.62E-06	3.47E-06	1.06E-06	3.7E+02	1.3E+03	5.0E+02	3.8E+02	1.2E+03	6.2E-10
Neptunium (93)	Np-237	3.23E-07	2.14E+06	1.40E-06	4.69E-07	1.12E-06	1.39E-06	5.68E-07	1.4E-01	4.2E-01	1.7E-01	1.4E-01	3.4E-01	2.0E-04
Neptunium (93)	Np-237+D	3.23E-07	2.14E+06	2.31E-05	5.60E-06	1.52E-05	2.19E-05	5.65E-06	8.4E-03	3.5E-02	1.3E-02	8.9E-03	3.4E-02	1.2E-05
Neptunium (93)	Np-238	1.19E+02	5.80E-03	7.51E-05	1.43E-05	4.08E-05	6.47E-05	1.40E-05	7.7E+00	4.1E+01	1.4E+01	9.0E+00	4.2E+01	3.0E-11
Neptunium (93)	Np-239	1.07E+02	6.46E-03	1.54E-05	4.03E-06	1.08E-05	1.49E-05	4.04E-06	3.4E+01	1.3E+02	4.9E+01	3.5E+01	1.3E+02	1.5E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Neptunium (93)	Np-240	5.88E+03	1.18E-04	1.26E-04	2.55E-05	7.22E-05	1.12E-04	2.51E-05	2.3E+02	1.1E+03	4.0E+02	2.6E+02	1.1E+03	1.8E-11
Neptunium (93)	Np-240m	5.04E+04	1.37E-05	3.94E-05	7.93E-06	2.24E-05	3.47E-05	7.95E-06	6.2E+03	3.1E+04	1.1E+04	7.1E+03	3.1E+04	5.7E-11
Neptunium (93)	Np-241	2.62E+04	2.64E-05	3.10E-06	8.58E-07	2.23E-06	3.01E-06	9.88E-07	4.1E+04	1.5E+05	5.7E+04	4.2E+04	1.3E+05	7.4E-10
Neptunium (93)	Np-242	1.66E+05	4.19E-06	3.57E-05	6.56E-06	1.88E-05	3.01E-05	6.63E-06	2.3E+04	1.2E+05	4.3E+04	2.7E+04	1.2E+05	6.4E-11
Neptunium (93)	Np-242m	6.62E+04	1.05E-05	1.11E-04	2.23E-05	6.31E-05	9.81E-05	2.20E-05	2.9E+03	1.4E+04	5.1E+03	3.3E+03	1.5E+04	2.1E-11
Oxygen (8)	O-14	3.10E+05	2.24E-06	4.54E-04	7.88E-05	2.28E-04	3.72E-04	7.54E-05	3.3E+03	1.9E+04	6.6E+03	4.0E+03	2.0E+04	2.9E-13
Oxygen (8)	O-15	1.79E+05	3.88E-06	1.21E-04	2.54E-05	7.17E-05	1.10E-04	2.52E-05	8.0E+03	3.8E+04	1.3E+04	8.8E+03	3.8E+04	1.3E-12
Oxygen (8)	O-19	8.26E+05	8.39E-07	1.22E-04	2.32E-05	6.61E-05	1.04E-04	2.28E-05	3.3E+04	1.7E+05	6.1E+04	3.8E+04	1.8E+05	1.5E-12
Osmium (76)	Os-180	1.69E+04	4.09E-05	9.85E-06	2.59E-06	6.51E-06	9.12E-06	2.77E-06	8.4E+03	3.2E+04	1.3E+04	9.0E+03	3.0E+04	1.7E-10
Osmium (76)	Os-181	3.47E+03	2.00E-04	1.69E-04	3.31E-05	9.34E-05	1.46E-04	3.25E-05	1.0E+02	5.1E+02	1.8E+02	1.2E+02	5.2E+02	1.0E-11
Osmium (76)	Os-182	2.75E+02	2.52E-03	4.39E-05	1.01E-05	2.76E-05	4.07E-05	1.02E-05	3.0E+01	1.3E+02	4.8E+01	3.3E+01	1.3E+02	3.9E-11
Osmium (76)	Os-183	4.67E+02	1.48E-03	6.44E-05	1.47E-05	3.98E-05	5.90E-05	1.47E-05	3.5E+01	1.5E+02	5.7E+01	3.9E+01	1.5E+02	2.7E-11
Osmium (76)	Os-183m	6.13E+02	1.13E-03	1.27E-04	2.43E-05	6.87E-05	1.09E-04	2.38E-05	2.4E+01	1.2E+02	4.3E+01	2.7E+01	1.3E+02	1.4E-11
Osmium (76)	Os-185	2.70E+00	2.56E-01	8.05E-05	1.68E-05	4.68E-05	7.20E-05	1.66E-05	1.6E-01	7.8E-01	2.8E-01	1.8E-01	7.9E-01	2.2E-11
Osmium (76)	Os-186	3.47E-16	2.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Osmium (76)	Os-189m	1.05E+03	6.62E-04	1.60E-11	1.60E-11	1.60E-11	1.60E-11	4.92E-10	3.2E+08	3.2E+08	3.2E+08	3.2E+08	1.0E+07	1.1E-04
Osmium (76)	Os-190m	3.68E+04	1.88E-05	1.83E-04	3.91E-05	1.10E-04	1.67E-04	3.82E-05	9.8E+02	4.6E+03	1.6E+03	1.1E+03	4.7E+03	9.8E-12
Osmium (76)	Os-191	1.64E+01	4.22E-02	4.80E-06	1.63E-06	3.84E-06	4.77E-06	1.76E-06	1.7E+01	4.9E+01	2.1E+01	1.7E+01	4.5E+01	3.8E-10
Osmium (76)	Os-191m	4.63E+02	1.50E-03	2.23E-07	1.01E-07	2.03E-07	2.23E-07	1.22E-07	1.0E+04	2.2E+04	1.1E+04	1.0E+04	1.9E+04	8.1E-09
Osmium (76)	Os-193	2.02E+02	3.44E-03	6.66E-06	1.58E-06	4.27E-06	6.22E-06	1.67E-06	1.5E+02	6.2E+02	2.3E+02	1.6E+02	5.9E+02	2.7E-10
Osmium (76)	Os-194	1.16E-01	6.00E+00	4.17E-08	2.78E-08	4.12E-08	4.17E-08	4.86E-08	1.4E+01	2.1E+01	1.4E+01	1.4E+01	1.2E+01	4.7E-08
Osmium (76)	Os-194+D	1.16E-01	6.00E+00	1.12E-05	2.39E-06	6.66E-06	1.01E-05	2.61E-06	5.3E-02	2.5E-01	8.9E-02	5.9E-02	2.3E-01	1.7E-10
Osmium (76)	Os-196	1.04E+04	6.64E-05	8.14E-06	1.91E-06	5.20E-06	7.61E-06	2.00E-06	6.2E+03	2.7E+04	9.8E+03	6.7E+03	2.5E+04	2.3E-10
Phosphorus (15)	P-30	1.46E+05	4.75E-06	1.21E-04	2.58E-05	7.22E-05	1.10E-04	2.56E-05	5.8E+03	2.8E+04	9.8E+03	6.4E+03	2.8E+04	2.3E-12
Phosphorus (15)	P-32	1.77E+01	3.91E-02	2.55E-07	8.58E-08	1.82E-07	2.43E-07	3.25E-07	3.8E+02	1.1E+03	5.3E+02	3.9E+02	3.0E+02	1.3E-09
Phosphorus (15)	P-33	9.98E+00	6.94E-02	1.00E-09	4.65E-10	8.79E-10	1.00E-09	7.83E-10	5.4E+04	1.2E+05	6.1E+04	5.4E+04	6.9E+04	3.5E-07
Protactinium (91)	Pa-227	9.51E+03	7.29E-05	1.13E-06	3.95E-07	9.29E-07	1.13E-06	4.35E-07	4.1E+04	1.2E+05	5.0E+04	4.1E+04	1.1E+05	1.9E-09
Protactinium (91)	Pa-228	2.76E+02	2.51E-03	1.67E-04	3.30E-05	9.29E-05	1.45E-04	3.22E-05	8.0E+00	4.1E+01	1.4E+01	9.3E+00	4.2E+01	1.3E-11
Protactinium (91)	Pa-229	1.69E+02	4.11E-03	3.91E-06	1.28E-06	3.14E-06	3.91E-06	1.35E-06	2.1E+02	6.4E+02	2.6E+02	2.1E+02	6.1E+02	5.5E-10
Protactinium (91)	Pa-230	1.45E+01	4.77E-02	7.95E-05	1.62E-05	4.53E-05	6.97E-05	1.58E-05	8.9E-01	4.4E+00	1.6E+00	1.0E+00	4.5E+00	2.7E-11
Protactinium (91)	Pa-231	2.12E-05	3.28E+04	3.44E-06	8.03E-07	2.22E-06	3.25E-06	8.49E-07	5.7E-02	2.4E-01	8.8E-02	6.0E-02	2.3E-01	1.2E-06
Protactinium (91)	Pa-232	1.93E+02	3.59E-03	1.16E-04	2.30E-05	6.51E-05	1.02E-04	2.24E-05	8.1E+00	4.1E+01	1.4E+01	9.2E+00	4.2E+01	1.9E-11
Protactinium (91)	Pa-233	9.38E+00	7.39E-02	2.17E-05	5.15E-06	1.41E-05	2.05E-05	5.08E-06	2.1E+00	8.9E+00	3.2E+00	2.2E+00	9.0E+00	1.0E-10
Protactinium (91)	Pa-234	9.06E+02	7.65E-04	1.79E-04	3.57E-05	1.01E-04	1.57E-04	3.47E-05	2.5E+01	1.2E+02	4.4E+01	2.8E+01	1.3E+02	1.2E-11
Protactinium (91)	Pa-234m	3.11E+05	2.23E-06	2.45E-06	5.20E-07	1.39E-06	2.14E-06	7.73E-07	6.2E+05	2.9E+06	1.1E+06	7.1E+05	2.0E+06	9.0E-10
Protactinium (91)	Pa-235	1.49E+04	4.66E-05	1.20E-07	4.13E-08	8.74E-08	1.16E-07	1.88E-07	6.0E+05	1.8E+06	8.3E+05	6.2E+05	3.8E+05	1.9E-08
Protactinium (91)	Pa-236	4.00E+04	1.73E-05	1.20E-04	2.22E-05	6.36E-05	1.01E-04	2.17E-05	1.6E+03	8.8E+03	3.1E+03	1.9E+03	9.0E+03	1.9E-11
Protactinium (91)	Pa-237	4.19E+04	1.66E-05	7.57E-05	1.51E-05	4.29E-05	6.69E-05	1.50E-05	2.7E+03	1.3E+04	4.8E+03	3.0E+03	1.4E+04	3.0E-11
Lead (82)	Pb-194	3.04E+04	2.28E-05	1.32E-04	2.59E-05	7.32E-05	1.14E-04	2.53E-05	1.1E+03	5.7E+03	2.0E+03	1.3E+03	5.8E+03	1.4E-11
Lead (82)	Pb-195m	2.43E+04	2.85E-05	1.95E-04	4.05E-05	1.14E-04	1.74E-04	3.98E-05	6.1E+02	2.9E+03	1.0E+03	6.8E+02	3.0E+03	9.5E-12
Lead (82)	Pb-196	9.84E+03	7.04E-05	5.05E-05	1.17E-05	3.18E-05	4.67E-05	1.16E-05	9.5E+02	4.1E+03	1.5E+03	1.0E+03	4.1E+03	3.7E-11
Lead (82)	Pb-197	4.55E+04	1.52E-05	1.95E-04	3.68E-05	1.05E-04	1.66E-04	3.57E-05	1.1E+03	6.0E+03	2.1E+03	1.3E+03	6.2E+03	9.6E-12
Lead (82)	Pb-197m	8.47E+03	8.18E-05	1.35E-04	2.84E-05	7.98E-05	1.21E-04	2.79E-05	3.0E+02	1.5E+03	5.2E+02	3.4E+02	1.5E+03	1.4E-11
Lead (82)	Pb-198	2.53E+03	2.74E-04	4.39E-05	1.03E-05	2.80E-05	4.10E-05	1.02E-05	2.8E+02	1.2E+03	4.4E+02	3.0E+02	1.2E+03	4.3E-11
Lead (82)	Pb-199	4.05E+03	1.71E-04	1.29E-04	2.49E-05	7.07E-05	1.11E-04	2.43E-05	1.5E+02	7.9E+02	2.8E+02	1.8E+02	8.1E+02	1.5E-11
Lead (82)	Pb-200	2.82E+02	2.45E-03	1.61E-05	4.51E-06	1.16E-05	1.56E-05	4.61E-06	8.5E+01	3.0E+02	1.2E+02	8.8E+01	3.0E+02	1.2E-10
Lead (82)	Pb-201	6.51E+02	1.07E-03	8.55E-05	1.82E-05	5.05E-05	7.70E-05	1.79E-05	3.7E+01	1.7E+02	6.3E+01	4.1E+01	1.8E+02	2.2E-11
Lead (82)	Pb-201m	3.58E+05	1.93E-06	4.26E-05	8.94E-06	2.50E-05	3.82E-05	8.90E-06	4.1E+04	2.0E+05	7.0E+04	4.6E+04	2.0E+05	4.5E-11
Lead (82)	Pb-202	1.32E-05	5.25E+04	8.08E-11	8.08E-11	8.08E-11	8.08E-11	2.34E-09	2.4E+03	2.4E+03	2.4E+03	2.4E+03	8.3E+01	7.2E-02

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Lead (82)	Pb-202+D	1.32E-05	5.25E+04	4.89E-05	1.11E-05	3.03E-05	4.54E-05	1.10E-05	4.0E-03	1.8E-02	6.4E-03	4.3E-03	1.8E-02	1.2E-07
Lead (82)	Pb-202m	1.72E+03	4.03E-04	2.45E-04	4.93E-05	1.39E-04	2.16E-04	4.80E-05	3.4E+01	1.7E+02	6.0E+01	3.9E+01	1.7E+02	7.8E-12
Lead (82)	Pb-203	1.17E+02	5.92E-03	2.96E-05	7.27E-06	1.97E-05	2.81E-05	7.26E-06	1.9E+01	7.8E+01	2.9E+01	2.0E+01	7.8E+01	6.5E-11
Lead (82)	Pb-204m	5.42E+03	1.28E-04	2.58E-04	5.10E-05	1.44E-04	2.26E-04	4.95E-05	1.0E+02	5.2E+02	1.8E+02	1.2E+02	5.3E+02	7.5E-12
Lead (82)	Pb-205	4.53E-08	1.53E+07	8.17E-11	8.18E-11	8.18E-11	8.17E-11	2.38E-09	2.4E+03	2.4E+03	2.4E+03	2.4E+03	8.2E+01	2.1E+01
Lead (82)	Pb-209	1.87E+03	3.71E-04	1.45E-08	4.98E-09	1.13E-08	1.43E-08	1.53E-08	7.0E+05	2.0E+06	9.0E+05	7.1E+05	6.6E+05	1.5E-07
Lead (82)	Pb-210	3.12E-02	2.22E+01	4.01E-08	2.58E-08	3.96E-08	4.01E-08	4.64E-08	7.0E+00	1.1E+01	7.1E+00	7.0E+00	6.0E+00	9.1E-08
Lead (82)	Pb-211	1.01E+04	6.87E-05	7.86E-06	1.63E-06	4.56E-06	7.04E-06	1.73E-06	6.2E+03	3.0E+04	1.1E+04	7.0E+03	2.8E+04	2.5E-10
Lead (82)	Pb-212	5.71E+02	1.21E-03	1.34E-05	3.36E-06	9.09E-06	1.29E-05	3.35E-06	2.1E+02	8.3E+02	3.1E+02	2.2E+02	8.3E+02	1.5E-10
Lead (82)	Pb-214	1.36E+04	5.10E-05	2.69E-05	6.11E-06	1.70E-05	2.52E-05	6.03E-06	2.5E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	7.5E-11
Palladium (46)	Pd-100	6.97E+01	9.95E-03	5.46E-06	1.99E-06	4.55E-06	5.46E-06	2.36E-06	6.2E+01	1.7E+02	7.4E+01	6.2E+01	1.4E+02	1.7E-10
Palladium (46)	Pd-101	7.17E+02	9.67E-04	3.91E-05	8.03E-06	2.27E-05	3.50E-05	8.05E-06	8.9E+01	4.3E+02	1.5E+02	1.0E+02	4.3E+02	2.4E-11
Palladium (46)	Pd-103	1.49E+01	4.66E-02	3.06E-08	2.12E-08	2.61E-08	2.99E-08	1.30E-07	2.4E+03	3.4E+03	2.8E+03	2.4E+03	5.6E+02	3.2E-08
Palladium (46)	Pd-107	1.07E-07	6.50E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Palladium (46)	Pd-109	4.43E+02	1.56E-03	3.44E-07	1.18E-07	2.64E-07	3.35E-07	2.75E-07	6.3E+03	1.8E+04	8.2E+03	6.4E+03	7.8E+03	3.0E-09
Palladium (46)	Pd-109m	7.77E+04	8.92E-06	1.02E-05	2.52E-06	6.97E-06	9.88E-06	2.51E-06	3.7E+04	1.5E+05	5.4E+04	3.8E+04	1.5E+05	1.0E-10
Palladium (46)	Pd-111	1.56E+04	4.45E-05	6.41E-06	1.30E-06	3.60E-06	5.62E-06	1.54E-06	1.2E+04	5.8E+04	2.1E+04	1.3E+04	4.9E+04	1.6E-10
Palladium (46)	Pd-112	2.89E+02	2.40E-03	5.11E-09	4.53E-09	4.96E-09	5.11E-09	3.69E-08	2.7E+05	3.1E+05	2.8E+05	2.7E+05	3.8E+04	2.1E-07
Palladium (46)	Pd-114	1.51E+05	4.60E-06	2.69E-06	6.66E-07	1.81E-06	2.58E-06	8.27E-07	2.7E+05	1.1E+06	4.1E+05	2.8E+05	8.9E+05	4.0E-10
Palladium (46)	Pd-96	1.79E+05	3.87E-06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	5.0E+03	2.5E+04	8.8E+03	5.7E+03	2.5E+04	5.2E-12
Palladium (46)	Pd-97	1.17E+05	5.90E-06	3.07E-04	5.76E-05	1.65E-04	2.62E-04	5.62E-05	1.9E+03	9.9E+03	3.5E+03	2.2E+03	1.0E+04	3.0E-12
Palladium (46)	Pd-98	2.06E+04	3.37E-05	4.45E-05	9.64E-06	2.67E-05	4.01E-05	9.59E-06	2.3E+03	1.0E+04	3.8E+03	2.5E+03	1.0E+04	2.1E-11
Palladium (46)	Pd-99	1.70E+04	4.07E-05	1.57E-04	3.11E-05	8.79E-05	1.37E-04	3.04E-05	5.3E+02	2.7E+03	9.4E+02	6.0E+02	2.7E+03	6.0E-12
Promethium (61)	Pm-136	2.04E+05	3.39E-06	3.31E-04	6.82E-05	1.92E-04	2.96E-04	6.69E-05	3.0E+03	1.5E+04	5.2E+03	3.4E+03	1.5E+04	3.9E-12
Promethium (61)	Pm-137m	1.52E+05	4.57E-06	2.07E-04	4.37E-05	1.23E-04	1.87E-04	4.32E-05	3.6E+03	1.7E+04	6.0E+03	4.0E+03	1.7E+04	6.2E-12
Promethium (61)	Pm-139	8.78E+04	7.90E-06	1.12E-04	2.33E-05	6.56E-05	1.01E-04	2.31E-05	3.8E+03	1.8E+04	6.5E+03	4.2E+03	1.8E+04	1.2E-11
Promethium (61)	Pm-140	2.38E+06	2.92E-07	1.28E-04	2.68E-05	7.52E-05	1.16E-04	2.66E-05	9.0E+04	4.3E+05	1.5E+05	1.0E+05	4.4E+05	1.0E-11
Promethium (61)	Pm-140m	6.12E+04	1.13E-05	3.76E-04	7.52E-05	2.12E-04	3.31E-04	7.35E-05	7.9E+02	4.0E+03	1.4E+03	9.0E+02	4.1E+03	3.5E-12
Promethium (61)	Pm-141	1.74E+04	3.98E-05	8.90E-05	1.80E-05	5.10E-05	7.86E-05	1.79E-05	9.5E+02	4.7E+03	1.7E+03	1.1E+03	4.7E+03	1.5E-11
Promethium (61)	Pm-142	5.40E+05	1.28E-06	1.03E-04	2.15E-05	6.06E-05	9.28E-05	2.14E-05	2.6E+04	1.2E+05	4.3E+04	2.8E+04	1.2E+05	1.3E-11
Promethium (61)	Pm-143	9.55E-01	7.26E-01	3.60E-05	7.37E-06	2.04E-05	3.16E-05	7.48E-06	1.3E-01	6.3E-01	2.3E-01	1.5E-01	6.2E-01	3.8E-11
Promethium (61)	Pm-144	6.97E-01	9.95E-01	1.87E-04	3.84E-05	1.08E-04	1.67E-04	3.79E-05	1.8E-02	8.8E-02	3.1E-02	2.0E-02	9.0E-02	7.3E-12
Promethium (61)	Pm-145	3.92E-02	1.77E+01	4.26E-07	2.95E-07	4.17E-07	4.26E-07	5.78E-07	7.2E-01	1.0E+00	7.3E-01	7.2E-01	5.3E-01	5.1E-09
Promethium (61)	Pm-146	1.25E-01	5.53E+00	8.84E-05	1.83E-05	5.15E-05	7.92E-05	1.81E-05	7.2E-03	3.5E-02	1.2E-02	8.1E-03	3.5E-02	1.6E-11
Promethium (61)	Pm-147	2.64E-01	2.62E+00	8.71E-10	3.75E-10	7.42E-10	8.68E-10	6.09E-10	1.5E+03	3.4E+03	1.7E+03	1.5E+03	2.1E+03	1.6E-06
Promethium (61)	Pm-148	4.71E+01	1.47E-02	7.57E-05	1.41E-05	4.05E-05	6.44E-05	1.39E-05	3.0E+00	1.6E+01	5.7E+00	3.6E+00	1.7E+01	1.8E-11
Promethium (61)	Pm-148m	6.13E+00	1.13E-01	2.42E-04	4.94E-05	1.39E-04	2.16E-04	4.83E-05	1.2E-01	6.0E-01	2.1E-01	1.4E-01	6.2E-01	5.8E-12
Promethium (61)	Pm-149	1.14E+02	6.06E-03	1.38E-06	3.12E-07	8.63E-07	1.28E-06	3.94E-07	4.0E+02	1.8E+03	6.4E+02	4.3E+02	1.4E+03	1.0E-09
Promethium (61)	Pm-150	2.27E+03	3.06E-04	1.91E-04	3.59E-05	1.03E-04	1.63E-04	3.50E-05	5.8E+01	3.1E+02	1.1E+02	6.8E+01	3.1E+02	7.4E-12
Promethium (61)	Pm-151	2.14E+02	3.24E-03	3.53E-05	7.88E-06	2.19E-05	3.28E-05	7.86E-06	2.9E+01	1.3E+02	4.8E+01	3.2E+01	1.3E+02	4.0E-11
Promethium (61)	Pm-152	8.84E+04	7.84E-06	3.69E-05	7.22E-06	2.03E-05	3.19E-05	7.38E-06	1.2E+04	6.0E+04	2.1E+04	1.3E+04	5.8E+04	3.9E-11
Promethium (61)	Pm-152m	4.84E+04	1.43E-05	1.89E-04	3.69E-05	1.05E-04	1.64E-04	3.60E-05	1.2E+03	6.4E+03	2.3E+03	1.4E+03	6.6E+03	7.6E-12
Promethium (61)	Pm-153	6.94E+04	9.99E-06	5.96E-06	1.67E-06	4.27E-06	5.81E-06	1.99E-06	5.7E+04	2.0E+05	7.9E+04	5.8E+04	1.7E+05	2.4E-10
Promethium (61)	Pm-154	2.11E+05	3.29E-06	2.44E-04	4.28E-05	1.24E-04	2.01E-04	4.13E-05	4.2E+03	2.4E+04	8.3E+03	5.1E+03	2.5E+04	6.0E-12
Promethium (61)	Pm-154m	1.36E+05	5.10E-06	2.32E-04	4.34E-05	1.24E-04	1.97E-04	4.23E-05	2.9E+03	1.5E+04	5.3E+03	3.4E+03	1.6E+04	6.3E-12
Polonium (84)	Po-203	9.92E+03	6.98E-05	2.05E-04	3.96E-05	1.12E-04	1.76E-04	3.85E-05	2.4E+02	1.2E+03	4.3E+02	2.7E+02	1.3E+03	9.3E-12
Polonium (84)	Po-204	1.72E+03	4.03E-04	1.34E-04	2.79E-05	7.78E-05	1.19E-04	2.74E-05	6.3E+01	3.0E+02	1.1E+02	7.1E+01	3.1E+02	1.4E-11
Polonium (84)	Po-205	3.66E+03	1.89E-04	1.99E-04	3.84E-05	1.09E-04	1.71E-04	3.76E-05	8.9E+01	4.6E+02	1.6E+02	1.0E+02	4.7E+02	9.7E-12
Polonium (84)	Po-206	2.87E+01	2.41E-02	1.41E-04	2.89E-05	8.08E-05	1.25E-04	2.83E-05	9.9E-01	4.8E+00	1.7E+00	1.1E+00	4.9E+00	1.4E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Polonium (84)	Po-207	1.05E+03	6.62E-04	1.58E-04	3.13E-05	8.79E-05	1.38E-04	3.05E-05	3.2E+01	1.6E+02	5.8E+01	3.7E+01	1.7E+02	1.2E-11
Polonium (84)	Po-208	2.39E-01	2.90E+00	2.41E-09	5.15E-10	1.43E-09	2.17E-09	5.08E-10	4.8E+02	2.3E+03	8.1E+02	5.4E+02	2.3E+03	8.2E-07
Polonium (84)	Po-209	6.79E-03	1.02E+02	7.16E-07	1.49E-07	4.18E-07	6.37E-07	1.46E-07	3.0E-01	1.4E+00	5.1E-01	3.3E-01	1.4E+00	1.8E-08
Polonium (84)	Po-210	1.83E+00	3.79E-01	1.22E-09	2.42E-10	6.87E-10	1.07E-09	2.35E-10	7.3E+03	3.7E+04	1.3E+04	8.3E+03	3.8E+04	1.6E-06
Polonium (84)	Po-211	4.24E+07	1.64E-08	1.02E-06	2.02E-07	5.71E-07	8.96E-07	1.98E-07	2.0E+08	1.0E+09	3.6E+08	2.3E+08	1.0E+09	2.0E-09
Polonium (84)	Po-212	7.31E+13	9.48E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Polonium (84)	Po-212m	4.85E+05	1.43E-06	1.14E-05	1.83E-06	5.35E-06	8.93E-06	1.74E-06	2.1E+05	1.3E+06	4.4E+05	2.6E+05	1.4E+06	1.8E-10
Polonium (84)	Po-213	5.20E+12	1.33E-13	4.67E-09	9.34E-10	2.63E-09	4.10E-09	9.09E-10	5.4E+15	2.7E+16	9.6E+15	6.2E+15	2.8E+16	4.3E-07
Polonium (84)	Po-214	1.33E+11	5.21E-12	1.04E-08	2.06E-09	5.81E-09	9.12E-09	2.01E-09	6.2E+13	3.1E+14	1.1E+14	7.1E+13	3.2E+14	1.9E-07
Polonium (84)	Po-215	1.23E+10	5.65E-11	2.02E-08	4.37E-09	1.23E-08	1.86E-08	4.29E-09	3.0E+12	1.4E+13	4.9E+12	3.2E+12	1.4E+13	1.0E-07
Polonium (84)	Po-216	1.51E+08	4.60E-09	1.92E-09	3.80E-10	1.08E-09	1.69E-09	3.69E-10	3.8E+11	1.9E+12	6.8E+11	4.4E+11	2.0E+12	1.1E-06
Polonium (84)	Po-218	1.17E+05	5.90E-06	1.85E-13	8.53E-14	1.62E-13	1.84E-13	1.43E-13	3.4E+12	7.4E+12	3.9E+12	3.4E+12	4.4E+12	1.2E-02
Praseodymium (59)	Pr-134	3.31E+04	2.09E-05	3.85E-04	7.78E-05	2.20E-04	3.41E-04	7.61E-05	4.2E+02	2.1E+03	7.3E+02	4.7E+02	2.1E+03	3.3E-12
Praseodymium (59)	Pr-134m	2.14E+04	3.23E-05	2.93E-04	5.66E-05	1.62E-04	2.54E-04	5.55E-05	3.6E+02	1.8E+03	6.5E+02	4.1E+02	1.9E+03	4.3E-12
Praseodymium (59)	Pr-135	1.52E+04	4.57E-05	1.01E-04	2.12E-05	5.91E-05	9.09E-05	2.11E-05	7.3E+02	3.5E+03	1.3E+03	8.1E+02	3.5E+03	1.3E-11
Praseodymium (59)	Pr-136	2.78E+04	2.49E-05	2.70E-04	5.25E-05	1.49E-04	2.34E-04	5.11E-05	5.0E+02	2.6E+03	9.1E+02	5.8E+02	2.6E+03	4.8E-12
Praseodymium (59)	Pr-137	4.74E+03	1.46E-04	4.23E-05	8.79E-06	2.46E-05	3.79E-05	8.87E-06	5.5E+02	2.6E+03	9.4E+02	6.1E+02	2.6E+03	3.1E-11
Praseodymium (59)	Pr-138	2.51E+05	2.76E-06	9.69E-05	2.04E-05	5.76E-05	8.77E-05	2.04E-05	1.3E+04	6.0E+04	2.1E+04	1.4E+04	6.0E+04	1.3E-11
Praseodymium (59)	Pr-138m	2.86E+03	2.42E-04	3.07E-04	6.06E-05	1.72E-04	2.69E-04	5.93E-05	4.5E+01	2.3E+02	8.1E+01	5.2E+01	2.3E+02	4.2E-12
Praseodymium (59)	Pr-139	1.38E+03	5.03E-04	1.28E-05	2.77E-06	7.52E-06	1.15E-05	2.97E-06	5.2E+02	2.4E+03	8.9E+02	5.8E+02	2.3E+03	1.0E-10
Praseodymium (59)	Pr-140	1.07E+05	6.45E-06	6.34E-05	1.34E-05	3.77E-05	5.74E-05	1.35E-05	8.2E+03	3.9E+04	1.4E+04	9.1E+03	3.9E+04	2.1E-11
Praseodymium (59)	Pr-142	3.18E+02	2.18E-03	8.46E-06	1.52E-06	4.33E-06	6.97E-06	1.72E-06	1.8E+02	1.0E+03	3.6E+02	2.2E+02	9.0E+02	1.6E-10
Praseodymium (59)	Pr-142m	2.49E+04	2.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Praseodymium (59)	Pr-143	1.86E+01	3.72E-02	4.42E-08	1.51E-08	3.33E-08	4.32E-08	7.86E-08	2.1E+03	6.0E+03	2.7E+03	2.1E+03	1.2E+03	3.1E-08
Praseodymium (59)	Pr-144	2.11E+04	3.29E-05	4.83E-06	9.59E-07	2.59E-06	4.07E-06	1.26E-06	2.1E+04	1.1E+05	4.0E+04	2.5E+04	8.1E+04	2.8E-10
Praseodymium (59)	Pr-144m	5.06E+04	1.37E-05	3.35E-07	1.33E-07	2.34E-07	3.02E-07	2.40E-07	7.4E+05	1.9E+06	1.1E+06	8.1E+05	1.0E+06	4.1E-09
Praseodymium (59)	Pr-145	1.01E+03	6.83E-04	2.56E-06	5.40E-07	1.46E-06	2.25E-06	7.57E-07	1.9E+03	9.1E+03	3.4E+03	2.2E+03	6.5E+03	5.4E-10
Praseodymium (59)	Pr-146	1.51E+04	4.59E-05	1.34E-04	2.48E-05	7.12E-05	1.13E-04	2.43E-05	5.5E+02	3.0E+03	1.0E+03	6.5E+02	3.0E+03	1.0E-11
Praseodymium (59)	Pr-147	2.72E+04	2.55E-05	5.52E-05	1.15E-05	3.17E-05	4.89E-05	1.18E-05	2.4E+03	1.2E+04	4.2E+03	2.7E+03	1.1E+04	2.5E-11
Praseodymium (59)	Pr-148	1.59E+05	4.36E-06	1.30E-04	2.45E-05	7.02E-05	1.11E-04	2.40E-05	6.0E+03	3.2E+04	1.1E+04	7.0E+03	3.2E+04	1.1E-11
Praseodymium (59)	Pr-148m	1.81E+05	3.82E-06	1.12E-04	2.35E-05	6.61E-05	1.01E-04	2.33E-05	7.9E+03	3.8E+04	1.3E+04	8.7E+03	3.8E+04	1.2E-11
Platinum (78)	Pt-184	2.11E+04	3.29E-05	7.07E-05	1.68E-05	4.50E-05	6.56E-05	1.69E-05	1.4E+03	6.1E+03	2.3E+03	1.6E+03	6.1E+03	2.5E-11
Platinum (78)	Pt-186	2.92E+03	2.37E-04	7.70E-05	1.65E-05	4.54E-05	6.91E-05	1.63E-05	1.8E+02	8.6E+02	3.1E+02	2.1E+02	8.7E+02	2.3E-11
Platinum (78)	Pt-187	2.58E+03	2.68E-04	6.56E-05	1.45E-05	3.95E-05	5.93E-05	1.45E-05	1.9E+02	8.7E+02	3.2E+02	2.1E+02	8.7E+02	2.7E-11
Platinum (78)	Pt-188	2.48E+01	2.79E-02	1.66E-05	4.46E-06	1.15E-05	1.59E-05	4.61E-06	7.3E+00	2.7E+01	1.0E+01	7.6E+00	2.6E+01	1.1E-10
Platinum (78)	Pt-189	5.58E+02	1.24E-03	5.05E-05	1.13E-05	3.05E-05	4.54E-05	1.13E-05	5.4E+01	2.4E+02	8.9E+01	6.0E+01	2.4E+02	3.5E-11
Platinum (78)	Pt-190	1.07E-12	6.50E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Platinum (78)	Pt-191	9.03E+01	7.68E-03	2.62E-05	6.56E-06	1.71E-05	2.44E-05	6.75E-06	1.7E+01	6.7E+01	2.6E+01	1.8E+01	6.5E+01	6.9E-11
Platinum (78)	Pt-193	1.39E-02	5.00E+01	5.18E-11	5.20E-11	5.20E-11	5.18E-11	1.42E-09	4.5E+03	4.4E+03	4.4E+03	4.5E+03	1.6E+02	1.2E-04
Platinum (78)	Pt-193m	5.84E+01	1.19E-02	4.48E-07	1.90E-07	3.97E-07	4.45E-07	2.21E-07	6.3E+02	1.5E+03	7.2E+02	6.4E+02	1.3E+03	4.1E-09
Platinum (78)	Pt-195m	6.29E+01	1.10E-02	3.44E-06	1.34E-06	2.94E-06	3.44E-06	1.52E-06	8.9E+01	2.3E+02	1.0E+02	8.9E+01	2.0E+02	5.4E-10
Platinum (78)	Pt-197	3.05E+02	2.27E-03	1.55E-06	4.97E-07	1.20E-06	1.53E-06	5.36E-07	9.6E+02	3.0E+03	1.2E+03	9.7E+02	2.8E+03	1.2E-09
Platinum (78)	Pt-197m	3.82E+03	1.82E-04	6.44E-06	1.74E-06	4.43E-06	6.12E-06	1.81E-06	2.9E+03	1.1E+04	4.2E+03	3.0E+03	1.0E+04	2.9E-10
Platinum (78)	Pt-199	1.18E+04	5.86E-05	2.32E-05	4.96E-06	1.39E-05	2.11E-05	5.02E-06	2.5E+03	1.2E+04	4.1E+03	2.7E+03	1.1E+04	8.1E-11
Platinum (78)	Pt-200	4.86E+02	1.43E-03	4.26E-06	1.25E-06	3.13E-06	4.13E-06	1.31E-06	5.5E+02	1.9E+03	7.6E+02	5.7E+02	1.8E+03	4.4E-10
Platinum (78)	Pt-202	1.38E+02	5.02E-03	2.40E-07	8.08E-08	1.71E-07	2.29E-07	2.99E-07	3.1E+03	9.2E+03	4.4E+03	3.3E+03	2.5E+03	8.8E-09
Platinum (78)	Pt-202+D	1.38E+02	5.02E-03	2.27E-05	4.53E-06	1.27E-05	1.98E-05	4.92E-06	3.0E+01	1.5E+02	5.3E+01	3.4E+01	1.4E+02	8.4E-11
Plutonium (94)	Pu-232	1.08E+04	6.41E-05	4.04E-06	1.27E-06	3.19E-06	4.04E-06	1.31E-06	1.3E+04	4.1E+04	1.7E+04	1.3E+04	4.0E+04	5.4E-10
Plutonium (94)	Pu-234	6.90E+02	1.00E-03	4.39E-06	1.37E-06	3.44E-06	4.35E-06	1.42E-06	7.7E+02	2.4E+03	9.8E+02	7.7E+02	2.4E+03	5.0E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Plutonium (94)	Pu-235	1.44E+04	4.81E-05	6.44E-06	1.90E-06	4.81E-06	6.28E-06	1.97E-06	1.1E+04	3.7E+04	1.5E+04	1.1E+04	3.6E+04	3.4E-10
Plutonium (94)	Pu-236	2.42E-01	2.86E+00	3.09E-09	1.79E-09	2.68E-09	3.05E-09	1.13E-08	3.8E+02	6.6E+02	4.4E+02	3.9E+02	1.0E+02	7.2E-07
Plutonium (94)	Pu-237	5.60E+00	1.24E-01	3.09E-06	9.85E-07	2.44E-06	3.08E-06	1.04E-06	8.8E+00	2.8E+01	1.1E+01	8.8E+00	2.6E+01	7.3E-10
Plutonium (94)	Pu-238	7.90E-03	8.77E+01	1.87E-09	1.30E-09	1.70E-09	1.86E-09	9.94E-09	1.1E+02	1.7E+02	1.3E+02	1.2E+02	2.2E+01	6.7E-06
Plutonium (94)	Pu-239	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	3.4E+01	1.0E+02	4.8E+01	3.6E+01	3.5E+01	5.6E-04
Plutonium (94)	Pu-239+D	2.87E-05	2.41E+04	5.65E-09	1.86E-09	4.08E-09	5.43E-09	5.55E-09	3.4E+01	1.0E+02	4.8E+01	3.6E+01	3.5E+01	5.6E-04
Plutonium (94)	Pu-240	1.06E-04	6.56E+03	1.93E-09	1.29E-09	1.74E-09	1.90E-09	9.47E-09	1.0E+02	1.5E+02	1.1E+02	1.0E+02	2.1E+01	4.5E-04
Plutonium (94)	Pu-241	4.83E-02	1.44E+01	1.10E-10	3.37E-11	8.53E-11	1.09E-10	3.50E-11	3.1E+03	9.9E+03	3.9E+03	3.1E+03	9.6E+03	3.0E-05
Plutonium (94)	Pu-242	1.85E-06	3.75E+05	1.18E-08	2.86E-09	6.56E-09	9.94E-09	9.81E-09	1.7E+01	6.8E+01	3.0E+01	2.0E+01	2.0E+01	4.2E-03
Plutonium (94)	Pu-243	1.22E+03	5.66E-04	1.49E-06	4.95E-07	1.18E-06	1.47E-06	5.40E-07	4.0E+03	1.2E+04	5.0E+03	4.1E+03	1.1E+04	1.5E-09
Plutonium (94)	Pu-244	8.66E-09	8.00E+07	2.67E-06	4.73E-07	1.36E-06	2.20E-06	4.64E-07	7.3E-02	4.1E-01	1.4E-01	8.9E-02	4.2E-01	4.0E-03
Plutonium (94)	Pu-244+D	8.66E-09	8.00E+07	4.26E-05	8.53E-06	2.40E-05	3.72E-05	8.55E-06	4.6E-03	2.3E-02	8.1E-03	5.2E-03	2.3E-02	2.5E-04
Plutonium (94)	Pu-245	5.78E+02	1.20E-03	4.67E-05	9.85E-06	2.76E-05	4.20E-05	9.66E-06	6.0E+01	2.9E+02	1.0E+02	6.7E+01	2.9E+02	5.0E-11
Plutonium (94)	Pu-246	2.33E+01	2.97E-02	1.10E-05	2.99E-06	7.88E-06	1.08E-05	3.10E-06	1.0E+01	3.8E+01	1.4E+01	1.1E+01	3.7E+01	2.1E-10
Radium (88)	Ra-219	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	6.0E+08	2.6E+09	9.4E+08	6.4E+08	2.7E+09	1.2E-10
Radium (88)	Ra-219+D	2.19E+09	3.17E-10	1.78E-05	4.09E-06	1.14E-05	1.67E-05	4.01E-06	6.0E+08	2.6E+09	9.4E+08	6.4E+08	2.7E+09	1.2E-10
Radium (88)	Ra-220	1.22E+09	5.68E-10	5.40E-07	1.16E-07	3.26E-07	4.95E-07	1.14E-07	1.1E+10	5.1E+10	1.8E+10	1.2E+10	5.2E+10	3.8E-09
Radium (88)	Ra-221	7.81E+05	8.88E-07	2.86E-06	8.03E-07	2.10E-06	2.81E-06	8.14E-07	1.3E+06	4.7E+06	1.8E+06	1.4E+06	4.7E+06	7.3E-10
Radium (88)	Ra-221+D	7.81E+05	8.88E-07	2.87E-06	8.03E-07	2.11E-06	2.81E-06	8.14E-07	1.3E+06	4.7E+06	1.8E+06	1.3E+06	4.7E+06	7.3E-10
Radium (88)	Ra-222	5.75E+05	1.20E-06	1.00E-06	2.25E-07	6.36E-07	9.44E-07	2.20E-07	2.8E+06	1.2E+07	4.4E+06	3.0E+06	1.3E+07	2.1E-09
Radium (88)	Ra-223	2.21E+01	3.13E-02	1.23E-05	3.17E-06	8.43E-06	1.18E-05	3.19E-06	8.8E+00	3.4E+01	1.3E+01	9.1E+00	3.4E+01	1.7E-10
Radium (88)	Ra-223+D	2.21E+01	3.13E-02	1.87E-05	4.61E-06	1.25E-05	1.78E-05	4.58E-06	5.8E+00	2.3E+01	8.6E+00	6.1E+00	2.4E+01	1.1E-10
Radium (88)	Ra-224	6.91E+01	1.00E-02	1.06E-06	2.49E-07	6.97E-07	1.01E-06	2.44E-07	3.2E+02	1.3E+03	4.8E+02	3.3E+02	1.4E+03	2.0E-09
Radium (88)	Ra-224+D	6.91E+01	1.00E-02	1.13E-06	2.66E-07	7.42E-07	1.08E-06	2.59E-07	3.0E+02	1.3E+03	4.5E+02	3.1E+02	1.3E+03	1.9E-09
Radium (88)	Ra-225	1.70E+01	4.08E-02	1.65E-07	1.20E-07	1.64E-07	1.65E-07	2.39E-07	5.0E+02	6.9E+02	5.0E+02	5.0E+02	3.5E+02	1.3E-08
Radium (88)	Ra-226	4.33E-04	1.60E+03	6.75E-07	1.71E-07	4.68E-07	6.56E-07	1.69E-07	2.9E-01	1.1E+00	4.2E-01	3.0E-01	1.2E+00	2.9E-07
Radium (88)	Ra-226+D	4.33E-04	1.60E+03	2.26E-04	4.22E-05	1.21E-04	1.92E-04	4.10E-05	8.7E-04	4.6E-03	1.6E-03	1.0E-03	4.8E-03	8.8E-10
Radium (88)	Ra-227	8.63E+03	8.03E-05	1.51E-05	3.42E-06	9.49E-06	1.41E-05	3.53E-06	2.8E+03	1.2E+04	4.4E+03	3.0E+03	1.2E+04	1.4E-10
Radium (88)	Ra-228	1.21E-01	5.75E+00	9.28E-10	9.34E-10	9.29E-10	9.28E-10	1.20E-08	6.6E+02	6.6E+02	6.6E+02	6.6E+02	5.1E+01	2.4E-06
Radium (88)	Ra-228+D	1.21E-01	5.75E+00	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	5.6E-03	2.9E-02	1.0E-02	6.5E-03	3.0E-02	2.1E-11
Radium (88)	Ra-230	3.92E+03	1.77E-04	7.32E-06	1.80E-06	4.84E-06	6.91E-06	1.83E-06	2.6E+03	1.1E+04	3.9E+03	2.8E+03	1.0E+04	3.0E-10
Rubidium (37)	Rb-77	9.66E+04	7.17E-06	1.84E-04	3.84E-05	1.08E-04	1.65E-04	3.79E-05	2.6E+03	1.2E+04	4.4E+03	2.8E+03	1.2E+04	3.9E-12
Rubidium (37)	Rb-78	2.06E+04	3.36E-05	5.65E-04	9.54E-05	2.77E-04	4.51E-04	9.15E-05	1.8E+02	1.1E+03	3.6E+02	2.2E+02	1.1E+03	1.3E-12
Rubidium (37)	Rb-78m	6.35E+04	1.09E-05	4.13E-04	7.88E-05	2.24E-04	3.53E-04	7.64E-05	7.5E+02	3.9E+03	1.4E+03	8.7E+02	4.0E+03	1.8E-12
Rubidium (37)	Rb-79	1.59E+04	4.36E-05	1.70E-04	3.58E-05	1.00E-04	1.54E-04	3.53E-05	4.6E+02	2.2E+03	7.7E+02	5.0E+02	2.2E+03	4.4E-12
Rubidium (37)	Rb-80	6.54E+05	1.06E-06	1.44E-04	3.03E-05	8.48E-05	1.30E-04	3.00E-05	2.2E+04	1.1E+05	3.8E+04	2.4E+04	1.1E+05	5.3E-12
Rubidium (37)	Rb-81	1.33E+03	5.22E-04	5.93E-05	1.25E-05	3.52E-05	5.40E-05	1.22E-05	1.1E+02	5.2E+02	1.8E+02	1.2E+02	5.3E+02	1.3E-11
Rubidium (37)	Rb-81m	1.19E+04	5.80E-05	2.66E-06	5.76E-07	1.58E-06	2.38E-06	5.93E-07	2.2E+04	1.0E+05	3.7E+04	2.4E+04	9.8E+04	2.9E-10
Rubidium (37)	Rb-82	2.86E+05	2.42E-06	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.76E-05	1.0E+04	5.0E+04	1.8E+04	1.2E+04	5.0E+04	5.8E-12
Rubidium (37)	Rb-82m	9.38E+02	7.39E-04	3.69E-04	7.22E-05	2.04E-04	3.22E-04	7.01E-05	1.2E+01	6.3E+01	2.2E+01	1.4E+01	6.5E+01	2.1E-12
Rubidium (37)	Rb-83	2.93E+00	2.36E-01	5.74E-05	1.20E-05	3.39E-05	5.21E-05	1.18E-05	2.5E-01	1.2E+00	4.2E-01	2.7E-01	1.2E+00	1.4E-11
Rubidium (37)	Rb-84	7.72E+00	8.98E-02	1.12E-04	2.24E-05	6.31E-05	9.88E-05	2.19E-05	3.3E-01	1.7E+00	6.0E-01	3.8E-01	1.7E+00	7.1E-12
Rubidium (37)	Rb-84m	1.80E+04	3.85E-05	4.13E-05	9.34E-06	2.62E-05	3.88E-05	9.09E-06	2.1E+03	9.4E+03	3.3E+03	2.3E+03	9.6E+03	1.9E-11
Rubidium (37)	Rb-86	1.36E+01	5.11E-02	1.24E-05	2.38E-06	6.72E-06	1.06E-05	2.52E-06	5.3E+00	2.8E+01	9.8E+00	6.2E+00	2.6E+01	6.5E-11
Rubidium (37)	Rb-86m	3.58E+05	1.93E-06	6.53E-05	1.36E-05	3.83E-05	5.90E-05	1.33E-05	2.7E+04	1.3E+05	4.5E+04	3.0E+04	1.3E+05	1.2E-11
Rubidium (37)	Rb-87	1.41E-11	4.92E+10	2.74E-09	1.15E-09	2.32E-09	2.73E-09	1.75E-09	7.9E+01	1.9E+02	9.3E+01	7.9E+01	1.2E+02	9.5E+02
Rubidium (37)	Rb-88	2.05E+04	3.38E-05	9.21E-05	1.59E-05	4.59E-05	7.48E-05	1.56E-05	1.1E+03	6.3E+03	2.2E+03	1.3E+03	6.4E+03	9.0E-12
Rubidium (37)	Rb-89	2.40E+04	2.88E-05	3.06E-04	5.40E-05	1.56E-04	2.52E-04	5.21E-05	3.8E+02	2.2E+03	7.5E+02	4.6E+02	2.2E+03	2.7E-12
Rubidium (37)	Rb-90	1.38E+05	5.01E-06	3.00E-04	4.64E-05	1.35E-04	2.28E-04	4.39E-05	2.2E+03	1.5E+04	5.0E+03	3.0E+03	1.5E+04	2.8E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Rubidium (37)	Rb-90m	8.47E+04	8.18E-06	4.54E-04	7.62E-05	2.21E-04	3.63E-04	7.29E-05	9.1E+02	5.4E+03	1.9E+03	1.1E+03	5.7E+03	1.9E-12
Rhenium (75)	Re-178	2.76E+04	2.51E-05	2.22E-04	4.03E-05	1.15E-04	1.84E-04	3.91E-05	6.1E+02	3.3E+03	1.2E+03	7.3E+02	3.4E+03	7.6E-12
Rhenium (75)	Re-179	1.87E+04	3.71E-05	1.29E-04	2.59E-05	7.27E-05	1.13E-04	2.54E-05	7.1E+02	3.5E+03	1.3E+03	8.0E+02	3.6E+03	1.3E-11
Rhenium (75)	Re-180	1.49E+05	4.64E-06	1.46E-04	2.92E-05	8.18E-05	1.27E-04	2.87E-05	5.0E+03	2.5E+04	8.9E+03	5.7E+03	2.5E+04	1.2E-11
Rhenium (75)	Re-181	3.05E+02	2.27E-03	8.96E-05	1.92E-05	5.30E-05	8.08E-05	1.90E-05	1.7E+01	7.7E+01	2.8E+01	1.8E+01	7.8E+01	1.9E-11
Rhenium (75)	Re-182	9.49E+01	7.31E-03	2.12E-04	4.27E-05	1.19E-04	1.84E-04	4.20E-05	2.2E+00	1.1E+01	3.9E+00	2.5E+00	1.1E+01	8.1E-12
Rhenium (75)	Re-182m	4.78E+02	1.45E-03	1.51E-04	2.90E-05	8.13E-05	1.28E-04	2.84E-05	1.5E+01	8.0E+01	2.9E+01	1.8E+01	8.2E+01	1.1E-11
Rhenium (75)	Re-183	3.61E+00	1.92E-01	9.59E-06	3.06E-06	7.27E-06	9.37E-06	3.38E-06	1.8E+00	5.7E+00	2.4E+00	1.9E+00	5.2E+00	1.8E-10
Rhenium (75)	Re-184	6.66E+00	1.04E-01	1.06E-04	2.16E-05	6.01E-05	9.34E-05	2.12E-05	3.0E-01	1.5E+00	5.4E-01	3.5E-01	1.5E+00	1.6E-11
Rhenium (75)	Re-184m	1.50E+00	4.63E-01	4.01E-05	8.89E-06	2.42E-05	3.63E-05	8.90E-06	1.8E-01	8.2E-01	3.0E-01	2.0E-01	8.2E-01	4.3E-11
Rhenium (75)	Re-186	6.80E+01	1.02E-02	1.48E-06	4.53E-07	1.12E-06	1.46E-06	5.46E-07	2.2E+02	7.3E+02	3.0E+02	2.3E+02	6.1E+02	1.2E-09
Rhenium (75)	Re-186m	3.47E-06	2.00E+05	4.89E-07	2.36E-07	4.47E-07	4.89E-07	3.09E-07	4.0E-01	8.2E-01	4.4E-01	4.0E-01	6.3E-01	4.1E-05
Rhenium (75)	Re-186m+D	3.47E-06	2.00E+05	1.97E-06	6.87E-07	1.57E-06	1.95E-06	8.55E-07	9.9E-02	2.8E-01	1.2E-01	1.0E-01	2.3E-01	1.0E-05
Rhenium (75)	Re-187	1.68E-11	4.12E+10	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Rhenium (75)	Re-188	3.57E+02	1.94E-03	6.82E-06	1.57E-06	4.24E-06	6.25E-06	1.79E-06	2.5E+02	1.1E+03	4.1E+02	2.8E+02	9.7E+02	2.6E-10
Rhenium (75)	Re-188m	1.96E+04	3.54E-05	3.09E-06	1.25E-06	2.68E-06	3.09E-06	1.45E-06	3.1E+04	7.6E+04	3.6E+04	3.1E+04	6.6E+04	5.7E-10
Rhenium (75)	Re-189	2.50E+02	2.77E-03	5.52E-06	1.32E-06	3.64E-06	5.24E-06	1.37E-06	2.2E+02	9.2E+02	3.3E+02	2.3E+02	8.9E+02	3.2E-10
Rhenium (75)	Re-190	1.17E+05	5.90E-06	1.58E-04	3.30E-05	9.29E-05	1.42E-04	3.25E-05	3.6E+03	1.7E+04	6.2E+03	4.0E+03	1.8E+04	1.1E-11
Rhenium (75)	Re-190m	1.90E+03	3.65E-04	1.06E-04	2.26E-05	6.31E-05	9.63E-05	2.23E-05	8.7E+01	4.1E+02	1.5E+02	9.6E+01	4.1E+02	1.7E-11
Rhodium (45)	Rh-100	2.92E+02	2.37E-03	3.69E-04	6.51E-05	1.89E-04	3.05E-04	6.31E-05	3.8E+00	2.2E+01	7.5E+00	4.7E+00	2.3E+01	2.6E-12
Rhodium (45)	Rh-100m	7.92E+04	8.75E-06	5.05E-06	1.06E-06	2.88E-06	4.42E-06	1.21E-06	7.6E+04	3.6E+05	1.3E+05	8.7E+04	3.2E+05	1.9E-10
Rhodium (45)	Rh-101	2.10E-01	3.30E+00	2.57E-05	6.46E-06	1.77E-05	2.49E-05	6.44E-06	4.0E-02	1.6E-01	5.8E-02	4.1E-02	1.6E-01	3.7E-11
Rhodium (45)	Rh-101m	5.83E+01	1.19E-02	3.01E-05	6.77E-06	1.90E-05	2.82E-05	6.66E-06	9.4E+00	4.2E+01	1.5E+01	1.0E+01	4.3E+01	3.2E-11
Rhodium (45)	Rh-102	1.22E+00	5.67E-01	5.93E-05	1.24E-05	3.48E-05	5.33E-05	1.22E-05	1.0E-01	4.8E-01	1.7E-01	1.1E-01	4.9E-01	1.6E-11
Rhodium (45)	Rh-102m	1.85E-01	3.74E+00	2.64E-04	5.30E-05	1.50E-04	2.34E-04	5.18E-05	3.4E-03	1.7E-02	6.1E-03	3.9E-03	1.8E-02	3.7E-12
Rhodium (45)	Rh-103m	6.49E+03	1.07E-04	2.34E-09	2.24E-09	2.34E-09	2.34E-09	1.41E-08	1.4E+07	1.4E+07	1.4E+07	1.4E+07	2.2E+06	4.2E-07
Rhodium (45)	Rh-104	5.17E+05	1.34E-06	2.05E-06	4.86E-07	1.25E-06	1.87E-06	7.83E-07	1.2E+06	5.2E+06	2.0E+06	1.3E+06	3.2E+06	4.8E-10
Rhodium (45)	Rh-104m	8.39E+04	8.26E-06	1.04E-06	5.01E-07	9.19E-07	1.03E-06	7.64E-07	3.9E+05	8.2E+05	4.4E+05	4.0E+05	5.3E+05	9.5E-10
Rhodium (45)	Rh-105	1.72E+02	4.04E-03	8.46E-06	1.90E-06	5.35E-06	7.95E-06	1.86E-06	9.9E+01	4.4E+02	1.6E+02	1.1E+02	4.5E+02	1.2E-10
Rhodium (45)	Rh-106	7.33E+05	9.45E-07	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	1.4E+05	6.5E+05	2.3E+05	1.5E+05	6.2E+05	3.8E-11
Rhodium (45)	Rh-106m	2.78E+03	2.49E-04	3.60E-04	7.02E-05	2.00E-04	3.14E-04	6.82E-05	3.8E+01	1.9E+02	6.8E+01	4.3E+01	2.0E+02	2.8E-12
Rhodium (45)	Rh-107	1.68E+04	4.13E-05	3.47E-05	7.73E-06	2.18E-05	3.25E-05	7.67E-06	2.4E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	2.9E-11
Rhodium (45)	Rh-108	1.30E+06	5.33E-07	3.94E-05	8.43E-06	2.35E-05	3.60E-05	8.65E-06	1.6E+05	7.5E+05	2.7E+05	1.8E+05	7.3E+05	2.6E-11
Rhodium (45)	Rh-109	2.73E+05	2.54E-06	3.28E-05	7.42E-06	2.08E-05	3.08E-05	7.57E-06	4.1E+04	1.8E+05	6.4E+04	4.3E+04	1.8E+05	3.1E-11
Rhodium (45)	Rh-94	3.10E+05	2.24E-06	4.95E-04	9.29E-05	2.66E-04	4.23E-04	9.03E-05	3.0E+03	1.6E+04	5.7E+03	3.6E+03	1.7E+04	1.8E-12
Rhodium (45)	Rh-95	7.26E+04	9.55E-06	3.31E-04	6.21E-05	1.78E-04	2.83E-04	6.06E-05	1.1E+03	5.7E+03	2.0E+03	1.2E+03	5.8E+03	2.7E-12
Rhodium (45)	Rh-95m	1.86E+05	3.73E-06	1.17E-04	2.14E-05	6.11E-05	9.78E-05	2.07E-05	7.7E+03	4.2E+04	1.5E+04	9.2E+03	4.4E+04	7.7E-12
Rhodium (45)	Rh-96	3.68E+04	1.88E-05	4.95E-04	9.69E-05	2.75E-04	4.32E-04	9.44E-05	3.6E+02	1.8E+03	6.5E+02	4.1E+02	1.9E+03	1.8E-12
Rhodium (45)	Rh-96m	2.41E+05	2.87E-06	1.65E-04	3.13E-05	8.94E-05	1.41E-04	3.05E-05	7.1E+03	3.8E+04	1.3E+04	8.3E+03	3.9E+04	5.5E-12
Rhodium (45)	Rh-97	1.19E+04	5.84E-05	1.77E-04	3.55E-05	1.00E-04	1.56E-04	3.47E-05	3.3E+02	1.6E+03	5.7E+02	3.7E+02	1.7E+03	5.2E-12
Rhodium (45)	Rh-97m	7.88E+03	8.79E-05	2.97E-04	5.20E-05	1.50E-04	2.44E-04	5.02E-05	1.3E+02	7.4E+02	2.5E+02	1.6E+02	7.6E+02	3.1E-12
Rhodium (45)	Rh-98	4.19E+04	1.66E-05	2.23E-04	4.50E-05	1.27E-04	1.98E-04	4.42E-05	9.1E+02	4.5E+03	1.6E+03	1.0E+03	4.6E+03	4.2E-12
Rhodium (45)	Rh-99	1.57E+01	4.41E-02	6.25E-05	1.33E-05	3.74E-05	5.68E-05	1.32E-05	1.2E+00	5.7E+00	2.0E+00	1.3E+00	5.8E+00	1.5E-11
Rhodium (45)	Rh-99m	1.29E+03	5.37E-04	7.67E-05	1.58E-05	4.45E-05	6.85E-05	1.54E-05	8.2E+01	4.0E+02	1.4E+02	9.2E+01	4.1E+02	1.2E-11
Radon (86)	Rn-207	3.94E+04	1.76E-05	1.16E-04	2.41E-05	6.77E-05	1.04E-04	2.37E-05	1.7E+03	7.9E+03	2.8E+03	1.9E+03	8.1E+03	1.7E-11
Radon (86)	Rn-209	1.28E+04	5.42E-05	1.46E-04	2.89E-05	8.18E-05	1.27E-04	2.82E-05	4.3E+02	2.2E+03	7.6E+02	4.9E+02	2.2E+03	1.4E-11
Radon (86)	Rn-210	2.53E+03	2.74E-04	7.07E-06	1.48E-06	4.13E-06	6.31E-06	1.45E-06	1.7E+03	8.3E+03	3.0E+03	2.0E+03	8.5E+03	2.8E-10
Radon (86)	Rn-211	4.16E+02	1.67E-03	2.35E-04	4.57E-05	1.30E-04	2.04E-04	4.45E-05	8.6E+00	4.4E+01	1.6E+01	9.9E+00	4.5E+01	8.5E-12
Radon (86)	Rn-212	1.52E+04	4.55E-05	4.17E-08	8.43E-09	2.38E-08	3.69E-08	8.20E-09	1.8E+06	8.8E+06	3.1E+06	2.0E+06	9.0E+06	4.8E-08

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Radon (86)	Rn-215	9.50E+12	7.29E-14	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-216	4.86E+11	1.43E-12	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-217	4.05E+10	1.71E-11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Radon (86)	Rn-218	6.24E+08	1.11E-09	9.15E-08	1.88E-08	5.30E-08	8.20E-08	1.84E-08	3.3E+10	1.6E+11	5.7E+10	3.7E+10	1.7E+11	2.2E-08
Radon (86)	Rn-219	5.52E+06	1.26E-07	6.34E-06	1.43E-06	4.01E-06	5.96E-06	1.40E-06	4.2E+06	1.9E+07	6.7E+06	4.5E+06	1.9E+07	3.3E-10
Radon (86)	Rn-219+D	5.52E+06	1.26E-07	6.37E-06	1.43E-06	4.02E-06	6.00E-06	1.40E-06	4.2E+06	1.9E+07	6.7E+06	4.5E+06	1.9E+07	3.2E-10
Radon (86)	Rn-220	3.93E+05	1.76E-06	7.48E-08	1.56E-08	4.40E-08	6.75E-08	1.53E-08	2.6E+07	1.2E+08	4.3E+07	2.8E+07	1.3E+08	2.8E-08
Radon (86)	Rn-222	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	7.0E+03	3.3E+04	1.2E+04	7.7E+03	3.4E+04	4.6E-08
Radon (86)	Rn-222+D	6.62E+01	1.05E-02	4.58E-08	9.64E-09	2.72E-08	4.17E-08	9.47E-09	7.0E+03	3.3E+04	1.2E+04	7.7E+03	3.4E+04	4.6E-08
Radon (86)	Rn-223	1.50E+04	4.62E-05	4.01E-05	8.33E-06	2.33E-05	3.57E-05	8.36E-06	1.8E+03	8.8E+03	3.1E+03	2.0E+03	8.7E+03	5.3E-11
Ruthenium (44)	Ru-103	6.44E+00	1.08E-01	5.81E-05	1.23E-05	3.47E-05	5.30E-05	1.21E-05	5.4E-01	2.5E+00	9.0E-01	5.9E-01	2.6E+00	1.7E-11
Ruthenium (44)	Ru-105	1.37E+03	5.07E-04	9.03E-05	1.85E-05	5.20E-05	8.05E-05	1.82E-05	7.4E+01	3.6E+02	1.3E+02	8.3E+01	3.7E+02	1.1E-11
Ruthenium (44)	Ru-106	6.77E-01	1.02E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Ruthenium (44)	Ru-106+D	6.77E-01	1.02E+00	2.63E-05	5.45E-06	1.52E-05	2.35E-05	5.71E-06	1.3E-01	6.0E-01	2.2E-01	1.4E-01	5.8E-01	3.8E-11
Ruthenium (44)	Ru-107	9.71E+04	7.13E-06	4.39E-05	8.68E-06	2.45E-05	3.82E-05	8.74E-06	1.1E+04	5.4E+04	1.9E+04	1.2E+04	5.4E+04	2.3E-11
Ruthenium (44)	Ru-108	8.01E+04	8.66E-06	5.55E-06	1.46E-06	3.94E-06	5.43E-06	1.60E-06	7.0E+04	2.7E+05	9.9E+04	7.2E+04	2.4E+05	1.8E-10
Ruthenium (44)	Ru-92	9.98E+04	6.94E-06	2.46E-04	5.01E-05	1.41E-04	2.18E-04	4.92E-05	2.0E+03	9.7E+03	3.4E+03	2.2E+03	9.9E+03	3.5E-12
Ruthenium (44)	Ru-94	7.03E+03	9.86E-05	6.03E-05	1.26E-05	3.54E-05	5.43E-05	1.23E-05	5.7E+02	2.7E+03	9.7E+02	6.3E+02	2.8E+03	1.5E-11
Ruthenium (44)	Ru-95	3.69E+03	1.88E-04	1.54E-04	3.02E-05	8.58E-05	1.34E-04	2.94E-05	1.2E+02	6.0E+02	2.1E+02	1.3E+02	6.1E+02	5.8E-12
Ruthenium (44)	Ru-97	8.72E+01	7.95E-03	2.34E-05	5.50E-06	1.54E-05	2.24E-05	5.46E-06	1.8E+01	7.7E+01	2.8E+01	1.9E+01	7.8E+01	3.9E-11
Sulfur (16)	S-35	2.89E+00	2.40E-01	2.36E-10	1.32E-10	2.19E-10	2.36E-10	2.73E-10	6.6E+04	1.2E+05	7.1E+04	6.6E+04	5.7E+04	1.6E-06
Sulphur (16)	S-37	7.21E+04	9.61E-06	4.39E-04	6.56E-05	1.94E-04	3.31E-04	6.19E-05	8.0E+02	5.3E+03	1.8E+03	1.1E+03	5.7E+03	8.0E-13
Sulphur (16)	S-38	2.14E+03	3.24E-04	2.42E-04	3.98E-05	1.17E-04	1.93E-04	3.82E-05	4.3E+01	2.6E+02	8.9E+01	5.4E+01	2.7E+02	1.5E-12
Antimony (51)	Sb-111	2.91E+05	2.38E-06	1.75E-04	3.69E-05	1.04E-04	1.58E-04	3.66E-05	8.1E+03	3.8E+04	1.4E+04	9.0E+03	3.9E+04	6.0E-12
Antimony (51)	Sb-113	5.46E+04	1.27E-05	1.50E-04	3.14E-05	8.84E-05	1.36E-04	3.10E-05	1.8E+03	8.5E+03	3.0E+03	2.0E+03	8.6E+03	7.1E-12
Antimony (51)	Sb-114	1.04E+05	6.64E-06	3.47E-04	6.61E-05	1.88E-04	2.99E-04	6.44E-05	1.5E+03	7.7E+03	2.7E+03	1.7E+03	7.9E+03	3.1E-12
Antimony (51)	Sb-115	1.13E+04	6.11E-05	1.04E-04	2.18E-05	6.16E-05	9.40E-05	2.16E-05	5.3E+02	2.5E+03	9.0E+02	5.9E+02	2.6E+03	1.0E-11
Antimony (51)	Sb-116	2.31E+04	3.01E-05	2.99E-04	5.50E-05	1.59E-04	2.53E-04	5.36E-05	3.8E+02	2.0E+03	7.1E+02	4.4E+02	2.1E+03	3.7E-12
Antimony (51)	Sb-116m	6.04E+03	1.15E-04	3.94E-04	7.57E-05	2.15E-04	3.38E-04	7.35E-05	7.5E+01	3.9E+02	1.4E+02	8.7E+01	4.0E+02	2.8E-12
Antimony (51)	Sb-117	2.17E+03	3.20E-04	1.58E-05	3.97E-06	1.08E-05	1.52E-05	4.10E-06	6.7E+02	2.7E+03	9.8E+02	7.0E+02	2.6E+03	7.0E-11
Antimony (51)	Sb-118	1.01E+05	6.85E-06	9.53E-05	2.00E-05	5.66E-05	8.65E-05	1.99E-05	5.2E+03	2.5E+04	8.7E+03	5.7E+03	2.5E+04	1.2E-11
Antimony (51)	Sb-118m	1.21E+03	5.71E-04	3.31E-04	6.31E-05	1.80E-04	2.85E-04	6.15E-05	1.8E+01	9.4E+01	3.3E+01	2.1E+01	9.6E+01	3.4E-12
Antimony (51)	Sb-119	1.59E+02	4.36E-03	6.94E-08	6.77E-08	6.97E-08	6.94E-08	2.87E-07	1.1E+04	1.1E+04	1.1E+04	1.1E+04	2.7E+03	1.6E-08
Antimony (51)	Sb-120	2.29E+04	3.02E-05	5.24E-05	1.10E-05	3.10E-05	4.73E-05	1.10E-05	2.1E+03	1.0E+04	3.6E+03	2.4E+03	1.0E+04	2.2E-11
Antimony (51)	Sb-120m	4.39E+01	1.58E-02	3.10E-04	5.96E-05	1.69E-04	2.66E-04	5.81E-05	6.9E-01	3.6E+00	1.3E+00	8.0E-01	3.7E+00	3.7E-12
Antimony (51)	Sb-122	9.29E+01	7.46E-03	5.36E-05	1.11E-05	3.14E-05	4.83E-05	1.10E-05	8.4E+00	4.1E+01	1.4E+01	9.4E+00	4.1E+01	2.1E-11
Antimony (51)	Sb-122m	8.69E+04	7.97E-06	2.07E-06	9.69E-07	1.88E-06	2.07E-06	1.35E-06	2.0E+05	4.4E+05	2.2E+05	2.0E+05	3.1E+05	5.6E-10
Antimony (51)	Sb-124	4.20E+00	1.65E-01	2.45E-04	4.50E-05	1.29E-04	2.07E-04	4.35E-05	8.4E-02	4.5E-01	1.6E-01	9.9E-02	4.7E-01	4.8E-12
Antimony (51)	Sb-124m	2.35E+05	2.95E-06	5.30E-05	1.10E-05	3.09E-05	4.77E-05	1.07E-05	2.2E+04	1.0E+05	3.7E+04	2.4E+04	1.1E+05	2.2E-11
Antimony (51)	Sb-124n	1.80E+04	3.84E-05	2.60E-12	2.55E-12	2.61E-12	2.60E-12	1.05E-11	3.4E+10	3.4E+10	3.4E+10	3.4E+10	8.3E+09	4.5E-04
Antimony (51)	Sb-125	2.51E-01	2.76E+00	4.95E-05	1.05E-05	2.95E-05	4.51E-05	1.04E-05	2.5E-02	1.2E-01	4.1E-02	2.7E-02	1.2E-01	2.4E-11
Antimony (51)	Sb-126	2.05E+01	3.38E-02	3.38E-04	6.87E-05	1.93E-04	3.00E-04	6.69E-05	3.0E-01	1.5E+00	5.2E-01	3.3E-01	1.5E+00	3.5E-12
Antimony (51)	Sb-126m	1.90E+04	3.64E-05	1.87E-04	3.85E-05	1.09E-04	1.68E-04	3.79E-05	4.9E+02	2.4E+03	8.5E+02	5.5E+02	2.4E+03	6.3E-12
Antimony (51)	Sb-127	6.57E+01	1.05E-02	8.36E-05	1.72E-05	4.85E-05	7.48E-05	1.69E-05	3.8E+00	1.9E+01	6.6E+00	4.3E+00	1.9E+01	1.4E-11
Antimony (51)	Sb-128	6.74E+02	1.03E-03	3.82E-04	7.67E-05	2.17E-04	3.38E-04	7.48E-05	8.6E+00	4.3E+01	1.5E+01	9.7E+00	4.4E+01	3.2E-12
Antimony (51)	Sb-128m	3.50E+04	1.98E-05	2.34E-04	4.75E-05	1.34E-04	2.08E-04	4.67E-05	7.3E+02	3.6E+03	1.3E+03	8.2E+02	3.6E+03	5.2E-12
Antimony (51)	Sb-129	1.38E+03	5.02E-04	1.88E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	3.6E+01	1.9E+02	6.6E+01	4.1E+01	1.9E+02	6.5E-12
Antimony (51)	Sb-130	9.22E+03	7.52E-05	4.07E-04	8.08E-05	2.29E-04	3.57E-04	7.86E-05	1.1E+02	5.6E+02	2.0E+02	1.3E+02	5.7E+02	3.0E-12
Antimony (51)	Sb-130m	5.78E+04	1.20E-05	3.44E-04	6.72E-05	1.90E-04	2.99E-04	6.53E-05	8.2E+02	4.2E+03	1.5E+03	9.4E+02	4.3E+03	3.6E-12

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Antimony (51)	Sb-131	1.58E+04	4.38E-05	2.74E-04	5.05E-05	1.45E-04	2.31E-04	4.89E-05	2.8E+02	1.5E+03	5.3E+02	3.3E+02	1.6E+03	4.5E-12
Antimony (51)	Sb-133	1.46E+05	4.76E-06	3.72E-04	6.56E-05	1.90E-04	3.08E-04	6.37E-05	1.9E+03	1.1E+04	3.7E+03	2.3E+03	1.1E+04	3.4E-12
Scandium (21)	Sc-42m	3.52E+05	1.97E-06	5.46E-04	1.03E-04	2.94E-04	4.67E-04	1.00E-04	3.1E+03	1.7E+04	5.8E+03	3.7E+03	1.7E+04	7.3E-13
Scandium (21)	Sc-43	1.56E+03	4.44E-04	1.16E-04	2.45E-05	6.92E-05	1.05E-04	2.41E-05	6.6E+01	3.1E+02	1.1E+02	7.2E+01	3.2E+02	3.5E-12
Scandium (21)	Sc-44	1.53E+03	4.53E-04	2.69E-04	5.25E-05	1.50E-04	2.35E-04	5.14E-05	2.8E+01	1.4E+02	5.0E+01	3.2E+01	1.4E+02	1.5E-12
Scandium (21)	Sc-44m	1.04E+02	6.69E-03	3.02E-05	6.72E-06	1.89E-05	2.82E-05	6.53E-06	1.7E+01	7.5E+01	2.7E+01	1.8E+01	7.7E+01	1.4E-11
Scandium (21)	Sc-46	3.02E+00	2.30E-01	2.60E-04	4.95E-05	1.41E-04	2.24E-04	4.80E-05	5.6E-02	3.0E-01	1.0E-01	6.6E-02	3.1E-01	1.7E-12
Scandium (21)	Sc-47	7.55E+01	9.18E-03	9.81E-06	2.56E-06	6.97E-06	9.63E-06	2.51E-06	3.7E+01	1.4E+02	5.3E+01	3.8E+01	1.5E+02	4.5E-11
Scandium (21)	Sc-48	1.39E+02	4.99E-03	4.42E-04	8.23E-05	2.35E-04	3.76E-04	7.95E-05	1.5E+00	8.2E+00	2.9E+00	1.8E+00	8.5E+00	1.0E-12
Scandium (21)	Sc-49	6.37E+03	1.09E-04	5.14E-07	1.46E-07	3.30E-07	4.67E-07	4.20E-07	6.0E+04	2.1E+05	9.4E+04	6.6E+04	7.4E+04	9.0E-10
Scandium (21)	Sc-50	2.13E+05	3.25E-06	4.29E-04	7.83E-05	2.25E-04	3.60E-04	7.57E-05	2.4E+03	1.3E+04	4.6E+03	2.9E+03	1.4E+04	1.1E-12
Selenium (34)	Se-70	8.86E+03	7.82E-05	8.08E-05	1.74E-05	4.88E-05	7.38E-05	1.73E-05	5.3E+02	2.5E+03	8.8E+02	5.8E+02	2.5E+03	8.2E-12
Selenium (34)	Se-71	7.68E+04	9.02E-06	1.95E-04	4.00E-05	1.13E-04	1.74E-04	3.94E-05	1.9E+03	9.4E+03	3.3E+03	2.2E+03	9.5E+03	3.4E-12
Selenium (34)	Se-72	3.01E+01	2.30E-02	5.21E-07	3.37E-07	5.15E-07	5.21E-07	5.46E-07	2.8E+02	4.3E+02	2.8E+02	2.8E+02	2.7E+02	1.3E-09
Selenium (34)	Se-73	8.49E+02	8.16E-04	1.23E-04	2.67E-05	7.47E-05	1.13E-04	2.65E-05	3.4E+01	1.5E+02	5.5E+01	3.7E+01	1.6E+02	5.6E-12
Selenium (34)	Se-73m	9.15E+03	7.57E-05	3.07E-05	6.51E-06	1.83E-05	2.79E-05	6.41E-06	1.5E+03	6.8E+03	2.4E+03	1.6E+03	7.0E+03	2.2E-11
Selenium (34)	Se-75	2.11E+00	3.28E-01	3.85E-05	9.24E-06	2.55E-05	3.69E-05	9.03E-06	2.7E-01	1.1E+00	4.0E-01	2.8E-01	1.1E+00	1.8E-11
Selenium (34)	Se-77m	1.26E+06	5.50E-07	7.83E-06	2.03E-06	5.50E-06	7.67E-06	1.99E-06	7.8E+05	3.0E+06	1.1E+06	8.0E+05	3.1E+06	9.3E-11
Selenium (34)	Se-79	2.35E-06	2.95E+05	2.46E-10	1.41E-10	2.29E-10	2.46E-10	2.97E-10	8.8E+02	1.5E+03	9.4E+02	8.8E+02	7.3E+02	5.7E-02
Selenium (34)	Se-79m	9.29E+04	7.46E-06	5.96E-07	1.96E-07	4.80E-07	5.96E-07	2.08E-07	7.6E+05	2.3E+06	9.4E+05	7.6E+05	2.2E+06	1.3E-09
Selenium (34)	Se-81	1.97E+04	3.51E-05	1.13E-06	2.65E-07	7.02E-07	1.04E-06	4.67E-07	8.5E+04	3.6E+05	1.4E+05	9.3E+04	2.1E+05	6.8E-10
Selenium (34)	Se-81m	6.36E+03	1.09E-04	9.66E-07	3.01E-07	7.57E-07	9.63E-07	3.12E-07	3.2E+04	1.0E+05	4.1E+04	3.2E+04	9.9E+04	7.9E-10
Selenium (34)	Se-83	1.63E+04	4.24E-05	3.41E-04	6.36E-05	1.83E-04	2.90E-04	6.19E-05	2.3E+02	1.2E+03	4.3E+02	2.7E+02	1.3E+03	2.3E-12
Selenium (34)	Se-83m	3.12E+05	2.22E-06	1.31E-04	2.42E-05	6.92E-05	1.11E-04	2.38E-05	1.2E+04	6.3E+04	2.2E+04	1.4E+04	6.4E+04	6.0E-12
Selenium (34)	Se-84	1.17E+05	5.90E-06	4.80E-05	1.05E-05	2.94E-05	4.45E-05	1.04E-05	1.2E+04	5.5E+04	1.9E+04	1.3E+04	5.5E+04	1.7E-11
Silicon (14)	Si-31	2.32E+03	2.99E-04	2.99E-07	8.33E-08	1.92E-07	2.73E-07	2.85E-07	3.8E+04	1.4E+05	5.9E+04	4.1E+04	4.0E+04	9.8E-10
Silicon (14)	Si-32	5.25E-03	1.32E+02	7.13E-10	3.47E-10	6.36E-10	7.13E-10	6.12E-10	3.2E+02	6.7E+02	3.6E+02	3.2E+02	3.8E+02	3.8E-06
Silicon (14)	Si-32+D	5.25E-03	1.32E+02	2.55E-07	8.63E-08	1.82E-07	2.44E-07	3.25E-07	9.0E-01	2.7E+00	1.3E+00	9.5E-01	7.1E-01	1.1E-08
Samarium (62)	Sm-139	1.42E+05	4.89E-06	1.75E-04	3.59E-05	1.01E-04	1.56E-04	3.53E-05	4.0E+03	1.9E+04	6.8E+03	4.4E+03	2.0E+04	7.5E-12
Samarium (62)	Sm-140	2.46E+04	2.82E-05	6.66E-05	1.35E-05	3.79E-05	5.87E-05	1.34E-05	1.8E+03	8.9E+03	3.2E+03	2.0E+03	8.9E+03	2.0E-11
Samarium (62)	Sm-141	3.57E+04	1.94E-05	1.73E-04	3.45E-05	9.80E-05	1.52E-04	3.38E-05	1.0E+03	5.0E+03	1.8E+03	1.1E+03	5.1E+03	7.7E-12
Samarium (62)	Sm-141m	1.61E+04	4.30E-05	2.40E-04	4.74E-05	1.34E-04	2.10E-04	4.64E-05	3.3E+02	1.7E+03	5.8E+02	3.7E+02	1.7E+03	5.6E-12
Samarium (62)	Sm-142	5.02E+03	1.38E-04	1.00E-05	2.29E-06	6.06E-06	9.09E-06	2.52E-06	2.4E+03	1.1E+04	4.0E+03	2.7E+03	9.7E+03	1.3E-10
Samarium (62)	Sm-143	4.16E+04	1.66E-05	6.15E-05	1.29E-05	3.62E-05	5.55E-05	1.30E-05	3.3E+03	1.6E+04	5.6E+03	3.6E+03	1.6E+04	2.2E-11
Samarium (62)	Sm-143m	3.31E+05	2.09E-06	8.49E-05	1.70E-05	4.80E-05	7.48E-05	1.66E-05	1.9E+04	9.5E+04	3.4E+04	2.2E+04	9.7E+04	1.6E-11
Samarium (62)	Sm-145	7.44E-01	9.32E-01	1.01E-06	6.66E-07	9.85E-07	1.01E-06	1.21E-06	3.6E+00	5.4E+00	3.7E+00	3.6E+00	3.0E+00	1.4E-09
Samarium (62)	Sm-146	6.73E-09	1.03E+08	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-147	6.54E-12	1.06E+11	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-148	9.90E-17	7.00E+15	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Samarium (62)	Sm-151	7.70E-03	9.00E+01	1.04E-11	1.04E-11	1.04E-11	1.04E-11	6.50E-11	2.1E+04	2.1E+04	2.1E+04	2.1E+04	3.3E+03	7.8E-04
Samarium (62)	Sm-153	1.31E+02	5.31E-03	3.00E-06	1.11E-06	2.44E-06	2.99E-06	1.37E-06	2.1E+02	5.7E+02	2.6E+02	2.1E+02	4.6E+02	4.8E-10
Samarium (62)	Sm-155	1.63E+04	4.24E-05	7.57E-06	2.27E-06	5.71E-06	7.45E-06	2.53E-06	1.0E+04	3.5E+04	1.4E+04	1.1E+04	3.1E+04	1.9E-10
Samarium (62)	Sm-156	6.46E+02	1.07E-03	9.78E-06	2.57E-06	6.87E-06	9.50E-06	2.62E-06	3.2E+02	1.2E+03	4.6E+02	3.3E+02	1.2E+03	1.5E-10
Samarium (62)	Sm-157	4.54E+04	1.53E-05	4.67E-05	1.00E-05	2.80E-05	4.23E-05	1.01E-05	4.7E+03	2.2E+04	7.9E+03	5.2E+03	2.2E+04	3.2E-11
Tin (50)	Sn-106	1.90E+05	3.65E-06	1.43E-04	2.94E-05	8.28E-05	1.28E-04	2.88E-05	6.4E+03	3.1E+04	1.1E+04	7.2E+03	3.2E+04	7.0E-12
Tin (50)	Sn-108	3.54E+04	1.96E-05	7.54E-05	1.64E-05	4.59E-05	6.91E-05	1.62E-05	2.3E+03	1.1E+04	3.8E+03	2.5E+03	1.1E+04	1.4E-11
Tin (50)	Sn-109	2.02E+04	3.42E-05	2.95E-04	5.25E-05	1.52E-04	2.46E-04	5.08E-05	3.3E+02	1.9E+03	6.5E+02	4.0E+02	1.9E+03	3.5E-12
Tin (50)	Sn-110	1.48E+03	4.69E-04	2.94E-05	6.72E-06	1.89E-05	2.79E-05	6.72E-06	2.4E+02	1.1E+03	3.8E+02	2.6E+02	1.1E+03	3.5E-11
Tin (50)	Sn-111	1.03E+04	6.72E-05	5.96E-05	1.18E-05	3.34E-05	5.21E-05	1.16E-05	8.4E+02	4.3E+03	1.5E+03	9.6E+02	4.3E+03	1.8E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Tin (50)	Sn-113	2.20E+00	3.15E-01	6.15E-07	1.79E-07	4.18E-07	5.90E-07	3.44E-07	1.7E+01	6.0E+01	2.6E+01	1.8E+01	3.1E+01	1.7E-09
Tin (50)	Sn-113m	1.70E+04	4.07E-05	6.06E-08	4.72E-08	5.81E-08	6.06E-08	1.74E-07	1.4E+06	1.8E+06	1.4E+06	1.4E+06	4.8E+05	1.8E-08
Tin (50)	Sn-117m	1.84E+01	3.77E-02	1.27E-05	3.35E-06	8.99E-06	1.24E-05	3.44E-06	7.1E+00	2.7E+01	1.0E+01	7.2E+00	2.6E+01	8.7E-11
Tin (50)	Sn-119m	8.63E-01	8.03E-01	4.23E-08	4.10E-08	4.23E-08	4.23E-08	1.79E-07	9.9E+01	1.0E+02	9.9E+01	9.9E+01	2.3E+01	2.7E-08
Tin (50)	Sn-121	2.25E+02	3.09E-03	3.60E-09	1.41E-09	2.97E-09	3.60E-09	2.03E-09	3.4E+05	8.6E+05	4.1E+05	3.4E+05	6.0E+05	3.5E-07
Tin (50)	Sn-121m	1.58E-02	4.39E+01	2.41E-08	2.13E-08	2.39E-08	2.41E-08	7.04E-08	9.8E+00	1.1E+01	9.9E+00	9.8E+00	3.3E+00	1.5E-07
Tin (50)	Sn-121m+D	1.58E-02	4.39E+01	2.69E-08	2.24E-08	2.62E-08	2.69E-08	7.20E-08	8.8E+00	1.1E+01	9.0E+00	8.8E+00	3.3E+00	1.3E-07
Tin (50)	Sn-123	1.96E+00	3.54E-01	1.05E-06	2.20E-07	5.91E-07	9.12E-07	3.85E-07	9.1E+00	4.3E+01	1.6E+01	1.0E+01	2.5E+01	1.1E-09
Tin (50)	Sn-123m	9.09E+03	7.62E-05	1.26E-05	3.28E-06	8.89E-06	1.23E-05	3.38E-06	3.5E+03	1.3E+04	5.0E+03	3.6E+03	1.3E+04	9.2E-11
Tin (50)	Sn-125	2.62E+01	2.64E-02	4.42E-05	8.33E-06	2.37E-05	3.76E-05	8.30E-06	2.9E+00	1.5E+01	5.4E+00	3.4E+00	1.5E+01	2.7E-11
Tin (50)	Sn-125m	3.83E+04	1.81E-05	3.91E-05	8.63E-06	2.43E-05	3.63E-05	8.68E-06	4.8E+03	2.2E+04	7.7E+03	5.1E+03	2.1E+04	3.0E-11
Tin (50)	Sn-126	3.01E-06	2.30E+05	2.69E-06	9.90E-07	2.26E-06	2.70E-06	1.15E-06	7.2E-02	2.0E-01	8.6E-02	7.2E-02	1.7E-01	5.9E-06
Tin (50)	Sn-126+D	3.01E-06	2.30E+05	2.37E-04	4.91E-05	1.38E-04	2.13E-04	4.83E-05	8.2E-04	4.0E-03	1.4E-03	9.2E-04	4.0E-03	6.7E-08
Tin (50)	Sn-127	2.89E+03	2.40E-04	2.50E-04	4.65E-05	1.33E-04	2.12E-04	4.51E-05	5.6E+01	3.0E+02	1.1E+02	6.6E+01	3.1E+02	4.8E-12
Tin (50)	Sn-127m	8.82E+04	7.86E-06	6.97E-05	1.42E-05	4.02E-05	6.22E-05	1.42E-05	6.2E+03	3.0E+04	1.1E+04	6.9E+03	3.0E+04	1.7E-11
Tin (50)	Sn-128	6.17E+03	1.12E-04	6.44E-05	1.40E-05	3.87E-05	5.87E-05	1.42E-05	4.7E+02	2.1E+03	7.8E+02	5.1E+02	2.1E+03	1.9E-11
Tin (50)	Sn-129	1.63E+05	4.24E-06	1.28E-04	2.51E-05	7.12E-05	1.12E-04	2.48E-05	6.2E+03	3.2E+04	1.1E+04	7.1E+03	3.2E+04	9.5E-12
Tin (50)	Sn-130	9.79E+04	7.08E-06	1.08E-04	2.27E-05	6.36E-05	9.69E-05	2.25E-05	4.4E+03	2.1E+04	7.5E+03	4.9E+03	2.1E+04	1.1E-11
Tin (50)	Sn-130m	2.14E+05	3.23E-06	1.12E-04	2.17E-05	6.16E-05	9.66E-05	2.16E-05	9.3E+03	4.8E+04	1.7E+04	1.1E+04	4.8E+04	1.1E-11
Strontium (38)	Sr-79	1.62E+05	4.28E-06	1.37E-04	2.95E-05	8.28E-05	1.25E-04	2.95E-05	5.7E+03	2.7E+04	9.5E+03	6.3E+03	2.7E+04	5.4E-12
Strontium (38)	Sr-80	3.43E+03	2.02E-04	5.05E-05	1.07E-05	3.00E-05	4.58E-05	1.04E-05	3.3E+02	1.6E+03	5.6E+02	3.6E+02	1.6E+03	1.5E-11
Strontium (38)	Sr-81	1.63E+04	4.24E-05	1.62E-04	3.44E-05	9.64E-05	1.47E-04	3.41E-05	4.9E+02	2.3E+03	8.2E+02	5.4E+02	2.3E+03	4.7E-12
Strontium (38)	Sr-82	9.97E+00	6.95E-02	1.29E-09	1.29E-09	1.29E-09	1.29E-09	2.40E-08	3.8E+04	3.8E+04	3.8E+04	3.8E+04	2.0E+03	6.0E-07
Strontium (38)	Sr-82+D	9.97E+00	6.95E-02	1.33E-04	2.79E-05	7.83E-05	1.20E-04	2.77E-05	3.7E-01	1.7E+00	6.2E-01	4.0E-01	1.8E+00	5.8E-12
Strontium (38)	Sr-83	1.87E+02	3.70E-03	9.97E-05	2.00E-05	5.66E-05	8.80E-05	1.96E-05	9.1E+00	4.5E+01	1.6E+01	1.0E+01	4.7E+01	7.9E-12
Strontium (38)	Sr-85	3.90E+00	1.78E-01	5.81E-05	1.22E-05	3.45E-05	5.27E-05	1.20E-05	3.3E-01	1.6E+00	5.5E-01	3.6E-01	1.6E+00	1.4E-11
Strontium (38)	Sr-85m	5.39E+03	1.29E-04	2.20E-05	5.20E-06	1.46E-05	2.11E-05	5.08E-06	1.2E+03	5.0E+03	1.8E+03	1.2E+03	5.2E+03	3.7E-11
Strontium (38)	Sr-87m	2.16E+03	3.21E-04	3.60E-05	7.88E-06	2.22E-05	3.35E-05	7.70E-06	2.9E+02	1.3E+03	4.7E+02	3.1E+02	1.4E+03	2.3E-11
Strontium (38)	Sr-89	5.01E+00	1.38E-01	1.96E-07	6.51E-08	1.39E-07	1.87E-07	2.61E-07	1.2E+02	3.7E+02	1.8E+02	1.3E+02	9.3E+01	4.3E-09
Strontium (38)	Sr-90	2.41E-02	2.88E+01	1.31E-08	4.51E-09	1.02E-08	1.29E-08	1.01E-08	2.2E+01	6.4E+01	2.8E+01	2.2E+01	2.9E+01	1.6E-07
Strontium (38)	Sr-90+D	2.41E-02	2.88E+01	5.27E-07	1.69E-07	3.64E-07	4.99E-07	4.61E-07	4.9E-01	1.5E+00	7.1E-01	5.2E-01	5.6E-01	3.6E-09
Strontium (38)	Sr-91	6.30E+02	1.10E-03	9.03E-05	1.76E-05	4.98E-05	7.86E-05	1.73E-05	3.4E+01	1.7E+02	6.2E+01	3.9E+01	1.8E+02	9.5E-12
Strontium (38)	Sr-92	2.28E+03	3.04E-04	1.81E-04	3.24E-05	9.34E-05	1.51E-04	3.12E-05	6.1E+01	3.4E+02	1.2E+02	7.4E+01	3.6E+02	4.8E-12
Strontium (38)	Sr-93	4.91E+04	1.41E-05	2.94E-04	5.50E-05	1.58E-04	2.51E-04	5.36E-05	8.1E+02	4.3E+03	1.5E+03	9.5E+02	4.5E+03	3.0E-12
Strontium (38)	Sr-94	2.90E+05	2.39E-06	1.94E-04	3.47E-05	1.00E-04	1.62E-04	3.35E-05	7.3E+03	4.1E+04	1.4E+04	8.7E+03	4.2E+04	4.6E-12
Tantalum (73)	Ta-170	5.39E+04	1.29E-05	1.26E-04	2.65E-05	7.42E-05	1.13E-04	2.64E-05	2.1E+03	9.9E+03	3.5E+03	2.3E+03	1.0E+04	1.3E-11
Tantalum (73)	Ta-172	9.90E+03	7.00E-05	2.10E-04	4.11E-05	1.16E-04	1.82E-04	4.01E-05	2.3E+02	1.2E+03	4.1E+02	2.6E+02	1.2E+03	7.7E-12
Tantalum (73)	Ta-173	1.93E+03	3.58E-04	6.56E-05	1.35E-05	3.72E-05	5.71E-05	1.35E-05	1.4E+02	7.0E+02	2.5E+02	1.6E+02	7.0E+02	2.5E-11
Tantalum (73)	Ta-174	5.33E+03	1.30E-04	1.17E-04	2.33E-05	6.56E-05	1.02E-04	2.30E-05	2.2E+02	1.1E+03	3.9E+02	2.6E+02	1.1E+03	1.4E-11
Tantalum (73)	Ta-175	5.78E+02	1.20E-03	1.36E-04	2.62E-05	7.37E-05	1.16E-04	2.58E-05	2.1E+01	1.1E+02	3.8E+01	2.4E+01	1.1E+02	1.2E-11
Tantalum (73)	Ta-176	7.50E+02	9.24E-04	2.99E-04	5.30E-05	1.52E-04	2.46E-04	5.11E-05	1.2E+01	6.9E+01	2.4E+01	1.5E+01	7.1E+01	5.6E-12
Tantalum (73)	Ta-177	1.07E+02	6.46E-03	3.28E-06	1.20E-06	2.57E-06	3.16E-06	1.43E-06	1.6E+02	4.3E+02	2.0E+02	1.7E+02	3.7E+02	5.1E-10
Tantalum (73)	Ta-178	3.91E+04	1.77E-05	1.05E-05	2.50E-06	6.31E-06	9.18E-06	2.69E-06	1.8E+04	7.6E+04	3.0E+04	2.1E+04	7.1E+04	1.6E-10
Tantalum (73)	Ta-178m	2.57E+03	2.69E-04	1.17E-04	2.74E-05	7.52E-05	1.10E-04	2.73E-05	1.1E+02	4.6E+02	1.7E+02	1.1E+02	4.6E+02	1.4E-11
Tantalum (73)	Ta-179	3.81E-01	1.82E+00	7.57E-07	3.88E-07	7.12E-07	7.57E-07	5.05E-07	2.4E+00	4.8E+00	2.6E+00	2.4E+00	3.7E+00	2.2E-09
Tantalum (73)	Ta-180	7.45E+02	9.31E-04	1.64E-06	7.83E-07	1.50E-06	1.64E-06	9.91E-07	2.2E+03	4.6E+03	2.4E+03	2.2E+03	3.7E+03	1.0E-09
Tantalum (73)	Ta-182	2.21E+00	3.14E-01	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.03E-05	6.6E-02	3.5E-01	1.2E-01	7.7E-02	3.5E-01	1.1E-11
Tantalum (73)	Ta-182m	2.30E+04	3.01E-05	2.10E-05	5.76E-06	1.49E-05	2.04E-05	5.93E-06	5.3E+03	1.9E+04	7.5E+03	5.5E+03	1.9E+04	8.2E-11
Tantalum (73)	Ta-183	4.96E+01	1.40E-02	2.55E-05	6.61E-06	1.74E-05	2.44E-05	6.72E-06	9.5E+00	3.6E+01	1.4E+01	9.9E+00	3.6E+01	6.8E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Tantalum (73)	Ta-184	6.98E+02	9.93E-04	1.85E-04	3.85E-05	1.09E-04	1.66E-04	3.79E-05	1.8E+01	8.8E+01	3.1E+01	2.0E+01	9.0E+01	9.4E-12
Tantalum (73)	Ta-185	7.37E+03	9.40E-05	1.33E-05	3.50E-06	9.19E-06	1.28E-05	3.79E-06	2.7E+03	1.0E+04	3.9E+03	2.8E+03	9.5E+03	1.3E-10
Tantalum (73)	Ta-186	3.47E+04	2.00E-05	1.66E-04	3.50E-05	9.85E-05	1.50E-04	3.44E-05	1.0E+03	4.8E+03	1.7E+03	1.1E+03	4.9E+03	1.1E-11
Terbium (65)	Tb-146	9.50E+05	7.29E-07	4.86E-04	8.79E-05	2.52E-04	4.04E-04	8.49E-05	9.5E+03	5.3E+04	1.8E+04	1.1E+04	5.4E+04	2.8E-12
Terbium (65)	Tb-147	3.70E+03	1.87E-04	2.79E-04	5.30E-05	1.50E-04	2.39E-04	5.18E-05	6.5E+01	3.4E+02	1.2E+02	7.6E+01	3.5E+02	5.0E-12
Terbium (65)	Tb-147m	1.95E+05	3.56E-06	2.54E-04	4.59E-05	1.32E-04	2.12E-04	4.45E-05	3.7E+03	2.1E+04	7.2E+03	4.5E+03	2.1E+04	5.5E-12
Terbium (65)	Tb-148	6.07E+03	1.14E-04	3.04E-04	5.76E-05	1.64E-04	2.59E-04	5.59E-05	9.7E+01	5.1E+02	1.8E+02	1.1E+02	5.3E+02	4.6E-12
Terbium (65)	Tb-148m	1.66E+05	4.19E-06	3.85E-04	7.78E-05	2.19E-04	3.41E-04	7.57E-05	2.1E+03	1.0E+04	3.7E+03	2.4E+03	1.1E+04	3.6E-12
Terbium (65)	Tb-149	1.47E+03	4.70E-04	1.70E-04	3.27E-05	9.29E-05	1.46E-04	3.19E-05	4.2E+01	2.2E+02	7.7E+01	4.9E+01	2.3E+02	8.3E-12
Terbium (65)	Tb-149m	8.76E+04	7.91E-06	1.67E-04	3.37E-05	9.49E-05	1.48E-04	3.31E-05	2.6E+03	1.3E+04	4.5E+03	2.9E+03	1.3E+04	8.4E-12
Terbium (65)	Tb-150	1.74E+03	3.97E-04	3.25E-04	5.81E-05	1.67E-04	2.69E-04	5.59E-05	2.6E+01	1.5E+02	5.1E+01	3.2E+01	1.5E+02	4.4E-12
Terbium (65)	Tb-150m	6.28E+04	1.10E-05	2.99E-04	6.21E-05	1.75E-04	2.69E-04	6.09E-05	1.0E+03	4.9E+03	1.7E+03	1.1E+03	5.0E+03	4.7E-12
Terbium (65)	Tb-151	3.45E+02	2.01E-03	1.12E-04	2.37E-05	6.61E-05	1.01E-04	2.36E-05	1.5E+01	7.1E+01	2.5E+01	1.7E+01	7.1E+01	1.3E-11
Terbium (65)	Tb-151m	8.74E+05	7.93E-07	7.92E-06	1.76E-06	4.75E-06	7.16E-06	1.83E-06	5.4E+05	2.4E+06	9.0E+05	5.9E+05	2.3E+06	1.8E-10
Terbium (65)	Tb-152	3.47E+02	2.00E-03	1.90E-04	3.58E-05	1.02E-04	1.62E-04	3.47E-05	8.9E+00	4.7E+01	1.7E+01	1.0E+01	4.9E+01	7.6E-12
Terbium (65)	Tb-152m	8.67E+04	7.99E-06	8.24E-05	1.81E-05	5.02E-05	7.54E-05	1.81E-05	5.1E+03	2.3E+04	8.4E+03	5.6E+03	2.3E+04	1.7E-11
Terbium (65)	Tb-153	1.08E+02	6.41E-03	3.22E-05	7.42E-06	1.99E-05	2.94E-05	7.64E-06	1.6E+01	7.1E+01	2.6E+01	1.8E+01	6.9E+01	4.5E-11
Terbium (65)	Tb-154	2.82E+02	2.45E-03	3.10E-04	5.35E-05	1.55E-04	2.52E-04	5.18E-05	4.4E+00	2.6E+01	8.9E+00	5.4E+00	2.7E+01	4.7E-12
Terbium (65)	Tb-155	4.75E+01	1.46E-02	1.16E-05	3.48E-06	8.53E-06	1.13E-05	3.88E-06	2.0E+01	6.6E+01	2.7E+01	2.0E+01	6.0E+01	1.3E-10
Terbium (65)	Tb-156	4.73E+01	1.47E-02	2.41E-04	4.66E-05	1.32E-04	2.08E-04	4.54E-05	9.6E-01	4.9E+00	1.7E+00	1.1E+00	5.1E+00	6.1E-12
Terbium (65)	Tb-156m	2.49E+02	2.79E-03	8.58E-07	5.15E-07	8.38E-07	8.58E-07	7.57E-07	1.4E+03	2.4E+03	1.4E+03	1.4E+03	1.6E+03	1.7E-09
Terbium (65)	Tb-156n	1.15E+03	6.05E-04	1.13E-07	5.40E-08	1.01E-07	1.13E-07	7.48E-08	4.9E+04	1.0E+05	5.5E+04	4.9E+04	7.5E+04	1.3E-08
Terbium (65)	Tb-157	9.76E-03	7.10E+01	8.11E-08	5.40E-08	8.03E-08	8.11E-08	9.12E-08	2.7E+00	4.1E+00	2.7E+00	2.7E+00	2.4E+00	8.4E-08
Terbium (65)	Tb-158	3.85E-03	1.80E+02	9.72E-05	1.93E-05	5.40E-05	8.46E-05	1.91E-05	2.1E-03	1.1E-02	3.8E-03	2.4E-03	1.1E-02	1.7E-10
Terbium (65)	Tb-160	3.50E+00	1.98E-01	1.42E-04	2.76E-05	7.83E-05	1.23E-04	2.69E-05	1.2E-01	6.2E-01	2.2E-01	1.4E-01	6.3E-01	1.1E-11
Terbium (65)	Tb-161	3.66E+01	1.89E-02	9.47E-07	4.68E-07	8.53E-07	9.40E-07	6.85E-07	1.9E+02	3.8E+02	2.1E+02	1.9E+02	2.6E+02	1.6E-09
Terbium (65)	Tb-162	4.79E+04	1.45E-05	1.33E-04	2.72E-05	7.67E-05	1.19E-04	2.67E-05	1.7E+03	8.6E+03	3.0E+03	2.0E+03	8.7E+03	1.1E-11
Terbium (65)	Tb-163	1.87E+04	3.71E-05	9.03E-05	1.95E-05	5.45E-05	8.30E-05	1.92E-05	1.0E+03	4.7E+03	1.7E+03	1.1E+03	4.7E+03	1.7E-11
Terbium (65)	Tb-164	1.21E+05	5.71E-06	3.10E-04	5.96E-05	1.70E-04	2.67E-04	5.81E-05	1.9E+03	9.9E+03	3.5E+03	2.2E+03	1.0E+04	5.0E-12
Terbium (65)	Tb-165	1.73E+05	4.01E-06	1.11E-04	2.04E-05	5.86E-05	9.37E-05	2.00E-05	7.5E+03	4.1E+04	1.4E+04	9.0E+03	4.2E+04	1.4E-11
Technetium (43)	Tc-101	2.57E+04	2.70E-05	3.72E-05	8.33E-06	2.34E-05	3.47E-05	8.24E-06	3.4E+03	1.5E+04	5.3E+03	3.6E+03	1.5E+04	2.6E-11
Technetium (43)	Tc-102	4.14E+06	1.67E-07	1.26E-05	2.63E-06	7.17E-06	1.10E-05	2.95E-06	1.6E+06	7.7E+06	2.8E+06	1.8E+06	6.8E+06	7.7E-11
Technetium (43)	Tc-102m	8.37E+04	8.28E-06	3.28E-04	6.01E-05	1.72E-04	2.76E-04	5.81E-05	1.2E+03	6.8E+03	2.4E+03	1.5E+03	7.0E+03	2.9E-12
Technetium (43)	Tc-104	1.99E+04	3.48E-05	3.02E-04	5.40E-05	1.56E-04	2.51E-04	5.24E-05	3.2E+02	1.8E+03	6.2E+02	3.9E+02	1.8E+03	3.2E-12
Technetium (43)	Tc-105	4.79E+04	1.45E-05	9.81E-05	1.95E-05	5.50E-05	8.55E-05	1.93E-05	2.4E+03	1.2E+04	4.2E+03	2.7E+03	1.2E+04	1.0E-11
Technetium (43)	Tc-91	1.16E+05	5.97E-06	3.31E-04	6.01E-05	1.73E-04	2.77E-04	5.84E-05	1.7E+03	9.4E+03	3.3E+03	2.0E+03	9.7E+03	2.6E-12
Technetium (43)	Tc-91m	1.10E+05	6.28E-06	1.73E-04	3.58E-05	1.01E-04	1.55E-04	3.53E-05	3.1E+03	1.5E+04	5.3E+03	3.5E+03	1.5E+04	5.0E-12
Technetium (43)	Tc-92	8.57E+04	8.09E-06	4.86E-04	9.39E-05	2.67E-04	4.20E-04	9.12E-05	8.6E+02	4.4E+03	1.6E+03	9.9E+02	4.6E+03	1.8E-12
Technetium (43)	Tc-93	2.21E+03	3.14E-04	2.10E-04	3.77E-05	1.09E-04	1.75E-04	3.63E-05	5.1E+01	2.8E+02	9.9E+01	6.1E+01	3.0E+02	4.2E-12
Technetium (43)	Tc-93m	8.37E+03	8.28E-05	1.30E-04	2.22E-05	6.46E-05	1.05E-04	2.12E-05	3.1E+02	1.8E+03	6.3E+02	3.9E+02	1.9E+03	6.8E-12
Technetium (43)	Tc-94	1.24E+03	5.57E-04	3.31E-04	6.56E-05	1.86E-04	2.92E-04	6.41E-05	1.8E+01	9.2E+01	3.2E+01	2.1E+01	9.4E+01	2.7E-12
Technetium (43)	Tc-94m	7.00E+03	9.89E-05	2.48E-04	4.80E-05	1.36E-04	2.15E-04	4.70E-05	1.4E+02	7.1E+02	2.5E+02	1.6E+02	7.2E+02	3.6E-12
Technetium (43)	Tc-95	3.04E+02	2.28E-03	9.81E-05	1.95E-05	5.50E-05	8.65E-05	1.91E-05	1.5E+01	7.6E+01	2.7E+01	1.7E+01	7.7E+01	9.1E-12
Technetium (43)	Tc-95m	4.15E+00	1.67E-01	8.08E-05	1.67E-05	4.71E-05	7.23E-05	1.63E-05	2.5E-01	1.2E+00	4.3E-01	2.8E-01	1.2E+00	1.1E-11
Technetium (43)	Tc-96	5.91E+01	1.17E-02	3.14E-04	6.16E-05	1.75E-04	2.75E-04	6.03E-05	9.2E-01	4.7E+00	1.6E+00	1.0E+00	4.8E+00	2.9E-12
Technetium (43)	Tc-96m	7.07E+03	9.80E-05	5.33E-06	1.03E-06	2.91E-06	4.61E-06	1.04E-06	6.5E+03	3.3E+04	1.2E+04	7.5E+03	3.3E+04	1.7E-10
Technetium (43)	Tc-97	2.67E-07	2.60E+06	7.73E-09	7.78E-09	7.73E-09	7.73E-09	7.51E-08	2.5E+01	2.5E+01	2.5E+01	2.5E+01	2.6E+00	1.8E-02
Technetium (43)	Tc-97m	2.81E+00	2.47E-01	2.79E-08	1.44E-08	2.40E-08	2.79E-08	7.48E-08	4.9E+02	9.5E+02	5.7E+02	4.9E+02	1.8E+02	3.3E-08
Technetium (43)	Tc-98	1.65E-07	4.20E+06	1.74E-04	3.52E-05	9.95E-05	1.54E-04	3.44E-05	1.1E-03	5.5E-03	2.0E-03	1.3E-03	5.7E-03	1.3E-06

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Technetium (43)	Tc-99	3.28E-06	2.11E+05	2.24E-09	9.44E-10	1.90E-09	2.23E-09	1.44E-09	8.7E+01	2.1E+02	1.0E+02	8.7E+01	1.3E+02	5.1E-03
Technetium (43)	Tc-99m	1.01E+03	6.87E-04	1.07E-05	2.90E-06	7.78E-06	1.05E-05	2.87E-06	4.6E+02	1.7E+03	6.3E+02	4.7E+02	1.7E+03	8.8E-11
Tellurium (52)	Te-113	2.14E+05	3.23E-06	2.86E-04	5.45E-05	1.56E-04	2.46E-04	5.33E-05	3.6E+03	1.9E+04	6.7E+03	4.2E+03	2.0E+04	3.7E-12
Tellurium (52)	Te-114	2.40E+04	2.89E-05	1.63E-04	3.05E-05	8.74E-05	1.39E-04	2.98E-05	7.2E+02	3.8E+03	1.3E+03	8.4E+02	3.9E+03	6.6E-12
Tellurium (52)	Te-115	6.28E+04	1.10E-05	2.86E-04	5.50E-05	1.57E-04	2.47E-04	5.36E-05	1.1E+03	5.6E+03	2.0E+03	1.2E+03	5.7E+03	3.8E-12
Tellurium (52)	Te-115m	5.44E+04	1.27E-05	3.38E-04	6.36E-05	1.81E-04	2.88E-04	6.15E-05	7.8E+02	4.2E+03	1.5E+03	9.2E+02	4.3E+03	3.2E-12
Tellurium (52)	Te-116	2.44E+03	2.84E-04	7.98E-06	1.99E-06	5.15E-06	7.35E-06	2.30E-06	1.5E+03	6.0E+03	2.3E+03	1.6E+03	5.2E+03	1.4E-10
Tellurium (52)	Te-117	5.87E+03	1.18E-04	2.00E-04	3.74E-05	1.07E-04	1.70E-04	3.63E-05	1.4E+02	7.7E+02	2.7E+02	1.7E+02	7.9E+02	5.5E-12
Tellurium (52)	Te-118	4.22E+01	1.64E-02	7.35E-08	7.07E-08	7.37E-08	7.35E-08	2.68E-07	2.8E+03	2.9E+03	2.8E+03	2.8E+03	7.7E+02	1.5E-08
Tellurium (52)	Te-118+D	4.22E+01	1.64E-02	9.53E-05	2.00E-05	5.66E-05	8.65E-05	2.01E-05	2.2E+00	1.0E+01	3.6E+00	2.4E+00	1.0E+01	1.2E-11
Tellurium (52)	Te-119	3.78E+02	1.83E-03	9.31E-05	1.86E-05	5.25E-05	8.20E-05	1.83E-05	2.0E+01	9.9E+01	3.5E+01	2.2E+01	1.0E+02	1.2E-11
Tellurium (52)	Te-119m	5.38E+01	1.29E-02	1.91E-04	3.62E-05	1.03E-04	1.63E-04	3.53E-05	1.4E+00	7.2E+00	2.5E+00	1.6E+00	7.4E+00	5.9E-12
Tellurium (52)	Te-121	1.32E+01	5.25E-02	6.66E-05	1.39E-05	3.91E-05	6.00E-05	1.38E-05	9.6E-01	4.6E+00	1.6E+00	1.1E+00	4.6E+00	1.7E-11
Tellurium (52)	Te-121m	1.64E+00	4.22E-01	2.12E-05	4.95E-06	1.37E-05	2.00E-05	4.95E-06	3.8E-01	1.6E+00	5.8E-01	4.0E-01	1.6E+00	5.4E-11
Tellurium (52)	Te-123	1.16E-15	6.00E+14	1.27E-10	1.23E-10	1.28E-10	1.27E-10	4.67E-10	1.5E+03	1.6E+03	1.5E+03	1.5E+03	4.2E+02	3.2E+08
Tellurium (52)	Te-123m	2.12E+00	3.27E-01	1.21E-05	3.20E-06	8.58E-06	1.19E-05	3.28E-06	8.5E-01	3.2E+00	1.2E+00	8.7E-01	3.1E+00	9.6E-11
Tellurium (52)	Te-125m	4.41E+00	1.57E-01	1.87E-07	1.60E-07	1.82E-07	1.87E-07	5.21E-07	1.1E+02	1.3E+02	1.2E+02	1.1E+02	4.1E+01	6.3E-09
Tellurium (52)	Te-127	6.49E+02	1.07E-03	5.68E-07	1.26E-07	3.52E-07	5.27E-07	1.43E-07	5.6E+03	2.5E+04	9.0E+03	6.0E+03	2.2E+04	2.1E-09
Tellurium (52)	Te-127m	2.32E+00	2.99E-01	7.23E-08	5.25E-08	6.61E-08	7.10E-08	1.63E-07	1.6E+02	2.2E+02	1.7E+02	1.6E+02	6.9E+01	1.7E-08
Tellurium (52)	Te-129	5.23E+03	1.32E-04	6.94E-06	1.49E-06	4.15E-06	6.31E-06	1.68E-06	3.7E+03	1.7E+04	6.1E+03	4.0E+03	1.5E+04	1.8E-10
Tellurium (52)	Te-129m	7.53E+00	9.21E-02	3.76E-06	7.93E-07	2.16E-06	3.35E-06	9.21E-07	9.8E+00	4.6E+01	1.7E+01	1.1E+01	4.0E+01	3.2E-10
Tellurium (52)	Te-131	1.46E+04	4.76E-05	4.80E-05	1.02E-05	2.86E-05	4.32E-05	1.03E-05	1.5E+03	6.9E+03	2.5E+03	1.6E+03	6.9E+03	2.6E-11
Tellurium (52)	Te-131m	2.02E+02	3.42E-03	1.82E-04	3.56E-05	1.01E-04	1.59E-04	3.47E-05	5.4E+00	2.8E+01	9.8E+00	6.2E+00	2.8E+01	6.8E-12
Tellurium (52)	Te-132	7.89E+01	8.78E-03	2.11E-05	5.15E-06	1.41E-05	2.03E-05	5.30E-06	1.8E+01	7.5E+01	2.7E+01	1.9E+01	7.2E+01	5.9E-11
Tellurium (52)	Te-133	2.91E+04	2.38E-05	1.54E-04	2.93E-05	8.38E-05	1.32E-04	2.85E-05	9.2E+02	4.8E+03	1.7E+03	1.1E+03	5.0E+03	8.2E-12
Tellurium (52)	Te-133m	6.57E+03	1.05E-04	2.37E-04	4.55E-05	1.29E-04	2.04E-04	4.42E-05	1.4E+02	7.0E+02	2.5E+02	1.6E+02	7.2E+02	5.3E-12
Tellurium (52)	Te-134	8.71E+03	7.95E-05	1.01E-04	2.13E-05	5.96E-05	9.09E-05	2.09E-05	4.2E+02	2.0E+03	7.1E+02	4.7E+02	2.0E+03	1.3E-11
Thorium (90)	Th-223	3.64E+07	1.90E-08	4.99E-06	1.53E-06	3.82E-06	4.92E-06	1.58E-06	3.6E+07	1.2E+08	4.6E+07	3.6E+07	1.1E+08	4.2E-10
Thorium (90)	Th-224	2.08E+07	3.33E-08	2.17E-06	5.35E-07	1.47E-06	2.09E-06	5.30E-07	4.7E+07	1.9E+08	6.9E+07	4.8E+07	1.9E+08	9.8E-10
Thorium (90)	Th-226	1.19E+04	5.82E-05	6.37E-07	1.76E-07	4.63E-07	6.25E-07	1.79E-07	9.1E+04	3.3E+05	1.3E+05	9.3E+04	3.2E+05	3.3E-09
Thorium (90)	Th-227	1.35E+01	5.12E-02	1.20E-05	2.90E-06	7.93E-06	1.15E-05	2.90E-06	5.5E+00	2.3E+01	8.3E+00	5.8E+00	2.3E+01	1.8E-10
Thorium (90)	Th-228	3.63E-01	1.91E+00	1.52E-07	4.51E-08	1.14E-07	1.50E-07	5.11E-08	1.2E+01	3.9E+01	1.5E+01	1.2E+01	3.5E+01	1.4E-08
Thorium (90)	Th-229	9.44E-05	7.34E+03	6.06E-06	1.83E-06	4.61E-06	6.00E-06	1.91E-06	3.2E-02	1.1E-01	4.2E-02	3.3E-02	1.0E-01	1.5E-07
Thorium (90)	Th-229+D	9.44E-05	7.34E+03	6.22E-06	1.95E-06	4.77E-06	6.15E-06	2.15E-06	3.1E-02	1.0E-01	4.1E-02	3.2E-02	9.1E-02	1.5E-07
Thorium (90)	Th-230	9.19E-06	7.54E+04	2.28E-08	8.13E-09	1.83E-08	2.26E-08	1.33E-08	8.5E+00	2.4E+01	1.1E+01	8.6E+00	1.5E+01	4.1E-04
Thorium (90)	Th-231	2.38E+02	2.91E-03	6.72E-07	2.41E-07	5.50E-07	6.72E-07	3.35E-07	1.7E+03	4.8E+03	2.1E+03	1.7E+03	3.5E+03	3.2E-09
Thorium (90)	Th-232	4.93E-11	1.41E+10	9.69E-09	4.12E-09	8.38E-09	9.66E-09	8.80E-09	2.0E+01	4.7E+01	2.3E+01	2.0E+01	2.2E+01	1.8E+02
Thorium (90)	Th-232+D	4.93E-11	1.41E+10	1.09E-04	2.12E-05	6.01E-05	9.47E-05	2.07E-05	1.8E-03	9.2E-03	3.2E-03	2.1E-03	9.4E-03	1.6E-02
Thorium (90)	Th-233	1.63E+04	4.24E-05	3.88E-06	8.68E-07	2.37E-06	3.53E-06	9.78E-07	2.0E+04	9.2E+04	3.3E+04	2.2E+04	8.1E+04	5.7E-10
Thorium (90)	Th-234	1.05E+01	6.60E-02	4.80E-07	1.76E-07	4.01E-07	4.80E-07	1.98E-07	1.1E+02	2.9E+02	1.3E+02	1.1E+02	2.6E+02	4.6E-09
Thorium (90)	Th-234+D	1.05E+01	6.60E-02	2.93E-06	6.97E-07	1.80E-06	2.62E-06	9.72E-07	1.7E+01	7.3E+01	2.8E+01	1.9E+01	5.3E+01	7.5E-10
Thorium (90)	Th-235	5.13E+04	1.35E-05	6.69E-06	1.41E-06	3.91E-06	6.00E-06	1.60E-06	3.7E+04	1.8E+05	6.4E+04	4.2E+04	1.6E+05	3.3E-10
Thorium (90)	Th-236	9.71E+03	7.13E-05	3.57E-06	8.23E-07	2.25E-06	3.31E-06	8.99E-07	1.3E+04	5.7E+04	2.1E+04	1.4E+04	5.3E+04	6.2E-10
Titanium (22)	Ti-44	1.16E-02	6.00E+01	6.69E-06	2.70E-06	5.86E-06	6.69E-06	3.03E-06	3.4E-02	8.3E-02	3.8E-02	3.4E-02	7.4E-02	2.5E-10
Titanium (22)	Ti-44+D	1.16E-02	6.00E+01	2.75E-04	5.50E-05	1.56E-04	2.41E-04	5.46E-05	8.1E-04	4.1E-03	1.4E-03	9.3E-04	4.1E-03	6.0E-12
Titanium (22)	Ti-45	1.97E+03	3.52E-04	1.03E-04	2.17E-05	6.11E-05	9.34E-05	2.13E-05	9.4E+01	4.4E+02	1.6E+02	1.0E+02	4.5E+02	4.1E-12
Titanium (22)	Ti-51	6.32E+04	1.10E-05	4.23E-05	9.24E-06	2.60E-05	3.91E-05	9.28E-06	7.3E+03	3.3E+04	1.2E+04	7.9E+03	3.3E+04	1.1E-11
Titanium (22)	Ti-52	2.14E+05	3.23E-06	1.02E-05	2.94E-06	7.67E-06	1.01E-05	3.19E-06	1.0E+05	3.5E+05	1.4E+05	1.0E+05	3.3E+05	4.8E-11
Thallium (81)	Tl-190	1.40E+05	4.95E-06	1.54E-04	3.24E-05	9.09E-05	1.39E-04	3.22E-05	4.4E+03	2.1E+04	7.5E+03	4.9E+03	2.1E+04	1.2E-11

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Thallium (81)	Tl-190m	9.84E+04	7.04E-06	2.95E-04	6.06E-05	1.71E-04	2.64E-04	5.96E-05	1.6E+03	7.9E+03	2.8E+03	1.8E+03	8.0E+03	6.1E-12
Thallium (81)	Tl-194	1.10E+04	6.28E-05	1.06E-04	2.26E-05	6.31E-05	9.59E-05	2.23E-05	5.1E+02	2.4E+03	8.5E+02	5.6E+02	2.4E+03	1.7E-11
Thallium (81)	Tl-194m	1.11E+04	6.24E-05	2.99E-04	6.21E-05	1.74E-04	2.68E-04	6.09E-05	1.8E+02	8.7E+02	3.1E+02	2.0E+02	8.9E+02	6.1E-12
Thallium (81)	Tl-195	5.23E+03	1.32E-04	1.57E-04	2.91E-05	8.28E-05	1.32E-04	2.82E-05	1.6E+02	8.8E+02	3.1E+02	1.9E+02	9.0E+02	1.2E-11
Thallium (81)	Tl-196	3.30E+03	2.10E-04	2.41E-04	4.50E-05	1.29E-04	2.04E-04	4.35E-05	6.7E+01	3.6E+02	1.2E+02	7.9E+01	3.7E+02	7.7E-12
Thallium (81)	Tl-197	2.14E+03	3.24E-04	5.11E-05	1.08E-05	2.97E-05	4.51E-05	1.07E-05	2.0E+02	9.7E+02	3.5E+02	2.3E+02	9.8E+02	3.6E-11
Thallium (81)	Tl-198	1.15E+03	6.05E-04	2.62E-04	4.81E-05	1.38E-04	2.20E-04	4.67E-05	2.1E+01	1.2E+02	4.0E+01	2.5E+01	1.2E+02	7.1E-12
Thallium (81)	Tl-198m	3.25E+03	2.13E-04	1.39E-04	2.97E-05	8.33E-05	1.26E-04	2.92E-05	1.1E+02	5.3E+02	1.9E+02	1.3E+02	5.4E+02	1.3E-11
Thallium (81)	Tl-199	8.18E+02	8.47E-04	2.34E-05	5.71E-06	1.52E-05	2.18E-05	5.78E-06	1.7E+02	7.0E+02	2.6E+02	1.8E+02	6.9E+02	8.0E-11
Thallium (81)	Tl-200	2.33E+02	2.98E-03	1.60E-04	3.17E-05	8.99E-05	1.40E-04	3.10E-05	7.1E+00	3.6E+01	1.3E+01	8.1E+00	3.7E+01	1.2E-11
Thallium (81)	Tl-201	8.33E+01	8.32E-03	5.08E-06	1.80E-06	4.15E-06	5.05E-06	1.96E-06	8.0E+01	2.3E+02	9.8E+01	8.0E+01	2.1E+02	3.7E-10
Thallium (81)	Tl-202	2.07E+01	3.35E-02	4.95E-05	1.12E-05	3.06E-05	4.58E-05	1.11E-05	2.0E+00	9.0E+00	3.3E+00	2.2E+00	9.1E+00	3.9E-11
Thallium (81)	Tl-204	1.83E-01	3.78E+00	8.08E-08	3.13E-08	6.82E-08	8.02E-08	6.47E-08	1.1E+01	2.9E+01	1.3E+01	1.1E+01	1.4E+01	2.4E-08
Thallium (81)	Tl-206	8.67E+04	7.99E-06	1.65E-07	5.60E-08	1.19E-07	1.58E-07	2.32E-07	2.6E+06	7.5E+06	3.5E+06	2.7E+06	1.8E+06	1.2E-08
Thallium (81)	Tl-206m	9.74E+04	7.12E-06	2.88E-04	5.96E-05	1.68E-04	2.58E-04	5.81E-05	1.6E+03	8.0E+03	2.8E+03	1.8E+03	8.2E+03	6.7E-12
Thallium (81)	Tl-207	7.64E+04	9.08E-06	4.29E-07	1.03E-07	2.60E-07	3.85E-07	2.58E-07	8.7E+05	3.6E+06	1.4E+06	9.7E+05	1.4E+06	4.6E-09
Thallium (81)	Tl-208	1.19E+05	5.81E-06	4.73E-04	7.83E-05	2.28E-04	3.76E-04	7.48E-05	1.2E+03	7.4E+03	2.5E+03	1.5E+03	7.8E+03	4.1E-12
Thallium (81)	Tl-209	1.69E+05	4.11E-06	2.79E-04	5.15E-05	1.48E-04	2.35E-04	5.02E-05	2.9E+03	1.6E+04	5.5E+03	3.5E+03	1.6E+04	7.1E-12
Thallium (81)	Tl-210	2.80E+05	2.47E-06	3.63E-04	6.72E-05	1.92E-04	3.07E-04	6.50E-05	3.8E+03	2.0E+04	7.1E+03	4.4E+03	2.1E+04	5.5E-12
Thulium (69)	Tm-161	1.21E+04	5.75E-05	1.57E-04	3.00E-05	8.43E-05	1.33E-04	2.99E-05	3.7E+02	2.0E+03	7.0E+02	4.4E+02	2.0E+03	9.7E-12
Thulium (69)	Tm-162	1.68E+04	4.13E-05	2.52E-04	4.56E-05	1.31E-04	2.10E-04	4.45E-05	3.2E+02	1.8E+03	6.2E+02	3.9E+02	1.8E+03	6.1E-12
Thulium (69)	Tm-163	3.35E+03	2.07E-04	1.63E-04	3.12E-05	8.79E-05	1.39E-04	3.06E-05	1.0E+02	5.2E+02	1.9E+02	1.2E+02	5.3E+02	9.4E-12
Thulium (69)	Tm-164	1.82E+05	3.81E-06	9.47E-05	1.88E-05	5.30E-05	8.27E-05	1.86E-05	9.4E+03	4.7E+04	1.7E+04	1.1E+04	4.8E+04	1.6E-11
Thulium (69)	Tm-165	2.02E+02	3.43E-03	5.96E-05	1.31E-05	3.59E-05	5.40E-05	1.32E-05	1.6E+01	7.5E+01	2.7E+01	1.8E+01	7.5E+01	2.6E-11
Thulium (69)	Tm-166	7.88E+02	8.79E-04	2.57E-04	4.71E-05	1.35E-04	2.16E-04	4.58E-05	1.5E+01	8.1E+01	2.8E+01	1.8E+01	8.4E+01	6.1E-12
Thulium (69)	Tm-167	2.73E+01	2.53E-02	1.09E-05	3.02E-06	7.62E-06	1.05E-05	3.28E-06	1.2E+01	4.4E+01	1.7E+01	1.3E+01	4.1E+01	1.4E-10
Thulium (69)	Tm-168	2.72E+00	2.55E-01	1.45E-04	3.01E-05	8.38E-05	1.29E-04	2.97E-05	9.1E-02	4.4E-01	1.6E-01	1.0E-01	4.5E-01	1.1E-11
Thulium (69)	Tm-170	1.97E+00	3.52E-01	2.16E-07	8.63E-08	1.83E-07	2.15E-07	1.64E-07	4.4E+01	1.1E+02	5.2E+01	4.5E+01	5.8E+01	7.4E-09
Thulium (69)	Tm-171	3.61E-01	1.92E+00	1.80E-08	9.44E-09	1.70E-08	1.80E-08	1.26E-08	9.8E+01	1.9E+02	1.0E+02	9.8E+01	1.4E+02	9.0E-08
Thulium (69)	Tm-172	9.55E+01	7.26E-03	6.31E-05	1.15E-05	3.28E-05	5.27E-05	1.12E-05	7.4E+00	4.1E+01	1.4E+01	8.8E+00	4.1E+01	2.6E-11
Thulium (69)	Tm-173	7.37E+02	9.41E-04	4.39E-05	9.54E-06	2.69E-05	4.04E-05	9.44E-06	8.2E+01	3.8E+02	1.3E+02	8.9E+01	3.8E+02	3.7E-11
Thulium (69)	Tm-174	6.75E+04	1.03E-05	2.11E-04	4.35E-05	1.23E-04	1.88E-04	4.26E-05	1.6E+03	7.5E+03	2.7E+03	1.7E+03	7.7E+03	7.8E-12
Thulium (69)	Tm-175	2.40E+04	2.89E-05	1.33E-04	2.68E-05	7.57E-05	1.18E-04	2.62E-05	8.7E+02	4.4E+03	1.5E+03	9.9E+02	4.4E+03	1.2E-11
Thulium (69)	Tm-176	1.97E+05	3.52E-06	2.56E-04	4.73E-05	1.35E-04	2.15E-04	4.58E-05	3.7E+03	2.0E+04	7.1E+03	4.5E+03	2.1E+04	6.5E-12
Uranium (92)	U-227	3.31E+05	2.09E-06	1.05E-05	2.67E-06	7.22E-06	1.01E-05	2.67E-06	1.5E+05	6.0E+05	2.2E+05	1.6E+05	6.0E+05	2.0E-10
Uranium (92)	U-228	4.00E+04	1.73E-05	3.09E-07	8.74E-08	2.26E-07	3.03E-07	9.44E-08	6.3E+05	2.2E+06	8.6E+05	6.4E+05	2.1E+06	7.0E-09
Uranium (92)	U-230	1.22E+01	5.70E-02	8.30E-08	2.47E-08	6.16E-08	8.11E-08	3.35E-08	7.1E+02	2.4E+03	9.6E+02	7.3E+02	1.8E+03	2.6E-08
Uranium (92)	U-231	6.02E+01	1.15E-02	4.48E-06	1.46E-06	3.57E-06	4.45E-06	1.61E-06	6.5E+01	2.0E+02	8.2E+01	6.6E+01	1.8E+02	4.9E-10
Uranium (92)	U-232	1.01E-02	6.89E+01	1.47E-08	5.45E-09	1.17E-08	1.45E-08	1.36E-08	1.5E+01	4.0E+01	1.9E+01	1.5E+01	1.6E+01	6.7E-07
Uranium (92)	U-233	4.35E-06	1.59E+05	1.92E-08	5.60E-09	1.37E-08	1.86E-08	9.66E-09	1.0E+01	3.5E+01	1.4E+01	1.0E+01	2.0E+01	1.1E-03
Uranium (92)	U-234	2.82E-06	2.46E+05	6.85E-09	2.95E-09	5.71E-09	6.82E-09	1.03E-08	2.8E+01	6.6E+01	3.4E+01	2.9E+01	1.9E+01	4.6E-03
Uranium (92)	U-235	9.84E-10	7.04E+08	1.49E-05	3.80E-06	1.04E-05	1.45E-05	3.76E-06	1.3E-02	5.1E-02	1.9E-02	1.3E-02	5.2E-02	6.1E-03
Uranium (92)	U-235+D	9.84E-10	7.04E+08	1.56E-05	4.04E-06	1.09E-05	1.51E-05	4.10E-06	1.3E-02	4.8E-02	1.8E-02	1.3E-02	4.7E-02	5.8E-03
Uranium (92)	U-235m	1.40E+04	4.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Uranium (92)	U-236	2.96E-08	2.34E+07	3.35E-09	1.69E-09	2.90E-09	3.31E-09	8.27E-09	5.8E+01	1.2E+02	6.7E+01	5.9E+01	2.4E+01	9.0E-01
Uranium (92)	U-237	3.75E+01	1.85E-02	1.01E-05	2.90E-06	7.37E-06	9.88E-06	3.04E-06	1.8E+01	6.3E+01	2.5E+01	1.8E+01	6.0E+01	2.2E-10
Uranium (92)	U-238	1.55E-10	4.47E+09	3.35E-09	1.42E-09	2.54E-09	3.14E-09	6.69E-09	5.8E+01	1.4E+02	7.6E+01	6.2E+01	2.9E+01	1.7E+02
Uranium (92)	U-238+D	1.55E-10	4.47E+09	3.22E-06	7.52E-07	1.96E-06	2.88E-06	1.04E-06	6.0E-02	2.6E-01	9.9E-02	6.8E-02	1.9E-01	1.8E-01
Uranium (92)	U-239	1.55E+04	4.46E-05	3.22E-06	1.04E-06	2.41E-06	3.07E-06	1.24E-06	2.3E+04	7.3E+04	3.1E+04	2.5E+04	6.1E+04	7.0E-10

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Uranium (92)	U-240	4.31E+02	1.61E-03	3.12E-07	9.80E-08	2.40E-07	3.09E-07	1.26E-07	6.7E+03	2.1E+04	8.7E+03	6.8E+03	1.7E+04	7.3E-09
Uranium (92)	U-242	2.17E+04	3.20E-05	4.10E-06	9.74E-07	2.59E-06	3.79E-06	1.09E-06	2.6E+04	1.1E+05	4.1E+04	2.8E+04	9.7E+04	5.6E-10
Vanadium (23)	V-47	1.12E+04	6.20E-05	1.18E-04	2.48E-05	6.97E-05	1.07E-04	2.46E-05	4.6E+02	2.2E+03	7.8E+02	5.1E+02	2.2E+03	3.8E-12
Vanadium (23)	V-48	1.58E+01	4.38E-02	3.79E-04	7.12E-05	2.04E-04	3.25E-04	6.91E-05	2.0E-01	1.1E+00	3.8E-01	2.4E-01	1.1E+00	1.2E-12
Vanadium (23)	V-49	7.67E-01	9.04E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Vanadium (23)	V-50	4.62E-18	1.50E+17	1.95E-04	3.42E-05	9.90E-05	1.61E-04	3.28E-05	1.0E-03	5.9E-03	2.0E-03	1.3E-03	6.2E-03	2.2E+04
Vanadium (23)	V-52	9.73E+04	7.12E-06	1.98E-04	3.51E-05	1.01E-04	1.64E-04	3.41E-05	2.4E+03	1.3E+04	4.7E+03	2.9E+03	1.4E+04	2.5E-12
Vanadium (23)	V-53	2.26E+05	3.06E-06	1.35E-04	2.58E-05	7.32E-05	1.16E-04	2.53E-05	8.1E+03	4.3E+04	1.5E+04	9.5E+03	4.4E+04	3.7E-12
Tungsten (74)	W-177	2.76E+03	2.51E-04	1.00E-04	2.16E-05	5.91E-05	8.93E-05	2.15E-05	1.3E+02	6.2E+02	2.3E+02	1.5E+02	6.2E+02	1.7E-11
Tungsten (74)	W-178	1.17E+01	5.92E-02	4.86E-07	2.41E-07	4.53E-07	4.86E-07	3.07E-07	1.2E+02	2.4E+02	1.3E+02	1.2E+02	1.9E+02	3.5E-09
Tungsten (74)	W-178+D	1.17E+01	5.92E-02	1.10E-05	2.75E-06	6.77E-06	9.66E-06	3.00E-06	5.2E+00	2.1E+01	8.4E+00	5.9E+00	1.9E+01	1.5E-10
Tungsten (74)	W-179	9.83E+03	7.05E-05	1.59E-06	8.03E-07	1.49E-06	1.59E-06	1.07E-06	3.0E+04	6.0E+04	3.2E+04	3.0E+04	4.5E+04	1.1E-09
Tungsten (74)	W-179m	5.69E+04	1.22E-05	3.28E-06	1.08E-06	2.50E-06	3.22E-06	1.20E-06	8.4E+04	2.6E+05	1.1E+05	8.6E+04	2.3E+05	5.2E-10
Tungsten (74)	W-181	2.09E+00	3.32E-01	1.29E-06	6.41E-07	1.21E-06	1.29E-06	8.14E-07	7.8E+00	1.6E+01	8.4E+00	7.8E+00	1.2E+01	1.3E-09
Tungsten (74)	W-185	3.37E+00	2.06E-01	7.61E-09	2.80E-09	6.16E-09	7.57E-09	3.63E-09	2.2E+03	5.9E+03	2.7E+03	2.2E+03	4.5E+03	2.3E-07
Tungsten (74)	W-185m	2.28E+05	3.04E-06	1.63E-06	5.04E-07	1.24E-06	1.61E-06	5.33E-07	6.8E+05	2.2E+06	9.0E+05	6.9E+05	2.1E+06	1.1E-09
Tungsten (74)	W-187	2.56E+02	2.71E-03	5.18E-05	1.10E-05	3.05E-05	4.67E-05	1.09E-05	2.4E+01	1.1E+02	4.1E+01	2.7E+01	1.1E+02	3.4E-11
Tungsten (74)	W-188	3.62E+00	1.91E-01	1.90E-07	4.56E-08	1.25E-07	1.81E-07	4.58E-08	9.3E+01	3.9E+02	1.4E+02	9.8E+01	3.9E+02	9.4E-09
Tungsten (74)	W-190	1.21E+04	5.71E-05	9.75E-06	3.08E-06	7.47E-06	9.59E-06	3.38E-06	6.1E+03	1.9E+04	7.9E+03	6.2E+03	1.7E+04	1.8E-10
Xenon (54)	Xe-120	9.11E+03	7.61E-05	4.23E-05	9.04E-06	2.50E-05	3.82E-05	9.25E-06	1.0E+03	4.9E+03	1.8E+03	1.2E+03	4.8E+03	2.7E-11
Xenon (54)	Xe-121	9.08E+03	7.63E-05	1.89E-04	3.52E-05	1.00E-04	1.60E-04	3.44E-05	2.3E+02	1.3E+03	4.4E+02	2.8E+02	1.3E+03	6.0E-12
Xenon (54)	Xe-122	3.02E+02	2.29E-03	4.95E-06	1.21E-06	3.18E-06	4.67E-06	1.42E-06	3.0E+02	1.2E+03	4.6E+02	3.1E+02	1.0E+03	2.3E-10
Xenon (54)	Xe-123	2.92E+03	2.37E-04	7.45E-05	1.51E-05	4.27E-05	6.60E-05	1.50E-05	1.9E+02	9.4E+02	3.3E+02	2.2E+02	9.5E+02	1.6E-11
Xenon (54)	Xe-125	3.59E+02	1.93E-03	2.53E-05	5.96E-06	1.63E-05	2.38E-05	6.15E-06	6.9E+01	2.9E+02	1.1E+02	7.3E+01	2.8E+02	4.7E-11
Xenon (54)	Xe-127	6.95E+00	9.97E-02	2.57E-05	6.26E-06	1.71E-05	2.46E-05	6.37E-06	1.3E+00	5.4E+00	2.0E+00	1.4E+00	5.3E+00	4.7E-11
Xenon (54)	Xe-127m	3.16E+05	2.19E-06	1.30E-05	3.60E-06	9.49E-06	1.28E-05	3.72E-06	1.2E+05	4.3E+05	1.6E+05	1.2E+05	4.1E+05	9.2E-11
Xenon (54)	Xe-129m	2.85E+01	2.43E-02	1.15E-06	4.49E-07	8.63E-07	1.12E-06	8.84E-07	1.2E+02	3.1E+02	1.6E+02	1.2E+02	1.6E+02	1.1E-09
Xenon (54)	Xe-131m	2.14E+01	3.24E-02	3.91E-07	1.65E-07	3.04E-07	3.85E-07	3.41E-07	2.7E+02	6.3E+02	3.4E+02	2.7E+02	3.1E+02	3.2E-09
Xenon (54)	Xe-133	4.82E+01	1.44E-02	1.82E-06	7.32E-07	1.56E-06	1.82E-06	9.47E-07	1.3E+02	3.2E+02	1.5E+02	1.3E+02	2.5E+02	6.9E-10
Xenon (54)	Xe-133m	1.16E+02	6.00E-03	2.50E-06	6.56E-07	1.68E-06	2.40E-06	8.24E-07	2.2E+02	8.6E+02	3.3E+02	2.3E+02	6.8E+02	5.0E-10
Xenon (54)	Xe-135	6.64E+02	1.04E-03	2.62E-05	6.06E-06	1.69E-05	2.49E-05	5.93E-06	1.2E+02	5.3E+02	1.9E+02	1.3E+02	5.4E+02	4.9E-11
Xenon (54)	Xe-135m	2.38E+04	2.91E-05	4.99E-05	1.05E-05	2.95E-05	4.51E-05	1.03E-05	2.3E+03	1.1E+04	3.9E+03	2.6E+03	1.1E+04	2.6E-11
Xenon (54)	Xe-137	9.54E+04	7.26E-06	2.49E-05	5.20E-06	1.44E-05	2.22E-05	5.43E-06	1.9E+04	8.9E+04	3.2E+04	2.1E+04	8.6E+04	5.2E-11
Xenon (54)	Xe-138	2.59E+04	2.68E-05	1.51E-04	2.68E-05	7.73E-05	1.25E-04	2.59E-05	8.3E+02	4.7E+03	1.6E+03	1.0E+03	4.9E+03	8.6E-12
Yttrium (39)	Y-81	3.10E+05	2.23E-06	1.35E-04	2.93E-05	8.18E-05	1.23E-04	2.92E-05	1.1E+04	5.2E+04	1.8E+04	1.2E+04	5.2E+04	5.7E-12
Yttrium (39)	Y-83	5.14E+04	1.35E-05	1.63E-04	3.33E-05	9.39E-05	1.45E-04	3.28E-05	1.5E+03	7.5E+03	2.7E+03	1.7E+03	7.6E+03	4.8E-12
Yttrium (39)	Y-83m	1.28E+05	5.42E-06	9.69E-05	2.08E-05	5.86E-05	8.87E-05	2.06E-05	6.4E+03	3.0E+04	1.1E+04	7.0E+03	3.0E+04	8.1E-12
Yttrium (39)	Y-84m	9.22E+03	7.52E-05	5.05E-04	9.85E-05	2.79E-04	4.39E-04	9.59E-05	8.9E+01	4.6E+02	1.6E+02	1.0E+02	4.7E+02	1.6E-12
Yttrium (39)	Y-85	2.27E+03	3.06E-04	1.28E-04	2.68E-05	7.57E-05	1.16E-04	2.64E-05	8.6E+01	4.1E+02	1.5E+02	9.5E+01	4.2E+02	6.3E-12
Yttrium (39)	Y-85m	1.25E+03	5.55E-04	1.68E-04	3.23E-05	9.19E-05	1.45E-04	3.15E-05	3.6E+01	1.9E+02	6.6E+01	4.2E+01	1.9E+02	4.8E-12
Yttrium (39)	Y-86	4.12E+02	1.68E-03	4.67E-04	8.68E-05	2.49E-04	3.98E-04	8.43E-05	4.3E+00	2.3E+01	8.1E+00	5.0E+00	2.4E+01	1.7E-12
Yttrium (39)	Y-86m	7.59E+03	9.13E-05	2.25E-05	5.30E-06	1.48E-05	2.14E-05	5.14E-06	1.6E+03	7.0E+03	2.5E+03	1.7E+03	7.2E+03	3.6E-11
Yttrium (39)	Y-87	7.61E+01	9.11E-03	5.11E-05	1.09E-05	3.06E-05	4.67E-05	1.07E-05	7.2E+00	3.4E+01	1.2E+01	7.9E+00	3.5E+01	1.6E-11
Yttrium (39)	Y-87m	4.54E+02	1.53E-03	3.44E-05	7.52E-06	2.13E-05	3.19E-05	7.38E-06	6.4E+01	2.9E+02	1.0E+02	6.9E+01	3.0E+02	2.4E-11
Yttrium (39)	Y-88	2.37E+00	2.92E-01	3.69E-04	6.46E-05	1.87E-04	3.03E-04	6.19E-05	3.1E-02	1.8E-01	6.2E-02	3.8E-02	1.9E-01	2.3E-12
Yttrium (39)	Y-89m	1.40E+06	4.97E-07	1.15E-04	2.23E-05	6.31E-05	9.97E-05	2.17E-05	5.9E+04	3.0E+05	1.1E+05	6.8E+04	3.1E+05	7.3E-12
Yttrium (39)	Y-90	9.47E+01	7.32E-03	5.14E-07	1.65E-07	3.54E-07	4.86E-07	4.51E-07	9.0E+02	2.8E+03	1.3E+03	9.5E+02	1.0E+03	1.7E-09
Yttrium (39)	Y-90m	1.90E+03	3.64E-04	7.04E-05	1.56E-05	4.37E-05	6.53E-05	1.52E-05	1.3E+02	6.0E+02	2.1E+02	1.4E+02	6.1E+02	1.2E-11
Yttrium (39)	Y-91	4.32E+00	1.60E-01	6.15E-07	1.44E-07	3.62E-07	5.43E-07	3.44E-07	3.4E+01	1.5E+02	5.8E+01	3.9E+01	6.1E+01	1.4E-09

Radionuclides		Slope Factors and Isotope-specific Information							Carcinogenic Target Risk (TR) = 1E-06					
Element (Atomic Number)	Isotope	Lambda (yr^{-1})	Halflife (years)	External Exposure Slope Factor (risk/yr per Bq/g)	External Exposure Slope Factor (1 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (5 cm) (risk/yr per Bq/g)	External Exposure Slope Factor (15 cm) (risk/yr per Bq/g)	Ground Plane External Exposure Slope Factor (risk/yr per Bq/cm^2)	Soil Volume PRG (Bq/g)	Soil Volume @ 1cm PRG (Bq/g)	Soil Volume @ 5cm PRG (Bq/g)	Soil Volume @ 15cm PRG (Bq/g)	Ground Plane PRG (Bq/cm^2)	Soil Volume PRG (mg/kg)
Actinium (89)	Ac-223	1.73E+05	4.00E-06	1.65E-06	4.04E-07	1.10E-06	1.57E-06	4.04E-07	5.1E+05	2.1E+06	7.7E+05	5.4E+05	2.1E+06	1.3E-09
Yttrium (39)	Y-91m	7.33E+03	9.46E-05	6.31E-05	1.31E-05	3.70E-05	5.68E-05	1.28E-05	5.6E+02	2.7E+03	9.6E+02	6.3E+02	2.8E+03	1.4E-11
Yttrium (39)	Y-92	1.71E+03	4.04E-04	3.41E-05	6.56E-06	1.85E-05	2.93E-05	6.72E-06	2.4E+02	1.3E+03	4.5E+02	2.9E+02	1.2E+03	2.5E-11
Yttrium (39)	Y-93	5.96E+02	1.16E-03	1.34E-05	2.58E-06	7.22E-06	1.14E-05	2.81E-06	2.2E+02	1.1E+03	4.0E+02	2.5E+02	1.0E+03	6.6E-11
Yttrium (39)	Y-94	1.95E+04	3.56E-05	1.03E-04	1.95E-05	5.55E-05	8.80E-05	1.93E-05	9.2E+02	4.9E+03	1.7E+03	1.1E+03	4.9E+03	8.6E-12
Yttrium (39)	Y-95	3.54E+04	1.96E-05	1.60E-04	2.62E-05	7.62E-05	1.26E-04	2.52E-05	1.1E+03	6.6E+03	2.3E+03	1.4E+03	6.8E+03	5.6E-12
Ytterbium (70)	Yb-162	1.93E+04	3.59E-05	2.18E-05	5.55E-06	1.45E-05	2.05E-05	5.74E-06	4.3E+03	1.7E+04	6.5E+03	4.6E+03	1.6E+04	7.0E-11
Ytterbium (70)	Yb-163	3.30E+04	2.10E-05	8.74E-05	1.74E-05	4.89E-05	7.61E-05	1.73E-05	1.8E+03	9.2E+03	3.3E+03	2.1E+03	9.3E+03	1.8E-11
Ytterbium (70)	Yb-164	4.81E+03	1.44E-04	2.44E-06	8.99E-07	1.84E-06	2.31E-06	1.14E-06	9.6E+03	2.6E+04	1.3E+04	1.0E+04	2.1E+04	6.3E-10
Ytterbium (70)	Yb-165	3.68E+04	1.88E-05	3.25E-05	7.37E-06	1.94E-05	2.89E-05	7.70E-06	5.5E+03	2.4E+04	9.2E+03	6.2E+03	2.3E+04	4.8E-11
Ytterbium (70)	Yb-166	1.07E+02	6.47E-03	2.57E-06	1.32E-06	2.39E-06	2.57E-06	1.77E-06	2.0E+02	4.0E+02	2.2E+02	2.0E+02	2.9E+02	6.1E-10
Ytterbium (70)	Yb-167	2.08E+04	3.33E-05	1.69E-05	5.25E-06	1.25E-05	1.63E-05	5.84E-06	6.0E+03	1.9E+04	8.1E+03	6.2E+03	1.7E+04	9.4E-11
Ytterbium (70)	Yb-169	7.90E+00	8.77E-02	2.17E-05	6.56E-06	1.60E-05	2.12E-05	7.26E-06	1.8E+00	5.9E+00	2.4E+00	1.8E+00	5.3E+00	7.3E-11
Ytterbium (70)	Yb-175	6.04E+01	1.15E-02	4.10E-06	9.39E-07	2.60E-06	3.82E-06	9.31E-07	7.2E+01	3.1E+02	1.1E+02	7.7E+01	3.2E+02	4.0E-10
Ytterbium (70)	Yb-177	3.18E+03	2.18E-04	2.32E-05	4.70E-06	1.31E-05	2.02E-05	4.73E-06	6.7E+02	3.3E+03	1.2E+03	7.6E+02	3.3E+03	7.2E-11
Ytterbium (70)	Yb-178	4.92E+03	1.41E-04	4.23E-06	9.39E-07	2.63E-06	3.94E-06	9.31E-07	5.7E+03	2.6E+04	9.1E+03	6.1E+03	2.6E+04	4.0E-10
Ytterbium (70)	Yb-179	4.55E+04	1.52E-05	1.16E-04	2.42E-05	6.82E-05	1.04E-04	2.39E-05	1.9E+03	9.2E+03	3.3E+03	2.1E+03	9.3E+03	1.5E-11
Zinc (30)	Zn-60	1.53E+05	4.53E-06	1.81E-04	3.81E-05	1.07E-04	1.64E-04	3.76E-05	4.1E+03	2.0E+04	7.0E+03	4.5E+03	2.0E+04	3.1E-12
Zinc (30)	Zn-61	2.45E+05	2.83E-06	1.93E-04	3.81E-05	1.08E-04	1.69E-04	3.76E-05	6.2E+03	3.1E+04	1.1E+04	7.1E+03	3.2E+04	3.0E-12
Zinc (30)	Zn-62	6.61E+02	1.05E-03	5.11E-05	1.08E-05	3.02E-05	4.64E-05	1.06E-05	6.3E+01	3.0E+02	1.1E+02	6.9E+01	3.0E+02	1.1E-11
Zinc (30)	Zn-63	9.47E+03	7.32E-05	1.31E-04	2.74E-05	7.73E-05	1.18E-04	2.70E-05	3.5E+02	1.7E+03	6.0E+02	3.9E+02	1.7E+03	4.5E-12
Zinc (30)	Zn-65	1.04E+00	6.69E-01	7.57E-05	1.42E-05	4.06E-05	6.47E-05	1.38E-05	6.7E-02	3.5E-01	1.2E-01	7.8E-02	3.7E-01	8.1E-12
Zinc (30)	Zn-69	6.46E+03	1.07E-04	4.54E-08	1.54E-08	3.39E-08	4.42E-08	7.92E-08	6.9E+05	2.0E+06	9.3E+05	7.1E+05	4.0E+05	1.4E-08
Zinc (30)	Zn-69m	4.41E+02	1.57E-03	4.77E-05	1.03E-05	2.90E-05	4.39E-05	1.01E-05	4.5E+01	2.1E+02	7.4E+01	4.9E+01	2.1E+02	1.4E-11
Zinc (30)	Zn-71	1.49E+05	4.66E-06	3.91E-05	7.98E-06	2.25E-05	3.47E-05	8.11E-06	1.8E+04	9.1E+04	3.2E+04	2.1E+04	8.9E+04	1.7E-11
Zinc (30)	Zn-71m	1.53E+03	4.52E-04	1.86E-04	3.87E-05	1.09E-04	1.68E-04	3.79E-05	4.0E+01	1.9E+02	6.8E+01	4.5E+01	2.0E+02	3.6E-12
Zinc (30)	Zn-72	1.31E+02	5.31E-03	1.26E-05	3.40E-06	9.14E-06	1.24E-05	3.35E-06	5.0E+01	1.9E+02	7.0E+01	5.1E+01	1.9E+02	5.4E-11
Zirconium (40)	Zr-85	4.63E+04	1.50E-05	1.77E-04	3.67E-05	1.04E-04	1.59E-04	3.63E-05	1.3E+03	6.1E+03	2.2E+03	1.4E+03	6.2E+03	4.5E-12
Zirconium (40)	Zr-86	3.68E+02	1.88E-03	2.89E-05	6.66E-06	1.86E-05	2.74E-05	6.63E-06	6.2E+01	2.7E+02	9.6E+01	6.5E+01	2.7E+02	2.8E-11
Zirconium (40)	Zr-87	3.61E+03	1.92E-04	1.11E-04	2.31E-05	6.51E-05	1.00E-04	2.28E-05	1.6E+02	7.6E+02	2.7E+02	1.8E+02	7.7E+02	7.4E-12
Zirconium (40)	Zr-88	3.03E+00	2.28E-01	4.32E-05	9.44E-06	2.66E-05	4.01E-05	9.28E-06	3.4E-01	1.6E+00	5.5E-01	3.7E-01	1.6E+00	1.9E-11
Zirconium (40)	Zr-89	7.74E+01	8.95E-03	1.45E-04	2.85E-05	8.08E-05	1.27E-04	2.77E-05	2.6E+00	1.3E+01	4.7E+00	3.0E+00	1.4E+01	5.8E-12
Zirconium (40)	Zr-89m	8.75E+04	7.92E-06	7.76E-05	1.57E-05	4.45E-05	6.91E-05	1.53E-05	5.5E+03	2.7E+04	9.6E+03	6.2E+03	2.8E+04	1.1E-11
Zirconium (40)	Zr-93	4.53E-07	1.53E+06	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	.	.	.	.	.	.
Zirconium (40)	Zr-95	3.95E+00	1.75E-01	9.09E-05	1.82E-05	5.15E-05	8.05E-05	1.78E-05	2.1E-01	1.1E+00	3.7E-01	2.4E-01	1.1E+00	9.9E-12
Zirconium (40)	Zr-97	3.63E+02	1.91E-03	1.10E-04	2.19E-05	6.21E-05	9.69E-05	2.16E-05	.	.	.	.	.	.